



TOWNSHIP OF DEPTFORD

Gloucester County, New Jersey

Dina L. Zawadski
Registered Municipal Clerk
Certified Municipal Clerk

Municipal Building
1011 Cooper Street
Deptford, New Jersey 08096
(856) 686-2203 phone
(856) 845-8804 fax
OPRA@deptford-nj.org

October 21, 2019

Jessica Martin

Sent via E-Mail to: opra+request-7695-26ac35a7@requests.opramachine.com

RE: **OPRA REQUEST** – “*Copy of permit #2019-0931, Block 265, Lot 7.*”


Dear Jessica,

In response to your OPRA Request received October 10, 2019, we have attached hereto the documents you requested.

Please note that possible contractor Social Security numbers have been redacted.

We have made every effort to satisfy your request for records and have now closed your OPRA request. If you have any additional questions and/or concerns, or if we can be of further assistance, please do not hesitate to contact our office at 856-686-2203.

Sincerely,



Dina L. Zawadski
RMC/CMC
DLZ/mld

CONSTRUCTION PERMIT APPLICATION

Tel. (856) 693-2317 FAX:

2. ☐ Prototype Processing

3. ☐ Pressure Vessels

7. ☐ Sprinklers/Standpipes

.....

1000

es of Assembly

anks

2. ☐ Prototype Processing



PLUMBING SUBCODE TECHNICAL SECTION



A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 265 Lot 7 Qualification Code _____
Work Site Location 1460 Hurffville Road
Depford, N.J. 08096
Owner in Fee: US Bank/Trust

Tel. (856) 693-2317 e-mail _____
Address 13801 Wireless Way ok
City Oklahoma City Zip code 8563588605
Contractor: Voros Plumbing and Heating Tel. _____
Address P.O. Box 789 e-mail _____
Elmer, N.J. 08318

Contractor License No. 8971 Exp. Date 6-30-19
Home Improvement Contractor Registration No. or Exemption Reason 13VH07997400
Federal Emp. ID No. [REDACTED] FAX: 856-358-86

B. PLUMBING CHARACTERISTICS
Use Group Present Proposed _____
Building Sewer Size _____ Public Sewer _____ Private Septic _____
Water Service Size _____ Public Water _____ Private Well _____
Est. Cost of Plumbing Work \$ 2,325

JOB SUMMARY (Office Use Only)			
PLAN REVIEW		DATES (Month/Day)	
		Failure	Approval
☐ No Plans Required			
☐ Partial - Underslab Utilities Approved			
Date: <u>3-8-19</u> Approved by: <u>mg</u>			
☒ Plumbing Plans Approved			
Date: <u>3-8-19</u> Approved by: <u>mg</u>			
Joint Plan Review Required:			
☐ Bldg. ☐ Elec. ☐ Fire. ☐ Elev.			
SUBCODE APPROVAL FOR PERMIT			
Date: <u>3-8-19</u>			
Approved by: <u>mg</u>			
SUBCODE APPROVAL FOR CERTIFICATE			
☐ CO ☐ CCO ☐ CA			
Date: _____			
Approved by: _____			

U.C.C. F130 (rev. 10/17)
Internet version
Applicant: When submitting this form to your Local Construction Code Enforcement Office, please provide one original plus three photocopies.

Date Received Control # 19-0931
Date Issued Permit # 7-17-19

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant sign/Contractor sign and seal here: [Signature]

Print name here: Peter I. Voros

D. TECHNICAL SITE DATA
☒ Licensed Contractor ☐ Exempt Applicant

DESCRIPTION OF WORK

install 40 gallon natural gas water heater.. Gas Piping to heater, water heater, range and dryer.

QTY.	FIXTURE/EQUIPMENT	FEE (Office Use Only)
	Water Closet	
	Urinal/Bidet	
	Bath Tub	
	Lavatory	
	Shower	
	Floor Drain	
	Sink	
	Dishwasher	
	Drinking Fountain	
	Washing Machine	
	Hose Bibb	
1	Water Heater	15
1	Fuel Oil Piping	91
	Gas Piping	
	LPGas Tank	
	Steam Boiler	
	Hot Water Boiler	
	Sewer Pump	
	Interceptor/Separator	
	Backflow Preventer	
	Greasetrap	
	Sewer Connection	
	Water Service Connection	
	Stacks	
	Other	

Administrative Surcharge \$
Minimum Fee \$
State Permit Surcharge Fee \$ 4.00
TOTAL FEE \$ 110.15



Residential Atmospheric Vent Gas Water Heater




Photo is of
RG240T6N

The Atmospheric Vent FVIR Defender Safety System® Models Feature:

- **Bradford White ICON System®**—Intelligent gas control with proven millivolt powered technology and built-in piezo igniter. A standard, off-the-shelf thermopile converts heat energy from the pilot flame into electrical energy to operate the gas valve and microprocessor. No need for external electricity.
- **Enhanced Performance**—Proprietary algorithms provide enhanced First Hour Rating and tighter temperature differential.
- **Advanced Temperature Control System**—Microprocessor controls burner operation for consistent and accurate water temperature levels up to 160°F (71°C).
- **Intelligent Diagnostics**—Exclusive multicolor LED light indicates operation status/service required.
- **Advanced ScreenLok® Technology Flame Arrestor Design**—Flame arrestor is designed to prevent ignition of flammable vapor outside of the water heater.
- **Resettable Thermal Switch**—Proven and reliable bimetallic switch prevents burner and pilot operation in case of ongoing flammable vapors burning inside of the combustion chamber or restricted air flow.
- **Maintenance-Free**—No regular cleaning of air inlet openings or flame arrestor is required under normal conditions.
- **Sight Window**—Offers a view into the combustion chamber to observe the operation of the pilot and burner.
- **Factory-Installed Hydrojet® Total Performance System**—Sediment reducing device that also increases first hour rating of hot water while minimizing temperature build-up in tank.
- **Vitraglas® Lining**—An exclusively engineered enamel formula that provides superior tank protection from the highly corrosive effects of hot water. This formula (Vitraglas®) is fused to the steel surface by firing at a temperature of over 1600°F (871°C).
- **Insulation System**—Non-CFC foam covers the sides and top of the tank, reducing heat loss. This results in less energy consumption, improved efficiencies, and jacket rigidity.
- **Pedestal Base.**
- **Water Connections**—3/4" (19mm) NPT factory installed true dielectric fittings.
- **Factory-Installed Heat Traps.**
- **Protective Magnesium Anode Rod.**
- **3x4 "Snap Lock" Draft Diverter**—Allows either 3" (76mm) or 4" (102mm) vent connections with inputs of 40,000 BTU/hr. or less. Over 40,000 BTU/hr. has the 4" (102mm) "Snap Lock" Draft Diverter.
- **T&P Relief Valve**—Installed.
- **Low Restrictive Brass Drain Valve**—Durable tamper proof design.
- **NOx Emissions**—Less than 40 ng/J.

FEATURING:



*May vary by region



6 or 10-Year Limited Tank Warranties / 6 or 10-Year Limited Warranty on Component Parts.

For more information on warranty, please visit www.bradfordwhite.com

For products installed in USA, Canada, and Puerto Rico. Some states do not allow limitations on warranties. See complete copy of the warranty included with the heater.

MANUFACTURED UNDER ONE OR MORE OF THE FOLLOWING U.S. PATENTS: 5,662,658; 7,634,976; 6,660,165; 5,954,492; 6,059,542; 6,935,280; 5,372,185; 5,465,679; 5,574,822; 7,971,560; 7,992,526; 6,684,821; 7,334,419; 7,855,168; 7,270,087; 7,007,748; 5,588,952; 6,142,216; 7,699,025; 6,341,770; 7,337,617; 7,685,211; 7,665,210; 7,063,132; 7,083,133; 7,559,293; 7,900,589; 5,043,984; 8,082,888; 6,988,117; 7,621,238; 7,650,859; 5,761,378; 7,409,925; 5,277,171; 8,148,772; 7,458,341; 2,262,174. OTHER U.S. AND FOREIGN PATENT APPLICATIONS PENDING. CURRENT CANADIAN PATENTS: 2,314,345; 2,504,824; 2,108,186; 2,143,031; 2,409,271; 2,548,958; 2,112,515; 2,476,685; 2,239,007; 2,092,105; 2,167,012. Defender Safety System®, ScreenLok®, Vitraglas® and Hydrojet® are registered trademarks of Bradford White® Corporation.



CHIMNEY VERIFICATION FOR REPLACEMENT OF FUEL-FIRED EQUIPMENT

BLOCK 265 LOT 7 QUALIFICATION CODE _____ PERMIT # _____
 WORK SITE ADDRESS 1460 Hartsfield Rd Deptford NJ 08096
 Owner in Fee US Bank Trust
 Verifying Individual Peter Voros Company Voros Plumbing
 Address PO Box 789, Elmer NJ 08318
 Tel: (856) 358-8605 Fax: (856) 358-0323

Check the Appropriate Box(es):

Type of Replacement:

- ☐ Oil to Gas Conversion
☐ Gas to Oil Conversion
☒ Gas Appliance Replacement
☐ Oil to Oil Replacement
☐ Other _____

Existing Vent/Chimney:

- ☐ "B" Label Vent
☐ "L" Label Vent
☐ Flexible Liner
☐ Power Vent/Exhauster

- Size 3
☐ Chimney-Interior
☐ Chimney-Exterior
☐ Masonry Chimney-Tile Lined
☒ Masonry Chimney-Unlined
☐ Other _____

Type _____ Fuel Type _____ BTU Rating (Input/hour) _____
 Appliance 1: Water Heater Oil / ☒ Gas / Other: _____
 Appliance 2: _____ Oil / Gas / Other: _____
 Appliance 3: _____ Oil / Gas / Other: _____

CHIMNEY LINER

If a chimney liner is being installed, all documentation on the liner must accompany the Permit application.

Manufacturer: _____ Model: _____ UL Listing: _____
 Material of Liner: Stainless Steel _____ Aluminum _____
 Size of Appliance Vent: _____ Size of Liner: _____ Height of Chimney: _____
 Length of Connector: _____ Vent Connector Rise: _____
 How does the appliance vent? ☐ Natural Draft ☐ Fan-assisted ☐ Other: _____

PLEASE SIGN ONE OF THE FOLLOWING VERIFICATION STATEMENTS

For Oil or Coal to Gas Conversions:

I have verified that the chimney/vent is in good repair and clear of obstruction and is substantially clean of residue from its previous use serving an oil or coal appliance. I have verified that the chimney/vent is appropriately lined and sized for the appliance(s) being installed.

Signature _____ Date _____

Oil to Oil or Gas to Gas Replacements or New/Additional Appliances:

I have verified that the existing chimney/vent is in good repair and clear of obstruction. I have verified that the existing chimney/vent is appropriately lined and sized for the appliance(s) being installed and/or remaining.

Signature Peter Voros Date 6/25/19

Direct Vent Appliance:

I hereby verify that the appliance(s) being installed is a direct vent appliance. I further verify that the existing chimney/vent is appropriately lined and sized for any remaining appliances.

Signature _____ Date _____

Verification Not Submitted:

I choose not to submit verification. I understand that I will be required to be present for the inspection to remove and reinstall the chimney vent connector.

Signature _____ Date _____

FOR MINOR AND EMERGENCY WORK, THIS FORM MUST BE PROVIDED WITH YOUR PERMIT APPLICATION. FOR ALL OTHER WORK, THIS FORM MUST BE PRESENTED TO THE CODE OFFICIAL PRIOR TO FINAL INSPECTION.

*All applicable information requested on this form must be supplied.
 This form may not be submitted by a homeowner in lieu of the required inspection.*