

heating info.

TOWNSHIP OF BRICK

tree



CONSTRUCTION PERMIT APPLICATION

RECEIVE

APR 11 / 86

BUILDING

I. IDENTIFICATION

1. Proposed Work at: BLOCK 21-B LOT 13 (28 Rochester Drive) BRICK TOWN NJ

2. Owner Name: CHARLES CHIOVITTI Tel. (201) 686-5624
Address 1030 Stowe ST. UNION N.J 07083

3. Principal Contractor: CHARLES CHIOVITTI Tel. (201) 6865624
Address 1030 Stowe ST UNION N.J 07083 (376-8800) *Cindy*

Lic. No. or Builder Reg. No. _____ Federal Emp. No. _____

4. Architect or Engineer: RICHARD POTTER Tel. () _____
Address 410 Colonial Ave UNION N.J 07083

5. Responsible Person in Charge of Work CHARLES CHIOVITTI Tel. (201) 686 5624 ✓

II. PROPOSED WORK

A. TYPE OF WORK	B. CATEGORIES OF WORK	D. DOES OR WILL YOUR BUILDING CONTAIN ANY OF THE FOLLOWING?
1. ☐ Minor Work (Single Trade)	Permit/Category Estimated	1. ☐ Elevators/Dumbwaiters
2. ☐ Small Job (\$5,000 and no Prior Approvals) <i>Complete only II.B., III and IV.A. and Page 2</i>	1. ☒ Building/Structural <u>\$50,000</u>	2. ☐ High-Pressure Boilers
	2. ☒ Plumbing <u>3,500</u>	3. ☐ Refrigeration Systems
	3. ☒ Electrical <u>2,500</u>	4. ☐ Pressure Vessels
3. ☒ New Building	4. ☐ Fire Protection _____	5. ☐ Hazardous Uses/Places of Assembly
4. ☐ Addition	5. ☐ Other _____	6. ☐ Cross-connections/Backflow Preventors
5. ☐ Alteration	6. ☐ Other _____	7. ☐ Sprinklers
6. ☐ Repair, Replacement	TOTAL COST <u>\$56,000</u>	8. ☐ Smoke Control Systems in Open Wells
7. ☐ Demolition	C. DO YOU WANT: <u>83,957.50</u>	
8. ☐ Other: _____	1. ☐ Partial Release 2. ☐ Prototype Processing	

III. DESCRIPTION OF BUILDING USE (USE GROUPS)

A. RESIDENTIAL

1. ☐ Hotels (R-1) If new construction, enter no. of dwelling units _____

2. ☐ Multi-Family (R-2) HMD Reg. No.: _____

3. ☐ Two Family (R-3b)

4. ☒ One-Family (R-3a) If other than new construction, enter no. of dwelling units: _____

Before Construction: _____

After Construction: _____

Net Gain (or loss): _____

B. NON-RESIDENTIAL

5. ☐ Theatres with Stage (A-1-A)	16. ☐ Institutional Detention Center (I-1)
6. ☐ Movie Theatres (A-1-B)	17. ☐ Hospitals, Infirmarys (I-2)
7. ☐ Night Clubs (A-2)	18. ☐ Group Homes (I-3)
8. ☐ Restaurants, Libraries, Museums (A-3)	19. ☐ Mercantile (M)
9. ☐ Religious Assembly (A-4)	20. ☐ Moderate-Hazard Warehouse (S-1)
10. ☐ Outdoor Assembly (A-5)	21. ☐ Low-Hazard Warehouse (S-2)
11. ☐ Business (B)	22. ☐ Temporary, Misc. (U)
12. ☐ Educational (E)	23. ☐ Other _____
13. ☐ Moderate-Hazard Factory (F-1)	
14. ☐ Low-Hazard Factory (F-2)	
15. ☐ High-Hazard (H)	

State Specific Use: _____

If Change in Use Group, Indicate Former: _____

IV. BUILDING CHARACTERISTICS

A. OWNERSHIP

1. ☒ Private (Individual, Corp., Non-profit Inst., Etc.)

2. ☐ Public (State, County or Local Govt.)

B. HEATING FUEL

Principal	Secondary	Type
3. ☐	☐	Gas
4. ☐	☐	Oil
5. ☐	☐	Electric
6. ☐	☐	Solid (Wood, Coal, Etc.)
7. ☐	☐	Propane
8. ☐	☐	Solar
9. ☐	☐	Other _____

C. TYPE OF SEWAGE DISPOSAL

10. ☒ Public or Private Company

11. ☐ Private (Septic Tank, Etc.)

D. TYPE OF WATER SUPPLY

12. ☒ Public or Private Company

13. ☐ Private (Well, Etc.)

E. BUILDING CHARACTERISTICS

14. No. of Stories 2

15. Height of Structure 24 Ft.

16. Area—Largest Floor 1,680 Sq. Ft.

17. Bldg. Area—All Fls. 2,580 Sq. Ft.

18. Volume of Structure 35,300 Cu. Ft.

19. Total Land Area Disturbed 12,090 Sq. Ft.

LDS BR 10104833

CERTIFICATION IN LIEU OF OATH

I. OWNER SECTION

I hereby certify that I am the owner of the property listed on Page 1. This dwelling is to be occupied by myself and is not to be used for any purpose, other than single family residential use.

- A. ☐ I further certify that I prepared the plans submitted. This statement is made in accordance with the New Jersey Uniform Construction Code, N.J.A.C. 5:23-2.15(e)vii.
- B. ☐ I further certify that I will perform the work below.
 B1. ☐ Building B2. ☐ Electrical B3. ☐ Plumbing
- C. ☒ I further certify that a new home will be constructed on this property, for my use and occupancy. I attest that all design, construction, plumbing, or electrical work will be done by me or by subcontractors under my supervision, in accordance with all applicable laws; and further acknowledge that said new home is not covered under the New Home Warranty and Builders Registration Act (N.J.A.C. 46:3B-1 et. seq.) and that such fact shall be disclosed to any person purchasing this property within ten years of the date of issuance of a certificate of occupancy.
- D. ☒ I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

SIGNATURE

Charles Christy's

DATE

2/24/81

II. AGENT SECTION

I hereby certify that the work is authorized by the owner of record and I have been authorized by the owner to make this application as his agent.

I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

☐ Check if contractor.

AGENT NAME

TEL. ()

ADDRESS

SIGNATURE

TOWNSHIP OF BRICK



CERTIFICATE

CERT. NO.	6948
DATE ISSUED	7-7-87
Block	211C Lot 13
Subdivision	

IDENTIFICATION	
Owner	Charles Chiovitti
Address	1030 Stowe St. Union, N.J.
Tel. ()	
Work Site Address	28 Rochester Dr.
Agent	
Address	
Tel. ()	
Lic. No.	
Federal Emp. No.	

PAYMENTS	
Fees Remitted	\$
☐ Check No.	
☐ Cash	
☐ Other	
Collected By:	
Date:	

CERTIFICATE OF OCCUPANCY / APPROVAL

A. ☒ CERTIFICATE OF OCCUPANCY

☐ CERTIFICATE OF APPROVAL

This serves notice that said building, structure, or equipment has been constructed or installed in accordance with the New Jersey Uniform Construction Code, and is approved for use and/or occupancy.

B. ☐ CERTIFICATE OF CONTINUED OCCUPANCY

This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

C. ☐ TEMPORARY CERTIFICATE OF OCCUPANCY

If this is a Temporary Certificate of Occupancy the following conditions must be met no later than _____, 19____ or the owner will be subject to a fine or order to vacate:

D. DESCRIPTION OF WORK:

one family dwelling

USE GROUP R-3

FIRE GRADING 1 Hour

MAXIMUM LIVE LOAD _____

MAXIMUM OCCUPANCY LOAD _____

SPECIFIC USE single family residence

FINAL COST OF CONSTRUCTION: \$ 300,000.00

Arthur J. Cingo
CONSTRUCTION OFFICIAL

TOWNSHIP OF BRICK



APPLICATION FOR CERTIFICATE

PERMIT NO. 6948
DATE ISSUED _____
Block 24C Lot 13
Subdivision _____
Notice No. _____

IDENTIFICATION

OWNER:

Name Charles J Chiovitti
Address 28 Rochester Drive
Town/State/Zip Brick

CONSTRUCTION LOCATION:

Address 28 Rochester Dr
Tel. (201) 920-2793

ACTION

- ☒ CERTIFICATE OF OCCUPANCY ☐ CERTIFICATE OF APPROVAL
☐ CERTIFICATE OF CONTINUED OCCUPANCY ☐ TEMPORARY CERTIFICATE OF OCCUPANCY
USE GROUP: R-3 Previous _____ Current _____

☒ FINAL COST OF CONSTRUCTION: \$ 3000.00.00
(Include value of any new structure, all on-site improvements, built in furnishings and fixtures and all integral equipment exclusive of process or manufacturing equipment.)


A set of "As-Built" or amended drawings is required if the building or structure deviates from the approved plans filed with the construction permit. Use space below to describe any deviations from approved plans:

If you are requesting a Temporary Certificate of Occupancy, please explain why in the space below.

I hereby attest, that to the best of my knowledge, all work has been completed in accordance with the approved plans, permit and Regulations. Incomplete items listed on a Temporary Certificate of Occupancy will be completed by the date on the Certificate.

SIGNED: Charles Chiovitti
☐ Owner
☐ Agent

OWNER/AGENT



PERMIT NO. 6948
DATE ISSUED 5-5-86
REVISION DATE _____
Block 21-C Lot 13
Subdivision _____

A. IDENTIFICATION

APPLICANT – Complete unshaded areas only

When changing contractors, notify this office

Owner Charles Chiovitto

Contractor Tom Mico

Address 1030 Stowe ST

Address 3105 Wilshire Pl

Tel. 201-686-5624

Tel. () 899-5941

Work Site Address Rochester DfA

Lic.No./Bus. Permit 4927

Brick N: J.

Federal Emp. No. 143-40-2117

B. TECHNICAL SITE DATA

List all fixtures

TYPE OF WORK:

[illegible]**F88**

COLUMN 1

COLUMN 2 \$ 40

SUBTOTAL \$ 120

**Minimum Plumbing Fee
(If applicable)** \$

**Total Plumbing Fee
(Greater of Minimum
or Subtotal)**

C- PLUMBING CHARACTERISTICS

USE GROUP:

Present

Proposed

Material ABS Size 3-2-1 1/2"

Size 3-2-1 1/2"

Building Sewer—	Material	Size
	1' 1/4"	4"

Size 4 1/2

1

Water Service--	Material	Size
	<u>Poly Pils.</u>	<u>1"</u>

Size 1" x 1 1/2"

1

Venting -	Material	Size
	A/B/S	2-2-1/2

Size 3-2-12

1

Estimated Cost of Plumbing Work: \$ 2,500.00

250:700

D: COMMENTS

☐ Partial Releases

Prototype Processing



FIRE SUBCODE



PERMIT NO. 6944
DATE ISSUED 3-5-86
REVISION DATE _____
Block 211C Lot 13
Subdivision _____

UNIFORM CONSTRUCTION

TECHNICAL SECTION

A. IDENTIFICATION

APPLICANT - Complete unshaded areas only

When changing contractors, notify this office

Owner Charles Chiavitti

Contractor Alcane

Address 1030 Stowe St.

Address _____

WALTON N.S. 07083

Tel. (201) 6865624

Tel. () _____

Work Site Address

Industrially

Lic. No. _____

Federal Emp. No. _____

CERTIFICATION IN LIEU OF OATH:

(Complete for Minor Work and Small Job Only)

I hereby certify that the proposed work is authorized by the owner of record and I have been authorized by the owner to make this application as his agent.

AGENT SIGNATURE

B. TECHNICAL SITE DATA

B1. SPRINKLERS

TYPE: ☐ Wet ☐ Dry ☐ Other _____

FEE

Area Sprinkled: ☐ Full ☐ Partial (specify in comments)

No. of Heads: _____ No. of Spare Heads: _____

☐ Valves Supervised - Method: _____

Water Supply - Source: _____ Size: _____

FD Connection Location: _____

Estimated Cost of Work: \$ _____

B2. SPECIAL SUPPRESSION SYSTEMS

TYPE: ☐ Dry Chemical ☐ CO₂

☐ Halon ☐ Foam

☐ Other _____

Manual Pull: ☐ Yes ☐ No

Locations: _____

Estimated Cost of Work: \$ _____

B3. ALARM

TYPE: ☐ Manual ☒ Automatic

FEE

Supervision Type: ☐ Local ☐ Central

☐ Proprietary ☐ Remote Location

Estimated Cost of Work: \$ 15

B4. STAND PIPES

Pipe Size: _____ Pump Size: _____

Water Source: _____ Size: _____

FD Connection Location: _____

Hose Station: ☐ Yes ☐ No

Estimated Cost of Work: \$ _____

B5. OTHER

Smoke Alarm as

per plans

Subtotal

0.15

Minimum Fire Protection Fee (If Applicable)

Total Fire Protection Fee (Greater of Minimum

or Subtotal)

\$ _____

C. FIRE PROTECTION CHARACTERISTICS

USE GROUP _____

Present

Heating Systems - Location: _____

UTILITY Proposed Room

Type: ☐ Gas

☒ Oil ☐ Electrical

☐ Solar

☐ Other _____

Fuel Storage Tank - Location: _____

Fuel Type: _____ Capacity: _____

Total Estimated Cost of Fire Protection Work: \$ _____

D. COMMENTS

☐ Partial Releases

☐ Prototype Processing

TOWNSHIP OF BRICK



BUILDING SUBCODE TECHNICAL SECTION



PERMIT NO. 6948
 DATE ISSUED 5-5-86
 REVISION DATE _____
 Block 21-C Lot 13
 Subdivision _____

A. IDENTIFICATION

APPLICANT - Complete unshaded areas only When changing contractors, notify this office

Owner Charles Chivitti Contractor James
 Address 1030 Stone St Address _____
Union NJ 07083
 Tel. 201-686-5624 Tel. (____) _____
 Work Site Address Kochester Dr. Lic. No. _____
Block 21-C Lot 13 Federal Emp. No. _____

CERTIFICATION IN LIEU OF OATH:

(Complete for Minor Work and Small Job Only)

I hereby certify that the proposed work is authorized by the owner of record and I have been authorized by the owner to make this application as his agent.

AGENT SIGNATURE _____

B. TECHNICAL SITE DATA

DESCRIPTION OF WORK

Give detail description including materials used, dimensions, etc.

1 Family Residence
AS PER PLANS & SPEC.

2 story dwelling
Grand, 2 car garage.

TYPE OF WORK:

- ☒ New Building
☐ Addition
☐ Alteration/Renovation
☐ Roofing
☐ Siding
☐ Other _____
☐ Demolition
☐ Miscellaneous
☐ Fence
☐ Sign
☐ Pool
☐ Elevator
☐ Other _____

Fee Basis

Fee

SUBTOTAL

Minimum Building Fee (if applicable)

Total Building Fee (Greater of Minimum or Subtotal)

C. BUILDING CHARACTERISTICS

USE GROUP: A-1 Present _____ Proposed _____

No. of Stories 2 Total Building Area-All Floors 4500 Sq. Ft.
 Height of Structure 24 Ft. Volume of Structure 35300 Cu. Ft.
 Area-Largest Floor 1650 Sq. Ft. Total Land Area Disturbed 2090 Sq. Ft.
 Estimated Cost of Building Work: \$ 52,000

D. COMMENTS

☐ Partial Releases ☐ Prototype Processing

MUNICIPALITY

B.T.



CUT-IN-CARD

LOCATION

28 Rochester.

UTILITY CO

P.P.

BLK 211C

LOT 13

OWNER

Charles Chiolette

OCCUPANT

"Installation in the above premises has been inspected and is in accordance with N.E.C. utility and DCA requirements."

☒ FINAL ☐ TEMPORARY

This approval void after _____ days

SERVICE 240 A.

RANGE

WATER HEATER

AIR COND

ELECT HEAT

MISC

U/W

COMMENTS

Doesn't mention factory sub.

DATE 5-20-87

PERMIT #

4206

INSPECTOR

T. Kachur

Elec. 104

D-1111.86

Insp. Lic #

71

SIZING FOR WATER AND SEWER SERVICES

Property Owner Chiovitti Date 5-21-86
 Property Address 28 Rochester Dr Block 211C Lot 13
 Zoning _____ Use Group _____
 Contractor Nicol License No. Registration 4927
 Water Main Size _____ Water Pressure _____ Sewer Main Size _____

Plumbing Fixtures	Number	(sfu)	Water Units	(dfu)	Drainage Units
1. Water Closet	<u>3</u>	(3)	<u>9</u>	(4)	<u>12</u>
2. Lavatory	<u>3</u>	(1)	<u>3</u>	()	<u>3</u>
3. Bath Tub	<u>1</u>	(2)	<u>2</u>	()	<u>2</u>
4. Shower Stall	<u>2</u>	(2)	<u>4</u>	()	<u>4</u>
5. Kitchen Sink	<u>1</u>	(2)	<u>2</u>	()	<u>2</u>
6. Service Sink	_____	()	_____	()	_____
7. Laundry Tray	_____	()	_____	()	_____
8. Dishwasher	<u>1</u>	(1)	<u>1</u>	()	<u>1</u>
9. Washing Machine	<u>1</u>	(3)	<u>3</u>	()	<u>3</u>
10. Urinal	_____	()	_____	()	_____
11. Floor Drain	_____	()	_____	()	_____
12. Drinking Fountain	_____	()	_____	()	_____
13. Air Conditioner (water cooled)	_____	()	_____	()	_____
14. Dental Unit	_____	()	_____	()	_____
15. Lawn Sprinkler No. of Heads	_____	()	_____	()	_____
16. Fire Sprinkler No. of Heads	_____	()	_____	()	_____
17. _____	_____	()	_____	()	_____
18. _____	_____	()	_____	()	_____

Total 24 27
 Gallons per minute 16.5
 Size of Service 1"

Date: 5-21-86 Approved: PC
 Brick Township Plumbing Inspector

*Sewer 15.
Water 15.*

CHARLES CHIOVITTI
LOT-13 B/K 211-C

L&H PLUMBING & HEATING SUPPLIES, INC.

MAIN OFFICE: 930 HIGHWAY 70, BRICK, N. J. 08723 (201) 458-7200
163 W. FRONT ST., RED BANK, N. J. 07701 (201) 747-2660
401 MAIN ST., AVON-BY-THE-SEA, N. J. 07717 (201) 775-5270
WARETOWN PLAZA, ROUTE 9, WARETOWN, N. J. 08758 (609) 693-0077

TOLL FREE IN NEW JERSEY 1-800-272-1329

WINTER RESIDENTIAL LOAD CALCULATIONS

CONTRACTOR--A1 SANTARY

JOB NAME--

DATE--04/16/86

DESIGN CONDITIONS
OUTSIDE DB 0 F INSIDE DB 70 F
WINTER DESIGN TEMP. DIFFERENCE 70 F
VOLUME OF COND SP -- 21648CU.FT

6948

CONSTRUCTION DATA

TYPE OF EXPOSURE		CONSTRUCTION NO.	HEATING HTM
WINDOWS	A	4C	79.0
	B	9G	87.0
	C	1C	45.6
DOORS	A	11A	71.5
	B	N/A	0.0
WALLS	A	12C	6.3
	B	N/A	0.0
	C	N/A	0.0
CEILINGS	A	16E	3.4
	B	N/A	0.0
FLOORS	A	19D	1.8
	B	N/A	0.0
	C	N/A	0.0
DUCTS/PIPING		PERCENT	0.15

ROOM NAME -- HALL 1ST

DIMENSIONS -- 8 X 8 X 8

EXP WALLS -- 0

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE	TOTAL	LINEAR FT
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH	BTUH	BTUH	3/4 BSRD
A 0	0 0	0 0	0 0	0 0	0 0	0 64	115	17	*	*		
B 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0	*	*		
C 0	0	0	0	0	0	0	0	0	*	*		
										132	0.2	

ROOM NAME -- LIV

DIMENSIONS -- 26 X 16 X 8

EXP WALLS -- 51

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE	TOTAL	LINEAR FT
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH	BTUH	BTUH	3/4 BSRD
A 50	3950	42	3003	316	1990	0	0	416	748	1453	*	*
B 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0	*	*		
C 0	0	0	0	0	0	0	0	0	*	*		
										11146	18.6	

ROOM NAME -- STORAGE

DIMENSIONS -- 19 X 10 X 8

EXP WALLS -- 29

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE	TOTAL	LINEAR FT
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH	BTUH	BTUH	3/4 BSRD
A 25	1975	0	0	207	1304	190	646	36	64	598	*	*
B 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0	*	*		
C 0	0	0	0	0	0	0	0	0	*	*		
										4588	7.6	

ROOM NAME -- BATH 2ND

DIMENSIONS -- 6 X 11 X 8

EXP WALLS -- 11

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE	TOTAL	LINEAR FT
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH	BTUH	BTUH	3/4 BSRD
A 6	474	0	0	82	516	88	299	0	0	193	*	*
B 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0	*	*		
C 0	0	0	0	0	0	0	0	0	*	*		
										1483	2.5	

ROOM NAME -- BED#1

DIMENSIONS -- 14 X 13 X 10

EXP WALLS -- 27

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE	TOTAL	LINEAR FT
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH	BTUH	BTUH	3/4 BSRD
A 30	2370	0	0	212	1335	182	618	0	0	648	*	*
B 0	0 0	0 0	0 0	0 0	0 0	0 0	0	0	*	*		
C 0	0	0	0	0	0	0	0	0	*	*		
										4973	8.3	

ROOM NAME -- BED&2

DIMENSIONS -- 15 X 13 X 10

EXP WALLS -- 28

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE BTUH	TOTAL BTUH	LINEAR FT 3/4 BSBRD	
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH				
A 30	2370	0	0	0	212	1335	195	663	0	0	655	*	*
B 0	0	0	0	0	0	0	0	0	0	0	*	*	*
C 0	0	0	0	0	0	0	0	0	0	0	*	*	*
											5023	8.4	

ROOM NAME -- HALL 2ND

DIMENSIONS -- 15 X 10 X 8

EXP WALLS -- 0

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE BTUH	TOTAL BTUH	LINEAR FT 3/4 BSBRD	
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH				
A 0	0	0	0	0	0	0	150	510	0	0	138	*	*
B 0	0	0	0	0	0	0	0	0	0	0	*	*	*
C 9	410	0	0	0	0	0	0	0	0	0	*	*	*
											1058	1.8	

ROOM NAME -- M BED

DIMENSIONS -- 16 X 20 X 10

EXP WALLS -- 46

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE BTUH	TOTAL BTUH	LINEAR FT 3/4 BSBRD	
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH				
A 40	3160	0	0	0	308	1940	320	1088	0	0	1763	*	*
B 42	3654	0	0	0	0	0	0	0	0	0	*	*	*
C 42	1915	0	0	0	0	0	0	0	0	0	*	*	*
											13521	22.5	

ROOM NAME -- LAUN&UTILITY

DIMENSIONS -- 8 X 13 X 8

EXP WALLS -- 21

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE BTUH	TOTAL BTUH	LINEAR FT 3/4 BSBRD	
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH				
A 0	0	42	3003	126	793	0	0	104	187	597	*	*	
B 0	0	0	0	0	0	0	0	0	0	0	*	*	
C 0	0	0	0	0	0	0	0	0	0	0	*	*	
											4581	7.6	

ROOM NAME -- BATH 1ST

DIMENSIONS -- 5 X 8 X 8

EXP WALLS -- 8

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE BTUH	TOTAL BTUH	LINEAR FT 3/4 BSBRD	
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH				
A 0	0	0	0	0	64	403	0	0	40	72	71	*	*
B 0	0	0	0	0	0	0	0	0	0	0	*	*	*
C 0	0	0	0	0	0	0	0	0	0	0	*	*	*
											546	0.9	

ROOM NAME -- KIT

DIMENSIONS -- 13 X 13 X 8

EXP WALLS -- 17

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE	TOTAL	LINEAR FT
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH	BTUH	BTUH	3/4 BSBRD.
A 18	1422	0	0	0	118	743	24	81	169	304	382	*
B 0	0	0	0	0	0	0	0	0	0	0	0	*
C 0	0	0	0	0	0	0	0	0	0	0	0	*
											2933	4.9

ROOM NAME -- FAM DIN

DIMENSIONS -- 29 X 15 X 8

EXP WALLS -- 59

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE	TOTAL	LINEAR FT
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH	BTUH	BTUH	3/4 BSBRD.
A 0	0	0	0	0	360	2268	0	0	435	783	1919	*
B 112	5744	0	0	0	0	0	0	0	0	0	0	*
C 0	0	0	0	0	0	0	0	0	0	0	0	*
											14714	24.5

ROOM NAME -- MSTR BATH

DIMENSIONS -- 11 X 13 X 10

EXP WALLS -- 16

*** WINTER HEAT LOSS ***

WINDOWS		DOORS		NET WALLS		CEILINGS		FLOORS		PIPE	TOTAL	LINEAR FT
AREA	BTUH	AREA	BTUH	AREA	BTUH	AREA	BTUH	A/L	BTUH	BTUH	BTUH	3/4 BSBRD.
A 6	474	0	0	0	138	869	143	486	0	0	301	*
B 0	0	0	0	0	0	0	0	0	0	0	0	*
C 4	182	0	0	0	0	0	0	0	0	0	0	*
											2313	3.9

***** HEATING SUMMARY *****

TOTAL HEAT LOSS FROM ROOM AREAS = 67017 BTUH
 HEAT REQUIRED FOR VENTILATION AIR = 1.1 X 0 VENT CFM X 70 DTD = 0 BTUH

TOTAL HEAT LOSS (ROOMS + VENT) = 67017 BTUH

***** ANNUAL ENERGY CONSUMPTION *****

***** HEATING *****

TEMPERATURE BINS IN DEGREES F	0 TO 9	10 TO 19	20 TO 29	30 TO 39	40 TO 49	50 TO 59	60 TO 64
HOURS PER YEAR (BRICK, NJ)	35	238	686	1481	1378	1377	761
BIN HEATING LOAD (MBH)	67	57	46	36	26	15	5
HRS/YR X BIN HTG LD (MBH)	2345	13566	31556	53316	36062	20655	3805

TOTAL YEARLY HEATING BTU = 161,303,000

ANNUAL FUEL CONSUMPTION (F) = BTU/YR

WHERE:

 E IS SEASONAL EFFICIENCY OF EQUIPMENT
 P IS HEATING VALUE OF FUEL
 E X P

FUEL	E	P	UNITS	PRICE	F	ANNUAL COST
NATURAL GAS	0.66	102500	CCF	0.720	2384	\$1716.77
PROPANE GAS	0.66	91500	GAL	1.040	2671	\$2777.90
#2 FUEL OIL	0.60	138000	GAL	1.100	1948	\$2142.94
ELECTRIC	1.00	3413	KWH	0.104	47261	\$4915.24

COMPARISON SYSTEM:

0.00 0 0.000 0 \$0.00

***** HUMIDIFICATION LOAD *****

HUMIDIFICATION LOAD = V X K

WHERE:

 V = VOLUME OF CONDITIONED CUBIC FEET
 33000
 K = MOISTURE/INFILTRATION FACTOR FOR:
 TIGHT CONSTRUCTION = 17.5
 AVERAGE CONSTRUCTION = 27
 LOOSE CONSTRUCTION = 38

21648 X 27 = 17.71 GALLONS PER DAY REQUIRED

33000

COMPUTED RESULTS ARE ESTIMATES, SINCE BUILDING CONSTRUCTION
AND OPERATING CONDITIONS ARE SUBJECT TO WIDE VARIATIONS.


DATA SOURCE: ACCA MANUAL J, 1981
ENGINEERING WEATHER DATA, 1978
ASHRAE EQUIPMENT HANDBOOK, 1983

COPYRIGHT 1985 L&H

ONTARIO LAGOON

AS PER FILE MAP
F-100

HAMILTON (50' R.O.W.) DRIVE



ROCHESTER

INV. OF FLOOD WINDOWS, 5.0
FLOOD ZONE AB, ELEV 7.0

Only copies from the original of this survey marked with an original of the land surveyor's embossed seal shall be considered to be valid copies.

Signature and embossed seal signify that this survey was prepared in accordance with the existing Code of Practice adopted by the N.J. State Board of Professional Engineers and Land Surveyors. Certifications indicated hereon shall run only to the person for whom the survey is prepared, and on his behalf to the title company, governmental agency and lending institution listed hereon, and to the assignees of the lending institution. Certifications are not transferable to additional institutions or subsequent owners.

Underground improvement or encroachments, if any, are not shown hereon.

(50' R.O.W.)


CRAWL SPACE ELEV. 4.2

THIS PLAN IS FOR THE PURPOSE OF OBTAINING A BUILDING PERMIT. BUILDING DIMENSIONS SHOWN HEREON ARE TO BE VERIFIED BY BUILDER PRIOR TO STARTING CONSTRUCTION.

SCALE: 1" = 20'

SURVEY BLOCK 211.C

HAMILTON (50' R.O.W.) DRIVE



APR 17 1986

ROCHESTER

(50' R.O.W.)

DRIVE

MUNICIPAL ENGINEER

1.5 S.F. OF FLOOD OPENINGS
REQUIRED
8.0 S.F. PROVIDED 1.33 x 0.67 x 9.0
= 80 S.F.

by copies from the original of this survey marked with an original of the land
surveyor's embossed seal shall be considered to be valid copies

nature and embossed seal signify that this survey was prepared in accordance
with the existing Code of Practice adopted by the N.J. State Board of
Professional Engineers and Land Surveyors. Certifications indicated hereon
if run only to the person for whom the survey is prepared, and on his behalf
the title company, governmental agency and lending institution listed
hereon, and to the assignees of the lending institution. Certifications are not
transferable to additional institutions or subsequent owners.

Subsequent improvement or encroachments, if any, are not shown hereon.

THIS PLAN IS FOR THE PURPOSE OF OBTAINING A
BUILDING PERMIT. BUILDING DIMENSIONS SHOWN
HEREON ARE TO BE VERIFIED BY BUILDER PRIOR TO
STARTING CONSTRUCTION.

SCALE: 1" = 20'

DEED TIE DISTANCE	2	4/17/86
OT TRAN	1	3/17/86
REVISION	NO.	BY/DATE

ROBERT J. BALLIS

PROF. ENGR. & LAND SURVEYOR, N.J. LIC. NO. 7866

PROFESSIONAL PLANNER, N.J. LIC. NO. 128

ANDERSON, BALLIS & LINDSTROM
ASSOCIATES, INC.

321 MANTOLOKING RD.


BRICK, N.J. 08723

DR. BY: B.W. CH. BY: SC DATE: 3/12/86 DWG. NO. 86066

HAMILTON (60' R.O.W.) DRIVE

ONTARIO
LAGOON

AS PER FILE MAP
F-169



7.5 S.F. OF FLOOD OPENINGS
REQ'D.
8.0 S.F. PROVIDED $1.33 \times 0.67 \times 9.0$
= 8.0 S.F.

ROCHESTER

(50' R.O.W.)

DRIVE

INV. OF FLOOD WINDOWS, 4.6
FLOOD ZONE AD, ELEV 7.0

Only copies from the original of this survey marked with an original of the land surveyor's embossed seal shall be considered to be valid copies.

Signature and embossed seal signify that this survey was prepared in accordance with the existing Code of Practice adopted by the N.J. State Board of Professional Engineers and Land Surveyors. Certifications indicated hereon shall run only to the person for whom the survey is prepared, and on his behalf to the title company, governmental agency and lending institution listed hereon, and to the assignees of the lending institution. Certifications are not transferable to additional institutions or subsequent owners.

Underground improvement or encroachments, if any, are not shown hereon.

THIS PLAN IS FOR THE PURPOSE OF OBTAINING A BUILDING PERMIT. BUILDING DIMENSIONS SHOWN HEREON ARE TO BE VERIFIED BY BUILDER PRIOR TO STARTING CONSTRUCTION.

SCALE: 1" = 20'

SURVEY
BLOCK 211 C

TOWNSHIP OF BRICK

OCEAN COUNTY, NEW JERSEY

401 CHAMBERS BRIDGE ROAD, BRICK TOWN, N.J. 08723

Engineering Department

(201) 477-3000

ROBERT H. CHANKALIAN, P.E.
Municipal Engineer



PLOT PLAN REVIEW CHECK LIST

BLOCK: 211-C LOT: 13

4-11-86

ADDRESS: 28 Rochester Dr.

A. PLAN REVIEW

	SHOWN	ACCEPTABLE	DEFICIENT	NOT APPLICABLE	COMMENTS
1. Survey of Lot			✓		✓
2. Width & Type of Road Pavement		✓			
3. Existing Elevations:		✓			
Property: Corners & Lines			✓		✓
Street Centerline & Gutterline					
Contours (if required)					
4. Existing Topography on Adjacent Properties		✓			
5. Proposed Grading:			✓		✓
Garage & 1st floor elevations		✓			
Lot Grading		✓			
Method of Draining		✓			
6. Certification Signed & Sealed		✓			

B. FIELD CHECK (INSPECTOR) -

Signature

Dated

Accepted

Comments

RECEIVED

APR 15 1986

MUNICIPAL ENGINEER

Signature

Dated

Rejected

Comments

PLOT PLAN REVIEW CHECK LIST

C. FIELD CHECK (MUNICIPAL ENGINEER-IF NECESSARY)

Signature _____ Dated _____ Accepted

Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

D. PLOT PLAN APPROVAL (MUNICIPAL ENGINEER)

MPT 4-18-86 Accepted
Signature _____ Dated _____

Comments: _____

MPT 4-16-86 Rejected
Signature _____ Dated _____

Comments: Survey inter. tie needed
Crawl space clear

E. C. O. APPROVALS

1. Field Inspection (Inspector)

Signature _____ Dated _____ Accepted

Comments: _____

MPT 6-4-87 Rejected
Signature _____ Dated _____

Comments: Grade front
MPT 6-23-87
no change

2. Temporary C. O. (Municipal Engineer)

Signature _____ Dated _____ Accepted

Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

3. Final C. O. (Municipal Engineer)

Signature _____ Dated _____ Accepted

Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

TOWNSHIP OF BRICK


OCEAN COUNTY, NEW JERSEY

401 CHAMBERS BRIDGE ROAD, BRICK TOWN, N.J. 08723

Engineering Department

(201) 477-3000

ROBERT H. CHANKALIAN, P.E.
Municipal Engineer



✓ 2948

PLOT PLAN REVIEW CHECK LIST

BLOCK: 211-C LOT: 13

4-11-86

ADDRESS: Rochester Dr.

A. PLAN REVIEW

	SHOWN	ACCEPTABLE	DEFICIENT	NOT APPLICABLE	COMMENTS
1. Survey of Lot			✓		✓
2. Width & Type of Road Pavement		✓			
3. Existing Elevations:		✓			
Property: Corners & Lines			✓		✓
Street Centerline & Gutterline					
Contours (if required)					
4. Existing Topography on Adjacent Properties		✓			
5. Proposed Grading:			✓		✓
Garage & 1st floor elevations		✓			
Lot Grading		✓			
Method of Draining		✓			
6. Certification Signed & Sealed		✓			

B. FIELD CHECK (INSPECTOR) -

Signature

Dated

Accepted

Comments

RECEIVED

APR 15 1986

MUNICIPAL ENGINEER

Signature

Dated

Rejected

Comments

PLOT PLAN REVIEW CHECK LIST

C. FIELD CHECK (MUNICIPAL ENGINEER-IF NECESSARY)

Accepted
Signature _____ Dated _____
Comments: _____

Rejected
Signature _____ Dated _____
Comments: _____

D. PLOT PLAN APPROVAL (MUNICIPAL ENGINEER)

MPT *4-18-86* Accepted
Signature _____ Dated _____
Comments: _____

MPT *4-16-86* Rejected
Signature _____ Dated _____
Comments: *Survey inter. tie needed*
Crawl space clear.

E. C. O. APPROVALS

1. Field Inspection (Inspector)

Accepted
Signature _____ Dated _____
Comments: _____

Rejected
Signature _____ Dated _____
Comments: _____

2. Temporary C. O. (Municipal Engineer)

Accepted
Signature _____ Dated _____
Comments: _____

Rejected
Signature _____ Dated _____
Comments: _____

3. Final C. O. (Municipal Engineer)

Accepted
Signature _____ Dated _____
Comments: _____

Rejected
Signature _____ Dated _____
Comments: _____

TOWNSHIP OF BRICK

OCEAN COUNTY, NEW JERSEY

401 CHAMBERS BRIDGE ROAD, BRICK TOWN, N.J. 08723

Engineering Department

(201) 477-3000

ROBERT H. CHANKALIAN, P.E.
Municipal Engineer



PLOT PLAN REVIEW CHECK LIST

BLOCK: 211-C LOT: 13

4-11-86

ADDRESS: Rochester Dr.

A. PLAN REVIEW

	SHOWN	ACCEPTABLE	DEFICIENT	NOT APPLICABLE	COMMENTS
1. Survey of Lot			✓		✓
2. Width & Type of Road Pavement		✓			
3. Existing Elevations:		✓			
Property: Corners & Lines			✓		✓
Street Centerline & Gutterline					
Contours (if required)					
4. Existing Topography on Adjacent Properties		✓			
5. Proposed Grading:			✓		✓
Garage & 1st floor elevations		✓			
Lot Grading		✓			
Method of Draining		✓			
6. Certification Signed & Sealed		✓			

B. FIELD CHECK (INSPECTOR)-

Signature

Dated

Comments

Accepted

RECEIVED

APR 15 1986

MUNICIPAL ENGINEER

Signature

Dated

Comments

Rejected

PLOT PLAN REVIEW CHECK LIST

C. FIELD CHECK (MUNICIPAL ENGINEER-IF NECESSARY)

Signature _____ Dated _____ Accepted

Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

D. PLOT PLAN APPROVAL (MUNICIPAL ENGINEER)

Signature _____ Dated _____ Accepted

Comments: _____

MPT *4-16-86* Rejected
Signature _____ Dated _____

Comments: *Survey inter. tie needed*
Crawl space ok.

E. C. O. APPROVALS

1. Field Inspection (Inspector)

Signature _____ Dated _____ Accepted

Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

2. Temporary C. O. (Municipal Engineer)

Signature _____ Dated _____ Accepted

Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

3. Final C. O. (Municipal Engineer)

Signature _____ Dated _____ Accepted

Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

State of NJ
Name of Enforcing Agency
Brick
Municipality of
Ocean
County

Name of Owner(s) in Fee

Address

Block

Lot

AFFIDAVIT

in Support of Application
for a Construction Permit and
for a Certificate of Occupancy
Pursuant to N.J.A.C.
5:23-2.5(b) 2:1 and 5:23-2.7(b)3

I am an applicant for:

- ☐ A Construction Permit
☒ A Certificate of Occupancy

I being the Owner in Fee and being of full age, duly sworn upon my oath depose and say that a new home (will be) (has been) constructed on this property for personal use and occupancy by me.

I hereby attest that all design, constuction, plumbing or electrical work (will be) (has been) done by me or by subcontractors under my supervision, in accordance with all applicable laws; and I further acknowledge that said new home is not covered under the New Home Warranty and Builders' Registration Act (N.J.S.A. 46:3B et seq.) and that such fact shall be disclosed to any person purchasing this property within ten years of the date of issuance of a certificate of occupancy.


Clark Christy
Signature

Sworn and Subscribed to
before me this 7 Day of July 1987


Judith K. Gasco
JUDITH K. GASCO
NOTARY PUBLIC

My Commission Expires 6-22-92


WEIL-McLAIN



P-66HE Package Boiler



B-66HE Boiler-Burner Unit



A-66E Boiler Only

AMERICA'S MOST COMPLETE LINE OF CAST IRON BOILERS
RESIDENTIAL...COMMERCIAL...INDUSTRIAL...INSTITUTIONAL

NO. **66HE**

SERIES 3

**HIGH-EFFICIENCY
PACKAGE OIL BOILER
AND
BOILER-BURNER UNIT**

**ALSO A-66E FOR
APPROVED BURNERS**

NET LOAD RANGE

HOT WATER:
94,800 to
205,200 BTU/Hr.

STEAM:
340 to
740 sq. ft.



Net ratings are approved by
The Hydronics Institute.

DOE

Heating capacities based on
standard test procedures
prescribed by the United States
Department of Energy.



Built in accordance
with the requirements
of the ASME Boiler and
Pressure Vessel Code.

Before purchasing this
appliance, read important energy
cost and efficiency information
available from your retailer.

NO. 66HE

HIGH-EFFICIENCY OIL BOILER

WEIL-McLAIN
MICHIGAN CITY INDIANA

The Weil-McLain No. 66HE – for hot water or steam – is available as a package boiler (P-66HE) or as a boiler-burner unit (B-66HE). The P-66HE is completely factory assembled and wired with a high-efficiency oil burner, jacket, and controls. The unit is factory fire-tested and ready for immediate installation. The B-66HE is shipped with factory-assembled sections; jacket, burner, and controls are packed separately.

Both the P-66HE and the B-66HE are available with the following high-efficiency 3450 RPM flame retention burners with internal mechanical vent damper.

BRAND	MODEL
Weil-McLain	WM-HS-66
Beckett	AFG
Carlin	99CRD

The 66HE is extremely compact – only 35½ inches high and 20 inches wide. The boiler is available with a tankless heater for water or steam. Outstanding features include over 81% seasonal operating efficiency, wet base design, elastomer sealing rings for a watertight seal, provision for easy servicing and cleaning, built-in flue gas collector, and back connection to the chimney.


Most important, the 66HE is made in America by Weil-McLain, the leading name in cast iron boilers for over 100 years.

A-66E BOILER


The Weil-McLain 66 Boiler is also available without a burner (A-66E) for use with flame retention burners approved by the Weil-McLain Engineering Department. A-66E ratings are approved by I-B-R when fired with one of the following 3450 RPM flame retention burners.

BRAND	MODELS	BOILER SIZE
Beckett	AF and AFG	ALL
Wayne	MSR and HS	ALL
ABC	FC	ALL
Carlin	99CRD	ALL
	100CRD	366-566
	101CRD	666-766

The A-66E Boiler has the same design and construction features as the 66HE. The boiler is shipped with factory-assembled sections; jacket and controls are packed separately.

DESIGN FEATURES

- 1 **Compact design** saves valuable living space, simplifies handling and installation. The 66HE is only 35½ inches high and 20 inches wide.
- 2 **Cast iron sections** for corrosion resistance and long life.
- 3 **High-efficiency 3450 RPM flame retention oil burner** with internal mechanical vent damper assures maximum operating efficiency.
- 4 **Tankless heater** for water or steam available as additional equipment for year-round hot faucet water.
- 5 **Hydro-Wall design** with water circulating all around the combustion area...not just top and sides.
- 6 **Package boilers are factory fire-tested**...all units are hydrostatically tested.
- 7 **Easily cleaned** through top cleanout openings.
- 8 **Steel jacket** finished in attractive blue hammerloid...completely insulated with fiberglass, and clear of the floor to prevent rusting.
- 9 **All controls** are on the front of the boiler to permit installation close to walls.
- 10 **Built-in air eliminator** in water boilers.

HYDRO-WALL DESIGN


The 66HE has a water-backed combustion area with water circulated completely around the firebox. In addition to enlarging prime heating surface, this design permits lower boiler height, reduces heat loss through the bottom of the unit, and permits installation on any floor.

The cast iron sections are not face-ground; the tough outer skin is retained to protect against corrosion. The studs on the flue passages enlarge prime heating surface for maximum heat transfer and increased efficiency.

A special high-temperature sealant is used between the boiler sections to assure a gastight assembly and consistently high efficiency. The sealant is flexible to allow for expansion and contraction, is impervious to heat and moisture, and will last the life of the sections.

A flexible elastomer sealing ring in each port opening assures a permanent, watertight seal.


SECTION ASSEMBLY



All sizes of the B-66HE Boiler-Burner Unit and A-66E Boiler are shipped with sections factory-assembled in one block. A three-piece fibrous refractory combustion chamber is installed. In addition, the burner mounting plate, top cleanout plate, and tankless heater cover plates are assembled on the section block.


Individual sections as well as the assembled block are hydrostatically tested before shipment.

BUILT-IN FLUE GAS COLLECTOR AND FLUE COLLAR




A horizontal flueway, cast in the sections, serves as a flue gas collector and eliminates the need for a separate sheet metal collector hood. The cast-in flue collar on the back section permits a straight-through connection to the chimney with standard seven-inch vent pipe.

TOP CLEANOUT OPENINGS



It is a simple matter to keep the 66HE operating at peak efficiency. Removing the top jacket panel and the cover plate permits straight-through cleaning of the section heating surfaces. Fibrous refractory on the cover plate assures a gastight seal.


BUILT-IN AIR ELIMINATOR




A separate air-eliminating device is not required for water boilers, since the boiler has a built-in air eliminator. As shown in the illustration, air is diverted to the expansion tank through a 3/4-inch tapping located next to the supply outlet.

TANKLESS WATER HEATERS

STEAM HEATER



WATER HEATER



Tankless domestic water heaters – for water or steam – are available as additional equipment for the 66HE Boiler.

The tankless heater for water boilers is installed in the top port opening. Large heating surface and high location in the boiler assure efficient production of hot water for kitchen, laundry, and baths.

The heater for steam boilers is installed in the left-hand side of the back section, and is located well below the waterline to facilitate summer operation.

TANKLESS WATER HEATER CAPACITIES

Boiler No.	Heater No.	*Intermittent Draw GPM 100°F. Average Temp. Rise	**Continuous Draw GPM 100°F. Temp. Rise	Inlet and Outlet Tappings	Temp. Control Tapping
WATER					
366	E-624	3.00	2.00	1/2"	3/4"
466	E-624	3.25	2.70	1/2"	3/4"
566	E-624	3.25	3.30	1/2"	3/4"
666	E-626	3.50	4.00	1/2"	3/4"
766	E-632	4.25	4.60	1/2"	3/4"
STEAM					
366	35-S-29	3.00	2.00	3/4"	3/4"
466	35-S-29	3.25	2.70	3/4"	3/4"
566	35-S-29	3.50	3.30	3/4"	3/4"
666	35-S-29	3.75	4.00	3/4"	3/4"
766	35-S-29	4.00	4.60	3/4"	3/4"

Well-McLain ratings based on 60 PSIG domestic water pressure at heater.

*Gallons of water heated per minute from 40°F. to 140°F. with 200°F. boiler water temperature.

**Continuous draw, no recovery period.

NO. 66HE

HIGH-EFFICIENCY OIL BOILER

WEIL-McLAIN

MICHIGAN CITY INDIANA

RATINGS



DOE



Boiler Number	I-B-R Burner Capacity GPH	DOE Heating Capacity BTU/Hr.†	Net I-B-R Ratings**			DOE Seasonal Efficiency Percent (AFUE) +	I-B-R Chimney	
			Steam Sq. Ft.	Steam BTU/Hr.	Water BTU/Hr.		Size Inches	Height Feet
▲-366HE-*	.95	109,000	340	81,800	94,800	82.1	8 x 8	15
▲-466HE-*	1.25	144,000	450	108,000	125,200	81.9	8 x 8	15
▲-566HE-*	1.50	173,000	540	129,800	150,400	81.8	8 x 8	15
▲-666HE-*	1.80	207,000	645	155,300	180,000	81.7	8 x 8	15
▲-766HE-*	2.05	236,000	740	177,000	205,200	81.6	8 x 8	15


▲Substitute "P" for completely assembled Package Boiler; "B" for Boiler-Burner Unit. Substitute "A" for boiler only for use with approved burners and delete "H" from suffix. (Example: A-366E).

*Add to boiler number "W" for water, "S" for steam, without tankless heater. Add "WT" for water boiler with tankless heater or "ST" for steam boiler with tankless heater.


†Based on standard test procedures prescribed by the United States Department of Energy at combustion condition of 12 1/4% ± 1/4% CO₂.

**Net I-B-R ratings are based on net installed radiation of sufficient quantity for the requirements of the building, and nothing need be added for normal piping and pick-up. Water ratings are based on a piping and pick-up allowance of 1.15; steam ratings on an allowance of 1.333. An additional allowance should be made for unusual piping and pick-up loads. Consult Application Engineering Department.


+ Efficiencies apply only when boiler is used with the following burners: Weil-McLain WM-HS-66, Beckett AFG, Carlin 99CRD, and Wayne HS. When the boiler is used with other approved burners (see page 2), DOE efficiencies are as follows: 366 - 78.9%, 466 - 79.0%, 566 - 79.1%, 666 - 79.3%, and 766 - 79.4%.




P-66HE FRONT (WATER)




P-66HE FRONT (STEAM)




B-66HE and A-66E FRONT (WATER AND STEAM)




P-66HE SIDE (WATER)



SIDE (STEAM)



BACK (ALL UNITS)



INTERMEDIATE (ALL UNITS)

DIMENSIONS

Boiler Number	Supply			Return			B	L	
	Water		Steam	Water		Steam		P-66HE Water	All Other Units Water & Steam
	P-66HE	B-66HE and A-66E	All Units	P-66HE*	B-66HE and A-66E	All Units			
366	1 1/2"	2"	2"	1 1/4"	1 1/2"	2"	9 1/2"	13 3/8"	13 3/8"
466	1 1/2"	2"	2"	1 1/4"	1 1/2"	2"	12 1/2"	13 3/8"	16 3/8"
566	1 1/2"	2"	2"	1 1/2"	1 1/2"	2"	15 1/2"	16 3/8"	19 3/8"
666	1 1/2"	2"	2"	1 1/2"	1 1/2"	2"	18 1/2"	19 3/8"	22 3/8"
766	1 1/2"	2"	2"	1 1/2"	1 1/2"	2"	21 1/2"	22 3/8"	25 3/8"

*In circulator.
P-66HE CRATE MEASUREMENTS - Height: 38 3/4"; Width: 23"; Length: 366-W&S: 30 3/4"; 466-W: 30 3/4"; 466-S: 33 3/4"; 566-W: 33 3/4"; 566-S: 36 3/4"; 666-W: 36 3/4"; 666-S: 42 3/4"; 766-W&S: 42 3/4".

B-66HE AND A-66E CONTROL TAPPINGS

LOCATION	SIZE	STEAM	WATER
C	3/4"	Drain Valve	Drain Valve
D (in plate)	1 1/2"	Skim Tapping	High-Limit Control (bushed to 3/4")
D (in water heater)	3/4"	—	Combination High-Limit and Operating Control
H	1/4"	Pressure Gauge and Pressure Limit Control	Combination Pressure-Temperature Gauge
J*	3/8"	Try Cock Tappings	—
K ₁	3/4"	Gauge Glass and/or Low-Water Cutoff (bushed to 1/2")	Pressure Relief Valve
K ₂	3/4"	Gauge Glass and/or Low-Water Cutoff (bushed to 1/2")	Plugged
N	3/4"	Safety Valve	To Compression Tank
R*	3/4"	Limit Control	Limit Control
U ₁ (in steam heater)	3/4"	Heater Operating Control (366 through 566 Boilers)	—
U ₂	3/4"	Heater Operating Control (666 and 766 Boilers)	Plugged

*Available only on special request.

In the interest of continual improvement in products and performance, Weil-McLain reserves the right to change specifications without notice.

STANDARD EQUIPMENT

ALL BOILERS • Insulated Flush Jacket • Three-Piece Fibrous Refractory Combustion Chamber • Burner Mounting Plate • Heater Cover Plates (for boilers without tankless heater) • Balanced Draft Damper

ALL WATER BOILERS • 30 P.S.I. ASME Safety Relief Valve • Combination Pressure-Temperature Gauge

ALL STEAM BOILERS • ASME Safety Valve • Steam Pressure Gauge • Syphon • Gauge Glass & Cocks

P-66HE and B-66HE BOILERS • High-Efficiency Flame Retention Light Oil Burner (3450 RPM) with Cadmium Cell and Primary Control (burner mounted) • High-Limit and Circulator Relay (for water boiler *without* tankless heater) • Combination High-Limit/Low-Limit Control and Circulator Relay (for water boiler *with* tankless heater) • High-Limit Pressure Control (all steam boilers) • Operating Control (for steam boiler with tankless heater) • Low-Voltage Thermostat

P-66HE WATER BOILERS • Circulator (Taco 007 or B & G LR-20) • Preformed Return Pipe • Drain Valve

P-66HE STEAM BOILERS • Low-Water Cutoff • Drain Valve

ADDITIONAL EQUIPMENT

Tankless Water Heater • Tankless Steam Heater • Two-Stage Fuel Unit • Jacket Extension • Taco 110 Circulator • B & G 100 Circulator

WEIL-McLAIN®

Michigan City, Indiana 46360 □ A Marley Company



In Canada: Marley Fluid Systems, 126 East Dr., Brampton, Ontario L6T 1C2

THE BRICK TOWNSHIP
MUNICIPAL UTILITIES AUTHORITY
1551 Highway 88 West
Brick, New Jersey 08724
(201) 458-7000

STATEMENT OF UTILITY SERVICES

APPLICANT: NAME Tom Nichol
2-1 Sanitary Systems TEL. NO. 899-5941
ADDRESS 3105 Wilhelm Pl. Pt. Pleasant, NJ

PROPERTY IN QUESTION:

BLOCK 211.C LOT(S) 13 ADDRESS Rochester Dr
BTMUA ACCOUNT NUMBER E009601

SINGLE FAMILY RESIDENTIAL (IN EXISTING SUB-DIVISIONS ONLY)

- | | <u>WATER</u> | <u>SEWER</u> |
|---|--------------|--------------|
| 1. UTILITY SERVICE CAN BE PROVIDED. APPLICATION FOR SERVICE <u>IS REQUIRED.</u> | <u>X</u> | <u>X</u> |
| CONNECTION WILL BE PROVIDED AS FOLLOWS: | | |
| WATER <u>Rochester Dr</u>
(STREET) | | |
| SEWER <u>Rochester Dr</u>
(STREET) | | |
| 2. UTILITY SERVICE CANNOT BE PROVIDED AT THIS DATE. APPLICATION <u>IS NOT REQUIRED.</u> | _____ | _____ |
| 3. UTILITY SERVICE IS PLANNED FOR CONSTRUCTION DURING THE BUDGET YEAR ENDING MARCH 31, 19____. SERVICE MAY BE AVAILABLE SOME TIME THEREABOUT. | _____ | _____ |

ALL OTHER DEVELOPMENT

EXISTING BRICK TOWNSHIP MUA LINES ARE AS SHOWN ON ATTACHED TAX MAP DRAWING NO. _____.

APPLICANT/DEVELOPER IS REQUIRED TO SUBMIT A FORMAL DEVELOPER APPLICATION TO THE AUTHORITY AS SET OUT IN BRICK TOWNSHIP ZONING ORDINANCE NO. 354-79 AS AMENDED, AND AS REQUIRED BY BRICK TOWNSHIP MUA RULES AND REGULATIONS (LATEST REVISION).

DATE: 4-18-86

SIGNED: Kevin Donald

NOTE: STATEMENT GOOD FOR
90 DAYS ONLY

Joe

200

UTILITY SERVICES FOR NEW HOMES

1. OBTAIN "STATEMENT OF UTILITY SERVICES" AND SIZING SHEET AT BTMUA.
2. FILL OUT SIZING SHEET AND HAVE APPROVED BY THE BRICK TOWNSHIP PLUMBING INSPECTOR.
3. APPLICATION FOR UTILITIES SHOULD BE MADE TO BTMUA AS EARLY AS POSSIBLE, AT WHICH TIME THE SIZING SHEET, SIGNED BY THE TOWNSHIP PLUMBING INSPECTOR, MUST BE SUBMITTED.

APPLICATIONS WITHOUT THE SIGNED SIZING SHEET WILL NOT BE ACCEPTED.

A DEPOSIT OF \$130 IS REQUIRED.

LEAD TIME FOR TAPS TO BE INSTALLED IS BETWEEN 6 AND 8 WEEKS, WEATHER PERMITTING; HOWEVER, TAPS WILL NOT BE SCHEDULED FOR INSTALLATION UNTIL AT LEAST A FOUNDATION EXISTS. FOR INFORMATION ON SCHEDULED INSTALLATIONS, CONTACT THE AUTHORITY OPERATIONS OFFICE.

4. AFTER THE TAPS HAVE BEEN INSTALLED, SEWER AND WATER SERVICE PERMITS ARE TO BE OBTAINED AT THE BTMUA (PERMIT FEE OF \$15 FOR EACH SERVICE).
5. ONCE YOUR SERVICE LINES HAVE BEEN CONNECTED, CALL THE CUSTOMER ACCOUNT DIVISION AT BTMUA TO ARRANGE FOR AN OUTSIDE INSPECTION.

INSPECTIONS WILL NOT BE MADE UNLESS THE PERMIT HAS BEEN OBTAINED.

6. WATER METER

A METER AND A REMOTE READOUT WILL BE INSTALLED.

IF YOU ARE BUILDING ON A SLAB BASE, PLEASE MAKE ARRANGEMENTS WITH YOUR BUILDER TO RUN A PAIR OF WIRES (18 GAUGE, 2 CONDUIT SOLID BELL WIRE) FROM THE INSIDE METER LOCATION TO WHERE THE OUTSIDE READOUT IS TO BE LOCATED, OR CALL THE BTMUA TO DO SO. THIS MUST BE DONE PRIOR TO INSTALLATION OF SHEET ROCK FOR INTERIOR WALLS.

AFTER ALL INSPECTIONS HAVE BEEN COMPLETED, CALL THE CUSTOMER ACCOUNT DIVISION AT BTMUA TO SCHEDULE THE WATER METER INSTALLATION.


7. CERTIFICATE OF COMPLIANCE

THE C.C. WILL BE ISSUED AFTER THE METER IS INSTALLED AND ALL REQUIREMENTS MET, AT WHICH TIME ANY OPEN TAP FEES AND PERMIT FEES MUST BE PAID IN FULL.

8. INITIAL SERVICE CHARGES

IF THE OWNER DESIRES, THE APPLICABLE INITIAL SERVICE CHARGES MAY BE PAID IN QUARTERLY INSTALLMENTS (PLUS INTEREST) ACCORDING TO AN ESTABLISHED PAYMENT PLAN. SEE OUR CUSTOMER ACCOUNT DIVISION FOR DETAILS.

AS PER FILE MAP
F-100



RECEIVED

APR 17 1986

ROCHESTER

INV. OF FLOOD WINDOWS, 5.0
FLOOD ZONE A5, ELEV 7.0

Only copies from the original of this survey marked with an original of the land surveyor's embossed seal shall be considered to be valid copies.

Signature and embossed seal signify that this survey was prepared in accordance with the existing Code of Practice adopted by the N.J. State Board of Professional Engineers and Land Surveyors. Certifications indicated herein shall run only to the person for whom the survey is prepared, and on his behalf to the title company, governmental agency and lending institution listed herein, and to the assignees of the lending institution. Certifications are not transferable to additional institutions or subsequent owners.

Underground improvement or encroachments, if any, are not shown hereon

(50' R.O.W.)

DRIVE

MUNICIPAL ENGINEER

CRAWL SPACE ELEV. 4.2

THIS PLAN IS FOR THE PURPOSE OF OBTAINING A BUILDING PERMIT. BUILDING DIMENSIONS SHOWN HEREON ARE TO BE VERIFIED BY BUILDER PRIOR TO STARTING CONSTRUCTION.

SCALE: 1" = 20'

SURVEY
BLOCK 211.C
LOT 13

TOWNSHIP OF BRICK

OCEAN COUNTY

NEW JERSEY

ROBERT J. BALLIS

PROF. ENGR. & LAND SURVEYOR: H.J. LIC. NO. 7938

PROFESSIONAL PLANNER N.J. LIC. NO. 128

ANDERSON, BALLIS & LINDSTROM
ASSOCIATES, INC.

321 MANTOLOKING RD.

BRICK, N.J. 08723

DR. BY.
B.W.

CH. BY.

DA PR


DWG

NO. 86066

ONTARIO LAGOON

AS PER FILE MAP
F-100

HAMILTON (60' R.O.W.) DRIVE



RECEIVED

APR 17 1986

ROCHESTER

INV. OF FLOOD WINDOWS, 5.0
FLOOD ZONE A/D, ELEV 7.0

Only copies from the original of this survey marked with an original of the land surveyor's embossed seal shall be considered to be valid copies.

Signature and embossed seal signify that this survey was prepared in accordance with the existing Code of Practice adopted by the N.J. State Board of Professional Engineers and Land Surveyors. Certifications indicated hereon shall run only to the person for whom the survey is prepared, and on his behalf to the title company, governmental agency and lending institution listed hereon, and to the assignees of the lending institution. Certifications are not transferable to additional institutions or subsequent owners.

Underground improvement or encroachments, if any, are not shown hereon.

(50' R.O.W.)

DRIVE

MUNICIPAL ENGINEER

CRAWL SPACE ELEV. 4.2

Resub.

THIS PLAN IS FOR THE PURPOSE OF OBTAINING A BUILDING PERMIT. BUILDING DIMENSIONS SHOWN HEREON ARE TO BE VERIFIED BY BUILDER PRIOR TO STARTING CONSTRUCTION.

SCALE: 1" = 20'

SURVEY
BLOCK 211.C
LOT 13

TOWNSHIP OF BRICK

OCEAN COUNTY

NEW JERSEY

ROBERT J. BALLIS

PROF. ENGR. & LAND SURVEYOR, N.J. LIC. NO. 7866
PROFESSIONAL PLANNER, N.J. LIC. NO. 126

ANDERSON, BALLIS & LINDSTROM
ASSOCIATES, INC.

321 MANTOLOKING RD.

BRICK, N.J. 08723

DR. BY
B.W.

CH. BY
SC


DATE
3/12/86

DWG. NO. 86066

ONTARIO LAGOON

AS PER FILE MAP
F-100

HAMILTON (50' R.O.W.) DRIVE



ROCHESTER

(50' R.O.W.)

DRIVE

INV. OF FLOOD WINDOWS, 4.6
FLOOD ZONE A0, ELEV 7.0

Only copies from the original of this survey marked with an original of the land surveyor's embossed seal shall be considered to be valid copies.

Signature and embossed seal signify that this survey was prepared in accordance with the existing Code of Practice adopted by the N.J. State Board of Professional Engineers and Land Surveyors. Certifications indicated hereon shall run only to the person for whom the survey is prepared, and on his behalf to the title company, governmental agency and lending institution listed hereon, and to the assignees of the lending institution. Certifications are not transferable to additional institutions or subsequent owners.

Underground improvement or encroachments, if any, are not shown hereon.

THIS PLAN IS FOR THE PURPOSE OF OBTAINING A BUILDING PERMIT. BUILDING DIMENSIONS SHOWN HEREON ARE TO BE VERIFIED BY BUILDER PRIOR TO STARTING CONSTRUCTION.

SCALE: 1" = 20'

SURVEY
BLOCK 211.C
LOT 13

TOWNSHIP OF BRICK
OCEAN COUNTY
NEW JERSEY

ROBERT J. BALLIS

PROF. ENGR & LAND SURVEYOR, N.J. LIC. NO. 7033
PROFESSIONAL PLANNER, N.J. LIC. NO. 123

ANDERSON, BALLIS & LINDSTROM
ASSOCIATES, INC.

321 MANTOLOKING RD.

BRICK, N.J. 08723

DR. BY.
B.W.

CH. BY.

DATE
3/25/86

DWG.
NO. 86066

TOWNSHIP OF BRICK

OCEAN COUNTY, NEW JERSEY

401 CHAMBERS BRIDGE ROAD, BRICK TOWN, N.J. 08723

Engineering Department

ROBERT H. CHANKALIAN, P.E.
Municipal Engineer

(201) 477-3000



PLOT PLAN REVIEW CHECK LIST

BLOCK: 211-C LOT: 13

4-11-86

ADDRESS: Rochester Dr.

A. PLAN REVIEW

	SHOWN	ACCEPTABLE	DEFICIENT	NOT APPLICABLE	COMMENTS
1. Survey of Lot			✓		✓
2. Width & Type of Road Pavement		✓			
3. Existing Elevations:					
Property: Corners & Lines		✓			
Street Centerline & Gutterline			✓		✓
Contours (if required)					
4. Existing Topography on Adjacent Properties		✓			
5. Proposed Grading:			✓		
Garage & 1st floor elevations		✓			✓
Lot Grading		✓			
Method of Draining		✓			
6. Certification Signed & Sealed		✓			

B. FIELD CHECK (INSPECTOR) - W.P.T. 4-16-86 Accepted
Signature Dated
Comments

RECEIVED

APR 15 1986

MUNICIPAL ENGINEER

Signature Dated Rejected
Comments

-2-
PLOT PLAN REVIEW CHECK LIST

C. FIELD CHECK (MUNICIPAL ENGINEER-IF NECESSARY)

Signature _____ Dated _____ Accepted

Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

D. PLOT PLAN APPROVAL (MUNICIPAL ENGINEER)

MPT 4-18-86 Accepted
Signature _____ Dated _____

Comments: _____

MPT 4-16-86 Rejected
Signature _____ Dated _____

Comments: Survey inter. tie needed
Crawl space clear.

E. C. O. APPROVALS

1. Field Inspection (Inspector)

Signature _____ Dated _____ Accepted

Comments: _____

MPT 6-4-87 Rejected
Signature _____ Dated _____

Comments: Grade front

2. Temporary C. O. (Municipal Engineer)

Signature _____ Dated _____ Accepted

Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

3. Final C. O. (Municipal Engineer)

Signature _____ Dated _____ Accepted

Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

TOWNSHIP OF BRICK


OCEAN COUNTY, NEW JERSEY

401 CHAMBERS BRIDGE ROAD, BRICK TOWN, N.J. 08723

Engineering Department

(201) 477-3000

ROBERT H. CHANKALIAN, P.E.
Municipal Engineer



PLOT PLAN REVIEW CHECK LIST

BLOCK: 211-C LOT: 13

4-11-86

ADDRESS: 28 Rochester Dr

A. PLAN REVIEW

	SHOWN	ACCEPTABLE	DEFICIENT	NOT APPLICABLE	COMMENTS
1. Survey of Lot			✓		✓
2. Width & Type of Road Pavement		✓			
3. Existing Elevations:		✓			
Property: Corners & Lines		✓			
Street Centerline & Gutterline			✓		✓
Contours (if required)					
4. Existing Topography on Adjacent Properties		✓			
5. Proposed Grading:			✓		
Garage & 1st floor elevations		✓			✓
Lot Grading		✓			
Method of Draining		✓			
6. Certification Signed & Sealed		✓			

B. FIELD CHECK (INSPECTOR) -

Signature

Dated

4-16-86 Accepted

Comments

RECEIVED

APR 15 1986

MUNICIPAL ENGINEER

Signature

Dated

Rejected

Comments

PLOT PLAN REVIEW CHECK LIST

C. FIELD CHECK (MUNICIPAL ENGINEER-IF NECESSARY)

Signature _____ Dated _____ Accepted

Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

D. PLOT PLAN APPROVAL (MUNICIPAL ENGINEER)

MPT 4-18-86 Accepted
Signature _____ Dated _____

Comments: _____

MPT 4-16-86 Rejected
Signature _____ Dated _____

Comments: Survey inter. tie needed
Crawl space clear.

E. C. O. APPROVALS

1. Field Inspection (Inspector)

MPT 7-6-87 Accepted
Signature _____ Dated _____

Comments: _____

MPT 6-4-87 Rejected
Signature _____ Dated _____

Comments: Grade front
6-23-87
no change

2. Temporary C. O. (Municipal Engineer)

Signature _____ Dated _____ Accepted

Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

3. Final C. O. (Municipal Engineer)

MPT 7-6-87 Accepted
Signature _____ Dated _____


Comments: _____

Signature _____ Dated _____ Rejected

Comments: _____

ONTARIO LAGOON

AS PER FILE MAP
F-160



7.5 S.F. OF FLOOD OPENINGS
REQ'D.
8.0 S.F. PROVIDED 1.33 x 0.67 x 9.0
= 8.0 S.F.

RECEIVED

APR 17 1986

ROCHESTER

INV. OF FLOOD WINDOWS, 5.0
FLOOD ZONE ADJ. ELEV 7.0

Only copies from the original of this survey marked with an original of the land
surveyor's embossed seal shall be considered to be valid copies

Signature and embossed seal signify that this survey was prepared in accordance
with the existing Code of Practice adopted by the N.J. State Board of
Professional Engineers and Land Surveyors. Certifications indicated hereon
shall run only to the person for whom the survey is prepared, and on his behalf
to the title company, governmental agency and lending institution listed
hereon, and to the assignees of the lending institution. Certifications are not
transferable to additional institutions or subsequent owners

Underground improvement or encroachments, if any, are not shown hereon

(50' R.O.W.)

DRIVE MUNICIPAL ENGINEER

CRAWL SPACE ELEV. 4.2

THIS PLAN IS FOR THE PURPOSE OF OBTAINING A
BUILDING PERMIT. BUILDING DIMENSIONS SHOWN
HEREON ARE TO BE VERIFIED BY BUILDER PRIOR TO
STARTING CONSTRUCTION.

SCALE: 1"=20'

SURVEY
BLOCK 211.C
LOT 13

TOWNSHIP OF BRICK

OCEAN COUNTY

NEW JERSEY

ROBERT J. BALLIS

PROF. ENGR. & LAND SURVEYOR, N.J. LIC. NO. 7966
PROFESSIONAL PLANNER, N.J. LIC. NO. 126

ANDERSON, BALLIS & LINDSTROM
ASSOCIATES, INC.

321 MANTOLOKING RD.

BRICK, N.J. 08723

DR. BY
B.W.


CH. BY
SC

DATE
3/12/86

DWG.
NO. 86066

ONTARIO LAGOON

AS PER FILE MAP
F-100



RECEIVED
APR 17 1986

ROCHESTER

INV. OF FLOOD WINDOWS, 5.0
FLOOD ZONE AD, ELEV 7.0

Only copies from the original of this survey marked with an original of the land surveyor's embossed seal shall be considered to be valid copies.

Signature and embossed seal signify that this survey was prepared in accordance with the existing Code of Practice adopted by the N.J. State Board of Professional Engineers and Land Surveyors. Certifications indicated hereon shall run only to the person for whom the survey is prepared, and on his behalf to the title company, governmental agency and lending institution listed hereon, and to the assignees of the lending institution. Certifications are not transferable to additional institutions or subsequent owners.

Underground improvement or encroachments, if any, are not shown hereon.

(50' R.O.W.)

DRIVE

MUNICIPAL ENGINEER

CRAWL SPACE ELEV. 4.2

Resub.

THIS PLAN IS FOR THE PURPOSE OF OBTAINING A BUILDING PERMIT. BUILDING DIMENSIONS SHOWN HEREON ARE TO BE VERIFIED BY BUILDER PRIOR TO STARTING CONSTRUCTION.

SCALE: 1" = 20'

SURVEY BLOCK 211.C LOT 13

TOWNSHIP OF BRICK

OCEAN COUNTY

NEW JERSEY

ANDERSON, BALLIS & LINDSTROM
ASSOCIATES, INC.

321 MANTOLOKING RD.

BRICK, N.J. 08723

DR. BY:
B.W.

CH. BY:
SC

DATE:
3/12/86

DWG. NO.:
86066

ROBERT J. BALLIS

PROF. ENGR. & LAND SURVEYOR, N.J. LIC. NO. 7884


PROFESSIONAL PLANNER, N.J. LIC. NO. 126

ADDED THE DISTANCE	2	4/17/86
ROT PLAN	1	3/12/86
REVISION	NO.	BY/DATE

ONTARIO LAGOON

AS PER FILE MAP
F-100

HAMILTON (60' R.O.W.) DRIVE



ROCHESTER

(50' R.O.W.)

DRIVE

INV. OF FLOOD WINDOWS, 4.6
FLOOD ZONE AD, ELEV 7.0

Only copies from the original of this survey marked with an original of the land surveyor's embossed seal shall be considered to be valid copies.

Signature and embossed seal signify that this survey was prepared in accordance with the existing Code of Practice adopted by the N.J. State Board of Professional Engineers and Land Surveyors. Certifications indicated hereon shall run only to the person for whom the survey is prepared, and on his behalf to the title company, governmental agency and lending institution listed hereon, and to the assignees of the lending institution. Certifications are not transferable to additional institutions or subsequent owners.

Underground improvement or encroachments, if any, are not shown hereon.

THIS PLAN IS FOR THE PURPOSE OF OBTAINING A BUILDING PERMIT. BUILDING DIMENSIONS SHOWN HEREON ARE TO BE VERIFIED BY BUILDER PRIOR TO STARTING CONSTRUCTION.

SCALE: 1"=20'

SURVEY
BLOCK 211.C
LOT 13

TOWNSHIP OF BRICK
OCEAN COUNTY
NEW JERSEY

ANDERSON, BALLIS & LINDSTROM ASSOCIATES, INC.

321 MANTOLOKING RD.

BRICK, N.J. 08723

ROBERT J. BALLIS

PROF. ENGR. & LAND SURVEYOR, N.J. LIC. NO. 7866
PROFESSIONAL PLANNER, N.J. LIC. NO. 126

DR. BY.
B.W.

CH. BY.

DATE
3/12/86

DWG.
NO.

86066