

Donna Belton

19-043

From: Ameritrust Residential <opra+request-3500-4abf1aab@requests.opramachine.com>
Sent: Tuesday, January 08, 2019 12:46 PM
To: clerkforms
Subject: OPRA request - Anything outstanding against this property - 273 STUART ST HOWELL NJ 07731

Dear Howell Township,

This is a request for public records made under OPRA and the common law right of access. I am not required to fill out an official form. Please acknowledge receipt of this message.

Records requested:

Open Permits
Open Zoning permits
Open Property Liens
Violations
Survey of Property if applicable including permits,

Elevation Certification

"any information regarding the presence of an underground oil tank if applicable including permits, remediation reports, environmental reports"

"survey showing underground oil tank location septic systems" applicable"

"any information of the presence of a septic system"

PROPERTY INFORMATION

Property Location 273 STUART STREET

County 13 - Monmouth

District 21 - Howell Twp

Block Number 148

Lot Number 4

Yours faithfully,

Ameritrust Residential

TOWNSHIP OF HOWELL
RECEIVED
2019 JAN - 8 P 12:51
CLERK'S OFFICE

Please use deliver records electronically via email to the below UNIQUE address for all replies to this request:

opra+request-3500-4abf1aab@requests.opramachine.com

Is clerkforms@twp.howell.nj.us the wrong address for OPRA requests to Howell Township? If so, please contact us using this form:

https://linkprotect.cudasvc.com/url?a=https%3a%2f%2fopramachine.com%2fchange_request%2fnew%3fbody%3dhowell_township&c=E,1,rCzuQnbkUe0hnPSU8PZHxDZSUGbH8gIS7CHhW8Idk6d8LhSsZUfZ2ZH9QkQUc1-5xeXcQOhXZg9sR-AqjQPQ_P2asMPHCC-QLFswO-B2d2FRCAuMr8Ra&typo=1

Disclaimer: This message and any reply that you make will be published on the internet. Our privacy and copyright policies:

https://linkprotect.cudasvc.com/url?a=https%3a%2f%2fopramachine.com%2fhelp%2fofficers&c=E,1,kXNQPC8YVMDwzT5z1cmeu5FyLnHND671ly4r_PQO7qQTMv-DbW62Sim9WkVBunnoOyES5bxAh817TC_GPVdUOGalV4NmPaUbqPcqIRRCQ8ID3Q,,&typo=1

View this OPRA request & responses online:

https://linkprotect.cudasvc.com/url?a=https%3a%2f%2fopramachine.com%2frequest%2fanything_outstanding_against_thi_46&c=E,1,o4uV2XoThkMIUfMUb4HtO4SIEWVtza4MLm42Vx15JBic-pCYy7Zbbt9mgBPbQn90IAD2EONzFQB-uJIC3epIF-Fhz9Th2D9GsVkitPzML9He0cl2nWid-ic,&typo=1

Please note that in some cases publication of requests and responses will be delayed.

If you find this service useful as an OPRA custodian, please ask your web manager to link to us from your organisation's website.

Donna Belton

From: Elizabeth Milewski
Sent: Tuesday, January 08, 2019 2:08 PM
To: Donna Belton
Cc: Matthew Howard
Subject: RE: OPRA 19-043

No land use permits information for this request. No open code violations.

Beth Milewski
Community Development/Code Enforcement
Howell Township
Phone: 732-938-4500, ext. 2339

From: Matthew Howard
Sent: Tuesday, January 8, 2019 12:59 PM
To: Elizabeth Milewski
Subject: FW: OPRA 19-043

From: Donna Belton
Sent: Tuesday, January 8, 2019 12:57 PM
To: Paul Orlando; Raisa Shekhter; Matthew Howard; Eileen Rubano; Maria Hesselbarth
Cc: Brian Geoghegan; Jim Herrman
Subject: OPRA 19-043

Good Afternoon,

Attached please find OPRA 19-043 for your review. Please forward your findings to me no later than 1/17/2019.

Thank you

Regards,

Donna Belton
Administrative Assistant
Clerk's Office
4567 Route 9 North
Howell, NJ 07731
732-938-4500, ext. 2000
dbelton@twp.howell.nj.us

NOTICE OF CONFIDENTIALITY

This message, including any prior messages and attachments, may contain advisory, consultative and/or deliberative material, confidential information or privileged communications of the Township of Howell. Access to this message by anyone other than the sender and the intended recipient(s) is unauthorized. If you are

**The Monmouth County
Board of Health**

19-043

Robert Peters
President

3435 HIGHWAY 9
P.O. BOX 1255
FREEHOLD, NEW JERSEY 07728-1255
TELEPHONE (732) 431-7456

Lester W. Jargowsky, M.P.H.
Public Health Coordinator
and
Health Officer

Steve Mikulak
273 Stuart Street
Howell, New Jersey 07731

MCHD LOG # 17011

12 September 2005

CERTIFICATE OF COMPLIANCE

Date of Inspection: September 12, 2005

By: Kathleen M. Andrews
REHS

Name of Owner: Steve Mikulak

Location of Property: 273 Stuart Street

Block: 148 **Lot:** 4

Municipality: Howell

This is to certify that the Individual Subsurface Sewage Disposal System located as indicated above, has been altered/renovated/repared in compliance with the provisions of N.J.A.C. 7:9A-1.1 et seq. and the standards thereto.


The issuance of this certificate shall not be construed as a guarantee that the Individual Subsurface Sewage Disposal System will function satisfactorily, nor shall it in any way restrict the powers or responsibilities of the Health Department in the enforcement of any law or ordinance relating to public health.

Sincerely,

Lester W. Jargowsky (RE)

Lester W. Jargowsky, M.P.H.
Public Health Coordinator

LWJ:tas
cc: Judy LaPorta
Allen Gaestel
All-In-One Septic Services



ADOPTIONS

AGENCY NOTE: The department is not adopting the forms in proposed Appendix B, as explained in the Summary of Comments. In the interest of clarity. Proposed Appendix B is not reproduced herein for deletion. The Department is adopting the following Appendix B.

APPENDIX B
STANDARD FORMS FOR
SUBMISSION OF SOILS/ENGINEERING DATA

COUNTY/MUNICIPALITY

Mon / Howell

APPLICATION FOR PERMIT TO CONSTRUCT/ALTER/REPAIR
AN INDIVIDUAL SUBSURFACE SEWAGE DISPOSAL SYSTEM

Form 1 - General Information

Type of Permit Needed (check applicable categories):

- ☐ New Construction ☐ Alteration/No Expansion or Change of use
☐ Alteration/Expansion or change in Use
☒ Alteration/Malfunction System
☐ Deviation from Standards ☒ Repairs to Existing System

2. Location of Project:

Municipality Howell Block No. 148 Lot No. 4
 Street Address 273 Stant St Zip 07731

3. Name of Applicant (print) Steve Mikulak4. Applicants Present Address 273 Stant St.5. Applicants Phone Number 732 610-3980

6. Type of Facility:

- ☒ Residential
☐ Commercial/Industrial
 Specify Type of Establishment: _____

7. Type of Wastes to be discharged:

- ☒ Sanitary Sewage
☐ Industrial Wastes
☐ Other - Specify Type _____

8. Other Approvals/Certificate/Waivers/Exemptions (Attach to Applications)

- ☐ Pinelands Commission
☐ U.S. Army Corp. of Engineers
☐ NJDEP - Bureau of Flood Plain Management
☐ Other - Specify _____

9. I hereby certify that the information furnished on Form 1 of this application is true. I am aware that false swearing is a crime in this State and subject to prosecution.

Signature of Applicant Kenneth L. Wickham Jr. Date 6/29/05

FOR AGENCY USE ONLY

Application Denied - Reason for Denial/Citation of Rules Violated: _____

Application Approved

Application Approved Subject to Approval by NJDEP

ENVIRONMENTAL PROTECTION

53241

Date of Action _____ Signature Authorized Agent _____

Name and Title _____

COUNTY/MUNICIPALITY _____

APPLICATION FOR PERMIT TO CONSTRUCT/ALTER/REPAIR
AN INDIVIDUAL SUBSURFACE SEWAGE DISPOSAL SYSTEM

Form 2a - General Site Evaluation Data Lot _____ Block _____

1. Name of Site Evaluator (print) _____

2. Business Address of Site Evaluator _____

3. Business Phone number of Site Evaluator _____

4. Special Site Limitations Identified (Check Appropriate):

- ☐ Flood Plains ☐ Bedrock Outcrops ☐ Wetlands
☐ Excessively Stony ☐ Disturbed Ground
☐ Sulk Holes ☐ Sand Dunes ☐ Steep Slopes
☐ Other - Specify _____

5. Soil Logs - Enter on Form 2b - Use one sheet for each soil log

6. Consideration Relating to Disturbed Ground:

a.) Type of Disturbance (check appropriate categories)

- ☐ Filled Area ☐ Excavated Area ☐ Re-graded Area
☐ Subsurface Drains ☐ Other - Specify _____

b.) Pre-existing Natural Ground Surface

Elevation Relative to Existing Ground Surface _____
 Method of Identification _____

c.) Suitability of Disturbed Ground

- ☐ Unsuitable: objects subject to degeneration or change in volume
☐ Excessively Coarse
☐ Proctor Test performed - % Standard Proctor Density _____

7. Hydraulic Head Test:

- a) Hydraulically Restrictive Horizon: Depth Top to Bottom _____
 b) Piezometer A: Depth to Bottom _____ Depth of Water 24Hr _____
 c) Piezometer B: Depth to Bottom _____ Depth of Water 24Hr _____
 d) Witnessed by _____ Signature _____ Date _____

8. Attachments (Check items Included)

- ☐ Site Plan
☐ Key Map Showing Location of Site on U.S.G.S. Quadrangle or Other Accurate Map
☐ Key Map showing Location of Site on U.S.D.A. Soil Survey Map
☐ Other - Specify _____

9. I hereby certify that the information furnished on Form 2a of this application (and the attachments there to) is true and accurate. I am aware that falsification is a violation of the Water Pollution Control Act (N.J.S.A. 58:10A-1 et seq.) Is subject to penalties as prescribed in N.J.A.C. 7:14-8.

Signature of Soil Evaluator _____ Date _____


Signature of Professional Engineer _____
 License # _____


NEW JERSEY REGISTER, MONDAY AUGUST 21, 1989 ADOPTIONS

ALL-IN-ONE SEPTIC SERVICES
 869 Lakehurst Ave
 JACKSON, N.J. 08527



732-928-3600

Kenneth L. Wickham Jr.





3 lines (Laterals) 35' Long



Stuart St.

Donna Belton

From: Paul Orlando
Sent: Wednesday, January 09, 2019 12:26 PM
To: Donna Belton
Subject: RE: OPRA 19-043

PERMIT 2005-0691 NEEDS FINAL BUILDING REINSPECTION PERFORMED AND PASSED. (ROOF ,SIDING, BASEMENT BATHROOM

From: Donna Belton
Sent: Tuesday, January 08, 2019 12:57 PM
To: Paul Orlando; Raisa Shekhter; Matthew Howard; Eileen Rubano; Maria Hesselbarth
Cc: Brian Geoghegan; Jim Herrman
Subject: OPRA 19-043

Good Afternoon,

Attached please find OPRA 19-043 for your review. Please forward your findings to me no later than 1/17/2019.

Thank you

Regards,

Donna Belton
Administrative Assistant
Clerk's Office
4567 Route 9 North
Howell, NJ 07731
732-938-4500, ext. 2000
dbelton@twp.howell.nj.us

NOTICE OF CONFIDENTIALITY

This message, including any prior messages and attachments, may contain advisory, consultative and/or deliberative material, confidential information or privileged communications of the Township of Howell. Access to this message by anyone other than the sender and the intended recipient(s) is unauthorized. If you are not the intended recipient of this message, any disclosure, copying, distribution or action taken or not taken in reliance on it, without the expressed written consent of the Township, is prohibited. If you have received this message in error, you should not save, scan, transmit, print, use or disseminate this message or any information contained in this message in any way and you should promptly delete or destroy this message and all copies of it. Please notify the sender by return e-mail if you have received this message in error.

NOTICE OF CONFIDENTIALITY

This message, including any prior messages and attachments, may contain advisory, consultative and/or deliberative material, confidential information or privileged communications of the Township of Howell. Access to this message by anyone other than the sender and the intended recipient(s) is unauthorized. If you are not the intended recipient of this message, any disclosure, copying, distribution or action taken or not taken in

Donna Belton

From: Eileen Rubano
Sent: Thursday, January 10, 2019 12:46 PM
To: Donna Belton
Subject: RE: OPRA 19-043

I have nothing for this opira.

From: Donna Belton
Sent: Tuesday, January 08, 2019 12:57 PM
To: Paul Orlando; Raisa Shekhter; Matthew Howard; Eileen Rubano; Maria Hesselbarth
Cc: Brian Geoghegan; Jim Herrman
Subject: OPRA 19-043

Good Afternoon,

Attached please find OPRA 19-043 for your review. Please forward your findings to me no later than 1/17/2019.

Thank you

Regards,

Donna Belton
Administrative Assistant
Clerk's Office
4567 Route 9 North
Howell, NJ 07731
732-938-4500, ext. 2000
dbelton@twp.howell.nj.us

NOTICE OF CONFIDENTIALITY

This message, including any prior messages and attachments, may contain advisory, consultative and/or deliberative material, confidential information or privileged communications of the Township of Howell. Access to this message by anyone other than the sender and the intended recipient(s) is unauthorized. If you are not the intended recipient of this message, any disclosure, copying, distribution or action taken or not taken in reliance on it, without the expressed written consent of the Township, is prohibited. If you have received this message in error, you should not save, scan, transmit, print, use or disseminate this message or any information contained in this message in any way and you should promptly delete or destroy this message and all copies of it. Please notify the sender by return e-mail if you have received this message in error.

NOTICE OF CONFIDENTIALITY

This message, including any prior messages and attachments, may contain advisory, consultative and/or deliberative material, confidential information or privileged communications of the Township of Howell. Access to this message by anyone other than the sender and the intended recipient(s) is unauthorized. If you are not the intended recipient of this message, any disclosure, copying, distribution or action taken or not taken in reliance on it, without the expressed written consent of the Township, is prohibited. If you have received this