

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 7:00 PM
To: Tom.Gorman@tylertech.com
Subject: Accepted: Michael Hitchner, Bridgeton, NJ

Ok. Lets try tomorrow around 11. Just call my cell listed below.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 5:23 PM
To: Gorman, Tom
Subject: Re: [MobileEyes] Re: DARM Requirements for electronic report retention

Ok. Lets try tomorrow around 11. Just call my cell listed below.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Gorman, Tom
Date: Wed, Dec 26, 2018 17:16
To: Michael Hitchner;
Cc:
Subject: Re: [MobileEyes] Re: DARM Requirements for electronic report retention

Hi Mike,

I'm available the rest of this week if you would like to suggest a date and time for a phone call re. your records retention questions.

Regards,

Tom

Tom Gorman
Director of Operations, MobileEyes
Tyler Technologies, Inc.
P: 586-899-8651
www.tylertech.com
MobileEyes is now part of the Tyler family!



Empowering people who serve the public®

From: Mike Hitchner (MobileEyes) <support@mobileeyes.zendesk.com>
Sent: Thursday, December 20, 2018 1:01:14 PM

To: Tom Gorman

Subject: [MobileEyes] Re: DARM Requirements for electronic report retention

##- Please type your reply above this line -##

This ticket ([#6349](#)) has been updated.



Mike Hitchner

Dec 20, 1:01 PM EST

The state inspector here today has the forms you sent me and I also emailed them to another state inspector. When I hear something I will let you know.

Another issue that was found was with the appeal rights. Because we are operating in 2 different counties we need to have the appeal rights changed so they know who to contact. This could be fixed by entering a county code field or something. It needs to have the following information on all the appeal rights part of the forms.

If you own a business in Cumberland County and would like to contact the Construction Board of Appeals, contact the following office:

164 West Broad Street
Bridgeton, NJ 08302

Phone: (856) 453-2125
Fax: (856) 451-8243

If you own a business in Salem County and would like to contact the Construction Board of Appeals, contact the following office:

Engineer's Office, 110 Fifth Street, Suite 600

Salem, NJ 08079
Phone: (856) 935-7510 Ext. 8549

FAX: (856) 935-7915

City of Bridgeton Fire Department

Captain Michael Brent Hitchner Jr.
Inspector/Investigator

Training Officer

Cell: (856) 207-7398

Office: (856) 451-4250

Email: hitchnerm@cityofbridgeton.com

During our audit today this was brought up again about DARM. How do we move forward in getting this completed.

City of Bridgeton Fire Department

Captain Michael Brent Hitchner Jr.
Inspector/Investigator

Training Officer

Cell: (856) 207-7398

Office: (856) 451-4250

Email: hitchnerm@cityofbridgeton.com

From: Michael Hitchner

Sent: Friday, May 11, 2018 10:07 AM

To: 'MobileEyes' <support+id6349@mobileeyes.zendesk.com>

Subject: RE: [MobileEyes] Re: DARM Requirements for electronic report retention

Could you send me a number to contact you with or you can call my office.

City of Bridgeton Fire Department

Captain Michael Brent Hitchner Jr.
Inspector/Investigator

Training Officer

Cell: (856) 207-7398

Office: (856) 451-4250

Email: hitchnerm@cityofbridgeton.com

From: Tom Gorman (MobileEyes) [<mailto:support@mobileeyes.zendesk.com>]

Sent: Friday, May 11, 2018 9:04 AM

To: Michael Hitchner <HitchnerM@cityofbridgeton.com>

Subject: [MobileEyes] Re: DARM Requirements for electronic report retention

Attachment(s)

[image001.jpg](#)



Mike Hitchner

Dec 19, 6:31 PM EST

During our audit today this was brought up again about DARM. How do we move forward in getting this completed.

City of Bridgeton Fire Department

Captain Michael Brent Hitchner Jr.
Inspector/Investigator

Training Officer

Cell: (856) 207-7398

Office: (856) 451-4250

Email: hitchnerm@cityofbridgeton.com

Could you send me a number to contact you with or you can call my office.

City of Bridgeton Fire Department

Captain Michael Brent Hitchner Jr.
Inspector/Investigator

Training Officer

Cell: (856) 207-7398

Office: (856) 451-4250

Email: hitchnerm@cityofbridgeton.com

From: Tom Gorman (MobileEyes) [<mailto:support@mobileeyes.zendesk.com>]

Sent: Friday, May 11, 2018 9:04 AM

To: Michael Hitchner <HitchnerM@cityofbridgeton.com>

Subject: [MobileEyes] Re: DARM Requirements for electronic report retention

Attachment(s)
[image001.jpg](#)



Justin Chartier (MobileEyes)

Dec 19, 11:21 AM EST

Private note

Tom Gorman Captain Hitchner just got audited by the state and they failed the audit in the documents area. I'm going to be working with him on his documents. He would like to continue working with you on the DARM Requirements. Can you contact him to set up a meeting when you get a chance?



Mike Hitchner

May 11, 10:07 AM EDT

Could you send me a number to contact you with or you can call my office.

City of Bridgeton Fire Department

Captain Michael Brent Hitchner Jr.
Inspector/Investigator

Training Officer

Cell: (856) 207-7398

Office: (856) 451-4250

Email: hitchnerm@cityofbridgeton.com

Attachment(s)
[image001.jpg](#)



Tom Gorman (MobileEyes)

May 11, 9:04 AM EDT

Hi Mike,

I called you about this just now, but they told me you were out till Monday.

Would you please give me a call when you get a chance so we can talk over these things.

Thanks,

Tom



Mike Hitchner

May 8, 5:31 PM EDT

Attached is what ESP did that was approved by the state. As with the read receipt, we have to meet the state requirements or the state holds our money until we are compliant. I was told these things were forwarded up to your company to get adjusted.

City of Bridgeton Fire Department

Captain Michael Brent Hitchner Jr.
Inspector/Investigator

Training Officer

Cell: (856) 207-7398

Office: (856) 451-4250

Email: hitchnerm@cityofbridgeton.com

Attachment(s)

[image001.jpg](#)

[ESP NOV.pdf](#)



Justin Chartier (MobileEyes)

May 8, 5:18 PM EDT

Captain Hitchner,

Regarding the read receipt.

To be honest I'm not sure about a read receipt because that technology can be blocked and isn't reliable. If you use Outlook you can ask for a read receipt when someone views the email, but you can also disable that setting. Did you know that? Is there additional information about using a proper read receipt that can't be turned off or is this requirement very general?

Regarding the language changes.

Can you add what changes you need in the language?

The language can be changed by a website admin. This is how you get there.

Website

Setup

Misc – tab

Under "Header / Footer" choose "Report Return Date Statement (Fire)" and edit the record.

If this is a small change feel free to make it here. If it's more complicated let me know what the changes are.

Kindest Regards,

Justin



Justin Chartier (MobileEyes)

May 8, 5:08 PM EDT

Private note

Hi Tom,

See Captain Hitchner's email below. He is asking for a status on the DARM requirement. I know you did work with them on this, but I'm not sure where it was left.

Kindest Regards,

Justin



Mike Hitchner

May 8, 4:53 PM EDT

Has there been any more movement on this DARM requirement? I also just found out yesterday that mobile eyes does not meet NJ requirements because of 2 things. 1 being there is no read receipt when sending an email and 2, the notice of violations and order to correct wording is not enough. Could you please look into this for me.

City of Bridgeton Fire Department

Captain Michael Brent Hitchner Jr.
Inspector/Investigator

Training Officer

Cell: (856) 207-7398

Office: (856) 451-4250

Email: hitchnerm@cityofbridgeton.com

Attachment(s)
[image001.jpg](#)



Mike Hitchner

Feb 5, 5:40 PM EST

Justin. We are still working on this.

City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office (856) 451-4250
Cell (856) 207-7398
Fax (856) 459-1801
Email hitchnerm@cityofbridgeton.com



Justin Chartier (MobileEyes)

Feb 5, 5:26 PM EST

I believe this is in process or done. There is/was another help desk call about it.



Justin Chartier (MobileEyes)

December 8, 2017, 4:21 PM EST

Captain,

I asked my manager Tom Gorman about this this morning and he said someone else from NJ recently asked him about it too. Can you forward me the DARM requirements and I'll get Tom working on it for you?

Justin



Justin Chartier (MobileEyes)

December 7, 2017, 11:21 AM EST

Good Morning!

I'm personally not familiar with the DARM requirements. Can you send me them so I can tell you if we meet the requirements for electronic report retention?

Kindest Regards,
Justin



Justin Chartier (MobileEyes)

December 7, 2017, 11:21 AM EST

We have been advised by the New Jersey State Fire Marshals office that our inspection software needs to meet DARM's requirements for electronic report retention. We are gonna need a letter stating this meets DARM requirements. Are you familiar with this? Have you had to deal with this? Are you able to assist us with obtaining this?

You are an agent. Add a comment by replying to this email or [view ticket in Zendesk Support](#).

Ticket # 6349
Status Open
Requester Mike Hitchner
CCs Tom Gorman
Group Support
Assignee Tom Gorman
Priority -
Type Ticket
Channel Web Form

This email is a service from MobileEyes. Delivered by [Zendesk](#)

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 3:44 PM
To: Miriam Garcia
Subject: Re:

Ok.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Miriam Garcia
Date: Wed, Dec 26, 2018 15:31
To: Michael Hitchner;
Cc:
Subject: RE:

From 10 pm to 4:00pm

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 3:27 PM
To: Miriam Garcia <GarciaM@cityofbridgeton.com>
Subject: Re:

I will add it to my calendar. What time.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Miriam Garcia
Date: Wed, Dec 26, 2018 15:17
To: Michael Hitchner;
Cc:
Subject:

Good Afternoon,

I have a question. Do you have plans on April 20. If not I will like to know if you can be available for our church with your dog. We are hosting an Easter egg hunt in Green Branch park. Please let me know if you can.

Thank You

**Miriam Garcia, Deputy Municipal Clerk
Alternate Deputy Registrar of Vital Statistics**

City of Bridgeton

181 E. Commerce Street

Bridgeton, NJ 08302

P: 856 455-3230 Ext 226, Fax: 856 451-5321

Garciam@cityofbridgeton.com



Notice: You are advised that this e-mail, all responses to this e-mail, and all e-mail sent to the e-mail address above, including all attachments, will constitute "public records" obtainable by any person filing a request under the Open Public Records Act (OPRA). There should be no expectation that the content of e-mails exchanged with municipal officials and employees will remain private.

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 3:30 PM
To: Will Mosley
Cc: Todd Bowen; Tiffany Durham
Subject: Fw: CAD Install
Attachments: 20181226_152041.jpg; 20181226_152031.jpg

Will, I added Chief Bowen on this. He was advised there was an issue and should be out in the morning to try and fix it. I am not sure why this happened. Thank you.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Will Mosley
Date: Wed, Dec 26, 2018 15:25
To: Michael Hitchner;
Cc: Edward Conrow; Jennifer Lichtenstein;
Subject: Re: CAD Install

Capt.

I will need the log in for the one and the other seems that the set up was not completed.

See attached photos of the screens.

They are on my desk if you want to pick them up.

Thank you,

Will

--

Will Mosley, Communications Tech.
Cumberland County Emergency Services
Cell # 856-332-7636
Email: willmo@co.cumberland.nj.us

----- Original message -----

From: Michael Hitchner <HitchnerM@cityofbridgeton.com>
Date: 12/26/18 09:54 (GMT-05:00)
To: Will Mosley <WILLMO@co.cumberland.nj.us>
Subject: Re: CAD Install

EXTERNAL EMAIL: Do not click any links or open any attachments unless you trust the sender and know the content is safe.

Thank you. Josh will drop them off around 1030ish. Just let me know when they can be picked up. Hope you had a great hoilday.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Will Mosley
Date: Wed, Dec 26, 2018 09:25
To: Michael Hitchner;
Cc:
Subject:RE: CAD Install

I will be in & out of the Office today and tomorrow. If not my schedule is clear January 2-3, 2019.

Will

William W. Mosley, Sr.

Communications Systems Technician II



**Cumberland County
Office of Emergency Management**

637 Bridgeton Ave.
Bridgeton, New Jersey 08302

OFFICE: (856)455-8770 x491 **CELL:** (856)332-7636
FAX: (856)455-9515 **EMAIL:** willmo@co.cumberland.nj.us
AMATEUR RADIO LICENSE: KD2EOD

From: Michael Hitchner <HitchnerM@cityofbridgeton.com>
Sent: Friday, December 21, 2018 12:51 PM
To: Will Mosley <WILLMO@co.cumberland.nj.us>
Subject: CAD Install

EXTERNAL EMAIL: Do not click any links or open any attachments unless you trust the sender and know the content is safe.

Good afternoon Will. I have 2 tablets I need to get the CAD downloaded on. If you don't have time today could I drop them off next week? Let me know.

***City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Inspector/Investigator
Training Officer***

Cell: (856) 207-7398

Office: (856) 451-4250

Email: hitchnerm@cityofbridgeton.com

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 3:27 PM
To: Miriam Garcia
Subject: Re:

I will add it to my calendar. What time.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnernm@cityofbridgeton.com*

----- Original message-----

From: Miriam Garcia
Date: Wed, Dec 26, 2018 15:17
To: Michael Hitchner;
Cc:
Subject:

Good Afternoon,

I have a question. Do you have plans on April 20. If not I will like to know if you can be available for our church with your dog. We are hosting an Easter egg hunt in Green Branch park. Please let me know if you can.

Thank You

Miriam Garcia, Deputy Municipal Clerk Alternate Deputy Registrar of Vital Statistic

**City of Bridgeton
181 E. Commerce Street
Bridgeton, NJ 08302
P: 856 455-3230 Ext 226, Fax: 856 451-5321
Garciam@cityofbridgeton.com**



Notice: You are advised that this e-mail, all responses to this e-mail, and all e-mail sent to the e-mail address above, including all attachments, will constitute "public records" obtainable by any person filing a

request under the Open Public Records Act (OPRA). There should be no expectation that the content of e-mails exchanged with municipal officials and employees will remain private.

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 3:14 PM
To: Mary Jane Lake; Todd Bowen
Cc: Tiffany Durham; Stephanie LaScala
Subject: Re: Statewide Ins Claim - 11/15/18

I spoke to both contractors today and the work will not be started until after the 1st of January. If anything else is needed please let me know.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Mary Jane Lake
Date: Mon, Dec 24, 2018 12:59
To: Michael Hitchner; Todd Bowen;
Cc: Tiffany Durham; Stephanie LaScala;
Subject: Statewide Ins Claim - 11/15/18

I received the Statewide insurance check today for the damage done 11/15/18 at the Fire Training Building for \$ 6120. GM white \$ 3370 and Eastern Door \$ 3750 less the \$ 1000 deductible.
I need to know if these repairs are being ordered in 2018 or if this will not be completed until 2019.

Please advise so I know how to deposit the check.

Thank you,

Mary Jane Lake
Comptroller
City of Bridgeton
(856) 455-3230 Ext 214
Fax (856) 455-9903

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 3:12 PM
To: Mike Vizzard
Cc: Todd Bowen; Tiffany Durham
Subject: Re: Service quote

Thank you.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Mike Vizzard
Date: Wed, Dec 26, 2018 15:10
To: Michael Hitchner;
Cc: Todd Bowen; Tiffany Durham;
Subject: RE: Service quote

Michael,
We will have this work completed for you after the new year. I will notify you of the anticipated schedule once I have a handle on the manpower availability at that time.

From: Michael Hitchner [<mailto:HitchnerM@cityofbridgeton.com>]
Sent: Wednesday, December 26, 2018 10:30 AM
To: Mike Vizzard
Cc: Todd Bowen; Tiffany Durham
Subject: Fw: Service quote

Good morning Mike. The approval has been made to get the service moved at 15 Mayor Aitken Drive. Please let me know today if this work will be completed this year or after January 1st. The city needs to know. Thank you.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Mike Vizzard
Date: Tue, Nov 27, 2018 11:40
To: Michael Hitchner;
Cc:

Subject:Service quote

Michael,

Attached is our quote. I always try to cover any unanticipated costs just so no surprises cause the PO amount to need to be increased. This is a worst case senerio, the installation cost will most likely be decreased. All work will be completed using the Co-Op with the County. Any questions, please advise. Thank you.

Mike Vizzard

President, G.M. White Electrical Contractor, Inc.

O-856-691-4499

F-856-691-9401

C-856-207-1978

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 3:06 PM
To: klovest2004@aol.com
Subject: Re: quote from troy@easterndoorco

No problem. Thank you.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: klovest2004@aol.com
Date: Wed, Dec 26, 2018 14:02
To: Michael Hitchner;
Cc:
Subject: Re: quote from troy@easterndoorco

I t ill take approx. 2 wks for materials so 2019

Thanks

Troy

-----Original Message-----

From: Michael Hitchner <HitchnerM@cityofbridgeton.com>
To: klovest2004 <klovest2004@aol.com>
Sent: Wed, Dec 26, 2018 11:49 am
Subject: Re: Fw: quote from troy@easterndoorco

No problem. The city just wants to know if the work will be done in 2018 or 2019. Just let me know. Its not a rush to get the work done. They just need to know when.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: klovest2004
Date: Wed, Dec 26, 2018 11:26
To: Michael Hitchner;
Cc:
Subject: Re: Fw: quote from troy@easterndoorco

Michael good morning I will review the quote when I get back in the office put it together in the form of an invoice and we'll get these things going for you thank you very much

Sent from my Sprint Samsung Galaxy S7.

----- Original message -----

From: Michael Hitchner <HitchnerM@cityofbridgeton.com>

Date: 12/26/18 10:25 AM (GMT-05:00)

To: troy@easterndoorcompany.com

Cc: Todd Bowen <BowenT@cityofbridgeton.com>, Tiffany Durham <DurhamT@cityofbridgeton.com>

Subject: Fw: quote from troy@easterndoorco

Good morning Troy. The approval has been made to replace the door openers. Option B on the attached. At 15 Mayor Aitken Drive. Please let me know today if this work can be done this year or if it will have to wait until after January 1st. The city needs to know. Thank you.

City of Bridgeton Fire Department

Captain Michael Brent Hitchner Jr.

Office: (856) 451-4250

Cell: (856) 207-7398

Fax: (856) 459-1801

Email: hitchnerm@cityofbridgeton.com

----- Original message-----

From: troy@easterndoorcompany.com

Date: Mon, Nov 19, 2018 18:33

To: Michael Hitchner;

Cc:

Subject:quote from troy@easterndoorco

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 11:50 AM
To: klovest2004
Subject: Re: Fw: quote from troy@easterndoorco

No problem. The city just wants to know if the work will be done in 2018 or 2019. Just let me know. Its not a rush to get the work done. They just need to know when.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: klovest2004
Date: Wed, Dec 26, 2018 11:26
To: Michael Hitchner;
Cc:
Subject: Re: Fw: quote from troy@easterndoorco

Michael good morning I will review the quote when I get back in the office put it together in the form of an invoice and we'll get these things going for you thank you very much

Sent from my Sprint Samsung Galaxy S7.

----- Original message -----

From: Michael Hitchner <HitchnerM@cityofbridgeton.com>
Date: 12/26/18 10:25 AM (GMT-05:00)
To: troy@easterndoorcompany.com
Cc: Todd Bowen <BowenT@cityofbridgeton.com>, Tiffany Durham <DurhamT@cityofbridgeton.com>
Subject: Fw: quote from troy@easterndoorco

Good morning Troy. The approval has been made to replace the door openers. Option B on the attached. At 15 Mayor Aitken Drive. Please let me know today if this work can be done this year or if it will have to wait until after January 1st. The city needs to know. Thank you.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: troy@easterndoorcompany.com
Date: Mon, Nov 19, 2018 18:33
To: Michael Hitchner;
Cc:

Subject:quote from troy@easterndoorco

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 11:47 AM
To: Naheed Clendaniel; Todd Bowen
Cc: Tiffany Durham
Subject: Re: Service quote

That is great. Thank you very much.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Naheed Clendaniel
Date: Wed, Dec 26, 2018 10:57
To: Michael Hitchner; Todd Bowen;
Cc: Tiffany Durham;
Subject: RE: Service quote

Good morning, Mike,

The pump repair did get approved. We should be receiving the check for \$3,410 for by next week.

Thank you,
Naheed

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 10:34 AM
To: Naheed Clendaniel <ClendanielN@cityofbridgeton.com>; Todd Bowen <BowenT@cityofbridgeton.com>
Cc: Tiffany Durham <DurhamT@cityofbridgeton.com>
Subject: Re: Service quote

Good morning Naheed. I hope your hoilday was good. I was advised on monday that the door openers and the electric service relocation due to the storm damage was approved but I did not see the sewer pump repair. Did the insurance company not approve the sewer pump issue to be fixed?

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Naheed Clendaniel
Date: Tue, Dec 11, 2018 08:44
To: Michael Hitchner; Todd Bowen;
Cc:
Subject: RE: Service quote

Received, Thank you!

From: Michael Hitchner
Sent: Monday, December 10, 2018 4:02 PM
To: Todd Bowen <BowenT@cityofbridgeton.com>; Naheed Clendaniel <ClendanielN@cityofbridgeton.com>
Subject: RE: Service quote

Attached is the quote to fix the sewer pumps that I spoke of below.

***City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Inspector/Investigator
Training Officer
Cell: (856) 207-7398
Office: (856) 451-4250
Email: hitchnerm@cityofbridgeton.com***

From: Michael Hitchner
Sent: Friday, December 07, 2018 11:21 AM
To: Todd Bowen <BowenT@cityofbridgeton.com>; Naheed Clendaniel <ClendanielN@cityofbridgeton.com>
Subject: RE: Service quote

This morning when I arrived at the office I found the sewer pump alarm sounding. The sewer department was checking the pump across the street so I asked them to check it out. Because of the small amount of sewer use this building sees, usually the float is stuck or something is hung up because it does not move much. I was later advised that the pumps were broken. Lucky the sewer electrician was in town and stopped and found the pump had internal electrical issues. After speaking with the electrician and advising him of the other electrical issues and the small amount of use the pump sees, he said that it was possible the surge in the electrical system with the storm damage that this could of happen from that issue. He is going to send me a quote next week but verbally said it would be around \$4000 to fix the sewer issue here. Right now we have rigged a temporary pump to work, but this is only temporary. As soon as I get the quote I will forward it to you but I figured you would want to add it to the list.

***City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Inspector/Investigator
Training Officer
Cell: (856) 207-7398***

Office: (856) 451-4250

Email: hitchnerm@cityofbridgeton.com

From: Todd Bowen

Sent: Tuesday, November 27, 2018 3:30 PM

To: Naheed Clendaniel <ClendanielN@cityofbridgeton.com>; Michael Hitchner <HitchnerM@cityofbridgeton.com>

Subject: RE: Service quote

Thank you both for working through this to get the building back in order. I am glad we are just replacing the openers to avoid paying additional or dealing with problems that might not be apparent now.

Todd M. Bowen

Chief of Department

City of Bridgeton Fire Department

181 E. Commerce St.

Bridgeton, NJ 08302

856-451-0091 (office)

bowent@cityofbridgeton.com

From: Naheed Clendaniel

Sent: Tuesday, November 27, 2018 3:29 PM

To: Michael Hitchner

Cc: Todd Bowen

Subject: RE: Service quote

Hi Michael – just FYI, the claim will be on the next insurance Commissioner's meeting payable list. The meeting will be held on Dec. 13th and that is when we can get paid for this claim.

Thanks,

Naheed

From: Michael Hitchner

Sent: Tuesday, November 27, 2018 1:16 PM

To: Naheed Clendaniel <ClendanielN@cityofbridgeton.com>

Cc: Todd Bowen <BowenT@cityofbridgeton.com>

Subject: FW: Service quote

An electrician from G.M. White arrived today to look at the job of moving the old electric meter from the damaged electric pole to the new electric pole. This is damage from the tree that came down 2 weeks ago. Attached is the quote. Please let me know if you have any questions or need anything else.

City of Bridgeton Fire Department

Captain Michael Brent Hitchner Jr.

Inspector/Investigator

Training Officer

Cell: (856) 207-7398

Office: (856) 451-4250

Email: hitchnerm@cityofbridgeton.com

From: Mike Vizzard [<mailto:mike@gmwhite.net>]

Sent: Tuesday, November 27, 2018 11:40 AM

To: Michael Hitchner <HitchnerM@cityofbridgeton.com>

Subject: Service quote

Michael,

Attached is our quote. I always try to cover any unanticipated costs just so no surprises cause the PO amount to need to be increased. This is a worst case senerio, the installation cost will most likely be decreased. All work will be completed using the Co-Op with the County. Any questions, please advise. Thank you.

Mike Vizzard

President, G.M. White Electrical Contractor, Inc.

O-856-691-4499

F-856-691-9401

C-856-207-1978

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 10:42 AM
To: Todd Bowen; Tiffany Durham
Subject: Fw: MMC quote 41530Q - supply and install (2) Zoeller submersible pumps - Bridgeton Fire department
Attachments: 41530Q - Hitchner - Supply and install (2) Submersible Pumps.pdf

Tiffany so you are in the loop this is what I just emailed across the street about. I am not sure why the insurance company won't cover it. I will reply to all when she responds.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Chris Hellings
Date: Mon, Dec 10, 2018 15:10
To: Michael Hitchner;
Cc: Jim Molimock;
Subject: MMC quote 41530Q - supply and install (2) Zoeller submersible pumps - Bridgeton Fire department

Good afternoon Michael,

Please see the attached quote to supply and install (2) Zoeller submersible pumps. Thank you for the opportunity to provide you with this quote.

If you have any questions feel free to contact Jim Molimock.

Chris Hellings

Project Engineer
MUNICIPAL MAINTENANCE CO.
1352 TAYLORS LANE
CINNAMINSON, NJ 08077
P: 856-786-9434
F: 856-786-0642
chellings@mmc-nj.com
www.mmc-nj.com

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 10:34 AM
To: Naheed Clendaniel; Todd Bowen
Cc: Tiffany Durham
Subject: Re: Service quote

Good morning Naheed, I hope your hoilday was good. I was advised on monday that the door openers and the electric service relocation due to the storm damage was approved but I did not see the sewer pump repair. Did the insurance company not approve the sewer pump issue to be fixed?

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Naheed Clendaniel
Date: Tue, Dec 11, 2018 08:44
To: Michael Hitchner; Todd Bowen;
Cc:
Subject: RE: Service quote

Received, Thank you!


From: Michael Hitchner
Sent: Monday, December 10, 2018 4:02 PM
To: Todd Bowen <BowenT@cityofbridgeton.com>; Naheed Clendaniel <ClendanielN@cityofbridgeton.com>
Subject: RE: Service quote

Attached is the quote to fix the sewer pumps that I spoke of below.

***City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Inspector/Investigator
Training Officer
Cell: (856) 207-7398
Office: (856) 451-4250
Email: hitchnerm@cityofbridgeton.com***


From: Michael Hitchner
Sent: Friday, December 07, 2018 11:21 AM

To: Todd Bowen <BowenT@cityofbridgeton.com>; Naheed Clendaniel <ClendanielN@cityofbridgeton.com>
Subject: RE: Service quote



City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Inspector/Investigator
Training Officer
Cell: (856) 207-7398
Office: (856) 451-4250
Email: hitchnerm@cityofbridgeton.com

From: Todd Bowen
Sent: Tuesday, November 27, 2018 3:30 PM
To: Naheed Clendaniel <ClendanielN@cityofbridgeton.com>; Michael Hitchner <HitchnerM@cityofbridgeton.com>
Subject: RE: Service quote



Todd M. Bowen
Chief of Department
City of Bridgeton Fire Department
181 E. Commerce St.
Bridgeton, NJ 08302
856-451-0091 (office)
bowent@cityofbridgeton.com

From: Naheed Clendaniel
Sent: Tuesday, November 27, 2018 3:29 PM
To: Michael Hitchner
Cc: Todd Bowen
Subject: RE: Service quote




Thanks,
Naheed

From: Michael Hitchner
Sent: Tuesday, November 27, 2018 1:16 PM
To: Naheed Clendaniel <ClendanielN@cityofbridgeton.com>
Cc: Todd Bowen <BowenT@cityofbridgeton.com>
Subject: FW: Service quote



***City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Inspector/Investigator
Training Officer
Cell: (856) 207-7398
Office: (856) 451-4250
Email: hitchnerm@cityofbridgeton.com***

From: Mike Vizzard [<mailto:mike@gmwhite.net>]
Sent: Tuesday, November 27, 2018 11:40 AM
To: Michael Hitchner <HitchnerM@cityofbridgeton.com>
Subject: Service quote



Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 10:30 AM
To: Mike Vizzard
Cc: Todd Bowen; Tiffany Durham
Subject: Fw: Service quote
Attachments: City of Bridgeton-new service at waterworks building.pdf

Good morning Mike. The approval has been made to get the service moved at 15 Mayor Aitken Drive. Please let me know today if this work will be completed this year or after January 1st. The city needs to know. Thank you.

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Mike Vizzard
Date: Tue, Nov 27, 2018 11:40
To: Michael Hitchner;
Cc:
Subject: Service quote

Michael,

Attached is our quote. I always try to cover any unanticipated costs just so no surprises cause the PO amount to need to be increased. This is a worst case senerio, the installation cost will most likely be decreased. All work will be completed using the Co-Op with the County. Any questions, please advise. Thank you.

Mike Vizzard
President, G.M. White Electrical Contractor, Inc.
O-856-691-4499
F-856-691-9401
C-856-207-1978

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 10:25 AM
To: troy@easterndoorcompany.com
Cc: Todd Bowen; Tiffany Durham
Subject: Fw: quote from troy@easterndoorco
Attachments: Scan0261.pdf

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: troy@easterndoorcompany.com
Date: Mon, Nov 19, 2018 18:33
To: Michael Hitchner;
Cc:
Subject: quote from troy@easterndoorco

Administrator

From: Michael Hitchner
Sent: Wednesday, December 26, 2018 9:55 AM
To: Will Mosley
Subject: Re: CAD Install

*City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Office: (856) 451-4250
Cell: (856) 207-7398
Fax: (856) 459-1801
Email: hitchnerm@cityofbridgeton.com*

----- Original message-----

From: Will Mosley
Date: Wed, Dec 26, 2018 09:25
To: Michael Hitchner;
Cc:
Subject: RE: CAD Install

William W. Mosley, Sr.

Communications Systems Technician II



Cumberland County
Office of Emergency Management

637 Bridgeton Ave.
Bridgeton, New Jersey 08302

OFFICE: (856) 455-8770 x491 CELL: (856) 332-7636
FAX: (856) 455-9515 EMAIL: willmo@co.cumberland.nj.us
AMATEUR RADIO LICENSE: K02EOD

From: Michael Hitchner <HitchnerM@cityofbridgeton.com>
Sent: Friday, December 21, 2018 12:51 PM
To: Will Mosley <WILLMO@co.cumberland.nj.us>
Subject: CAD Install

EXTERNAL EMAIL: Do not click any links or open any attachments unless you trust the sender and know the content is safe.

***City of Bridgeton Fire Department
Captain Michael Brent Hitchner Jr.
Inspector/Investigator
Training Officer
Cell: (856) 207-7398
Office: (856) 451-4250
Email: hitchnerm@cityofbridgeton.com***