

**PISCATAWAY POLICE DEPARTMENT
PISCATAWAY, NJ**INCIDENT # / REPORT #

21016605 / 1

OFFICER

ALAMEDA,C

RANK

PTL

REVIEW STATUS

APPROVED

INCIDENT #21016605 DATA

As Of 06/09/2021 12:22:01

BASIC INFORMATIONCASE TITLE

ACCIDENTAL INJURY/[REDACTED]

LOCATION

520 HOES LN

APT/UNIT #DATE/TIME REPORTED

06/09/2021 10:40:23

DATE/TIME OCCURRED

On or about 06/09/2021 10:40

INCIDENT TYPE(S)/OFFENSE(S)

(6610)SICK/INJURED PERSON

PERSONSROLE

INJURED PERSON

NAME

[REDACTED]

SEX

MALE

RACE

WHITE

INVOLVED PARTY

PISCATAWAY, COMMUNITY CTR

INVOLVED PARTY

[REDACTED]

[NO OFFENDERS]

[NO VEHICLES]

[NO PROPERTY]

OFFICER REPORT: 21016605 - 1 / ALAMEDA,C (1156)DATE/TIME OF REPORT

06/09/2021 11:06:40

TYPE OF REPORT

INCIDENT

REVIEW STATUS

APPROVED

NARRATIVE

On June 9, 2021 I responded to the Piscataway Community Center located at 520 Hoes Lane, for an accidental injury report. Upon arrival I met with Ms. Kelly [REDACTED], who is the aquatic director. She related that she witnessed a Mr. [REDACTED] slip on the floor near the pool area and hit his head. I observed Mr. [REDACTED] laying on the pool deck area with his head rested on a towel and a very large lump over his left eye.

I asked Mr. [REDACTED] what happened and he relayed that he was walking barefoot on the pool deck and slipped. Mr. [REDACTED] was alert and conscious but when asked what year it was he responded 1981.

BLS from RWJ arrived and transported Mr. [REDACTED] to JFK Hospital.

REPORT OFFICERS

Reporting Officer:	ALAMEDA, C	1156
Reviewing Officer:	ABODE, T	1121
Approving Officer:	CREA, C	1102



**PISCATAWAY POLICE DEPARTMENT
PISCATAWAY, NJ**

INCIDENT # / REPORT #

20012618 / 1

OFFICER

ORANCHAK, J

RANK

PTL

REVIEW STATUS

APPROVED

INCIDENT #20012618 DATA

As Of 05/19/2020 12:50:58

BASIC INFORMATION**CASE TITLE**

SECURITY CK/COMMUNITY CTR

LOCATION

520 HOES LN

APT/UNIT #**DATE/TIME REPORTED**

05/18/2020 23:13:16

DATE/TIME OCCURRED

On or about 05/18/2020 23:13

INCIDENT TYPE(S)/OFFENSE(S)

(9340)SECURITY CHECK

PERSONS**ROLE**

INVOLVED PARTY

NAME

PISCATAWAY COMMUNITY CTR,

SEX**RACE**

[NO OFFENDERS]

[NO VEHICLES]

[NO PROPERTY]

OFFICER REPORT: 20012618 - 1 / ORANCHAK, J (1136)**DATE/TIME OF REPORT**

05/19/2020 05:15:36

TYPE OF REPORT

INCIDENT

REVIEW STATUS

APPROVED

NARRATIVE

On 05/18/2020 at 2313 hours, I conducted a security check of the Piscataway Community Center (520 Hoes Ln).

Upon walking towards the N/W door, I found that the door was propped open with a piece of wood construction material. I then radioed dispatch and checked the interior which appeared in order. Upon exiting, I was able to properly secure the door.

I then continued to check the exterior of the building where I located two other unsecured doors, one on the N/E side and also the main south door. I was also able to properly secure both of these doors. It was apparent that construction personnel failed to secure the building once they completed work for the day.

Nothing further to report.

REPORT OFFICERS

Reporting Officer:	ORANCHAK, J	1136
Reviewing Officer:	ABDULLAH, H	1148
Approving Officer:	YOUNG, C	1113



PISCATAWAY POLICE DEPARTMENT
PISCATAWAY, NJ

INCIDENT # / REPORT #

20015740 / 1

OFFICER

CROTHERS,J

RANK

PTL

REVIEW STATUS

APPROVED

INCIDENT #20015740 DATA

As Of 06/19/2020 02:54:48

BASIC INFORMATION

CASE TITLE

SECURITY CHECK

LOCATION

520 HOES LN

APT/UNIT #

DATE/TIME REPORTED

06/18/2020 22:13:19

DATE/TIME OCCURRED

On or about 06/18/2020 22:13

INCIDENT TYPE(S)/OFFENSE(S)

(9340)SECURITY CHECK

PERSONS

ROLE

INVOLVED PARTY

NAME

PISCATAWAY COMMUNITY CTR,

SEX

RACE

[NO OFFENDERS]

[NO VEHICLES]

[NO PROPERTY]

OFFICER REPORT: 20015740 - 1 / CROTHERS,J (1192)

DATE/TIME OF REPORT

06/18/2020 23:19:56

TYPE OF REPORT

INCIDENT

REVIEW STATUS

APPROVED

NARRATIVE

On Thursday, June 18, 2020, at approximately 22:13 hours, I conducted a security check of the Piscataway Community Center(520 Hoes Lane). While checking the exterior doors, I observed one of the main entrance doors to be partially ajar. I notified Dispatch as Officer Lemire arrived on scene.

Officer Lemire and I proceeded into the building to conduct a check of the interior. During our security check, we observed no person(s) inside the building and were able to secure the main entrance door. After close examination of the door, there appeared to be no visible signs of forced entry and the door had no visible signs of damage.

All remaining doors were checked and appeared to be secure.

No further police action was required at this time.

REPORT OFFICERS

Reporting Officer:	CROTHERS,J	1192
Reviewing Officer:	WEAVER,K	1162
Approving Officer:	MAGLIULO, A	1106



**PISCATAWAY POLICE DEPARTMENT
PISCATAWAY, NJ**

INCIDENT # / REPORT #

20015507 / 1

OFFICER

KLIWINSKI,W

RANK

PTL

REVIEW STATUS

APPROVED

INCIDENT #20015507 DATA

As Of 06/17/2020 23:41:39

BASIC INFORMATION

CASE TITLE

SEC CHK/PISC COMM CTR

LOCATION

520 HOES LN

APT/UNIT #

DATE/TIME REPORTED

06/16/2020 19:55:36

DATE/TIME OCCURRED

On or about 06/16/2020 19:55

INCIDENT TYPE(S)/OFFENSE(S)

(9340)SECURITY CHECK

PERSONS

ROLE

PROPERTY OWNER

NAME

PISCATAWAY, COMMUNITY CTR

SEX

RACE

[NO OFFENDERS]

[NO VEHICLES]

[NO PROPERTY]

OFFICER REPORT: 20015507 - 1 / KLIWINSKI,W (1178)

DATE/TIME OF REPORT

06/17/2020 01:58:54

TYPE OF REPORT

INCIDENT

REVIEW STATUS

APPROVED

NARRATIVE

On Tuesday, 6/16/2020 at approximately 1955hrs, I did a security check of the Piscataway Community Center.

During my check, I observed the rear door leading into the electrical room unsecured. I made entry into the building and cleared it accordingly yielding negative results for anyone inside.

I was unable to secure the electrical room door. Dispatch was not able make contact with a responder to secure the door, however, dispatch relayed to me that there was a blue and red key in the lock box which was hanging on the door handle of the side entrance to the building. When I entered the code for the lock box and opened it, I did

not observe any keys inside. There was no responder information in the CAD system so no one could respond to secure the door.

Dispatch was notified that there were no keys in the lock box and extra checks of the Piscataway Community Center were performed throughout my shift with extra focus on the unsecured door.

REPORT OFFICERS

Reporting Officer:	KLIWINSKI,W	1178
Reviewing Officer:	REILLY,J	1157
Approving Officer:	CREA, C	1102



**PISCATAWAY POLICE DEPARTMENT
PISCATAWAY, NJ**

INCIDENT # / REPORT #

20016405 / 1

OFFICER

KLIWINSKI,W

RANK

PTL

REVIEW STATUS

APPROVED

INCIDENT #20016405 DATA

As Of 06/24/2020 23:25:05

BASIC INFORMATION**CASE TITLE**

SEC CHK/PISC COMM CENTER

LOCATION

520 HOES LN

APT/UNIT #**DATE/TIME REPORTED**

06/24/2020 22:36:08

DATE/TIME OCCURRED

On or about 06/24/2020 22:36

INCIDENT TYPE(S)/OFFENSE(S)

(9340)SECURITY CHECK

PERSONS**ROLE**

PROPERTY OWNER

NAME

PISCATAWAY, COMMUNITY CTR

SEX**RACE**

[NO OFFENDERS]

[NO VEHICLES]

[NO PROPERTY]

OFFICER REPORT: 20016405 - 1 / KLIWINSKI,W (1178)**DATE/TIME OF REPORT**

06/24/2020 23:25:01

TYPE OF REPORT

INCIDENT

REVIEW STATUS

APPROVED

NARRATIVE

On Wednesday, 6/24/2020, at approximately 2236hrs, I performed a security check of the Piscataway Community Center when I observed an unsecured door in the front of the building.

Ptl. Vaughan was already on scene with me. We entered the building and cleared it for anyone inside, yielding negative results. While inside the building, I checked all of the remaining perimeter doors and observed the rear door unsecured as well. All other perimeter doors were secured.

Utilizing the keys located within the lock box, I was able to secure the front and rear

doors that I found to be unsecured. I place the keys back inside the lock box after use and secured them accordingly.

REPORT OFFICERS

Reporting Officer:	KLIWINSKI,W	1178
Reviewing Officer:	REILLY,J	1157
Approving Officer:	CREA, C	1102



PISCATAWAY POLICE DEPARTMENT
PISCATAWAY, NJ

INCIDENT # / REPORT #

20022387 / 1

OFFICER

VARTANOVA,A

RANK

PTL

REVIEW STATUS

APPROVED

INCIDENT #20022387 DATA

As Of 08/15/2020 02:05:35

BASIC INFORMATION**CASE TITLE**

SEC CHECK/COMMUNITY CTR

LOCATION

520 HOES LN

APT/UNIT #

08854

DATE/TIME REPORTED

08/15/2020 00:55:44

DATE/TIME OCCURRED

On or about 08/15/2020 00:55

INCIDENT TYPE(S)/OFFENSE(S)

(9340)SECURITY CHECK

PERSONS**ROLE**

INVOLVED PARTY

NAME

PISCATAWAY, COMMUNITY CTR

SEX**RACE**

[NO OFFENDERS]

[NO VEHICLES]

[NO PROPERTY]

OFFICER REPORT: 20022387 - 1 / VARTANOVA,A (1194)**DATE/TIME OF REPORT**

08/15/2020 01:41:41

TYPE OF REPORT

INCIDENT

REVIEW STATUS

APPROVED

NARRATIVE

On August 15, 2020, at approximately 0055 hrs, I was conducting a security check of the Piscataway Community Center. While on foot and checking that the doors are secure, I found an exterior door at the northwestern corner of the building to be unlocked. Upon the arrival of Ofc. Crothers to assist me, we entered the building and found that all interior doors beyond the vestibule were secure. Upon leaving the vestibule, we secured the door behind us. It appeared that the door had not been pushed forcefully enough to engage the magnetic lock, as we were easily able to secure it by pushing it fully closed after our check. The remaining doors along the exterior of the building were found to be secure and nothing appeared suspicious or out of place during my check.

REPORT OFFICERS

Reporting Officer:	VARTANOVA,A	1194
Reviewing Officer:	WEAVER,K	1162
Approving Officer:	ABODE, T	1121



PISCATAWAY POLICE DEPARTMENT
PISCATAWAY, NJ

INCIDENT # / REPORT #

20028037 / 1

OFFICER

PAGLIA,I

RANK

PTL

REVIEW STATUS

APPROVED

INCIDENT #20028037 DATA

As Of 10/08/2020 00:03:05

BASIC INFORMATION

CASE TITLE

SEC CHECK/PISCATAWAY

LOCATION

520 HOES LN

APT/UNIT #

DATE/TIME REPORTED

10/07/2020 23:21:52

DATE/TIME OCCURRED

On or about 10/07/2020 23:21

INCIDENT TYPE(S)/OFFENSE(S)

(9340)SECURITY CHECK

PERSONS

ROLE

INVOLVED PARTY

NAME

PISCATAWAY, COMMUNITY CTR

SEX

RACE

[NO OFFENDERS]

[NO VEHICLES]

[NO PROPERTY]

OFFICER REPORT: 20028037 - 1 / PAGLIA,I (1191)

DATE/TIME OF REPORT

10/08/2020 00:02:59

TYPE OF REPORT

INCIDENT

REVIEW STATUS

APPROVED

NARRATIVE

On Wednesday, October 8th, 2020 at approximately 23:21 hours, I initiated a security check of the Piscataway Community Center located at 520 Hoes Lane. During the check I located a partially ajar and unsecured door south side of the building, facing Park Avenue. This door provided access to the entirety of the building. I notified police dispatch. Ptlm. Greene and Ptlm. Yang responded.

Upon the arrival of Ptlm. Greene and Ptlm. Yang, a security check of the interior of the building was completed. The check produced negative results for any trespassers or vandalism.

The unsecured door was re-secured. A check of the remaining exterior doors was

completed and all doors were noted to be closed and locked.

No further action was taken.

REPORT OFFICERS

Reporting Officer:	PAGLIA,I	1191
Reviewing Officer:	WEAVER,K	1162
Approving Officer:	CREA, C	1102