

ANALYTICAL REPORT

PREPARED FOR

Attn: Jay Murray
Environmental Design Inc
5434 King Ave
Suite 101
Pennsauken, New Jersey 08109

Generated 10/5/2025 7:53:18 AM

JOB DESCRIPTION

Ramsey High School

JOB NUMBER

460-335817-1

Eurofins Edison

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization

Generated
10/5/2025 7:53:18 AM



Authorized for release by
Mark Acierno, Business Unit Manager
xxxx.xxxxxxx@xx.xxxxxxxxxxxx.xxx
Designee for
Jill Miller, Senior Project Manager
xxxx.xxxxxxx@xx.xxxxxxxxxxxx.xxx
(484)802-0929



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	6
Client Sample Results	8
Lab Chronicle	20
Certification Summary	28
Method Summary	29
Sample Summary	30
Chain of Custody	31
Receipt Checklists	33

Definitions/Glossary

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
*+	LCS and/or LCSD is outside acceptance limits, high biased.
*1	LCS/LCSD RPD exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

GC VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit

Eurofins Edison

Definitions/Glossary

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Environmental Design Inc
Project: Ramsey High School

Job ID: 460-335817-1

Job ID: 460-335817-1

Eurofins Edison

Job Narrative 460-335817-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 9/26/2025 7:00 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.3°C.

Method 8260D - Volatile Organic Compounds by GC/MS

Samples 13-0925-05-A,B,C (460-335817-22) and 13-0925-06-A,B,C (460-335817-23) were analyzed for Volatile Organic Compounds by GC/MS. The samples were prepared on 9/27/2025 and analyzed on 10/1/2025.

The continuing calibration verification (CCV) analyzed in batch 460-1065125 was outside the method criteria for the following analytes: Bromoform (biased high) and Dichlorodifluoromethane (biased low). A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analytes is considered estimated.

The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for analytical batch 460-1065125 recovered outside control limits for the following analytes: Bromoform, Chlorodibromomethane and Methyl acetate (biased high) and 1,1,2-Trichloro-1,2,2-trifluoroethane (biased low). These analytes were not detected in the associated samples; therefore, the data have been reported.

The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for analytical batch 460-1065125 recovered outside control limits for the following analyte: 1,1,2-Trichloro-1,2,2-trifluoroethane.

Method 8270E - Semivolatile Organic Compounds (GC/MS)

Samples 13-0925-03A (460-335817-19) and 13-0925-03B (460-335817-20) were analyzed for Semivolatile Organic Compounds (GC/MS). The samples were prepared and analyzed on 9/27/2025.

Method 8015D - Gasoline Range Organics (GRO) (GC)

Samples 13-0925-01-A (460-335817-1), 13-0925-01-B (460-335817-2), 13-0925-01-C (460-335817-3), 13-0925-01-D (460-335817-4), 13-0925-01-E (460-335817-5), 13-0925-01-F (460-335817-6), 13-0925-01-G (460-335817-7), 13-0925-01-H (460-335817-8) and 13-0925-01-I (460-335817-9) were analyzed for Gasoline Range Organics (GRO) (GC). The samples were prepared on 9/27/2025 and analyzed on 9/29/2025 and 9/30/2025.

Surrogate recovery for the following samples was outside the upper control limit: 13-0925-01-C (460-335817-3) and 13-0925-01-E (460-335817-5). This sample did not contain any target analytes; therefore, re-analysis was not performed.

Method 8015D - Diesel Range Organics (DRO) (GC)

Samples 13-0925-02-A (460-335817-10), 13-0925-02-B (460-335817-11), 13-0925-02-C (460-335817-12), 13-0925-02-D (460-335817-13), 13-0925-02-E (460-335817-14), 13-0925-02-F (460-335817-15), 13-0925-02-G (460-335817-16), 13-0925-02-H (460-335817-17) and 13-0925-02-I (460-335817-18) were analyzed for Diesel Range Organics (DRO) (GC). The samples were prepared on 9/27/2025 and analyzed on 9/30/2025.

Samples 13-0925-02-A (460-335817-10)[5x], 13-0925-02-B (460-335817-11)[5x], 13-0925-02-C (460-335817-12)[5x], 13-0925-02-D (460-335817-13)[5x], 13-0925-02-E (460-335817-14)[5x], 13-0925-02-F (460-335817-15)[5x], 13-0925-02-G (460-335817-16)[5x], 13-0925-02-H (460-335817-17)[5x] and 13-0925-02-I (460-335817-18)[5x] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

Eurofins Edison

Case Narrative

Client: Environmental Design Inc
Project: Ramsey High School

Job ID: 460-335817-1

Job ID: 460-335817-1 (Continued)

Eurofins Edison

Method 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Samples 13-0925-03A (460-335817-19) and 13-0925-03B (460-335817-20) were analyzed for Polychlorinated Biphenyls (PCBs) by Gas Chromatography. The samples were prepared on 9/28/2025 and analyzed on 9/29/2025.

Method 6020B - Metals (ICP/MS)

Samples 13-0925-03A (460-335817-19) and 13-0925-03B (460-335817-20) were analyzed for Metals (ICP/MS). The samples were prepared on 10/3/2025 and analyzed on 10/4/2025.

Method 6020B - Metals (ICP/MS) - TCLP

Samples 13-0925-03A (460-335817-19) and 13-0925-03B (460-335817-20) were analyzed for Metals (ICP/MS) - TCLP. The samples were leached on 9/28/2025, prepared on 9/29/2025 and analyzed on 9/30/2025.

Samples 13-0925-03A (460-335817-19)[10x] and 13-0925-03B (460-335817-20)[10x] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

Method 7470A - Mercury (CVAA) - TCLP

Samples 13-0925-03A (460-335817-19) and 13-0925-03B (460-335817-20) were analyzed for Mercury (CVAA) - TCLP. The samples were leached on 9/28/2025, prepared on 9/30/2025 and analyzed on 10/1/2025.

Method 7471B - Mercury (CVAA)

Samples 13-0925-03A (460-335817-19) and 13-0925-03B (460-335817-20) were analyzed for Mercury (CVAA). The samples were prepared and analyzed on 10/3/2025.

Method 1030 - Ignitability, Solids

Sample 13-0925-04-A (460-335817-21) was analyzed for Ignitability, Solids. The sample was analyzed on 10/1/2025.

Method 9014 - Cyanide, Reactive

Sample 13-0925-04-A (460-335817-21) was analyzed for Cyanide, Reactive. The sample was prepared and analyzed on 9/30/2025.

Method 9034 - Sulfide, Reactive

Sample 13-0925-04-A (460-335817-21) was analyzed for Sulfide, Reactive. The sample was prepared and analyzed on 9/30/2025.

Method 9095B - Paint Filter

Sample 13-0925-04-A (460-335817-21) was analyzed for Paint Filter. The sample was analyzed on 10/3/2025.

Method Moisture - Percent Moisture

Samples 13-0925-01-A (460-335817-1), 13-0925-01-B (460-335817-2), 13-0925-01-C (460-335817-3), 13-0925-01-D (460-335817-4), 13-0925-01-E (460-335817-5), 13-0925-01-F (460-335817-6), 13-0925-01-G (460-335817-7), 13-0925-01-H (460-335817-8), 13-0925-01-I (460-335817-9), 13-0925-02-A (460-335817-10), 13-0925-02-B (460-335817-11), 13-0925-02-C (460-335817-12), 13-0925-02-D (460-335817-13), 13-0925-02-E (460-335817-14), 13-0925-02-F (460-335817-15), 13-0925-02-G (460-335817-16), 13-0925-02-H (460-335817-17), 13-0925-02-I (460-335817-18), 13-0925-03A (460-335817-19), 13-0925-03B (460-335817-20), 13-0925-05-A,B,C (460-335817-22) and 13-0925-06-A,B,C (460-335817-23) were analyzed for Percent Moisture. The samples were analyzed on 9/28/2025 and 10/2/2025.

Eurofins Edison

Client Sample Results

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-01-A

Lab Sample ID: 460-335817-1

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.5		1.0	1.0	%			09/28/25 21:11	1
Percent Solids (EPA Moisture)	90.5		1.0	1.0	%			09/28/25 21:11	1

Client Sample ID: 13-0925-01-A

Lab Sample ID: 460-335817-1

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.5

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO	570	U	570	570	ug/Kg	☆	09/27/25 10:28	09/29/25 14:27	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	134		75 - 150				09/27/25 10:28	09/29/25 14:27	50

Client Sample ID: 13-0925-01-B

Lab Sample ID: 460-335817-2

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	13.8		1.0	1.0	%			09/28/25 21:11	1
Percent Solids (EPA Moisture)	86.2		1.0	1.0	%			09/28/25 21:11	1

Client Sample ID: 13-0925-01-B

Lab Sample ID: 460-335817-2

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 86.2

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO	570	U	570	570	ug/Kg	☆	09/27/25 10:28	09/30/25 12:40	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	139		75 - 150				09/27/25 10:28	09/30/25 12:40	50

Client Sample ID: 13-0925-01-C

Lab Sample ID: 460-335817-3

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	12.4		1.0	1.0	%			09/28/25 21:11	1
Percent Solids (EPA Moisture)	87.6		1.0	1.0	%			09/28/25 21:11	1

Client Sample ID: 13-0925-01-C

Lab Sample ID: 460-335817-3

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 87.6

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO	510	U	510	510	ug/Kg	☆	09/27/25 10:28	09/29/25 18:24	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	151	S1+	75 - 150				09/27/25 10:28	09/29/25 18:24	50

Eurofins Edison

Client Sample Results

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-01-D

Lab Sample ID: 460-335817-4

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	11.8		1.0	1.0	%			09/28/25 21:11	1
Percent Solids (EPA Moisture)	88.2		1.0	1.0	%			09/28/25 21:11	1

Client Sample ID: 13-0925-01-D

Lab Sample ID: 460-335817-4

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 88.2

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO	1100		630	630	ug/Kg	☆	09/27/25 10:28	09/29/25 18:51	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	128		75 - 150				09/27/25 10:28	09/29/25 18:51	50

Client Sample ID: 13-0925-01-E

Lab Sample ID: 460-335817-5

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	11.1		1.0	1.0	%			09/28/25 21:11	1
Percent Solids (EPA Moisture)	88.9		1.0	1.0	%			09/28/25 21:11	1

Client Sample ID: 13-0925-01-E

Lab Sample ID: 460-335817-5

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 88.9

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO	440	U	440	440	ug/Kg	☆	09/27/25 10:29	09/29/25 19:19	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	158	S1+	75 - 150				09/27/25 10:29	09/29/25 19:19	50

Client Sample ID: 13-0925-01-F

Lab Sample ID: 460-335817-6

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	16.3		1.0	1.0	%			09/28/25 21:11	1
Percent Solids (EPA Moisture)	83.7		1.0	1.0	%			09/28/25 21:11	1

Client Sample ID: 13-0925-01-F

Lab Sample ID: 460-335817-6

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 83.7

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO	640	U	640	640	ug/Kg	☆	09/27/25 10:29	09/29/25 19:47	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	150		75 - 150				09/27/25 10:29	09/29/25 19:47	50

Eurofins Edison

Client Sample Results

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-01-G

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-7

Matrix: Solid

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	12.4		1.0	1.0	%			09/28/25 21:11	1
Percent Solids (EPA Moisture)	87.6		1.0	1.0	%			09/28/25 21:11	1

Client Sample ID: 13-0925-01-G

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-7

Matrix: Solid

Percent Solids: 87.6

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO	580	U	580	580	ug/Kg	☆	09/27/25 10:29	09/29/25 20:15	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	122		75 - 150				09/27/25 10:29	09/29/25 20:15	50

Client Sample ID: 13-0925-01-H

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-8

Matrix: Solid

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	10.9		1.0	1.0	%			09/28/25 21:11	1
Percent Solids (EPA Moisture)	89.1		1.0	1.0	%			09/28/25 21:11	1

Client Sample ID: 13-0925-01-H

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-8

Matrix: Solid

Percent Solids: 89.1

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO	520	U	520	520	ug/Kg	☆	09/27/25 10:30	09/29/25 20:42	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	131		75 - 150				09/27/25 10:30	09/29/25 20:42	50

Client Sample ID: 13-0925-01-I

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-9

Matrix: Solid

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	12.9		1.0	1.0	%			09/28/25 21:11	1
Percent Solids (EPA Moisture)	87.1		1.0	1.0	%			09/28/25 21:11	1

Client Sample ID: 13-0925-01-I

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-9

Matrix: Solid

Percent Solids: 87.1

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO	730		700	700	ug/Kg	☆	09/27/25 10:30	09/29/25 21:10	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	123		75 - 150				09/27/25 10:30	09/29/25 21:10	50

Eurofins Edison

Client Sample Results

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-02-A

Lab Sample ID: 460-335817-10

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 94.3

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	12	J	35	3.3	mg/Kg	☆	09/27/25 06:33	09/30/25 18:10	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	91		10 - 150				09/27/25 06:33	09/30/25 18:10	5

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	5.7		1.0	1.0	%			10/02/25 12:47	1
Percent Solids (EPA Moisture)	94.3		1.0	1.0	%			10/02/25 12:47	1

Client Sample ID: 13-0925-02-B

Lab Sample ID: 460-335817-11

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.4

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	70		37	3.5	mg/Kg	☆	09/27/25 06:33	09/30/25 18:59	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	99		10 - 150				09/27/25 06:33	09/30/25 18:59	5

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.6		1.0	1.0	%			10/02/25 12:47	1
Percent Solids (EPA Moisture)	90.4		1.0	1.0	%			10/02/25 12:47	1

Client Sample ID: 13-0925-02-C

Lab Sample ID: 460-335817-12

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.5

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	170		37	3.5	mg/Kg	☆	09/27/25 06:33	09/30/25 17:22	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	124		10 - 150				09/27/25 06:33	09/30/25 17:22	5

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.5		1.0	1.0	%			10/02/25 12:47	1
Percent Solids (EPA Moisture)	90.5		1.0	1.0	%			10/02/25 12:47	1

Client Sample ID: 13-0925-02-D

Lab Sample ID: 460-335817-13

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.0

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	390		37	3.5	mg/Kg	☆	09/27/25 06:33	09/30/25 17:38	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	65		10 - 150				09/27/25 06:33	09/30/25 17:38	5

Eurofins Edison

Client Sample Results

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-02-D

Lab Sample ID: 460-335817-13

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.0

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	10		1.0	1.0	%			10/02/25 12:47	1
Percent Solids (EPA Moisture)	90.0		1.0	1.0	%			10/02/25 12:47	1

Client Sample ID: 13-0925-02-E

Lab Sample ID: 460-335817-14

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.1

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	340		37	3.5	mg/Kg	☆	09/27/25 06:33	09/30/25 17:54	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	98		10 - 150				09/27/25 06:33	09/30/25 17:54	5

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.9		1.0	1.0	%			10/02/25 12:47	1
Percent Solids (EPA Moisture)	90.1		1.0	1.0	%			10/02/25 12:47	1

Client Sample ID: 13-0925-02-F

Lab Sample ID: 460-335817-15

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.2

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	470		37	3.5	mg/Kg	☆	09/27/25 06:33	09/30/25 18:09	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	91		10 - 150				09/27/25 06:33	09/30/25 18:09	5

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.8		1.0	1.0	%			10/02/25 12:47	1
Percent Solids (EPA Moisture)	90.2		1.0	1.0	%			10/02/25 12:47	1

Client Sample ID: 13-0925-02-G

Lab Sample ID: 460-335817-16

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 89.5

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	130		37	3.5	mg/Kg	☆	09/27/25 06:33	09/30/25 18:26	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	92		10 - 150				09/27/25 06:33	09/30/25 18:26	5

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	10.5		1.0	1.0	%			10/02/25 12:47	1
Percent Solids (EPA Moisture)	89.5		1.0	1.0	%			10/02/25 12:47	1

Eurofins Edison

Client Sample Results

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-02-H

Lab Sample ID: 460-335817-17

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.1

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	64		37	3.5	mg/Kg	☆	09/27/25 06:33	09/30/25 18:42	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	107		10 - 150				09/27/25 06:33	09/30/25 18:42	5

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.9		1.0	1.0	%			10/02/25 12:47	1
Percent Solids (EPA Moisture)	90.1		1.0	1.0	%			10/02/25 12:47	1

Client Sample ID: 13-0925-02-I

Lab Sample ID: 460-335817-18

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.8

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	180		37	3.5	mg/Kg	☆	09/27/25 06:33	09/30/25 18:59	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	105		10 - 150				09/27/25 06:33	09/30/25 18:59	5

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.2		1.0	1.0	%			10/02/25 12:47	1
Percent Solids (EPA Moisture)	90.8		1.0	1.0	%			10/02/25 12:47	1

Client Sample ID: 13-0925-03A

Lab Sample ID: 460-335817-19

Date Collected: 09/25/25 12:50

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 89.2

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Methylnaphthalene	30	J	370	10	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Acenaphthene	130	J	370	11	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Acenaphthylene	22	J	370	11	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Anthracene	620		370	11	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Benzo[a]anthracene	2000		37	28	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Benzo[a]pyrene	1800		37	9.9	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Benzo[b]fluoranthene	2400		37	9.6	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Benzo[g,h,i]perylene	790		370	11	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Benzo[k]fluoranthene	890		37	7.3	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Chrysene	2100		370	16	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Dibenz(a,h)anthracene	220		37	16	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Fluoranthene	4000		370	13	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Fluorene	180	J	370	11	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Indeno[1,2,3-cd]pyrene	910		37	14	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Naphthalene	18	J	370	6.4	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Phenanthrene	2600		370	15	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Pyrene	3200		370	9.2	ug/Kg	☆	09/27/25 07:27	09/27/25 19:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	61		33 - 117				09/27/25 07:27	09/27/25 19:56	1

Eurofins Edison

Client Sample Results

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-03A

Lab Sample ID: 460-335817-19

Date Collected: 09/25/25 12:50

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 89.2

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Nitrobenzene-d5 (Surr)	64		27 - 120	09/27/25 07:27	09/27/25 19:56	1
Terphenyl-d14 (Surr)	66		33 - 124	09/27/25 07:27	09/27/25 19:56	1

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	20	U	75	20	ug/Kg	✱	09/28/25 17:12	09/29/25 19:50	1
Aroclor 1221	20	U	75	20	ug/Kg	✱	09/28/25 17:12	09/29/25 19:50	1
Aroclor 1232	20	U	75	20	ug/Kg	✱	09/28/25 17:12	09/29/25 19:50	1
Aroclor 1242	20	U	75	20	ug/Kg	✱	09/28/25 17:12	09/29/25 19:50	1
Aroclor 1248	20	U	75	20	ug/Kg	✱	09/28/25 17:12	09/29/25 19:50	1
Aroclor 1254	20	U	75	20	ug/Kg	✱	09/28/25 17:12	09/29/25 19:50	1
Aroclor 1260	20	U	75	20	ug/Kg	✱	09/28/25 17:12	09/29/25 19:50	1
Aroclor 1262	20	U	75	20	ug/Kg	✱	09/28/25 17:12	09/29/25 19:50	1
Aroclor 1268	20	U	75	20	ug/Kg	✱	09/28/25 17:12	09/29/25 19:50	1
Polychlorinated biphenyls, Total	20	U	75	20	ug/Kg	✱	09/28/25 17:12	09/29/25 19:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	106		10 - 150	09/28/25 17:12	09/29/25 19:50	1
DCB Decachlorobiphenyl	123		10 - 150	09/28/25 17:12	09/29/25 19:50	1
Tetrachloro-m-xylene	88		10 - 150	09/28/25 17:12	09/29/25 19:50	1
Tetrachloro-m-xylene	94		10 - 150	09/28/25 17:12	09/29/25 19:50	1

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.076	U	0.34	0.076	mg/Kg	✱	10/03/25 18:10	10/04/25 13:09	1
Arsenic	6.0		0.86	0.088	mg/Kg	✱	10/03/25 18:10	10/04/25 13:09	1
Barium	60.7		1.7	0.12	mg/Kg	✱	10/03/25 18:10	10/04/25 13:09	1
Beryllium	0.37		0.34	0.019	mg/Kg	✱	10/03/25 18:10	10/04/25 13:09	1
Cadmium	0.28	J	0.86	0.097	mg/Kg	✱	10/03/25 18:10	10/04/25 13:09	1
Chromium	19.9		1.7	0.25	mg/Kg	✱	10/03/25 18:10	10/04/25 13:09	1
Nickel	12.5		1.7	0.15	mg/Kg	✱	10/03/25 18:10	10/04/25 13:09	1
Lead	100		0.51	0.17	mg/Kg	✱	10/03/25 18:10	10/04/25 13:09	1

Method: SW846 6020B - Metals (ICP/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	8.9	U	20.0	8.9	ug/L		09/29/25 12:40	09/30/25 14:40	10
Barium	406		40.0	9.1	ug/L		09/29/25 12:40	09/30/25 14:40	10
Cadmium	4.1	J	9.2	2.9	ug/L		09/29/25 12:40	09/30/25 14:40	10
Chromium	12.2	U	40.0	12.2	ug/L		09/29/25 12:40	09/30/25 14:40	10
Lead	158		12.0	8.4	ug/L		09/29/25 12:40	09/30/25 14:40	10
Selenium	5.9	U	25.0	5.9	ug/L		09/29/25 12:40	09/30/25 14:40	10
Silver	2.9	U	20.0	2.9	ug/L		09/29/25 12:40	09/30/25 14:40	10

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.091	U	0.20	0.091	ug/L		09/30/25 12:29	10/01/25 12:30	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.065		0.018	0.0087	mg/Kg	✱	10/03/25 03:32	10/03/25 15:46	1

Eurofins Edison

Client Sample Results

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-03A

Lab Sample ID: 460-335817-19

Date Collected: 09/25/25 12:50

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 89.2

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	10.8		1.0	1.0	%			10/02/25 12:47	1
Percent Solids (EPA Moisture)	89.2		1.0	1.0	%			10/02/25 12:47	1

Client Sample ID: 13-0925-03B

Lab Sample ID: 460-335817-20

Date Collected: 09/25/25 12:50

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 88.1

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Methylnaphthalene	15	J	370	10	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Acenaphthene	11	U	370	11	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Acenaphthylene	37	J	370	11	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Anthracene	32	J	370	11	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Benzo[a]anthracene	150		37	28	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Benzo[a]pyrene	200		37	10	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Benzo[b]fluoranthene	240		37	9.7	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Benzo[g,h,i]perylene	140	J	370	11	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Benzo[k]fluoranthene	100		37	7.3	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Chrysene	170	J	370	16	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Dibenz(a,h)anthracene	28	J	37	16	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Fluoranthene	240	J	370	13	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Fluorene	11	U	370	11	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Indeno[1,2,3-cd]pyrene	160		37	15	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Naphthalene	15	J	370	6.5	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Phenanthrene	90	J	370	15	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1
Pyrene	270	J	370	9.3	ug/Kg	✱	09/27/25 07:27	09/27/25 19:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	64		33 - 117	09/27/25 07:27	09/27/25 19:38	1
Nitrobenzene-d5 (Surr)	67		27 - 120	09/27/25 07:27	09/27/25 19:38	1
Terphenyl-d14 (Surr)	68		33 - 124	09/27/25 07:27	09/27/25 19:38	1

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	20	U	76	20	ug/Kg	✱	09/28/25 17:12	09/29/25 20:07	1
Aroclor 1221	20	U	76	20	ug/Kg	✱	09/28/25 17:12	09/29/25 20:07	1
Aroclor 1232	20	U	76	20	ug/Kg	✱	09/28/25 17:12	09/29/25 20:07	1
Aroclor 1242	20	U	76	20	ug/Kg	✱	09/28/25 17:12	09/29/25 20:07	1
Aroclor 1248	20	U	76	20	ug/Kg	✱	09/28/25 17:12	09/29/25 20:07	1
Aroclor 1254	20	U	76	20	ug/Kg	✱	09/28/25 17:12	09/29/25 20:07	1
Aroclor 1260	20	U	76	20	ug/Kg	✱	09/28/25 17:12	09/29/25 20:07	1
Aroclor 1262	20	U	76	20	ug/Kg	✱	09/28/25 17:12	09/29/25 20:07	1
Aroclor 1268	20	U	76	20	ug/Kg	✱	09/28/25 17:12	09/29/25 20:07	1
Polychlorinated biphenyls, Total	20	U	76	20	ug/Kg	✱	09/28/25 17:12	09/29/25 20:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	106		10 - 150	09/28/25 17:12	09/29/25 20:07	1
DCB Decachlorobiphenyl	123		10 - 150	09/28/25 17:12	09/29/25 20:07	1
Tetrachloro-m-xylene	86		10 - 150	09/28/25 17:12	09/29/25 20:07	1
Tetrachloro-m-xylene	93		10 - 150	09/28/25 17:12	09/29/25 20:07	1

Eurofins Edison

Client Sample Results

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-03B

Lab Sample ID: 460-335817-20

Date Collected: 09/25/25 12:50

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 88.1

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.13	J	0.35	0.078	mg/Kg	☆	10/03/25 18:10	10/04/25 13:12	1
Arsenic	8.8		0.87	0.090	mg/Kg	☆	10/03/25 18:10	10/04/25 13:12	1
Barium	136		1.7	0.13	mg/Kg	☆	10/03/25 18:10	10/04/25 13:12	1
Beryllium	0.35		0.35	0.019	mg/Kg	☆	10/03/25 18:10	10/04/25 13:12	1
Cadmium	0.84	J	0.87	0.099	mg/Kg	☆	10/03/25 18:10	10/04/25 13:12	1
Chromium	19.7		1.7	0.26	mg/Kg	☆	10/03/25 18:10	10/04/25 13:12	1
Nickel	15.1		1.7	0.15	mg/Kg	☆	10/03/25 18:10	10/04/25 13:12	1
Lead	268		0.52	0.17	mg/Kg	☆	10/03/25 18:10	10/04/25 13:12	1

Method: SW846 6020B - Metals (ICP/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	8.9	U	20.0	8.9	ug/L		09/29/25 12:40	09/30/25 14:43	10
Barium	683		40.0	9.1	ug/L		09/29/25 12:40	09/30/25 14:43	10
Cadmium	7.5	J	9.2	2.9	ug/L		09/29/25 12:40	09/30/25 14:43	10
Chromium	12.2	U	40.0	12.2	ug/L		09/29/25 12:40	09/30/25 14:43	10
Lead	405		12.0	8.4	ug/L		09/29/25 12:40	09/30/25 14:43	10
Selenium	5.9	U	25.0	5.9	ug/L		09/29/25 12:40	09/30/25 14:43	10
Silver	2.9	U	20.0	2.9	ug/L		09/29/25 12:40	09/30/25 14:43	10

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.091	U	0.20	0.091	ug/L		09/30/25 12:29	10/01/25 12:33	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.078		0.019	0.0091	mg/Kg	☆	10/03/25 03:32	10/03/25 15:49	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	11.9		1.0	1.0	%			10/02/25 12:47	1
Percent Solids (EPA Moisture)	88.1		1.0	1.0	%			10/02/25 12:47	1

Client Sample ID: 13-0925-04-A

Lab Sample ID: 460-335817-21

Date Collected: 09/25/25 13:00

Matrix: Solid

Date Received: 09/26/25 19:00

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Burn Rate (SW846 1030)	2.20	U	2.20	2.20	mm/sec			10/01/25 09:22	1
Cyanide, Reactive (SW846 9014)	24.9	U	24.9	24.9	mg/Kg		09/30/25 09:30	09/30/25 14:30	1
Sulfide, Reactive (SW846 9034)	19.9	U	19.9	19.9	mg/Kg		09/30/25 09:30	09/30/25 14:30	1
Free Liquid (SW846 9095B)	0.500	U	0.500	0.500	mL/100g			10/03/25 08:34	1

Client Sample ID: 13-0925-05-A,B,C

Lab Sample ID: 460-335817-22

Date Collected: 09/25/25 13:15

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 87.4

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.22	U	0.95	0.22	ug/Kg	☆	09/27/25 07:46	10/01/25 20:24	1
1,1,2,2-Tetrachloroethane	0.49	U	0.95	0.49	ug/Kg	☆	09/27/25 07:46	10/01/25 20:24	1

Eurofins Edison

Client Sample Results

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-05-A,B,C

Lab Sample ID: 460-335817-22

Date Collected: 09/25/25 13:15

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 87.4

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,2-Trichloro-1,2,2-trifluoroethane	0.28	U *- *1	0.95	0.28	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
1,1,2-Trichloroethane	0.57	U	0.95	0.57	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
1,1-Dichloroethane	0.56	U	0.95	0.56	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
1,1-Dichloroethene	0.21	U	0.95	0.21	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
1,2,3-Trichlorobenzene	0.70	U	0.95	0.70	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
1,2,4-Trichlorobenzene	0.34	U	0.95	0.34	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
1,2-Dichloropropane	0.40	U	0.95	0.40	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
1,3-Dichlorobenzene	0.35	U	0.95	0.35	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
1,4-Dichlorobenzene	0.49	U	0.95	0.49	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
1,4-Dioxane	20	U	95	20	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
2-Butanone (MEK)	0.35	U	4.7	0.35	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
2-Hexanone	1.6	U	4.7	1.6	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
4-Methyl-2-pentanone (MIBK)	1.5	U	4.7	1.5	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Acetone	5.4	U	5.7	5.4	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Benzene	0.54	U	0.95	0.54	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Bromoform	0.40	U *+	0.95	0.40	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Bromomethane	0.95	U	1.9	0.95	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Carbon disulfide	0.25	U	0.95	0.25	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Carbon tetrachloride	0.37	U	0.95	0.37	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Chlorobenzene	0.48	U	0.95	0.48	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Chlorobromomethane	0.56	U	0.95	0.56	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Chlorodibromomethane	0.51	U *+	0.95	0.51	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Chloroethane	0.49	U	0.95	0.49	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Chloroform	0.92	U	0.95	0.92	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Chloromethane	0.41	U	0.95	0.41	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
cis-1,2-Dichloroethene	0.34	U	0.95	0.34	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
cis-1,3-Dichloropropene	0.26	U	0.95	0.26	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Cyclohexane	0.21	U	0.95	0.21	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Dichlorobromomethane	0.24	U	0.95	0.24	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Dichlorodifluoromethane	0.32	U	0.95	0.32	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Ethylbenzene	0.44	U	0.95	0.44	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Ethylene Dibromide	0.48	U	0.95	0.48	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Isopropylbenzene	0.27	U	0.95	0.27	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Methyl acetate	4.1	U *+	4.7	4.1	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Methyl tert-butyl ether	0.48	U	0.95	0.48	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Methylcyclohexane	0.47	U	0.95	0.47	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Methylene Chloride	1.1	U	1.9	1.1	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
m-Xylene & p-Xylene	0.40	U	0.95	0.40	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
o-Xylene	0.44	U	0.95	0.44	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Styrene	0.26	U	0.95	0.26	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Tetrachloroethene	0.29	U	0.95	0.29	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Toluene	0.22	U	0.95	0.22	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
trans-1,2-Dichloroethene	0.23	U	0.95	0.23	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
trans-1,3-Dichloropropene	0.25	U	0.95	0.25	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Trichloroethene	0.30	U	0.95	0.30	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Trichlorofluoromethane	0.38	U	0.95	0.38	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
Vinyl chloride	0.52	U	0.95	0.52	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
1,2-Dichloroethane	0.28	U	0.95	0.28	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1
1,2-Dichlorobenzene	0.34	U	0.95	0.34	ug/Kg	✱	09/27/25 07:46	10/01/25 20:24	1

Eurofins Edison

Client Sample Results

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-05-A,B,C

Lab Sample ID: 460-335817-22

Date Collected: 09/25/25 13:15

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 87.4

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromo-3-Chloropropane	0.44	U	0.95	0.44	ug/Kg	☆	09/27/25 07:46	10/01/25 20:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		65 - 138				09/27/25 07:46	10/01/25 20:24	1
4-Bromofluorobenzene	96		71 - 128				09/27/25 07:46	10/01/25 20:24	1
Dibromofluoromethane (Surr)	98		50 - 150				09/27/25 07:46	10/01/25 20:24	1
Toluene-d8 (Surr)	100		71 - 126				09/27/25 07:46	10/01/25 20:24	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	12.6		1.0	1.0	%			09/28/25 21:11	1
Percent Solids (EPA Moisture)	87.4		1.0	1.0	%			09/28/25 21:11	1

Client Sample ID: 13-0925-06-A,B,C

Lab Sample ID: 460-335817-23

Date Collected: 09/25/25 13:30

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 86.4

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.26	U	1.1	0.26	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
1,1,2,2-Tetrachloroethane	0.59	U	1.1	0.59	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.34	U *- *1	1.1	0.34	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
1,1,2-Trichloroethane	0.67	U	1.1	0.67	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
1,1-Dichloroethane	0.67	U	1.1	0.67	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
1,1-Dichloroethene	0.25	U	1.1	0.25	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
1,2,3-Trichlorobenzene	0.83	U	1.1	0.83	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
1,2,4-Trichlorobenzene	0.40	U	1.1	0.40	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
1,2-Dichloropropane	0.47	U	1.1	0.47	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
1,3-Dichlorobenzene	0.41	U	1.1	0.41	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
1,4-Dichlorobenzene	0.58	U	1.1	0.58	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
1,4-Dioxane	24	U	110	24	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
2-Butanone (MEK)	0.41	U	5.6	0.41	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
2-Hexanone	1.9	U	5.6	1.9	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
4-Methyl-2-pentanone (MIBK)	1.7	U	5.6	1.7	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Acetone	6.4	U	6.7	6.4	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Benzene	0.64	U	1.1	0.64	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Bromoform	0.48	U *+	1.1	0.48	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Bromomethane	1.1	U	2.2	1.1	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Carbon disulfide	0.30	U	1.1	0.30	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Carbon tetrachloride	0.43	U	1.1	0.43	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Chlorobenzene	0.57	U	1.1	0.57	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Chlorobromomethane	0.67	U	1.1	0.67	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Chlorodibromomethane	0.60	U *+	1.1	0.60	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Chloroethane	0.59	U	1.1	0.59	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Chloroform	1.1	U	1.1	1.1	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Chloromethane	0.49	U	1.1	0.49	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
cis-1,2-Dichloroethene	0.40	U	1.1	0.40	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
cis-1,3-Dichloropropene	0.31	U	1.1	0.31	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Cyclohexane	0.25	U	1.1	0.25	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1
Dichlorobromomethane	0.29	U	1.1	0.29	ug/Kg	☆	09/27/25 07:47	10/01/25 20:48	1

Eurofins Edison

Client Sample Results

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-06-A,B,C

Lab Sample ID: 460-335817-23

Date Collected: 09/25/25 13:30

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 86.4

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	0.38	U	1.1	0.38	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Ethylbenzene	0.52	U	1.1	0.52	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Ethylene Dibromide	0.56	U	1.1	0.56	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Isopropylbenzene	0.32	U	1.1	0.32	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Methyl acetate	4.8	U *+	5.6	4.8	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Methyl tert-butyl ether	0.57	U	1.1	0.57	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Methylcyclohexane	0.56	U	1.1	0.56	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Methylene Chloride	1.3	U	2.2	1.3	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
m-Xylene & p-Xylene	0.47	U	1.1	0.47	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
o-Xylene	0.52	U	1.1	0.52	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Styrene	0.31	U	1.1	0.31	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Tetrachloroethene	0.34	U	1.1	0.34	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Toluene	0.26	U	1.1	0.26	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
trans-1,2-Dichloroethene	0.28	U	1.1	0.28	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
trans-1,3-Dichloropropene	0.30	U	1.1	0.30	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Trichloroethene	0.36	U	1.1	0.36	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Trichlorofluoromethane	0.46	U	1.1	0.46	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
Vinyl chloride	0.61	U	1.1	0.61	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
1,2-Dichloroethane	0.33	U	1.1	0.33	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
1,2-Dichlorobenzene	0.40	U	1.1	0.40	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1
1,2-Dibromo-3-Chloropropane	0.52	U	1.1	0.52	ug/Kg	✱	09/27/25 07:47	10/01/25 20:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		65 - 138	09/27/25 07:47	10/01/25 20:48	1
4-Bromofluorobenzene	98		71 - 128	09/27/25 07:47	10/01/25 20:48	1
Dibromofluoromethane (Surr)	98		50 - 150	09/27/25 07:47	10/01/25 20:48	1
Toluene-d8 (Surr)	102		71 - 126	09/27/25 07:47	10/01/25 20:48	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	13.5		1.0	1.0	%			09/28/25 21:11	1
Percent Solids (EPA Moisture)	86.5		1.0	1.0	%			09/28/25 21:11	1

Lab Chronicle

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-01-A

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1064401	CJC	EET EDI	09/28/25 21:11

Client Sample ID: 13-0925-01-A

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-1

Matrix: Solid

Percent Solids: 90.5

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1064164	JCZ	EET EDI	09/27/25 10:28
Total/NA	Analysis	8015D		50	1064509	EMM	EET EDI	09/29/25 14:27

Client Sample ID: 13-0925-01-B

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1064401	CJC	EET EDI	09/28/25 21:11

Client Sample ID: 13-0925-01-B

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-2

Matrix: Solid

Percent Solids: 86.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1064164	JCZ	EET EDI	09/27/25 10:28
Total/NA	Analysis	8015D		50	1064764	EMM	EET EDI	09/30/25 12:40

Client Sample ID: 13-0925-01-C

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1064401	CJC	EET EDI	09/28/25 21:11

Client Sample ID: 13-0925-01-C

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-3

Matrix: Solid

Percent Solids: 87.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1064164	JCZ	EET EDI	09/27/25 10:28
Total/NA	Analysis	8015D		50	1064509	EMM	EET EDI	09/29/25 18:24

Client Sample ID: 13-0925-01-D

Date Collected: 09/25/25 12:20

Date Received: 09/26/25 19:00

Lab Sample ID: 460-335817-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1064401	CJC	EET EDI	09/28/25 21:11

Eurofins Edison

Lab Chronicle

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-01-D

Lab Sample ID: 460-335817-4

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 88.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1064164	JCZ	EET EDI	09/27/25 10:28
Total/NA	Analysis	8015D		50	1064509	EMM	EET EDI	09/29/25 18:51

Client Sample ID: 13-0925-01-E

Lab Sample ID: 460-335817-5

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1064401	CJC	EET EDI	09/28/25 21:11

Client Sample ID: 13-0925-01-E

Lab Sample ID: 460-335817-5

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 88.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1064164	JCZ	EET EDI	09/27/25 10:29
Total/NA	Analysis	8015D		50	1064509	EMM	EET EDI	09/29/25 19:19

Client Sample ID: 13-0925-01-F

Lab Sample ID: 460-335817-6

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1064401	CJC	EET EDI	09/28/25 21:11

Client Sample ID: 13-0925-01-F

Lab Sample ID: 460-335817-6

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 83.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1064164	JCZ	EET EDI	09/27/25 10:29
Total/NA	Analysis	8015D		50	1064509	EMM	EET EDI	09/29/25 19:47

Client Sample ID: 13-0925-01-G

Lab Sample ID: 460-335817-7

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1064401	CJC	EET EDI	09/28/25 21:11

Lab Chronicle

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-01-G

Lab Sample ID: 460-335817-7

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 87.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1064164	JCZ	EET EDI	09/27/25 10:29
Total/NA	Analysis	8015D		50	1064509	EMM	EET EDI	09/29/25 20:15

Client Sample ID: 13-0925-01-H

Lab Sample ID: 460-335817-8

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1064401	CJC	EET EDI	09/28/25 21:11

Client Sample ID: 13-0925-01-H

Lab Sample ID: 460-335817-8

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 89.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1064164	JCZ	EET EDI	09/27/25 10:30
Total/NA	Analysis	8015D		50	1064509	EMM	EET EDI	09/29/25 20:42

Client Sample ID: 13-0925-01-I

Lab Sample ID: 460-335817-9

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1064401	CJC	EET EDI	09/28/25 21:11

Client Sample ID: 13-0925-01-I

Lab Sample ID: 460-335817-9

Date Collected: 09/25/25 12:20

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 87.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1064164	JCZ	EET EDI	09/27/25 10:30
Total/NA	Analysis	8015D		50	1064509	EMM	EET EDI	09/29/25 21:10

Client Sample ID: 13-0925-02-A

Lab Sample ID: 460-335817-10

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1065373	BJP	EET EDI	10/02/25 12:47

Lab Chronicle

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-02-A

Lab Sample ID: 460-335817-10

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 94.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1064124	AXB	EET EDI	09/27/25 06:33
Total/NA	Analysis	8015D		5	1064807	JHP	EET EDI	09/30/25 18:10

Client Sample ID: 13-0925-02-B

Lab Sample ID: 460-335817-11

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1065373	BJP	EET EDI	10/02/25 12:47

Client Sample ID: 13-0925-02-B

Lab Sample ID: 460-335817-11

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1064124	AXB	EET EDI	09/27/25 06:33
Total/NA	Analysis	8015D		5	1064807	JHP	EET EDI	09/30/25 18:59

Client Sample ID: 13-0925-02-C

Lab Sample ID: 460-335817-12

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1065373	BJP	EET EDI	10/02/25 12:47

Client Sample ID: 13-0925-02-C

Lab Sample ID: 460-335817-12

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.5

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1064124	AXB	EET EDI	09/27/25 06:33
Total/NA	Analysis	8015D		5	1064809	JHP	EET EDI	09/30/25 17:22

Client Sample ID: 13-0925-02-D

Lab Sample ID: 460-335817-13

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1065373	BJP	EET EDI	10/02/25 12:47

Lab Chronicle

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-02-D

Lab Sample ID: 460-335817-13

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1064124	AXB	EET EDI	09/27/25 06:33
Total/NA	Analysis	8015D		5	1064809	JHP	EET EDI	09/30/25 17:38

Client Sample ID: 13-0925-02-E

Lab Sample ID: 460-335817-14

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1065373	BJP	EET EDI	10/02/25 12:47

Client Sample ID: 13-0925-02-E

Lab Sample ID: 460-335817-14

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1064124	AXB	EET EDI	09/27/25 06:33
Total/NA	Analysis	8015D		5	1064809	JHP	EET EDI	09/30/25 17:54

Client Sample ID: 13-0925-02-F

Lab Sample ID: 460-335817-15

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1065373	BJP	EET EDI	10/02/25 12:47

Client Sample ID: 13-0925-02-F

Lab Sample ID: 460-335817-15

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1064124	AXB	EET EDI	09/27/25 06:33
Total/NA	Analysis	8015D		5	1064809	JHP	EET EDI	09/30/25 18:09

Client Sample ID: 13-0925-02-G

Lab Sample ID: 460-335817-16

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1065373	BJP	EET EDI	10/02/25 12:47

Lab Chronicle

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-02-G

Lab Sample ID: 460-335817-16

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 89.5

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1064124	AXB	EET EDI	09/27/25 06:33
Total/NA	Analysis	8015D		5	1064809	JHP	EET EDI	09/30/25 18:26

Client Sample ID: 13-0925-02-H

Lab Sample ID: 460-335817-17

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1065373	BJP	EET EDI	10/02/25 12:47

Client Sample ID: 13-0925-02-H

Lab Sample ID: 460-335817-17

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1064124	AXB	EET EDI	09/27/25 06:33
Total/NA	Analysis	8015D		5	1064809	JHP	EET EDI	09/30/25 18:42

Client Sample ID: 13-0925-02-I

Lab Sample ID: 460-335817-18

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1065373	BJP	EET EDI	10/02/25 12:47

Client Sample ID: 13-0925-02-I

Lab Sample ID: 460-335817-18

Date Collected: 09/25/25 12:40

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 90.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1064124	AXB	EET EDI	09/27/25 06:33
Total/NA	Analysis	8015D		5	1064809	JHP	EET EDI	09/30/25 18:59

Client Sample ID: 13-0925-03A

Lab Sample ID: 460-335817-19

Date Collected: 09/25/25 12:50

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			1064368	YXG	EET EDI	09/28/25 15:09 - 09/29/25 09:00 ¹
TCLP	Prep	3010A			1064557	JKF	EET EDI	09/29/25 12:40
TCLP	Analysis	6020B		10	1064833	CDC	EET EDI	09/30/25 14:40
TCLP	Leach	1311			1064368	YXG	EET EDI	09/28/25 15:09 - 09/29/25 09:00 ¹
TCLP	Prep	7470A			1064819	TOH	EET EDI	09/30/25 12:29
TCLP	Analysis	7470A		1	1065106	LBD	EET EDI	10/01/25 12:30
Total/NA	Analysis	Moisture		1	1065373	BJP	EET EDI	10/02/25 12:47

Eurofins Edison

Lab Chronicle

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-03A

Lab Sample ID: 460-335817-19

Date Collected: 09/25/25 12:50

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 89.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1064131	BJB	EET EDI	09/27/25 07:27
Total/NA	Analysis	8270E		1	1064171	YAH	EET EDI	09/27/25 19:56
Total/NA	Prep	3546			1064376	ARA	EET EDI	09/28/25 17:12
Total/NA	Analysis	8082A		1	1064594	SAK	EET EDI	09/29/25 19:50
Total/NA	Prep	3050B			1065780	GAE	EET EDI	10/03/25 18:10
Total/NA	Analysis	6020B		1	1065967	CDC	EET EDI	10/04/25 13:09
Total/NA	Prep	7471B			1065532	TJS	EET EDI	10/03/25 03:32
Total/NA	Analysis	7471B		1	1065727	LBD	EET EDI	10/03/25 15:46

Client Sample ID: 13-0925-03B

Lab Sample ID: 460-335817-20

Date Collected: 09/25/25 12:50

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			1064368	YXG	EET EDI	09/28/25 15:09 - 09/29/25 09:00 ¹
TCLP	Prep	3010A			1064557	JKF	EET EDI	09/29/25 12:40
TCLP	Analysis	6020B		10	1064833	CDC	EET EDI	09/30/25 14:43
TCLP	Leach	1311			1064368	YXG	EET EDI	09/28/25 15:09 - 09/29/25 09:00 ¹
TCLP	Prep	7470A			1064819	TOH	EET EDI	09/30/25 12:29
TCLP	Analysis	7470A		1	1065106	LBD	EET EDI	10/01/25 12:33
Total/NA	Analysis	Moisture		1	1065373	BJP	EET EDI	10/02/25 12:47

Client Sample ID: 13-0925-03B

Lab Sample ID: 460-335817-20

Date Collected: 09/25/25 12:50

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 88.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1064131	BJB	EET EDI	09/27/25 07:27
Total/NA	Analysis	8270E		1	1064171	YAH	EET EDI	09/27/25 19:38
Total/NA	Prep	3546			1064376	ARA	EET EDI	09/28/25 17:12
Total/NA	Analysis	8082A		1	1064594	SAK	EET EDI	09/29/25 20:07
Total/NA	Prep	3050B			1065780	GAE	EET EDI	10/03/25 18:10
Total/NA	Analysis	6020B		1	1065967	CDC	EET EDI	10/04/25 13:12
Total/NA	Prep	7471B			1065532	TJS	EET EDI	10/03/25 03:32
Total/NA	Analysis	7471B		1	1065727	LBD	EET EDI	10/03/25 15:49

Client Sample ID: 13-0925-04-A

Lab Sample ID: 460-335817-21

Date Collected: 09/25/25 13:00

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	1030		1	1065033	YAH	EET EDI	10/01/25 09:22
Total/NA	Prep	7.3.3			1064860	HTV	EET EDI	09/30/25 09:30
Total/NA	Analysis	9014		1	1064862	HTV	EET EDI	09/30/25 14:30

Eurofins Edison

Lab Chronicle

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Client Sample ID: 13-0925-04-A

Lab Sample ID: 460-335817-21

Date Collected: 09/25/25 13:00

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	7.3.4			1064859	HTV	EET EDI	09/30/25 09:30
Total/NA	Analysis	9034		1	1064869	HTV	EET EDI	09/30/25 14:30
Total/NA	Analysis	9095B		1	1065600	YAH	EET EDI	10/03/25 08:34

Client Sample ID: 13-0925-05-A,B,C

Lab Sample ID: 460-335817-22

Date Collected: 09/25/25 13:15

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1064401	CJC	EET EDI	09/28/25 21:11

Client Sample ID: 13-0925-05-A,B,C

Lab Sample ID: 460-335817-22

Date Collected: 09/25/25 13:15

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 87.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1064133	JCZ	EET EDI	09/27/25 07:46
Total/NA	Analysis	8260D		1	1065125	AAT	EET EDI	10/01/25 20:24

Client Sample ID: 13-0925-06-A,B,C

Lab Sample ID: 460-335817-23

Date Collected: 09/25/25 13:30

Matrix: Solid

Date Received: 09/26/25 19:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1064401	CJC	EET EDI	09/28/25 21:11

Client Sample ID: 13-0925-06-A,B,C

Lab Sample ID: 460-335817-23

Date Collected: 09/25/25 13:30

Matrix: Solid

Date Received: 09/26/25 19:00

Percent Solids: 86.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1064133	JCZ	EET EDI	09/27/25 07:47
Total/NA	Analysis	8260D		1	1065125	AAT	EET EDI	10/01/25 20:48

¹ This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Laboratory: Eurofins Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Jersey	NELAP	12028	06-30-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
1030		Solid	Burn Rate
8082A	3546	Solid	Polychlorinated biphenyls, Total
8260D	5035	Solid	m-Xylene & p-Xylene
9014	7.3.3	Solid	Cyanide, Reactive
9034	7.3.4	Solid	Sulfide, Reactive
Moisture		Solid	Percent Moisture
Moisture		Solid	Percent Solids

Method Summary

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI
8270E	Semivolatile Organic Compounds (GC/MS)	SW846	EET EDI
8015D	Gasoline Range Organics (GRO) (GC)	SW846	EET EDI
8015D	Diesel Range Organics (DRO) (GC)	SW846	EET EDI
8082A	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	EET EDI
6020B	Metals (ICP/MS)	SW846	EET EDI
7470A	Mercury (CVAA)	SW846	EET EDI
7471B	Mercury (CVAA)	SW846	EET EDI
1030	Ignitability, Solids	SW846	EET EDI
9014	Cyanide, Reactive	SW846	EET EDI
9034	Sulfide, Reactive	SW846	EET EDI
9095B	Paint Filter	SW846	EET EDI
Moisture	Percent Moisture	EPA	EET EDI
1311	TCLP Extraction	SW846	EET EDI
3010A	Preparation, Total Metals	SW846	EET EDI
3050B	Preparation, Metals	SW846	EET EDI
3546	Microwave Extraction	SW846	EET EDI
5035	Closed System Purge and Trap	SW846	EET EDI
7.3.3	Cyanide, Reactive	SW846	EET EDI
7.3.4	Sulfide, Reactive	SW846	EET EDI
7470A	Preparation, Mercury	SW846	EET EDI
7471B	Preparation, Mercury	SW846	EET EDI

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Environmental Design Inc
Project/Site: Ramsey High School

Job ID: 460-335817-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
460-335817-1	13-0925-01-A	Solid	09/25/25 12:20	09/26/25 19:00	New Jersey
460-335817-2	13-0925-01-B	Solid	09/25/25 12:20	09/26/25 19:00	New Jersey
460-335817-3	13-0925-01-C	Solid	09/25/25 12:20	09/26/25 19:00	New Jersey
460-335817-4	13-0925-01-D	Solid	09/25/25 12:20	09/26/25 19:00	New Jersey
460-335817-5	13-0925-01-E	Solid	09/25/25 12:20	09/26/25 19:00	New Jersey
460-335817-6	13-0925-01-F	Solid	09/25/25 12:20	09/26/25 19:00	New Jersey
460-335817-7	13-0925-01-G	Solid	09/25/25 12:20	09/26/25 19:00	New Jersey
460-335817-8	13-0925-01-H	Solid	09/25/25 12:20	09/26/25 19:00	New Jersey
460-335817-9	13-0925-01-I	Solid	09/25/25 12:20	09/26/25 19:00	New Jersey
460-335817-10	13-0925-02-A	Solid	09/25/25 12:40	09/26/25 19:00	New Jersey
460-335817-11	13-0925-02-B	Solid	09/25/25 12:40	09/26/25 19:00	New Jersey
460-335817-12	13-0925-02-C	Solid	09/25/25 12:40	09/26/25 19:00	New Jersey
460-335817-13	13-0925-02-D	Solid	09/25/25 12:40	09/26/25 19:00	New Jersey
460-335817-14	13-0925-02-E	Solid	09/25/25 12:40	09/26/25 19:00	New Jersey
460-335817-15	13-0925-02-F	Solid	09/25/25 12:40	09/26/25 19:00	New Jersey
460-335817-16	13-0925-02-G	Solid	09/25/25 12:40	09/26/25 19:00	New Jersey
460-335817-17	13-0925-02-H	Solid	09/25/25 12:40	09/26/25 19:00	New Jersey
460-335817-18	13-0925-02-I	Solid	09/25/25 12:40	09/26/25 19:00	New Jersey
460-335817-19	13-0925-03A	Solid	09/25/25 12:50	09/26/25 19:00	New Jersey
460-335817-20	13-0925-03B	Solid	09/25/25 12:50	09/26/25 19:00	New Jersey
460-335817-21	13-0925-04-A	Solid	09/25/25 13:00	09/26/25 19:00	New Jersey
460-335817-22	13-0925-05-A,B,C	Solid	09/25/25 13:15	09/26/25 19:00	New Jersey
460-335817-23	13-0925-06-A,B,C	Solid	09/25/25 13:30	09/26/25 19:00	New Jersey

Job Number:

Number of Coolers:

IR Gun #

Cooler Temperatures

RAW		CORRECTED	RAW		CORRECTED
Cooler #1	55	5.3 °C	Cooler #4:		°C
Cooler #2:		°C	Cooler #5:		°C
Cooler #3:		°C	Cooler #6:		°C
			Cooler #7:		°C
			Cooler #8:		°C
			Cooler #9:		°C

[illegible]

If pH adjustments are required record the information below.

Sample No(s). adjusted

Preservative Name/Conc.

Volume of Preservative used (ml):

Lot # of Preservative(s):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted. Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

Initials.

Date:

EDS-WI-038, Rev 4, 06/09/2014

Login Sample Receipt Checklist

Client: Environmental Design Inc

Job Number: 460-335817-1

Login Number: 335817

List Source: Eurofins Edison

List Number: 1

Creator: Rivera, Kenneth

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	