

Debbie Dakin

From: John Escobar <opra+request-36101-9d9227d5@requests.opramachine.com>
Sent: Tuesday, October 18, 2022 2:18 PM
To: Debbie Dakin
Subject: OPRA request - Correspondence regarding Mallard Street aka paper street aka Right of Way

Dear Woodcliff Lake Borough,

This is a request for public records made under OPRA and the common law right of access. I am not required to fill out an official form. Please acknowledge receipt of this message.

Records requested:

All correspondence regarding Mallard Street aka paper street aka Right of Way, between the following officials and employees: Mayor, Borough Administrator, CMFO DeJoseph, any member of the governing body. The request includes all email correspondence, text messages or minutes of committee meetings regarding the above referenced street in conjunction with the Borough of Hillsdale acquiring this street from Woodcliff Lake. The period of time for the information requested is March 1 through present.

Yours faithfully,

John Escobar

Please use deliver records electronically via email to the below UNIQUE address for all replies to this request:
opra+request-36101-9d9227d5@requests.opramachine.com

Is clerk@wclnj.com the wrong address for OPRA requests to Woodcliff Lake Borough? If so, please contact us using this form:
https://opramachine.com/change_request/new?body=woodcliff_lake_borough

IN 10.18.22
JUC 10.25.22

Disclaimer: This message and any reply that you make will be published on the internet. Our privacy and copyright policies:
<https://opramachine.com/help/officers>

View this OPRA request & responses online:
https://opramachine.com/request/correspondence_regarding_mallard

Please note that in some cases publication of requests and responses will be delayed.

If you find this service useful as an OPRA custodian, please ask your web manager to link to us from your organisation's website.

Debbie Dakin

From: David Troast <dtroast@hillsdalenj.org>
Sent: Thursday, October 13, 2022 2:38 PM
To: Tom Padilla
Subject: RE: [EXTERNAL]Pump Station - Salt shed

That is too bad seemed to be a good idea.

When are you available? I just left a phone message as this email came through.

David

Sent from [Mail](#) for Windows

David R. Troast, PP, AICP, LLA
Borough Administrator
Hillsdale, NJ

201-421-7254

From: [Tom Padilla](#)
Sent: Thursday, October 13, 2022 2:34 PM
To: David Troast
Subject: [EXTERNAL]Pump Station - Salt shed

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

David,

With respect to hooking up to your sewer line, too costly, we are pursuing making repairs to the pump station. Also, lets talk on the salt storage and the paper street.

TJP

Sent from [Mail](#) for Windows

Debbie Dakin

From: David Troast <dtroast@hillsdalenj.org>
Sent: Tuesday, July 26, 2022 8:58 AM
To: Tom Padilla
Cc: Craig Zimmermann; Carl O'Brien
Subject: Re: [EXTERNAL]RE: [EXTERNAL]Verimus Ln Pump Station

Thursday early afternoon and Friday morning or early afternoon for me.

David R. Troast
Borough Administrator
Borough of Hillsdale
Sent from my Borough issued device

On Jul 26, 2022, at 8:50 AM, David Troast <dtroast@hillsdalenj.org> wrote:

??? Perfect looking forward to working together

David R. Troast
Borough Administrator
Borough of Hillsdale
Sent from my Borough issued device

On Jul 25, 2022, at 2:01 PM, Tom Padilla <admin@wclnj.com> wrote:

???

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

David,

Adding my engineer and DPW Supt so all will be on.

Thanks,
TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pascack Road
Woodcliff Lake, NJ 07677
(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdalenj.org>
Sent: Monday, July 25, 2022 12:20 PM
To: Tom Padilla <admin@wclnj.com>; Craig Zimmermann <craig.zimmermann@colliersengineering.com>; Carl O'Brien <carl.obrien@colliersengineering.com>
Subject: RE: [EXTERNAL]Werimus Ln Pump Station

Craig and Carl,

Please find this email from Tom Padilla BA from Wood Cliff lake concerning two joint issue we need to work through .

We need potential dates to to meet and move these forward.

David

Sent from Mail for Windows

David R. Troast, PP, AICP, LLA
Borough Administrator
Hillsdale, NJ

201-421-7254

From: Tom Padilla
Sent: Friday, July 22, 2022 9:42 AM
To: David Troast
Subject: [EXTERNAL]Werimus Ln Pump Station

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

David,

I think we are both back ??? can we look to have a meeting with our engineers to discuss the Werimus Ln pump station. We can also discuss the paper street and other items. Let me know,

TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pascack Road
Woodcliff Lake, NJ 07677
(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdalenj.org>
Sent: Friday, July 01, 2022 7:17 AM
To: Tom Padilla <admin@wclnj.com>
Subject: Re: [EXTERNAL]RE: Lift Station

Agreed. Enjoy the vacation

David R. Troast
Borough Administrator
Borough of Hillsdale
Sent from my Borough issued device

On Jun 30, 2022, at 5:48 PM, Tom Padilla <admin@wclnj.com> wrote:

???

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

David

When are you back? I think we get an in person meeting on the calendar soon as we are both back and discuss and move forward on both of these.

TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pascack Road
Woodcliff Lake, NJ 07677
(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdalenj.org>
Sent: Wednesday, June 29, 2022 3:00 PM
To: Tom Padilla <admin@wclnj.com>
Subject: Lift Station

Tom,

I understand you are on vacation till July 18 and I go away the week of the July 18. In our absences some mutual food for thought.

Based on my initial conversations with several Council members, I believe eliminating the sewer lift station in Woodcliff lake and allowing the flow into Hillsdale is an idea we need to investigate.

We should have a meeting with our engineers and DPW Supers to figure out a plan and make sure our system can handle the flow. As you suggested, a flow meter can be installed so billing can take place.

On another note, Councilman DeRosa, asked me if the two Boroughs could discuss the paper street adjacent to Centennial Field as an easement to permit Hilldale to add parking to reduce the on-street parking during football games impacting both communities. Hilldale would be responsible to construct, maintain the parking area.

Also, any thoughts of how we may work together on DPW issues? Hilldale has to rebuild our DPW facility and we are looking at alternatives for storage etc. anything is on the table at this point but that is in confidence.

Enjoy time away get refreshed to face the rest of the year.

David R. Troast

Sent from Mail for Windows

David R. Troast, PP, AICP, LLA
Borough Administrator
Hilldale, NJ

201-421-7254

Debbie Dakin

From: David Troast <dtroast@hillsdalenj.org>
Sent: Tuesday, July 26, 2022 8:50 AM
To: Tom Padilla
Cc: Craig Zimmermann; Carl O'Brien
Subject: Re: [EXTERNAL]RE: [EXTERNAL]Werimus Ln Pump Station

Perfect looking forward to working together

David R. Troast
Borough Administrator
Borough of Hillsdale
Sent from my Borough issued device

On Jul 25, 2022, at 2:01 PM, Tom Padilla <admin@wclnj.com> wrote:

???

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

David,

Adding my engineer and DPW Supt so all will be on.

Thanks,
TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pascack Road
Woodcliff Lake, NJ 07677

(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdalenj.org>
Sent: Monday, July 25, 2022 12:20 PM
To: Tom Padilla <admin@wclnj.com>; Craig Zimmermann <craig.zimmermann@colliersengineering.com>; Carl O'Brien <carl.obrien@colliersengineering.com>
Subject: RE: [EXTERNAL]Werimus Ln Pump Station

Craig and Carl,

Please find this email from Tom Padilla BA from Wood Cliff lake concerning two joint issue we need to work through .

We need potential dates to to meet and move these forward.

David

Sent from Mail for Windows

David R. Troast, PP, AICP, LLA
Borough Administrator
Hillsdale, NJ

201-421-7254

From: Tom Padilla
Sent: Friday, July 22, 2022 9:42 AM
To: David Troast
Subject: [EXTERNAL]Werimus Ln Pump Station

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

David,

I think we are both back ??? can we look to have a meeting with our engineers to discuss the Werimus Ln pump station. We can also discuss the paper street and other items. Let me know,

TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pascack Road
Woodcliff Lake, NJ 07677
(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdalenj.org>
Sent: Friday, July 01, 2022 7:17 AM
To: Tom Padilla <admin@wclnj.com>
Subject: Re: [EXTERNAL]RE: Lift Station

Agreed. Enjoy the vacation

David R. Troast
Borough Administrator
Borough of Hillsdale
Sent from my Borough issued device

On Jun 30, 2022, at 5:48 PM, Tom Padilla <admin@wclnj.com> wrote:

???

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

David

When are you back? I think we get an in person meeting on the calendar soon as we are both back and discuss and move forward on both of these.

TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pascack Road
Woodcliff Lake, NJ 07677
(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdalenj.org>
Sent: Wednesday, June 29, 2022 3:00 PM
To: Tom Padilla <admin@wclnj.com>
Subject: Lift Station

Tom,

I understand you are on vacation till July 18 and I go away the week of the July 18. In our absences some mutual food for thought.

Based on my initial conversations with several Council members, I believe eliminating the sewer lift station in Woodcliff lake and allowing the flow into Hillsdale is an idea we need to investigate.

We should have a meeting with our engineers and DPW Supers to figure out a plan and make sure our system can handle the flow. As you suggested, a flow meter can be installed so billing can take place.

On another note, Councilman DeRosa, asked me if the two Borough??s could discuss the paper street adjacent to Centennial Field as an easement to permit Hilldale to add parking to reduce the on-street parking during football games impacting both communities. Hillsdale would be responsible to construct, maintain the parking area.

Also, any thoughts of how we may work together on DPW issues? Hillsdale has to rebuild our DPW facility and we are looking at alternatives for storage etc. anything is on the table at this point but that is in confidence.

Enjoy time away get refreshed to face the rest of the year.

David R. Troast

Sent from Mail for Windows

David R. Troast, PP, AICP, LLA
Borough Administrator
Hillsdale, NJ

201-421-7254

Debbie Dakin

From: David Troast <dtroast@hillsdalenj.org>
Sent: Monday, July 25, 2022 12:20 PM
To: Tom Padilla; Craig Zimmermann; Carl O'Brien
Subject: RE: [EXTERNAL]Werimus Ln Pump Station

Craig and Carl,

Please find this email from Tom Padilla BA from Wood Cliff lake concerning two joint issue we need to work through .

We need potential dates to to meet and move these forward.

David

Sent from Mail for Windows

David R. Troast, PP, AICP, LLA
Borough Administrator
Hillsdale, NJ

201-421-7254

From: Tom Padilla
Sent: Friday, July 22, 2022 9:42 AM
To: David Troast
Subject: [EXTERNAL]Werimus Ln Pump Station

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

David,

I think we are both back ??? can we look to have a meeting with our engineers to discuss the Werimus Ln pump station. We can also discuss the paper street and other items. Let me know,

TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pascack Road
Woodcliff Lake, NJ 07677
(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdalenj.org>
Sent: Friday, July 01, 2022 7:17 AM
To: Tom Padilla <admin@wclnj.com>
Subject: Re: [EXTERNAL]RE: Lift Station

Agreed. Enjoy the vacation

David R. Troast
Borough Administrator
Borough of Hillsdale
Sent from my Borough issued device

On Jun 30, 2022, at 5:48 PM, Tom Padilla <admin@wclnj.com> wrote:

???

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

David

When are you back? I think we get an in person meeting on the calendar soon as we are both back and discuss and move forward on both of these.

TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pascack Road
Woodcliff Lake, NJ 07677
(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdalenj.org>
Sent: Wednesday, June 29, 2022 3:00 PM
To: Tom Padilla <admin@wcInj.com>
Subject: Lift Station

Tom,

I understand you are on vacation till July 18 and I go away the week of the July 18. In our absences some mutual food for thought.

Based on my initial conversations with several Council members, I believe eliminating the sewer lift station in Woodcliff lake and allowing the flow into Hillsdale is an idea we need to investigate.

We should have a meeting with our engineers and DPW Supers to figure out a plan and make sure our system can handle the flow. As you suggested, a flow meter can be installed so billing can take place.

On another note, Councilman DeRosa, asked me if the two Borough??s could discuss the paper street adjacent to Centennial Field as an easement to permit Hillsdale to add parking to reduce the on-street parking during football games impacting both communities. Hillsdale would be responsible to construct, maintain the parking area.

Also, any thoughts of how we may work together on DPW issues? Hillsdale has to rebuild our DPW facility and we are looking at alternatives for storage etc. anything is on the table at this point but that is in confidence.

Enjoy time away get refreshed to face the rest of the year.

David R. Troast

Sent from Mail for Windows

David R. Troast, PP, AICP, LLA
Borough Administrator
Hillsdale, NJ

201-421-7254

Debbie Dakin

From: David Troast <dtroast@hillsdalenj.org>
Sent: Friday, July 01, 2022 7:17 AM
To: Tom Padilla
Subject: Re: [EXTERNAL]RE: Lift Station

Agreed. Enjoy the vacation

David R. Troast
Borough Administrator
Borough of Hillsdale
Sent from my Borough issued device

On Jun 30, 2022, at 5:48 PM, Tom Padilla <admin@wclnj.com> wrote:

???

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

David

When are you back? I think we get an in person meeting on the calendar soon as we are both back and discuss and move forward on both of these.

TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pascack Road
Woodcliff Lake, NJ 07677
(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdalenj.org>
Sent: Wednesday, June 29, 2022 3:00 PM
To: Tom Padilla <admin@wclnj.com>
Subject: Lift Station

Tom,

I understand you are on vacation till July 18 and I go away the week of the July 18. In our absences some mutual food for thought.

Based on my initial conversations with several Council members, I believe eliminating the sewer lift station in Woodcliff lake and allowing the flow into Hillsdale is an idea we need to investigate.

We should have a meeting with our engineers and DPW Supers to figure out a plan and make sure our system can handle the flow. As you suggested, a flow meter can be installed so billing can take place.

On another note, Councilman DeRosa, asked me if the two Borough??s could discuss the paper street adjacent to Centennial Field as an easement to permit Hilldale to add parking to reduce the on-street parking during football games impacting both communities. Hillsdale would be responsible to construct, maintain the parking area.

Also, any thoughts of how we may work together on DPW issues? Hillsdale has to rebuild our DPW facility and we are looking at alternatives for storage etc. anything is on the table at this point but that is in confidence.

Enjoy time away get refreshed to face the rest of the year.

David R. Troast

Sent from Mail for Windows

David R. Troast, PP, AICP, LLA
Borough Administrator
Hillsdale, NJ

201-421-7254

Debbie Dakin

From: Tom Padilla <admin@wclnj.com>
Sent: Friday, July 22, 2022 9:42 AM
To: David Troast
Subject: Werimus Ln Pump Station

David,

I think we are both back ??? can we look to have a meeting with our engineers to discuss the Werimus Ln pump station. We can also discuss the paper street and other items. Let me know,

TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pascack Road
Woodcliff Lake, NJ 07677
(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdalenj.org>
Sent: Friday, July 01, 2022 7:17 AM
To: Tom Padilla <admin@wclnj.com>
Subject: Re: [EXTERNAL]RE: Lift Station

Agreed. Enjoy the vacation

David R. Troast
Borough Administrator
Borough of Hillsdale
Sent from my Borough issued device

On Jun 30, 2022, at 5:48 PM, Tom Padilla <admin@wclnj.com> wrote:

???

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

David

When are you back? I think we get an in person meeting on the calendar soon as we are both back and discuss and move forward on both of these.

TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pasack Road
Woodcliff Lake, NJ 07677
(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdalenj.org>
Sent: Wednesday, June 29, 2022 3:00 PM
To: Tom Padilla <admin@wclnj.com>
Subject: Lift Station

Tom,

I understand you are on vacation till July 18 and I go away the week of the July 18. In our absences some mutual food for thought.

Based on my initial conversations with several Council members, I believe eliminating the sewer lift station in Woodcliff lake and allowing the flow into Hillsdale is an idea we need to investigate.

We should have a meeting with our engineers and DPW Supers to figure out a plan and make sure our system can handle the flow. As you suggested, a flow meter can be installed so billing can take place.

On another note, Councilman DeRosa, asked me if the two Borough??s could discuss the paper street adjacent to Centennial Field as an easement to permit Hilldale to add parking to reduce the on-street parking during football games impacting both communities. Hilldale would be responsible to construct, maintain the parking area.

Also, any thoughts of how we may work together on DPW issues? Hilldale has to rebuild our DPW facility and we are looking at alternatives for storage etc. anything is on the table at this point but that is in confidence.

Enjoy time away get refreshed to face the rest of the year.

David R. Troast

Sent from [Mail](#) for Windows

David R. Troast, PP, AICP, LLA
Borough Administrator
Hilldale, NJ

201-421-7254

Debbie Dakin

From: Tom Padilla <admin@wclnj.com>
Sent: Friday, July 01, 2022 10:20 AM
To: David Troast
Subject: RE: [EXTERNAL]RE: Lift Station

Thank you! You too, if you want, send me dates for the week you get back so we can get it on the calendar.

TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pascack Road
Woodcliff Lake, NJ 07677
(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdalenj.org>
Sent: Friday, July 01, 2022 7:17 AM
To: Tom Padilla <admin@wclnj.com>
Subject: Re: [EXTERNAL]RE: Lift Station

Agreed. Enjoy the vacation

David R. Troast
Borough Administrator
Borough of Hillsdale
Sent from my Borough issued device

On Jun 30, 2022, at 5:48 PM, Tom Padilla <admin@wclnj.com> wrote:

???

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

David

When are you back? I think we get an in person meeting on the calendar soon as we are both back and discuss and move forward on both of these.

TJP

Tomas J. Padilla, BA, MAS, CPM
Borough Administrator
Borough of Woodcliff Lake
188 Pascack Road
Woodcliff Lake, NJ 07677
(201) 391-4977 X-216
(201) 391-8830 ??? Fax



From: David Troast <dtroast@hillsdale.nj.org>
Sent: Wednesday, June 29, 2022 3:00 PM
To: Tom Padilla <admin@wclni.com>
Subject: Lift Station

Tom,

I understand you are on vacation till July 18 and I go away the week of the July 18. In our absences some mutual food for thought.

Based on my initial conversations with several Council members, I believe eliminating the sewer lift station in Woodcliff lake and allowing the flow into Hillsdale is an idea we need to investigate.

We should have a meeting with our engineers and DPW Supers to figure out a plan and make sure our system can handle the flow. As you suggested, a flow meter can be installed so billing can take place.

On another note, Councilman DeRosa, asked me if the two Borough??s could discuss the paper street adjacent to Centennial Field as an easement to permit Hilldale to add parking to reduce the on-street parking during football games impacting both communities. Hillsdale would be responsible to construct, maintain the parking area.

Also, any thoughts of how we may work together on DPW issues? Hillsdale has to rebuild our DPW facility and we are looking at alternatives for storage etc. anything is on the table at this point but that is in confidence.

Enjoy time away get refreshed to face the rest of the year.

David R. Troast

Sent from [Mail](#) for Windows

David R. Troast, PP, AICP, LLA
Borough Administrator
Hillsdale, NJ

201-421-7254