

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Steve Rydinsky #120

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035688

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>Indoor/HQ</u>	<u>88.3</u>	<u>95%</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date:					

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>Indoor/HQ</u>	<u>12 CC3351 4B</u>	<u>100</u>	<u>100</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date:						

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Henry Pasqualini #121

Rank: Detective

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220RC

Caliber: .45 ACP

Serial #: 37B022921

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/13/17</u>	<u>WTPD</u>	<u>95%</u>	<u>87.50</u>	<u>Mr. 4/18/17</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>11/2/17</u>	<u>Home 11</u>	<u>90%</u>	<u>100</u>	<u>C/140</u>	<u>[Signature]</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/13/17</u>	<u>WTPD</u>	<u>AB667544M</u>	<u>100%</u>	<u>100%</u>	<u>Mr. 184</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>11/2/17</u>	<u>Home 11</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>C/140</u>	<u>[Signature]</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-124

Olsen, Eric

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Eric Olsen #124Rank: Sergeant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B035674

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4-14-17</u>	<u>Wall HQ</u>	<u>90</u>	<u>92.5</u>	<u>(Signature) 144</u>	<u>Sgt. EBO #124</u>
2nd Half Qualification Date:					

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4-14-17</u>	<u>Wall HQ</u>	<u>CC 335148</u>	<u>100</u>	<u>100</u>	<u>(Signature) 144</u>	<u>EBO #124</u>
2nd Half Qualification Date:						

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>4/17/17</u>	<u>HOWELL</u> <u>Cloudy</u>	Make <u>S&W</u> Model <u>M400</u> Serial# <u>201030100</u> Cal <u>.223</u>	<u>98.3</u>	<u>100</u>	<u>(Signature) #168</u>	<u>EBO #124</u>	<u>(Signature)</u>
1st Half Fam. Date: <u>6/20/17</u>	<u>Howell</u> <u>clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>201011555</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM #181</u>	<u>EBO #124</u>	<u>(Signature)</u>
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	<u>PASS</u> <u>FAIL</u>				

2017-125

Brice, Robert

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Robert Brice #125Rank: Chief

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B023025

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>5/5/17</u>	<u>Wall 1-0000</u>	<u>61.7%</u>	<u>97.50%</u>	<u>[Signature]</u>	<u>[Signature] #125</u>
2nd Half Qualification Date:					

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>5/5/17</u>	<u>Wall 1-0002</u>	<u>RS 003360</u>	<u>100%</u>	<u>100%</u>	<u>[Signature]</u>	<u>[Signature] #125</u>
2nd Half Qualification Date:						

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: William H. Bono #126

Rank: Sergeant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220RC

Caliber: .45 ACP

Serial #: 37B035436

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/22/17</u>	<u>Howell / clear</u>	<u>88.3</u>	<u>92.50</u>	<u>M. [Signature]</u>	<u>W. Bono</u>
2nd Half Qualification Date:					

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/22/17</u>	<u>Howell / clear</u>	<u>150036C</u>	<u>100%</u>	<u>100%</u>	<u>M. [Signature]</u>	<u>W. Bono</u>
2nd Half Qualification Date:						

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>3/22/17</u>	<u>Howell / clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20K 030128</u> Cal <u>.303</u>	<u>91.7</u>	<u>95.0</u>	<u>J. [Signature]</u>	<u>W. Bono</u>	<u>[Signature]</u>
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Christopher Scerbo #128

Rank: Sergeant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220RC

Caliber: .45 ACP

Serial #: 37B035428

Date of Qualification	Location / Weather	HQCI Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>9/12/17</u>	<u>WTPD</u>	<u>85%</u>	<u>82%</u>	<u>[Signature]</u>	<u>CS #128</u>
2nd Half Qualification Date: <u>11/2/17</u>	<u>Howell</u>	<u>83.3%</u>	<u>91.7</u>	<u>[Signature]</u>	<u>(CS) 128</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>9/12/17</u>	<u>WTPD</u>	<u>CC33514B</u>	<u>100%</u>	<u>100%</u>	<u>[Signature]</u>	<u>CS #128</u>
2nd Half Qualification Date: <u>11/2/17</u>	<u>Howell</u>	<u>RS00336C</u>	<u>100%</u>	<u>100%</u>	<u>[Signature]</u>	<u>(CS) 128</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date: <u>10/3/17</u>	<u>Howell</u> <u>Clear</u>	Make <u>S&W</u> Model <u>M400</u> Serial# <u>201663018Y</u> Cal <u>223</u>	<u>100</u>	<u>100</u>	<u>[Signature]</u>	<u>(CS) 128</u>	<u>[Signature]</u>
2nd Half Fam. Date: <u>11/2/17</u>	<u>Howell</u> <u>Clear</u>	Make <u>Colt</u> Model <u>M400</u> Serial# <u>20K030188</u> Cal <u>.223</u>	PASS FAIL		<u>[Signature]</u>	<u>(CS) 128</u>	<u>[Signature]</u>

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Todd Kazanowsky #129

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B022749

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/26/17</u>	<u>WTPD/HQ</u>	<u>93.3%</u>	<u>80.0%</u>	<u>PRBAA+149</u>	<u>T.K. #129</u>
2nd Half Qualification Date: <u>11/21/17</u>	<u>Howell Range</u> <u>SG P. Sunny</u>	<u>93.3%</u>	<u>100%</u>	<u>Sgt. Muel</u> <u>132</u>	<u>T.K. #129</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/26/17</u>	<u>WTPD/HQ</u>	<u>ABC80725M</u>	<u>100%</u>	<u>100%</u>	<u>PRBAA+149</u>	<u>T.K. #129</u>
2nd Half Qualification Date: <u>11/21/17</u>	<u>Howell Range</u> <u>SG P. Sunny</u>	<u>RS96530B</u>	<u>100%</u>	<u>100%</u>	<u>Sgt. Muel</u> <u>132</u>	<u>T.K. #129</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make					
		Model	PASS				
		Serial#					
		Cal	FAIL				
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make					
		Model	PASS				
		Serial#					
		Cal	FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Gregory Carpino #130

Rank: Lieutenant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035430

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/14/17</u>	<u>Wall Indoor</u>	<u>93.3</u>	<u>92.50</u>	<u>EL 144</u>	<u>MC #100</u>
2nd Half Qualification Date: <u>11/21/17</u>	<u>Howell Range 56° P Sunny</u>	<u>91.7%</u>	<u>87.50%</u>	<u>Sgt. Mullen J 132</u>	<u>QC #12</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/14/17</u>	<u>Wall Indoor</u>	<u>RS00345F</u>	<u>100</u>	<u>100</u>	<u>EL 144</u>	<u>MC #100</u>
2nd Half Qualification Date: <u>11/21/17</u>	<u>Howell Range 56° Sunny</u>	<u>RS96530B</u>	<u>100%</u>	<u>100%</u>	<u>Sgt. Mullen J 132</u>	<u>QC #12</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Daniel Donlon #131Rank: Detective

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B033701

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/29/17	Howell Outdoor	95	100	CZ 140	Donlon, Daniel #131
2nd Half Qualification Date: 11/2/17	Howell	91.7	100	CZ 140	Donlon, Daniel #131

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/29/17	Howell Outdoor	AB667544M	100	100	CZ 140	Donlon, Daniel #131
2nd Half Qualification Date: 11/2/17	Howell	RS00336C	100	100	CZ 140	Donlon, Daniel #131

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: 3/23/17	Howell 350 P. Sunny	Make Sig Sauer Model M400 Serial# 20K030188 Cal .223	96.7%	91.5%	Sgt. M. J. 132	Donlon, Daniel #131	(Signature)
1st Half Fam. Date: 6/20/17	Howell Range	Make Sig Sauer Model M400 Serial# 20K030188 Cal .223	PASS FAIL		Sgt. M. J. 132	Donlon, Daniel #131	(Signature)
2nd Half Qual. Date: 10/1/17	Howell	Make S.S. Model M400 Serial# 20K030188 Cal .223	160	100	CZ 140	Donlon, Daniel #131	(Signature)
2nd Half Fam. Date: 11/20/17	Howell Clear	Make Sig Model M400 Serial# 20K030188 Cal .223	PASS FAIL		GT 169	Donlon, Daniel #131	(Signature)

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Michael Tozer #132

Rank: Sergeant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer Model: P220R Caliber: .45 ACP Serial #: 37B035432

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/25/17</u>	<u>Wall HQ Indoor</u>	<u>96.7%</u>	<u>97.50%</u>	<u>EP #168</u>	<u>Sgt. Mullen</u>
2nd Half Qualification Date: <u>11/12/17</u>	<u>Howell Range 42° P. Cloudy</u>	<u>98.3%</u>	<u>97.50%</u>	<u>EP #168</u>	<u>Sgt. Mullen</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/25/17</u>	<u>Wall HQ Indoor</u>	<u>AB674951M #20</u>	<u>100%</u>	<u>100%</u>	<u>EP #168</u>	<u>Sgt. Mullen</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/Clear</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>Am #181</u>	<u>Sgt. Mullen</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>3/22/17</u>	<u>Howell 35° P. Sunny</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>205011562</u> Cal <u>.223</u>	<u>98.3%</u>	<u>100</u>	<u>JA #161</u>	<u>Sgt. Mullen</u>	<u>(Signature)</u>
1st Half Fam. Date: <u>6/20/17</u>	<u>Howell 82° Sunny</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20C063786</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>Am #181</u>	<u>Sgt. Mullen</u>	<u>(Signature)</u>
2nd Half Qual. Date: <u>9/19/17</u>	<u>Howell Clear</u>	Make <u>Colt</u> Model <u>AR15</u> Serial# <u>LBDD004051</u> Cal <u>.223</u>	<u>100</u>	<u>100</u>	<u>Am #181</u>	<u>Sgt. Mullen</u>	<u>(Signature)</u>
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell Clear</u>	Make <u>Colt</u> Model <u>AR15</u> Serial# <u>LBDD004051</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>Am #181</u>	<u>Sgt. Mullen</u>	<u>(Signature)</u>

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Frank Greco #133

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer Model: P220R Caliber: .45 ACP Serial #: 37B035433

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:					
2nd Half Qualification Date:					

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:						
2nd Half Qualification Date:						

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Kenneth Brown #134

Rank: Captain

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035454

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/20/17</u>	<u>HQ</u>	<u>100</u>	<u>100</u>	<u>Lt. [Signature]</u>	<u>KB134</u>
2nd Half Qualification Date: <u>11/28/17</u>	<u>Howell Range</u> <u>38° Sunny</u>	<u>98.3%</u>	<u>97.5%</u>	<u>Sgt. [Signature]</u> <u>132</u>	<u>KB134</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/20/17</u>	<u>HQ</u>	<u>CC335013</u>	<u>100</u>	<u>100</u>	<u>Lt. [Signature]</u>	<u>KB134</u>
2nd Half Qualification Date: <u>11/28/17</u>	<u>Howell Range</u> <u>38° Sunny</u>	<u>CC062420</u>	<u>100%</u>	<u>100%</u>	<u>Sgt. [Signature]</u> <u>132</u>	<u>KB134</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Joseph Wilbert #135

Rank: Lieutenant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035666

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/22/17</u>	<u>WALL INDOOR RANGE</u>	<u>100%</u>	<u>97.50</u>	<u>157</u>	<u>Joe #135</u>
2nd Half Qualification Date: <u>10/3/17</u>	<u>Howell outdoor</u>	<u>96%</u>	<u>97.50</u>	<u>184</u>	<u>Joe #135</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>WALL INDOOR</u>	<u>CC 3619SB</u>	<u>100%</u>	<u>100%</u>	<u>157</u>	<u>Joe #135</u>
2nd Half Qualification Date: <u>11/14/17</u>	<u>Howell outdoor</u>	<u>P500336C</u>	<u>100%</u>	<u>100%</u>	<u>184</u>	<u>Joe #135</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Thomas Dowd #137

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035677

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>Wm PD / HQ</u>	<u>95%</u>	<u>95%</u>	<u>PAG 449</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>10/21/17</u>	<u>HOWELL RANGE</u>	<u>95%</u>	<u>95%</u>	<u>PAG 70 169</u>	<u>[Signature]</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>Wm PD / HQ</u>	<u>A3680726M</u>	<u>100%</u>	<u>100%</u>	<u>PAG 449</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>10/21/17</u>	<u>HOWELL RANGE CLEAR</u>	<u>A3680726M</u>	<u>100%</u>	<u>100%</u>	<u>PAG 70 169</u>	<u>[Signature]</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Michael Steitz #139

Rank: Detective

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220CR

Caliber: .45 ACP

Serial #: 37B035739

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/29/17</u>	<u>Howell</u>	<u>93.3</u>	<u>100</u>	<u>C. L. 170</u>	<u>Michael Steitz #139</u>
2nd Half Qualification Date: <u>11/8/17</u>	<u>Howell</u>	<u>93.3</u>	<u>100</u>	<u>C. L. 170</u>	<u>Michael Steitz #139</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/29/17</u>	<u>Howell</u>	<u>AB674951M</u> <u>#20</u>	<u>100</u>	<u>100</u>	<u>C. L. 170</u>	<u>Michael Steitz #139</u>
2nd Half Qualification Date: <u>11/8/17</u>	<u>Howell</u>	<u>AB674951M</u> <u>#20</u>	<u>100</u>	<u>100</u>	<u>C. L. 170</u>	<u>Michael Steitz #139</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-140

Lisekwski,
Christopher

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Christopher Lisekwski #140Rank: Detective

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B035440

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/29/17	Howell	98.3	100	DW 144	CL 140
2nd Half Qualification Date: 11/2/17	Howell	96.7	100	DW 144	CL 140

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/29/17	Howell	AB674951M #20	100	100	DW 144	CL 140
2nd Half Qualification Date: 11/2/17	Howell	RS00336C	100	100	DW 144	CL 140

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: 3/29/17	Howell outdoor	Make: <u>SA&H Sig</u> Model: <u>AR15 M400</u> Serial#: <u>201503048</u> Cal: <u>.223</u>	100	100	DW 144	CL 140	D
1st Half Fam. Date: 6/20/17	Howell outdoor	Make: <u>Sig</u> Model: <u>AR15</u> Serial#: <u>20503048</u> Cal: <u>.222</u>	PASS FAIL		DW 144	CL 140	D
2nd Half Qual. Date: 10/3/17	Howell outdoor	Make: <u>Sig</u> Model: <u>AR15</u> Serial#: <u>20503048</u> Cal: <u>.223</u>	100	100	DW 144	CL 140	D
2nd Half Fam. Date: 11/2/17	Howell outdoor	Make: <u>Sig Sauer</u> Model: <u>M400</u> Serial#: <u>20K0301BA</u> Cal: <u>.223</u>	PASS FAIL		Sgt. Mull Jy 132	CL 140	D

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Edward Lister #142

Rank: Sergeant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035442

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/4/17</u>	<u>Wall</u>	<u>96.7</u>	<u>97.5</u>	<u>[Signature] 144</u>	<u>[Signature] 142</u>
2nd Half Qualification Date: <u>10/2/17</u>	<u>Howell PD</u>	<u>96.7</u>	<u>98.3</u>	<u>[Signature] 140</u>	<u>[Signature] 142</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/4/17</u>	<u>Wall</u>	<u>RS06345F</u>	<u>100</u>	<u>100</u>	<u>[Signature] 144</u>	<u>[Signature] 142</u>
2nd Half Qualification Date: <u>10/2/17</u>	<u>Howell PD</u>	<u>AB680725M</u>	<u>100</u>	<u>100</u>	<u>[Signature] 140</u>	<u>[Signature] 142</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>4/27/17</u>	<u>Howell</u> <u>Clear</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>20K030188</u> Cal <u>.223</u>	<u>100%</u>	<u>100%</u>	<u>[Signature] 148</u>	<u>[Signature] 142</u>	<u>[Signature]</u>
1st Half Fam. Date: <u>6/6/17</u>	<u>Howell</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>20K030188</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>[Signature] 140</u>	<u>[Signature] 142</u>	<u>[Signature]</u>
2nd Half Qual. Date: <u>10/3/17</u>	<u>Howell</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>20K030188</u> Cal <u>.223</u>	<u>98.5</u>	<u>100</u>	<u>[Signature] 140</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell</u> <u>Clear</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>20K030188</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>[Signature] 140</u> <u>67169</u>	<u>[Signature] 140</u>	<u>[Signature]</u>

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Charles Clark #143

Rank: Lieutenant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035443

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/21/17</u>	<u>Wall HQ Indoor</u>	<u>90</u>	<u>4/24</u> <u>92.5</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>11/29/17</u>	<u>Howell Range</u> <u>52° Sun</u>	<u>91.7°</u>	<u>92.5%</u>	<u>Sgt. Mull</u> <u>132</u>	<u>[Signature]</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/21/17</u>	<u>Wall HQ Indoor</u>	<u>RS06345F</u>	<u>100</u>	<u>100</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>11/29/17</u>	<u>Howell Range</u> <u>52° Sun</u>	<u>CC06242D</u>	<u>100%</u>	<u>100%</u>	<u>Sgt. Mull</u> <u>132</u>	<u>[Signature]</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Daniel Mason #144Rank: Detective

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B035444

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/21/17	Howell	96.7	100	[Signature]	[Signature]
2nd Half Qualification Date: 11/2/17	Howell	91.7	100	[Signature]	[Signature]

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/29/17	Howell	AB674951M #20	100	100	[Signature]	[Signature]
2nd Half Qualification Date: 11/2/17	Howell	RS00336C	100	100	[Signature]	[Signature]

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: 3/19/17	Howell	Make Sig Model M400 Serial# 20140304Y Cal 223	100	100	[Signature]	[Signature]	[Signature]
1st Half Fam. Date: 6/20/17	Howell clear	Make Sig Model M400 Serial# 20C063786 Cal 223	PASS FAIL		[Signature]	[Signature]	[Signature]
2nd Half Qual. Date: 10/3/17	Howell	Make Sig Model M400 Serial# 201063786 Cal 223	100	100	[Signature]	[Signature]	[Signature]
2nd Half Fam. Date: 11/20/17	Howell clear	Make Sig Model M400 Serial# 20C063786 Cal 223	PASS FAIL		[Signature]	[Signature]	[Signature]

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Sean O'Halloran #146

Rank: Lieutenant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035446

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/4/17</u>	<u>Wall</u>	<u>96.7</u>	<u>95</u>	<u>(Signature) 146</u>	<u>(Signature)</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell clear</u>	<u>100</u>	<u>97.50</u>	<u>AM 181</u>	<u>(Signature)</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/4/17</u>	<u>Wall</u>	<u># 335013</u>	<u>100</u>	<u>100</u>	<u>(Signature) 146</u>	<u>(Signature)</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell clear</u>	<u>RS00336 C</u>	<u>100</u>	<u>100</u>	<u>AM #181</u>	<u>(Signature)</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>6/30/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>205 011502</u> Cal <u>.223</u>	<u>98.3</u>	<u>97.5</u>	<u>(Signature) 146</u>	<u>(Signature)</u>	<u>(Signature)</u>
1st Half Fam. Date: <u>6/30/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20063786</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM #181</u>	<u>(Signature)</u>	<u>(Signature)</u>
2nd Half Qual. Date: <u>9/19/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20063786</u> Cal <u>.223</u>	<u>93.3</u>	<u>97.5</u>	<u>AM #181</u>	<u>(Signature)</u>	<u>(Signature)</u>
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20063786</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>67169</u>	<u>(Signature)</u>	<u>(Signature)</u>

2017

2016-148

Lasko, Thomas

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Thomas Lasko #148Rank: Detective

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B035448

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/18/17</u>	<u>Wall</u>	<u>93.3%</u>	<u>97.5</u>	<u>[Signature] 144</u>	<u>[Signature] 148</u>
2nd Half Qualification Date: <u>11/2/17</u>	<u>Hand</u>	<u>88.3</u>	<u>100</u>	<u>[Signature] 140</u>	<u>[Signature] 148</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/18/17</u>	<u>Wall</u>	<u>CC 33514B</u>	<u>100</u>	<u>100</u>	<u>[Signature] 144</u>	<u>[Signature] 148</u>
2nd Half Qualification Date: <u>11/2/17</u>	<u>Hand</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>[Signature] 140</u>	<u>[Signature] 148</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Brian Mansfield #149

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035449

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>Wall HQ</u>	<u>96.79</u>	<u>100%</u>	<u>MB 180</u>	<u>P. Mansfield #149</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/clear</u>	<u>98.3</u>	<u>100</u>	<u>AM #181</u>	<u>P. Mansfield #149</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>Wall HQ</u>	<u>RS06283F</u>	<u>100%</u>	<u>100%</u>	<u>MB 180</u>	<u>P. Mansfield #149</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>AM #181</u>	<u>P. Mansfield #149</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>4/3/17</u>	<u>Howell</u> <u>Cloudy</u>	Make <u>Colt</u> Model <u>.223</u> Serial# <u>LBD037380</u> Cal <u>.223</u>	<u>100%</u>	<u>100%</u>	<u>MB #68</u>	<u>P. Mansfield #149</u>	<u>(Signature)</u>
1st Half Fam. Date: <u>6/30/17</u>	<u>Howell</u> <u>clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>205011555</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM #181</u>	<u>P. Mansfield #149</u>	<u>(Signature)</u>
2nd Half Qual. Date: <u>9/19/17</u>	<u>Howell</u> <u>clear</u>	Make <u>Colt</u> Model <u>AR-15</u> Serial# <u>LBD037380</u> Cal <u>.223</u>	<u>100</u>	<u>100</u>	<u>AM #181</u>	<u>P. Mansfield #149</u>	<u>(Signature)</u>
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell</u> <u>clear</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>205011555</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>67169</u>	<u>P. Mansfield #149</u>	<u>(Signature)</u>

Wall Township Police Department **Individual Firearms Re-Qualification Record**

Name: Scott Fifield #150Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B035450

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 4/25/17	HQ	95%	925	ED #68	AF #150
2nd Half Qualification Date: 10/14/17	Howell PD clear	95	95	67169	AF #150

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 4/25/17	HQ	AB674951M 20	100%	100%	ED #68	AF #150
2nd Half Qualification Date: 10/14/17	Howell PD clear	AB674951M 20	100	100	67169	AF #150

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: 3/22/17	Howell	Make Sig Sauer Model M400 Serial# 20K 030188 Cal .223	100	100	3rd Murray 132	AF #150	D
1st Half Fam. Date: 6/20/17	Howell clear	Make Sig Sauer Model M400 Serial# 20C063786 Cal .223	PASS FAIL		AM181	AF #150	D
2nd Half Qual. Date: 11/20/17	Howell C/clear	Make Colt Model AR-15 Serial# LBD 637600 Cal 223	100	100	Murray	AF #150	D
2nd Half Fam. Date: 11/20/17	Howell clear	Make Colt Model AR-15 Serial# LBD 037600 Cal 223	PASS FAIL		me 124	AF #150	D

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Michael Malone #153

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035453

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>Wm PD/HQ</u>	<u>100%</u>	<u>100%</u>	<u>P. B. A. + 149</u>	<u>Michael Malone 153</u>
2nd Half Qualification Date: <u>11/14/17</u>	<u>Hobart/16/17</u>	<u>98.3</u>	<u>100%</u>	<u>Plu 184</u>	<u>Michael Malone 153</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>Wm PD/HQ</u>	<u>CC33479B</u>	<u>100%</u>	<u>100%</u>	<u>P. B. A. + 149</u>	<u>Michael Malone 153</u>
2nd Half Qualification Date: <u>11/14/17</u>	<u>Hobart/16/17</u>	<u>RS 00336C</u>	<u>100%</u>	<u>100%</u>	<u>Plu 184</u>	<u>Michael Malone 153</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Emmett Idzahl #155

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035445

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/12/17</u>	<u>HQ</u>	<u>88.3</u>	<u>90.00</u>	<u>PH. M. 181</u>	<u>PT. E. 11/28/17</u>
2nd Half Qualification Date: <u>11/28/17</u>	<u>Howell Range 37° Sunny</u>	<u>85.0%</u>	<u>97.5%</u>	<u>Sgt. M. J. 132</u>	<u>PT. E. 11/28/17</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/12/17</u>	<u>HQ</u>	<u>R596530B</u>	<u>100</u>	<u>100</u>	<u>PH. M. 181</u>	<u>PT. E. 11/28/17</u>
2nd Half Qualification Date: <u>11/28/17</u>	<u>Howell Range 37° Sunny</u>	<u>CC062420</u>	<u>100%</u>	<u>100%</u>	<u>M. J. 132</u>	<u>PT. E. 11/28/17</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>11/28/17</u>	<u>Howell Range 37° Sunny</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>21G004974</u> Cal <u>.223</u>	<u>85.0%</u>	<u>95.0%</u>	<u>Sgt. M. J. 132</u>	<u>PT. E. 11/28/17</u>	<u>(Signature)</u>
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Steven Nash #157

Rank: Sergeant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B022757

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/22/17	Wall Indoor Range	100%	100%	BB Joe #135	for
2nd Half Qualification Date: 9/19/17	Howell/Clear	98.3	100	AM181	for

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/29/17	Wall Indoor	CC335019	100%	100%	Joe #135	for
2nd Half Qualification Date: 9/19/17	Howell/Clear	CC335019	100	100	AM181	for

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: 3/23/17	Howell Range Ldop/Wind	Make Sig Sauer Model M400 Serial# 305 011562 Cal .223	91.7	92.50%	JA161	for	for 151
1st Half Fam. Date: 6/20/17	Howell Range clear	Make Sig Sauer Model M400 Serial# 20C063786 Cal .223	PASS FAIL		AM#181	for	for 15
2nd Half Qual. Date: 9/19/17	Howell Range	Make Colt Model A3 Serial# 2B70 04051 Cal .223	95.0	97.50	AM#181	for	for
2nd Half Fam. Date: 11/11/17	outdoors/clear	Make Sig Sauer Model M400 Serial# J0JD11562 Cal .223	PASS FAIL		P179	for	

2017

2016-158

Hatch, Ian

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Ian Hatch #158Rank: Sergeant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220SCaliber: .45 ACPSerial #: 37B002398

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/26/17</u>	<u>Wall Indoor</u>	<u>95%</u>	<u>97.5%</u>	<u>[Signature]</u>	<u>[Signature] #158</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/Clear</u>	<u>95%</u>	<u>100%</u>	<u>AM #181</u>	<u>[Signature] #158</u>
<u>10/7/17</u>	<u>Howell</u>			<u>CA #181</u>	

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/26/17</u>	<u>Wall Indoor</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>[Signature]</u>	<u>[Signature] #158</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/Clear</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>AM #181</u>	<u>[Signature] #158</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>04/27/17</u>	<u>Howell Cloudy</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>20K030188</u> Cal <u>.223</u>	<u>100%</u>	<u>100%</u>	<u>[Signature]</u>	<u>[Signature] #158</u>	<u>[Signature]</u>
1st Half Fam. Date: <u>5/16/17</u>	<u>F/O's</u>	Make <u>S&W</u> Model <u>M9CC</u> Serial# <u>150047-9</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>[Signature]</u>	<u>[Signature] #158</u>	<u>[Signature]</u>
2nd Half Qual. Date: <u>9/19/17</u>	<u>Howell/Clear</u>	Make <u>Colt</u> Model <u>AR-15</u> Serial# <u>LBDO32600</u> Cal <u>.223</u>	<u>96.7%</u>	<u>100%</u>	<u>AM #181</u>	<u>[Signature] #158</u>	<u>[Signature]</u>
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell Clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20C063786</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>[Signature]</u>	<u>[Signature] #158</u>	<u>[Signature]</u>

2017-159

Kuhl, Frank

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Frank Kuhl #159Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B022959

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 01/18/17	Wall HQ/Indoor	88.3	90	P. X. M. 161	P. K. 159
2nd Half Qualification Date: 12/02/17	Howell/Outdoor	91.7%	90	P. X. M. 161	P. K. 159

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 01/18/17	Wall HQ/Indoor	R5003366	100	100	P. X. M. 161	P. K. 159
2nd Half Qualification Date: 12/02/17	Howell/Outdoor	0033479B	100	100	P. X. M. 161	P. K. 159

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					

2017-160

Gallagher,
Christopher

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Christopher Gallagher #160Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer Model: P220R Caliber: .45 ACP Serial #: 37B035660

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/23/17</u>	<u>HQ</u>	<u>83.3</u>	<u>82.50</u>	<u>PH. M. #181</u>	<u>CR. AG #160</u>
2nd Half Qualification Date: <u>11/29/17</u>	<u>Howell Range 50' sun</u>	<u>91.7%</u>	<u>95.0%</u>	<u>St. M. #132</u>	<u>CR. AG #160</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/23/17</u>	<u>HQ</u>	<u>RS00336 C</u>	<u>100</u>	<u>100</u>	<u>PH. M. #181</u>	<u>CR. AG #160</u>
2nd Half Qualification Date: <u>11/29/17</u>	<u>Howell Range 50' sun</u>	<u>CC06242D</u>	<u>100</u>	<u>100%</u>	<u>St. M. #132</u>	<u>CR. AG #160</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>03/23/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>2016 030188</u> Cal <u>.223</u>	<u>91.7</u>	<u>92.5</u>	<u>JMA</u>	<u>CR. AG</u>	<u>D</u>
1st Half Fam. Date: <u>6/20/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>201011555</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM #181</u>	<u>CR. AG</u>	<u>D</u>
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	<u>PASS</u> <u>FAIL</u>				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Justin Hudson #161

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035661

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 04/10/17	Wall PD / Indors	95.7	97.5	AL #180	PJ Hudson
2nd Half Qualification Date: 10/1/17	Howell	96.7	98.3	E. H. #142	PJ Hudson

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 04/10/17	Wall PD / Indors	050603F	100	100	AL #180	PJ Hudson
2nd Half Qualification Date: 10/1/17	Howell	AB68072SM	100	100	E. H. #142	PJ Hudson

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: 05/10/17	Howell Clear	Make Sig Sauer Model M400 Serial# 20K 030188 Cal 223	96.7	100	AL #180	PJ Hudson	[Signature]
1st Half Fam. Date: 6/20/17	Howell Clear	Make Sig Sauer Model M400 Serial# 20T011555 Cal 223	PASS FAIL		AM #181	PJ Hudson	[Signature]
2nd Half Qual. Date: 10/7/17	Howell Hot Sunny	Make Sig Sauer Model M400 Serial# 216004974 Cal 223	98.3	100	E. H. #142	PJ Hudson	[Signature]
2nd Half Fam. Date: 11/20/17	Howell Cold Sunny	Make Colt Model AR15 Serial# L105037610 Cal 223	PASS FAIL		ST #132	PJ Hudson	[Signature]

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: James Cadigan #162Rank: Sergeant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220Caliber: .45 ACPSerial #: 37B033972

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/6/17</u>	<u>HQ</u>	<u>98.3</u>	<u>100</u>	<u>PH. M... #181</u>	<u>[Signature] #162</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/clear</u>	<u>100</u>	<u>100</u>	<u>AM #181</u>	<u>[Signature] #162</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/6/17</u>	<u>HQ</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>PH. M... #181</u>	<u>[Signature] #162</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>AM #181</u>	<u>[Signature] #162</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>4/7/17</u>	<u>Howell</u> <u>Clady</u>	Make <u>Colt</u> Model <u>.223</u> Serial# <u>150037380</u> Cal <u>.223</u>	<u>98.3</u>	<u>100%</u>	<u>CS #160</u>	<u>[Signature] #162</u>	<u>[Signature]</u>
1st Half Fam. Date: <u>6/30/17</u>	<u>Howell</u> <u>clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20J011555</u> Cal <u>.323</u>	<u>PASS</u> <u>FAIL</u>		<u>AM #181</u>	<u>[Signature] #162</u>	<u>[Signature]</u>
2nd Half Qual. Date: <u>9/19/17</u>	<u>Howell</u> <u>clear</u>	Make <u>Colt</u> Model <u>AR15</u> Serial# <u>LB0031600</u> Cal <u>.223</u>	<u>100</u>	<u>100</u>	<u>AM #181</u>	<u>[Signature] #162</u>	<u>[Signature]</u>
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell</u> <u>clear</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>20J011555</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>G7169</u>	<u>[Signature] #162</u>	<u>[Signature]</u>

2017-163

Hurden, Mike

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Mike Hurden #163Rank: Sergeant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B035663

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/26/17</u>	<u>Wall Indoor</u>	<u>93.3%</u>	<u>95%</u>		
2nd Half Qualification Date: <u>11/8/17</u>	<u>Howell</u>	<u>95</u>	<u>100</u>	<u>CZ 140</u>	<u>163</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/26/17</u>	<u>Wall Indoor</u>	<u>RS063366</u>	<u>100</u>	<u>100</u>		
2nd Half Qualification Date: <u>11/8/17</u>	<u>Howell</u>	<u>AB674951M #20</u>	<u>100</u>	<u>100</u>	<u>CZ 140</u>	<u>163</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>04/27/17</u>	<u>Howell</u> <u>Cloudy</u>	Make <u>Colt</u> Model <u>15A3</u> Serial# <u>LB0057380</u> Cal <u>.223</u>	<u>93.3</u>	<u>100</u>	<u>5/168</u>	<u>11/163</u>	
1st Half Fam. Date: <u>6/30/17</u>	<u>Howell</u> <u>Clear</u>	Make <u>Sig Sauer</u> Model <u>1400</u> Serial# <u>30C063786</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>11/18</u>	<u>11/163</u>	
2nd Half Qual. Date: <u>10/3/17</u>	<u>Howell</u>	Make <u>Sig</u> Model <u>1400</u> Serial# <u>201063176</u> Cal <u>.223</u>	<u>100</u>	<u>100</u>	<u>CZ 140</u>	<u>11/163</u>	
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell</u> <u>Clear</u>	Make <u>Colt</u> Model <u>AR15</u> Serial# <u>LB0037300</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>140</u> <u>184</u>	<u>11/163</u>	

2017-164

Cox, Adam

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Adam Cox #164Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B035664

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>Indoors/HQ</u>	<u>91.7</u>	<u>95%</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>11/11/17</u>	<u>Outdoors/Clear</u>	<u>90.0%</u>	<u>90.0%</u>	<u>[Signature]</u>	<u>[Signature]</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>Indoors/HQ</u>	<u>AB 674954M</u>	<u>100</u>	<u>100</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>11/11/17</u>	<u>Outdoors/Clear</u>	<u>RS96530B</u>	<u>100</u>	<u>100</u>	<u>[Signature]</u>	<u>[Signature]</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017

2016-165

Santoro, Dan

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Dan Santoro #165Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B035665

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>WTPD/HQ</u>	<u>96.7%</u>	<u>100%</u>	<u>R. P. A. #149</u>	<u>Dan Santoro</u>
2nd Half Qualification Date: <u>11/18/17</u>	<u>Hovell Range 40° P. Cloudy</u>	<u>96.7%</u>	<u>100%</u>	<u>Sgt. Muel 132</u>	<u>Dan Santoro</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>WTPD/HQ</u>	<u>RS96530B</u>	<u>100%</u>	<u>100%</u>	<u>R. P. A. #149</u>	<u>Dan Santoro</u>
2nd Half Qualification Date: <u>11/18/17</u>	<u>Hovell Range 40° P. Cloudy</u>	<u>AB674954M</u>	<u>100%</u>	<u>100%</u>	<u>Sgt. Muel 132</u>	<u>Dan Santoro</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make					
		Model	PASS				
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make					
		Model	PASS				
		Serial#	FAIL				
		Cal					

2017-166

Kelly, Jason

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Jason Kelly #166Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B035676

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/24/17</u>	<u>WTPD/HQ</u>	<u>1002</u>	<u>1002</u>	<u>P. J. Kelly #149</u>	<u>PLK #166</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/Clear</u>	<u>93.3</u>	<u>92.50</u>	<u>AM #181</u>	<u>PLK #166</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/24/17</u>	<u>WTPD/HQ</u>	<u>AB68072SM</u>	<u>1002</u>	<u>1002</u>	<u>P. J. Kelly #149</u>	<u>PLK #166</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/Clear</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>AM #181</u>	<u>PLK #166</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>3/22</u>	<u>Howell Clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20K030188</u> Cal <u>.223</u>	<u>88.3</u>	<u>90</u>	<u>J. Kelly</u>	<u>PLK #166</u>	<u>A</u>
1st Half Fam. Date: <u>6/20</u>	<u>Howell Clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20J011555</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM #181</u>	<u>PLK #166</u>	<u>A</u>
2nd Half Qual. Date: <u>9/19/17</u>	<u>Howell Clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20J011555</u> Cal <u>.223</u>	<u>91.7</u>	<u>92.50</u>	<u>AM #181</u>	<u>PLK #166</u>	<u>A</u>
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell Clear</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>20J011555</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>GA 169</u>	<u>PLK #166</u>	<u>A</u>

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Miles Shanklin #167

Rank: Sergeant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035667

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/23/17	HQ	91.7	100	AM#181	RMK167
2nd Half Qualification Date: 9/19/17	Howell/clear	95.0	100	AM#181	RMK167

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/23/17	HQ	RS00336C	100	100	AM#181	RMK167
2nd Half Qualification Date: 09/19/17	Howell/clear	RS00336C	100	100	AM#181	RMK167

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: 05/22/17	Howell clear	Make Sig Sauer Model M400 Serial# 205 011501 Cal .223	91.7	97.5	AM#181	RMK167	(Signature)
1st Half Fam. Date: 6/30/17	Howell clear	Make Sig Sauer Model M400 Serial# 205011555 Cal .223	PASS FAIL		AM#181	RMK167	(Signature)
2nd Half Qual. Date: 9/19/17	Howell clear	Make Sig Sauer Model M400 Serial# 205011555 Cal .223	98.3	95.0	AM#181	RMK167	(Signature)
2nd Half Fam. Date: 11/20/17	Howell clear	Make Sig Sauer Model M400 Serial# 205011555 Cal .223	PASS FAIL		67169	RMK167	(Signature)

2017-168

Jennings, Eric

Wall Township Police Department **Individual Firearms Re-Qualification Record**

Name: Eric Jennings #168Rank: Sergeant

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B035680

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 4/25/17	HQ	96.7	95	G7169	EP#168
2nd Half Qualification Date: 09/19/17	Howell Clear	98.3	95.0	AM#181	EP#168

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 4/25/17	HQ	RS96547B	100	100	G7169	EP#168
2nd Half Qualification Date: 09/19/17	Howell Clear	RS96547B	100	100	AM181	EP#168

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: 3/29/17	Howell	Make S&W Model M400 Serial# 20504562 Cal .223	100	100	22/140	EP#168	(Signature)
1st Half Fam. Date: 6/20/17	Howell Clear	Make Sig Sauer Model M400 Serial# 205011555 Cal .223	PASS FAIL		AM#181	EP#168	(Signature)
2nd Half Qual. Date: 09/19/17	Howell Clear	Make Colt Model A3 Serial# LBD004051 Cal .223	100	100	AM181	EP#168	(Signature)
2nd Half Fam. Date: 11/20/17	Howell Clear	Make S&W Model M400 Serial# 20511555 Cal .223	PASS FAIL		G7169	EP#168	(Signature)

2017-169
Fuller, Gary

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Gary Fuller #169

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B033669

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:	HQ	96.7	95	ES #168	67169
2nd Half Qualification Date: 09/19/17	Howell	98.3	97.5	ES #168	67169

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:	HQ	RS96517B	100	100	ES #168	67169
2nd Half Qualification Date: 09/19/17	HPD	RS96517B	100	100	ES #168	67169

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: 01/27/17	Howell HQ	Make: Sig Model: M400 Serial#: 20K030188 Cal: 223	100	100	ES #168	67169	②
1st Half Fam. Date: 6/30/17	Howell Clear	Make: Sig Sauer Model: M400 Serial#: 20C063286 Cal: .283	PASS FAIL		AM #181	67169	①
2nd Half Qual. Date: 9/19/17	Howell Cloudy	Make: Colt Model: A3 Serial#: LDD0041051 Cal: .283	100	100	AM #181	67169	②
2nd Half Fam. Date: 11/20/17	Howell Clear	Make: Colt Model: A3 Serial#: LBD0004181 Cal: 223	PASS FAIL		AM #181	67169	②

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Craig Whitman #171

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B033671

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/13/17</u>	<u>Wall HQ</u>	<u>90%</u>	<u>87.5%</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date:					

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/13/17</u>	<u>Wall HQ</u>	<u>RS06283F</u>	<u>100%</u>	<u>100%</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date:						

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Vincent Mazzaccaro #172

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B033672

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/13/17</u>	<u>UTPD</u>	<u>88.3</u>	<u>95.0</u>	<u>Pat m 184</u>	<u>M. Mazzaccaro #172</u>
2nd Half Qualification Date: <u>09/19/17</u>	<u>Howell/clear</u>	<u>96.7</u>	<u>95.0</u>	<u>AM 181</u>	<u>Sgt. Mazzaccaro #172</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/13/17</u>	<u>UTPD</u>	<u>2592547B</u>	<u>100%</u>	<u>100%</u>	<u>Pat m 184</u>	<u>M. Mazzaccaro #172</u>
2nd Half Qualification Date: <u>09/19/17</u>	<u>Howell clear</u>	<u>RS96547B</u>	<u>100</u>	<u>100</u>	<u>AM 181</u>	<u>Sgt. Mazzaccaro #172</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>3/22/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>205 011902</u> Cal <u>.223</u>	<u>96.7</u>	<u>100</u>	<u>Pat 161</u>	<u>M. Mazzaccaro #172</u>	<u>[Signature]</u>
1st Half Fam. Date: <u>6/20/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>205063726</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM #181</u>	<u>M. Mazzaccaro #172</u>	<u>[Signature]</u>
2nd Half Qual. Date: <u>9/19/17</u>	<u>Howell clear</u>	Make <u>Colt</u> Model <u>A3</u> Serial# <u>LB0004051</u> Cal <u>.223</u>	<u>98.3</u>	<u>95.00</u>	<u>AM #181</u>	<u>Sgt. Mazzaccaro #172</u>	<u>[Signature]</u>
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>206063786</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>GT 169</u>	<u>Sgt. Mazzaccaro #172</u>	<u>[Signature]</u>

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Andrew Baldino #174

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B033674

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/24/17</u>	<u>WTPD/HQ</u>	<u>90.0%</u>	<u>90.0%</u>	<u>Pat #174</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>10/7/17</u>	<u>Howell PD</u>	<u>93.3%</u>	<u>96.7%</u>	<u>El #174</u>	<u>[Signature]</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/24/17</u>	<u>WTPD/HQ</u>	<u>R500336C</u>	<u>100%</u>	<u>100%</u>	<u>Pat #174</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>10/7/17</u>	<u>Howell PD</u>	<u>ABC65725U</u>	<u>100%</u>	<u>100%</u>	<u>El #174</u>	<u>[Signature]</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>04/27/17</u>	<u>Howell Clady</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>20K030188</u> Cal <u>.223</u>	<u>98.3</u>	<u>100%</u>	<u>AM #68</u>	<u>[Signature]</u>	<u>[Signature]</u>
1st Half Fam. Date: <u>6/30/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20C063786</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM #181</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qual. Date: <u>10/7/17</u>	<u>Howell Hot sunny</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>21G004974</u> Cal <u>556</u>	<u>95%</u>	<u>78.3%</u>	<u>El #174</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell Cold, clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20C063786</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>GH #69</u>	<u>[Signature]</u>	<u>[Signature]</u>

2017-175
Brady, Patrick

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Patrick Brady #175

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B033675

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>WTPD/HQ</u>	<u>93.3%</u>	<u>96.0%</u>	<u>[Signature]</u>	<u>Pat #175</u>
2nd Half Qualification Date: <u>10/21/17</u>	<u>HOWELL RANGE CLEAR</u>	<u>96.7%</u>	<u>96.7%</u>	<u>ADG [Signature]</u>	<u>Pat. B. #175</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>WTPD/HQ</u>	<u>R506283F</u>	<u>100%</u>	<u>100%</u>	<u>[Signature]</u>	<u>Pat #175</u>
2nd Half Qualification Date: <u>10/21/17</u>	<u>HOWELL RANGE CLEAR</u>	<u>R506283F</u>	<u>100</u>	<u>100</u>	<u>ADG [Signature]</u>	<u>Pat #175</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date: <u>12/02/17</u>	<u>Howell Clear Cold</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>200013786</u> Cal <u>.223</u>	<u>96.7</u>	<u>97.5</u>	<u>[Signature]</u>	<u>Pat #175</u>	<u>[Signature]</u>
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Amy Drackwicz #177

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B020177

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/24/17	Indoor/HQ	85%	92.5%	[Signature]	[Signature]
2nd Half Qualification Date: 9/19/17	Indoor/HQ	92.5%	92.50	[Signature]	[Signature]
Howell/clear		93.3	AM 181		

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/24/17	Indoor/HQ	AB674954M	100	100	[Signature]	[Signature]
2nd Half Qualification Date: 9/19/17	Howell/clear	AB674954M 28	100	100	AM#181	[Signature]

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: 5/18/17	Howell Clear	Make: Sig Sauer Model: M400 Serial: 202030163 Cal: .223	88.3	87.5	[Signature]	[Signature]	[Signature]
1st Half Fam. Date: 6/30/17	Howell clear	Make: Sig Sauer Model: M400 Serial#: 20C063786 Cal: .223	PASS FAIL		AM#181	[Signature]	[Signature]
2nd Half Qual. Date: 8/19/17	Howell	Make: Colt Model: A3 Serial#: LB003700 Cal: .223	88.3	87.5	AM#181	[Signature]	[Signature]
2nd Half Fam. Date: 11/20/17	Howell clear	Make: Colt Model: A3 Serial#: LB003700 Cal: .223	PASS FAIL		[Signature]	[Signature]	[Signature]

2017-178
McKay, Orin

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Orin McKay #178

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B033678

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>04/10/17</u>	<u>Wall HPD Indoor</u>	<u>88.3</u>	<u>92.50</u>	<u>P. J. A. M. / 161</u>	<u>[Signature] 178</u>
2nd Half Qualification Date: <u>11/20/17</u>	<u>Howell, Clear</u>	<u>90.0</u>	<u>92.50</u>	<u>[Signature]</u>	<u>[Signature] 178</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>04/10/17</u>	<u>Wall HPD / Indoor</u>	<u>RS06283F</u>	<u>100</u>	<u>100</u>	<u>P. J. A. M. / 161</u>	<u>[Signature] 178</u>
2nd Half Qualification Date: <u>11/20/17</u>	<u>Howell, Clear</u>	<u>RS06283F</u>	<u>100</u>	<u>100</u>	<u>[Signature]</u>	<u>[Signature] 28</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Jonathan Gramlich #179

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035679

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>HQ</u>	<u>96.7</u>	<u>92.50</u>	<u>AM#181</u>	<u>JG179</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/clear</u>	<u>98.3</u>	<u>95.00</u>	<u>AM#181</u>	<u>JG179</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>HQ</u>	<u>R500336 C</u>	<u>100</u>	<u>100</u>	<u>AM#181</u>	<u>JG179</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/clear</u>	<u>R500336 C</u>	<u>100</u>	<u>100</u>	<u>AM#181</u>	<u>JG179</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>03/20/17</u>	<u>Howell Clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>203011501</u> Cal <u>.223</u>	<u>96.7</u>	<u>98.3</u>	<u>JH/61</u>	<u>JG179</u>	<u>D151</u>
1st Half Fam. Date: <u>6/20/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20C063726</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM#181</u>	<u>JG179</u>	<u>D</u>
2nd Half Qual. Date: <u>09/19/17</u>	<u>Howell Clear</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>203011555</u> Cal <u>.223</u>	<u>93.3</u>	<u>100%</u>	<u>JG179</u> <u>AM#181</u>	<u>JG179</u>	<u>D</u>
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell clear</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>203011562</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM#181</u>	<u>JG179</u>	<u>D</u>

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Vincent Reinecke #180

Rank: Patrolman



DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP



Serial #: 37B002307

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>WTPD/HQ</u>	<u>100%</u>	<u>97.5%</u>	<u>PNBAA+149</u>	
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/clear</u>	<u>100</u>	<u>100</u>	<u>AM#181</u>	

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>WTPD/HQ</u>	<u>RS06283F</u>	<u>100%</u>	<u>100%</u>	<u>PNBAA+149</u>	
2nd Half Qualification Date: <u>09/19/17</u>	<u>Howell/clear</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>AM#181</u>	

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>03/08/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>201C 030158</u> Cal <u>.223</u>	<u>93.3</u>	<u>95.0</u>	<u>gnt 101</u>		
1st Half Fam. Date: <u>06/30/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20C063786</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM#181</u>		
2nd Half Qual. Date: <u>9/19/17</u>	<u>Howell clear</u>	Make <u>Colt</u> Model <u>AR-15</u> Serial# <u>LBDO37600</u> Cal <u>.223</u>	<u>95.0</u>	<u>95.0</u>	<u>AM#181</u>		
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell clear</u>	Make <u>Colt</u> Model <u>AR-15</u> Serial# <u>LBDO37600</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM#181</u>		

2017-181
Marino, Anthony

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Anthony Marino #181

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035681

Date of Qualification	Location / Weather	HQCI Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>HQ</u>	<u>96.7</u>	<u>92.5</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell Range</u>	<u>98.3</u>	<u>97.5</u>	<u>67169</u>	<u>[Signature]</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>HQ</u>	<u>RS003361</u>	<u>100</u>	<u>100</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell Range</u>	<u>RS003361</u>	<u>100</u>	<u>100</u>	<u>67169</u>	<u>[Signature]</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>5/22/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>205011561</u> Cal <u>.223</u>	<u>98.3</u>	<u>100</u>	<u>[Signature]</u>	<u>AM181</u>	<u>[Signature]</u>
1st Half Fam. Date: <u>6/20/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>205011561</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>67169</u>	<u>AM181</u>	<u>[Signature]</u>
2nd Half Qual. Date: <u>9/19/17</u>	<u>Howell Range clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>205011561</u> Cal <u>.223</u>	<u>100</u>	<u>100</u>	<u>67169</u>	<u>AM181</u>	<u>[Signature]</u>
2nd Half Fam. Date: <u>11/20/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>205011561</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>67169</u>	<u>AM181</u>	<u>[Signature]</u>

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Joseph Antunez #182

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220

Caliber: .45 ACP

Serial #: 37B035682

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/10/17</u>	<u>HQ</u>	<u>95%</u>	<u>95%</u>	<u>PA182/4/6/1</u>	<u>PA182/4/6/1</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/clear</u>	<u>100</u>	<u>100</u>	<u>AM#181</u>	<u>PA182</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/10/17</u>	<u>HQ</u>	<u>2506283F</u>	<u>100%</u>	<u>100%</u>	<u>PA182/4/6/1</u>	<u>PA182/4/6/1</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/clear</u>	<u>R500336C</u>	<u>100</u>	<u>100</u>	<u>AM#181</u>	<u>PA182</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>03/23/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20K 030188</u> Cal <u>223</u>	<u>95</u>	<u>100</u>	<u>gm</u>	<u>PA182</u>	<u>PA182</u>
1st Half Fam. Date: <u>6/20/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20C063786</u> Cal <u>223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM#181</u>	<u>PA182</u>	<u>PA182</u>
2nd Half Qual. Date: <u>9/19/17</u>	<u>Howell clear</u>	Make <u>Colt</u> Model <u>AR15</u> Serial# <u>LBD037600</u> Cal <u>223</u>	<u>96.7</u>	<u>97.5</u>	<u>AM#181</u>	<u>PA182</u>	<u>PA182</u>
2nd Half Fam. Date: <u>12/2/17</u>	<u>Howell clear</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>20C063780</u> Cal	<u>PASS</u> <u>FAIL</u>		<u>PA182/6/8</u>	<u>PA182</u>	<u>PA182</u>

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Megan Alexander #183

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220

Caliber: .45 ACP

Serial #: 37B035683

Date of Qualification	Location / Weather	HQCI Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/13/17</u>	<u>WTPD/HQ</u>	<u>81.7</u>	<u>87.5</u>	<u>R. B. A. +149</u>	<u>MA 183</u>
2nd Half Qualification Date: <u>11/18/17</u>	<u>Howell Range 45° P. Cloudy</u>	<u>80%</u>	<u>90%</u>	<u>Sgt. Mullen Jy 152</u>	<u>MA 183</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/13/17</u>	<u>WTPD/HQ</u>	<u>RS06283F</u>	<u>100%</u>	<u>100%</u>	<u>R. B. A. +149</u>	<u>MA 183</u>
2nd Half Qualification Date: <u>11/18/17</u>	<u>Howell Range 48° P. Cloudy</u>	<u>RS96530B</u>	<u>100%</u>	<u>100%</u>	<u>Sgt. Mullen Jy 132</u>	<u>MA 183</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make					
		Model	PASS				
		Serial#					
		Cal	FAIL				
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make					
		Model	PASS				
		Serial#					
		Cal	FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Kevin Wagner #184

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220

Caliber: .45 ACP

Serial #: 37B035684

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/13/17</u>	<u>Wall HQ</u>	<u>90%</u>	<u>85.0</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/clear</u>	<u>95.0</u>	<u>92.50</u>	<u>AM#181</u>	<u>[Signature]</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/13/17</u>	<u>Wall HQ</u>	<u>6633542</u>	<u>100%</u>	<u>100%</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell/clear</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>AM181</u>	<u>[Signature]</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>4/13/17</u>	<u>Howell/clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>206030158</u> Cal <u>.223</u>	<u>96.7</u>	<u>100%</u>	<u>[Signature]</u>	<u>[Signature]</u>	<u>[Signature]</u>
1st Half Fam. Date: <u>6/20/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>206063786</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM#181</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qual. Date: <u>9/19/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>206063786</u> Cal <u>.223</u>	<u>98.3</u>	<u>100</u>	<u>AM#181</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Fam. Date: <u>10/20/17</u>	<u>Howell clear</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>206063786</u> Cal <u>223</u>	<u>PASS</u> <u>FAIL</u>		<u>67169</u>	<u>[Signature]</u>	<u>[Signature]</u>

2017-185

Baker, Jerry

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Jerry Baker #185Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220Caliber: .45 ACPSerial #: 37B001228

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>HQ</u>	<u>96.7</u>	<u>95.00</u>	<u>H.M. #181</u>	<u>JB #185</u>
2nd Half Qualification Date: <u>11/11/17</u>	<u>outdoor/clear</u>	<u>93.3</u>	<u>97.5</u>	<u>JBA 179</u>	<u>JBA 185</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>HQ</u>	<u>R596530B</u>	<u>100</u>	<u>100</u>	<u>H.M. #181</u>	<u>JB #185</u>
2nd Half Qualification Date: <u>11/11/17</u>	<u>outdoor/clear</u>	<u>AB66754M</u>	<u>100</u>	<u>100</u>	<u>JBA 179</u>	<u>JBA 185</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-186
Lacher, Anthony

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Anthony Lacher #186

Rank: Patrolman


DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220

Caliber: .45 ACP

Serial #: 37B001522

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/22/17</u>	<u>Howell 11/1/17</u>	<u>83.3</u>	<u>85</u>	<u>172.2 mi #184</u>	
2nd Half Qualification Date: <u>11/2/17</u>	<u>Howell</u>	<u>88.3</u>	<u>100</u>	<u>16 140</u>	

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>7/4/17</u>	<u>WTRO</u>	<u>RS06345P</u>	<u>100%</u>	<u>100%</u>	<u>184</u>	
2nd Half Qualification Date: <u>11/2/17</u>	<u>Howell</u>	<u>RS06345P</u>	<u>100</u>	<u>100</u>	<u>140</u>	

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Michael Cacciatore #187

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220

Caliber: .45 ACP

Serial #: 37B001511

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/26/17</u>	<u>Wall HQ Indoor</u>	<u>90%</u>	<u>92.5%</u>	<u>[Signature] 180</u>	<u>[Signature] 187</u>
2nd Half Qualification Date: <u>11/28/17</u>	<u>Howell Range Sunny</u>	<u>93.3%</u>	<u>92.5%</u>	<u>Sgt Mull 132</u>	<u>[Signature] 187</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/26/17</u>	<u>Wall Indoor HQ</u>	<u>AB686725M</u>	<u>100%</u>	<u>100%</u>	<u>[Signature] 180</u>	<u>[Signature] 187</u>
2nd Half Qualification Date: <u>11/28/17</u>	<u>Howell Range Sunny</u>	<u>AB674954M</u>	<u>100%</u>	<u>100%</u>	<u>Sgt Mull 132</u>	<u>[Signature] 187</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date: <u>12/2/17</u>	<u>Howell Clear</u>	Make <u>Sig</u> Model <u>m400</u> Serial# <u>200003700</u> Cal <u>.273</u>	<u>100%</u>	<u>100%</u>	<u>[Signature] 180</u>	<u>[Signature] 187</u>	<u>[Signature]</u>
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-188

Tancredi, Michael

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Michael Tancredi #188Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220Caliber: .45 ACPSerial #: 37B001513

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/23/17	HQ	100%	95%	PH #181	MT 6/18/17
2nd Half Qualification Date: 11/14/17	Howell/KM	96.7%	100%	PH #184	MT

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: 3/23/17	HQ	R500336C	100	100	PH #181	MT 6/18/17
2nd Half Qualification Date: 11/14/17	Howell/KM	R6690725M	100%	100%	PH #184	MT

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					

2017-189

Margadonna,
Timothy

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Timothy Margadonna #189Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

 Make: Sig Sauer Model: P220 Caliber: .45 ACP Serial #: 37B002284

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/12/17</u>	<u>HQ</u>	<u>90.0</u>	<u>90.00</u>	<u>PH. Margadonna 181</u>	<u>TM 189</u>
2nd Half Qualification Date: <u>4/12/17</u>	<u>Howell</u>	<u>90.0</u>	<u>100</u>	<u>CH 140</u>	<u>TM 189</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/12/17</u>	<u>HQ</u>	<u>RS96530B</u>	<u>100</u>	<u>100</u>	<u>PH. Margadonna 181</u>	<u>TM 189</u>
2nd Half Qualification Date: <u>4/12/17</u>	<u>Howell</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>CH 140</u>	<u>TM 189</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					

2017-190
Roland, Shane

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Shane Roland #190

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220

Caliber: .45 ACP

Serial #: 37B001508

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>04/18/17</u>	<u>Wall HQ Indoor</u>	<u>90</u>	<u>92.5</u>	<u>Pt. J. M. 101</u>	<u>Shane 190</u>
2nd Half Qualification Date: <u>11/29/17</u>	<u>Howell Range 50' Sunny</u>	<u>96.7%</u>	<u>92.5%</u>	<u>Sgt. M. J. 132</u>	<u>Shane 190</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>04/18/17</u>	<u>Wall HQ Indoor</u>	<u>R5003362</u>	<u>100</u>	<u>100</u>	<u>Pt. J. M. 101</u>	<u>Shane 190</u>
2nd Half Qualification Date: <u>11/29/17</u>	<u>Howell Range 50' Sunny</u>	<u>CC06242D</u>	<u>100</u>	<u>100</u>	<u>Sgt. M. J. 132</u>	<u>Shane 190</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-191
Hughes, Ty

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Ty Hughes #191

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220

Caliber: .45 ACP

Serial #: 37B002305

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>Wm PD/HQ</u>	<u>91.7</u>	<u>97.5</u>	<u>PDHAA #149</u>	<u>Ty Hughes 191</u>
2nd Half Qualification Date: <u>10/21/17</u>	<u>HOWELL RANGE CLEAR</u>	<u>88.7</u>	<u>88.7</u>	<u>BT 169</u>	<u>Ty Hughes 191</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>Wm PD/HQ</u>	<u>RS 06283F</u>	<u>100</u>	<u>100</u>	<u>PDHAA #149</u>	<u>Ty Hughes 191</u>
2nd Half Qualification Date: <u>10/21/17</u>	<u>HOWELL RANGE CLEAR</u>	<u>RS 06283F</u>	<u>100</u>	<u>100</u>	<u>BT 169</u>	<u>Ty Hughes 191</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					

2017-192
Mason, Chris

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Chris Mason #192

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220

Caliber: .45 ACP

Serial #: 37B001519

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>WTPD / HQ</u>	<u>86.7%</u>	<u>90.0%</u>	<u>RBAA #149</u>	<u>Chris Mason #192</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell Clgy.</u>	<u>98.3</u>	<u>92.50</u>	<u>AM #181</u>	<u>Chris Mason #192</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/3/17</u>	<u>WTPD / HQ</u>	<u>RS06283F</u>	<u>100%</u>	<u>100%</u>	<u>RBAA #149</u>	<u>Chris Mason #192</u>
2nd Half Qualification Date: <u>9/19/17</u>	<u>Howell Clgy.</u>	<u>AB674954M</u>	<u>100</u>	<u>100</u>	<u>AM #181</u>	<u>Chris Mason #192</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date: <u>04/27/17</u>	<u>Howell Clady</u>	Make <u>Colt</u> Model <u>.223</u> Serial# <u>LB0037380</u> Cal <u>.223</u>	<u>90%</u>	<u>92.5</u>	<u>AM #149</u>	<u>Chris Mason #192</u>	<u>Chris Mason #192</u>
1st Half Fam. Date: <u>6/20/17</u>	<u>Howell clear</u>	Make <u>Sig Sauer</u> Model <u>M400</u> Serial# <u>20C063786</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>AM #181</u>	<u>Chris Mason #192</u>	<u>Chris Mason #192</u>
2nd Half Qual. Date: <u>09/19/17</u>	<u>Howell Clady</u>	Make <u>Colt</u> Model <u>AR-15</u> Serial# <u>LB0000051</u> Cal <u>.223</u>	<u>88.3</u>	<u>92.5</u>	<u>AM #181</u>	<u>Chris Mason #192</u>	<u>Chris Mason #192</u>
2nd Half Fam. Date: <u>11/28/17</u>	<u>Howell Sunny</u>	Make <u>Sig</u> Model <u>M400</u> Serial# <u>20C063786</u> Cal <u>.223</u>	<u>PASS</u> <u>FAIL</u>		<u>St. Hall Jy 132</u>	<u>Chris Mason #192</u>	<u>Chris Mason #192</u>

2017-193
Whitman, Corey

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Corey Whitman #193

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B002392

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:					
2nd Half Qualification Date:					

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:						
2nd Half Qualification Date:						

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Thomas Gavaghan #194

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B022962

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/02/17</u>	<u>HQ</u>	<u>81.7</u>	<u>92.50</u>	<u>PH. Mues #181</u>	<u>PH. Thomas Gavaghan #194</u>
2nd Half Qualification Date: <u>10/14/17</u>	<u>Howell Range Rain</u>	<u>95%</u>	<u>95%</u>	<u>PH. Mues #181</u>	<u>PH. Thomas Gavaghan #194</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/02/17</u>	<u>HQ</u>	<u>R506283F</u>	<u>100</u>	<u>100</u>	<u>PH. Mues #181</u>	<u>PH. Thomas Gavaghan #194</u>
2nd Half Qualification Date: <u>10/14/17</u>	<u>Howell PD Rain</u>	<u>R506283F</u>	<u>100%</u>	<u>100%</u>	<u>PH. Mues #181</u>	<u>PH. Thomas Gavaghan #194</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-195
Swenson, Stephen

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Stephen Swenson #195

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B022925

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/23/17</u>	<u>HQ</u>	<u>83.3</u>	<u>85.00</u>	<u>PH. M. #181</u>	<u>PH. #195</u>
2nd Half Qualification Date: <u>11/11/17</u>	<u>outdoors/clear</u>	<u>93.3</u>	<u>92.5</u>	<u>PH. M. #179</u>	<u>PH. #185</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/23/17</u>	<u>HQ</u>	<u>RS00336C</u>	<u>100</u>	<u>100</u>	<u>PH. M. #181</u>	<u>PH. #195</u>
2nd Half Qualification Date: <u>11/11/17</u>	<u>outdoors/clear</u>	<u>RS965 30B</u>	<u>100</u>	<u>100</u>	<u>PH. M. #179</u>	<u>PH. #185</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-196
Sprengel, Fred

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Fred Sprengel #196

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035447

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/4/17</u>	<u>HQ</u>	<u>85%</u>	<u>92.5%</u>	<u>PT [Signature]</u>	<u>PH [Signature] #196</u>
2nd Half Qualification Date: <u>11/18/17</u>	<u>Havell Range</u> <u>42° P. Cloudy</u>	<u>85%</u>	<u>87.5%</u>	<u>Sgt. Mull [Signature]</u>	<u>PH [Signature] #196</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/4/17</u>	<u>HQ</u>	<u>RS06383F</u>	<u>100%</u>	<u>100%</u>	<u>PT [Signature]</u>	<u>PH [Signature] #196</u>
2nd Half Qualification Date: <u>11/18/17</u>	<u>Havell Range</u> <u>42° P. Cloudy</u>	<u>RS06345F</u>	<u>100%</u>	<u>100%</u>	<u>Sgt. Mull [Signature]</u>	<u>PH [Signature] #196</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-197
Orender, Kevin

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Kevin Orender #197

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B022752

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>HQ</u>	<u>85.0%</u>	<u>90.50</u>	<u>[Signature] #181</u>	<u>[Signature] #197</u>
2nd Half Qualification Date: <u>11/1/17</u>	<u>outdoor/clear</u>	<u>96.7%</u>	<u>95.00</u>	<u>[Signature] #179</u>	<u>[Signature] #197</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/24/17</u>	<u>HQ</u>	<u>R596530B</u>	<u>100</u>	<u>100</u>	<u>[Signature] #181</u>	<u>[Signature] #197</u>
2nd Half Qualification Date: <u>11/1/17</u>	<u>outdoor/clear</u>	<u>R596530B</u>	<u>100</u>	<u>100</u>	<u>[Signature] #179</u>	<u>[Signature] #197</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-198
Spinapont, John

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: John Spinapont #198

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035678

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/23/17</u>	<u>HQ</u>	<u>93.3</u>	<u>85.00</u>	<u>PH. [Signature] #181</u>	<u>PH. [Signature] #198</u>
2nd Half Qualification Date: <u>10/14/17</u>	<u>Howell PD overcast</u>	<u>90</u>	<u>90</u>	<u>PH. [Signature] #189</u>	<u>PH. [Signature] #198</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/23/17</u>	<u>HQ</u>	<u>R500336C</u>	<u>100</u>	<u>100</u>	<u>PH. [Signature] #181</u>	<u>PH. [Signature] #198</u>
2nd Half Qualification Date: <u>10/14/17</u>	<u>Howell PD overcast</u>	<u>R500336C</u>	<u>100</u>	<u>100</u>	<u>PH. [Signature] #189</u>	<u>PH. [Signature] #198</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					

2017-199
Kennedy, Cole

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Cole Kennedy #199

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035687

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/02/17</u>	<u>HQ</u>	<u>95.0</u>	<u>85.0</u>	<u>PH. [Signature] #181</u>	<u>PH. [Signature] #199</u>
2nd Half Qualification Date: <u>10/14/17</u>	<u>Howell PD RAIN</u>	<u>100</u>	<u>100</u>	<u>PH. [Signature]</u>	<u>PH. [Signature]</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/02/17</u>	<u>HQ</u>	<u>RS06283F</u>	<u>100</u>	<u>100</u>	<u>PH. [Signature] #181</u>	<u>PH. [Signature] #199</u>
2nd Half Qualification Date: <u>10/14/17</u>	<u>Howell PD RAIN</u>	<u>RS06283F</u>	<u>100</u>	<u>100</u>	<u>PH. [Signature]</u>	<u>PH. [Signature]</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make					
		Model	PASS				
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make					
		Model	PASS				
		Serial#	FAIL				
		Cal					

2017-200
Daugherty, Mark

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Mark Daugherty #200

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B033676

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/26/17</u>	<u>Wall HQ</u>	<u>100%</u>	<u>97.5</u>	<u>[Signature]</u> 180	<u>P220R #200</u>
2nd Half Qualification Date: <u>11/14/17</u>	<u>Howell/6/44</u>	<u>100%</u>	<u>96.00%</u>	<u>[Signature]</u> 180	<u>mi7-11</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/26/17</u>	<u>Wall HQ</u>	<u>AB680725M</u>	<u>100%</u>	<u>100%</u>	<u>[Signature]</u> 180	<u>mi7-11</u>
2nd Half Qualification Date: <u>11/14/17</u>	<u>Howell/6/44</u>	<u>AB680725M</u>	<u>100%</u>	<u>100%</u>	<u>[Signature]</u> 180	<u>mi7-11</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					

2017-201
Smithman, David

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: David Smithman #201

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B033673

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/4/17</u>	<u>HQ</u>	<u>98.3%</u>	<u>95%</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>10/21/17</u>	<u>HOWELL RANGE CLEAR</u>	<u>93.3</u>	<u>93.3</u>	<u>[Signature]</u>	<u>[Signature]</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/4/17</u>	<u>HQ</u>	<u>R506283F</u>	<u>100%</u>	<u>100%</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>10/21/17</u>	<u>HOWELL RANGE CLEAR</u>	<u>R506283F</u>	<u>100</u>	<u>100</u>	<u>[Signature]</u>	<u>[Signature]</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

202
2017-307
Corso, Devin

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Devin Corso #307 202

Rank: SLECH PAIR-MAI

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035685

Date of Qualification	Location / Weather	HQCI Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/26/17</u>	<u>WTPD/HQ</u>	<u>93.3%</u>	<u>90.0%</u>	<u>PASAD+149</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>11/11/17</u>	<u>outdoors/clear</u>	<u>91.7%</u>	<u>100%</u>	<u>[Signature]</u>	<u>[Signature]</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/26/17</u>	<u>WTPD/HQ</u>	<u>AB68072SM</u>	<u>100%</u>	<u>100%</u>	<u>PASAD+149</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>11/11/17</u>	<u>outdoors</u>	<u>AB680725</u>	<u>100%</u>	<u>100%</u>	<u>[Signature]</u>	<u>[Signature]</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					

203
2017-308

Honecker, Zach

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Zach Honecker #308 203Rank: SLECH PATMAN

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B033971

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/26/17</u>	<u>WTPD/HQ</u>	<u>100%</u>	<u>100%</u>	<u>R. S. H. 1149</u>	<u>ZCH</u>
2nd Half Qualification Date: <u>11/11/17</u>	<u>outdoors/clear</u>	<u>100%</u>	<u>100%</u>	<u>R. S. H. 1149</u>	<u>17 ZCH</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/26/17</u>	<u>WTPD/HQ</u>	<u>RS003366</u>	<u>100%</u>	<u>100%</u>	<u>R. S. H. 1149</u>	<u>ZCH</u>
2nd Half Qualification Date: <u>11/11/17</u>	<u>outdoors/clear</u>	<u>RS06283F</u>	<u>100%</u>	<u>100%</u>	<u>R. S. H. 1149</u>	<u>ZCH</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Christopher Roeck #204

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: _____

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:					
2nd Half Qualification Date: 10/14/17	HOWELL PD Clear	96.7	96.7	PH. Roeck #204	PH. Roeck #204

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:						
2nd Half Qualification Date: 10/14/17	HOWELL PD Clear	R5003366	100	100	PH. Roeck #204	PH. Roeck #204

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Connor Caponegro #205

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: _____

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:					
2nd Half Qualification Date:					

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:						
2nd Half Qualification Date:						

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

MCPA

2017-208
Niedt, Karleigh

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Karleigh Niedt #208

Rank: Patrolman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035678

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:					
2nd Half Qualification Date: <u>11/8/17</u>	<u>Howell Outdoors</u>	<u>91.72</u>	<u>92.52</u>	<u>140</u> <u>[Signature]</u>	<u>208</u> <u>Karleigh</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:						
2nd Half Qualification Date: <u>11/8/17</u>	<u>Howell Outdoors</u>	<u>R500336C</u>	<u>100%</u>	<u>100%</u>	<u>140</u> <u>[Signature]</u>	<u>208</u> <u>Karleigh</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-301
Scannell, Patrick

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Patrick Scannell #301

Rank: SLEO II

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B001523

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/29/17</u>	<u>Howell</u>	<u>93.3</u>	<u>100</u>	<u>CZ140</u>	<u>PA 301</u>
2nd Half Qualification Date: <u>11/2/17</u>	<u>Howell</u>	<u>95.5</u>	<u>100</u>	<u>CZ140</u>	<u>PA 301</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>3/29/17</u>	<u>Howell</u>	<u>H20</u>	<u>100</u>	<u>100</u>	<u>CZ140</u>	<u>PA 301</u>
2nd Half Qualification Date: <u>11/2/17</u>	<u>Howell</u>	<u>RS000336C</u>	<u>100</u>	<u>100</u>	<u>CZ140</u>	<u>PA 301</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Edward Lokerson #311

Rank: SLEO II

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035433

Date of Qualification	Location / Weather	HQCI Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>8/2/17</u>	<u>Howell Range</u> <u>clear</u>	<u>96.7</u>	<u>100</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>11/20/17</u>	<u>Howell Range</u>	<u>95</u>	<u>100</u>	<u>[Signature]</u>	<u>[Signature]</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>8/2/17</u>	<u>Howell Range</u> <u>clear</u>	<u>RS96547B</u>	<u>100</u>	<u>100</u>	<u>[Signature]</u>	<u>[Signature]</u>
2nd Half Qualification Date: <u>11/20/17</u>	<u>Howell</u>	<u>RS96547B</u>	<u>100</u>	<u>100</u>	<u>[Signature]</u>	<u>[Signature]</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-309
Driscoll, Tyler

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Tyler Driscoll #309

Rank: SLEO-H Paraman

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B033677

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/24/17</u>	<u>WTPD/HQ</u>	<u>100%</u>	<u>100%</u>	<u>P. Sauer</u>	<u>Tyler Driscoll #309</u>
2nd Half Qualification Date:					

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/24/17</u>	<u>WTPD/HQ</u>	<u>R500336C</u>	<u>100%</u>	<u>100%</u>	<u>P. Sauer</u>	<u>Tyler Driscoll #309</u>
2nd Half Qualification Date:						

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-309
Driscoll, Tyler

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Tyler Driscoll #309

Rank: SLEO-II *Parravano*

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer Model: P220R Caliber: .45 ACP Serial #: 37B033677

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:					
2nd Half Qualification Date: <u>11/11/17</u>	<u>outdoors/clear</u>	<u>100%</u>	<u>100%</u>	<u><i>[Signature]</i></u>	<u><i>[Signature]</i></u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:						
2nd Half Qualification Date: <u>11/11/17</u>	<u>outdoors/clear</u>	<u>RS00336C</u>	<u>100%</u>	<u>100%</u>	<u><i>[Signature]</i></u>	<u><i>[Signature]</i></u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				

2017-310

Paulus, Jason

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Jason Paulus #310Rank: SLEO H-PATMAN

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig SauerModel: P220RCaliber: .45 ACPSerial #: 37B033687

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/26/17</u>	<u>WTPD/HQ</u>	<u>95%</u>	<u>97.5%</u>	<u>P. B. A. + 149</u>	<u>Jason Paulus 310</u>
2nd Half Qualification Date: <u>11/11/17</u>	<u>outdoors / clear</u>	<u>80%</u>	<u>90%</u>	<u>J. 179</u>	<u>Jason Paulus 207</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date: <u>4/26/17</u>	<u>WTPD/HQ</u>	<u>RS00336C</u>	<u>100%</u>	<u>100%</u>	<u>P. B. A. + 149</u>	<u>Jason Paulus 310</u>
2nd Half Qualification Date: <u>11/11/17</u>	<u>outdoors / clear</u>	<u>RS00336C</u>	<u>100%</u>	<u>100%</u>	<u>J. 179</u>	<u>Jason Paulus 207</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
1st Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					
2nd Half Qual. Date:		Make					
		Model					
		Serial#					
		Cal					
2nd Half Fam. Date:		Make	PASS				
		Model					
		Serial#	FAIL				
		Cal					

2017-313
Wheeler, Joshua

Wall Township Police Department Individual Firearms Re-Qualification Record

Name: Joshua Wheeler #313

Rank: SLEO II

DEPARTMENT ISSUED DUTY HANDGUN

Make: Sig Sauer

Model: P220R

Caliber: .45 ACP

Serial #: 37B035451

Date of Qualification	Location / Weather	HQC1 Score	HNQC Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:					
2nd Half Qualification Date: <u>11/28/17</u>	<u>Howell Range</u> <u>42° Sunny</u>	<u>96.7%</u>	<u>97.5%</u>	<u>Sgt. Muel J 132</u>	<u>[Signature]</u>

DEPARTMENT SHOTGUN

Date of Qualification	Location / Weather	Remington 870 Serial #	Shotgun QC Score	Shotgun QC Night Score	Instructor's Signature	Officer's Signature
1st Half Qualification Date:						
2nd Half Qualification Date: <u>11/28/17</u>	<u>Howell Range</u> <u>42° Sunny</u>	<u>CC06242D</u>	<u>100%</u>	<u>100%</u>	<u>Sgt. Muel J 132</u>	<u>[Signature]</u>

DEPARTMENT RIFLE

Date of Qual/Fam	Location / Weather	Make/Model/Cal. Serial #	ARQC Score	Subgun Night QC Score	Instructor's Signature	Officer's Signature	Supervising Firearms Instructor
1st Half Qual. Date:		Make Model Serial# Cal					
1st Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				
2nd Half Qual. Date:		Make Model Serial# Cal					
2nd Half Fam. Date:		Make Model Serial# Cal	PASS FAIL				