

A. IDENTIFICATION APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE.Block: Lot: Qualification Code:
Work Site Location:
Owner in Fee:
Address:

E-mail:

Telephone:
Contractor:

Address:

E-mail:

Home Improvement Registration No. or Exemption Reason:
Contractor License No.: 9924 Exp Date:**B. ELECTRICAL CHARACTERISTICS**
Use Group: Present

Federal Emp. No.: 22-3760721

☐ Pole/Pad #

Proposed

Building Occupied as

☐ Temporary☐ Other

1. New Building \$0.00

Utility Co.

3. Demolition \$0.00

2. Rehabilitation \$0.00

Est. Cost of Elec. Work (1+2+3) \$0.00

Job Summary(Office Use Only)

PLAN REVIEW

Date Initial

INSPECTIONS

Dates(Month/Day)

☐ No Plans Required

Type:

Rough

Barrier-Free

Failure

Failure

Approval

Initial

☐ Building ☐ Plumbing

Trench

Temp. Serv

Constr. Serv

TCO

Other

Service

Final

Barrier-Free

Temp Cut-in-Card Date Issued

Final Cut-in-Card Date Issue

Annual Pool Inspection

Date of Grounding and Bonding

Certification

Date: 8/8/11

Approved by: [Signature]

SUBCODE APPROVAL

☐ CO ☐ CCO ☐ CA

Date: 8/8/11

Approved by: [Signature]

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's seal and Signature

U.C.C.F120(rev. 7/03)

D. TECHNICAL SITE DATA

FEE (Office Use Only)

Lighting Fixtures

Receptacles

Switches

Detectors

Light Poles

Motor-Fract. HP

Emergency & Exit Lights

Communication Points

Alarm Devices/F.A.C. Panel

Other 1:

Other 2:

TOTAL NUMBER

Pool Permit/with UW Lights

Storable Pool/Spa/Hot Tub

KW Elec. Range/Receptacle

KW Oven/Surface Unit

KW Elec. Water Heater

KW Elec. Dryer/Receptacle

HP Dishwasher

HP Garbage Disposal

KW Central A/C Unit

HP/KW Space Htr./Air Handler

KW Baseboard Heat

HP Motors 1/+HP

KW Transformer/Generator

AMP Service

AMP Subpanels

AMP Motor Control Center

KW Elec. Sign/Outline Light

KW Photovoltaic Systems

Other 3:

Other 4:

Other 5:

Other 6:

Other 7:

Other 8:

Other 9:

Administrative Surcharge

Minimum Fee

State Permit Surcharge Fee

TOTAL FEE



Borough of Wrightstown
21 Saylors Pond Road
Wrightstown, NJ 08562
609-7234450

CERTIFICATE IDENTIFICATION

Date Issued: 06/21/2016
Control #: 628
Permit #: 20160056

Block: 601 Lot: 50

Days Inn

Work Site Location: 501-A EAST MAIN STREET

WRIGHTSTOWN

Owner in Fee: Days Inn

Address: 501-A EAST MAIN STREET

WRIGHTSTOWN NJ 08562

Telephone: 609 723-3238

Agent/Contractor: Reed Electrical Power Systems LLC

Address: 56 Lakewood Rd.

New Egypt NJ 08533

Telephone: 609 758-7300

Lic. No./ Bldrs. Reg.No.:

Federal Emp. No.:

Social Security No.:

☐ CERTIFICATE OF OCCUPANCY

This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☒ CERTIFICATE OF APPROVAL

This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ TEMPORARY CERTIFICATE OF OCCUPANCY/COMPLIANCE

If this is a temporary Certificate of Occupancy or Compliance, the following conditions must be met no later than or will be subject to fine or order to vacate:

Home Warranty No:

Type of Warranty Plan:

Use Group:

Maximum Live Load:

Construction Classification:

Maximum Occupancy Load:

Certificate Exp Date:

Description of Work/Use:

Annual Pool Inspection

Update Desc. of WK/Use:

☐ State ☐ Private

R-1

☐ CERTIFICATE OF CLEARANCE-LEAD ABATEMENT 5:17

This serves notice that based on written certification, lead abatement was performed as per NJAC 5:17, to the following extent:

☐ Total removal of lead-based paint hazards in scope of work

☐ Partial or limited time period(____ years); see file

☐ CERTIFICATE OF CONTINUED OCCUPANCY

This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ CERTIFICATE OF COMPLIANCE

This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until

Fees: \$0.00

Paid ☒ Check No.: 1099

Collected by: em

Harry W. Case Construction Official

U.C.C 260 (rev. 5/03)

1 - APPLICANT 2 - OFFICE 3 - TAX ASSESSOR



Borough of Wrightstown
21 Saylor's Pond Road
Wrightstown, NJ 08562
609 - 7234450

Permit Number: 20160056
Update Number:
Control Number: 628
Application Date: 06/21/2016
Permit Date: 06/21/2016

CONSTRUCTION PERMIT IDENTIFICATION

OWNER/PROPERTY DETAILS

Block: 601 Lot: 50 Qualification Code: Days Inn
Work Site Location: 501-A EAST MAIN STREET WRIGHTSTOWN

Owner In Fee: Days Inn
Address: 501-A EAST MAIN STREET
WRIGHTSTOWN NJ 08562

Telephone: (609) 723-3238

Use Group(s): R-1

Contractor: Reed Electrical Power Systems LLC

Address: 56 Lakewood Rd.
New Egypt NJ 08533

Telephone: (609) 758-7300

Lic. No. / Bldrs. Reg. No.:

Federal Emp. No.:

is hereby granted permission to perform the following work :

- | | | |
|--|--|-------------------------------------|
| ☐ BUILDING | ☐ PLUMBING | ☐ DEMOLITION |
| ☒ ELECTRICAL | ☐ FIRE PROTECTION | ☐ OTHER |
| ☐ ELEVATOR DEVICES | ☐ MECHANICAL | |
| ☐ ASBESTOS ABATEMENT | ☐ LEAD HAZARD ABATEMENT | |

(Subchapter 8 only)

DESCRIPTION OF WORK:
Annual Pool Inspection

ESTIMATED COST OF WORK:

Cost of Construction: 0.00
Cost of Rehabilitation: 150.00
Cost of Demolition: 0.00

Total Cost: \$150.00

NOTE: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Harry W. Case
Harry W. Case
Construction Official

6/21/16
Date

PAYMENTS (Office Use Only)	
Building	
Electrical	\$50.00
Plumbing	
Fire Protection	
Elevator Devices	
Mechanical	
VolFee (DCA)	
AltFee (DCA)	
DCA Minimum Fee	\$1.00
Other Fees	
CO Fee	
CCO Fee	
Minimum Fee	
Total	\$51.00
All Fees Waived:	No

Amount to be Paid: \$51.00
Check Number: 1099
Check amount: \$51.00

Collected by: em
Receipt No:
Total Cash Amount:
Total Check Amount: \$51.00
Total CC Amount:
Grand Total: \$51.00

Note:

SHRI GOPAL LLC DBA
DAYS INN WRIGHTSTOWN OPERATING ACCT
100 CENTURY PKWY SUITE 110
MOUNT LAUREL, NJ 08054

1099

PAY
TO THE
ORDER OF

Wrightstown Borough

DATE

6/21/16

55-136/312
194

\$ 51.00



America's Most Convenient Bank®

DOLLARS



Security
Features on
Back

FOR pool permit 2016

⑈001099⑈ ⑆031201360⑆ 4270432259⑈

74m weekly

MP

ELECTRICAL SUBCODE TECHNICAL SECTION

Borough of Wrightstown

Date Received: 06/21/2016
Control #: 628

Date Issued: 06/21/2016
Permit #: 20160056

A. IDENTIFICATION APPLICANT: COMPLETE ALL APPLICABLE INFORMATION, WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.
Block: 601 Lot: 50 Qualification Code: Days Inn
Work Site Location: 501-A EAST MAIN STREET

Owner in Fee: Days Inn

Address: 501-A EAST MAIN STREET
WRIGHTSTOWN NJ 08562

E-mail:

Telephone: (609) 723-3238

Contractor: Reed Electrical Power Systems LLC

ATTN: Steve Reed

Address: 56 Lakewood Rd.
New Egypt NJ 08533-

E-mail:

Home Improvement Registration No. or Exemption Reason:

Contractor License No.: Exp Date:

B. ELECTRICAL CHARACTERISTICS

Use Group: Present R-1 Proposed

Federal Emp. No.:

Building Occupied as [] Pole/Pad # [] Temporary [] Other

1. New Building \$0.00 Utility Co.

2. Rehabilitation \$150.00

3. Demolition \$0.00 Est. Cost of Elec. Work (1+2+3) \$150.00

DESCRIPTION OF WORK:

Annual Pool Inspection

D. TECHNICAL SITE DATA

QTY. SIZE

ITEMS

Lighting Fixtures

Receptacles

Switches

Detectors

Light Poles

Motor-Fract. HP

Emergency&Exit Lights

Communication Points

Alarm Devices/F.A.C. Panel

Other 1:

Other 2:

TOTAL NUMBER

Pool Permit/with UW Lights

Storable Pool/Spa/Hot Tub

KW Elec. Range/Receptacle

KW Oven/Surface Unit

KW Elec. Water Heater

KW Elec. Dryer/Receptacle

KW Dishwasher

HP Garbage Disposal

KW Central A/C Unit

HP/KW Space Htr./Air Handler

KW Baseboard Heat

HP Motors 1/+HP

KW Transformer/Generator

AMP Service

AMP Subpanels

AMP Motor Control Center

KW Elec. Sign/Outline Light

KW Photovoltaic Systems

Other 3: Pool Inspe

Other 4:

Other 5:

Other 6:

Other 7:

Other 8:

Other 9:

FEE (Office Use Only)

Job Summary(Office Use Only)


PLAN REVIEW	INSPECTIONS	Dates(Month/Day)
[] No Plans Required	Type: Rough	Failure Failure Approval Initial
[] Partial-Underslab Utilities Approved	Barrier-Free	
Date: Approved by:	Trench	
Electric Plans Approved	Temp.Serv	
Date: Approved by:	Constr.Serv	
Joint Plan Review Required	TCO	
[] Building [] Plumbing	Other	
[] Fire [] Elevator	Service	
SUBCODE APPROVAL for PERMIT	Final	
Date:	Barrier-Free	
Approved by:	Temp Cut-in-Card Date Issued	
SUBCODE APPROVAL for CERTIFICATE	Final Cut-in-Card Date Issue	
[] CO [] CCO [] CA	Annual Pool Inspection	
Date:	Date of Grounding and Bonding	
Approved by:	Certification	

C. CERTIFICATION IN LIEU OF OATH
I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's seal and Signature _____ Print Name _____
[] Licensed Electrical Contractor [] Certified Landscape Irrigation Contractor [] Exempt Applicant

Administrative Surcharge \$50.00
Minimum Fee \$50.00
State Permit Surcharge Fee
TOTAL FEE \$50.00

U.C.C.F120(rev. 11/09)



Borough of Wrightstown
21 Saylor's Pond Road
Wrightstown, NJ 08562
609-723-4450

CERTIFICATE IDENTIFICATION

Date Issued: 05/22/2014
Control #: 528
Permit #: 20140014

Block: 601 Lot: 50 Days Inn
Work Site Location: 501-A EAST MAIN STREET
WRIGHTSTOWN

Owner in Fee: Days Inn

Address: 501-A EAST MAIN STREET
WRIGHTSTOWN NJ 08562

Telephone: 609 723-3238

Agent/Contractor: Reed Electrical

Address: 56 Lakewood Rd.
New Egypt NJ 08533

Telephone:

Lic. No./ Bldrs. Reg.No.: 34EB01782200 Federal Emp. No.: 26-0608374

Social Security No.:

☐ CERTIFICATE OF OCCUPANCY

This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☒ CERTIFICATE OF APPROVAL

This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ TEMPORARY CERTIFICATE OF OCCUPANCY/COMPLIANCE

If this is a temporary Certificate of Occupancy or Compliance, the following conditions must be met no later than or will be subject to fine or order to vacate:

Home Warranty No:
Type of Warranty Plan:
Use Group:
Maximum Live Load:
Construction Classification:
Maximum Occupancy Load:
Certificate Exp Date:
Description of Work/Use:
Annual Pool Inspection

Update Desc. of Wk/Use:

☐ CERTIFICATE OF CLEARANCE-LEAD ABATEMENT 5:17

This serves notice that based on written certification, lead abatement was performed as per NJAC 5:17, to the following extent:


☐ Total removal of lead-based paint hazards in scope of work
☐ Partial or limited time period(____ years); see file

☐ CERTIFICATE OF CONTINUED OCCUPANCY

This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ CERTIFICATE OF COMPLIANCE

This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until


Harry W. Case Construction Official

U.C.C 260 (rev. 5/03)

1 - APPLICANT 2 - OFFICE 3 - TAX ASSESSOR

Fees: \$0.00
Paid [X] Check No.: 0149
Collected by: er



Borough of Wrightstown
21 Saylors Pond Road
Wrightstown, NJ 08562
609 - 723-4450

Permit Number: 20140014
Update Number:
Control Number: 528
Application Date: 05/22/2014
Permit Date: 05/22/2014

CONSTRUCTION PERMIT

IDENTIFICATION

OWNER/PROPERTY DETAILS

Block: 601 Lot: 50 Qualification Code: Days Inn
Work Site Location: 501-A EAST MAIN STREET WRIGHTSTOWN

Owner In Fee: Days Inn
Address: 501-A EAST MAIN STREET
WRIGHTSTOWN NJ 08562

Telephone: (609) 723-3238

Use Group(s): R-1

Contractor: Reed Electrical
Address: 56 Lakewood Rd.
New Egypt NJ 08533

Telephone: ()

Lic. No. / Bldrs. Reg. No.: 34EB01782200

Federal Emp. No.: 26-0608374

is hereby granted permission to perform the following work :

☐ BUILDING ☐ PLUMBING ☐ DEMOLITION
☒ ELECTRICAL ☐ FIRE PROTECTION ☐ OTHER
☐ ELEVATOR DEVICES ☐ MECHANICAL
☐ ASBESTOS ABATEMENT ☐ LEAD HAZARD ABATEMENT

(Subchapter 8 only)

DESCRIPTION OF WORK:
Annual Pool Inspection

ESTIMATED COST OF WORK:

Cost of Construction: 0.00
Cost of Rehabilitation: 125.00
Cost of Demolition: 0.00

Total Cost: \$125.00

NOTE: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Harry W. Case
Construction Official

Date

5/21/14

PAYMENTS (Office Use Only)

Building	
Electrical	\$50.00
Plumbing	
Fire Protection	
Elevator Devices	
Mechanical	
VolFee (DCA)	
AltFee (DCA)	
DCA Minimum Fee	\$1.00
Other Fees	
CO Fee	
CCO Fee	
Minimum Fee	
Total	\$51.00
All Fees Waived:	No

Amount to be Paid: \$51.00
Check Number: 0149
Check amount: \$51.00

Collected by: er
Receipt No:
Total Cash Amount:
Total Check Amount: \$51.00
Total CC Amount:
Grand Total: \$51.00

Note:

Borough of Wrightstown

ELECTRICAL SUBCODE TECHNICAL SECTION

Date Received: 05/22/2014
Control #: 528

Date Issued: 05/22/2014
Permit #: 20140014

A. IDENTIFICATION APPLICANT: COMPLETE ALL APPLICABLE INFORMATION WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.
Block: 601 Lot: 50 Qualification Code: Days Inn
Work Site Location: 501-A EAST MAIN STREET

Owner in Fee: Days Inn

Address: 501-AEAST MAIN STREET
WRIGHTSTOWN NJ 08562

E-mail:

Telephone: (609) 723-3238

Contractor: Reed Electrical
ATTN: Steven Reed

Address: 56 Lakewood Rd.
New Egypt NJ 08533-

E-mail:

Home Improvement Registration No. or Exemption Reason:

Contractor License No.: 34EB01782200 Exp Date: 3/31/2015

Federal Emp. No.: 26-0608374

B. ELECTRICAL CHARACTERISTICS

Use Group: Present R-1 Proposed

☐ Pole/Pad # ☐ Temporary ☐ Other

Building Occupied as Utility Co.

1. New Building \$0.00 2. Rehabilitation \$125.00

3. Demolition \$0.00 Est. Cost of Elec. Work (1+2+3) \$125.00

Job Summary(Office Use Only)

PLAN REVIEW

☐ No Plans Required

☐ Partial-Underslab Utilities Approved

Date: Approved by:

Electric Plans Approved

Date: Approved by:

Joint Plan Review Required

☐ Building ☐ Plumbing

☐ Fire ☐ Elevator

SUBCODE APPROVAL for PERMIT

Date:

Approved by:

SUBCODE APPROVAL for CERTIFICATE

☐ CO ☐ PCCO ☐ CA

Date:

Approved by:

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

DESCRIPTION OF WORK:

Annual Pool Inspection

D. TECHNICAL SITE DATA

QTY. SIZE

ITEMS

Lighting Fixtures

Receptacles

Switches

Detectors

Light Poles

Motor-Fract. HP

Emergency&Exit Lights

Communication Points

Alarm Devices/F.A.C. Panel

Other 1:

Other 2:

TOTAL NUMBER

Pool Permit/with UW Lights

Storable Pool/Spa/Hot Tub

KW Elec. Range/Receptacle

KW Oven/Surface Unit

KW Elec. Water Heater

KW Elec. Dryer/Receptacle

KW Dishwasher

HP Garbage Disposal

KW Central A/C Unit

HP/KW Space Htr./Air Handler

KW Baseboard Heat

HP Motors 1/+HP

KW Transformer/Generator

AMP Service

AMP Subpanels

AMP Motor Control Center

KW Elec. Sign/Outline Light

KW Photovoltaic Systems

Other 3: Pool Inspection

Other 4:

Other 5:

Other 6:

Other 7:

Other 8:

Other 9:

FEE (Office Use Only)

Applicant's Signature/Contractor's seal and Signature

Print Name

☐ Licensed Electrical Contractor ☐ Certified Landscape Irrigation Contractor ☐ Exempt Applicant

U.C.C.F120(rev. 11/09)

Applicant: When submitting this form to your Local Construction Code Enforcement Office, please provide one original and three photocopies

Administrative Surcharge \$50.00
Minimum Fee \$50.00
State Permit Surcharge Fee \$50.00
TOTAL FEE \$50.00



Borough of Wrightstown
21 SAYLORS POND ROAD
WRIGHTSTOWN, NJ 08562
609 - 723-4450

Permit Number: 20110018
Update Number:
Control Number: 377
Application Date: 08/04/2011
Permit Date: 08/04/2011

CONSTRUCTION PERMIT

IDENTIFICATION

OWNER/PROPERTY DETAILS

Block: 601	Lot: 50	Qualification Code: DONUTS
Work Site Location: 501-A EAST MAIN STREET WRIGHTSTOWN		
Owner In Fee: Days Inn	Contractor: Bean Electric Co.	
Address: 501-A EAST MAIN STREET	Address: P.O. Box 2623	
WRIGHTSTOWN NJ 08562	Vincentown NJ 08088	
Telephone: (609) - 723-3238	Telephone: (609) - 894-9014	
Use Group(s): B	Lic. No. / Bldrs. Reg. No.: 9924	
	Federal Emp. No.: 22-3760721	

is hereby granted permission to perform the following work :

- | | | |
|--|--|-------------------------------------|
| ☐ BUILDING | ☐ PLUMBING | ☐ DEMOLITION |
| ☒ ELECTRICAL | ☐ FIRE PROTECTION | ☐ OTHER |
| ☐ ELEVATOR DEVICES | ☐ MECHANICAL | |
| ☐ ASBESTOS ABATEMENT | ☐ LEAD HAZARD ABATEMENT | |

(Subchapter 8 only)

DESCRIPTION OF WORK:

Pool Inspection Annual

ESTIMATED COST OF WORK:

Cost of Construction: 0.00
Cost of Rehabilitation: 170.00
Cost of Demolition: 0.00

Total Cost: \$170.00

NOTE: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Harry W. Case
Construction Official

Date

8/8/11

PAYMENTS (Office Use Only)	
Building	
Electrical	\$50.00
Plumbing	
Fire Protection	
Elevator Devices	
Mechanical	
VolFee (DCA)	
AltFee (DCA)	
DCA Minimum	\$1.00
Other Fees	
CO Fee	
CCO Fee	
Minimum Fee	
Total	\$51.00
All Fees Waived:	No

Amount to be Paid: \$51.00
Check Number: 1803
Check amount: \$51.00

Collected by: ER
Receipt No:
Total Cash Amount:
Total Check Amount: \$51.00
Total CC Amount:
Grand Total: \$51.00

Note:



Collected by: ER



Borough of Wrightstown
21 Saylor's Pond Road
Wrightstown NJ 08562
609-723-4450

CERTIFICATE IDENTIFICATION

Date Issued: 03/16/2009
Control #: 176
Permit #: 20080055

Block: 601 Lot: 50 Qualification Code: DAYS

Work Site Location:

505 EAST MAIN STREET
WRIGHTSTOWN

Owner in Fee:

GOVARDHAN CORP dba DAYS INN

Address:

505 EAST MAIN STREET
WRIGHTSTOWN NJ 08562

Telephone:

609 723-6900

Agent/Contractor:

FORUM HEATING & COOLING INC.

Address:

213 PARSONAGE ROAD
EDISON NJ 08837

Telephone:

732 421-8093

Lic. No./ Bldrs. Reg.No.:

Federal Emp. No.: 20-1456985

Social Security No.:

X] CERTIFICATE OF OCCUPANCY

is serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

] CERTIFICATE OF APPROVAL

is serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

] TEMPORARY CERTIFICATE OF OCCUPANCY/COMPLIANCE

this is a temporary Certificate of Occupancy or Compliance, the following conditions must be met no later than or will be subject to fine or order to vacate:

Home Warranty No:

Type of Warranty Plan:

Use Group:

Maximum Live Load:

Construction Classification:

Maximum Occupancy Load:

Certificate Exp Date:

Description of Work/Use:

CONSTRUCTION OF A NEW LAUNDRY ROOM

Update Desc. of Wk/Use:

[] State [] Private
R-1

[] CERTIFICATE OF CLEARANCE-LEAD ABATEMENT 5:17

This serves notice that based on written certification, lead abatement was performed as per NJAC 5:17, to the following extent:

[] Total removal of lead-based paint hazards in scope of work

[] Partial or limited time period(____ years); see file

[] CERTIFICATE OF CONTINUED OCCUPANCY

This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

[] CERTIFICATE OF COMPLIANCE

This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until

Fees: \$85.00

Paid [X] Check No.: 312

Collected by: lp

U.C.C 260 (rev. 5/03)

1 - APPLICANT 2 - OFFICE 3 - TAX ASSESSOR

Harry W. Case Construction Official



Borough of Wrightstown
21 SAYLOR'S POND ROAD
WRIGHTSTOWN, NJ 08562
609 - 723-4450

Permit Number: 20080055
Permit Date: 08/25/2008
Update Number:
Control Number: 176
Application Date: 06/09/2008

CONSTRUCTION PERMIT

IDENTIFICATION

OWNER/PROPERTY DETAILS

Block: 601	Lot: 50	Qualification Code: DAYS	Contractor: FORUM HEATING & COOLING INC.
Work Site Location: 507 EAST MAIN STREET WRIGHTSTOWN			Address: 213 PARSONAGE ROAD
Owner In Fee: DAYS INN dba GOVARDHAN CORP			EDISON NJ 08837
Address: 507 EAST MAIN STREET			Telephone: (732) - 421-8093
WRIGHTSTOWN NJ 08562			
Telephone: (609) - 723-6900		Lic. No. / Bldrs. Reg. No.:	
Use Group(s): R-1		Federal Emp. No.:	20-1456985

is hereby granted permission to perform the following work :

☒ BUILDING	☒ PLUMBING	☐ DEMOLITION
☒ ELECTRICAL	☒ FIRE PROTECTION	☐ OTHER
☐ ELEVATOR DEVICES	☐ MECHANICAL	
☐ ASBESTOS ABATEMENT	☐ LEAD HAZARD ABATEMENT	

(Subchapter 8 only)

DESCRIPTION OF WORK:

CONSTRUCTION OF A NEW LAUNDRY ROOM

ESTIMATED COST OF WORK:

Cost of Construction:	10,000.00
Cost of Rehabilitation:	0.00
Cost of Demolition:	0.00

Total Cost:	\$10,000.00
-------------	-------------

NOTE: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Harry W. Case

Construction Official

Date

20%
Plan →
Review

PAYMENTS (Office Use Only)

Building	\$50.00
Electrical	\$65.00
Plumbing	\$60.00
Fire Protection	\$150.00
Elevator Devices	
Mechanical	
VolFee (DCA)	\$3.00
AltFee (DCA)	
Other Fees	\$66.00
CO Fee	\$85.00
CCO Fee	
Minimum Fee	
Total	\$479.00
All Fees Waived:	No

Amount to be Paid: \$479.00

Check Number: 312
Check amount: \$479.00

Collected by: lp
Receipt No:
Total Cash Amount:
Total Check Amount: \$479.00
Total CC Amount:
Grand Total: \$479.00

Note:

Torrough of Wrightstown

BUILDING SUBCODE TECHNICAL SECTION

Date Received: 06/09/2008
Control #: 176

Date Issued: 08/25/2008
Permit #: 20080055

1. IDENTIFICATION-APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTOR, NOTIFY THIS OFFICE.

Block: 601 Lot: 50 Qualification Code: DAYS
Work Site Location: 507 EAST MAIN STREET

Owner Details

Name: DAYS INN dba GOVARDHAN CORP
Address: 507 EAST MAIN STREET

Contractor Details

Contractor: FORUM HEATING & COOLING INC
Address: 213 PARSONAGE ROAD
EDISON NJ 08837

WRIGHTSTOWN NJ 08562

Telephone: (732) 421-8093
Fax: (732) 205-0107

Telephone: 609 - 723-6900
Lic No. or Bldrs Reg. No.: 13VH03426200
Federal Emp. No: 201456985

3. BUILDING CHARACTERISTICS

Use Group Present: R-1
Constr. Class Present:

Proposed:

Proposed:

No. of Stories

Est. Cost of Bldg. work:

Height of Structure Ft.
Area - Largest Floor Sq. Ft. 1. New Building 3,700.00
New Bldg. Area/All Floors Sq. Ft. 2. Rehabilitation 0.00
Volume of New Structure Cu. Ft. 3. Demolition 0.00
Total Land Area Disturbed Sq. Ft. 4. Total (1+2+3) \$3,700.00

INSPECTIONS

Dates(Month/Day)

JOBSUMMARY (Office Use Only)
PLAN REVIEW Date Initial

No Plans Required

All

Footings

Foundation

Frame

Other

Joint Plan Review Required:
Elec. [] Plumb. [] Fire [] Elev.
SUBCODE APPROVAL
CO [] CCO [] CA

Date:

Approved by:

Type:	Failure	Failure	Approval	Initial
Footings			8/29	HE
Footings Bonding				
Foundation				
Slab				
Frame				
Truss Sys./Bracing				
Barrier-Free				
Insulation				
Finishes - Base Layer				
Finishes - Final				
Energy				
Mechanical				
TCO				
Other				
Final				
Barrier-Free				

C. CERTIFICATION IN LIEU OF OATH
I hereby certify that I am the (agent of) owner of record and am authorized to make this application.

Signature

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

CONSTRUCTION OF A NEW LAUNDRY ROOM

TYPE OF WORK:

FEE (Office Use Only)

[] New Building
[X] Addition
[] Rehabilitation
[X] Roofing
[] Siding
[] Fence
[] Pylon Sign
[] Ground or Wall Sign
[] Pool
[] Asbestos Abatement
[] Lead Haz. Abatement
[] Other 1
[] Other 2
[] Other 3
[] Demolition

Height (exceeds 6')

Sq. Ft.

Sq. Ft.

Administrative Surcharge

Minimum Fee

State Permit Surcharge Fee

Total Fee

\$50.00

\$3.00

\$53.00

\$20.52

**STATE OF NEW JERSEY
NON-RESIDENTIAL DEVELOPMENT FEE CERTIFICATION/EXEMPTION**

SECTION A (To be completed by Developer)

Developer
 Name of Developer: FORUM HC INC.
 Address: 215 PARSONAGE RD Edison NJ 08837
 Phone: 732 421 8093 Fax: _____ E-mail: FILCAT2000@yahoo.com

Property Location
 County: _____ Municipality: _____ Block: _____ Lot: _____ Qual.: _____
 Street Address: 505 E. Main St. WRIGHTSTOWN NJ
 Construction Permit Application Number: _____
 Date on which Developer first sought construction or demolition permit (section 37 of P.L. 2008 c. 46): _____

Exemption Category [Section Citation of P.L. 2008 c. 46] Check one if appropriate:

☐ Non-profit Educational Purposes [35b]	☐ Transit Hub [35b.(4)]
☐ House of Worship [35b]	☐ Transit Village [35b.(6)]
☐ Parking lots and structures [35b.(1)]	☐ Transit Hub-Light Rail [35b.(5)]
☐ Non-profit hospital relocation or improvement [35b.(3)]	☐ Public amenity (recreational, community, senior centers) [35b.(2)] (Attach Planning Board approval)

Non exempt status [Section citation] Check one if appropriate

☐ Prior payment or commitment for low and moderate income housing [37c] Amount paid: \$ _____
☐ Non-residential planned development, subject to a development or redevelopment agreement entitled to a 1% fee [37a.(2)]
☐ Full Fee Due (2.5%)

I, the undersigned, understand that this declaration and its contents may be disclosed or provided to the State of New Jersey and that any false statement contained herein may be punished by fine, imprisonment, or both. I further declare that I have examined this declaration and, to the best of my knowledge and belief, it is true, correct and complete.

Signature of Developer: _____
 Name: Olga Filippov Date: 08/21/08
 Title: manager

SECTION B (To be completed by assessor):

	Estimated		Final
Assessed Value <u>corrected?</u>	\$ <u>1,025,000</u>	E1	\$ _____ F1
Director's Ratio	<u>79%</u>	E2	% _____ F2
Equalized Assessed Value	\$ <u>1,297,468</u>	E3	\$ _____ F3
Existing Equalized Assessed Value	\$ <u>1,297,468</u>	E4	\$ _____ F4
Amount on Which Fee is Calculated	\$ _____	E5 (E3-E4)	\$ _____ F5 (F3-F4)
Non-residential Development Fee	\$ _____	E6 (E5 X 2.5%)	\$ _____ F6 (F5 x 2.5%)

Signature of Assessor: _____
 Name: Doris Las V. Kottler Exempt: ☐
 Date: 8/25/08

SECTION C (To be completed by municipality)

Payment Amount: \$ 0 Amount should equal E6 or F6
 Payment received by (name): _____
 Signature: Ellen A. Thorne
 Name: ELLEN A. THORNE
 Title: R.M.C. Date: 8/25/08

(N-RDF- rev. 7/24/08)

From: wrightstownlanduse@comcast.net
To: filcat2000@yahoo.com
Subject: COAH regulations
Date: Wednesday, August 13, 2008 12:27:18 PM


This COAH form **MUST** be complete before a permit can be issued. Payment must be made before a certificate of occupancy can be issued.

Thank you,

Linda Peterson, T.A.C.O.
Construction Department
Joint Land Use Board Secretary / Zoning Secretary
Administrative Assistant
Wrightstown Borough
21 Saylor's Pond Road
Wrightstown, NJ 08562
(609)723-4450 x17
(609)723-7137 fax
wrightstownlanduse@comcast.net

(Attachments successfully scanned for viruses.)

Attachment 1: (application/pdf)



176

Date Received 6-9-08
Control #

Date Issued _____
Permit # _____

20005

... APPLICABLE INFORMATION, WHEN CHANGING

A. IDENTIFICATION—APPLICANT; COMPLETE AND AFFIDAVIT OF CONTRACTORS, NOTIFY THIS OFFICE. CALL THE TTY NO. 1-800-772-1000

Block: CC-1 Lot: 2
Work Site Location: Laundry Room for Day's Inn

Owner in Fee: 6200000000

Tel. 807
 E-mail carol@ic

Address 507 E. Main St. Waukegan, Ill. Waukegan municipality

Contractor: Forum HC Inc.

213 Porsonage Rd Edison NJ 08817
Address 13 VH03426200 e-mail

Contractor License No. or Builder Registration No. 123456789
Exemption Reason (if applicable) _____

FAX: (732) 208 0101

JOB SUMMARY (Office Use Only)

PLAN REVIEW		Date	Initial	INSPECTIONS		Type:	Failure	Failure	Approval	Initial
☐	No Plans Required			☐	Footing	Footing Bonding			8/29	AK
☐	All			☐	Footing	Foundation			8/29	AK
☒	Foundation			☐	Slab	Frame			9/5	AK
☐	Frame			☐	Truss Sys./Bracing					
☐	Other			☐	Barrier-Free					
Joint Plan Review Required:				☐	Insulation				12/10	KE
☐	Elec.	☐	Plumb.	☐	Finishes - Base Layer					
☐	Fire	☐	Elevator	☐	Finishes - Final					
SUBCODE APPROVAL				☐	Energy					
☐	CO	☒	CCO	☐	Mechanical					
☐	CA			☐	TCO				1/29	AK
Date:	3/16/09			☐	Other				3/16	AK
Approved by:	[Signature]			☐	Final					
				☐	Barrier-Free					

B. BUILDING CHARACTERISTICS

[illegible]

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of
 record and am authorized to make this application.

Signalwege

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

walls, interior, roof,

TYPE OF WORK:

- | | | |
|-------------------------------------|---------------------------------|---------------------|
| ☐ | New Building | |
| ☒ | Addition | |
| ☐ | Rehabilitation | |
| | ooting | |
| ☐ | Siding | Height (exceeds 6') |
| ☐ | Fence | Sq. Ft. |
| ☐ | Sign | |
| ☐ | Pool | |
| ☐ | Retaining Wall | Sq. Ft. |
| ☐ | Asbestos Abatement Subchapter B | |
| ☐ | Lead Haz. Abatement NJAC 5:17 | |
| ☐ | Radon Remediation | |
| ☒ | Other <u>Leaving from</u> | |
| ☐ | Demolition | |

FEE (Office Use Only)

59

Administrative Surcharge \$

Minimum Fee \$


State Permit Surcharge Fee \$

TOTAL FEE \$

6-9-08



ELECTRICAL SUBCODE



A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CITY/ COUNTY DIG NO: 1-800-272-1000.

Block 20080055 Lot 176 Qualification Code 176

Work Site Location Laundry Room for Davis Inn

Owner in Fee: GOVARDHAN CORP

Tel. () e-mail

Address 507 E Main St Wrightstown NJ

Contractor: AA Electrical Contractors & Design, Inc. Zip code

Address 12 Five Points Road Freehold, NJ 07728

Contractor License No. Freehold, NJ 07728

Home Improvement Contractor Registration No. Tele: 732-410-4651 Fax: 732-410-4652

Federal Emp. ID No. Lic # 11616A ID # 201-731-568

B. ELECTRICAL CHARACTERISTICS

Use Group Present Proposed

☐ Pole/Pad # ☐ Temporary ☐ Other

Building Occupied as Utility Co.

Est. Cost of Elec. Work \$ 1300.00

JOB SUMMARY (Office Use Only)

PLAN REVIEW	Date	Initial	INSPECTIONS	Dates (Month/Day)	Approval	Initial
☐ No Plans Required			Type:			
☐ Joint Plan Review Required:			Rough			
☐ Building			Barrier-Free			
☐ Fire			Trench			
☐ Elec. Plans Approved			Temp. Serv.			
Date: <u>6/9/08</u>			Constr. Serv.			
Approved by: <u>[Signature]</u>			TCO			
			Other			
			Service			
			Final			
			Barrier-Free			
SUBCODE APPROVAL			Temp. Cut-in-Card Date Issued			
☐ CO			Final Cut-in-Card Date Issued			
☐ CCO			Annual Pool Inspection			
☐ CA			Date of Grounding and Bonding			
Date: <u>2/9/09</u>			Certification			
Approved by: <u>[Signature]</u>						

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature

☒ Licensed Elec. Contractor ☐ Certifd Landscape Irrigation Contr ☐ Exempt Applicant

U.C.C. F120 (rev. 10/06)

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

Fixtures, ALC installation

Date Received 6-9-08

Control # 20080055

Date Issued

Permit #

ELECTRIC (Office Use Only)

SUBCODE COMPLETE

- Lighting Fixture
- Receptacles
- Switches
- Detectors
- Light Poles
- Motors—Fract. HP
- Emergency & Exit Lights
- Communications Points
- Alarm Devices/F.A.C. Panel

TOTAL NUMBERS

- Pool Permit/with UW Lights
- Storable Pool/Spa/Hot Tub
- KW Elec. Range/Receptacle
- KW Oven/Surface Unit
- KW Elec. Water Heater
- KW Elec. Dryer/Receptacle
- KW Dishwasher
- HP Garbage Disposal
- KW Central A/C Unit
- HP/KW Space Heater/Air Handler
- KW Baseboard Heat
- HP Motors 1/+ HP
- KW Transformer/Generator
- AMP Service
- AMP Subpanels
- AMP Motor Control Center
- KW Elec. Sign/Outline Light

Administrative Surcharge \$

Minimum Fee \$

State Permit Surcharge Fee \$

TOTAL FEE \$



FIRE PROTECTION SUBCODE TECHNICAL SECTION



1176

A. IDENTIFICATION-APPLICANT: COMPLETE ALL APPLICABLE INFORMATION WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL (800) 222-1000.

Block 001 LAUREY KORN 1445 S. 7TH Classification Code 05

Work Site Location LAUREY KORN 1445 S. 7TH

Owner or Fee: COVERED CRAP

Tel. () 502 E. MAIN ST. WEIGHSTADT 05

Address 502 E. MAIN ST. WEIGHSTADT 05

Contractor: AA Electrical Contractors & Design, Inc.

Address 12 Five Points Road

Fire Protection Equipment, NJ Div 1445 S. 7TH 05 1445 S. 7TH 05 1445 S. 7TH 05

Fire Alarm Contractor No. 1445 S. 7TH 05 1445 S. 7TH 05 1445 S. 7TH 05

Federal Emp. No. 1445 S. 7TH 05 1445 S. 7TH 05 1445 S. 7TH 05

B. FIRE PROTECTION CHARACTERISTICS

Use Group: Present Proposed Fire Alarm System New or Existing

Construction: Present Proposed Fire Alarm System New or Existing

Heating System: New or Existing Fire Alarm System New or Existing

Type: Gas or Oil Electric or Other Fire Alarm System New or Existing

Location: Fire Alarm System New or Existing

Fuel Storage Tank: Fire Alarm System New or Existing

Total Cost of Fire Protection Work 250 00

JOB SUMMARY (Office Use Only)

PLAN REVIEW

☐ No Plans Required

☐ Job Plan Review Requested

☐ Building ☐ Plumbing

☐ Electric ☐ Elevator

☐ Fire Plans Approved

Date: 1/10/08

Approved by: [Signature]

SUBCODE APPROVAL

☐ CO ☐ CCO ☐ CA

Date: 2/14/08

Approved by: [Signature]

C. CERTIFICATION (SEEDED OF 0011)

I hereby certify that I am the owner of the property and am authorized to make this application.

Applicant's Signature/Contractor's Signature [Signature]

☐ Certified Contractor ☐ Exempt Applicant

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

Water Supply Source

Method of Alarm/Suppression System Supervision

Flammable/Combustible Tanks

Alarm Systems

☐ System

☐ 110V Interconnected

☐ CO Detectors/110V

Alarm Devices (i.e., smoke, heat, pull, vibration)

Supervisory Devices (i.e., tanks, low/high)

Signaling Devices (i.e., horns/bells)

Other Notes CA 110V 2005 12

TOTAL

Suppression Systems

Fire Pump Grp Type

Dry Piping/Alarm Valves

Pre-action Valves

Smoke Pads (Dry and Wet)

Sanitization

Pre-engineered Systems

Wet Chemical

Dry Chemical

CO₂ Suppression

Foam Suppression

FM200 Suppression

Other

Callers Systems

Exhaust Hood Exhaust System

Smoke Control System

Fixed Appliances (i.e., Gas or Oil)

Interlocks Venting/Metal Chimney

Others

Administrative Surcharges

Station Fee \$

State Panel Surcharges Fee \$

TOTAL FEE \$

Date Received 6-9-08


Contract #

Date Issued

Printed #

20080055

FIRE
SUBCODE COMPLETE



WRIGHTSTOWN BOROUGH
21 Saylor's Pond Road • Wrightstown, NJ 08562
(609) 723-4450 • Fax (609) 723-7137

August 6, 2008

V.P. Architect Design LLC
Attn: Vinu
200 Perrine Road
Old Bridge, NJ 08857

RE: Days Inn Guest Laundry Room
Control #176, Block 601 Lot 50

Dear Vinu:


The plan review process was (again) **DENIED** for the following reasons by the Building Subcode Official:

- 703.1.1 and 703.1.2 need second outside air opening.
- Plans show R-19 ceiling but the COMcheck shows R-30.
- Plans show NO insulation in floor but the COMcheck shows underslab.

Once the above mentioned items are corrected, please send the plans to the Construction Department along with a completed Combustion Air Calculation Sheet. Your 20 day plan review will begin again.

If you have any questions, please contact the Construction Department at (609)723-4450 x17.

Regards,


Harry Case
Construction Official

cc: Mr. Oleg Filippov, Forum Inc.
Sam Shah, Days Inn

encl.

PERMIT/PLAN REVIEW

Date 8-4-08
 Name Days Inn Control 176 Permit _____
 Address 507 E. Main street Block 601 Lot 50

Plans received (2 sets signed & sealed) ☒

Application documents received and completed:

Building ☐
 Electric ☐
 Fire ☐
 Plumbing ☐
 Jacket signed ☐

☐ Electrical Subcode Official

Denied _____ Approved _____

☐ Plumbing Subcode Official

Denied _____ Approved _____

☐ Fire Subcode Official

Denied _____ Approved _____

☒ Building Subcode Official

703.1.1 and 703.1.2 need sec outside air opening.
Plans show R19 ceiling
Plans show ~~no~~ insulation in floor Denied ☒ Approved _____

☐ Construction Official

Denied _____ Approved _____

PERMIT/PLAN REVIEW

Plan Review
20%

Date 6-9-08
 Name DAVIS, DAN
 Address 501 J EAST MAIN STREET
 Control 176 Permit
 Block 601 Lot 30

Plans received (2 sets signed & sealed) ☒

Application documents received and completed:

Building ☒
 Electric ☒
 Fire ☒
 Plumbing ☒
 Jacket signed ☒

☒ Electrical Subcode Official

OK 6/9/08

Denied Approved ☒

☐ Plumbing Subcode Official

6/9 incomplete

Denied Approved

☐ Fire Subcode Official

6/9 incomplete

OK

Denied Approved ☒

☒ Building Subcode Official

6/9 incomplete

7/8/08 ① How are you Heating Room - if Thru Fire wall must have damper ② We are under 2006 Mech code ③ Need energy code ④ Comb Air? Denied ☒ Approved

☐ Construction Official

Not enough comb air

Denied Approved

V. P. ARCHITECTURAL DESIGN, LLC.

200 PERRINE ROAD
OLD BRIDGE, NJ 08857
(732)-721-8300

Building Department
Wrightstown Borough
21 Saylors pond road
Wrightstown, New Jersey 08562

8-4-08

Ref: Days Inn Guest Laundry Room
Control #176, Block 601 Lot 50

Attn: Mr. Harry Case, Construction official

Dear Sir,


In reference to the plan review comments for the above noted project, Please find the following:

- 1 New laundry area will have 42" wide x 14" deep floor mounted packaged terminal air conditioner and heat pump (PTAC) unit as manufactured by Amana or approved equal.
- 2 Revised drawing T-1 shows 2006 Mechanical Code.
- 3 Com-chek provided. See attached.
- 4 As per table 4 – Combustion air 75 sq.in grill is required. Revised drawings shows 12"x 8" extruded Aluminium grill.


If you have any questions or concerns regarding the above project, please contact me at (732) 721-8300.

Thank you.

Sincerely,



V.P. Architectural Design (Vinu M. Patel)





WRIGHTSTOWN BOROUGH

21 Saylor's Pond Road • Wrightstown, NJ 08562
(609) 723-4450 • Fax (609) 723-7137

July 10, 2008

V.P. Architect Design LLC
Attn: Vinu
200 Perrine Road
Old Bridge, NJ 08857

RE: Days Inn Guest Laundry Room
Control #176, Block 601 Lot 50

Dear Vinu:

The plan review process was **DENIED** for the following reasons by the Building Subcode Official:

- How are you heating the room. If thru a fire wall, must have damper.
- We are under 2006 Mechanical Code.
- Needs energy calculations.
- Not enough combustion air. (Attached form **MUST** completed).

Once the above mentioned items are corrected, please send the plans to the Construction Department along with a completed Combustion Air Calculation Sheet. Your 20 day plan review will begin again.

If you have any questions, please contact the Construction Department at (609)723-4450 x17.

Regards,

A handwritten signature in black ink, appearing to read "Harry Case", is written over a horizontal line.

Harry Case
Construction Official

cc: Mr. Oleg Filippov, Forum Inc.
Sam Shah, Days Inn

encl.

Wrightstown Borough
Construction Department
21 Saylor's Pond Road
Wrightstown, NJ 08562
(609) 723-4450

Site Location _____ Block _____ Lot _____

Owner in Fee _____

Address 507 E. Main St. Wrightstown NJ

Phone () Cell ()

MECHANICAL INSPECTION:

Contractor FORUM HC Inc.

Address 213 Parsonage Rd

Edison NJ 08837

Phone (732) 421 8093

Lic # (State) _____

Fed ID# or SS# 201436985

SUBMISSIONS w/APPLICATION

- | | |
|-------------------------------------|--|
| ☒ | Gas Pipe and Size Diagram |
| ☐ | Fuel Oil Piping |
| ☐ | Vent Stack and Size Diagram |
| ☒ | Cubic Feet Area |
| ☐ | BTU Input of Heater/Boiler |
| ☐ | Copy of Manufacturer's Booklet
and Instructions |
| ☒ | Calculation for Combustion Air |

Technical Site Data (List all Fixtures)

Central Heat, Oil or Gas

Steam Boiler

Hot Water Boiler

Water Heater, Oil, Gas or Electric

Dryer

<u>Location</u>	<u>No.</u>	<u>Size/BTUs</u>
75,000	2	150,000

(Circle answer below)

Gas Piping (Existing, New)

New Existing

If new, need Gas Riser Diagram

Fuel Oil Piping (Existing, New)

New Existing

Chimney Liner

Yes NO

Chimney Certification

Yes NO

Total BTUs _____


Area = W 12'-5" x L 9'-3" x H 8'-0"

Total Cubic Feet 918.00

Required 50 Cu. Ft. per 1000 BTU

Calculation for Combustion Air per the International Mechanical Code, Chapter 7 requires 50 Cubic Feet of interior room air volume per 1000 BTU input, if combustion air is drawn from the interior.

Note: As Per Table 4 - combustion Air - opening size
75 Sq. in = 12" x 8"



12/2007



COMcheck Software Version 3.1 Release 1
Envelope Compliance Certificate

2000 IECC

Report Date: 08/04/08

Data filename: \\Vpdesign\vpdesign\VINU 2008\Days Inn-32\ENERGY-1.CCK.cck

Section 1: Project Information

Project Title: Day's Inn Hotel

Construction Site:
507 E Main street
Wrightstown, NJ 08562

Owner/Agent:
Day's Inn Hotel
507 E Main street
Wrightstown, NJ 08562

Designer/Contractor:
Vinu Patel
V. P. Architectural Design
200 Perrine Road
Old Bridge, NJ 08857
732-721-8300
vphaveli@gmail.com

Section 2: General Information

Building Location (for weather data): **Wrightstown, New Jersey**
Climate Zone: **11b**
Heating Degree Days (base 65 degrees F): **5089**
Cooling Degree Days (base 65 degrees F): **819**
Project Type: **New Construction**
Glazing Area Percentage: **14%**

Building Type
Storage, Industrial and Commercial

Floor Area
114

Section 3: Requirements Checklist

Envelope PASSES Design 42% better than code.


Climate-Specific Requirements:

Component Name/Description	Gross Area or Perimeter	Cavity R-Value	Cont. R-Value	Proposed U-Factor	Budget U-Factor
Roof 1: Metal Roof without Thermal Blocks	60	0.0	30.0	0.032	0.063
Roof 2: Structural Slab	72	---	30.0	0.032	0.063
Exterior Wall: Metal Frame, 16" o.c.	260	0.0	13.0	0.065	0.098
Window: Metal Frame:Double Pane, Clear, SHGC 0.35	15	---	---	0.330	0.627
Door: Glass, Clear, SHGC 0.14	21	---	---	0.350	0.627
Floor: Concrete Floor (over unconditioned space)	114	---	30.0	0.030	0.062

(a) Budget U-factors are used for software baseline calculations ONLY, and are not code requirements.

Air Leakage, Component Certification, and Vapor Retarder Requirements:

- ☐ 1. All joints and penetrations are caulked, gasketed, weather-stripped, or otherwise sealed.
- ☐ 2. Windows, doors, and skylights certified as meeting leakage requirements.
- ☐ 3. Component R-values & U-factors labeled as certified.
- ☐ 4. Vapor retarder installed.



Section 4: Compliance Statement

Compliance Statement: The proposed envelope design represented in this document is consistent with the building plans, specifications and other calculations submitted with this permit application. The proposed envelope system has been designed to meet the 2000 IECC, Chapter 8, requirements in COMcheck Version 3.1 Release 1 and to comply with the mandatory requirements in the Requirements Checklist.

VINU PATEL
Principal Envelope Designer-Name

[Signature]
Signature

8-4-08
Date

**Wrightstown Borough
Construction Department
21 Saylor's Pond Road
Wrightstown, NJ 08562
(609) 723-4450**

Site Location Duys Inn Block 601 Lot 50
 Owner in Fee Sam Shah
 Address 507 E. Main St. Wrightstown
 Phone (609) 723 6900 Cell ()

MECHANICAL INSPECTION:

Contractor Forum HC Inc.
 Address 213 Parsonage Rd
Edison NJ 08837
 Phone (732) 421 8093
 Lic # (State) 13VH03426200
 Fed ID# or SS# 201 436 985

SUBMISSIONS w/APPLICATION

- ☒ Gas Pipe and Size Diagram
☐ Fuel Oil Piping
☐ Vent Stack and Size Diagram
☐ Cubic Feet Area
☐ BTU Input of Heater/Boiler
☐ Copy of Manufacturer's Booklet
 and Instructions
☒ Calculation for Combustion Air

Technical Site Data (List all Fixtures)

Central Heat, Oil or Gas
 Steam Boiler
 Hot Water Boiler
 Water Heater, Oil, Gas or Electric
 Dryer

Location	No.	Size/BTUs
—	—	—
—	—	—
—	—	—
—	—	—
—	2	35,000

(Circle answer below)

Gas Piping (Existing, New)

If new, need Gas Riser Diagram

New Existing

Fuel Oil Piping (Existing, New)

New Existing

Chimney Liner

Yes

NO

Chimney Certification

Yes

NOTotal BTUs 70,000

Area = W 9'-3" x L 12'-5" x H 8'
 Required 50 Cu. Ft. per 1000 BTU


Total Cubic Feet

721 1026

Calculation for Combustion Air per the International Mechanical Code, Chapter 7 requires 50 Cubic Feet of interior room air volume per 1000 BTU input, if combustion air is drawn from the interior.

Heating & Air Conditioning **Amana**

Product Data Book



FULL WARRANTY

- 1st Year
- 2nd- through 5th-Year—Sealed System

LIMITED WARRANTY

- 2nd- through 5th-Year—Parts



Added Great Standard Features

More Efficient

Quieter

Easier to Clean

Longer Lasting



PTAC

Packaged Terminal Air Conditioner and Heat Pump

No other unit in the industry offers so many extras already built in as standard on every unit. Don't settle for anything less than the Amana® brand Standard Advantage!

New Standard Features

NEW Bent Coil Design. Our unique new bent condenser coil maximizes airflow through the 25%-increased primary and secondary coil surfaces, which further cools the refrigerant and maximizes the sealed system life. The bent coil design also allows us to maximize the fan slinger ring by adding side surface for the condensate to be evaporated, reducing condensate over-flow. Our bent coil technology raises the bar on America's best PTAC to a new level of excellence. Why bend the coil? Quite simply, to get the maximum primary coil surface area possible into an industry standard-sized wall sleeve. More primary coil surface means more efficient heat transfer, lower system operating temperatures, longer compressor life, better condensate dispersion and sustainable high efficiencies.

NEW Quieter Operation. Our new PTAC has been redesigned to be the quietest PTAC we've ever built! The new 9-bladed condenser fan, additional copper refrigerant tubing, increased copper tubing spacing, relocation of the reversing valve on heat pumps, as well as other product enhancements, all equate to a more reliable and much quieter operating unit.

NEW Forward-curved 9-Blade Fan. The new 9-blade, forward-curved, polypropylene condenser fan has been designed to move more air more efficiently and with much less operating sound than fans with fewer blades. The result is a more efficient unit that will last longer and operate quietly.

NEW Removable Top Condenser Shroud. The removable top of the new bent coil condenser shroud allows easy access to clean the condenser coil and maintain the unit's efficiency and capacity. The removable top reduces cleaning time and cost. A clean condenser coil extends compressor life.

NEW Pullout Filter Design. Our new 1-piece pullout filter design allows easy access to clean or replace the filter. Just open the front louver and pull out the filter. The universal filter design allows for fool-proof installation. The slide-out design also allows for many optional approved filter media to be used, such as our Activated Charcoal Filter Kit (CFK01B).

NEW Electronic Temperature Limiting. The new "B" series PTAC has an enhanced electronic temperature limiter that allows you to easily select any of the 4 pre-programmed room temperature ranges by simply flipping an easily accessible set of switches. Save energy and money by avoiding the extreme temperature settings that can occur with guest operation.

NEW Deep Base Pan & Sub-cooler. The extra-deep base pan holds additional condensate water and allows more of the coil surface to be immersed in condensate water, which further cools the refrigerant and maximizes heat transfer. The new sub-cooler design is also in the deepened base pan and adds additional heat transfer. The result is higher efficiency and a cooler sealed system, which equates to longer life.

NEW Stonewood Room Front. Our new Stonewood room front strikes the balance between attractive styling and practical design. Distinctive contours and a modern appearance enhance the character of even the most luxurious room, while the sleek 7½" depth—one of the shallowest in the industry—maximizes usable space for your guests.

NEW WS900D Wall Sleeve. The new Stonewood wall sleeve has been designed using a technique to dramatically strengthen and make the sleeve more rigid. The sleeve's base pan has also been enhanced by now being made of drawn steel, so the sleeve has no corner seams that can break and potentially leak if improperly installed. (This item purchased separately.)

Product Data Book

Standard Features

Energy Efficiencies. Our units' high efficiencies can qualify you for many of the rebates offered by electrical power companies. EERs up to 11.6 and heat pump COPs up to 3.3 keep energy consumption to a minimum.

Quiet Operation. The unit's state-of-the-art design and construction provide a quiet environment, allowing guests to enjoy peaceful, sleep-filled nights. Operating sound levels are further dampened when the unit is in "low fan" mode of operation.

Increased Dehumidification Capacity. Maintain lower humidity levels in rooms while cooling them without the need for expensive add-ons. As a result, guests feel more comfortable at higher temperatures, thus reducing cooling costs, and increasing the life of your furniture, wall coverings, and fixtures is extended, which means less replacement costs.

5-Year Warranty. Enjoy one of the most comprehensive warranties in the industry. Full 1-year warranty on unit parts and labor; full 5-year warranty on the entire sealed system components; limited 2nd through 5th year parts-only warranty on functional components.

Condensate Dispersion System. Our condensate dispersion system removes condensate from indoor cooling operation by throwing water directly on to the outdoor "bent" coil for rapid evaporation and increased cooling efficiencies. The slinger ring on the new, enhanced 9-bladed fan draws water up and into fan blades. This water is then atomized and evaporated into the atmosphere through the condenser. Increased surface area from the unique "bent" coil design allow more water to get evaporated on the sides of the coils and helps to minimize condensate run-off.

Front Desk Control. Obtain greater savings by centrally controlling units and eliminate wasted energy generated by cooling and heating unoccupied rooms. Each unit has low voltage interface capability with a field supplied front desk ON/OFF switch.

Freeze Protection. When the unit senses temperatures of 40 °F or below, the unit activates the fan motor and either the electric resistance heater or the hydronic heater. This may help prevent bursting water pipes or broken fixtures caused by freezing temperatures.

Easy To Use Controls. No complex controls to confuse your guests and create phone calls for your manager. Controls are easy to read, understand and activate.

7 $\frac{3}{8}$ " Unit Front. Enhance valuable room space—the unit front has a sleek 7 $\frac{3}{8}$ " depth, one of the shallowest silhouettes in the industry today. In addition, to inhibit guest-tampering, the front can be secured to the chassis with a hidden screw.

Versatile Style. Our unit's stylish design and neutral color make it compatible with virtually any room décor or architectural design. The unit becomes less noticeable as it blends into the room's color scheme.

Easy to Service and LED Diagnostics. The main components are easily serviced and there is no guessing to determine the problem with our easy-to-read diagnostics. For example: 2 blinks indicate a blown or missing fuse while 1 blink every 5 seconds means the board is operating correctly. *This diagnostic light is visible by removing the front cover.*

Extended Heat Pump Heating. The heat pump models will operate in the heat pump heating mode down to as low as 24 °F outdoor ambient, providing additional hours of energy-saving operation.

Zero Floor Clearance. Unit can be installed flush to the finished floor, if desired. (Some accessories do not have zero clearance).

Remote Thermostat Control. Each unit is built to be operated from a remote-mounted thermostat, if desired. Even if you start without a remote, you can take advantage of a built-in low-voltage power source that accommodates a variety of manufacturer approved thermostat choices—manual, auto changeover or programmable—at a later date.

Remote Temperature Sensing. Guests enjoy ultimate comfort with consistent climate control. When the field-installed thermistor (RTS02) is used, the unit mounted thermostat is overridden to allow more accurate, internal wall-sensing of room ambient temperature.

30-Second Fan Off Delay. Fan continues to run 30 seconds after compressor has stopped in either cooling or heat pump mode and after electric heat has been turned off. This improves efficiency by dispersing the conditioned air on the coils into the room.

Compressor Lock-In. This feature helps prolong the life of the compressor by preventing short-cycling. When the compressor is switched from Off to On because room temperature has risen or fallen below the specified limit, it will remain on for at least 4 minutes. If the temperature set point is changed during this 4 minutes, the lock-in feature is overridden.

Automatic Emergency Heat. No more "my unit is not heating" complaints during the middle of the night. Heat pump units will automatically switch over to electric resistance heat if for any reason the heat pump compressor system fails or if the heating load is greater than the unit capacity.

Fan Mode Switch. Take advantage of each unit's dual options: select continuous fan operation or cycle the fan ON and OFF with the thermostat.

Reduced Outdoor Sound Transmission. With our STC (Sound Transmission Coefficient) rating of 27, we keep outdoor sounds out-of-doors. By installing the optional STC 30 Rating Accessory Kit, ratings can be increased to STC 30, thereby meeting or exceeding most ratings requirements. **(Kit ordered separately.)**


Hidden Ventilation Control. The ventilation control lever is hidden from the occupant's view to allow you to manage ventilation requirements.

Optional Accessory


Wall Sleeve (14 $\frac{1}{8}$ " x 42" x 16 $\frac{1}{16}$ "). No more worries about changing out non-standard sleeves that do not accommodate the bulk of what the industry has to offer. Our wall sleeve is an industry-standard size of 14 $\frac{1}{8}$ " deep x 42" wide x 16 $\frac{1}{16}$ " high. (Please Note: Wall Sleeve must be ordered separately.)

NEW Pull-out Easy Access Filter

Maintaining the unit's efficiency while saving time and money is easy. The filter is easily accessed for cleaning or replacement without removing the unit front.



Step 1: Open the intake grille louver.



Step 2: Pull the filter up and out.

Product Data Book

Cooling/Electric Heat—PTC Models

Model (Basic) (Notes 1, 7, 9, 10)	PTC073B**AE	PTC074B**AE	PTC093B**AE	PTC094B**AE	PTC123B**AE	PTC124B**AE	PTC153B**AE	PTC154B**AE
Voltage (Notes 1, 3)	230/208	265	230/208	265	230/208	265	230/208	265
Capacity (BTUH)	7,100/6,900	7,100	9,100/8,900	9,100	12,000/11,900	12,000	14,000/13,900	14,000
Amps	2.8/3.0	2.3	3.7/3.8	3.0	4.6/5.0	4.3	6.3/6.9	5.9
Watts	610/595	610	790/775	790	1,110/1,100	1,130	1,470/1,450	1,470
EER	11.6	11.6	11.5	11.5	10.8	10.8	9.5	9.5
Unit without Electric Heater								
Min. Circuit Ampacity (Notes 2, 4)	4.0	3.6	5.1	4.4	6.4	5.7	8.8	7.7
CFM (Cool, Wet Coil)	High	245/240	245	245/240	245	325/315	325	325/315
	Low	220/205	220	220/205	220	250/229	250	250/220
CFM (Dry Coil)	High	265/260	265	265/260	265	345/335	345	345/335
	Low	230/215	230	230/215	230	265/235	265	265/235
Ventilated Air, CFM (Fan Only)*	65*	65*	65*	65*	70*	70*	70*	70*
Ventilated Air, CFM (Compressor & Fan)*	65*	65*	65*	65*	70*	70*	70*	70*
Dehumidification (Pints/Hr.)	1.6	1.6	2.6	2.6	3.5	3.5	4.4	4.4
Net Weight (approximate lbs.)	90	90	95	95	105	105	110	110
Shipping Weight (approximate lbs.)	105	105	110	110	120	120	125	125

*Approximately 95 CFM with optional power vent kit. Actual vent CFM performance will vary due to application and installation conditions.

Electric Heater Performance—PTC and PTH Models

(Primary Heating for PTC Models; Auxiliary Heating for PTH Models)

See page 11 for Power
Cord Configuration

VOLTAGE	ELECTRIC HEATER SIZE (kW)	NO. OF STAGES	NOMINAL HEATING			TOTAL WATTS (NOTE 6)	TOTAL AMPS (NOTE 8)	MIN. CIRCUIT AMPACITY (NOTE 2)	OVERCURRENT PROTECTION (NOTE 4)	POWER CORD
			BTUH AT 230V	BTUH AT 208V	BTUH AT 265V					
230/208V	2.5/2.0	1	8,500	6,800	--	2,650/2,140	11.5/10.2	14.2	15	6 - 15 P
230/208V	3.5/2.9	1	12,000	9,900	--	3,650/3,040	15.8/14.5	19.6	20	6 - 20 P
230/208V	5.0/4.1	1*	17,100	14,000	--	5,150/4,240	22.3/20.3	27.7	30	6 - 30 P
265V	2.5	1	--	--	8,500	2,650	10.0	12.4	15	7 - 20 P
265V	3.7	1	--	--	12,600	3,850	14.6	18.1	20	7 - 20 P
265V	5.0	1*	--	--	17,100	5,150	19.5	24.2	25	7 - 30 P

*PTH/PTC09*B50*E has the same air flow as a PTC/PTH12*B***E. (Not available on 7,000 BTU models.)

Hydronic Heat Models

Hydronic Models / Hot Water & Steam Heating

These models are shipped without a chassis front or electric heat, and they have an additional relay and 40VA transformer for water or steam valve operation. Also available is Hydronic with Powered Vent and Hydronic with Powered Door. See Model Nomenclature for Special Feature Codes for these models. See page 7 for hydronic accessories.

Hydronic with Manual Door

Model Number	Voltage Capacity	Cooling Capacity	EER
PTC093B00HE	230/208	9,100/8,900	11.6
PTC123B00HE	230/208	12,000/11,900	10.8
PTC153B00HE	230/208	14,200/14,000	9.5
PTC094B00HE	265	9,100	11.6
PTC124B00HE	265	12,200	10.8
PTC154B00HE	265	14,200	9.5

Cooling/Heat Pump and Electric Heat—PTH Models (Heat Pumps)

Model (Basic) (Notes 1, 7, 9, 10)	PTH073B**AE	PTH074B**AE	PTH093B**AE	PTH094B**AE	PTH123B**AE	PTH124B**AE	PTH153B**AE	PTH154B**AE
Voltage (Notes 1, 3)	230/208	265	230/208	265	230/208	265	230/208	265
Capacity (BTUH)	7,000/6,800	7,000	9,100/8,900	9,100	12,000/11,800	12,000	14,000/13,900	14,000
Amps	2.8/3.0	2.3	3.5/3.8	3.0	4.6/5.0	4.3	6.3/6.9	5.9
Watts	605/585	605	790/775	790	1,110/1,090	1,110	1,505/1,495	1,505
EER**	11.6	11.6	11.5	11.5	10.8	10.8	9.3	9.3
Units without Electric Heater								
Min. Circuit Ampacity (Notes 2, 4)	4.0	3.6	5.1	4.4	6.4	5.7	8.8	7.7
CFM (Cool, Wet Coil)	High	245/240	245	245/240	245	325/315	325	325/315
	Low	220/205	220	220/205	220	250/229	250	250/220
CFM (Dry Coil)	High	265/260	265	265/260	265	345/335	345	345/335
	Low	230/215	230	230/215	230	265/235	265	265/235
Ventilated Air, CFM (Fan Only)*	65*	65*	65*	65*	70*	70*	70*	70*
Ventilated Air, CFM (Compressor and Fan)*	65*	65*	65*	65*	70*	70*	70*	70*
Dehumidification (Pints/Hr.)	1.6	1.6	2.6	2.6	3.5	3.5	4.4	4.4
Net Weight (approximate lbs.)	95	95	100	100	110	110	115	115
Shipping Weight (approximate lbs.)	110	110	115	115	125	125	130	130

* Approximately 95 CFM with optional power vent kit. Actual vent CFM performance will vary due to application and installation conditions.

**EER - Energy Efficiency Rating per Air Conditioning & Refrigeration Institute (ARI) Test Procedures and Canadian Standards Association (CSA) EEV Test Procedures

Heating Performance—PTH Models (Heat Pumps)

Heating Capacity Reverse Cycle (Note 1)	PTH073B**AE	PTH074B**AE	PTH093B**AE	PTH094B**AE	PTH123B**AE	PTH124B**AE	PTH153B**AE	PTH154B**AE
BTUH (Note 5)	6,200/6,000	6,200	8,200/8,000	8,200	10,800/10,600	10,800	13,300/13,200	13,300
Amps	2.6/3.0	2.2	3.2/3.6	2.6	4.5/5.1	3.9	5.7/6.3	5.4
Watts	550/530	550	750/730	750	1,020/1,000	1,020	1,340/1,330	1,340
COP (Note 5)	3.3	3.3	3.2	3.2	3.1	3.1	2.9	2.9
CFM (Dry)	235/230	235	235/230	230	310/290	310	345/335	345
Heating, BTUH (Note 5)	° F							
	62	7,200/7,000	7,200	9,800/9,600	9,800	13,000/12,800	13,000	15,800/15,700
	57	6,900/6,700	6,900	9,300/9,100	9,300	12,300/12,100	12,300	15,000/14,900
	52	6,500/6,300	6,500	8,700/8,500	8,700	11,600/11,400	11,600	14,200/14,100
	47	6,200/6,000	6,200	8,200/8,000	8,200	10,800/10,600	10,800	13,300/13,200
	(COP)*	3.3/3.3	3.3	3.2/3.2	3.2	3.1/3.1	3.1	2.9/2.9
	Outdoor Ambient							
	42	5,900/5,700	5,900	7,700/7,500	7,700	10,100/9,900	10,100	12,500/12,400
	37	5,600/5,400	5,500	7,200/7,000	7,200	9,400/9,200	9,400	11,700/11,600
	32	5,300/5,100	5,200	6,700/6,500	6,700	8,600/8,400	8,600	10,800/10,700
Rating Point	27	5,000/4,800	5,000	6,200/6,000	6,200	7,900/7,700	7,900	10,000/9,900
	24	4,800/4,600	4,800	5,900/5,700	5,900	7,500/7,300	7,500	9,500/9,400
	Watts							
	62	580/560	580	810/790	810	1,120/1,100	1,120	1,465/1,455
	57	575/555	575	800/780	800	1,090/1,075	1,090	1,440/1,430
	52	555/535	555	775/755	775	1,060/1,045	1,060	1,405/1,395
	47	550/530	550	750/730	750	1,020/1,005	1,020	1,340/1,330
	42	540/525	560	730/710	730	985/970	985	1,325/1,315
	37	530/515	545	705/685	705	950/935	950	1,285/1,275
	32	515/500	535	690/670	690	900/885	900	1,240/1,230
Outdoor Ambient	27	505/490	525	660/640	660	855/840	855	1,190/1,180
	24	500/485	520	640/620	640	830/815	830	1,180/1,170

NOTES:

- All 265v models must use our subbase (PTS84**D) or an Amana® brand hard wire kit (PTPWHWK4).
- Minimum branch circuit ampacity ratings conform to the National Electric Code. However, local codes should apply.
- Minimum voltage on 230/208 volt models is 197 volts; maximum is 253 volts. Minimum voltage on 265 volt models is 238.5 volts; maximum is 291.5 volts.
- Overcurrent protection for **all units without electric heaters** is 15 amps. Overcurrent protection on 265 volt models must be cartridge-style time delay fuses (included and factory-installed on Amana® brand all 265 volt chassis).
- Heating capacity and efficiency is based on unit operation without condensate pump. Unit automatically switches to electric heat at approximately 24 °F outdoor ambient.
- Total watts for 12,000 and 15,000 Btuh models. Subtract 70 watts for PT07/09*B**AE.
- Please specify 2-digit heater kW size to complete model number.
- Total amps for 12,000 and 15,000 Btuh models; subtract 0.2 amps for PT07/09*B**AE.
- Refrigerant used in all systems is R-22.
- All units meet or exceed ASHRAE 90.1 standards.

See facing page for Auxiliary Electric Heater Performance

COP - Coefficient of Performance per ARI Test Procedures
Units are rated for capacities and efficiencies.

Product Data Book

Accessories

Wall Sleeve 14 1/2" (D) x 42" (W) x 16 1/16" (H)

Our insulated, stonewood beige metal sleeves with industry-standard dimensions are shipped with a weather board for use during construction. The WS900D is an industry-standard depth of 14 1/2". The extra-deep sleeves can be custom ordered starting at 16" to 24" (D) in 1" increments. Sleeves may be shipped separately to allow for installation during construction.

Outdoor Grilles

Available in stamped-aluminum or architecturally louvered for application with a WS900D wall sleeve.

AGK—Extruded aluminum architectural grille available with anodized aluminum finish and a baked-on paint finish for durability. Choose from 3 stock colors or a custom color.

CB (Clear Anodized), DB (Dark Brown/Bronze), TB (Stonewood Beige), WB (White), SB (Special/Custom Colors)

PGK—One-piece injection molded grille using a polymer blend of engineered thermoplastic high-impact strength material with chemical resistance and an exterior UV protective coating. Choose from 3 stock colors. DB (Dark Brown/Bronze), TB (Stonewood Beige), WB (White)

Subbase Kit

The fully skirted subbase conceals wiring while providing strong support, if needed. Plug-in receptacle and field-wiring access speeds installation. Electrical accessories, such as fuse holders, circuit breakers and disconnect switches, meet N.E.C. requirements.

Hard Wire Kit (not shown)

Used to permanently wire to the chassis when a standard subbase and power cord are not utilized.

Fuse Holder Kit

Cartridge-style fuses can be installed in the fuse holder for use in the subbase or chassis. Available in 15, 20 and 30 amp (included on 265-volt unit).

External Transformer Kit (not shown)

40VA transformer to provide additional low-voltage power to accommodate a wide range of energy management systems or external relays. EXTRK03A and EXTRK04A are the **only approved transformer kits** that can be used.

Circuit Breaker Kit (230/208V only)

The circuit breaker kit, available in 15, 20 or 30 amp, can be used with Amana® brand subbases. It gives overcurrent protection, and its location allows you to turn the unit on or off without tools.

Wire Harness Kit (not shown)

For quick connections of the remote thermostat or front desk with jumpers and connectors.

Remote Temperature Sensor

Allows inexpensive, low-voltage temperature sensing on the internal wall for more accurate temperature control.

STC 30 Rating Accessory Kit (not shown)

Raises sound ratings from 27 to 30 to meet or exceed most sound test requirements.

Power Disconnect Switch (not shown)


The PSHW**A power disconnect switch can be used for 265-volt or 230/208-volt physical disconnect, where required by local codes. The switch is rated at 30-amp capacity. The switch is for use with and Amana® brand standard subbases or PTPWHWK4 Hard Wire Kit.

Thermostats


The following thermostats offer remote control. Any thermostat other than those listed must be submitted to Goodman Company, L.P., for approval prior to use.

WS900D	Standard 14 1/2" Depth
WS9**D1	Extra Deep (16" to 24")


** Depth in inches



Standard Outdoor Grille	
SGK01B	Single Pack
Architectural Grille	
AGK01*B	Single Pack
PGK01*B	Single Pack




AGK
or
PGK



PTSB320D	230/208V 15/20A
PTSB330D	230/208V 30A
PTSB420D	265V 15/20A
PTSB430D	265V 25A
PTSB000D	Non-electrical

PTPWHWK4	Hard Wire Kit
----------	---------------



FHK315C	230/208V 15A
FHK320C	230/208V 20A
FHK330C	230/208V 30A

EXTRK03A	208/230V
EXTRK04A	265V



CBK3**C	Circuit Breaker Kit
---------	---------------------

PWHK01B	Wire Harness Kit
---------	------------------


RTS02	Remote Temperature Sensor
-------	---------------------------

STC101A	10 Pack
---------	---------

PSHW03A	230/208V
PSHW04A	265V



Model	Heat Stages	Cool Stages	Display	Type	Shape & Orientation
C5200609	1*	1	Mech.	Manual	Round
D9945801	2**	1	Mech.	Manual	Rect./Horiz.
1246005/6	1*	1	Mech.	Manual	Rect./V or H
1246001	1*	1	Digital	Manual	Rect./Horiz.
1246003	2**	1	Digital	Manual	Rect./Horiz.
1246004	2**	1	Digital	Program	Rect./Horiz.
1241501	2**	1	Digital	Auto Change	Rect./Vert.



* PTC Models Only

** PTC and PTH Models

Product Data Book

Condensate Drain Kit

Attaches to the wall sleeve base pan for controlled internal or external disposal of condensate.

Security Key Locks (not shown)

In conjunction with the tamper-resistant front, the installation of Amana® brand security key locks prevents tampering of the controls used to set temperature, heating and cooling functions. U.L. approved for institutional use only.

Remote Escutcheon Kit (not shown)

Optional kit for use with units controlled via a wall thermostat. Replaces knob controls for units operated by wall thermostat.

Condenser Baffle Kit

For use on non-baffled grilles. These deflectors direct the air in toward the center and away from the inlet to prevent recirculation of the hot condenser air.

Power Vent Kit (not shown)

Installation of Power Vent increases CFM up to approximately 95. Vent door will automatically close when unit fan is off.

Power Door Kit (not shown)

Vent door will automatically open when unit fan is on.

Hydronic Transformer Relay Kit (not shown)

Add-on kit that allows field conversion of a standard PTC unit to a hydronic unit.

Hydronic Heat Kit

Add-on kits fit all units allowing the addition of hydronic water or hydronic steam heat to cooling and heating units. The kits feature left- or right-hand piping. Unit retains complete service access with a kit installed.

Hydronic Valves (not shown)

Water and steam valves are available for use with the HWK03 (water) and HVK03 (steam) heat kits. (See Architects and Engineers Manual for specifications.)

Condensate Removal Pump (not shown)

Can be field installed. Assists in removing condensate developed by heat pump operation and transfers it to indoor coil to dissipate into room while adding humidity to the room.

Spare Filters (not shown)

Helps keep dirt and lint out of the air and off the coil, thus increasing the unit's efficiency. Amana® brand filters are easy to remove, wash and replace.

NEW! Replacement Charcoal Filter Kit (not shown)

Absorbs airborne odors caused by cigarette, pipe or cigar smoke and odors caused by mold, mildew, etc. Filters are made of polyester fibers coated with activated charcoal and are individually wrapped. This filters are permanent and can be washed or cleaned. Call your Amana® brand PTAC sales person for details. 10 filters per pack.


Duct Extension Kit

Extends air distribution to an adjoining room. Consists of a main duct for the room of origin and an extension duct to reach the adjoining room and terminal duct.

Heater Kit—For Heater-less Units Only (not shown)

Optional 1.5kW heater kits are available for use only with models originally shipped without electric heat. Ask salesperson for details.


DK900D	Condensate Drain Kit (use with WS900D)
DK9001D	Condensate Drain Kit (use with WS900B & extra deep wall sleeves)
KL03B	Security Key Lock



REK10B	Remote Escutcheon Kit (10-pack)
--------	---------------------------------

Each kit contains 80 wires and wire nuts, enough to attach a thermostat and one additional accessory to 10 PTAC units. Wires come in assorted colors for easy attachment.


DGK1B	Condenser Baffle Kit
-------	----------------------



PVK3A	230/208V
PVK4A	265V


PDK3A	230/208V
PDK4A	265V

HTK3A	230/208V
HTK4A	265V



HWK03	Hydronic Water Kit
HVK03	Hydronic Steam Kit


Hydronic Heat Kit-Right View



VS2WNCA*	2-way/24V/NC/Steam
VS2WNOA*	2-way/24V/NO/Steam
VW2WNCA*	2-way/24V/NC/End Switch
VW2WNOA*	2-way/24V/NO/End Switch
VW3WNC2B*	3-way/24V/NC/NO/End Switch

* Poptop Actuator

Hydronic Heat Kit-Side View




CDP302	230/208V
CDP402	265V


FK10A	Filters (10-pack) - A Series
FK10B	Filters (10-pack) - B Series

CFK10A	Charcoal Filters (10-pack) - A Series
CFK10B	Charcoal Filters (10-pack) - B Series

MDK02B	Main Duct
EDK02B	Extension Duct
TDK02	Terminal Duct



	Model Nominal BTUs	230V	208V	265V
Rated Watts	All	1,500	1,200	1,500
Full Load Amps (incl. fan)	7K & 9K 12K & 15K	6.9 7.1	6.2 6.4	6.1 6.3
Min. Ampacity	7K & 9K 12K & 15K	8.6 8.8	8.6 8.8	7.5 7.7
Fuse Size	All	15	15	15



Product Data Book

Furnish and install air cooled through the wall package terminal air conditioners (heat pumps). Units are rated in accordance with the ARI (Air Conditioning & Refrigeration Institute) Standards 310/380-93, CSA (Canadian Standards Association) EEV certification programs and listed by U. L. (Underwriters Laboratories).

Ratings

Each unit must meet the following specifications:
ARI rating of _____ BTUH cooling (and _____
BTUH reverse cycle heating with a COP of _____
_ at 47° F O.D.)

Electric resistance heat of _____ BTUH. Total
Amp draw must be of _____ and _____
Watts at _____ volts.

The unit must remove a minimum of _____
pints of moisture per hour when operated at rating
conditions. The EER must be a minimum of _____
_ EER.

Unit Chassis

Each unit must be slide out design shipped with room cabinet front installed. Unit chassis must have the ability to be installed with 0 clearance from finished floor. An electrical power cord must be included with chassis and installed by the manufacturer to assure proper NEMA 6 or 7 configuration and UL-approved length. Unit must be tested for conformance to ASTM water infiltration specification **ASTM 331-86**, which ensures no water infiltration when tested at 8" rain per hour at 63 mph wind for 15 minutes.

Room Cabinet

The monochromatic front of the room cabinet must be able to be field-secured to chassis to inhibit tampering. Filter must be accessible without removing room front. Cabinet depth must not exceed 7 $\frac{3}{8}$ " to minimize unit's impact on room space.

Coils

Unit's coils must have rifled copper tubing expanded into rippled-edge louvered aluminum fins.

Heat Pumps

Each unit must include a changeover thermistor that senses an outside ambient switch-over temperature as low as 24 °F, lock-open refrigerant reversing valve during heat pump operation, temperature-activated defrost drain and automatic emergency heat operation to override the heat pump's change-over thermostat and bring on electric resistance heaters in the event of a sealed system failure. Unit must not operate compressor and electric heaters simultaneously.

Compressor

The compressor must be hermetically sealed, internally isolated, rotary-type and permanently mounted on rubber isolators. No removal or adjustment of compressor hold-down bolts is to be required during installation.

Unit Controls

The unit's controls must be completely wired and accessible from the top. Controls must include high and low fan speeds for both cooling, heating, fan-only operation and an OFF position. Other unit controls must include a concealed ventilation control to allow the introduction of outside air into the room, a concealed fan mode switch to allow the owner to preset for either continuous fan or thermostatically cycled fan operation. Additionally, the following controls are to be included as standard on all units:

- *Compressor restart delay*
- *Random restart circuit*
- *Front desk control capabilities*
- *Automatic room freeze protection*
- *Remote control capability*
- *Electronic temperature limiter*
- *Remote temperature sensing capability*
- *Load shedding capability*

Evaporator/Condenser Fans

Direct drive with a permanent, split-capacitor, two-speed motor. Condensate must be directed onto the bent condenser coil to aid in evaporation and removal. Condenser fan must be a forward-curved, 9-bladed, propeller type with a slinger ring, and the evaporator fan must be blower type.

Air Discharge

Must be a sloped surface so that obstructions cannot be placed on the unit. Discharge conditioned air can be directed into the room at an angle of 15 or 40 degrees from the vertical position. The discharge grille must be of polycarbonate material to resist bending, cracking, rusting and corrosion.

Warranty

The warranty is for **Full One Year** on the entire unit; **Full Second through Fifth Year** on the entire sealed refrigerant system components; **Limited Second through Fifth Year** on functional parts only.

Product Data Book

New installations typically require a minimum of WS900D wall sleeve and an outdoor grille.

Wall Sleeves (WS900D)

The wall sleeve must be industry-accepted dimensions: 14 $\frac{1}{8}$ " depth x 42" width x 16 $\frac{1}{16}$ " height and constructed of G90 HDG galvanized steel with a baked corrosion-inhibiting urethane primer and baked-polyester topcoat enamel. Sleeve must be insulated and shipped with a weather resistant rear closure panel installed.

Outdoor Grilles

Outdoor grille must be architecturally extruded, louvered aluminum (AGK01*B), one-piece polymer-blend injection molded louver (PGK01*B) or standard stamped aluminum (SGK**B). All other grilles must be submitted to the PTAC manufacturer for feasibility, airflow characteristics and compliance with UL regulations, where necessary.

The optional accessories listed below perform specific functions required in some installations.

Remote Temperature Sensor (RTS02)

A field-installed thermistor will override the unit-mounted thermostat to allow more accurate, internal wall-sensing of room-ambient temperature. All other modes and functions remain at the PTAC unit.

Condensate Drain Kit (DK900D)

Attaches to the bottom of the wall sleeve for directional-controlled internal or external disposal of condensate, defrost or rain water.

Subbase Kit (PTSB***D)

Necessary for U.L. listing requirements for 265V units (Hard Wire Kit may be substituted for Subbase kit). Optional for 230/208V units. Must be pre-wired to facilitate field-electrical connections and include a NEMA 6 or 7 configuration electrical receptacle. It must have 2 leveling screws for sleeve support and accurate unit leveling during installation. Locations for field installation of physical disconnect switches, cartridge-style fuse holders and circuit breakers must be provided. Side-skirts must be provided with subbases. (PTSB000D Non-Electrical Subbase available.)

Power Vent & Damper

Must be provided to maximize ventilation air intake to up to approximately 95 CFM. Power vent must be off and damper door closed when unit fan is de-energized.

Fuse Holder (included in 265V chassis)

Must be installed either in the unit or the subbase and must match the electrical requirements of the chassis.

Security Key Locks (KL03B)

Must be installed to prevent tampering of the unit controls. Unit room cabinet must also be secured to the chassis with field supplied screws. U.L.-approved for institutional use only.

Disconnect Switch

Power disconnect switch must be installed in subbase for use as a physical disconnect, where required by local codes.

Duct Kits (MDK02B, EDK02B, TDK02)

Three kits must be supplied to provide ducted, conditioned air into a second room: a main duct kit, an extension duct kit and a terminal duct kit.

Hydronic Heat Kit

Is required for heating functions instead of electric resistance heaters. Unit must retain complete service access with the kit installed. Proper water or steam valves must be used.

Condensate Removal Pump (Heat Pumps only)

Must be installed to assist in removing the condensate developed by the heat pump operation and transfer it to the indoor coil to dissipate into the room, adding humidity to the room.

Circuit Breaker Kit

Must be installed in subbase to provide overcurrent protection for proper 230/208V amperage. Can also be used as a physical disconnect where local codes permit for 230/208 voltage.

Hard Wire Kit

Must be used to permanently wire chassis for hard wire purposes. (For 265V units, Hard Wire Kit may be substituted with Subbase Kit.)



Charcoal Filter Kit -- Optional (CFK10B)

Amana® brand Activated Charcoal filters absorb odors caused by cigarette, pipe or cigar smoke and airborne odors caused by mold, mildew, etc. These replacement filters are polyester fibers coated with activated charcoal. Each filter is individually wrapped to assure maximum absorption and durability when installed. (10 filters per kit.)

Thermostats


A manufacturer-approved manual, auto changeover or programmable thermostat must be installed to provide full remote operation of the chassis. A Remote Escutcheon Kit must be used to indicate remote operation.

Unit with Accessory Wall Sleeve and Subbase Accessory




Right View

Front View



Framing for Accessory Wall Sleeve (WS900D)



FASTENING WALL SLEEVE

When installed in an opening, the Wall Sleeve must be horizontally level (side-to-side) and pitched $\frac{1}{4}$ bubble to the outside. (**NOTE:** To ensure unit's maximum efficiency, **DO NOT** over- or under-pitch.)

INSTALLATION NOTES

1. If **Subbase** (PTSB***D) is installed, allow minimum $\frac{3}{4}$ " height clearance and maximum 5" height clearance between wall sleeve and floor; allow minimum $2\frac{3}{4}$ " protrusion from a finished wall. See Note 4 if using hydronic units.
2. **Drain Kit** (DK900D) shipped separately. Can be mounted either right side, left side or bottom of sleeve. If mounted to bottom of sleeve, allow 2" height clearance from floor to bottom of sleeve.
3. For U.L. approval, 265V units must use Amana® brand **Subbase** (PTSB***D) or Amana® brand **Hard Wire Kit** (PTPWHWK4). Overcurrent protection on 265V units must be by cartridge-style time delay fuses, **which are included and factory-installed on the Amana® brand 265V chassis**.
4. If **Hydronic Kit** (HWK03 or HVK03) is installed, **Wall Sleeve** must extend exactly 3" into the room from the finished interior wall. If using the Amana® brand **Subbase** (PTSB***D), only the minimum $\frac{3}{4}$ " height clearance between wall sleeve and floor is permissible.
5. If **Duct Kit** (MDK02B) is installed, allow a minimum of $2\frac{3}{4}$ " into the room from the finished interior wall.


**Wall Sleeve Opening Height
Should Be Squared with
Wall Sleeve Opening Width**

H = 16 $\frac{1}{4}$ "

W = 42 $\frac{1}{4}$ "

Power Cord Plugs


250V Rating Power Cord Plugs
NEMA 6 Configuration



277V Rating Power Cord Plugs
NEMA 7 Configuration




Power Receptacle Configuration




All units come with factory-installed power cords.

Product Data Book

Model Nomenclature





Borough of Wrightstown
21 Saylor's Pond Road
Wrightstown NJ 08562
609-723-4450

CERTIFICATE

IDENTIFICATION

Date Issued: 02/03/2009
Control #: 200
Permit #: 20080069

Block: 601 Lot: 50 Qualification Code: DAYS
Work Site Location: 505 EAST MAIN STREET

WRIGHTSTOWN

Owner in Fee: GOVARDHAN CORP dba DAYS INN

Address: 505 EAST MAIN STREET

WRIGHTSTOWN NJ 08562

Telephone: 609 723-6900

Agent/Contractor: FORUM HEATING & COOLING INC.

Address: 213 PARSONAGE ROAD

EDISON NJ 08837

Telephone: 732 421-8093

Lic. No./ Bldrs. Reg.No.: _____ Federal Emp. No.: 20-1456985

Social Security No.: _____

☐ CERTIFICATE OF OCCUPANCY

This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☒ CERTIFICATE OF APPROVAL

This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ TEMPORARY CERTIFICATE OF OCCUPANCY/COMPLIANCE

If this is a temporary Certificate of Occupancy or Compliance, the following conditions must be met no later than or will be subject to fine or order to vacate:

Home Warranty No: _____
Type of Warranty Plan: _____
Use Group: _____

☐ State ☐ Private
R-1

Maximum Live Load: _____

Construction Classification: _____

Maximum Occupancy Load: _____

Certificate Exp Date: _____

Description of Work/Use: _____

EXPAND LAUNDRY ROOM CREATING UTILITY ROOM

Update Desc. of Wk/Use: _____

☐ CERTIFICATE OF CLEARANCE-LEAD ABATEMENT 5:17

This serves notice that based on written certification, lead abatement was performed as per NJAC 5:17, to the following extent:

☐ Total removal of lead-based paint hazards in scope of work

☐ Partial or limited time period(____ years); see file

☐ CERTIFICATE OF CONTINUED OCCUPANCY

This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ CERTIFICATE OF COMPLIANCE

This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until

Fees: \$0.00

Paid ☒ Check No.: 4316

Collected by: lp

U.C.C 260 (rev. 5/03)

1 - APPLICANT 2 - OFFICE 3 - TAX ASSESSOR

Harry W. Case Construction Official



BUILDING SUBCODE TECHNICAL SECTION



A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION, WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO. 1-800-272-1000.

Block 601 Lot 50 Qualification Code _____
 Work Site Location 505 East Main St.
Wrightstown N.J. 08562
 Owner In Fee: Goverdhan Corp.
 Tel. (609) 723-6900 e-mail Suresh M. Shah @ hotmail
 Address 505 East Main St. Wrightstown NJ 08562
 Contractor SCHIFFERMAN INC Tel. (609) 723-6900
 Address 243 Pennsylvania Rd Edison NJ

Contractor License No. or Builder Registration No. 13WH03726200 Exp. Date 12/31/08
 Home Improvement Contractor Registration No. or Exemption Reason (if applicable):
 Federal Emp. ID No. 201436925 FAX: ()

JOB SUMMARY (Office Use Only)

PLAN REVIEW	Date	Initial	INSPECTIONS	Failure	Dates (Month/Day)	Approval	Initial
☒ All	<u>10/24/07</u>		Footings				
☒ Footings/Foundations			Footings Bonding				
☒ Structural Framework			Foundation				
☒ Exterior			Slab				
☒ Interior			Frame				
Joint Plan Review Required:			Truss Sys/Bracing				
☐ Elec. ☐ Plumb. ☐ Fire ☐ Elevator			Barrier-Free				
SUBCODE APPROVAL FOR PERMIT			Insulation				
Date:			Finishes - Base Layer				
Approved by:			Finishes - Final				
SUBCODE APPROVAL FOR CERTIFICATE			Energy				
☐ CO ☐ CCO ☐ CA			Mechanical				
Date:			TCO				
Approved by:			Other				
			Final				
			Barrier-Free				

B. BUILDING CHARACTERISTICS

Use Group Present _____ Proposed _____

No. of Stories _____

Height of Structure _____ ft.

Area — Largest Floor _____ sq. ft.

New Bldg. Area/All Floors _____ sq. ft.

Volume of New Structure _____ cu. ft.

Max. Live Load _____

Max. Occupancy Load _____

Const. Class Present _____ Proposed _____

If Industrialized Building: State Approved _____ HUD _____

Est. Cost of Bldg. Work: \$ 800.00

1. New Bldg. \$ _____

2. Rehabilitation \$ _____

3. Total (1+2) \$ _____

U.C.C. F-113 (rev. 12/07)
 Identical Version

200

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of
 project and am authorized to make this application.
 Signature Suresh M. Shah

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

Make hole in Laundry Room wall.
and build Partition wood frame wall
in utility room

TYPE OF WORK:	Height (exceeds 6') Sq. Ft.	FEE (Office Use Only)
☐ New Building		
☒ Addition		
☒ Rehabilitation		
☐ Roofing		
☐ Siding		
☐ Fence		
☐ Sign		
☐ Pool		
☐ Retaining Wall		
☐ Asbestos Abatement Subchapter 8		
☐ Lead Haz. Abatement NJAC 5:17		
☐ Radon Remediation		
☐ Other		
☐ Demolition		

Administrative Surcharge \$ _____

Minimum Fee \$ _____

State Permit Surcharge Fee \$ _____

TOTAL FEE \$ _____

Applicant: When submitting this form to your Local Construction Code Enforcement Office, please provide one original plus three photocopies.

Date Received 10/27/08
 Control # _____
 Date Issued _____
 Permit # 20080069



ELECTRICAL SUBCODE TECHNICAL SECTION



200

A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 601 Lot 50 Qualification Code _____

Work Site Location 505 East Main St.

Owner in Fee: Govardhan Corp.

Tel. (609) 723-6900 e-mail _____

Address _____

street

municipality

zip code

Contractor: Bear Electric Co.

Tel. (609) 894-9014

Address 7 Anna St.

e-mail _____

Vincentown NJ, 08088

Contractor License No. 9924

Exp. Date _____

Home Improvement Contractor Registration No. or Exemption Reason (if applicable): _____

Federal Emp. ID No. 22-3760721

FAX: (609) 726-1249

B. ELECTRICAL CHARACTERISTICS

Use Group _____ Present _____ Proposed _____

☐ Pole/Pad # _____ ☐ Temporary ☐ Other _____

Building Occupied as _____ Utility Co. _____

Est. Cost of Elec. Work \$ 101

JOB SUMMARY (Office Use Only)

PLAN REVIEW		INSPECTIONS				
		Type:	Failure	Failure	Approval	Initial
☐ No Plans Required						
☐ Partial - Underslab Utilities Approved		Rough				
Date: _____	Approved by: _____	Barrier-Free				
☒ Electric Plans Approved		Trench				
Date: <u>10/2/08</u>	Approved by: <u>Keyl</u>	Temp. Serv.				
		Canstr. Serv.				
Joint Plan Review Required:		TCO				
☐ Bldg. ☐ Plumb. ☐ Fire. ☐ Elev.		Other				
SUBCODE APPROVAL FOR PERMIT		Service				
Date: _____		Final				
Approved by: _____		Barrier-Free				
SUBCODE APPROVAL FOR CERTIFICATE		Temp. Cut-in-Card Date Issued				
☐ CO ☐ CCO ☐ CA		Final Cut-in-Card Date Issued				
Date: <u>11/17/08</u>		Annual Pool Inspection				
Approved by: <u>Keyl</u>		Date of Grounding and Bonding				
		Certification				

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor Seal and Signature

☒ Licensed Elec. Contractor ☐ Certifd Landscape Irrigation Contr ☐ Exempt Applicant

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

ONE LIGHTING FIXTURE

QTY. 1 SIZE _____ ITEMS _____

FEE (Office Use Only)

- Lighting Fixtures
- Receptacles
- Switches
- Detectors
- Light Poles
- Motors—Fract. HP
- Emergency & Exit Lights
- Communications Points
- Alarm Devices/F.A.C. Panel

TOTAL NUMBERS

- Pool Permit/with UV Lights
- Storable Pool/Spa/Hot Tub
- KW Elec. Range/Receptacle
- KW Oven/Surface Unit
- KW Elec. Water Heater
- KW Elec. Dryer/Receptacle
- KW Dishwasher
- HP Garbage Disposal
- KW Central A/C Unit
- HP/KW Space Heater/Air Handler
- KW Baseboard Heat
- HP Motors 1/2+ HP
- KW Transformer/Generator
- AMP Service
- AMP Subpanels
- AMP Motor Control Center
- KW Elec. Sign/Outline Light

Administrative Surcharge \$ _____

Minimum Fee \$ _____

State Permit Surcharge Fee \$ _____

TOTAL FEE \$ _____

Date Received 10/27/08

Control # _____

Date Issued _____

Permit # _____

20080069



Borough of Wrightstown
21 SAYLOR'S POND ROAD
WRIGHTSTOWN, NJ 08562
609 - 723-4450

Permit Number: 20080069
Permit Date: 10/29/2008
Update Number:
Control Number: 200
Application Date: 10/27/2008

CONSTRUCTION PERMIT

IDENTIFICATION

OWNER/PROPERTY DETAILS

Block: 601	Lot: 50	Qualification Code: DAYS	Contractor: FORUM HEATING & COOLING INC.
Work Site Location: 505 EAST MAIN STREET WRIGHTSTOWN			Address: 213 PARSONAGE ROAD
Owner In Fee: DAYS INN dba GOVARDHAN CORP			EDISON NJ 08837
Address: 505 EAST MAIN STREET			Telephone: (732) - 421-8093
WRIGHTSTOWN NJ 08562			
Telephone: (609) - 723-6900		Lic. No. / Bldrs. Reg. No.:	
Use Group(s): R-1		Federal Emp. No.:	20-1456985

is hereby granted permission to perform the following work :

☒ BUILDING	☐ PLUMBING	☐ DEMOLITION
☒ ELECTRICAL	☐ FIRE PROTECTION	☐ OTHER
☐ ELEVATOR DEVICES	☐ MECHANICAL	
☐ ASBESTOS ABATEMENT	☐ LEAD HAZARD ABATEMENT	

(Subchapter 8 only)

DESCRIPTION OF WORK:

EXPAND LAUNDRY ROOM CREATING UTILITY ROOM

ESTIMATED COST OF WORK:

Cost of Construction:	0.00
Cost of Rehabilitation:	901.00
Cost of Demolition:	0.00

Total Cost:	\$901.00
-------------	----------

NOTE: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Harry W. Case

Construction Official

Date

10/29/08

PAYMENTS (Office Use Only)

Building	\$50.00
Electrical	\$50.00
Plumbing	
Fire Protection	
Elevator Devices	
Mechanical	
VolFee (DCA)	
AltFee (DCA)	\$1.00
Other Fees	
CO Fee	
CCO Fee	
Minimum Fee	
Total	\$101.00
All Fees Waived:	No

Amount to be Paid: \$101.00

Check Number: 4316

Check amount: \$101.00

Collected by: lp

Receipt No:

Total Cash Amount:

Total Check Amount: \$101.00

Total CC Amount:


Grand Total: \$101.00

Note:

NO SWITCHING - Just hook up with existing ceiling light

(F) 609-723-7137


4450
(6)



PART FLOOR PLAN SCALE: 1/4" = 1'-0"

PLAN REVIEW
CONSTRUCTION DEPARTMENT
WRIGHTSTOWN BOROUGH
 APPROVED _____ DENIED _____
 DATE _____
 OFFICIAL _____

200



PARTITION DETAIL SCALE: 1" = 1'-0"

VINU M. PATEL		NJ-LIC# 10017	
VP ARCHITECTURAL DESIGN, LLC.		200 PERRINE ROAD	
		GIRARD BLVD. 1ST FLOOR	
PH: 732-721-8100		FAX: 732-721-5133	
E-MAIL: VINU@VPDESIGN.COM			

PROPOSED ALTERATION TO EXISTING LAUNDRY FOR DAYS INN AT 505 EAST MAIN STREET WRIGHTSTOWN NJ 08562

[Signature]

PART PLAN			
DATE	10-15-08	SHEET	SK-1
DRAWN	POONAM	PROJECT NUMBER	2008-67
CHECKED	VINU	OF	
REVISIONS			
NO.	DATE	DESCRIPTION	
1.	10-17-08	DOC. DEPT. COMMENTS	

THIS DRAWING IS NOT VALID UNLESS SIGNED AND SEALED BY THE ARCHITECT OR ENGINEER OF RECORD. ANY ALTERATION TO THIS DRAWING WITHOUT THE ARCHITECT'S OR ENGINEER'S SIGNATURE AND SEAL IS UNLAWFUL. ANY REUSE OF THIS DRAWING FOR ANY OTHER PROJECT WITHOUT THE ARCHITECT'S OR ENGINEER'S PERMISSION IS UNLAWFUL. ANY REUSE OF THIS DRAWING FOR ANY OTHER PROJECT WITHOUT THE ARCHITECT'S OR ENGINEER'S PERMISSION IS UNLAWFUL.

Structural Design Criteria

(2006) International Building Code, Section 1603

All sections below are required to be completed.

PROPERTY ADDRESS: 507 E. Maine St. Vreeland NJ Application #: _____

- 1. Floor Live Loads (1607)**
- | | Uniform (psf) | Concentrated (lbs.) |
|-----------------------|------------------------------|---------------------|
| a) Basement | = <u>CONC. SLAB ON GRADE</u> | |
| b) First floor: | = <u>40</u> | = <u>—</u> |
| c) Second floor: | = <u>40</u> | = <u>—</u> |
| d) Third floor: | = <u>—</u> | = <u>—</u> |
| e) Additional floors: | = <u>—</u> | = <u>—</u> |
- 2. Roof Live Loads (1607.11)** = 20
- 3. Snow Loads (1608)**
- a) Ground Snow Load (P_g) (1608.2) = 25 psf
- b) Flat Roof Snow Load (P_f) (1608.3) (ASCE 7, Sec. 7.3) (For slopes $\leq 5^\circ$) = —
- i) Snow Exposure Factor (C_e) (1608.3.1) = 1.0
- ii) Thermal Factor (C_t) (1608.3.2) = 1.0
- iii) Snow Load Importance Factor (I_s) (1608.3.3) = 1.0
- iv) Rain-on Snow Surcharge Load (1608.3.4) (ASCE 7, Sec. 7.10) (For slopes $> 2.38^\circ$) = —
- c) Sloped Roof Snow Load (P_s) (1608.3) (ASCE 7, Sec. 7.4) (For slopes $> 5^\circ$) = 20 psf
- 4. Wind Load (1609)**
- a) Basic Wind Speed (V) (1609.3) = 90 mph (3 sec. gust)
- b) Wind Exposure Category (1609.4) = C
- c) Wind Load Importance factor (I_w) (1604.5) = 1.0
- d) Wind Design Pressure (p) = 11.5 psf
- 5. Lateral Soil Load (1610) (Unified Soil Classification = 40)**

Note: Design live loads exceeding 50 psf shall be posted in accord with Section 1603.3

(Live Load Reduction Factor (if any) (1607.9) = NONE)

- 6. Earthquake Loads (1613, 1614, 1615, 1616, 1617)** DESIGN IS EXEMPT PER SEC. 1614.1.2
- a) Spectral Response Acceleration. (Figure 1615); Short Period (S_a) = 0.32 (32% g); 1-Sec. Period (S_1) = 0.002 (0.2% g)
- b) Site Class = — (Use Site Class "D" when soil properties are not known)
- c) Design Spectral Response Acceleration, Short Period (S_{DS}) = — / 1-Sec. Period (S_{D1}) = —
(For Site Class "D", (S_{DS}) = 1.27 / (S_{D1}) = 131)
- d) Seismic Use Group (1616.2) (Check one) = ☒ I ☐ II ☐ III
- e) Occupancy Importance Factor (I_a) (Table 1604.5) = —
- f) Seismic Design Category (Check one) = ☒ A ☐ B ☐ C ☐ D (Based on most severe: ☐ Short Period; ☐ 1-Sec.)
- g) Basic Seismic-Force Resisting System(s) (1617.6) = —
- h) Seismic Response Coefficient(s), (C_s) = —
- i) Design Base Shear (ASCE 7, 9.5.5.2-1) = —
- j) Response Modification Factor, (R) = —
- k) Structural Analysis Procedure Used (1616.6): —
- 7. Special Loads** = NONE

Structural components shall be designed to resist the load combinations specified in Sections 1601.2, 1601.3, 1601.4, 1601.5 and Chapters 18 through 23.

I hereby certify that the statements contained herein are true and correct to the best of my knowledge and belief.


Submission of this form shall not relieve the design professional from determining the effects of all structural loads applied to the structure, in whole or in part, as specified in Chapter 16 of the International Building Code and its referenced standards, including ASCE 7.

Professional Seal

Design Professional's Signature

Date

8-14-07



Borough of Wrightstown
21 Saylor's Pond Road
Wrightstown NJ 08562
609-723-4450

CERTIFICATE

Date Issued: 02/04/2009

Control #: 189

Permit #: 20080062

IDENTIFICATION

Block: 601 Lot: 50 Qualification Code: DAYS
Work Site Location: 505 EAST MAIN STREET

WRIGHTSTOWN

Owner in Fee: GOVARDHAN CORP dba DAYS INN

Address: 505 EAST MAIN STREET

WRIGHTSTOWN NJ 08562

Telephone: 609 723-6900

Agent/Contractor: AA ELECTRICAL CONTRACTORS & DESIGN INC

Address: 12 FIVE POINTS ROAD

FREEHOLD NJ 07728

Telephone: 732 410-4651

Lic. No./ Bldrs. Reg.No.: 11616A Federal Emp. No.: 20-1731568

Social Security No.: _____

☐ CERTIFICATE OF OCCUPANCY

This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☐ CERTIFICATE OF APPROVAL

This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ TEMPORARY CERTIFICATE OF OCCUPANCY/COMPLIANCE

If this is a temporary Certificate of Occupancy or Compliance, the following conditions must be met no later than _____ or will be subject to fine or order to vacate:

Home Warranty No.: _____

Type of Warranty Plan: _____

Use Group: _____

Maximum Live Load: _____

Construction Classification: _____

Maximum Occupancy Load: _____

Certificate Exp Date: 02/04/2010

Description of Work/Use: _____

ANNUAL POOL INSPECTION

☐ State ☐ Private
R-1

Update Desc. of Wk/Use:
BONDING/GROUNDING CERTIFICATE

☐ CERTIFICATE OF CLEARANCE-LEAD ABATEMENT 5:17

This serves notice that based on written certification, lead abatement was performed as per NJAC 5:17, to the following extent:

☐ Total removal of lead-based paint hazards in scope of work

☐ Partial or limited time period(____ years); see file

☐ CERTIFICATE OF CONTINUED OCCUPANCY

This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☒ CERTIFICATE OF COMPLIANCE

This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until 02/04/2010

Harry W. Case Construction Official

U.C.C.260 (rev. 5/03)

1 - APPLICANT 2 - OFFICE 3 - TAX ASSESSOR

Fees: \$0.00

Paid ☒ Check No.: 4239

Collected by: lp

§ 5:23-2.20 Tests and special inspections

(a) All tests required by the provisions of the regulations shall be made and conducted under the supervision of the enforcing agency and in accordance with such inspection and test procedures as may be prescribed by the provisions of the regulations, with the expense of all test and inspections to be borne by the owner or lessee, or the contractor performing the work.

(b) All special inspections, as provided in the building subcode, shall apply to Class I buildings. A special inspector shall be independent of the contractor and shall be responsible to the building owner or building owner's agent. Special inspectors shall be certified in the appropriate specialty.

1. Special inspections for soil conditions and pile foundations shall be performed under the direct supervision of a New Jersey licensed engineer.

(c) The construction official may accept tests and test reports of the Department and other government agencies, as well as signed statements and supporting inspection and test reports filed by qualified licensed professionals or approved agencies or firms.

(d) The construction official may accept a Chimney Certification for Replacement of Fuel-Fired Equipment (Form F-370), signed by the contractor who installed the replacement fuel-fired equipment, in lieu of requiring the removal and reinstallation of the chimney vent connector for purposes of inspection of the chimney or vent. Certifications from homeowners shall not be accepted in lieu of the required inspection.

(e) The bonding and grounding certificate for swimming pools, spas and hot tubs, shall be issued by a recognized electrical testing agency or a New Jersey State licensed electrical contractor. This certificate shall verify the continuity and integrity of the bonding and grounding system. It shall be valid for five years from the date of issuance.

HISTORY

HISTORY:

Amended by R.1992 d.244, effective June 15, 1992.

See: 24 N.J.R. 1147(a), 24 N.J.R. 2243(a).

Special inspections added.

Amended by R.1995 d.249, effective June 5, 1995, (operative October 1, 1995).

See: 27 N.J.R. 619(a), 27 N.J.R. 2187(a).

Added (c).

Amended by R.1996 d.512, effective November 4, 1996.

See: 28 N.J.R. 3697(a), 28 N.J.R. 4782(a).

Amended by R.1997 d.376, effective September 15, 1997.

See: 29 N.J.R. 2741(a), 29 N.J.R. 4102(a).

In (c), inserted "Form (F-370)", substituted "contractor" for "person" and added last sentence.



§ 5:23-2.18C Use and occupancy of swimming pools, spas and hot tubs

(a) It shall be unlawful to continue the use and occupancy of a swimming pool, spa or hot tub until a copy of a valid **bonding** and grounding certificate has been made available to the construction official, the pool, spa or hot tub has been inspected, and an electrical certificate of compliance has been issued. This requirement shall apply to any swimming pool, hot tub or spa located on any property other than one or two-family residential property and includes, but is not limited to, pools, hot tubs or spas open for the use of members, residents or the public.

1. The electrical certificate of compliance shall be issued annually by the local enforcing agency upon the presentation of a valid **bonding** and grounding certificate, satisfactory completion of an inspection by the electrical subcode official and payment of an inspection fee. This certificate shall be evidence that, based upon a visual inspection, the wiring in or around the pool pump and associated electrical equipment is free from electrical safety hazards, and meets the applicable requirements of the 1996 National Electrical Code.

2. The **bonding** and grounding certificate shall be issued in accordance with N.J.A.C. 5:23-2.20(e).

3. A **bonding** and grounding certificate shall also be required for swimming pools, spas, or hot tubs which either are newly constructed or have undergone modifications that impact the **bonding** or grounding system. No additional visual inspection shall be required for the issuance of an electrical certificate of compliance where a construction permit is issued for the electrical work pertaining to the pool, spa, or hot tub.

(b) The most recent **bonding** and grounding certificate and electrical certificate of compliance shall be posted in accordance with N.J.A.C. 5:23-3.5(f).

HISTORY

HISTORY:

New Rule, R.2000 d.47, effective February 7, 2000.

See: 31 N.J.R. 2314(a), 32 N.J.R. 443(a).

Administrative correction.

See: 35 N.J.R. 4861(a).

Chapter Notes

§ 5:23-3.5 Posting structures

(a) Posted use and occupancy: Every building and structure and part thereof designed for business, factory and industrial, high hazard, mercantile, or storage use, (use groups B, F, H, M and S) as defined in article 2 of the building subcode shall be posted on all floors by the owner with a suitably designed placard in a form designated by the building subcode official, which shall be securely fastened to the structure in a readily visible place, stating the use group and the live load and occupancy load.

(b) Posted occupancy load: Every building and structure and part thereof designed for use as a place of public assembly or as an institutional building for harboring people for penal, correctional, educational, medical or other care or treatment (use groups A, E and I) shall be posted with an approved placard designating the maximum occupancy load.

(c) Replacement of posted signs: All posting signs shall be furnished by the owner and shall be of permanent design; they shall not be removed, or defaced and, if lost, removed or defaced, shall be immediately replaced.

(d) Posted hydraulic system data plate: In lieu of the nameplate of the referenced NFPA standard(s), fire sprinkler system contractors are required to identify hydraulically designed fire sprinkler systems by affixing a permanently marked weatherproof metal or rigid plastic sign at the alarm valve. The nameplate shall contain information relative to the design parameters of the system as indicated on Form No. F380. The plate shall be secured at the alarm valve with corrosion resistant wire, chain, or other approved means.

(e) Identifying emblems for structures with truss construction: Identifying emblems shall be permanently affixed to the front of structures with truss construction as required by N.J.A.C. 5:70-2.20.

1. The emblem shall be of a bright and reflective color, or made of reflective material. The shape of the emblem shall be an isosceles triangle and the size shall be 12 inches horizontally by six inches vertically. The following letters, of a size and color to make them conspicuous, shall be printed on the emblem:

- i. "F" to signify a floor with truss construction;
- ii. "R" to signify a roof with truss construction; or
- iii. "F/R" to signify both a floor and roof with truss construction.

2. The emblem shall be permanently affixed to the left of the main entrance door at a height between four and six feet above the ground and shall be installed and maintained by the owner of the building.

3. Detached one and two-family residential structures with truss construction that are not part of a planned real estate development shall be exempt from the requirements of (e) above, unless required by municipal ordinance.

4. Individual structures and dwelling units with truss construction that are part of a planned real estate development shall not be required to have an identifying emblem if there is an emblem affixed at each entrance to the development.

(f) Swimming pools, spas and hot tubs: A valid electrical certificate of compliance and a bonding and grounding certificate shall be posted by the owner in a conspicuous place in or around the pool pump house or equipment control room.

HISTORY

HISTORY:

<http://www.michie.com/newjersey/lpext.dll/uanjadmin/1/14941/17fff/187c8/18900?f...> 2/4/200



Borough of Wrightstown
21 SAYLOR'S POND ROAD
WRIGHTSTOWN, NJ 08562
609 - 723-4450

Permit Number: 20080062
Permit Date: 02/03/2009
Update Number: 1
Control Number: 219
Application Date: 02/03/2009

CONSTRUCTION PERMIT UPDATE

IDENTIFICATION

OWNER/PROPERTY DETAILS

Block: 601	Lot: 50	Qualification Code: DAYS	Contractor: AA ELECTRICAL
Work Site Location: 505 EAST MAIN STREET WRIGHTSTOWN			CONTRACTORS & DESIGN INC
Owner In Fee: GOVARDHAN CORP dba DAYS INN			Address: 12 FIVE POINTS ROAD
Address: 505 EAST MAIN STREET			FREEHOLD NJ 07728
WRIGHTSTOWN NJ 08562			Telephone: (732) - 410-4651
Telephone: (609) - 723-6900		Lic. No. / Bldrs. Reg. No.: 11616A	
Use Group(s): R-1		Federal Emp. No.: 20-1731568	

is hereby granted permission to perform the following work :

☐ BUILDING	☐ PLUMBING	☐ DEMOLITION
☒ ELECTRICAL	☐ FIRE PROTECTION	☐ OTHER
☐ ELEVATOR DEVICES	☐ MECHANICAL	
☐ ASBESTOS ABATEMENT	☐ LEAD HAZARD ABATEMENT	

(Subchapter 8 only)

DESCRIPTION OF WORK:

ANNUAL POOL INSPECTION

ESTIMATED COST OF WORK:

Cost of Construction:	0.00
Cost of Rehabilitation:	0.00
Cost of Demolition:	0.00

Total Cost:	\$0.00
-------------	--------

PAYMENTS (Office Use Only)

Building	
Electrical	\$36.00
Plumbing	
Fire Protection	
Elevator Devices	
Mechanical	
VolFee (DCA)	
AltFee (DCA)	
Other Fees	
CO Fee	
CCO Fee	
Minimum Fee	
Total	
All Fees Waived:	Yes

Amount to be Paid:

NOTE: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Harry W. Case

Construction Official

Date

2/3/09

Note:



Borough of Wrightstown
21 SAYLOR'S POND ROAD
WRIGHTSTOWN, NJ 08562
609 - 723-4450

Permit Number: 20080062
Permit Date: 09/11/2008
Update Number:
Control Number: 189
Application Date: 08/15/2008

CONSTRUCTION PERMIT

IDENTIFICATION

OWNER/PROPERTY DETAILS

Block: 601	Lot: 50	Qualification Code: DAYS	Contractor: DAYS INN dba GOVARDHAN CORP
Work Site Location: 507 EAST MAIN STREET WRIGHTSTOWN			Address: 507 EAST MAIN STREET
Owner In Fee: DAYS INN dba GOVARDHAN CORP			WRIGHTSTOWN NJ 08562
Address: 507 EAST MAIN STREET			Telephone: (609) - 723-6900
WRIGHTSTOWN NJ 08562			Lic. No. / Bldrs. Reg. No.:
Telephone: (609) - 723-6900			Federal Emp. No.:
Use Group(s): R-1			

is hereby granted permission to perform the following work :

☐ BUILDING	☐ PLUMBING	☐ DEMOLITION
☒ ELECTRICAL	☐ FIRE PROTECTION	☐ OTHER
☐ ELEVATOR DEVICES	☐ MECHANICAL	
☐ ASBESTOS ABATEMENT	☐ LEAD HAZARD ABATEMENT	

(Subchapter 8 only)

DESCRIPTION OF WORK:

ANNUAL POOL INSPECTION

ESTIMATED COST OF WORK:

Cost of Construction:	0.00
Cost of Rehabilitation:	0.00
Cost of Demolition:	0.00

Total Cost:	\$0.00
-------------	--------

NOTE: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Harry W. Case

Construction Official

9/11/08
Date

PAYMENTS (Office Use Only)

Building	
Electrical	\$36.00
Plumbing	
Fire Protection	
Elevator Devices	
Mechanical	
VolFee (DCA)	
AltFee (DCA)	
Other Fees	
CO Fee	
CCO Fee	
Minimum Fee	
Total	\$36.00
All Fees Waived:	No

Amount to be Paid: \$36.00

Check Number:	4239
Check amount:	\$36.00

Collected by: lp

Receipt No:

Total Cash Amount:

Total Check Amount: \$36.00

Total CC Amount:

Grand Total: \$36.00

Note:



WRIGHTSTOWN BOROUGH

21 Saylor's Pond Road • Wrightstown, NJ 08562
(609) 723-4450 • Fax (609) 723-7137

September 2, 2008

Sam Shah
Days Inn
507 East Main Street
Wrightstown, NJ 08562

RE: Days Inn Swimming Pool

Dear Mr. Shah,

It is vital that the Borough does an electrical inspection on your swimming pool. We have been waiting for you to receive your bonding & grounding certification from your electrician. Please advise when you will have it.

According to the UCC 5:23-218C the electrical inspector must do an annual inspection. Any further delays may cause a fine imposed.

Please contact us upon receipt of your certificate so we can proceed with the inspection.

Regards,

A handwritten signature in dark ink, appearing to read "H. Case", is written over the printed name.

Harry W. Case
Construction Official

HWC/lp



WRIGHTSTOWN BOROUGH
21 Saylor's Pond Road • Wrightstown, NJ 08562
(609) 723-4450 • Fax (609) 723-7137

December 17, 2008

Sam Shah
Days Inn
505 East Main Street
Wrightstown, NJ 08562

RE: Days Inn Swimming Pool

Dear Mr. Shah,

Because you have not complied with the NJ Uniform Construction Code §5:23-2.18C (see attached), it is **ORDERED** by the Construction Official of Wrightstown Borough, that the Days Inn Hotel will not be permitted to open it's swimming pool for the 2009 season.

Please contact us upon receipt of your bonding & grounding certificate so the electrical inspector can proceed with his inspection. Once your pool passes inspection, you will be permitted to open the pool for the 2009 season.

By Order of,

Harry W. Case
Construction Official
Wrightstown Borough Construction Department

enclosures: HWC/lp



WRIGHTSTOWN BOROUGH

21 Saylor's Pond Road • Wrightstown, NJ 08562
(609) 723-4450 • Fax (609) 723-7137

December 5, 2008

Days Inn
507 East Main Street
Wrightstown, NJ 08562

Re: Permit 20080062

Dear Shah:

The Wrightstown Borough Construction Department issued you a permit on September 11, 2008. Our records indicate that you have not called for an inspection within the past four months. If your work is completed, you must call the Construction Department to set up a final inspection and obtain a Certificate of Occupancy or Certificate of Approval. If twelve months lapsed since the permit was issued and work has not commenced, your permit will be voided. You must come to the Construction Department to have a new permit issued and pay the fee again.

Please contact the Construction Office to obtain information regarding your permit status at (609)723-4450 x17.

Sincerely,

A handwritten signature in dark ink, appearing to read "Harry W. Case", is written over a horizontal line.

Harry W. Case
Construction Official
Wrightstown Borough

HWC/lp



ELECTRICAL SUBCODE TECHNICAL SECTION



189

Date Received 8/15/08
Control #
Date Issued
Permit #

A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION, WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 601 Lot 50 Qualification Code

Work Site Location 507 EAST MAIN STREET

WRIGHTSTOWN NJ 08562

Owner in Fee: DAYS INN

Tel. (609) 723-6900

e-mail

Address 507 EAST MAIN STREET

street

municipality

Tel. ()

zip code

Contractor: e-mail

Address e-mail

Contractor License No. Exp. Date

Home Improvement Contractor Registration No. or Exemption Reason (if applicable):

Federal Emp. ID No. FAX: ()

B. ELECTRICAL CHARACTERISTICS

Use Group Present Proposed

[] Pole/Pad # [] Temporary [] Other

Building Occupied as motel Utility Co. JCP&L

Est. Cost of Elec. Work \$

JOB SUMMARY (Office Use Only)

PLAN REVIEW

[] No Plans Required

[] Partial -Underslab Utilities Approved

Date: Approved by: Rough Barrier-Free

[] Electric Plans Approved Trench

Date: Approved by: Temp. Serv. Constr. Serv.

Joint Plan Review Required: TCO

[] Bldg. [] Plumb. [] Fire. [] Elev. Other

SUBCODE APPROVAL for PERMIT Service Final

Date: Approved by: Barrier-Free

SUBCODE APPROVAL for CERTIFICATE Temp. Cut-in-Card Date Issued

[] CO [] CCO [] CA Annual Pool Inspection

Date: Annual Pool Inspection

Approved by: Date of Grounding and Bonding

Certification

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature

[] Licensed Elec. Contractor [] Certifd Landscape Irrigation Contr [] Exempt Applicant

U.C.C. F-120 (rev. 12/07)
Internet version

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

ANNUAL SWIMMING POOL INSPECTION

QTY. SIZE

ITEMS

Lighting Fixtures

Receptacles

Switches

Detectors

Light Poles

Motors—Fract. HP

Emergency & Exit Lights

Communications Points

Alarm Devices/F.A.C. Panel

TOTAL NUMBERS

Pool Permit/with UV Lights

Storable Pool/Spa/hot Tub

KW Elec. Range/Receptacle

KW Oven/Surface Unit

KW Elec. Water Heater

KW Elec. Dryer/Receptacle

KW Dishwasher

HP Garbage Disposal

KW Central A/C Unit

HP/KW Space Heater/Air Handler

KW Baseboard Heat

HP Motors 1/4 HP

KW Transformer/Generator

AMP Service

AMP Subpanels

AMP Motor Control Center

KW Elec. Sign/Outline Light

Annual Pool

Inspection

Administrative Surcharge \$

Minimum Fee \$

State Permit Surcharge Fee \$

TOTAL FEE \$

Applicant: When submitting this form to your local Construction Code Enforcement Office, please provide an original plus three photocopies.

BURLINGTON COUNTY HEALTH DEPARTMENT PUBLIC RECREATIONAL BATHING INSPECTION

IDENTIFICATION

NAME OF FACILITY <u>DATE INN</u>		MUNICIPALITY: <u>WRIGHTSTOWN</u>	
ADDRESS <u>507 EAST MAIN ST.</u>		TELEPHONE NO./FAX NO. <u>609 723-6900 609 724-0554</u>	
OWNER <u>GOVARTHAN CORP.</u>		RESPONSIBLE ADULT MANAGER <u>SURESH M. SHAH</u>	
DATES OF OPERATION <u>6-2-08 to LIBRARY</u> HOURS <u>10-8 PM</u>		CPO <u>SURESH M. SHAH 4-3-05</u>	
WATER ANALYZED BY <u>AQUATIC SERVICES</u>		POOL	CL
OWNERS MAILING ADDRESS (If different from location) <u>08562</u>		pH	CLARITY
		<u>2.0</u>	<u>7.2</u>
		<u>CLAR</u>	
E-MAIL ADDRESS: <u>SURESH SHAH @ HOTMAIL.COM</u>			

INSPECTION

TYPE OF POOL <u>3A</u> Specially Exempt Facility Yes ☒ No ☐ Indoor ☐ Outdoor ☒	TYPE OF FACILITY ☒ Swimming Pool ☐ Natural Bathing ☐ Hot Tub ☐ Wading Pool	TYPE OF INSPECTION ☒ Pre-opening ☒ Annual <u>1st</u> ☒ <u>2nd</u> ☐ Reinspection ☐ Complaint
--	---	--

EVALUATION

☐ SATISFACTORY ☒ CONDITIONALLY SATISFACTORY ☐ UNSATISFACTORY

DATE	BEGIN	END	RECALL DATE
<u>7-25-08</u>	<u>1305</u>	<u>1405</u>	DATE OF LAST INSPECTION <u>6-9-08</u>
BURLINGTON COUNTY HEALTH DEPARTMENT RAPHAEL MEADOW HEALTH CENTER P.O. BOX 6000 MOUNT HOLLY, NEW JERSEY 08060 (609) 265-5515			NAME OF INSPECTING OFFICIAL/REG.NO. <u>TERONI R. FUQUA B1639</u>
			SIGNATURE OF INSPECTING OFFICIAL <u>[Signature]</u>
			OWNER/MANAGER/OPERATOR (PRINT) <u>Ruth Burns</u>
HEALTH OFFICER Robert J. Gogats			SIGNATURE <u>[Signature]</u>

**BURLINGTON COUNTY
HEALTH DEPARTMENT**

**CONTINUATION SHEET FOR
SANITARY INSPECTION REPORT**

NAME OF OWNER(S), PARTNERSHIP OR CORP. DAYS INN		ESTABLISHMENT CODE 3A	LICENSE/IDENTIFICATION	DATE 7-25-08
SIGNATURE OF INSPECTING OFFICIAL V.R. [Signature]		MUNICIPALITY WRIGHTSTOWN	TIME-(2400 HOURS) BEGAN 1305 ENDED	
REG/ITEM NO	REMARKS (Please specify area)			
NTAL-8:26				
5.4(1-11)	"POOL RULES" SIGNS LACKS "ALL PERSONS SHALL SHOWER BEFORE ENTERING THE WATER." WORDING SHALL BE INCLUDED ON SIGN.			
3.22c 7.	LACK OF "CAUTION" SIGNAGE AT CHEMICAL STORAGE AREA. SET REGULATIONS FOR EXACT WORDING.			
8.9	"EMERGENCY BUTTON TEST " SHALL BE INCLUDED IN LOGBOOK. TEST EMERGENCY BUTTON DAILY AND DOCUMENT IN LOGBOOK.			
3.15(d)3-	EXCESSIVE WATER LEAKAGE FROM CIRCULATION SYSTEM. WATER IS SPILLING OUT CAUSING PUDDLING IN PUMP HOUSE.			
	- DUAL DRAIN WITH ANTI-VORTEX COVERS. - EMERGENCY SHUT-OFF SWITCH - EMERGENCY "PANIC" BUTTON TO FRONT DESK.			
	BONDING/GROUNDING - 9-20-06			
	LOCAL ELECTRICAL INSPECTION -			
5.3	MAINTAIN FIRST-AID KIT AS PER REGULATIONS			
3.13	LACK OF LOCAL INSPECTION ELECTRICAL CERTIFICATION			

(Attach additional sheets if necessary)



Borough of Wrightstown
21 Saylor's Pond Road
Wrightstown NJ 08562
609-723-4450

CERTIFICATE IDENTIFICATION

Date Issued: 05/15/2009
Control #: 250
Permit #: 20090016

Block: 601 Lot: 50 Qualification Code: DAYS
Work Site Location: 505 EAST MAIN STREET

WRIGHTSTOWN

Owner in Fee: DAYS INN dba GOVARDHAN CORP

Address: 505 EAST MAIN STREET

WRIGHTSTOWN NJ 08562

Telephone: 609 723-6900

Agent/Contractor: DAYS INN dba GOVARDHAN CORP

Address: 505 EAST MAIN STREET

WRIGHTSTOWN NJ 08562

Telephone: 609 723-6900

Lic. No./ Bldrs. Reg.No.: _____

Federal Emp. No.: _____

Social Security No.: _____

☐ CERTIFICATE OF OCCUPANCY

It serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☐ CERTIFICATE OF APPROVAL

It serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ TEMPORARY CERTIFICATE OF OCCUPANCY/COMPLIANCE

This is a temporary Certificate of Occupancy or Compliance; the following conditions must be met no later than _____ or will be subject to fine or order to vacate:

Harry W. Case Construction Official

U.C.C 260 (rev. 5/03)

1 - APPLICANT 2 - OFFICE 3 - TAX ASSESSOR

Home Warranty No.: _____
Type of Warranty Plan: _____

Use Group: _____

Maximum Live Load: _____

Construction Classification: _____

Maximum Occupancy Load: _____

Certificate Exp Date: _____

Description of Work/Use: _____

ANNUAL POOL INSPECTION

Update Desc. of WK/Use: _____

☐ State ☐ Private
R-1

05/15/2010

☐ CERTIFICATE OF CLEARANCE-LEAD ABATEMENT 5:17

This serves notice that based on written certification, lead abatement was performed as per NJAC 5:17, to the following extent:

☐ Total removal of lead-based paint hazards in scope of work

☐ Partial or limited time period(____ years); see file

☐ CERTIFICATE OF CONTINUED OCCUPANCY

This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☒ CERTIFICATE OF COMPLIANCE

This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until 05/15/2010


Fees: \$0.00

Paid ☒ Check No.: 4493

Collected by: LP



ELECTRICAL SUBCODE



A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO. 1-800-272-1000.

Block 601 Lot 50 Qualification Code DAYS

Work Site Location 505 East Main St.

Camden, N.J. 08102

Owner in Fee Goverdham Corp.

Tel. (609) 723-6900 e-mail Sureshshab@hotmail.com

Address 505 East Main St.

Contractor: N/A municipality Camden zip code 08102

Address _____ Tel. () e-mail _____

Contractor License No. _____ Exp. Date _____

Home Improvement Contractor Registration No. or Exemption Reason (if applicable): _____

Federal Emp. ID No. _____ FAX: ()

B. ELECTRICAL CHARACTERISTICS

Use Group Present Proposed _____ Other _____

☐ Pole/Pad # _____ ☐ Temporary ☐ Other _____

Building Occupied as _____ Utility Co. _____

Est. Cost of Elec. Work \$ 100.00

JOB SUMMARY (Office Use Only)

PLAN REVIEW

☒ No Plans Required 5/12/09 HK Type: _____ Failure _____ Approval _____ Initial _____

☐ Partial -Under-slab Utilities Approved

Date: _____ Approved by: _____ Rough _____ Barrier-Free _____ Trench _____ Temp. Serv. _____ Constr. Serv. _____ TCO _____ Other _____ Service _____ Final _____ Barrier-Free _____

Joint Plan Review Required: ☐ Bldg. ☐ Plumb. ☐ Fire. ☐ Elev. _____

SUBCODE APPROVAL PERMIT

Date: 5/15/09 Temp. Cut-in-Card Date Issued _____ Final Cut-in-Card Date Issued _____

Approved by: [Signature] Annual Pool Inspection _____ Date of Grounding and Bonding _____

SUBCODE APPROVAL FOR CERTIFICATE

☐ CO ☐ CCO ☐ CA

Date: _____

Approved by: _____

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) [Signature] and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature

☐ Licensed Elec. Contractor ☐ Certifd Landscape Irrigation Contr ☐ Exempt Applicant

U.C.C. #120 (rev. 1207)

Internal version

Applicant: When submitting this form to your Local Construction Code Enforcement Office, please provide one original plus three photocopies.

250

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

Annual Pool Inspection

QTY. SIZE ITEMS

Lighting Fixtures

Receptacles

Switches

Detectors

Light Poles

Motors—Fract. HP

Emergency & Exit Lights

Communications Points

Alarm Devices/F.A.C. Panel

TOTAL NUMBERS

Pool Permit/with UV Lights

Storable Pool/Spa/Hot Tub

KW Elec. Range/Receptacle

KW Oven/Surface Unit

KW Elec. Water Heater

KW Elec. Dryer/Receptacle

KW Dishwasher

HP Garbage Disposal

KW Central A/C Unit

HP/KW Space Heater/Air Handler

KW Baseboard Heat

HP Motors 1/+ HP

KW Transformer/Generator

AMP Service

AMP Subpanels

AMP Motor Control Center

KW Elec. Sign/Outline Light

Annual Pool

Administrative Surcharge \$

Minimum Fee \$

State Permit Surcharge Fee \$

TOTAL FEE \$

FEE (Office Use Only)

Date Received 5/12/09

Control #

Date Issued

Permit #


20090014

36.00

36.00

36.00

36.00



2/3/2009

AA ELECTRICAL CONTRACTORS
12 FIVE POINTS RD.
FREEHOLD, NJ. 07728
732-410-4651 -phone
732-410-4652-fax
LIC. #11616

BOROUGH OF WRIGHTSTOWN
21 SAYLORS POND ROAD
WRIGHTSTOWN, NJ. 08562
609-723-4450
RE: POOL BONDING

AA ELECTRICAL CONTRACTORS AND DESIGN INC. INSTALL AND SET IN PLACE
INSULATED BOND WIRE TO SERVE LADDER AND POOL ASSOCIATED EQUIPMENT.
FOR THE BELOW LISTED ADDRESS. 501 EAST MAIN STREET DAYS INN HOTEL.

ANTHONY GALLICCHIO

AA ELECTRICAL CONTRACTORS AND DESIGN

expires 2/3/2014



WRIGHTSTOWN BOROUGH

21 Saylor's Pond Road • Wrightstown, NJ 08562
(609) 723-4450 • Fax (609) 723-7137

April 28, 2009

Sam Shah
Days Inn
505 East Main Street
Wrightstown, NJ 08562

RE: Swimming Pool, 505 East Main Street, Wrightstown NJ

Dear Mr. Shah,

It's that time of year again when residents and business owners have their pools prepared for the summer season. This letter is a friendly reminder that your pool must be inspected by our Electrical Subcode Inspector **PRIOR** to opening your pool for guests.

Please visit our office during regular business hours to obtain an electrical permit. Once your inspection is complete, this office will issue you the proper documentation so you can reopen your pool safely.

Best Regards,

A handwritten signature in cursive script that reads "Linda P. Peterson".

Linda P. Peterson, TACO
Construction Department



Borough of Wrightstown
21 SAYLORS POND ROAD
WRIGHTSTOWN, NJ 08562
609 - 723-4450

Permit Number: 20090016
Update Number:
Control Number: 250
Application Date: 05/12/2009
Permit Date: 05/12/2009

CONSTRUCTION PERMIT

IDENTIFICATION

OWNER/PROPERTY DETAILS

Block: 601	Lot: 50	Qualification Code: DAYS
Work Site Location:	505 EAST MAIN STREET WRIGHTSTOWN	
Owner In Fee:	DAYS INN dba GOVARDHAN CORP	
Address:	505 EAST MAIN STREET WRIGHTSTOWN NJ 08562	
Telephone:	(609) - 723-6900	
Use Group(s):	R-1	
Contractor:	DAYS INN dba GOVARDHAN CORP	
Address:	505 EAST MAIN STREET WRIGHTSTOWN NJ 08562	
Telephone:	(609) - 723-6900	
Lic. No. / Bldrs. Reg. No.:		
Federal Emp. No.:		

is hereby granted permission to perform the following work :

- | | | |
|--|--|-------------------------------------|
| ☐ BUILDING | ☐ PLUMBING | ☐ DEMOLITION |
| ☒ ELECTRICAL | ☐ FIRE PROTECTION | ☐ OTHER |
| ☐ ELEVATOR DEVICES | ☐ MECHANICAL | |
| ☐ ASBESTOS ABATEMENT | ☐ LEAD HAZARD ABATEMENT | |

(Subchapter 8 only)

DESCRIPTION OF WORK:
ANNUAL POOL INSPECTION

ESTIMATED COST OF WORK:

Cost of Construction:	0.00
Cost of Rehabilitation:	100.00
Cost of Demolition:	0.00

Total Cost:	\$100.00
-------------	----------

NOTE: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Harry W. Case
Construction Official

5/12/09
Date


PAYMENTS	(Office Use Only)
Building	
Electrical	\$36.00
Plumbing	
Fire Protection	
Elevator Devices	
Mechanical	
VolFee (DCA)	
AltFee (DCA)	
DCA Minimum	\$0.00
Other Fees	
CO Fee	
CCO Fee	
Minimum Fee	
Total	\$36.00
All Fees Waived:	No

Amount to be Paid:	\$36.00
Check Number:	4493
Check amount:	\$36.00

Collected by:	LP
Receipt No:	
Total Cash Amount:	
Total Check Amount:	\$36.00
Total CC Amount:	
Grand Total:	\$36.00

Note:

Board of Chosen Freeholders
County of Burlington
New Jersey




Burlington County Health Dept.
Raphael Meadow Health Center
15 Pioneer Boulevard
P.O. Box 6000
Mount Holly, NJ 08060

Tele: (609) 265-5516
Fax: (609) 265-5541

November 9, 2007

Suresh M Shah
Days Inn
507 E Main St
Wrightstown, NJ 08562



RE: Days Inn
507 E Main St
Wrightstown Boro

Dear Sir:


A review of the subject architectural drawings shows them to be in substantial compliance with the provisions of New Jersey State Sanitary Code, Chapter 24, Sanitation in Retail Food Establishments and Food and Beverage Vending Machine Code (copy enclosed for your convenience and guidance) and pertinent local health regulations. Be advised that this review applies only to that section of the code that fall under the auspices of "Health Authority". Other stipulations and approvals that may be required under the Uniform Construction Code, re: toilet facilities for the public, ventilation, plumbing, electrical, fire, etc., will have to be obtained from your municipal construction code official.

In order to determine your compliance with the certified architectural plans, Chapter 24, and local health regulations, it will be necessary that three (3) working days notice be given to schedule a pre-operational inspection. Failure to obtain said inspection can result in delayed opening/reopening of your establishment.

Certification of the submitted architectural drawings and subsequent inspection of the completed work, resulting in a satisfactory evaluation by this Department is in itself not authorization to occupy the building and/or commence operation of the business. This authorization can only be given by the officials of that municipality in which the business is located.

Please refer any questions you may have on this matter to the undersigned.

Sincerely,


Tyrone R. Eugene
Senior Sanitary Inspector
609-265-5566

TRE/lkj

cc: Board of Health
Construction Code Official
File



CERTIFICATE

Permit #
Date Issued
-or-
Control #
Certificate Issued Date: 7/16/07

IDENTIFICATION

Block 601 Lot 50 Qualification Code
Work Site Location 507 EAST MAIN STREET
WRIGHTSTOWN, NJ 08562
Owner in Fee GOVARDHAN CORP
Address 507 EAST MAIN STREET
WRIGHTSTOWN, NJ 08562
Tel. (609) 723-6900
Contractor
Address
Tel. () FAX ()
Lic. No. or Bldrs. Reg. No.
Federal Employer No.

ANNUAL POOL BONDING & GROUNDING INSPECTION

Home Warranty No.
Type of Warranty Plan: [] State [] Private
Use Group R-2
Maximum Live Load
Construction Classification
Maximum Occupancy Load
Description of Work/Use:

☐ CERTIFICATE OF OCCUPANCY

This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☐ CERTIFICATE OF APPROVAL

This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of the inspection.

☐ TEMPORARY CERTIFICATE OF OCCUPANCY/COMPLIANCE

If this is a temporary Certificate of Occupancy or Compliance, the following conditions must be met no later than _____ or will be subject to fine or order to vacate:

☐ CERTIFICATE OF CLEARANCE — LEAD ABATEMENT 5:17

This serves notice that based on written certification, lead abatement was performed as per NJAC 5:17, to the following extent:

[] Total removal of lead-based paint hazards in scope of work
[] Partial or limited time period (_____ years); see file

☐ CERTIFICATE OF CONTINUED OCCUPANCY

This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☒ CERTIFICATE OF COMPLIANCE

This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until 7-19-2008

Inspection Fee: \$36.00
Paid [X] Check No. 4963
Collected by: LPPeterson

1 WHITE — APPLICANT 2 CANARY — OFFICE 3 PINK — TAX ASSESSOR

HARRY CASE, CONSTRUCTION OFFICIAL
8/6/07
DATE

U.C.C. F260
(rev. 5/03)

Wrightstown Borough
21 Saylors Pond Road
Wrightstown NJ 08562
(609)723-4450



CERTIFICATE

0340 - WRIGHTSTOWN BORO

04/20/2007
Permit # 07-00016

IDENTIFICATION

Block 601 Lot 50 Qualifier

Work Site Location 501 & 505 EAST MAIN STR

Wrightstown, NJ 08562

Owner in Fee/Occupant

GOVARDHAN CORP.,

Address 505 EAST MAIN STREET

WRIGHTSTOWN, NJ 08562

Telephone

Contractor BEAR ELECTRIC

Address 7 ANNA STREET

VINCENTOWN, NJ 08088

Telephone (609) 894-9014 FAX

Lic. No. or Bldrs. Reg. No.

Fed. Emp. No. 153587033

Home Imprv. Reg No. / Exempt Reason -

☐ CERTIFICATE OF OCCUPANCY

This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☒ CERTIFICATE OF APPROVAL

This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of the inspection.

☐ TEMPORARY CERTIFICATE OF OCCUPANCY/COMPLIANCE

If this is a temporary Certificate of Occupancy or Compliance, the following conditions must be met no later than

or will be subject to fine or order to vacate.

Reason for TCO:

Home Warranty No.

Type of Warranty Plan ☐ State ☐ Private

Use Group R-1

Maximum Live Load 0

Construction Class

Maximum Occupancy Load 0

Description of Work/Use

RUN 2 FEEDS FROM PANEL TO SWITCHES AT DOOR FROM THE SWITCHES TO THE REC FOR THE 2 HOT WATER HEATERS EACH EATER HAS ITS OWN CIR

☐ CERTIFICATE OF CLEARANCE - LEAD ABATEMENT 5:17

This serves notice that based on written certification, lead abatement was performed as per NJAC 5:17, to the following extent:

☐ Total removal of lead-based paint hazards in scope of work
☐ Partial or limited time period (0 years); see file

☐ CERTIFICATE OF CONTINUED OCCUPANCY

This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ CERTIFICATE OF COMPLIANCE

This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until

Fee \$51.00


Paid ☐ \$51.00 ☐ Check No.4864

Collected by: LPPeterson

HARRY CASE, CONSTRUCTION OFFICIAL



ELECTRICAL SUBCODE TECHNICAL SECTION



A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 601 Lot 50 Qualification Code _____
Work Site Location WISHTON ST EAST MAIN ST
Owner in Fee: DAYZ INN
Tel. 609-723-6900 e-mail _____
Address 507 East Main St Municipality WISHTON Zip code 08062
Contractor: DEAL ELECTRICAL Tel. (609) 844-9014
Address ANAS e-mail _____
Contractor License No. 9924 Exp. Date _____
Home Improvement Contractor Registration No. or Exemption Reason (if applicable): _____
Federal Emp. ID No. 153587013 FAX: () _____

B. ELECTRICAL CHARACTERISTICS

Use Group _____ Present _____ Proposed _____
[] Pole/Pad # _____ [] Temporary [] Other _____
Building Occupied as _____ Utility Co. _____
Est. Cost of Elec. Work \$ 1334.25

JOB SUMMARY (Office Use Only)

PLAN REVIEW		INSPECTIONS		DATES (Month/Day)	
Date	Initial	Type	Failure	Approval	Initial
<u>4/10/07</u>	<u>AK</u>	<u>Barrier-Free</u>		<u>4/16</u>	<u>AK</u>
Joint Plan Review Required:					
[] Building	[] Plumbing	Rough			
[] Fire	[] Elevator	Trench			
[] Elec. Plans Approved		Temp. Serv.			
		Constr. Serv.			
		TCO			
		Other			
		Service			
		Final			
		Barrier-Free			
		Temp. Cut-in-Card Date Issued			
		Final Cut-in-Card Date Issued			
		Annual Pool Inspection			
		Date of Grounding and Bonding			
		Certification			

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature
[] Licensed Elec. Contractor [] Certifd Landscape Irrigation Contr [] Exempt Applicant

Date Received
Control #
Date Issued
Permit #

07-00016

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK
REWORK + SW ROA 2
GAS HOT WATER HEATERS

ITEMS	SIZE	QTY.
Lighting Fixtures		
Receptacles		
Switches		
Detectors		
Light Poles		
Motors—Fract. HP		
Emergency & Exit Lights		
Communications Points		
Alarm Devices/F.A.C. Panel		
TOTAL NUMBERS		
Pool Permit/with UW Lights		
Storable Pool/Spa/Hot Tub		
KW Elec. Range/Receptacle		
KW Oven/Surface Unit		
KW Elec. Water Heater		
KW Elec. Dryer/Receptacle		
KW Dishwasher		
HP Garbage Disposal		
KW Central A/C Unit		
HP/KW Space Heater/Air Handler		
KW Baseboard Heat		
HP Motors 1/4 HP		
KW Transformer/Generator		
AMP Service		
AMP Subpanels		
AMP Motor Control Center		
KW Elec. Sign/Outline Light		

Administrative Surcharge \$	
Minimum Fee \$	
State Permit Surcharge Fee \$	
TOTAL FEE \$	

BEAR ELECTRIC CO #9924
 7 Anna Street
 VINCENTOWN, NJ 08088

(609) 894-9014

JOB INVOICE

2010

Fax 604-724-6054

PHONE 604-723-6900	DATE OF ORDER 4-5-07
ORDER TAKEN BY	CUSTOMER'S ORDER NUMBER
☐ DAY WORK ☐ CONTRACT ☐ EXTRA	
JOB NAME/NUMBER	
JOB LOCATION	
JOB PHONE	STARTING DATE

TO Pays INV
507 E. main ST.
Wrightstown, NJ. 08562

TERMS:

QTY.	MATERIAL	PRICE	AMOUNT	DESCRIPTION OF WORK
> 1	Service call		62.00	Run 2- feeds from panel to
3	1900 Boxes	3.00	9.00	Switches at door from the switches to
2	Rec	2.00	4.00	The Rec for the 2- Hot Water Heaters
2	Single pole switches	2.00	4.00	Each Heater has its own cir.
105'	12-2 MC	per ft. .45	47.25	

Permit Fee not included

OTHER CHARGES

TOTAL OTHER			
LABOR	HRS.	RATE	AMOUNT
ROB	2	75/hr	150.00
JDS	2	50/hr	100.00
TOTAL LABOR			
TOTAL MATERIALS			
TOTAL OTHER			
TOTAL			

DATE COMPLETED

TOTAL MATERIALS

184.25

TOTAL LABOR

250.00

TOTAL MATERIALS

84.25

TOTAL OTHER

Clients are responsible for any and all fees that may arise if matters go into collections.

Work ordered by

Signature

Andrea B. Mitsopoulos
 I hereby acknowledge the satisfactory completion of the above described work.

Thank You

TAX

TOTAL

334.25

Wrightstown Borough
21 Saylor's Pond Road
Wrightstown NJ 08562
(609)723-4450



CONSTRUCTION PERMIT

Date Issued 04/13/2007

Permit # 07-00016

IDENTIFICATION Block 601

Lot 50

Qualifier

Work Site Location 501 & 505 EAST MAIN STR

Contractor BEAR ELECTRIC

Wrightstown, NJ 08562

Address 7 ANNA STREET

Owner in Fee GOVARDHAN CORP.,

VINCENTOWN, NJ 08088

Address 505 EAST MAIN STREET

Telephone (609) 894-9014

WRIGHTSTOWN, NJ 08562

Lic. No. or Bldrs. Reg. No.

Telephone

Home Improvement Contractor -

Registration No. or Exemption

Reason (if applicable)

Is hereby granted permission to perform the following work:

- | | | |
|--|--|--|
| ☐ BUILDING | ☐ PLUMBING | ☐ LEAD HAZARD ABATEMENT |
| ☒ ELECTRICAL | ☐ FIRE PROTECTION | ☐ DEMOLITION |
| ☐ ELEVATOR DEVICES | ☐ ASBESTOS ABATEMENT
(Subchapter 8 only) | |

FEE/PAYMENTS SUMMARY

Total Permit Fees	\$51.00
PERMIT PAYMENT	\$51.00
Certificate Fee	\$0.00
CERTIFICATE PAYMENT	\$0.00

DESCRIPTION OF WORK:

RUN 2 FEEDS FROM PANEL TO SWITCHES AT DOOR FROM THE SWITCHES TO THE REC FOR
THE 2 HOT WATER HEATERS EACH EATER HAS IT'S OWN CIR

NOTE: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Estimated Cost of Work for Selected Subcode(s) \$335.00

Construction Official

Date

REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulation N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that work installed conforms to the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval given.

☐ Required inspections for all subcodes for one and two family dwellings are the following:

1. The bottom of footing trenches before placement of footings, except that in the case of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
2. Foundations and all walls up to grade level prior to back filling.
3. Utility services, including septic.
4. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and/or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.

☐ Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, heat producing devices and Barrier Free subcode accessibility, if applicable.

☐ Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:

☐ A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and any other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provisions of the adopted subcodes; Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5.23-3.5, "Posting Structures".

☐ A complete copy of released plans must be kept on the job site.



Wrightstown Borough
21 Saylors Pond Road
Wrightstown NJ 08562
(609)723-4450

Receipt of Payment

Receipt No: 51730

Payment Date: 04/13/07

Total Payment Amount: \$51.00

☐ Cash

☒ Check/Money Order

Check# 4864

Money Order#

☐ Credit Card:

Card No:

Exp Date:

Cardholder Name:

Reference:

Block/Lot/Qualifier: 601/50 (WRIGHTSTOWN BORO)

Owner in fee: GOVARDHAN CORP.,

Application No: 00018-07

Permit No: 07-00016

Permit Applicant: GOVARDHAN CORP.,

Penalty Order No:

Order against:

For payment on:

Permit Fees - Payment Amount: \$51.00

Received by:

lppeterson

Comments



WV 607-100 Lmm

20/5/11

07-00077

A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Owner in Fee: Gowardhen Corp.

Tel. (67) 723-6900 e-mail _____

Address _____ street _____ municipality _____ zip code _____

Contractor: Hoffman P/H INC Tel. (609) 559-1117
20440 1st St

Address 108 / WEST AVE
1928

Contractor License No. 0122 Exp. Date 07/07/01
Home Improvement Contractor Registration No. or Exemption Reason (if applicable):

Federal Emp. ID No. 72-3075078 FAX: (609) 989-7174

Use Group	Present	Proposed
Building Sewer Size		Public Sewer
Water Service Size		Public Water
Est. Cost of Plumbing Work	\$ 2500	
		Private Septic
		Private Well

JOB SUMMARY (Office Use Only)		INSTRUCTIONS		Dates (Month/Day)	
PLAN REVIEW		Type:	Failure	Approval	Initial
☐ No Plans Required		Slab			
Joint Plan Review Required:		Rough			
☐ Building	☐ Electric	Water			
☐ Fire	☐ Elevator	Sewer			
☐ Plumbing Plans Approved		Fixtures			
Date: 1/8/07		Gas Equipment			
Approved by: [Signature]		Gas Piping			
SUBCODE APPROVAL		LPGas Tank			
☐ CO	☐ CCO	Fuel Oil Piping			
☐ CA		Solar			
Date: 1/15/07		TCO			
Approved by: [Signature]					

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature

☒ Licensed Plumbing Contractor ☐ Exempt Applicant

U.C.C. F130 (rev. 7/06) 1 White = Inspector Copy 2 Canary = Office Copy 3 Pink = Office Copy 4 Gold = Applicant Copy

DESCRIPTION OF WORK

DESCRIPTION OF WORK
install 2 sinks side by side
both drained into a liberty
drain pump. in office

QTY.	FIXTURE/EQUIPMENT	FEE (Office Use Only)
	Water Closet	
	Urinal/Bidet	
	Bath Tub	
	Lavatory	
	Shower	
2	Floor Drain	
	Sink	
	Dishwasher	
	Drinking Fountain	
	Washing Machine	
	Hose Bibb	
	Water Heater	
	Fuel Oil Piping	
	Gas Piping	
	LPGas Tank	
	Steam Boiler	
1	Hot Water Boiler	
	Sewer Pump	
	Interceptor/Separator	
	Backflow Preventer	
	Greasetrap	
	Sewer Connection	
2	Water Service Connection	
	Stacks	
	Other	
	Other	

Administrative Surcharge	\$	3.38
Minimum Fee	\$	
State Permit Surcharge Fee	\$	68.00
TOTAL FEE	\$	

Wrightstown Borough
21 Saylors Pond Road
Wrightstown NJ 08562
(609)723-4456



CONSTRUCTION PERMIT

Date Issued 11/08/2007

Permit # 07-00077

IDENTIFICATION Block 601

Lot 50

Qualifier

Work Site Location 501 & 505 EAST MAIN STR
Wrightstown, NJ 08562
Owner in Fee GOVARDHAN CORP.,
Address 505 EAST MAIN STREET
WRIGHTSTOWN, NJ 08562
Telephone

Contractor HOFFMAN P & H INC.
Address 1657 CHESTNUT AVENUE
TRENTON, NJ 08611
Telephone (609) 989-7174
Lic. No. or Bldrs. Reg. No.
Home Improvement Contractor -
Registration No. or Exemption
Reason (if applicable)

Is hereby granted permission to perform the following work:

[] BUILDING [X] PLUMBING [] LEAD HAZARD ABATEMENT
[] ELECTRICAL [] FIRE PROTECTION [] DEMOLITION
[] ELEVATOR DEVICES [] ASBESTOS ABATEMENT
(Subchapter 8 only)

DESCRIPTION OF WORK:

INSTALL 2 SINKS SIDE BY SIDE BOTH DRAINED INTO A LIBERTY DRAIN PUMP IN OFFICE.

FEE/PAYMENTS SUMMARY

Total Permit Fees	\$68.00
PERMIT	
PAYMENT	\$68.00
Certificate Fee	\$0.00
CERTIFICATE	
PAYMENT	\$0.00

NOTE: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Estimated Cost of Work for Selected Subcode(s) \$2,500.00

Construction Official

Date

REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulation N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that work installed conforms to the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval given.

- ☐ Required inspections for all subcodes for one and two family dwellings are the following:
1. The bottom of footing trenches before placement of footings, except that in the case of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
 2. Foundations and all walls up to grade level prior to back filling.
 3. Utility services, including septic.
 4. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and/or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
- ☐ Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, heat producing devices and Barrier Free subcode accessibility, if applicable.
- ☐ Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
- ☐ A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and any other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provisions of the adopted subcodes; Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5.23-3.5, "Posting Structures".
- ☐ A complete copy of released plans must be kept on the job site.



Wrightstown Borough
21 Saylor's Pond Road
Wrightstown NJ 08562
(609)723-4450

Receipt of Payment

Receipt No: 68093

Payment Date: 11/08/07

Total Payment Amount: \$68.00

☐ Cash

☒ Check/Money Order

Check# 3916

Money Order#

☐ Credit Card:

Card No:

Exp Date:

Cardholder Name:

Reference:

Block/Lot/Qualifier: 601/50 (WRIGHTSTOWN BORO)

Owner in fee: GOVARDHAN CORP.,

Application No: 00082-07

Permit No: 07-00077

Permit Applicant: GOVARDHAN CORP.,

Penalty Order No:

Order against:

For payment on:

Permit Fees - Payment Amount: \$68.00

Received by:

lppeterson

Comments

Wrightstown Borough
21 Saylor's Pond Road
Wrightstown NJ 08562
(609)723-4450



PERMIT DETAIL

0340 - WRIGHTSTOWN BORO

Application No. : 00082-07
Permit No. : 07-00077
Date of Application : 11/08/2007
Date Issued : 11/08/2007

Block 601 Lot 50 Qualification Code Other Info:


Work Site: 501 & 505 EAST MAIN STR Wrightstown

IDENTIFICATION	
Name of Owner in Fee:	GOVARDHAN CORP.,
Address	505 EAST MAIN STREET WRIGHTSTOWN, NJ 08562
Telephone	E-mail
Ownership in Fee:	Private
Principal Contractor:	HOFFMAN P & H INC.
Address	1657 CHESTNUT AVENUE TRENTON NJ 08611-
Telephone	(609) 989-7174 E-mail
License or Builder Reg No. Home Improvement, Reg No. or Exemption Reason:	Exp Date
Federal Employee ID No.	FAX (609) 989-7174
Architect/Engineer:	
Address	
Telephone	
Responsible Person in Charge of Work:	
Telephone	
PROPOSED WORK Renovation	BUILDING CONTAINS OR WILL CONTAIN

BUILDING/SITE CHARACTERISTICS	
1. Number of Stories	0
2. Height of Structure	0
3. Area - Largest Floor	
4. New Building Area	
5. Volume of New Structure	
6a. Construction Class. Present	
6b. Construction Class. Proposed	
7. Total Land Area Disturbed	0
8. Flood Hazard Zone	No
9. Base Flood Elevation	0
10. Wetlands	No
11. Max. Live Load	0
12. Max. Occupancy Load	0
SUBCODES	EST. COST
Plumbing	\$2,500.00
TOTAL EST. COST	\$2,500.00
PRIOR APPROVALS REQUIRED No	
SITE DIAGRAM RECEIVED: N/A	
PLAN REVIEW	
Number:	
Prototype:	
DCA Review:	
Plan Review Waived:	Yes

FEE SUMMARY			
1. Building			\$0.00
2. Electrical			\$0.00
3. Plumbing			\$65.00
4. Fire Protection			\$0.00
5. Elevator Devices			\$0.00
6. Subtotal			\$65.00
7. Plan Rvw Credit			\$0.00
8. Subtotal			\$65.00
9. Surcharge			\$3.38
10. Subtotal			\$68.38
11. Certificate			\$0.00
12. PRELIM. TOTAL			\$68.38
13. FINAL TOTAL			\$68.00
Type of Fee Exemption:	None		
Reason:			
DESCRIPTION OF BUILDING USE			
<u>Dwelling units gained</u>			
<u>Sale</u>		<u>Rent</u>	
<i>All Income</i>	<i>All Income</i>	<i>All Income</i>	<i>All Income</i>
<i>Units Rstrct.</i>	<i>Units Rstrct.</i>	<i>Units Rstrct.</i>	<i>Units Rstrct.</i>
0	0	0	0
<u>Dwelling units lost</u>			
<u>Sale</u>		<u>Rent</u>	
<i>All Income</i>	<i>All Income</i>	<i>All Income</i>	<i>All Income</i>
<i>Units Rstrct.</i>	<i>Units Rstrct.</i>	<i>Units Rstrct.</i>	<i>Units Rstrct.</i>
0	0	0	0
Total Building Units: 0			
INDUST. BLDG: No			
CENSUS NO. 999			
USE GROUP: Present I/R-1 Proposed /			
SECOND. USE GROUPS:			

water detail
DAYS 1/1/1



HOFFMAN 10-11