

7. Has soil gas sampling of the building(s) been conducted? ☐ Yes ☐ No ☐ N/A
If "No," or "N/A," proceed to #10
8. Has indoor air sampling been conducted at the identified building(s)? ☐ Yes ☐ No
If "No," proceed to #10
9. Has indoor air contamination been identified but not suspected to be from the site?
(if "Yes," attach justification) ☐ Yes ☐ No
10. Indoor air results were above the NJDEP's Rapid Action Levels. ☐ Yes ☐ No
Provide the date that the laboratory data was available and confirmed contamination above the
Rapid Action Levels. Date: _____
Or ☐ Awaiting laboratory data with the expected due date: _____
If "Yes" to #8 above, follow the IEC Guidance Document at
<http://www.nj.gov/dep/srp/guidance/index.html#iec> for required actions.
The IEC engineering system response for control was implemented for all
identified structures ☐ Yes ☐ No
Date: _____ NJDEP Case Manager: _____
11. Indoor air sampling was conducted and results were above the NJDEP's Indoor Air Screening
Levels but at or below the Rapid Action Levels. ☐ Yes ☐ No
Provide the date that the laboratory data was available. Date: _____
Or ☐ Awaiting laboratory data with the expected due date: _____
If "Yes" to #10 above, answer the following:
Has the Vapor Concern (VC) Response Action Form notifying the NJDEP of the exceedances
been submitted? ☐ Yes ☐ No
Date: _____
Has a plan to mitigate and monitor the exposure been submitted? ☐ Yes ☐ No
Date: _____
Has the Mitigation Response Action Report been submitted? ☐ Yes ☐ No
Date: _____
12. Has the vapor intrusion investigation been completed? ☐ Yes ☐ No
If "No", is the vapor intrusion investigation stepping out as part of the site
investigation or remedial investigation. (If "No," attach justification) ☐ Yes ☐ No

SECTION F. ECOLOGICAL RECEPTORS

1. Has an Ecological Evaluation (EE) has been conducted? [N.J.A.C. 7:26E-1.16] ☒ Yes ☐ No
Date conducted: 02/11/2014
2. Do the results of an EE trigger a remedial investigation of ecological receptors? [N.J.A.C. 7:26E-4.8] ☐ Yes ☒ No
3. Has a remedial investigation of ecological receptors been conducted? ☐ Yes ☒ No
Date conducted: _____
4. Provide the following information for any surface water body on or within 200 feet of the site: Not Applicable.

Surface Water Body Name	Stream Classification	Antidegradation Designation	Trout Production	Trout Maintenance
			☐	☐
			☐	☐
			☐	☐
			☐	☐
			☐	☐
			☐	☐

5. Does the site contain any features regulated by the Land Use Regulation Program (LURP)?
(e.g. wetlands, flood hazard area, tidelands, etc.). ☐ Yes ☒ No
If "Yes," identify the type(s) of features: _____
6. Have any formal LURP jurisdiction letters or approvals been issued for the site? ☐ Yes ☒ No
If "Yes," what is the LURP Program Interest (PI) number(s) for the site? _____
7. Have any applications for formal LURP jurisdiction letters or approvals been submitted the NJDEP? ☐ Yes ☒ No
If "Yes," what is the LURP Program Interest (PI) number(s) for the site? _____
8. Is free product or residual product located within 100 feet from an ecological receptor? ☐ Yes ☒ No
9. Available data indicate an impact on: ☐ Ecological receptor(s) ☐ Surface water ☐ Sediment

If this evaluation is submitted with a technical document that includes contaminant summary information, proceed to Section G. Otherwise attach a description of the type of contamination and provide a schedule and a description of all actions to be taken to mitigate exposure.

SECTION G. PERSON RESPONSIBLE FOR CONDUCTING THE REMEDIATION

Full Legal Name of the Person Responsible for Conducting the Remediation: SLLC Oldco LLC (for Shapes, LLC, A/K/A Aluminum Shapes, LLC)

Representative First Name: Brett Representative Last Name: Craig

Title: Vice President

Phone Number: (305) 379-8686 Ext: _____ Fax: _____

Mailing Address: 1450 Brickell Ave, 31st Floor

City/Town: Miami State: FL Zip Code: 33131

Email Address: bcraig@bayside.com

This certification shall be signed by the person responsible for conducting the remediation who is submitting this notification in accordance with Administrative Requirements for the Remediation of Contaminated Sites rule at N.J.A.C. 7:26C-1.5(a).

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, including all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, to the best of my knowledge, I believe that the submitted information is true, accurate and complete. I am aware that there are significant civil penalties for knowingly submitting false, inaccurate or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties.

Signature: [Signature]

Date: 4/25/2014

Name/Title: Brett Craig/ Vice President

No Changes Since Last Submittal ☐




State of New Jersey
DEPARTMENT OF ENVIRONMENTAL PROTECTION

CHRIS CHRISTIE
Governor

KIM GUADAGNO
Lt. Governor

BOB MARTIN
Commissioner

Division of Air Quality
Bureau of Air Permits
401 E. State Street, 2nd floor, P.O. Box 420, Mail Code 401-02
Trenton, NJ 08625-0420



Honorable Jack Killion
Mayor, Pennsauken Township
5605 North Crescent Boulevard
Pennsauken, NJ 08110

Dear Mayor Killion:

Pursuant to the provisions of N.J.A.C. 7:27-22.11, a legal advertisement will be published in the Courier Post newspaper. In addition, I am providing you with this special notification to seek public comment on our intent to approve an Air Pollution Control Operating Permit Renewal for ALUMINUM SHAPES LLC, located at 9000 River Road, Delair, NJ 08110. Any comments for this "draft permit" must be received by the Department by August 20, 2014. Please forward any comments to:

Max Friedman
New Jersey Department of Environmental Protection
Air Quality Permitting Program
Bureau of Air Permits
401 East State St. - 2nd Floor, Box 420
Trenton, NJ 08625-0420
609-633-8230

The Facility Profile and Reason for Permit attached to this letter describe the facility. If you would like to see the complete "draft permit", it is available for inspection at the address above and at the Southern Regional Office located at One Port Center, 2 Riverside Drive, Suite 201, Camden, NJ 08102 (856-614-3601). If you would like to inspect the "draft permit" at either location, please call in advance for an appointment. Alternatively, you may check the public notice, statement of basis, and the draft permit that will be posted at the Department's website: <http://www.state.nj.us/dep/aqpp/publicnotices.htm>.

As this facility is located in your town, we will try to answer any questions you or the town's residents may have.

Sincerely,

Max Friedman
Bureau of Air Permits

Enclosures: Facility Profile, Reason for Permit

1992

$\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{4}$

ALUMINUM SHAPES LLC (51609)
BOP110001

Date: 7/16/2014

New Jersey Department of Environmental Protection
Reason for Application

Permit Being Modified

Permit Class: BOP **Number:** 130001

Description Title V Renewal
of Modifications:

ALUMINUM SHAPES LLC (51609)
BOP110001

Date: 7/16/2014

New Jersey Department of Environmental Protection
Facility Profile (General)

Facility Name (AIMS): Aluminum Shapes LLC

Facility ID (AIMS): 51609

Street ALUMINUM SHAPES LLC
Address: 9000 RIVER RD
DELAIR, NJ 08110

State Plane Coordinates:
X-Coordinate: 423,000
Y-Coordinate: 1,895,000
Units: New Jersey State Plane 8

Mailing ALUMINUM SHAPES LLC
Address: 9000 RIVER RD
DELAIR, NJ 08110

Datum: NAD27
Source Org.: Other/Unknown
Source Type: Other/Unknown

County: Camden
Location 9000 River Road
Description:

Industry:
Primary SIC: 3354
Secondary SIC: 3341
NAICS: 331316

ALUMINUM SHAPES LLC (51609)
BOP110001

Date: 7/16/2014

New Jersey Department of Environmental Protection
Facility Profile (General)

Contact Type: Air Permit Information Contact

Organization: Aluminum Shapes LLC

Org. Type: Corporation

Name: Philip Scarfo

NJ EIN:

Title: Manager, EH&S

Phone: (856) 662-5500 x

Mailing Address: 9000 River Road

Fax: (856) 662-5673 x

Address: Delair, NJ 08110

Other: () - x

Type:

Email: Pscarfo@shapesllc.com

Contact Type: BOP - Operating Permits

Organization: Aluminum Shapes LLC

Org. Type: Corporation

Name: Philip Scarfo

NJ EIN:

Title: Manager, EH&S

Phone: (856) 662-5500 x

Mailing Address: 9000 River Road

Fax: (856) 662-5673 x

Address: Delair, NJ 08110

Other: () - x

Type:

Email: Pscarfo@shapesllc.com

Contact Type: Consultant

Organization: IES Engineers

Org. Type: Private

Name: Robert Schlosser

NJ EIN:

Title: Principal Project Manager

Phone: (610) 828-3078 x

Mailing Address: 1720 Walton Road

Fax: (610) 828-7842 x

Address: Blue Bell, PA 19422

Other: () - x

Type:

Email: rschlosser@iesengineers.com

ALUMINUM SHAPES LLC (51609)
BOP110001

Date: 7/16/2014

New Jersey Department of Environmental Protection
Facility Profile (General)

Contact Type: Emission Statements

Organization: Aluminum Shapes LLC

Org. Type: Corporation

Name: Philip Scarfo

NJ EIN: 91039200000

Title: Manager, EH&S

Phone: (856) 662-5500 x

Mailing Address: 9000 River Road

Fax: (856) 662-5673 x

Delair, NJ 08110

Other: () - x

Type:

Email: Pscarfo@shapesllc.com

Contact Type: Environmental Officer

Organization: Aluminum Shapes LLC

Org. Type: Corporation

Name: Philip Scarfo

NJ EIN: 91039200000

Title: Manager, EH&S

Phone: (856) 662-5500 x

Mailing Address: 9000 River Road

Fax: (856) 662-5673 x

Delair, NJ 08110

Other: () - x

Type:

Email: Pscarfo@shapesllc.com

Contact Type: Fees/Billing Contact

Organization: Aluminum Shapes LLC

Org. Type: Corporation

Name: Philip Scarfo

NJ EIN:

Title: Manager, EH&S

Phone: (856) 662-5500 x

Mailing Address: 9000 River Road

Fax: (856) 662-5673 x

Delair, NJ 08110

Other: () - x

Type:

Email: Pscarfo@shapesllc.com

ALUMINUM SHAPES LLC (51609)
BOP110001

Date: 7/16/2014

New Jersey Department of Environmental Protection
Facility Profile (General)

Contact Type: General Contact

Organization: Aluminum Shapes LLC

Org. Type: Corporation

Name: Philip Scarfo

NJ EIN: 91039200000

Title: Manager, EH&S

Phone: (856) 662-5500 x

Mailing Address: 9000 River Road
Delair, NJ 08110

Fax: (856) 662-5673 x

Other: () - x

Type:

Email: Pscarfo@shapesllc.com

Contact Type: Owner (Current Primary)

Organization: Aluminum Shapes LLC

Org. Type: Corporation

Name: Aluminum Shapes

NJ EIN: 91039200000

Title: Owner

Phone: (856) 662-5500 x

Mailing Address: 9000 River Road
Delair, NJ 08110

Fax: (856) 662-5673 x

Other: () - x

Type:

Email:

Contact Type: Responsible Official

Organization: Aluminum Shapes LLC

Org. Type: LLC

Name: Gregory I. Jones

NJ EIN: 91039200000

Title: Director of Operations

Phone: (856) 662-5500 x

Mailing Address: Aluminum Shapes LLC
9000 River Road
Delair, NJ 08110

Fax: (856) 662-5673 x

Other: () - x

Type:

Email: GJones@shapesllc.com

ALUMINUM SHAPES LLC (51609)
BOP110001

Date: 7/16/2014

New Jersey Department of Environmental Protection
Facility Profile (General)

Contact Type: Title V Compliance Certification Contact

Organization: Aluminum Shapes LLC

Org. Type: Corporation

Name: Philip Scarfo

NJ EIN:

Title: Manager, EH&S

Phone: (856) 662-5500 x

Mailing Address: 9000 River Road

Fax: (856) 662-5673 x

Address: Delair, NJ 08110

Other: () - x

Type:

Email: Pscarfo@shapesllc.com

ENVIRONMENTAL CONSULTING & MANAGEMENT

ROUX ASSOCIATES INC



402 Heron Drive

LOGAN TOWNSHIP, NEW JERSEY 08085 OFFICE: (856) 423-8800 FAX: (856) 241-4670

August 13, 2014

*Sent Via Certified Mail
Return Receipt Requested*


Re: 9000 River Road
Pennsauken, New Jersey 08110
NJDEP PI #005314


Dear Neighbor:

In accordance with the New Jersey Department of Environmental Protection (NJDEP) New Jersey Administrative Code 7:26C-7.3(d) associated with a Classification Exception Area (CEA), Roux Associates is providing this notification regarding the current environmental status of the property located at 9000 River Road, New Jersey, Block 1903, Lots 1 and 4 (the Site). The CEA/Well restriction Area fact sheet is attached to this letter.

Should you have any questions regarding please contact the undersigned at (856) 423-8800.

Sincerely,
ROUX ASSOCIATES, INC.


Peter Downham
Senior Scientist/Project Manager





New Jersey Department of Environmental Protection
Site Remediation Program

CLASSIFICATION EXCEPTION AREA / WELL RESTRICTION
AREA (CEA/WRA) FACT SHEET FORM

☒ LSRP

☐ Subsurface Evaluator

Date Stamp
(For Department use only)

SECTION A. SITE INFORMATION

Site Name: Aluminum Shapes, LLC

Program Interest (PI) Number(s): 005314

Case Tracking Number(s): LSR120001

1. Indicate the reason for submission of this form:

☒ New CEA

☐ Revise CEA

☐ Existing CEA with no changes

☐ CEA Lift/Removal

If you are submitting this form for an existing CEA provide the CEA Subject Item ID: _____

2. Indicate the type of ground water Remedial Action (RA):

☐ Natural

☐ Active

☒ Final RA not yet selected

3. Has a Remedial Action Permit (RAP) application been submitted to the NJDEP? ☐ Yes ☒ No

SECTION B. CEA COMPONENT INFORMATION

1. Contaminant(s): This CEA/WRA applies only to the contaminants above the applicable numeric values established by Ground Water Quality Standards (GWQS), N.J.A.C. 7:9C, listed in the table below. List below the maximum value for all contaminants included in Exhibit A using any well or sampling point used to establish the CEA.

Contaminant	Concentration ⁽¹⁾	GWQS ⁽²⁾	SWQS ⁽³⁾	GWSL ⁽⁴⁾
Chromium (hexavalent chromium)	481 (480)	70		

Notes: ⁽¹⁾ Maximum concentration in Micrograms Per Liter

⁽²⁾ New Jersey Ground Water Quality Standards, N.J.A.C. 7:9C

⁽³⁾ Surface Water Quality Standards, N.J.A.C. 7:9B - Applicable only where contaminants in the CEA may discharge to a surface water body.

⁽⁴⁾ Current NJDEP Vapor Intrusion Ground Water Screening Levels available at
<http://www.nj.gov/dep/srp/guidance/vaporintrusion/>

☐ Check if attaching an Addendum to list additional contaminants and associated information.

2. CEA Boundaries: Year of tax map used: 2013

For CEA revisions: ☐ check if CEA Boundary has changed (See instructions)

☐ check if Block and Lot numbers have changed (See instructions)

List the Block(s) and Lot(s) included in the areal extent of the Classification Exception Area:

Block(s)	Lot(s)	Check if off-site
1903	1	☐
1903	4	☐
1802	2	☒
1610	1	☒
1610	19	☒

Block(s)	Lot(s)	Check if off-site
7006	6	☒
1802	1	☒
1610	20	☒
1610	3	☒
1801	1	☒

☒ Check if attaching an Addendum to list additional Blocks/Lots and associated information.

Narrative description of proposed CEA:

The proposed CEA includes a portion of the facility located at 9000 River Road in Pennsauken, Camden County, New Jersey. In addition, the CEA includes offsite properties to the west (commercial/industrial), and south (residential) of the site as shown on Exhibit D. The proposed CEA will include exceedences of NJDEP Class-IIA Ground Water Quality Standards (GWQS) for Chromium.

Name(s) of the affected Geologic Formation(s)/Unit(s): Polomac-Raritan-Magothy Formation

Direction of ground water flow: Southwest (If multiple water bearing zones exist within the CEA and/or there is no predominant flow direction, see instructions)

Ground Water Classification: Class IIA

Vertical Depth of CEA: 150 (ft bgs) and -125 (msl).

Horizontal Extent of CEA: 56.38 Indicate units: ☒ acres or ☐ square feet

3. Projected Term of CEA: (Based on modeling/calculations in Exhibit E)

Proposed Duration in Years: _____ Expected Expiration Date: _____

or ☒ Indeterminate

4. ATTACH THE FOLLOWING: (see instructions for additional information)

Exhibit A: Remedial Investigation Report – Per N.J.A.C 7:26C-7.3(a)3 submit the RIR;

Exhibit B: Site Location Maps – USGS Quadrangle Map;

Exhibit C: Site Map(s) and Cross Section – See N.J.A.C 7:26C-7.3(c)1 and 2 and instructions regarding what to include on the map(s) and the cross-section figure.

Exhibit D: GIS Deliverables – CEA Boundary Extent and CEA/WRA Spreadsheet – The CEA/WRA spreadsheet contains the vertical contaminant depth data for each sampling point used to prepare the CEA maps and cross-section figure, required by N.J.A.C 7:26C-7.3(c). The CEA Boundary Extent and CEA/WRA Spreadsheet shall be submitted via email to srpgis_cea@dep.state.nj.us. The CEA/WRA Spreadsheet shall also be included on the CD submitted with this form. See the instructions for both this form and the instructions for the CEA/WRA spreadsheet for more details.

For revisions, does the revised CEA map differ from CEA map on NJ-GeoWeb? ☐ Yes ☐ No ☒ N/A

Identify the format of the CEA Boundary Extent Map: ☒ Shape File ☐ CAD File

Exhibit E: Fate and Transport Description and Model Documentation

Is all the ground water contamination associated with the site the result of Historic Fill? ☐ Yes ☒ No

If "Yes," Fate and Transport Description and Model Documentation is not required.

If "No," submit all information required pursuant to N.J.A.C. 7:26C-7.3(b)2.

SECTION C. CURRENT GROUND WATER USE DOCUMENTATION

1. Indicate the year of the most recent well search completed per N.J.A.C. 7:26E-1.14: 2013

2. If this Fact Sheet form is for a revised CEA or an existing CEA with no changes, have new wells been installed since the CEA was established? ☐ Yes ☐ No ☒ N/A

SECTION D. WELL RESTRICTION INFORMATION

Certain well restrictions relevant to potable ground water use, such as "Double Case Wells", "Sample Potable Wells", and "Evaluate Production Wells", are consistently set within the boundaries of all CEAs established by the NJDEP in Class I and II-A areas (see instructions).

1. Are there any other site-specific well restrictions relevant to potable ground water use that should be set within or near the boundaries of the proposed CEA? ☐ Yes ☒ No

If "Yes", describe below any such site-specific well restrictions proposed for this CEA:

SECTION E. PUBLIC NOTIFICATION REQUIREMENTS

1. Indicate which of the following entities have been notified pursuant to N.J.A.C. 7:26C-7.3(d). (check all that apply)

- ☒ Municipal and county clerk(s)
- ☒ Local, county or regional health department(s)
- ☐ Designated County Environmental Health Act agency (if applicable)
- ☒ County Planning Board
- ☐ Pinelands Commission (if applicable)
- ☒ Owners of real property overlying CEA foot print

2. List of Names and Addresses – List name/address of all persons notified pursuant to N.J.A.C. 7:26C-7.3(d) based on the proposed CEA extent. See instructions for detailed information.

☒ Check here if no volatile contaminants are in the CEA

*Names/addresses continued on next page. Note there are two Page 3 of 5.		Date notification sent	Property was evaluated for vapor impacts ☒ if "Yes"
Name	Notification Address Used		
Gene Padalino	Municipal Clerk's Office, 5605 N. Crescent Blvd., Pennsauken, NJ 08110	08/13/2014	☐
Joseph Ripa	Camden County Clerk, Room 102, 520 Market St., Camden, NJ 08102	08/13/2014	☐
Paschal Nwako	Camden County Department of Health and Human Services,	08/13/2014	☐
(cont.) Paschal Nwako	DiPietro Center, 512 Lakeland Road, Suite 406, Blackwood, NJ 08012	08/13/2014	☐
Camden County Planning Board	Charles J. DePalma Complex, 2311 Egg Harbor Rd., Lindenwood, NJ 08021	08/13/2014	☐
Ezequias & Inzeze Johnson Lamarche	8461 Holman Avenue, Pennsauken, New Jersey 08110	08/13/2014	☐
Joyce and Steven Parker	8453 Holman Avenue, Pennsauken, New Jersey 08110	08/13/2014	☐
Panagiotios Pathouhas	507 John Tipton Boulevard, Pennsauken, New Jersey 08110	08/13/2014	☐
Jeanette and James Huntington	8445 Balfour Road Pennsauken, New Jersey 08110	08/13/2014	☐
Michael & Debbie Tippin	8449 Balfour Road, Pennsauken, NJ 08110	08/13/2014	☐
Rodriguez Milagros	8461 Balfour Road Pennsauken, New Jersey 08110	08/13/2014	☐
Kenneth J. Messick	8455 Balfour Road Pennsauken, New Jersey 08110	08/13/2014	☐
Martha Ann Peterson	8439 Balfour Road, Pennsauken, New Jersey 08110	08/13/2014	☐
Pablo & Olga Rivera	8435 Balfour Road, Pennsauken, New Jersey 08110	08/13/2014	☐
Patricia Cross	8427 Balfour Road, Pennsauken, New Jersey 08110	08/13/2014	☐
Maria E. Nunez	8444 Holman Ave, Pennsauken, New Jersey 08110	08/13/2014	☐
Clorinda & J L Huber Vitale	8450 Holman Ave, Pennsauken, New Jersey 08110	08/13/2014	☐
Lauren C. Chamber	8454 Holman Ave, Pennsauken, New Jersey 08110	08/13/2014	☐
Jamie A. Paul	8460 Holman Ave, Pennsauken, New Jersey 08110	08/13/2014	☐
Doris E. Hudson	8466 Holman Ave, Pennsauken, New Jersey 08110	08/13/2014	☐
Lucy Gonzalez	8470 Holman Ave, Pennsauken, New Jersey 08110	08/13/2014	☐
NJ Investment Properties LLC	8473 Eden Lane, Pennsauken, New Jersey 08110	08/13/2014	☐
Jesus & Maritza Zayas	8467 Eden Lane, Pennsauken, New Jersey 08110	08/13/2014	☐
Pamela J. Schwartz	8461 Eden Lane, Pennsauken, New Jersey 08110	08/13/2014	☐
Mohican Properties Inc	9051 River Rd Pennsauken, New Jersey 08110	08/13/2014	☐
Warehouse Partners, LP	100 Lawrence Dr , West Chester, PA 19380	08/13/2014	☐
Phil Scarfo c/o Aluminum Shapes	9000 River Road, Pennsauken, NJ 08110	08/13/2014	☐
STECH LTD LP c/o WM G, Standard WREHS	P.O. 308 Pennsauken, New Jersey 08110	08/13/2014	☐
Conrail: Greg Oliver Tax Dept	110 Franklin Rd SE Roanoke, VA 24042	08/13/2014	☐

SECTION E. PUBLIC NOTIFICATION REQUIREMENTS

1. Indicate which of the following entities have been notified pursuant to N.J.A.C. 7:26C-7.3(d). (check all that apply)

- ☒ Municipal and county clerk(s)
☒ Local, county or regional health department(s)
☐ Designated County Environmental Health Act agency (if applicable)
☒ County Planning Board
☐ Pinelands Commission (if applicable)
☒ Owners of real property overlying CEA foot print

2. **List of Names and Addresses** – List name/address of all persons notified pursuant to N.J.A.C. 7:26C-7.3(d) based on the proposed CEA extent. See instructions for detailed information.

- ☒
- Check here if no volatile contaminants are in the CEA

[illegible]

SECTION F. PERSON RESPONSIBLE FOR CONDUCTING THE REMEDIATION INFORMATION AND CERTIFICATION

Full Legal Name of the Person Responsible for Conducting the Remediation: SLLC Oldco LLC (for Shapes, LLC, A/K/A Aluminum Shapes, LLC)

Representative First Name: Brett

Representative Last Name: Craig

Title: Vice President

Phone Number: (305) 379-8686

Ext: _____

Fax: _____

Mailing Address: 1450 Brickell Ave, 31st Floor

City/Town: Miami

State: FL

Zip Code: 33131

Email Address: bcraig@bayside.com

This certification shall be signed by the person responsible for conducting the remediation who is submitting this notification in accordance with Administrative Requirements for the Remediation of Contaminated Sites rule at N.J.A.C. 7:26C-1.5(a).

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, including all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, to the best of my knowledge, I believe that the submitted information is true, accurate and complete. I am aware that there are significant civil penalties for knowingly submitting false, inaccurate or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties.

Signature: _____

Date: 8/11/14

Name/Title: Brett Craig/Vice President

No changes to contact information since last submittal ☒



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Site Remediation Program

Bureau of Ground Water Pollution Abatement

Mail Code: 401-05V

P.O. Box 420

Trenton, NJ 08625-0420

Phone: (609) 292-8427

Fax: (609) 633-1454

CHRIS CHRISTIE
Governor


BOB MARTIN
Commissioner

KIM GUADAGNO
Lt. Governor

August 20, 2014

Brett Craig, Vice President
SLLC Oldco LLC (for Shapes, LLC)
1450 Brickell Ave, 31st Floor
Miami, FL 33131

Re: Classification Exception Area/Well Restriction Area
Aluminum Shapes, LLC
Pennsauken Township, Camden County
Program Interest Number: 005314
Subject Item ID: CEA100167670




Dear Mr. Craig

The New Jersey Department of Environmental Protection (Department) established a Classification Exception Area/Well Restriction Area (CEA/WRA) for contamination in the ground water at this site. Please be advised that contamination in the ground water at this site exists above the Ground Water Quality Standards (N.J.A.C. 7:9C-1.7), which may limit ground water use at this site. The Department has based this determination on environmental data provided by the Licensed Site Remediation Professional (LSRP), Gregory D. Martin, in a document titled Classification Exception Area/Well Restriction Area Fact Sheet Form, dated April 25, 2014, which included a CEA/WRA Permit Fact Sheet Form. The Department has established a CEA/WRA for hexavalent chromium and total chromium contamination in ground water beneath the site and extending off-site for approximately 200 feet to the south and 800 feet to the west, as described by the enclosed CEA Fact Sheet.

The ground water contamination is attributed to discharges that occurred at the site referenced above. This CEA/WRA is indeterminate and will be revised after Remedial Action has been selected and initiated and calculated at which time it is anticipated that the Ground Water Quality Standards will be attained. Attainment of the Ground Water Quality Standards will be confirmed through sampling. Consistent with N.J.A.C. 7:26C-7.3, the CEA/WRA may also be revised or removed at any time based on new relevant data to more accurately reflect ground water conditions.

Thank you for your attention to this matter. If you have any comments or questions regarding this CEA/WRA, please contact David Morrow at (609) 633 6439.

Sincerely,



Mary Anne Kuserk, Chief
Bureau of Ground Water Pollution Abatement

Enclosure

c: Gregory Martin, LSRP, Roux
Lynn Stout, NJDEP/Bureau of Water Allocation and Well Permitting
Bureau of Information Systems
Gene Padalino, Pennsauken Clerk
Joseph Ripa, Camden County Clerk
Paschal Nwako, Camden Depart of Health and Human Services
Camden County Planning Board
Ezequias & Inzeze Johnson Lamarche
Joyce and Steven Parker
Panagiotios Pathouhas
Jeanette and James Huntington
Michael & Debbie Tippin
Rodriguez Milagros
Kenneth J. Messick
Martha Ann Peterson
Pablo & Olga Rivera
Patricia Cross
Maria E. Nunez
Clorinda & J L Huber Vitale
Lauren C. Chamber
Jamie A. Paul
Doris E. Hudson
Lucy Gonzalez
NJ Investment Properties LLC
Jesus & Maritza Zayas
Pamela J. Schwartz
Mohican Properties INC
Warehouse Partners, LP
Phil Scarfo/co Al Shapes
STECH LTD LP
Conrail: Greg Oliver Tax Dept.
David B. Sullivan
Thomas Wallace

Nicholas J. Johnson
SJ Vietnamese Allicance Church
Rebecca Acevedo
Nydia I. Torres
Doreothea & Joseph Cikot
Albert Minnix
CCTS Tax Liens I LLC
Sydney & Carolyn Harris
Carlos & Sonia Estrada
Bahadur & Herjit Sidhu
Federico & Guzman Betancourth
Rafael & Nydia Buzman

Classification Exception Area/Well Restriction Area Fact Sheet

Case Information

<u><i>Subject Item</i></u>	<u><i>Designation</i></u>
CEA100167670	PI #005314

Case ID: 005314 - LSR120001
Case Number: ALUMINUM SHAPES INC
Preferred Id: 005314
Case: Aluminum Shapes Inc
Address: 9000 River Rd
City: Pennsauken Twp
County: Camden

Lot and Block of the Case

<u><i>Block</i></u>	<u><i>Lot</i></u>
1903	1
1903	4

Site Location: Refer to Exhibit A – Site Location

Lot and Block of the CEA

<u><i>Subject Item</i></u>	<u><i>Block</i></u>	<u><i>Lot</i></u>	<u><i>Municipality</i></u>
CEA100167670	1609	1	Pennsauken Twp
CEA100167670	1609	2	Pennsauken Twp
CEA100167670	1609	29	Pennsauken Twp
CEA100167670	1610	1	Pennsauken Twp
CEA100167670	1610	2	Pennsauken Twp
CEA100167670	1610	2.01	Pennsauken Twp
CEA100167670	1610	3	Pennsauken Twp
CEA100167670	1610	4	Pennsauken Twp
CEA100167670	1610	5	Pennsauken Twp
CEA100167670	1610	6	Pennsauken Twp
CEA100167670	1610	15	Pennsauken Twp
CEA100167670	1610	16	Pennsauken Twp
CEA100167670	1610	17	Pennsauken Twp
CEA100167670	1610	18	Pennsauken Twp
CEA100167670	1610	19	Pennsauken Twp
CEA100167670	1610	20	Pennsauken Twp
Continued			

<u>Subject Item</u>	<u>Block</u>	<u>Lot</u>	<u>Municipality</u>
CEA100167670	1613	1	Pennsauken Twp
CEA100167670	1613	2	Pennsauken Twp
CEA100167670	1613	3	Pennsauken Twp
CEA100167670	1613	4	Pennsauken Twp
CEA100167670	1613	5	Pennsauken Twp
CEA100167670	1613	6	Pennsauken Twp
CEA100167670	1613	15	Pennsauken Twp
CEA100167670	1613	16	Pennsauken Twp
CEA100167670	1613	17	Pennsauken Twp
CEA100167670	1613	18	Pennsauken Twp
CEA100167670	1613	19	Pennsauken Twp
CEA100167670	1613	20	Pennsauken Twp
CEA100167670	1613	21	Pennsauken Twp
CEA100167670	1613	22	Pennsauken Twp
CEA100167670	1614	23	Pennsauken Twp
CEA100167670	1614	24	Pennsauken Twp
CEA100167670	1614	25	Pennsauken Twp
CEA100167670	1614	26	Pennsauken Twp
CEA100167670	1801	1	Pennsauken Twp
CEA100167670	1802	1	Pennsauken Twp
CEA100167670	1802	2	Pennsauken Twp
CEA100167670	1903	1	Pennsauken Twp
CEA100167670	1903	4	Pennsauken Twp
CEA100167670	7006	6	Pennsauken Twp

Facility Contact(s)

Responsible Party(s): SLLC Oldco LLC (for Shapes, LLC, A/K/A Aluminum Shapes, LLC)
Attn: Brett Craig, Vice President
1450 Brickell Ave, 31st Floor
Miami, FL 33131

NJDEP Contact: Bureau of Ground Water Pollution Abatement
Phone: (609) 292-8427

CEA Information

<u>Subject Item</u>	<u>Description</u>
CEA100167670	Plume originates in the center of the site in area of well MW-30S, drops in elevation in the direction of GW flow to the SE and off site approximately 300 feet to the south and 800 feet to the west.