

A		MM DD YYYY		Delete		NFIRS -1	
FDID 03161 *		State NJ		Incident Date 03 13 2012		Station	
				Incident Number 12-0000190 *		Exposure 000	
						Change	
						No Activity	
						Basic	
B Location*							
☐ Check this box to indicate that the address for this incident is provided on the Wildland Fire Module In Section B "Alternative Location Specification". Use only for Wildland fires.							
Census Tract							
☒ Street address							
Number/Milepost 33 Prefix LEVITT Street or Highway							
Street Type							
Suffix							
☐ Intersection							
☐ In front of							
☐ Rear of							
☐ Adjacent to							
☐ Directions							
Apt./Suite/Room City NJ 08046 State Zip Code							
Cross street or directions, as applicable							
C Incident Type *							
131 Passenger vehicle fire							
Incident Type							
D Aid Given or Received*							
1 ☒ Mutual aid received							
2 ☐ Automatic aid recv.							
3 ☐ Mutual aid given							
4 ☐ Automatic aid given							
5 ☐ Other aid given							
N ☐ None							
Their FDID Their State							
Their Incident Number							
E1 Date & Times							
Midnight is 0000							
Check boxes if dates are the same as Alarm							
Month Day Year Hr Min Sec							
Alarm 03 13 2012 16:07:18							
ARRIVAL required, unless canceled or did not arrive							
☒ Arrival 03 13 2012 16:11:07							
CONTROLLED Optional, Except for wildland fires							
☒ Controlled 03 13 2012 16:40:00							
LAST UNIT CLEARED, required except for wildland fires							
☒ Last Unit							
☒ Cleared 03 13 2012 18:19:50							
E2 Shift & Alarms							
Local Option							
A 01 16							
Shift or Alarms District							
Platoon							
E3 Special Studies							
Local Option							
Special Study ID#							
Special Study Value							
F Actions Taken *							
11 Extinguishment by fire							
Primary Action Taken (1)							
12 Salvage & overhaul							
Additional Action Taken (2)							
82 Notify other agencies.							
Additional Action Taken (3)							
G1 Resources *							
☒ Check this box and skip this section if an Apparatus or Personnel form is used.							
Apparatus Personnel							
Suppression 0008 0035							
EMS							
Other 0006 0010							
☒ Check box if resource counts include aid received resources.							
G2 Estimated Dollar Losses & Values							
LOSSES: Required for all fires if known. Optional for non fires.							
Property \$ 003 000							
Contents \$ 000 400							
PRE-INCIDENT VALUE: Optional							
Property \$ 000 000							
Contents \$ 000 000							
Completed Modules							
☒ Fire-2							
☐ Structure-3							
☐ Civil Fire Cas.-4							
☐ Fire Serv. Cas.-5							
☐ EMS-6							
☐ HazMat-7							
☐ Wildland Fire-8							
☒ Apparatus-9							
☒ Personnel-10							
☐ Arson-11							
H1* Casualties							
☒ None							
Deaths Injuries							
Fire Service							
Civilian							
H2 Detector							
Required for Confined Fires.							
1 ☐ Detector alerted occupants							
2 ☐ Detector did not alert them							
U ☐ Unknown							
H3 Hazardous Materials Release							
N ☐ None							
1 ☐ Natural Gas: slow leak, no evaluation or HazMat actions							
2 ☐ Propane gas: <21 lb. tank (as in home BBQ grill)							
3 ☐ Gasoline: vehicle fuel tank or portable container							
4 ☐ Kerosene: fuel burning equipment or portable storage							
5 ☐ Diesel fuel/fuel oil: vehicle fuel tank or portable							
6 ☐ Household solvents: home/office spill, cleanup only							
7 ☐ Motor oil: from engine or portable container							
8 ☐ Paint: from paint cans totaling < 55 gallons							
0 ☐ Other: Special HazMat actions required or spill > 55gal., Please complete the HazMat form							
I Mixed Use Property							
NN ☐ Not Mixed							
10 ☐ Assembly use							
20 ☐ Education use							
30 ☐ Medical use							
40 ☐ Residential use							
51 ☐ Row of stores							
53 ☐ Enclosed mall							
58 ☐ Bus. & Residential							
59 ☐ Office use							
60 ☐ Industrial use							
63 ☐ Military use							
65 ☐ Farm use							
00 ☐ Other mixed use							
J Property Use*							
Structures							
131 ☐ Church, place of worship							
161 ☐ Restaurant or cafeteria							
162 ☐ Bar/Tavern or nightclub							
213 ☐ Elementary school or kindergarten							
215 ☐ High school or junior high							
241 ☐ College, adult education							
311 ☐ Care facility for the aged							
331 ☐ Hospital							
Outside							
124 ☐ Playground or park							
655 ☐ Crops or orchard							
669 ☐ Forest (timberland)							
807 ☐ Outdoor storage area							
919 ☐ Dump or sanitary landfill							
931 ☐ Open land or field							
341 ☐ Clinic, clinic type infirmary							
342 ☐ Doctor/dentist office							
361 ☐ Prison or jail, not juvenile							
419 ☐ 1-or 2-family dwelling							
429 ☐ Multi-family dwelling							
439 ☐ Rooming/boarded house							
449 ☐ Commercial hotel or motel							
459 ☐ Residential, board and care							
464 ☐ Dormitory/barracks							
519 ☐ Food and beverage sales							
539 ☐ Household goods, sales, repairs							
579 ☐ Motor vehicle/boat sales/repair							
571 ☐ Gas or service station							
599 ☐ Business office							
615 ☐ Electric generating plant							
629 ☐ Laboratory/science lab							
700 ☐ Manufacturing plant							
819 ☐ Livestock/poultry storage (barn)							
882 ☐ Non-residential parking garage							
891 ☐ Warehouse							
936 ☐ Vacant lot							
938 ☐ Graded/care for plot of land							
946 ☐ Lake, river, stream							
951 ☐ Railroad right of way							
960 ☐ Other street							
961 ☐ Highway/divided highway							
962 ☐ Residential street/driveway							
981 ☐ Construction site							
984 ☐ Industrial plant yard							
Lookup and enter a Property Use code only if you have NOT checked a Property Use box:							
Property Use 500							
Mercantile, business, Other							
NFIRS-1 Revision 03/11/99							

K1 Person/Entity Involved

Local Option

Business name (if applicable)

Area Code

Phone Number

☐ Check This Box if same address as incident location. Then skip the three duplicate address lines.

Mr., Ms., Mrs. First Name Sean MI Harris Last Name Suffix

Number 219 Prefix Broad Street or Highway ST Street Type Suffix

Post Office Box Beverly Apt./Suite/Room City

State NJ Zip Code 08010 -

☐ More people involved? Check this box and attach Supplemental Forms (NFIRS-1S) as necessary**K2 Owner**☐ Same as person involved? Then check this box and skip The rest of this section.

Business name (if Applicable)

Area Code

Phone Number

Local Option

☐ Check this box if same address as incident location. Then skip the three duplicate address lines.

Mr., Ms., Mrs. First Name Syreeta MI Harris Last Name Suffix

Number 219 Prefix Broad Street or Highway ST Street Type Suffix

Post Office Box Beverly Apt./Suite/Room City

State NJ Zip Code 08010 -

L Remarks

Local Option

VEHICLE FIRE INSIDE CARWASH

WPH1: RADIUS 00 MILES

Information on the units assigned to the call follows.

Unit: E1293	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:23:12	ENR: 03/13/12	16:24:16
ARV: 03/13/12	16:29:02	DPT:	:
QTR:	:	CLR: 03/13/12	17:11:33
Unit: E1691	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:07:22	ENR: 03/13/12	16:09:21
ARV: 03/13/12	16:12:44	DPT:	:
QTR:	:	CLR: 03/13/12	17:22:00
Unit: EMS16	Radio:	Ofcr 1:	Ofcr 2:
DSP:	:	ENR:	:
ARV: 03/13/12	16:12:37	DPT:	:
QTR:	:	CLR: 03/13/12	17:52:10
Unit: E169	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:14:52	ENR:	:
ARV:	:	DPT:	:
QTR:	:	CLR: 03/13/12	16:22:38
Unit: F1224	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:11:42	ENR: 03/13/12	16:24:10
ARV: 03/13/12	16:26:18	DPT:	:
QTR:	:	CLR: 03/13/12	17:26:19
Unit: F1200	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:14:20	ENR: 03/13/12	16:20:32

L Authorization

102647 Burnett, Anthony J. COD 03 16 2012
Officer in charge ID Signature Position or rank Assignment Month Day Year

Check Box if ☐ 115157 Sitzenstock, Charles K. DCP 03 16 2012
as Officer Member making report ID Signature Position or rank Assignment Month Day Year

FDID	03161	State	NJ	Incident	MM	DD	YYYY	Station	12-0000190	Incident Number	000	Exposure
	*		*		3	13	2012		*		*	

Complete Narrative

Narrative:

VEHICLE FIRE INSIDE CARWASH

WPH1: RADIUS 00 MILES

Information on the units assigned to the call follows.

Unit: E1293	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:23:12	ENR: 03/13/12	16:24:16
ARV: 03/13/12	16:29:02	DPT:	: :
QTR:	: :	CLR: 03/13/12	17:11:33
Unit: E1691	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:07:22	ENR: 03/13/12	16:09:21
ARV: 03/13/12	16:12:44	DPT:	: :
QTR:	: :	CLR: 03/13/12	17:22:00
Unit: EMS16	Radio:	Ofcr 1:	Ofcr 2:
DSP:	: :	ENR:	: :
ARV: 03/13/12	16:12:37	DPT:	: :
QTR:	: :	CLR: 03/13/12	17:52:10
Unit: E169	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:14:52	ENR:	: :
ARV:	: :	DPT:	: :
QTR:	: :	CLR: 03/13/12	16:22:38
Unit: F1224	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:11:42	ENR: 03/13/12	16:24:10
ARV: 03/13/12	16:26:18	DPT:	: :
QTR:	: :	CLR: 03/13/12	17:26:19
Unit: F1200	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:14:20	ENR: 03/13/12	16:20:32
ARV: 03/13/12	16:29:23	DPT:	: :
QTR:	: :	CLR: 03/13/12	18:19:50
Unit: F1229	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:29:46	ENR: 03/13/12	16:29:49
ARV: 03/13/12	16:39:34	DPT:	: :
QTR:	: :	CLR: 03/13/12	17:26:19
Unit: F1613	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:07:18	ENR: 03/13/12	16:08:44
ARV: 03/13/12	16:11:07	DPT:	: :
QTR:	: :	CLR: 03/13/12	18:19:50
Unit: F1600	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:08:37	ENR: 03/13/12	16:08:41
ARV: 03/13/12	16:29:26	DPT:	: :
QTR:	: :	CLR: 03/13/12	18:19:50
Unit: F1611	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:10:29	ENR: 03/13/12	16:10:32
ARV: 03/13/12	16:12:48	DPT:	: :
QTR:	: :	CLR: 03/13/12	18:06:47
Unit: F1616	Radio:	Ofcr 1:	Ofcr 2:
DSP: 03/13/12	16:17:46	ENR: 03/13/12	16:17:55
ARV: 03/13/12	16:29:29	DPT:	: :
QTR:	: :	CLR: 03/13/12	18:19:50
Unit: CP16	Radio:	Ofcr 1:	Ofcr 2:
DSP:	: :	ENR:	: :
ARV: 03/13/12	16:20:29	DPT:	: :
QTR:	: :	CLR: 03/13/12	17:37:07
Unit: F2315	Radio:	Ofcr 1:	Ofcr 2:

Narrative:

DSP: 03/13/12 16:11:42	ENR: 03/13/12 16:14:08
ARV: 03/13/12 16:17:50	DPT: : :
QTR: : :	CLR: 03/13/12 17:41:08
Unit: F2305 Radio:	Ofcr 1: Ofcr 2:
DSP: : :	ENR: : :
ARV: 03/13/12 16:21:57	DPT: : :
QTR: : :	CLR: 03/13/12 18:19:50
Unit: F3023 Radio:	Ofcr 1: Ofcr 2:
DSP: 03/13/12 16:11:42	ENR: : :
ARV: 03/13/12 16:18:58	DPT: : :
QTR: : :	CLR: 03/13/12 17:20:51
Unit: F3035 Radio:	Ofcr 1: Ofcr 2:
DSP: 03/13/12 16:11:42	ENR: 03/13/12 16:15:24
ARV: 03/13/12 16:26:51	DPT: : :
QTR: : :	CLR: 03/13/12 16:40:58
Unit: F3038 Radio:	Ofcr 1: Ofcr 2:
DSP: 03/13/12 16:22:25	ENR: 03/13/12 16:22:27
ARV: : :	DPT: : :
QTR: : :	CLR: 03/13/12 18:19:50
Unit: F3112 Radio:	Ofcr 1: Ofcr 2:
DSP: 03/13/12 16:14:52	ENR: : :
ARV: : :	DPT: : :
QTR: : :	CLR: 03/13/12 17:05:18
Unit: F3614 Radio:	Ofcr 1: Ofcr 2:
DSP: 03/13/12 16:14:52	ENR: 03/13/12 16:17:21
ARV: 03/13/12 16:28:01	DPT: : :
QTR: : :	CLR: 03/13/12 16:42:16
Unit: F9061 Radio:	Ofcr 1: Ofcr 2:
DSP: 03/13/12 16:11:42	ENR: 03/13/12 16:13:20
ARV: : :	DPT: : :
QTR: : :	CLR: 03/13/12 17:15:03
Unit: F9069 Radio:	Ofcr 1: Ofcr 2:
DSP: 03/13/12 16:17:46	ENR: 03/13/12 16:21:20
ARV: 03/13/12 16:21:30	DPT: : :
QTR: : :	CLR: 03/13/12 17:14:59
Unit: F9038 Radio:	Ofcr 1: Ofcr 2:
DSP: 03/13/12 16:22:25	ENR: 03/13/12 16:22:27
ARV: 03/13/12 16:33:01	DPT: : :
QTR: : :	CLR: 03/13/12 16:33:20
Unit: FM15 Radio:	Ofcr 1: Ofcr 2:
DSP: 03/13/12 16:21:59	ENR: 03/13/12 16:22:01
ARV: 03/13/12 16:28:27	DPT: : :
QTR: : :	CLR: 03/13/12 18:19:50

F1613 ON LOCATION ADVISED VEHICLE FIRE WELL INVOLVED INSIDE	16:12:16
THE SELF SERVICE CAR WASH.	16:12:27
F1600 ON LOCATION ADVISED HEAVY FIRE INSIDE BUILDING	16:14:54
REQUEST ALL HANDS IN SERVICE.ALSO REQUEST COUNTY FIRE	16:15:47
MARSHALL AND DIST 16 CODE ENFORCEMENT.	16:16:10
TWP MANAGER NOTIFIED	16:17:34
The following Incidents have been linked:	16:18:13
03161 2012-00000191 ME, 03161 2012-00000190 ME	16:18:13
F1600 ADVISED BULK OF FIRE KNOCKED DOWN AND LADDER 2315	16:19:39

03161	NJ	MM 3	DD 13	YYYY 2012		12-0000190	000
FDID *	State *	Incident	Date *		Station	Incident Number *	Exposure *

Complete Narrative

Narrative:

CREWS CHECKING ROOF FOR EXTENSION.	16:19:58
CEDRIC MINTER NOTIFIED AND WILL HAVE A REP RESPOND ASAP	16:20:26
FM15 ON LOCATION.	16:28:49
CP16 REQUEST PS ELECTRIC TO RESPOND.	16:49:57
ALSO REQUEST PS GAS TO RESPOND.SAME NOTIFIED AND ENROUTE.	16:52:42

Engine 1613 arrived on location to find a vehicle fire inside an open area bay of a self-serve car wash building. The building consisted of five open area self-serve wash bays, one closed area automated drive through wash bay, an office area and a storage / mechanical / utilities area. We initially stretched an 1.75" attack line and immediately followed up with a second 1.75" attack line. Engine 1611 arrived and layed a 5" supply line to Engine 1613. I had a crew member of Engine 1611 stretch Engine 1613's 2.5" attack line. Ladder 2315 arrived and were assigned to open up the roof area. As other mutual aid companies arrived they were detailed to various assignments.

A FDID 03161 State NJ MM 03 DD 13 YYYY 2012 Incident Date Station 12-0000190 Incident Number Exposure 000 Exposure ☐ Delete ☐ Change ☐ No Activity		NFIRS -2 Fire	
---	--	--------------------------------	--

B Property Details B1 ☒ Not Residential <i>Estimated Number of residential living units in building of origin whether or not all units became involved</i> B2 001 ☐ Buildings not involved <i>Number of buildings involved</i> B3 ☐ None <i>Acres burned (outside fires)</i> ☐ Less than one acre	C On-Site Materials or Products ☐ None <i>Complete if there were any significant amounts of commercial, industrial, energy or agricultural products or materials on the Property, whether or not they became involved</i> Enter up to three codes. Check one or more boxes for each code entered. 811 Autos, trucks, On-site material (1) On-site material (2) On-site material (3)
---	--

D Ignition D1 83 Engine area, running <i>Area of fire origin</i> D2 UU Undetermined <i>Heat source</i> D3 UU Undetermined <i>Item first ignited</i> ☐ Check Box if fire spread was confined to object of origin D4 ☐ ☐ <i>Type of material first ignited</i> ☐ Required only if item first ignited code is 00 or <70	E1 Cause of Ignition ☐ Check box if this is an exposure report. Skip to section G 1 ☐ Intentional 2 ☐ Unintentional 3 ☒ Failure of equipment or heat source 4 ☐ Act of nature 5 ☐ Cause under investigation U ☐ Cause undetermined after investigation E2 Factors Contributing To Ignition 20 Mechanical ☐ None Factor Contributing To Ignition (1) Factor Contributing To Ignition (2)	E3 Human Factors Contributing To Ignition Check all applicable boxes 1 ☐ Asleep ☒ None 2 ☐ Possibly impaired by alcohol or drugs 3 ☐ Unattended person 4 ☐ Possibly mental disabled 5 ☐ Physically Disabled 6 ☐ Multiple persons involved 7 ☐ Age was a factor <i>Estimated age of person involved</i> ☐ 1 ☐ Male 2 ☐ Female
--	---	---

F1 Equipment Involved In Ignition ☐ None <i>If Equipment was not involved, Skip to Section G</i> ☐ ☐ <i>Equipment Involved</i> Brand ☐ Model ☐ Serial # ☐ Year ☐	F2 Equipment Power ☐ ☐ <i>Equipment Power Source</i> F3 Equipment Portability 1 ☐ Portable 2 ☐ Stationary <i>Portable equipment normally can be moved by one person, is designed to be use in multiple locations, and requires no tools to install.</i>	G Fire Suppression Factors Enter up to three codes. ☒ None NNN None Fire suppression factor (1) ☐ ☐ Fire suppression factor (2) ☐ ☐ Fire suppression factor (3)
--	---	--

H1 Mobile Property Involved ☐ None 1 ☐ Not involved in ignition, but burned 2 ☐ Involved in ignition, but did not burn 3 ☒ Involved in ignition and burned	H2 Mobile Property Type & Make 11 Automobile, passenger Mobile property type PN Pontiac Mobile property make Grand Prix Mobile property model J41-BVH NJ 1G2WP52K4YE217283 License Plate Number State VIN Number	Local Use ☐ Pre-Fire Plan Available <i>Some of the information presented in this report may be based upon reports from other Agencies</i> ☐ Arson report attached ☐ Police report attached ☐ Coroner report attached ☐ Other reports attached 2000 Year NFIRS-2 Revision 01/19/99
--	---	---

K1

Person/Entity Involved

Local Option

Business name (if applicable)

Area Code

Phone Number

Steve

Mr.,Ms., Mrs. First Name

MI

Last Name

Suffix

1

Barclay

Number

Prefix

Street or Highway

LN

Street Type

Suffix

Voorhees

Post Office Box

Apt./Suite/Room

City

NJ

08043

State

Zip Code

More people involved? Check this box and attach Supplemental Forms (NFIRS-1S) as necessary

K2

Owner

Local Option

Business name (if Applicable)

Area Code

Phone Number

Platt, Barry & Greta Trust

Mr.,Ms., Mrs. First Name

MI

Last Name

Suffix

612

Vintage Reserve

Number

Prefix

Street or Highway

LN

Street Type

Suffix

Naples

Post Office Box

Apt./Suite/Room

City

FL

34119

State

Zip Code

Check this box if same address as incident location. Then skip the three duplicate address lines.

L

Remarks

Local Option

Reference Incident Report: 12-00000190/000 for full narrative report.

L

Authorization

102647

Burnett, Anthony J.

COD

04

04

2012

Officer in charge ID

Signature

Position or rank

Assignment

Month

Day

Year

☒

102647

Burnett, Anthony J.

COD

04

04

2012

Check Box if same as Officer Member making report ID in charge.

Signature

Position or rank

Assignment

Month

Day

Year

Millington Twp

03161

03/13/2012

12-0000190

03161	NJ	MM 3	DD 13	YYYY 2012		12-0000190	001
FDID *	State *	Incident	Date *		Station	Incident Number *	Exposure *

Complete
Narrative

Narrative:

Reference Incident Report: 12-00000190/000 for full narrative report.

I1 Structure Type * If Fire was in enclosed building or a portable/mobile structure complete the rest of this form 1 ☒ Enclosed Building 2 ☐ Portable/mobile structure 3 ☐ Open structure 4 ☐ Air supported structure 5 ☐ Tent 6 ☐ Open platform (e.g. piers) 7 ☐ Underground structure (work areas) 8 ☐ Connective structure (e.g. fences) 0 ☐ Other type of structure	I2 Building Status * 1 ☐ Under construction 2 ☒ Occupied & operating 3 ☐ Idle, not routinely used 4 ☐ Under major renovation 5 ☐ Vacant and secured 6 ☐ Vacant and unsecured 7 ☐ Being demolished 0 ☐ Other U ☐ Undetermined	I3 Building * Height Count the ROOF as part of the highest story 001 Total number of stories at or above grade Total number of stories below grade	I4 Main Floor Size* NFIRS-3 Structure Fire , 004 , 950 Total square feet OR , 110 BY , 045 Length in feet Width in feet
J1 Fire Origin * 001 Story of fire origin ☐ Below Grade	J3 Number of Stories Damaged By Flame Count the ROOF as part of the highest story Number of stories w/ minor damage (1 to 24% flame damage) Number of stories w/ significant damage (25 to 49% flame damage) 001 Number of stories w/ heavy damage (50 to 74% flame damage) Number of stories w/ extreme damage (75 to 100% flame damage)		K Material Contributing Most To Flame Spread ☐ Check if no flame spread OR same as material first ignited OR unable to determine Skip To Section L K1 17 Structural member or Item contributing most to flame spread K2 63 Sawn wood, including Type of material contributing most of flame spread Required only if item contributing code is 00 or <70
J2 Fire Spread * 1 ☐ Confined to object of origin 2 ☐ Confined to room of origin 3 ☐ Confined to floor of origin 4 ☒ Confined to building of origin 5 ☐ Beyond building of origin	L1 Presence of Detectors * (In area of the fire) N ☐ None Present Skip to section M 1 ☒ Present U ☐ Undetermined	L3 Detector Power Supply 1 ☒ Battery only 2 ☐ Hardwire only 3 ☐ Plug in 4 ☐ Hardwire with battery 5 ☐ Plug in with battery 6 ☐ Mechanical 7 ☐ Multiple detectors & power supplies 0 ☐ Other _____ U ☐ Undetermined	L5 Detector Effectiveness Required if detector operated 1 ☐ Alerted Occupants, occupants responded 2 ☐ Occupants failed to respond 3 ☒ There were no occupants 4 ☐ Failed to alert occupants U ☐ Undetermined
L2 Detector Type 1 ☒ Smoke 2 ☐ Heat 3 ☐ Combination smoke - heat 4 ☐ Sprinkler, water flow detection 5 ☐ More than 1 type present 0 ☐ Other _____ U ☐ Undetermined	L4 Detector Operation 1 ☐ Fire too small to activate 2 ☒ Operated (Complete Section L5) 3 ☐ Failed to Operate (Complete Section L6) U ☐ Undetermined		L6 Detector Failure Reason Required if detector failed to operate 1 ☐ Power failure, shutoff or disconnect 2 ☐ Improper installation or placement 3 ☐ Defective 4 ☐ Lack of maintenance, includes cleaning 5 ☐ Battery missing or disconnected 6 ☐ Battery discharged or dead 0 ☐ Other _____ U ☐ Undetermined
M1 Presence of Automatic Extinguishment System * N ☒ None Present Complete rest of Section M 1 ☐ Present	M3 Automatic Extinguishment System Operation Required if fire was within designed range 1 ☐ Operated & effective (Go to M4) 2 ☐ Operated & not effective (M4) 3 ☐ Fire too small to activate 4 ☐ Failed to operate (Go to M5) 0 ☐ Other U ☐ Undetermined	M5 Automatic Extinguishment System Failure Reason Required if system failed 1 ☐ System shut off 2 ☐ Not enough agent discharged 3 ☐ Agent discharged but did not reach fire 4 ☐ Wrong type of system 5 ☐ Fire not in area protected 6 ☐ System components damaged 7 ☐ Lack of maintenance 8 ☐ Manual Intervention 0 ☐ Other _____ U ☐ Undetermined NFIRS-3 Revision 01/19/99	
M2 Type of Automatic Extinguishment System * Required if fire was within designed range of AES 1 ☐ Wet pipe sprinkler 2 ☐ Dry pipe sprinkler 3 ☐ Other sprinkler system 4 ☐ Dry chemical system 5 ☐ Foam system 6 ☐ Halogen type system 7 ☐ Carbon dioxide (CO ₂) system 0 ☐ Other special hazard system U ☐ Undetermined		M4 Number of Sprinkler Heads Operating Required if system operated Number of sprinkler heads operating	



*OKS. Simon + Hand FYI: Council 11/18/17
Inspector
file*

BRILLIANT

ENVIRONMENTAL SERVICES, LLC
Full Service Environmental Consulting and Contracting

June 23, 2017

Mr. Barry Platt
Car Wash Management
4440 Route 130, #3
Burlington, New Jersey 08016

RECEIVED

JUN 26 2017

OFFICE OF THE TOWNSHIP CLERK

Re: Response Action Outcome
Remedial Action Type: *Limited Restricted Use with Permit Requirements*
Scope of Remediation: *Area(s) of Concern: 4-5,000 gallon underground gasoline storage tanks and piping; 2-1,000 gallon underground kerosene storage tanks and piping; 1-1,000 gallon kerosene underground storage tank and piping and no other areas*
Case Name: Car Wash Management
Address: 33 Levitt Parkway
Municipality: Willingboro
County: Burlington
Block: 3 **Lot:** 5
Preferred ID: 000615
Communication Center # 97-10-23-1423-11 & 98-03-05-1231-15
Well Permit # 2700014551, 2700014552, 2700014553, 2700014917, 2700014918, 2700014919, 2700015382, 2700015383, 2700015384, 2700015385, 2700015786, 2700015787, 2700017437, 2700017440, 2700017436, 2700017439, 2700017438, 2700017893, E201114496, E201114497, & E201309546

Dear Mr. Platt:

As a Licensed Site Remediation Professional authorized pursuant to N.J.S.A. 58:10C to conduct business in New Jersey, I hereby issue this Response Action Outcome for the remediation of the *area(s) of concern* specifically referenced above. I personally reviewed and accepted all of the referenced remediation and based upon this work, it is my professional opinion that this remediation has been completed in compliance with the Administrative Requirements for the Remediation of Contaminated Sites (N.J.A.C. 7:26C), that is protective of public health, safety and the environment. Also, full payment has been made for all Department fees and oversight costs pursuant to N.J.A.C. 7:26C-4.

This remediation includes the completion of a *Site Investigation, Remedial Investigation and Remedial Action* as defined pursuant to the Technical Requirements for Site Remediation (N.J.A.C. 7:26E),

My decision in this matter is made upon the exercise of reasonable care and diligence and by applying the knowledge and skill ordinarily exercised by licensed site remediation professionals in good standing practicing in the State at the time these professional services are performed.

As required pursuant to N.J.A.C. 7:26C-6.2(b)2ii, a copy of all records related to the remediation that occurred at this location is being simultaneously filed with the New Jersey Department of Environmental Protection (Department). These records contain all information upon which I based my decision to issue this Response Action Outcome.

By operation of law a Covenant Not to Sue pursuant to N.J.S.A. 58:10B -13.2 applies to this remediation. The Covenant Not to Sue is subject to any conditions and limitations contained herein. The Covenant Not to Sue remains effective only as long as the real property referenced above continues to meet the conditions of this Response Action Outcome and applicable permits.



Page 2
Mr. Platt
Car Wash Management
Preferred ID: 00615
June 23, 2017

CONDITIONS

Pursuant to N.J.S.A. 58:10B-12o, **Car Wash Management** and any other person who is liable for the cleanup and removal costs, and remains liable pursuant to the Spill Compensation and Control Act, N.J.S.A. 58:10-23.11 et seq. shall inform the Department in writing, on a form available from the Department, within 14 calendar days after its name or address changes. Any notices you submit pursuant to this paragraph shall reference the above case numbers and shall be sent to:

New Jersey Department of Environmental Protection
Bureau of Case Assignment and Initial Notice
Mail Code 401-05H
401 East State Street, 5th floor
PO Box 420
Trenton, New Jersey 08625-0420

Any such name or address change may also trigger a transfer or modification of the remedial action permit pursuant to N.J.A.C. 7:26C-7.11 and 7.12.

Based on my professional opinion you have obtained all applicable permit(s) and authorization(s) to ensure this remedial action remains protective of public health, safety and the environment into the future provided that you, and any other persons responsible for conducting remediation, remain in full compliance with the terms and conditions of those permit(s) and authorization(s). The designated remedial action permit number is RAP160001 effective June 8, 2017.

NOTICES

Well Decommissioning

Pursuant to N.J.A.C. 7:9D-3 any wells installed as part of this remediation that will no longer be used for remediation have been properly decommissioned. If any wells have been properly decommissioned, the well driller's well decommissioning report has been submitted to the Bureau of Water Allocation and Well Permitting. Pursuant to N.J.S.A. 58:4A, any monitoring wells remaining onsite shall be properly decommissioned prior to the termination of the applicable remedial action permit. A New Jersey licensed well driller shall decommission the well(s) in accordance with the requirements of N.J.A.C. 7:9D-3 and submit the decommissioning report on your behalf to the Bureau of Water Allocation and Well Permitting. More information about regulations regarding the maintenance and decommissioning of wells in New Jersey can be found at www.nj.gov/dep/watersupply. For a list of New Jersey licensed well drillers, click on the "reports" button in the left column and select "access the well permit reports." Questions can be emailed to wellpermitting@dep.state.nj.us.

Building Interiors Not Addressed (Non-Child Care)

Please be advised that the remediation that is covered by this Response Action Outcome does not address the remediation of hazardous substances that may exist in building interiors or equipment, including, but not limited to, radon, asbestos and lead. As a result, any risks to human health presented by any building interior or equipment remains. A complete building interior evaluation should be completed before any change in use or re-occupancy is considered.



Page 3
Mr. Platt
Car Wash Management
Preferred ID: 00615
June 23, 2017

Known Onsite Contamination Source Not Yet Remediated


This Response Action Outcome specifically does not address the current underground storage tank system (1-12,000 gallon underground gasoline storage tank; 1-8,000 gallon underground storage tank; and, 1-4,000 gallon underground kerosene storage tank) contaminated with free phase gasoline product containing, benzene, ethylbenzene, toluene, xylenes and additives. This aspect of this site was reported to the Department and assigned the Department's Hotline incident number 13-07-16-1217-13. This contamination is being addressed under Department Program Interest #000615. Please note that you may have an affirmative obligation, pursuant to the Brownfield and Contaminated Site Remediation Act, N.J.S.A. 58:10B-1.3, to remediate the remaining contamination, within specific regulatory and mandatory timeframes and within the statutory timeframe specified at N.J.S.A. 58:10C-27.

In concluding that this remediation has been completed, I am offering no opinions concerning whether either primary restoration (restoring natural resources to their pre-discharge condition) or compensatory restoration (compensating the citizens of New Jersey for the lost interim value of the natural resources) has been completed.

Pursuant to N.J.S.A. 58:10C-25, the Department may audit this Response Action Outcome and associated documentation up to three years following issuance. Based on a finding by the Department that a Response Action Outcome is not protective of public health, safety and the environment, the Department can invalidate the Response Action Outcome. Other justifications for the Department's invalidation of this Response Action Outcome are listed in the Administrative Requirements for the Remediation of Contaminated Sites at N.J.A.C. 7:26C-6, including, but not limited to, a Department audit following issuance of this document may be initiated at any time if: a) undiscovered contamination is found that was not addressed by the Response Action Outcome, b) if the Site Remediation Professional Licensing Board conducts an investigation of the Licensed Site Remediation Professional issuing the Response Action Outcome or, c) if the license of that person is suspended or revoked.

Thank you for your attention to these matters. If you have any questions, please contact me at (732) 818-3380.

Sincerely,
BRILLIANT ENVIRONMENTAL SERVICES, LLC


Philip I. Brilliant, CHMM, LSRP
Licensed Site Remediation Professional #573768

- c: Tim Tyler, Burlington County Clerk, 50 Rancocas Road, 3rd Floor P.O. Box 6000, Mount Holly, NJ 08060
Holly Funkhouser Cucuzzella, Director of Burlington County Health Department, 50 Rancocas Road, 3rd Floor P.O. Box 6000, Mount Holly, NJ 08060
Sara Wooding, Willingboro Township Clerk, 1 Rev Wood Drive, Martin Luther King Drive, Willingboro, NJ 08046
Darvis Holley, Deputy Mayor Willingboro Township, 1 Rev Wood Drive, Martin Luther King Drive, Willingboro, NJ 08046
Willingboro Township Town Council, 1 Rev Wood Drive, Martin Luther King Drive, Willingboro, NJ 08046
NJDEP Bureau of Case Assignment and Initial Notice



BRILLIANT

ENVIRONMENTAL SERVICES, LLC

Full Service Environmental Consulting and Contracting

RECEIVED

March 13, 2018

APR 02 2018

Mr. Barry Platt
Car Wash Management
4440 Route 130, #3
Burlington, New Jersey 08016

OFFICE OF THE TOWNSHIP CLERK

Re: This correspondence amends and supplements the Response Action Outcome dated June 23, 2017
Remedial Action Type: *Limited Restricted Use with Permit Requirements*
Scope of Remediation: *Area(s) of Concern: 4-5,000 gallon underground gasoline storage tanks and piping; 2-1,000 gallon underground kerosene storage tanks and piping and no other areas*
Case Name: Car Wash Management
Address: 33 Levitt Parkway
Municipality: Willingboro
County: Burlington
Block: 3 **Lot:** 5
Preferred ID: 000615
Communication Center # 97-10-23-1423-11 & 98-03-05-1231-15
Well Permit # 2700014551, 2700014552, 2700014553, 2700014917, 2700014918, 2700014919, 2700015382, 2700015383, 2700015384, 2700015385, 2700015786, 2700015787, 2700017437, 2700017440, 2700017436, 2700017439, 2700017438, 2700017893, E201114496, E201114497, & E201309546

Dear Mr. Platt:

This correspondence amends the Response Action Outcome issued on **June 23, 2017**, which remains in full force and effect, by correcting the following administrative errors:

The Scope of Remediation incorrectly referenced a total of 3-1,000 gallon underground kerosene storage tanks but now reads: *Area(s) of Concern: 4-5,000 gallon underground gasoline storage tanks and piping; 2-1,000 gallon underground kerosene storage tanks and piping and no other areas.*

Please be advised this correspondence, with the above amendments and supplements, corrects administrative errors identified in the original Response Action Outcome issued on **June 23, 2017**. This correspondence should be attached to the original Response Action Outcome and be maintained as part of your environmental records for the above reference site.



Page 2
Mr. Barry Platt
Car wash Management
Preferred ID: 00615
March 13, 2018

Thank you for your attention to these matters. If you have any questions, please contact me at (

Sincerely,
BRILLIANT ENVIRONMENTAL SERVICES, LLC

A handwritten signature in black ink, appearing to read "Philip I. Brilliant".

Philip I. Brilliant, CHMM, LSRP
Licensed Site Remediation Professional #573768

PIB/km

Attachment(s): Original Response Action Outcome

- c: Tim Tyler, Burlington County Clerk, 50 Rancocas Road, 3rd Floor P.O. Box 6000, Mount Holly, NJ 08060
Holly Funkhouser Cucuzzella, Director of Burlington County Health Department, 50 Rancocas Road, 3rd Floor P.O. Box 6000, Mount Holly, NJ 08060
Sara Wooding, Willingboro Township Clerk, 1 Rev Wood Drive, Martin Luther King Drive, Willingboro, NJ 08046
Darvis Holley, Deputy Mayor Willingboro Township, 1 Rev Wood Drive, Martin Luther King Drive, Willingboro, NJ 08046
Willingboro Township Town Council, 1 Rev Wood Drive, Martin Luther King Drive, Willingboro, NJ 08046
NJDEP – BIR (Electronic Copies Only)

PLANNING BOARD OF THE TOWNSHIP OF WILLINGBORO

RESOLUTION NO. 12 - 1996

WHEREAS, BARRY I. PLATT, hereinafter called the "Applicant" has filed an Application for Development (Major Amendment to Site Plan) with the Planning Board of the Township of Willingboro which application proposes installation of a 95.78 ft. x 36.62 ft. canopy to be constructed over the existing three pump islands of "Gas and Go" Citgo motor vehicle service and gasoline station (and car wash) located on the southeast corner of Levitt Parkway and Circle Drive; and;

WHEREAS, the applicant is also seeking approval for a variance to permit increase of sign surface area from current 65 sq. ft. permitted by Ordinance 17.7(3)(c) to 99 sq. ft.; and

WHEREAS, the site is zoned B-1 Primary Business District wherein subject to Special Permit Applications (now known as Conditional Uses) pursuant to Ordinance 20-6.d.4, motor vehicle service and gasoline stations are permitted; and

WHEREAS, the subject lot is known as Plate 105, Block 3, Lot 5 of the Willingboro Township Tax Map; and

WHEREAS, the applicant has requested variance to permit front yard setback for proposed canopy of 31 ft. in lieu of required 50 ft.; and

WHEREAS, the applicant has submitted evidence that notice of said Application for Development and of the required variances and the public hearing thereon has been given pursuant to applicable statutory provisions and requirements of the Willingboro Township Zoning Ordinance; and

**BARRY I. PLATT (On The Go) APPLICATION FOR CANOPY etc.
PRELIMINARY AND FINAL SITE PLAN APPROVAL RESOLUTION**

WHEREAS, public hearing on said Application for Development was conducted on May 13, 1996 in the Municipal Complex of said Township, which meeting was open to the public and at which the applicant and all other interested parties were given an opportunity to be heard; and

WHEREAS, the Planning Board has considered:

(1) All plans with revisions thereof and amendments and supplements thereto, which have been submitted by the applicant prepared by Michael McClernan, P.E. and James T. Sapio P.L.S. of JTS Engineers and Land Surveyors, Inc. 19 Stratford Avenue, Stratford, New Jersey 08084, to wit:

<u>Drawing No.</u>		<u>Date</u>	<u>Last Rev.</u>
1 of 1	Site Plan	2/15/96	4/15/96

Also, sign detail and specifications consisting of two pages (numbered 10 and 11) depicting Citgo twin (goal) post sign.

Also, 2 page Roof Plan & Details, 1 page Footcandle Chart, 1 page isolux pattern and 1 page certification and copy of deed reflecting applicant's ownership of the site.

Also, Survey of premises Easterly line Levitt Parkway situate Township of Willingboro, County of Burlington, New Jersey," prepared by James T. Sapio, L.S., last revised 4/15/96.

Also, several pages consisting of Computation Report prepared by Randee Powell on 5/17/94 consisting of three sheets which do not reference the property in question.

Also, originally approved Site Plan "Car Wash" last revised 7/2/85 prepared by Edward A. Corab P.E. of Korab, McConnell & Dougherty Assoc., Cherry Hill, N.J. 08034 to be utilized to establish required lighting and parking for the site.

Also, prepared by Chris Hope, P.E. of 2617 Rolling Hills Drive, Monroe, N.C. 28110

<u>Drawing No.</u>		<u>Date</u>	<u>Signed</u>
1 of 3	Roof Plan & Details	4/30/96	5/3/96

**BARRY I. PLATT (On The Go) APPLICATION FOR CANOPY etc.
PRELIMINARY AND FINAL SITE PLAN APPROVAL RESOLUTION**

<u>Drawing No.</u>	<u>(Cont.)</u>	<u>Date</u>	<u>Signed</u>
2 of 3	Light Layout	4/30/96	5/3/96
3 of 3	Details	4/30/96	5/3/96

(2) Reports from its consultants, including correspondence dated April 22, 1996 by Uri Hugo Taenzer, Esq., Planning Board Solicitor; correspondence dated May 10, 1996 by Arnold W. Barnett, P.E. & L.S., Willingboro Township Engineer; All of the said reports from the Planning Board's consultants were read at the meeting and, together with correspondence and reports by the applicant's professionals, are a part of the Planning Board minutes pertaining to this application.

(3) All testimony and discussions between applicant, his representatives, professional consultants, and other interested parties and members of the Board relating to this application.

(4) Planning Board minutes relating to this Application.

NOW, THEREFORE BE IT RESOLVED by the Planning Board of the Township of Willingboro that with respect to the said Application for Development and variances requested it find as follows:

1. All property owners within 200 feet of the subject premises were given timely, written notice of the application and the scheduled hearing thereon; timely notice of said application was published in the Burlington County Times newspaper; and public hearing was held as scheduled, in accordance with the laws of the State of New Jersey and the ordinances of the Township of Willingboro.

2. The Site which the applicant proposes to develop is located in a B-1 Primary Business District wherein the existing and proposed use is permitted subject to Special Use Permit Application (now known as Conditional Uses) as defined in the Willingboro Zoning Ordinance.

**BARRY I. PLATT (On The Go) APPLICATION FOR CANOPY etc.
PRELIMINARY AND FINAL SITE PLAN APPROVAL RESOLUTION**

3. The variances requested by the applicant to permit increase of sign surface area from current 65 sq. ft. permitted by Ordinance 17.7(3)(c) to 99 sq. ft. and to permit front yard setback for proposed canopy of 31 ft. in lieu of required 50 ft. can be granted without impairing the intent and purpose of the zoning plan. The proposed canopy will not interfere with visibility for which purpose said set back requirement was established and will promote health and safety of the public and employees by providing protection from inclement weather.

4. Subject to the aforementioned variances, the Planning Board further finds that the applicant has satisfied the requirements of Ordinances 20-6.8 d.2 and 20-9.1 respecting Conditional Use Approval.

5. The Board hereby waives the requirement for Items No. 9, 10, 11, 12, 13, 14, 15, 16, 20, 21, 23, 24 and 37 of the check list.

BE IT FURTHER RESOLVED that pursuant to the foregoing findings of fact, PRELIMINARY AND FINAL APPROVAL for the aforementioned Application for Development and of the variances aforesaid be and the same is hereby granted subject to the following conditions:

1. Although a certified list of property owners within 200 feet is shown on the plan, the names of the owners of properties directly abutting the property in question shall be placed on the plan.

2. **Location of Existing Utilities.** These utilities shall be located on the plan to assure non interference with the proposed construction on the site.

3. **Location and Details of All Proposed Lighting including Catalog Cuts and Isolux Charts.** The applicant shall satisfy the Township Engineer regarding sufficiency of lighting across the majority of the site.

4. **Adherence to Barrier Free Facility Requirements.** The applicant has shown no handicap or

**BARRY I. PLATT (On The Go) APPLICATION FOR CANOPY etc.
PRELIMINARY AND FINAL SITE PLAN APPROVAL RESOLUTION**

any other accessible parking spaces on the plans. The 1985 plan likewise fails to depict location for handicap parking space(s). The applicant shall revise the plans to the satisfaction of the Township Engineer to reflect location of parking spaces and comply with handicap parking requirements.

5. The Survey Plans shall be revised to show within the title block the specific lot and block number and tax map sheet number for the property in question.

6. Although a point of beginning is labeled on the survey plan, there is no physical reference to monumentation for any of the lot corners and it is difficult to tell how the surveyor determined the lot location. The survey shall be revised to the satisfaction of the Township Engineer to supply said item as well as survey information on the northerly property line and provide legible offset to the 'Iron Pin.'

7. A chord bearing and length shall be provided for the 864 foot radius curve on Levitt Parkway.

Site Plan

8. The certification block shown on the plan shall be corrected to indicate the proper municipality and proper review board. A place shall be provided for the owner's signature and a statement indicating his authorization to submit the plan.

9. Site Conditions

Drainage.

a. There do not appear to be any drainage inlets on site. A large ponded area exists in the northwest corner of the lot adjacent to the planting area on the curbed entrance to Plaza Drive. The applicant shall correct said condition to the satisfaction of the Township Engineer.

Parking.

b. There are ten (10) parking spaces evident along the perimeter of the site adjoining the Acme Supermarket. It seems apparent that there is a

BARRY I. PLATT (On The Go) APPLICATION FOR CANOPY etc.
PRELIMINARY AND FINAL SITE PLAN APPROVAL RESOLUTION

section of the lot designed for this purpose bordering the residential area. However, the parking stripes have been weathered to the point of invisibility. As indicated above, the parking areas shall be shown on the site plan and the parking stripes shall be repainted and handicap spaces provided and properly marked to the satisfaction of the Township Engineer.

Pavement.

c. The asphalt pavement at the front portion of the site is severely deteriorated and alligatored. There is a collapsed trench repair area along the northerly side of the existing car wash building. The paving does not meet the current Township standard. The applicant shall mill off the surface course and repave all areas of deteriorated pavement to the satisfaction of the Township Engineer.

d. Parking, bumpers on site are severely spalled and cracked and shall be replaced.

Landscaping and Miscellaneous.

e. The existing trash area shown on the site is currently used to store sections of broken fencing and shopping carts. This area shall be cleaned and the debris removed. The stockade fence and the six foot fence around the trash bin is failing apart and shall be replaced.


f. The six foot fencing bordering the residential area shall be painted.

g. The "landscape areas" adjoining Levitt Parkway and the entrance to Plaza Circle are in need of landscape rehabilitation which shall consist of removal of dead shrub material, replacement with new shrub material, seeding, fertilizing and mulching to the satisfaction of the Township Engineer.

h. No landscaping is shown on the site plan for the curbed area to the south of the car wash building. This area does have shrubbery in it, although some of it is dead or dying. The applicant shall correct said condition to the satisfaction of the Township Engineer.

**BARRY I. PLATT (On The Go) APPLICATION FOR CANOPY etc.
PRELIMINARY AND FINAL SITE PLAN APPROVAL RESOLUTION**

BE IT FURTHER RESOLVED that any approval shall be further conditioned upon the further approval of the Burlington County Planning Board, the Burlington County Highway Department, the Burlington County Soil Conservation District, the New Jersey DEPE, the Township Fire Marshall and any other agency having jurisdiction.


Marie Anne, P.O. Bl. Secretary

Memorializing Resolution
Approved June 17, 1996.

NOTICE

Site Plan Hearing:

Please take notice that on May 13, 1996, at 8:00 p.m. or as soon thereafter as may be heard, Barry I. Platt, owner of Lot 5, Block 3.01 Township of Willingboro, On the Go Gas Station and Car Wash will move before the Willingboro Township Planning Board at the Municipal Building, Salem Road Willingboro, New Jersey for approval to erect a canopy with self contained lighting covering certain gasoline-pump islands and to erect a two pole, 2 sided lighted sign of 99' square feet per side in conformity with a certain site-plan and engineering details on file with the Willingboro Township Planning Board. Applicant will seek such waivers of design standards as the site plan requires and in addition will seek: (A) a sign variance from Section 17-7.3 (c) of the Willingboro Township Ordinance increasing the sign surface from 64' square feet to 99' square feet; and (B) a bulk variance from Section 20-6.6 reducing the front yard set-back from 50' feet to 31' feet. All plans are available to the public for inspection during normal business hours Monday through Friday at the Office of the Secretary of the Willingboro Township Planning Board. You may be present at the Planning Board Meeting or be represented by a New Jersey Attorney to give comment on the proposed application.

Carl L. Tarasch, Esquire

Attorney for Applicant.

Adv. Fee \$27.36

BCT May 3, 1996

Att. Chg. \$10.00