



Fire: 3rd Alarm-Fire

When Reported: 04:49:52 04/29/2023 Address: 1365 WHITTY RD SOL TOMS RIVER, NJ 08753 Area: F304 - STA 30 ZONE 304 Agency: TRFD Officer: Sta 30 Contact: Disposition: 04/29/2023		Complainant Name: Address: Race: Sex: Phone: Birth Date:	Incident #: 23-0709 Thumbnail Photo Not Available
Other Information:			
Narrative:			
Supplements:			
Seq	When Created	Officer Name	Text
1	10:33:39 04/29/2023	Conaty, R. FD	CAD Call info/comments ===== 04:49:52 04/29/23 - Carroll, J. WPH2 data. Phone: 732-300-1274, UNC: 36, Lat: 40.001897, Long: -74.197733 04:50:40 04/29/23 - Carroll, J. everyone is out 04:51:18 04/29/23 - Carroll, J. dogs are inside 04:52:14 04/29/23 - Carroll, J. downstairs bird room 04:52:42 04/29/23 - Carroll, J. husband ran back inside 04:54:29 04/29/23 - Rotundo, C. - From: Mlotkiewicz, M active fire 04:54:45 04/29/23 - Carroll, J. caller refused to get out 04:55:34 04/29/23 - Rotundo, C. - From: McNicholas, S rear of house fully involved 04:59:24 04/29/23 - Rotundo, C. - From: Gambardella, P. residents in the rig 05:01:49 04/29/23 - Lafalce, M. FD - From: Yezzi, M FD fire on all sides 05:02:29 04/29/23 - Rotundo, C. - From: McNicholas, S 1345 evacuating 05:02:30 04/29/23 - Lafalce, M. FD jcp&l notified 05:04:58 04/29/23 - Rotundo, C. - From: Mlotkiewicz, M 5 dogs in residence and 2 horses in a barn behind 05:08:06 04/29/23 - Lafalce, M. FD - From: Yezzi, M FD est water supply 1.75" stretched , fire through roof 05:11:51 04/29/23 - Lafalce, M. FD - From: Janora, M.FD defensive operations only 05:13:18 04/29/23 - Lafalce, M. FD 3010 panic alarm, he's ok 05:14:16 04/29/23 - Lafalce, M. FD Nature change from Structure Fire to 2nd Alarm Boat 05:14:36 04/29/23 - Russell, M. mnchpd notified for st 32 to cover st 30 05:15:05 04/29/23 - Lafalce, M. FD Fire Dispatch Nature change from 2nd Alarm Boat to 2nd Alarm-Fire 05:15:19 04/29/23 - Rotundo, C. Brick ntfd for 29 coverage 05:17:08 04/29/23 - Russell, M. - From: Rotondo, D. CSO

Fire - 3rd Alarm-Fire

dispatch brick mcru and start another rig

05:17:40 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
2nd alarm level 1 staging, 21& 22 to 29, 32 to 30

05:18:33 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
27& 53 to the scene

05:19:52 04/29/23 - Russell, M. - From: Rotondo, D. CSO
dispatch brick mcu and start another rig

05:20:06 04/29/23 - Russell, M.
brick mcu notified and being dispatched

05:20:39 04/29/23 - Lafalce, M. FD - From: Yezzi, M FD
well involved, 4 lines in operation, partial collapse

05:20:52 04/29/23 - Lafalce, M. FD
Nature change from 2nd Alarm Boat to 3rd Alarm-Fire

05:26:04 04/29/23 - Russell, M.
st 16 to st 30 fort coverage notified

05:27:03 04/29/23 - Lafalce, M. FD

Sta 53 has a crew in station

05:28:22 04/29/23 - Rotundo, C.

Brick putting together a crew for MCU

05:29:24 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
sta 44 to 28

05:30:47 04/29/23 - Lafalce, M. FD

Sta 21 en route to 29

05:31:17 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
JCP&L on scene

05:35:26 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
32,21,22 to the scene

05:37:35 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
24 to cover 29

05:40:40 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
2600 rit ofc at cp ch 7

05:42:41 04/29/23 - Lafalce, M. FD - From: Yezzi, M FD
all hands op, fire still active,doubtful

05:45:01 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
18 to 26

05:45:51 04/29/23 - Lafalce, M. FD - From: Yezzi, M FD
power & gas secured

05:48:18 04/29/23 - Russell, M.

donovan catholic back on the line advising there is a knox box on the bldg -
the

bldg is owned by a third party but the knox box can be used - per john
gambino

05:52:15 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
crew going offensive

05:55:26 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
2 dogs removed to front

05:56:37 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
6 dogs removed ems to front by 2913

05:56:48 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
requesting animal control

05:59:55 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
good with units on scene

06:00:47 04/29/23 - Carroll, J.

sean animal control enrt

06:01:19 04/29/23 - Lafalce, M. FD - From: Yezzi, M FD
fire under control, in overhaul

Fire - 3rd Alarm-Fire

06:10:03 04/29/23 - Lafalce, M. FD
sta 24 at 29

06:11:48 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
Requesting Admin Carson

06:15:53 04/29/23 - Rotundo, C. - From: Gambardella, P.
tech req

06:16:18 04/29/23 - Russell, M.
csi notified for photos

06:24:50 04/29/23 - Lafalce, M. FD - From: Janora, M.FD
2 minor firefighter injuries

06:26:36 04/29/23 - Lafalce, M. FD
veolia water notified

06:27:54 04/29/23 - Lafalce, M. FD - From: Rotondo, D. CSO
requesting als for chest pain

06:36:57 04/29/23 - Lafalce, M. FD - From: Sinnott, B.FD
3 birds and a cat removed

06:37:12 04/29/23 - Russell, M.
csi will not respond unless ocpo is also activated for arson

06:38:21 04/29/23 - Lafalce, M. FD - From: Janora, M.FD
requesting a phone call from Arson Det and Prosecutors office

06:39:24 04/29/23 - Russell, M.
ocrd notified for ocpo and csi

06:39:29 04/29/23 - Carroll, J.
s370 calling for d391

06:43:15 04/29/23 - Conaty, R. FD - From: M369
60 medics due to location

06:48:21 04/29/23 - Conaty, R. FD - From: Sinnott, B.FD
21 & 22 are released from the scene

06:52:46 04/29/23 - Conaty, R. FD - From: Yezzi, M.FD
2hr update: Stop the clock - extensive overhaul - will be here a bit

07:00:12 04/29/23 - Conaty, R. FD - From: Rotondo, D. CSO
transporting homeowners & their pets to 1401 Whitty to drop off the pets
then
returning

07:05:51 04/29/23 - Guichard, P. - From: Gambardella, P.
animal control 10-9

07:15:42 04/29/23 - Conaty, R. FD - From: Rotondo, D. CSO
dropping the dog off on vincenzo

07:30:31 04/29/23 - Conaty, R. FD
Nature change from 2nd Alarm-Fire to 3rd Alarm-Fire for Active call 34f

08:39:52 04/29/23 - Conaty, R. FD - From: Janora, M.FD
need building department to post the structure

08:41:27 04/29/23 - Conaty, R. FD
message left for John Gerrity - TR Building Dept

08:43:09 04/29/23 - Conaty, R. FD
TR Building Depot, Chuck DeMay was advised and will have some one respond

08:56:15 04/29/23 - Conaty, R. FD - From: Janora, M.FD
releasing brick EMS - keeping CSO unit on scene

09:04:16 04/29/23 - Conaty, R. FD - From: Yezzi, M.FD
overhaul is complete - all units breaking down - will be clear shortly

09:06:14 04/29/23 - Conaty, R. FD
hydrant is shut down

09:16:03 04/29/23 - Conaty, R. FD - From: Fowler, D.
need a BLS unit - 72yof Hypotension

09:25:04 04/29/23 - Conaty, R. FD - From: Sinnott, B.FD

Fire - 3rd Alarm-Fire

release station 18 & 44

09:33:50 04/29/23 - Conaty, R. FD - From: Yezzi, M FD
wrapping up a few more pieces of hose but all FD units are avail

10:27:37 04/29/23 - Conaty, R. FD - From: Stalowski, C.
Latest Observation:

10:26:11 AM - Saturday, April 29, 2023

Toms River,
NJ

Outside Temp: 54F

Humidity: 97%

Wind: 2 MPH ... ENE

Overcast - 37

Radio Logs: ⓘ 14:25:20 04/29/2023 - COMP

Refresh Data

Approval



Fire: Structure Fire

When Reported: 11:30:02 04/29/2023 Address: 1365 WHITTY RD SOL TOMS RIVER, NJ 08753 Area: F304 - STA 30 ZONE 304 Agency: TRFD Officer: Sta 30 Contact: 3010 Disposition: 04/29/2023		Complainant Name: Address: Race: Sex: Phone: Birth Date:	Incident #: 23-0713 Thumbnail Photo Not Available								
Other Information:											
Narrative:											
Supplements: <table border="1"> <thead> <tr> <th>Seq</th> <th>When Created</th> <th>Officer Name</th> <th>Text</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14:24:46 04/29/2023</td> <td>Conaty, R. FD</td> <td> CAD Call info/comments ===== 11:30:54 04/29/23 - Conaty, R. FD 1 engine only to hit a few hot spots 11:36:30 04/29/23 - Conaty, R. FD Nature change from Fire Call to Structure Fire for Active call 99f 11:37:26 04/29/23 - Conaty, R. FD - From: Yezzi, M FD rekindle - need more than the 1 unit 11:37:51 04/29/23 - Conaty, R. FD - From: Yezzi, M FD no need for the RIT 11:39:12 04/29/23 - Conaty, R. FD - From: Yezzi, M FD fire from div 2 - C Side 11:40:02 04/29/23 - Conaty, R. FD Address change from 1364 WHITTY RD to 1365 WHITTY RD 11:40:40 04/29/23 - Conaty, R. FD - From: Yezzi, M FD going to need the same hydrant - have PD shut down whitty again 11:43:51 04/29/23 - Conaty, R. FD - From: Yezzi, M FD have fire inspec respond 11:46:29 04/29/23 - Conaty, R. FD - From: Yezzi, M FD im command on 2 - ready for hydrant water 11:51:50 04/29/23 - Conaty, R. FD - From: Yezzi, M FD req 25/26 response 11:53:30 04/29/23 - Conaty, R. FD - From: Yezzi, M FD 15min update: 2865 going into operations station 26 now RIT 11:55:47 04/29/23 - Conaty, R. FD - From: Sinnott, B.FD cover assnments... Station 32 to Station 30 ... Station 21 & 22 to Station 29 ... Station 27 to Station 28 11:56:00 04/29/23 - Conaty, R. FD - From: F2905 panic alarm hit on error 12:00:33 04/29/23 - Conaty, R. FD - From: Sinnott, B.FD req 910,1100 & 920 notified 12:01:38 04/29/23 - Conaty, R. FD - From: Sinnott, B.FD 28 eng to cover down town 12:09:07 04/29/23 - Conaty, R. FD f910,f920, & 1100 notified 12:11:07 04/29/23 - Conaty, R. FD - From: Yezzi, M FD 30min update: fire in 1st floor ceiling & 2nd floor chase - 2 lines in operation - fire is knocked down - will be extensive overhaul 12:12:04 04/29/23 - Conaty, R. FD - From: Rice, D.FD </td> </tr> </tbody> </table>				Seq	When Created	Officer Name	Text	1	14:24:46 04/29/2023	Conaty, R. FD	CAD Call info/comments ===== 11:30:54 04/29/23 - Conaty, R. FD 1 engine only to hit a few hot spots 11:36:30 04/29/23 - Conaty, R. FD Nature change from Fire Call to Structure Fire for Active call 99f 11:37:26 04/29/23 - Conaty, R. FD - From: Yezzi, M FD rekindle - need more than the 1 unit 11:37:51 04/29/23 - Conaty, R. FD - From: Yezzi, M FD no need for the RIT 11:39:12 04/29/23 - Conaty, R. FD - From: Yezzi, M FD fire from div 2 - C Side 11:40:02 04/29/23 - Conaty, R. FD Address change from 1364 WHITTY RD to 1365 WHITTY RD 11:40:40 04/29/23 - Conaty, R. FD - From: Yezzi, M FD going to need the same hydrant - have PD shut down whitty again 11:43:51 04/29/23 - Conaty, R. FD - From: Yezzi, M FD have fire inspec respond 11:46:29 04/29/23 - Conaty, R. FD - From: Yezzi, M FD im command on 2 - ready for hydrant water 11:51:50 04/29/23 - Conaty, R. FD - From: Yezzi, M FD req 25/26 response 11:53:30 04/29/23 - Conaty, R. FD - From: Yezzi, M FD 15min update: 2865 going into operations station 26 now RIT 11:55:47 04/29/23 - Conaty, R. FD - From: Sinnott, B.FD cover assnments... Station 32 to Station 30 ... Station 21 & 22 to Station 29 ... Station 27 to Station 28 11:56:00 04/29/23 - Conaty, R. FD - From: F2905 panic alarm hit on error 12:00:33 04/29/23 - Conaty, R. FD - From: Sinnott, B.FD req 910,1100 & 920 notified 12:01:38 04/29/23 - Conaty, R. FD - From: Sinnott, B.FD 28 eng to cover down town 12:09:07 04/29/23 - Conaty, R. FD f910,f920, & 1100 notified 12:11:07 04/29/23 - Conaty, R. FD - From: Yezzi, M FD 30min update: fire in 1st floor ceiling & 2nd floor chase - 2 lines in operation - fire is knocked down - will be extensive overhaul 12:12:04 04/29/23 - Conaty, R. FD - From: Rice, D.FD
Seq	When Created	Officer Name	Text								
1	14:24:46 04/29/2023	Conaty, R. FD	CAD Call info/comments ===== 11:30:54 04/29/23 - Conaty, R. FD 1 engine only to hit a few hot spots 11:36:30 04/29/23 - Conaty, R. FD Nature change from Fire Call to Structure Fire for Active call 99f 11:37:26 04/29/23 - Conaty, R. FD - From: Yezzi, M FD rekindle - need more than the 1 unit 11:37:51 04/29/23 - Conaty, R. FD - From: Yezzi, M FD no need for the RIT 11:39:12 04/29/23 - Conaty, R. FD - From: Yezzi, M FD fire from div 2 - C Side 11:40:02 04/29/23 - Conaty, R. FD Address change from 1364 WHITTY RD to 1365 WHITTY RD 11:40:40 04/29/23 - Conaty, R. FD - From: Yezzi, M FD going to need the same hydrant - have PD shut down whitty again 11:43:51 04/29/23 - Conaty, R. FD - From: Yezzi, M FD have fire inspec respond 11:46:29 04/29/23 - Conaty, R. FD - From: Yezzi, M FD im command on 2 - ready for hydrant water 11:51:50 04/29/23 - Conaty, R. FD - From: Yezzi, M FD req 25/26 response 11:53:30 04/29/23 - Conaty, R. FD - From: Yezzi, M FD 15min update: 2865 going into operations station 26 now RIT 11:55:47 04/29/23 - Conaty, R. FD - From: Sinnott, B.FD cover assnments... Station 32 to Station 30 ... Station 21 & 22 to Station 29 ... Station 27 to Station 28 11:56:00 04/29/23 - Conaty, R. FD - From: F2905 panic alarm hit on error 12:00:33 04/29/23 - Conaty, R. FD - From: Sinnott, B.FD req 910,1100 & 920 notified 12:01:38 04/29/23 - Conaty, R. FD - From: Sinnott, B.FD 28 eng to cover down town 12:09:07 04/29/23 - Conaty, R. FD f910,f920, & 1100 notified 12:11:07 04/29/23 - Conaty, R. FD - From: Yezzi, M FD 30min update: fire in 1st floor ceiling & 2nd floor chase - 2 lines in operation - fire is knocked down - will be extensive overhaul 12:12:04 04/29/23 - Conaty, R. FD - From: Rice, D.FD								

Fire - Structure Fire

I'm RIT super - 2620 is RIT officer - we are on the C side working on chan 8

12:15:02 04/29/23 - Conaty, R. FD
3255 responding for coverage at Station 30

12:28:01 04/29/23 - Conaty, R. FD - From: Yezzi, M FD
45min Update: stop the clock

13:08:08 04/29/23 - Conaty, R. FD
Latest Observation:
1:06:55 PM - Saturday, April 29, 2023
Toms River,
NJ

Outside Temp: 54F
Humidity: 97%
Wind: 6 MPH
Sunny - 125

13:36:37 04/29/23 - Conaty, R. FD - From: Yezzi, M FD
release all station coverages

13:56:15 04/29/23 - Conaty, R. FD - From: Yezzi, M FD
command term - all units packing up

14:24:45 04/29/23 - Resetar, W.
Previously extinguished fire began to start up again. FD responded and put it
out again. NF

Radio Logs: 15:12:17 04/29/2023 - COMP

Refresh Data

Approval