

Call Summary Report

Printed On: 03/07/22 09:17

Buena Boro

Incident# : 22-000032

Incident Date : 03/01/2022 10:01:55

Incident Information

Location : 1924 Weymouth RD;E

Reported CFS : STRC - Detached or Out Building Fire

Initial / Final Alarm Level : 1 : 20 / 1 : 20

Priority Level : 2

Receive Source : 9 - 911 Incoming Calls

Reported Time : 03/01/2022 10:01:55

Stacked Time : 03/01/2022 10:01:55

Acknowledge Time :

On-Scene Time :

Final CFS : Detached or Out Building Fire

Primary Unit :

GeoX/GeoY :

Patrol Area : E

District :

Dispatched Time : 03/01/2022 10:01:56

Enroute Time :

Cleared : 03/01/2022 10:08:05

Inc Disposition :

Units

Descr

Unit : 112

03/01/22 10:01:56

Dispatch

03/01/22 10:07:47

Clear Station

Comments

03/01/2022 10:07:47

Station Cleared : {112 }

03/01/2022 10:04:00

Toner Alert Initiated, Following tones sent to device - F1
112A - 11-2 Minotola FD

03/01/2022 10:02:19

PF: Germscheid, Edward R

PER POLICE RECALL WOOD FIRE STOVE INSIDE NO FIRE DEPT NEEDED

03/01/2022 10:01:58

PF: Mehaffey, Ryan R

Alarm upgraded to 01

03/01/2022 10:01:56

PF: Mehaffey, Ryan R

Station Dispatched : {112 }

Toner Alert Initiated
{112}

03/01/2022 10:01:55

PF: Mehaffey, Ryan R

Units Recommended: Units Recommended: GCEMS,{112 },{5603 },{434 },FM43,COVR,SJGAS,ACE,D435;
Dispatched: {112},{5603},{434},FM43,COVR,SJGAS,ACE,D435

03/01/2022 10:01:46

PF: Rieger, Justin J

4812/2

03/01/2022 10:00:45

PF: Rieger, Justin J

Per 43501 go with the all hands

03/01/2022 10:00:24

PF: Germscheid, Edward R

PER POLICE FIRE SHOWING

03/01/2022 09:59:05

PF: Rieger, Justin J

Dispatched: F43501, F48101

03/01/2022 09:57:24

PF: Rieger, Justin J

43505 on radio

Call Summary Report

Printed On: 03/07/22 09:17

Comments

03/01/2022 09:55:16

PF: Shannon, Scott M

Names Added : [REDACTED]; Caller

03/01/2022 09:53:47

PF: Shannon, Scott M

CALLER STATES A POLE BARN BEHIND HOUSE WITH SMOKE SHOWING. CALLER WAS PASSING BY

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000031

Incident Date : 02/28/2022 19:59:05

Incident Information

Location : 203 N Harding HWY;04
Reported CFS : FUMEEEX - Exterior Fumes
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 02/28/2022 19:59:05
Stacked Time : 02/28/2022 19:59:05
Acknowledge Time :
On-Scene Time : 02/28/2022 20:06:29
Final CFS : Exterior Fumes

Primary Unit : F11200
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 02/28/2022 19:59:06
Enroute Time : 02/28/2022 20:00:30
Cleared : 02/28/2022 20:45:05
Inc Disposition : Finished

Units

Unit : 112

02/28/22 19:59:06 Dispatch
02/28/22 20:45:08 Clear Station

Unit : F1122

02/28/22 20:11:48 Dispatch
02/28/22 20:11:48 Enroute
02/28/22 20:16:38 On-Scene
02/28/22 20:42:20 In-Station

Unit : F1126

02/28/22 20:06:02 Dispatch
02/28/22 20:06:03 Enroute
02/28/22 20:10:38 On-Scene
02/28/22 20:45:05 In-Station

Unit : F11200

02/28/22 20:00:29 Dispatch
02/28/22 20:00:30 Enroute
02/28/22 20:06:29 On-Scene
02/28/22 20:45:05 In-Station

Unit : F11201

02/28/22 20:01:00 Dispatch
02/28/22 20:01:00 Enroute
02/28/22 20:45:05 In-Station

Comments

02/28/2022 20:45:08
Station Cleared : {112 }
02/28/2022 20:44:41 PF: Holmstrom, William E
COMMAND ADVISING SITUATION UNDER CONTROL, SCENE TURNED OVER TO SJGAS, STA 11-2 AVAILABLE RETURNING.
02/28/2022 20:16:03 PF: Coulbourn, Connor A
clear, fd standing by
02/28/2022 20:13:21 PF: Holmstrom, William E
1122 NOW CREW 4

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/28/2022 20:11:48 Dispatched: F1122 Toner Alert Initiated {112}[F1122]	PF: Holmstrom, William E
02/28/2022 20:11:34 1122 W/3	PF: Holmstrom, William E
02/28/2022 20:11:06 SJ GAS ETA 30-35 MINUTES	PF: Holmstrom, William E
02/28/2022 20:08:52 COMMAND REQUESTING SJ GAS	PF: Holmstrom, William E
02/28/2022 20:06:25 11200 ON SCENE INVESTIGATING HARDING HWY COMMAND	PF: Holmstrom, William E
02/28/2022 20:06:10 1126 W/3	PF: Holmstrom, William E
02/28/2022 20:06:03 Toner Alert Initiated {112}[F1126]	
02/28/2022 20:06:02 Dispatched: F1126	PF: Holmstrom, William E
02/28/2022 20:01:25 R 11204	PF: Holmstrom, William E
02/28/2022 20:01:00 Dispatched: F11201 Toner Alert Initiated {112}[F11201]	PF: Holmstrom, William E
02/28/2022 20:00:29 Dispatched: F11200 Toner Alert Initiated {112}[F11200]	PF: Holmstrom, William E
02/28/2022 19:59:06 Units Recommended: {112 }; Dispatched: {112} Station Dispatched : {112 } Toner Alert Initiated {112}	PF: Lawrence, Joseph B
02/28/2022 19:58:48 Names Added : [REDACTED]; Caller	PF: Reagan, Stephen W
02/28/2022 19:58:12 Strong odor outside Call Back Information : [REDACTED]	PF: Reagan, Stephen W

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000030

Incident Date : 02/27/2022 14:06:04

Incident Information

Location : 437 S Brewster RD;04

Reported CFS : BRSH - Brush Fire

Initial / Final Alarm Level : 0 : 5 / 0 : 5

Priority Level : 3

Receive Source : R - Radio

Reported Time : 02/27/2022 14:06:04

Stacked Time : 02/27/2022 14:06:41

Acknowledge Time :

On-Scene Time : 02/27/2022 14:11:46

Final CFS : Brush Fire

Primary Unit : F1125

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 02/27/2022 14:07:07

Enroute Time : 02/27/2022 14:09:30

Cleared : 02/27/2022 14:31:59

Inc Disposition : Finished

Units

Descr

Unit : 112

02/27/22 14:07:07 Dispatch

02/27/22 14:32:14 Clear Station

Unit : F1125

02/27/22 14:09:29 Dispatch

02/27/22 14:09:30 Enroute

02/27/22 14:11:46 On-Scene

02/27/22 14:31:59 In-Station

Unit : F1124

02/27/22 14:09:29 Dispatch

02/27/22 14:09:30 Enroute

02/27/22 14:31:59 In-Station

Comments

02/27/2022 14:32:14

Station Cleared : {112 }

02/27/2022 14:21:40 PF: Lukas, Samantha A

No longer needed by fd

02/27/2022 14:14:00 PF: Spade, James A Jr Unit: C-4

Command holding assignment to 1125 and C9

02/27/2022 14:13:36 PF: Spade, James A Jr Unit: C-4

PD was needed homeowner was agitated upon arrival no longer needed

02/27/2022 14:10:21 PF: Spade, James A Jr Unit: C-4

1124 remaing in station

02/27/2022 14:09:29 PF: Spade, James A Jr

1125 w/2 1124 w/4

Toner Alert Initiated
{112}[F1125][F1124]

02/27/2022 14:08:34 PF: Spade, James A Jr Unit: C-4

50 wide x100 length leaves on fire

02/27/2022 14:07:32 PF: Spade, James A Jr Unit: C-4

Brewster Road Command requesting PD to respond they were advised

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/27/2022 14:07:07 PF: Barnett, William S

Units Recommended: {112 },C-9;

Dispatched: {112}, C4

Station Dispatched : {112 }

Toner Alert Initiated

{112}

02/27/2022 14:07:04

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

02/27/2022 14:06:04

PF: Spade, James A Jr

Per 11204

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000029

Incident Date : 02/27/2022 13:54:48

Incident Information

Location : Summer AVE/S Brewster RD;04

Reported CFS : VEH - Vehicle fire

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 02/27/2022 13:54:48

Stacked Time : 02/27/2022 13:58:01

Acknowledge Time :

On-Scene Time :

Final CFS : Vehicle fire

Primary Unit :

GeoX/GeoY :

Patrol Area : HB

District :

Dispatched Time : 02/27/2022 13:59:00

Enroute Time :

Cleared : 02/27/2022 14:15:07

Inc Disposition :

Units

Descr

Unit : 112

02/27/22 13:59:00 Dispatch

02/27/22 14:04:53 Clear Station

Comments

02/27/2022 14:04:53

Station Cleared : {112 }

02/27/2022 14:04:28 PF: Spade, James A Jr

Brewster road command advising no fire services needed one minor injury

02/27/2022 14:03:28 PF: Spade, James A Jr

11204 no fire establishing Brewster road command

02/27/2022 13:59:00 PF: Barnett, William S

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

02/27/2022 13:58:53 PF: Gallo, Andrew M

No BLS / Police want FD for smoking vehicle

02/27/2022 13:58:28

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

02/27/2022 13:58:02 PF: Lukas, Samantha A

Names Added : [REDACTED]; Caller

02/27/2022 13:54:48 PF: Lukas, Samantha A

911 -- 2 cars -- no inj -- in the roadway, unable to move -- one vehicle smoking
orange mazda, burg jeep

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		S Brewster RD/Summer AVE;04	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000028

Incident Date : 02/26/2022 11:20:27

Incident Information

Location : 169 Wheat RD;04

Reported CFS : BRSH - Brush Fire

Initial / Final Alarm Level : 0 : 5 / 0 : 5

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 02/26/2022 11:20:27

Stacked Time : 02/26/2022 11:21:32

Acknowledge Time :

On-Scene Time : 02/26/2022 11:30:45

Final CFS : Brush Fire

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 02/26/2022 11:23:03

Enroute Time : 02/26/2022 11:23:39

Cleared : 02/26/2022 11:54:13

Inc Disposition : Finished

Units

Descr

Unit : 112

02/26/22 11:23:03 Dispatch

02/26/22 11:54:14 Clear Station

Unit : F1125

02/26/22 11:28:44 Dispatch

02/26/22 11:28:44 Enroute

02/26/22 11:30:45 On-Scene

02/26/22 11:33:20 Apply Containment Time

02/26/22 11:54:13 In-Station

Unit : F11200

02/26/22 11:23:38 Dispatch

02/26/22 11:23:39 Enroute

02/26/22 11:31:04 On-Scene

02/26/22 11:54:13 In-Station

Unit : F1124

02/26/22 11:30:35 Dispatch

02/26/22 11:54:13 In-Station

Comments

02/26/2022 11:54:14

Station Cleared : {112 }

02/26/2022 11:53:58 PF: Tucker, Scott L

All units avail and clear

All units avail and clear

02/26/2022 11:33:16 PF: Tucker, Scott L

per cmd fire under control, C4 on loc

per cmd fire under control, C4 on loc

02/26/2022 11:31:45 PF: Tucker, Scott L

large area of grass mostly exsting by home owner, hold to 1125

large area of grass mostly exsting by home owner, hold to 1125

02/26/2022 11:30:51 PF: Tucker, Scott L

1125 has wheat rd cmd

Call Summary Report

Printed On: 03/07/22 09:17

1125 has wheat rd cmd

02/26/2022 11:30:35

Toner Alert Initiated
{112}[F1124]

Toner Alert Initiated
{112}[F1124]

02/26/2022 11:28:47

PF: Tucker, Scott L

1125 w2

1125 w2

02/26/2022 11:28:44

PF: Tucker, Scott L

Dispatched: F1125

Toner Alert Initiated
{112}[F1125]

Dispatched: F1125

Toner Alert Initiated
{112}[F1125]

02/26/2022 11:23:38

PF: Tucker, Scott L

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

02/26/2022 11:23:03

PF: Spade, James A Jr

Units Recommended: {112 } ,C-9;
Dispatched: {112}, C-9

Units Recommended: {112 } ,C-9;
Dispatched: {112}, C-9

Station Dispatched : {112 }

Station Dispatched : {112 }

Toner Alert Initiated
{112}

Toner Alert Initiated
{112}

02/26/2022 11:22:24

Toner Alert Initiated, Following tones sent to device - F1
112A - 11-2 Minotola FD
112B - 11-2 Minotola FD

Toner Alert Initiated, Following tones sent to device - F1
112A - 11-2 Minotola FD
112B - 11-2 Minotola FD

02/26/2022 11:21:32

PF: Cattell, Matthew J

Names Added : [REDACTED]; Caller

Names Added : [REDACTED]; Caller

02/26/2022 11:20:27

PF: Cattell, Matthew J

FIELD ON FIRE HEADING TOWARDS WOODS

FIELD ON FIRE HEADING TOWARDS WOODS

Call Summary Report

Printed On: 03/07/22 09:17

Names				
Activity	Name	DOB	Address	Phone#
Caller				

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000027

Incident Date : 02/20/2022 15:52:54

Incident Information

Location : 156 Wheat RD;04

Reported CFS : BRSH - Brush Fire

Initial / Final Alarm Level : 0 : 5 / 0 : 5

Priority Level : 3

Receive Source :

Reported Time : 02/20/2022 15:52:54

Stacked Time : 02/20/2022 15:54:08

Acknowledge Time :

On-Scene Time : 02/20/2022 16:01:52

Final CFS : Brush Fire

Primary Unit : F11201

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 02/20/2022 15:55:02

Enroute Time : 02/20/2022 15:57:00

Cleared : 02/20/2022 16:24:11

Inc Disposition : Finished

Units

Descr

Unit : 112

02/20/22 15:55:02 Dispatch

02/20/22 16:24:25 Clear Station

Unit : F1122

02/20/22 16:01:05 Dispatch

02/20/22 16:01:06 Enroute

02/20/22 16:02:45 On-Scene

02/20/22 16:09:37 In-Station

Unit : F1125

02/20/22 16:00:24 Dispatch

02/20/22 16:00:25 Enroute

02/20/22 16:01:52 On-Scene

02/20/22 16:24:11 In-Station

Unit : F11200

02/20/22 15:56:59 Dispatch

02/20/22 15:57:00 Enroute

02/20/22 16:01:52 On-Scene

02/20/22 16:03:19 Apply Containment Time

02/20/22 16:24:11 In-Station

Unit : F11201

02/20/22 15:56:59 Dispatch

02/20/22 15:57:00 Enroute

02/20/22 16:01:52 On-Scene

02/20/22 16:24:11 In-Station

Comments

02/20/2022 16:24:25

Station Cleared : {112 }

02/20/2022 16:01:06

Toner Alert Initiated

{112}[F1122]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/20/2022 16:01:05 PF: Karcher, Kevin M
Dispatched: F1122

02/20/2022 16:00:24 PF: Karcher, Kevin M
Dispatched: F1125
Toner Alert Initiated
{112}[F1125]

02/20/2022 15:56:59 PF: Karcher, Kevin M
Dispatched: F11201, F11200
Toner Alert Initiated
{112}[F11200][F11201]

02/20/2022 15:55:02 PF: Richards, Bryan D
Units Recommended: {112 },C-9;
Dispatched: {112}, C-9
Station Dispatched : {112 }
Toner Alert Initiated
{112}

02/20/2022 15:54:30
Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

02/20/2022 15:52:54 PF: Taylor, Kathy R
1179 REQ FIRE COMPANY FOR BRUSH FIRE

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000026

Incident Date : 02/20/2022 15:45:12

Incident Information

Location : Lincoln AVE/Wheat RD;04

Reported CFS : BRSH - Brush Fire

Initial / Final Alarm Level : 0 : 5 / 0 : 5

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 02/20/2022 15:45:12

Stacked Time : 02/20/2022 15:47:57

Acknowledge Time :

On-Scene Time : 02/20/2022 15:48:20

Final CFS : Brush Fire

Primary Unit :

GeoX/GeoY :

Patrol Area : HB

District :

Dispatched Time : 02/20/2022 15:48:20

Enroute Time :

Cleared : 02/20/2022 15:48:20

Inc Disposition : Cancelled

Comments

02/20/2022 15:48:20 PF: Evans, Christine M

CAN = CANCELLED
ACCIDENTAL/ PERMITTED BURN

02/20/2022 15:47:58 PF: Evans, Christine M

Names Added : Johnson, Sharon; Caller

02/20/2022 15:45:12 PF: Evans, Christine M

FIRES IN THE FIELD ACF 154 WHEAT ROAD

Names

Activity	Name	DOB	Address	Phone#
Caller			Wheat RD/Lincoln AVE;04	

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000025

Incident Date : 02/20/2022 10:20:52

Incident Information

Location : 376 Wheat RD,4;04
Reported CFS : FUMEIN - InteriorFumes
Initial / FinalAlarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 02/20/2022 10:20:52
Stacked Time : 02/20/2022 10:22:38
Acknowledge Time :
On-Scene Time : 02/20/2022 10:29:56
Final CFS : InteriorFumes

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 02/20/2022 10:23:33
Enroute Time : 02/20/2022 10:25:26
Cleared : 02/20/2022 11:19:40
Inc Disposition : Finished

Units	Descr
-------	-------

Unit : 112

02/20/22 10:23:33	Dispatch
02/20/22 11:19:46	Clear Station

Unit : F1126

02/20/22 10:28:42	Dispatch
02/20/22 10:28:43	Enroute
02/20/22 11:04:37	In-Station

Unit : F11200

02/20/22 10:25:25	Dispatch
02/20/22 10:25:26	Enroute
02/20/22 10:29:56	On-Scene
02/20/22 11:19:40	In-Station

Unit : F11201

02/20/22 10:25:25	Dispatch
02/20/22 10:25:26	Enroute
02/20/22 11:04:37	In-Station

Comments

02/20/2022 11:19:46

Station Cleared : {112 }

02/20/2022 11:19:40 PF: Karcher, Kevin M
TOT SJGAS

02/20/2022 10:41:26 PF: Karcher, Kevin M
SUITE F. IBEW LOCAL. GAS LEAK FROM REAR.

02/20/2022 10:28:43

Toner Alert Initiated
{112}[F1126]

02/20/2022 10:28:42 PF: Karcher, Kevin M
Dispatched: F1126

02/20/2022 10:25:26

Toner Alert Initiated
{112}[F11200][F11201]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/20/2022 10:25:25 PF: Karcher, Kevin M

Dispatched: F11200, F11201

02/20/2022 10:23:33 PF: Richards, Bryan D

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

02/20/2022 10:23:06

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

02/20/2022 10:22:38 PF: Taylor, Kathy R

Names Added : [REDACTED] Caller

02/20/2022 10:20:52 PF: Taylor, Kathy R

NEXT LEVEL BARBER SHOP INTERIOR NATURAL GAS ODOR

TRANSFER FROM CUMBERLAND CTY

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000024

Incident Date : 02/18/2022 13:25:06

Incident Information

Location : 111 S Auburn ST;04

Reported CFS : RUB - Rubbish Fire

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 02/18/2022 13:25:06

Stacked Time : 02/18/2022 13:25:06

Acknowledge Time :

On-Scene Time : 02/18/2022 13:35:40

Final CFS : Rubbish Fire

Primary Unit : F1125

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 02/18/2022 13:25:06

Enroute Time : 02/18/2022 13:30:44

Cleared : 02/18/2022 13:37:58

Inc Disposition : Finished

Units

Descr

Unit : 112

02/18/22 13:25:06 Dispatch

02/18/22 13:38:01 Clear Station

Unit : F1125

02/18/22 13:30:43 Dispatch

02/18/22 13:30:44 Enroute

02/18/22 13:35:40 On-Scene

02/18/22 13:37:58 In-Station

Comments

02/18/2022 13:38:01

Station Cleared : {112 }

Station Cleared : {112 }

02/18/2022 13:37:38

PF: Mehaffey, Ryan R

TOT TO PD

TOT TO PD

02/18/2022 13:37:20

PF: Mehaffey, Ryan R

PER 1125, NO ACTIVE FIRE, SITUATION IS U/C, WILL BE CLEARING SHORTLY AFTER THE REPORT IS TAKEN.

PER 1125, NO ACTIVE FIRE, SITUATION IS U/C, WILL BE CLEARING SHORTLY AFTER THE REPORT IS TAKEN.

02/18/2022 13:35:58

PF: Mehaffey, Ryan R

1125 O/L, NOTHING SHOWING, INVEST

1125 O/L, NOTHING SHOWING, INVEST

02/18/2022 13:32:18

PF: Shannon, Scott M

Update reviewed by dispatcher- Shannon, Scott M

Update reviewed by dispatcher- Shannon, Scott M

02/18/2022 13:30:49

PF: Mehaffey, Ryan R

1125 W/ 2

1125 W/ 2

02/18/2022 13:30:43

PF: Mehaffey, Ryan R

Dispatched: F1125

Dispatched: F1125

Toner Alert Initiated

Call Summary Report

Printed On: 03/07/22 09:17

{112}[F1125]

Toner Alert Initiated

{112}[F1125]

02/18/2022 13:26:58

PF: Karcher, Kevin M

11204 on radio

11204 on radio

02/18/2022 13:25:06

PF: Rieger, Justin J

Units Recommended: {112 };

Dispatched: {112}

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Station Dispatched : {112 }

Toner Alert Initiated

{112}

Toner Alert Initiated

{112}

02/18/2022 13:23:44

PF: Taylor, Kathy R

Names Added : [REDACTED]; Caller

Names Added : [REDACTED]; Caller

02/18/2022 13:22:03

PF: Taylor, Kathy R

JACKET ON PORCH NEXT TO GRILL

JACKET ON PORCH NEXT TO GRILL

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000023

Incident Date : 02/15/2022 09:47:32

Incident Information

Location : 103 E Delaware AVE;04

Reported CFS : DWEL - Dwelling Fire

Initial / Final Alarm Level : 0 : 20 / 0 : 20

Priority Level : 2

Receive Source : 9 - 911 Incoming Calls

Reported Time : 02/15/2022 09:47:32

Stacked Time : 02/15/2022 09:47:32

Acknowledge Time :

On-Scene Time : 02/15/2022 09:56:06

Final CFS : Dwelling Fire

Primary Unit : F11201

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 02/15/2022 09:47:33

Enroute Time : 02/15/2022 09:48:32

Cleared : 02/15/2022 10:08:00

Inc Disposition : Finished

Units

Descr

Unit : 112

02/15/22 9:47:33 Dispatch

02/15/22 9:47:37 Dispatch

02/15/22 10:08:09 Clear Station

Unit : F1122

02/15/22 9:54:42 Dispatch

02/15/22 9:54:42 Enroute

02/15/22 9:59:24 In-Station

Unit : F1126

02/15/22 9:53:13 Dispatch

02/15/22 9:53:14 Enroute

02/15/22 9:56:06 On-Scene

02/15/22 10:08:00 In-Station

Unit : F1125

02/15/22 9:55:28 Dispatch

02/15/22 9:55:29 Enroute

02/15/22 9:59:24 In-Station

Unit : F11201

02/15/22 9:48:31 Dispatch

02/15/22 9:48:32 Enroute

02/15/22 10:08:00 In-Station

Comments

02/15/2022 10:08:09

Station Cleared : {112 }

02/15/2022 09:55:29

Toner Alert Initiated
{112}[F1125]

Toner Alert Initiated
{112}[F1125]

02/15/2022 09:55:28 PF: Richards, Bryan D

Dispatched: F1125

Dispatched: F1125

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/15/2022 09:54:54

PF: Taylor, Kathy R

R 4356 W/2

R 4356 W/2

02/15/2022 09:54:42

PF: Richards, Bryan D

Dispatched: F1122

Toner Alert Initiated

{112}[F1122]

Dispatched: F1122

Toner Alert Initiated

{112}[F1122]

02/15/2022 09:53:13

PF: Richards, Bryan D

Dispatched: F1126, F1221

Toner Alert Initiated

{112}[F1126]

Dispatched: F1126, F1221

Toner Alert Initiated

{112}[F1126]

02/15/2022 09:51:39

PF: Rieger, Justin J

Unit: F11201

Per pd they believe the fire to be out

Per pd they believe the fire to be out

02/15/2022 09:49:06

Update reviewed by dispatcher- Rieger, Justin J-6207

Update reviewed by dispatcher- Rieger, Justin J-6207

02/15/2022 09:48:31

PF: Richards, Bryan D

Dispatched: F11201, F12200

Toner Alert Initiated

{112}[F11201]

Dispatched: F11201, F12200

Toner Alert Initiated

{112}[F11201]

02/15/2022 09:47:58

PF: Richards, Bryan D

R 12206 11201

R 12206 11201

02/15/2022 09:47:37

PF: Mehaffey, Ryan R

Units Recommended: {112 },{122 },{435 },EM11;

Dispatched: {112}, {122}, {435}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

Units Recommended: {112 },{122 },{435 },EM11;

Dispatched: {112}, {122}, {435}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/15/2022 09:47:33 PF: Rieger, Justin J

Units Recommended: {112 }, {122 }, {435 }, EM11;
Dispatched: {112}, {122}, {435}, EM11

Station Dispatched : {112 }

Toner Alert Initiated
{112}

Units Recommended: {112 }, {122 }, {435 }, EM11;
Dispatched: {112}, {122}, {435}, EM11

Station Dispatched : {112 }

Toner Alert Initiated
{112}

02/15/2022 09:45:29 PF: Rieger, Justin J

Names Added : [REDACTED]; Caller

Names Added : [REDACTED]; Caller

02/15/2022 09:44:26 PF: Rieger, Justin J

Stove fire and fire in the wall from outlet everyone is out

Stove fire and fire in the wall from outlet everyone is out

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000022

Incident Date : 02/13/2022 12:32:41

Incident Information

Location : 114 W Arctic AVE,104;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 02/13/2022 12:32:41
Stacked Time : 02/13/2022 12:33:43
Acknowledge Time :
On-Scene Time : 02/13/2022 12:39:43
Final CFS : Fire Alarm System

Primary Unit : F11200
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 02/13/2022 12:34:57
Enroute Time : 02/13/2022 12:36:40
Cleared : 02/13/2022 13:02:26
Inc Disposition : Finished

Units

Unit : 112

02/13/22 12:34:57 Dispatch

Unit : F1126

02/13/22 12:43:28 Dispatch

02/13/22 12:43:29 Enroute

02/13/22 12:43:45 On-Scene

02/13/22 13:02:26 In-Station

Unit : F11200

02/13/22 12:36:39 Dispatch

02/13/22 12:36:40 Enroute

02/13/22 12:39:43 On-Scene

02/13/22 12:43:49 Apply Containment Time

02/13/22 13:02:26 In-Station

Comments

02/13/2022 12:50:30 PF: Maycock, Kathryn E

Residents returning to apts

02/13/2022 12:49:07 PF: Maycock, Kathryn E

Room ventilated / 1126 wrapping up

02/13/2022 12:46:24 PF: Maycock, Kathryn E

Careless cooking

02/13/2022 12:43:45 PF: Maycock, Kathryn E

O 1126

02/13/2022 12:43:28 PF: Maycock, Kathryn E

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

02/13/2022 12:43:16 PF: Maycock, Kathryn E

Small fire rm 107 / fire undercontrol / need 1126 w/ fan

02/13/2022 12:41:43 PF: Chapman, Jennifer S

CARELESS COOKING IN 106. FIRE COMPANY ON SCENE

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/13/2022 12:40:19 PF: Maycock, Kathryn E
R 1221 w/5
r 12201

02/13/2022 12:39:43 PF: Maycock, Kathryn E
Building evacuating

02/13/2022 12:37:55 PF: Maycock, Kathryn E
R em1100
r 11200
r 12200

02/13/2022 12:36:39 PF: Maycock, Kathryn E
Dispatched: F11200
Toner Alert Initiated
{112}[F11200]

02/13/2022 12:36:37 PF: Severns, Kevin D
SPOKE TO PAT 25 MIN ETA
FRANKLIN ALARMS

02/13/2022 12:34:57 PF: Tucker, Scott L
Units Recommended: {112 },{122 };
Dispatched: {112}, {122}
Station Dispatched : {112 }
Toner Alert Initiated
{112}

02/13/2022 12:34:08
Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD
122B - 12-2 East Vineland FD

02/13/2022 12:33:51 PF: Tucker, Scott L
PF# ST5087 , notified with address flag

02/13/2022 12:33:43 PF: Maycock, Kathryn E
Names Added : [REDACTED]; Caller
PF# KM5069 , notified with address flag

02/13/2022 12:32:41 PF: Maycock, Kathryn E
Several fire alrms sounding in building / 104/105/106

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000021

Incident Date : 02/12/2022 17:55:19

Incident Information

Location : 204 N Auburn ST;04
Reported CFS : FUMEIN - InteriorFumes
Initial / FinalAlarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 02/12/2022 17:55:19
Stacked Time : 02/12/2022 17:55:19
Acknowledge Time :
On-Scene Time : 02/12/2022 18:06:22
Final CFS : InteriorFumes

Primary Unit : F1126
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 02/12/2022 17:55:20
Enroute Time : 02/12/2022 18:02:09
Cleared : 02/12/2022 18:19:39
Inc Disposition : Finished

Units

Unit : 112

02/12/22 17:55:20 Dispatch
02/12/22 18:19:49 Clear Station

Unit : F1122

02/12/22 18:05:22 Dispatch
02/12/22 18:05:22 Enroute
02/12/22 18:10:00 On-Scene
02/12/22 18:19:39 In-Station

Unit : F1126

02/12/22 18:02:08 Dispatch
02/12/22 18:02:09 Enroute
02/12/22 18:06:22 On-Scene
02/12/22 18:13:56 Apply Containment Time
02/12/22 18:19:39 In-Station

Comments

02/12/2022 18:19:49
Station Cleared : {112 }
02/12/2022 18:13:30 PF: Gallo, Andrew M
Zero readings across the board, Nothing at this time. Placed under control
02/12/2022 18:07:19 PF: Gallo, Andrew M
1 story ranch, nothing in evidence
02/12/2022 18:06:53 PF: Gallo, Andrew M
Auburn st command, 11204
02/12/2022 18:05:22 PF: Gallo, Andrew M
Dispatched: F1122
Toner Alert Initiated
{112}[F1122]
02/12/2022 18:05:05 PF: Gallo, Andrew M
1122/3
02/12/2022 18:02:08 PF: Gallo, Andrew M
Dispatched: F1126

Call Summary Report

Printed On: 03/07/22 09:17

Toner Alert Initiated
{112}[F1126]

02/12/2022 18:01:55
1126/4

PF: Gallo, Andrew M

02/12/2022 17:57:19
11204

PF: Gallo, Andrew M

02/12/2022 17:55:20
Units Recommended: {112 };
Dispatched: {112}
Station Dispatched : {112 }

PF: Cattell, Matthew J

Toner Alert Initiated
{112}

02/12/2022 17:54:47

PF: Nahas, Michael P

Names Added : [REDACTED]; Caller

02/12/2022 17:53:11

PF: Nahas, Michael P

Odor of natural gas near the back door all day, carbon monoxide detector is reading something

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000020

Incident Date : 02/11/2022 18:50:57

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04
Reported CFS : SERV - Service assignment (Fire)
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 02/11/2022 18:50:57
Stacked Time : 02/11/2022 18:52:17
Acknowledge Time :
On-Scene Time : 02/11/2022 18:56:48
Final CFS : Service assignment (Fire)

Primary Unit : F11201
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 02/11/2022 18:53:15
Enroute Time : 02/11/2022 18:54:43
Cleared : 02/11/2022 19:30:19
Inc Disposition : Finished

Units

Unit : 112

02/11/22 18:53:15 Dispatch
02/11/22 19:30:22 Clear Station

Unit : F1122

02/11/22 18:59:46 Dispatch
02/11/22 18:59:47 Enroute
02/11/22 19:00:44 On-Scene
02/11/22 19:30:19 In-Station

Unit : F1126

02/11/22 18:57:11 Dispatch
02/11/22 18:57:12 Enroute
02/11/22 19:21:17 In-Station

Unit : F11200

02/11/22 18:54:43 Dispatch
02/11/22 18:54:44 Enroute
02/11/22 18:56:48 On-Scene
02/11/22 19:30:19 In-Station

Unit : F11201

02/11/22 18:54:43 Dispatch
02/11/22 18:54:43 Enroute
02/11/22 19:30:19 In-Station

Comments

02/11/2022 19:30:22

Station Cleared : {112 }

02/11/2022 19:14:56 PF: Breyer, Michael R

FD crews remaining on scene to assist BLS

02/11/2022 19:12:16 PF: Breyer, Michael R

patient is now in apartment 305

02/11/2022 19:10:14 PF: Breyer, Michael R

Car 2 out of service

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/11/2022 19:06:46	PF: Breyer, Michael R	
occupant removed from the elevator - 1906hrs		
02/11/2022 18:59:46	PF: Breyer, Michael R	
Dispatched: F1221, F1122		
Toner Alert Initiated {112}[F1122]		
02/11/2022 18:59:33	PF: Breyer, Michael R	Unit: F1126
1122 w4		
02/11/2022 18:59:27	PF: Breyer, Michael R	Unit: F1126
1221 w5		
02/11/2022 18:59:14	PF: Breyer, Michael R	Unit: F1126
one occupant in the elevator		
02/11/2022 18:57:15	PF: Breyer, Michael R	Unit: F1126
1126 w4		
02/11/2022 18:57:11	PF: Breyer, Michael R	
Dispatched: F1126		
Toner Alert Initiated {112}[F1126]		
02/11/2022 18:54:43	PF: Breyer, Michael R	
Dispatched: F11201, F11200		
Toner Alert Initiated {112}[F11200][F11201]		
02/11/2022 18:54:28		
Toner Alert Initiated, Following tones sent to device - F1 127D - E1274		
02/11/2022 18:53:15	PF: Fanslau, Wayne R	
Units Recommended: {112 } , {122 } ; Dispatched: {112}, {122} Station Dispatched : {112 }		
Toner Alert Initiated {112}		
02/11/2022 18:53:09		
Toner Alert Initiated, Following tones sent to device - F1 112B - 11-2 Minotola FD 122B - 12-2 East Vineland FD		
02/11/2022 18:52:36	PF: Fanslau, Wayne R	
PF# WF5017 , notified with address flag		
02/11/2022 18:52:18	PF: Clauser, Zachary R	
PF# ZC6285 , notified with address flag		
02/11/2022 18:50:57	PF: Clauser, Zachary R	
Elevator Rescue // called in by 11200		

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000019

Incident Date : 02/11/2022 02:03:15

Incident Information

Location : 345 E Weymouth RD;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 02/11/2022 02:03:15
Stacked Time : 02/11/2022 02:03:15
Acknowledge Time :
On-Scene Time : 02/11/2022 02:14:38
Final CFS : Fire Alarm System

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 02/11/2022 02:03:15
Enroute Time : 02/11/2022 02:06:36
Cleared : 02/11/2022 02:50:52
Inc Disposition : Finished

Units	Descr
-------	-------

Unit : 112

02/11/22 2:03:15	Dispatch
02/11/22 2:50:55	Clear Station

Unit : F1122

02/11/22 2:21:38	Dispatch
02/11/22 2:21:38	Enroute
02/11/22 2:29:05	On-Scene
02/11/22 2:43:35	In-Station

Unit : F1126

02/11/22 2:10:44	Dispatch
02/11/22 2:16:50	Enroute
02/11/22 2:20:49	On-Scene
02/11/22 2:50:52	In-Station

Unit : F11200

02/11/22 2:06:36	Dispatch
02/11/22 2:06:36	Enroute
02/11/22 2:14:38	On-Scene
02/11/22 2:50:52	In-Station

Comments

02/11/2022 02:50:43 alarm reset and holding	PF: Fanslau, Shawn A
02/11/2022 02:46:52 clear	PF: Carter, Trisha
02/11/2022 02:43:40 hold to 1126	PF: Fanslau, Shawn A
02/11/2022 02:27:50 11200 reporting unsecured window @0227	PF: Fanslau, Shawn A
02/11/2022 02:23:17 entry gained	PF: Fanslau, Shawn A

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/11/2022 02:21:42 1122 w 2	PF: Fanslau, Shawn A
02/11/2022 02:21:38 Dispatched: F1122 Toner Alert Initiated {112}[F1122]	PF: Fanslau, Shawn A
02/11/2022 02:16:50 1126 w 5	PF: Fanslau, Shawn A
02/11/2022 02:14:38 11200 nothing showing, large warehouse	PF: Fanslau, Shawn A
02/11/2022 02:11:26 1221 W 3	PF: Fanslau, Shawn A
02/11/2022 02:10:44 Toner Alert Initiated {112}[F1126]	
02/11/2022 02:07:06 12206 ON RADIO	PF: Fanslau, Shawn A
02/11/2022 02:06:36 Dispatched: F11200 Toner Alert Initiated {112}[F11200]	PF: Fanslau, Shawn A
02/11/2022 02:03:16 Toner Alert Initiated {112}	
02/11/2022 02:03:15 Units Recommended: {112 } , {122 } ; Dispatched: {112} , {122} Station Dispatched : {112 }	PF: Condo, Robert J
02/11/2022 01:59:49 Pull station 001 & Water flow 646-420-5704 Talon / 10880/ 800-633-2677	PF: Reagan, Stephen W

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000018

Incident Date : 02/08/2022 16:46:42

Incident Information

Location : 513 Forest Grove RD;04

Reported CFS : BRSH - Brush Fire

Initial / Final Alarm Level : 0 : 5 / 0 : 5

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 02/08/2022 16:46:42

Stacked Time : 02/08/2022 16:46:42

Acknowledge Time :

On-Scene Time : 02/08/2022 16:50:46

Final CFS : Brush Fire

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 02/08/2022 16:46:42

Enroute Time : 02/08/2022 16:48:25

Cleared : 02/08/2022 17:01:24

Inc Disposition : Finished

Units

Descr

Unit : 112

02/08/22 16:46:42

Dispatch

02/08/22 17:01:27

Clear Station

Unit : F1125

02/08/22 16:55:24

Dispatch

02/08/22 16:55:24

Enroute

02/08/22 16:55:28

On-Scene

02/08/22 17:01:24

In-Station

Unit : F11200

02/08/22 16:48:24

Dispatch

02/08/22 16:48:25

Enroute

02/08/22 16:50:46

On-Scene

02/08/22 16:56:10

Apply Containment Time

02/08/22 17:01:23

In-Station

Comments

02/08/2022 17:00:57

PF: Cattell, Matthew J

CMD - STATION AVAIL 1700 HRS

02/08/2022 16:56:24

PF: Cattell, Matthew J

11200 FIRE U/C

02/08/2022 16:55:24

PF: Cattell, Matthew J

Dispatched: F1125

Toner Alert Initiated
{112}[F1125]

02/08/2022 16:55:09

PF: Cattell, Matthew J

1125 O/L

02/08/2022 16:55:02

PF: Cattell, Matthew J

1125/2

02/08/2022 16:53:34

PF: Rodgers, Michael S

Loc changed from {515 Forest Grove RD;04} to {513 Forest Grove RD;04}

02/08/2022 16:53:28

PF: Rodgers, Michael S

Loc changed from {315 Forest Grove RD;04} to {515 Forest Grove RD;04}

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/08/2022 16:52:15 PF: Rodgers, Michael S
Update reviewed by dispatcher- Rodgers, Michael S

02/08/2022 16:50:41 PF: Cattell, Matthew J
11200 O/L WITH A PIECE OF FURNITURE ON FIRE IN BACK YARD - ATTEMPTING TO EXTINGUISH / WILL HANDLE WITH 1125 WHEN THEY RESPOND

02/08/2022 16:48:43 PF: Cattell, Matthew J
11204

02/08/2022 16:48:25
Toner Alert Initiated
{112}[F11200]

02/08/2022 16:48:24 PF: Cattell, Matthew J
Dispatched: F11200

02/08/2022 16:47:33 PF: Cattell, Matthew J
11200

02/08/2022 16:46:42 PF: Priggemeier, Bryce A
Units Recommended: {112 },C-9;
Dispatched: {112}, C-9
Station Dispatched : {112 }
Toner Alert Initiated
{112}

02/08/2022 16:46:00 PF: Rodgers, Michael S
Names Added : [REDACTED]; Caller

02/08/2022 16:44:33 PF: Rodgers, Michael S
Back yard of white rancher , per neighbor the res is aTTEMPTING TO PUT IT OUT

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000017

Incident Date : 02/08/2022 13:43:32

Incident Information

Location	: 287 Wheat RD;04	Primary Unit	: F1122
Reported CFS	: MVC - Motor Vehicle Crash	GeoX/GeoY	:
Initial / Final Alarm Level	: 0 : 60 / 0 : 60	Patrol Area	: BU
Priority Level	: 2	District	:
Receive Source	: 9 - 911 Incoming Calls	Dispatched Time	: 02/08/2022 13:43:33
Reported Time	: 02/08/2022 13:43:32	Enroute Time	: 02/08/2022 13:50:02
Stacked Time	: 02/08/2022 13:43:32	Cleared	: 02/08/2022 14:17:58
Acknowledge Time	:	Inc Disposition	: Finished
On-Scene Time	: 02/08/2022 13:50:55		
Final CFS	: Motor Vehicle Crash		

Units

Descr

Unit : 112

02/08/22 13:43:33	Dispatch
02/08/22 14:18:05	Clear Station

Unit : F1122

02/08/22 13:50:00	Dispatch
02/08/22 13:50:02	Enroute
02/08/22 13:50:55	On-Scene
02/08/22 14:17:58	In-Station

Unit : F1127

02/08/22 13:57:06	Dispatch
02/08/22 13:57:07	Enroute
02/08/22 13:58:02	On-Scene
02/08/22 14:08:44	In-Station

Comments

02/08/2022 14:18:05	
Station Cleared : {112 }	
02/08/2022 14:00:23	PF: Tucker, Scott L
extrication complete 1400 hrs	
02/08/2022 13:57:06	PF: Tucker, Scott L
Dispatched: F1127	
Toner Alert Initiated {112}[F1127]	
02/08/2022 13:53:14	PF: Tucker, Scott L
1353 going into service	
02/08/2022 13:50:01	
Toner Alert Initiated {112}[F1122]	
02/08/2022 13:50:00	PF: Tucker, Scott L
Dispatched: F1122	
02/08/2022 13:45:17	PF: Raggio, Douglas A
Update reviewed by dispatcher- Raggio, Douglas A	

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/08/2022 13:44:59 ADD ALS	PF: Rodgers, Michael S
02/08/2022 13:44:22 In/out	PF: Rodgers, Michael S
02/08/2022 13:44:06 With entrapment	PF: Rodgers, Michael S
02/08/2022 13:43:33 Units Recommended: E1191; Dispatched: E1191, {112} Station Dispatched : {112 } Toner Alert Initiated {112}	PF: Priggemeier, Bryce A
02/08/2022 13:42:21 Names Added : [REDACTED]; Caller	PF: Raggio, Douglas A
02/08/2022 13:41:37 Car v. Pole, off duty trooper on scene Call Back Information : [REDACTED]	PF: Raggio, Douglas A

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000016

Incident Date : 02/08/2022 10:58:38

Incident Information

Location : 1501 S Central AVE;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 02/08/2022 10:58:38
Stacked Time : 02/08/2022 11:00:32
Acknowledge Time :
On-Scene Time : 02/08/2022 11:09:26
Final CFS : Fire Alarm System

Primary Unit : F11201
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 02/08/2022 11:01:00
Enroute Time : 02/08/2022 11:02:46
Cleared : 02/08/2022 11:14:28
Inc Disposition : Finished

Units

Unit : 112

02/08/22 11:01:00 Dispatch
02/08/22 11:14:29 Clear Station

Unit : F1126

02/08/22 11:07:50 Dispatch
02/08/22 11:07:51 Enroute
02/08/22 11:09:26 On-Scene
02/08/22 11:14:27 In-Station

Unit : F11201

02/08/22 11:02:45 Dispatch
02/08/22 11:02:46 Enroute
02/08/22 11:11:06 On-Scene
02/08/22 11:14:28 In-Station

Comments

02/08/2022 11:14:29
Station Cleared : {112 }
Station Cleared : {112 }
02/08/2022 11:14:19 PF: Tucker, Scott L
Faulty det. facility will contact alarm company. system is on test and station is avail
Faulty det. facility will contact alarm company. system is on test and station is avail
02/08/2022 11:11:14 PF: Tucker, Scott L
Per cmd situation is under control
Per cmd situation is under control
02/08/2022 11:09:45 PF: Tucker, Scott L
1126 on loc 1 story educational, n/s in vest
1126 on loc 1 story educational, n/s in vest
02/08/2022 11:07:51
Toner Alert Initiated
{112}[F1126]
Toner Alert Initiated
{112}[F1126]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/08/2022 11:07:50

PF: Tucker, Scott L

Dispatched: F1126

Dispatched: F1126

02/08/2022 11:03:56

PF: Tucker, Scott L

[REDACTED]
[REDACTED]

02/08/2022 11:02:45

PF: Gallo, Andrew M

Dispatched: F11201

Dispatched: F11201

Toner Alert Initiated

{112}[F11201]

Toner Alert Initiated

{112}[F11201]

02/08/2022 11:01:00

PF: Priggemeier, Bryce A

Units Recommended: {112 };

Dispatched: {112}

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Station Dispatched : {112 }

Toner Alert Initiated

{112}

Toner Alert Initiated

{112}

02/08/2022 11:00:57

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

02/08/2022 10:58:38

PF: Rodgers, Michael S

Be safe 800-633-2677 ref # ee-5027 , general zone 01 , responder requested

Be safe 800-633-2677 ref # ee-5027 , general zone 01 , responder requested

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000015

Incident Date : 02/05/2022 09:58:14

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 02/05/2022 09:58:14

Stacked Time : 02/05/2022 09:59:09

Acknowledge Time :

On-Scene Time : 02/05/2022 10:02:26

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 02/05/2022 10:00:26

Enroute Time : 02/05/2022 10:01:19

Cleared : 02/05/2022 10:15:34

Inc Disposition : False Alarm Clear

Units

Descr

Unit : 112

02/05/22 10:00:26 Dispatch

02/05/22 10:22:05 Clear Station

Unit : F1126

02/05/22 10:06:33 Dispatch

02/05/22 10:06:33 Enroute

02/05/22 10:08:35 On-Scene

02/05/22 10:15:33 In-Station

Unit : F11200

02/05/22 10:01:18 Dispatch

02/05/22 10:01:19 Enroute

02/05/22 10:02:26 On-Scene

02/05/22 10:15:33 In-Station

Comments

02/05/2022 10:22:05

Station Cleared : {112 }

02/05/2022 10:14:43 PF: Evans, Christine M

CMD// under control/ available

02/05/2022 10:11:12 PF: Trifiletti, Christina M

FD

02/05/2022 10:08:40 PF: Evans, Christine M

CMD// careless cooking; room 220; recall 12-2; reduce speed 11-2 ; proceed to rm 220

02/05/2022 10:06:52 PF: Evans, Christine M

1126 w3

02/05/2022 10:06:33 PF: Evans, Christine M

Dispatched: EM1100, F1126

Toner Alert Initiated
{112}[F1126]

02/05/2022 10:04:22 PF: Evans, Christine M

1221 w/5

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/05/2022 10:03:29 1210 = 12206	PF: Evans, Christine M
02/05/2022 10:03:12 11200 ol; 3 stry midrise; senior living facility; ns; invest / artic ave command	PF: Evans, Christine M
02/05/2022 10:01:19 Toner Alert Initiated {112}[F11200]	
02/05/2022 10:01:18 Dispatched: F11200, F1210	PF: Evans, Christine M
02/05/2022 10:00:57 1206 on radio	PF: Evans, Christine M
02/05/2022 10:00:26 Units Recommended: {112 },{122 }; Dispatched: {112}, {122} Station Dispatched : {112 } Toner Alert Initiated {112}	PF: Rieger, Justin J
02/05/2022 09:59:27 PF# JR6207 , notified with address flag	PF: Rieger, Justin J
02/05/2022 09:59:10 PF# SS5086 , notified with address flag	PF: Shannon, Scott M
02/05/2022 09:58:14 2ND FLOOR ROOMS- GFA- FRANKLIN ALARMS- 800-633-2677- OP- 10514	PF: Shannon, Scott M

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000014

Incident Date : 02/01/2022 11:14:18

Incident Information

Location : 301 Cedar Lake RD;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 02/01/2022 11:14:18
Stacked Time : 02/01/2022 11:14:18
Acknowledge Time :
On-Scene Time : 02/01/2022 11:26:42
Final CFS : Fire Alarm System

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 02/01/2022 11:14:19
Enroute Time : 02/01/2022 11:15:24
Cleared : 02/01/2022 11:29:30
Inc Disposition : Finished

Units

Unit : 112

02/01/22 11:14:19 Dispatch
02/01/22 11:29:34 Clear Station

Unit : F1126

02/01/22 11:22:33 Dispatch
02/01/22 11:29:30 In-Station

Unit : F11200

02/01/22 11:15:22 Dispatch
02/01/22 11:15:24 Enroute
02/01/22 11:26:42 On-Scene
02/01/22 11:29:30 In-Station

Comments

02/01/2022 11:29:34
Station Cleared : {112 }
02/01/2022 11:28:03 PF: Trifiletti, Christina M
confirmed accidental
02/01/2022 11:27:52 PF: Rieger, Justin J Unit: F11200
11200 confirming careless cooking
02/01/2022 11:22:33
Toner Alert Initiated
{112}[F1126]
02/01/2022 11:15:23
Toner Alert Initiated
{112}[F11200]
02/01/2022 11:15:22 PF: Rieger, Justin J
Dispatched: F11200
02/01/2022 11:14:19 PF: Mehaffey, Ryan R
Units Recommended: {112 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated
{112}

Call Summary Report

Printed On: 03/07/22 09:17

Comments

02/01/2022 11:13:58	PF: Rieger, Justin J
Second call back from alarm company proper pass code and name for careless cooking	
02/01/2022 11:12:06	PF: Germscheid, Edward R
ZONE 11	
ADT 800-297-0543	
PREMISE 856-697-1293	
OP VNAS	

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000013

Incident Date : 01/29/2022 23:14:52

Incident Information

Location : 110 S Clara ST;04

Reported CFS : ALMC - CO Alarm

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 01/29/2022 23:14:52

Stacked Time : 01/29/2022 23:14:52

Acknowledge Time :

On-Scene Time : 01/29/2022 23:29:53

Final CFS : CO Alarm

Primary Unit : F1127

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 01/29/2022 23:14:52

Enroute Time : 01/29/2022 23:22:13

Cleared : 01/29/2022 23:38:07

Inc Disposition : False Alarm Clear

Units

Descr

Unit : 112

01/29/22 23:14:52 Dispatch

01/29/22 23:38:09 Clear Station

Unit : F1127

01/29/22 23:22:12 Dispatch

01/29/22 23:22:13 Enroute

01/29/22 23:30:00 On-Scene

01/29/22 23:38:07 In-Station

Unit : F11200

01/29/22 23:29:36 Dispatch

01/29/22 23:29:37 Enroute

01/29/22 23:29:53 On-Scene

01/29/22 23:38:07 In-Station

Comments

01/29/2022 23:38:09

Station Cleared : {112 }

01/29/2022 23:38:07 PF: Breyer, Michael R

Available 2338

Available 2338

01/29/2022 23:34:15 PF: Breyer, Michael R

fault detector - under control - reamaining on location

fault detector - under control - reamaining on location

01/29/2022 23:29:48 PF: Breyer, Michael R

Single story with nothing showing - clara street command

Single story with nothing showing - clara street command

01/29/2022 23:29:36 PF: Breyer, Michael R

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

01/29/2022 23:22:15 PF: Breyer, Michael R

1127 w2

1127 w2

01/29/2022 23:22:12 PF: Breyer, Michael R

Dispatched: F1127

Toner Alert Initiated

{112}[F1127]

Dispatched: F1127

Toner Alert Initiated

{112}[F1127]

01/29/2022 23:17:10 PF: Breyer, Michael R

R 11204

R 11204

01/29/2022 23:14:52 PF: Fanslau, Wayne R

Units Recommended: {112 };

Dispatched: {112}

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

01/29/2022 23:14:15 PF: Ricker, James T

Names Added : [REDACTED]; Caller

Names Added : [REDACTED]; Caller

01/29/2022 23:13:29 PF: Ricker, James T

Co alarm going off/ denies any ill effects/ advised to evac

Co alarm going off/ denies any ill effects/ advised to evac

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000012

Incident Date : 01/26/2022 08:42:37

Incident Information

Location : 533 Martinelli AVE;04
Reported CFS : ALMC - CO Alarm
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 01/26/2022 08:42:37
Stacked Time : 01/26/2022 08:43:41
Acknowledge Time :
On-Scene Time : 01/26/2022 08:55:40
Final CFS : CO Alarm

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 01/26/2022 08:45:13
Enroute Time : 01/26/2022 08:46:47
Cleared : 01/26/2022 09:04:42
Inc Disposition : Finished

Units

Unit : 112

01/26/22 8:45:13 Dispatch
01/26/22 9:04:44 Clear Station

Unit : F1126

01/26/22 8:52:22 Dispatch
01/26/22 8:52:22 Enroute
01/26/22 8:55:56 On-Scene
01/26/22 9:04:41 In-Station

Unit : F11200

01/26/22 8:46:46 Dispatch
01/26/22 8:46:47 Enroute
01/26/22 8:55:40 On-Scene
01/26/22 9:04:41 In-Station

Comments

01/26/2022 09:04:44
Station Cleared : {112 }
01/26/2022 09:04:23 PF: Mehaffey, Ryan R
STA IS AV AND RETURNING
01/26/2022 09:03:03 PF: Mehaffey, Ryan R
PER COMMAND - UNDER CONTROL. FAULTY DET.
01/26/2022 08:56:04 PF: Mehaffey, Ryan R
11200 O/L - 2 STORY, SINGLE FAMILY, INVEST
01/26/2022 08:52:26 PF: Mehaffey, Ryan R
1126 W 3
01/26/2022 08:52:22 PF: Mehaffey, Ryan R
Dispatched: F1126
Toner Alert Initiated
{112}[F1126]
01/26/2022 08:46:46 PF: Mehaffey, Ryan R
Dispatched: F11200
Toner Alert Initiated

Call Summary Report

Printed On: 03/07/22 09:17

{112}[F11200]

01/26/2022 08:45:13

PF: Evans, Christine M

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

01/26/2022 08:44:29

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

01/26/2022 08:43:41

PF: Taylor, Kathy R

Names Added : [REDACTED]; Caller

01/26/2022 08:42:37

PF: Taylor, Kathy R

ACTIVATED CO DETECTOR. ADVISED TO STEP OUT OF HOUSE

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000011

Incident Date : 01/25/2022 14:38:59

Incident Information

Location : 110 Jonas AVE;04

Reported CFS : BRSH - Brush Fire

Initial / Final Alarm Level : 0 : 5 / 0 : 5

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 01/25/2022 14:38:59

Stacked Time : 01/25/2022 14:40:14

Acknowledge Time :

On-Scene Time : 01/25/2022 14:46:00

Final CFS : Brush Fire

Primary Unit : F11202

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 01/25/2022 14:41:31

Enroute Time : 01/25/2022 14:44:53

Cleared : 01/25/2022 15:14:03

Inc Disposition : Finished

Units

Descr

Unit : 112

01/25/22 14:41:31 Dispatch

01/25/22 15:14:45 Clear Station

Unit : F1122

01/25/22 14:49:05 Dispatch

01/25/22 14:49:05 Enroute

01/25/22 14:50:00 On-Scene

01/25/22 15:14:03 In-Station

Unit : F1125

01/25/22 14:46:00 On-Scene

01/25/22 14:46:14 Dispatch

01/25/22 14:46:14 Enroute

01/25/22 15:14:03 In-Station

Unit : F11202

01/25/22 14:44:52 Dispatch

01/25/22 14:44:53 Enroute

01/25/22 14:47:10 In-Station

Comments

01/25/2022 15:14:45

Station Cleared : {112 }

01/25/2022 15:13:19

PF: Severns, Kevin D

PER COMMAND, STATION AVAILABLE

01/25/2022 14:57:46

PF: Gallo, Andrew M

Update reviewed by dispatcher- Gallo, Andrew M

01/25/2022 14:56:26

PF: Severns, Kevin D

PER COMMAND, 1122 WILL BE AVAILABLE MOMENTARILY. C9 ETA 5 MINS

01/25/2022 14:52:41

PF: Severns, Kevin D

PER 1125 FIRE IS UNDER CONTROL

01/25/2022 14:49:15

PF: Severns, Kevin D

1122/3

Call Summary Report

Printed On: 03/07/22 09:17

Comments

01/25/2022 14:49:05 PF: Severns, Kevin D
Dispatched: F1122
Toner Alert Initiated
{112}[F1122]

01/25/2022 14:48:41 PF: Severns, Kevin D
1125 OL SMALL BRUSH FIRE, JONAS AVE COMMAND, GOING IN SERVICE WITH BOOSTER

01/25/2022 14:46:20 PF: Severns, Kevin D
1125/2

01/25/2022 14:46:14 PF: Severns, Kevin D
Dispatched: F1125
Toner Alert Initiated
{112}[F1125]

01/25/2022 14:44:52 PF: Severns, Kevin D
Dispatched: F11202
Toner Alert Initiated
{112}[F11202]

01/25/2022 14:44:34 PF: Rodgers, Michael S Unit: C-9
C-4 advised

01/25/2022 14:41:31 PF: Miller, Thomas D
Units Recommended: {112 },C-9;
Dispatched: {112}, C-9
Station Dispatched : {112 }
Toner Alert Initiated
{112}

01/25/2022 14:40:53
Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

01/25/2022 14:40:15 PF: Rodgers, Michael S
Names Added : [REDACTED] Caller

01/25/2022 14:38:59 PF: Rodgers, Michael S
Acf field on fire approx 20ft long

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000010

Incident Date : 01/19/2022 18:50:33

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 01/19/2022 18:50:33

Stacked Time : 01/19/2022 18:51:59

Acknowledge Time :

On-Scene Time : 01/19/2022 19:01:20

Final CFS : Fire Alarm System

Primary Unit : F1126

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 01/19/2022 18:52:35

Enroute Time : 01/19/2022 18:59:38

Cleared : 01/19/2022 19:15:13

Inc Disposition : False Alarm Clear

Units

Descr

Unit : 112

01/19/22 18:52:35 Dispatch

Unit : F1126

01/19/22 18:59:38 Dispatch

01/19/22 18:59:38 Enroute

01/19/22 19:01:20 On-Scene

01/19/22 19:15:12 In-Station

Comments

01/19/2022 19:14:32 PF: Breyer, Michael R

situation under control at 1914hrs

01/19/2022 19:01:20 PF: Breyer, Michael R

3 story multi family - with nothing showing

01/19/2022 18:59:45 PF: Breyer, Michael R

1126 w5

01/19/2022 18:59:38 PF: Breyer, Michael R

Dispatched: F1126

Toner Alert Initiated

{112}[F1126]

01/19/2022 18:58:46 PF: Breyer, Michael R

Unit: F1221

1221 w3

01/19/2022 18:52:35 PF: Clauser, Zachary R

Units Recommended: {112 },{122 };

Dispatched: {112}, {122}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

01/19/2022 18:52:30

Toner Alert Initiated, Following tones sent to device - F3

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

01/19/2022 18:52:12 PF: Clauser, Zachary R

PF# ZC6285 , notified with address flag

Call Summary Report

Printed On: 03/07/22 09:17

Comments

01/19/2022 18:51:59 PF: Walker, Stephen L
PF# SW6183 , notified with address flag

01/19/2022 18:50:33 PF: Walker, Stephen L
3rd floor
FRANKLIN ALARM 800-633-2677 // OPR JAMIE

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000009

Incident Date : 01/17/2022 05:57:29

Incident Information

Location	: 601 S West AVE;04	Primary Unit	: F1122
Reported CFS	: WIRE - Wires down or Arcing	GeoX/GeoY	:
Initial / Final Alarm Level	: 0 : 1 / 0 : 1	Patrol Area	: BU
Priority Level	: 3	District	:
Receive Source	: 9 - 911 Incoming Calls	Dispatched Time	: 01/17/2022 06:00:48
Reported Time	: 01/17/2022 05:57:29	Enroute Time	: 01/17/2022 06:11:36
Stacked Time	: 01/17/2022 06:00:25	Cleared	: 01/17/2022 07:12:47
Acknowledge Time	:	Inc Disposition	: Finished
On-Scene Time	: 01/17/2022 06:12:38		
Final CFS	: Wires down or Arcing		

Units

Descr

Unit : 112

01/17/22 6:00:48	Dispatch
01/17/22 7:12:52	Clear Station

Unit : F1122

01/17/22 6:11:36	Dispatch
01/17/22 6:11:36	Enroute
01/17/22 6:12:38	On-Scene
01/17/22 7:12:47	In-Station

Comments

01/17/2022 07:12:52

Station Cleared : {112 }

01/17/2022 07:04:11	PF: Rieger, Justin J	Unit: ACE
---------------------	----------------------	-----------

ACE on location

01/17/2022 06:21:27	PF: Breyer, Michael R
---------------------	-----------------------

Command reporting the house still has power

01/17/2022 06:21:06

Loc changed from {South AVE/S West AVE;04} to {601 S West AVE;04}

Loc changed from {South AVE/S West AVE;04} to {601 S West AVE;04}

01/17/2022 06:18:44	PF: Breyer, Michael R
---------------------	-----------------------

ACE advised - no eta provided

01/17/2022 06:16:53	PF: Breyer, Michael R
---------------------	-----------------------

ACE Pole Number 23104

01/17/2022 06:11:58	PF: Breyer, Michael R
---------------------	-----------------------

tree against wire / pulled primary from pole to house

01/17/2022 06:11:39	PF: Breyer, Michael R
---------------------	-----------------------

1122 w3

01/17/2022 06:11:36	PF: Breyer, Michael R
---------------------	-----------------------

Dispatched: F1122

Toner Alert Initiated

{112}[F1122]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

01/17/2022 06:09:53 PF: Breyer, Michael R

11204 confirming report - SW ave command

01/17/2022 06:03:49 PF: Breyer, Michael R

R 11204

01/17/2022 06:00:48 PF: Fanslau, Wayne R

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

01/17/2022 06:00:47

Toner Alert Initiated, Following tones sent to device - F3

112B - 11-2 Minotola FD

01/17/2022 06:00:26 PF: Breyer, Michael R

Names Added : [REDACTED]; Caller

01/17/2022 05:57:29 PF: Breyer, Michael R

Tree down and wires . On southwest ave between South/Coari

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000008

Incident Date : 01/15/2022 23:55:39

Incident Information

Location : 238 Wheat RD;04
Reported CFS : FUMEIN - InteriorFumes
Initial / FinalAlarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 01/15/2022 23:55:39
Stacked Time : 01/15/2022 23:57:02
Acknowledge Time :
On-Scene Time : 01/16/2022 00:06:18
Final CFS : InteriorFumes

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 01/15/2022 23:57:32
Enroute Time : 01/15/2022 23:58:52
Cleared : 01/16/2022 01:02:04
Inc Disposition : Finished

Units

Unit : 112

01/15/22 23:57:32 Dispatch
01/16/22 1:02:08 Clear Station

Unit : F1126

01/16/22 0:06:34 Dispatch
01/16/22 1:02:04 In-Station

Unit : F11200

01/15/22 23:58:52 Dispatch
01/15/22 23:58:52 Enroute
01/16/22 0:06:18 On-Scene
01/16/22 1:02:04 In-Station

Comments

01/16/2022 01:02:08
Station Cleared : {112 }
01/16/2022 01:01:29 PF: McMahon, Edward J
tot sj gas
01/16/2022 01:01:24 PF: Breyer, Michael R
per command - released by SJ Gas
01/16/2022 00:15:59 PF: Centanni, Louis A
force entry into 104 no readings per cmd
01/16/2022 00:06:48 PF: Centanni, Louis A
11200 os with 11204
01/16/2022 00:06:34
Toner Alert Initiated
{112}[F1126]
01/15/2022 23:58:52 PF: Centanni, Louis A
Dispatched: F11200
Toner Alert Initiated
{112}[F11200]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

01/15/2022 23:57:32

PF: DeAngelo, Anthony M

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

01/15/2022 23:57:30

Toner Alert Initiated, Following tones sent to device - F3
112A - 11-2 Minotola FD

01/15/2022 23:55:39

PF: Fanslau, Wayne R

SJ Gas needs assistance gaining access to a vacant apartment. They were unable to get hold of the landlord.

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000007

Incident Date : 01/15/2022 22:24:43

Incident Information

Location : 238 Wheat RD;04
Reported CFS : FUMEIN - InteriorFumes
Initial / FinalAlarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 01/15/2022 22:24:43
Stacked Time : 01/15/2022 22:26:50
Acknowledge Time :
On-Scene Time : 01/15/2022 22:36:13
Final CFS : InteriorFumes

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 01/15/2022 22:27:29
Enroute Time : 01/15/2022 22:29:56
Cleared : 01/15/2022 23:40:43
Inc Disposition : Finished

Units

Unit : 112

01/15/22 22:27:29 Dispatch
01/15/22 23:40:49 Clear Station

Unit : F1122

01/15/22 22:38:02 Dispatch
01/15/22 22:47:42 In-Station

Unit : F1126

01/15/22 22:34:32 Dispatch
01/15/22 22:34:33 Enroute
01/15/22 22:36:51 On-Scene
01/15/22 22:47:33 In-Station

Unit : F11200

01/15/22 22:29:56 Dispatch
01/15/22 22:29:56 Enroute
01/15/22 22:36:13 On-Scene
01/15/22 23:40:43 In-Station

Comments

01/15/2022 23:40:49

Station Cleared : {112 }

01/15/2022 22:44:05 PF: Centanni, Louis A Unit: F1126
35min eta per sj gas

01/15/2022 22:38:36 PF: McMahon, Edward J
Tot FD

01/15/2022 22:38:02

Toner Alert Initiated
{112}[F1122]

01/15/2022 22:36:40 PF: Centanni, Louis A
11200 on scene investigating assuming bv cmd

01/15/2022 22:34:39 PF: Centanni, Louis A
1126 w 4

Call Summary Report

Printed On: 03/07/22 09:17

Comments

01/15/2022 22:34:33

Toner Alert Initiated
{112}[F1126]

01/15/2022 22:34:32

PF: Centanni, Louis A

Dispatched: F1126

01/15/2022 22:29:56

PF: Breyer, Michael R

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

01/15/2022 22:27:29

PF: DeAngelo, Anthony M

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

01/15/2022 22:27:26

Toner Alert Initiated, Following tones sent to device - F3
112A - 11-2 Minotola FD

01/15/2022 22:26:50

PF: McMahon, Edward J

Names Added : [REDACTED]; Caller

01/15/2022 22:24:43

PF: McMahon, Edward J

Apt 103, caller says his wife smells gas, caller does not

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000006

Incident Date : 01/15/2022 18:08:10

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 01/15/2022 18:08:10

Stacked Time : 01/15/2022 18:09:47

Acknowledge Time :

On-Scene Time : 01/15/2022 18:21:11

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 01/15/2022 18:11:00

Enroute Time : 01/15/2022 18:11:49

Cleared : 01/15/2022 18:25:10

Inc Disposition : Finished

Units

Descr

Unit : 112

01/15/22 18:11:00 Dispatch

Unit : F1126

01/15/22 18:19:10 Dispatch

01/15/22 18:19:10 Enroute

01/15/22 18:21:11 On-Scene

01/15/22 18:25:10 In-Station

Unit : F11200

01/15/22 18:11:48 Dispatch

01/15/22 18:11:49 Enroute

01/15/22 18:18:00 On-Scene

01/15/22 18:25:10 In-Station

Comments

01/15/2022 18:24:39 PF: Severns, Kevin D

COMMAND TERMINATED, STATIONS AVAILABLE

01/15/2022 18:22:20 PF: Severns, Kevin D

PER COMMAND CARELESS COOKING, UNDER CONTROL, 1126 COME IN AT REDUCE SPEED, 1221 RECALL

01/15/2022 18:19:18 PF: Severns, Kevin D

1126/2

01/15/2022 18:19:10 PF: Severns, Kevin D

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

01/15/2022 18:18:55 PF: Severns, Kevin D

11200 ARRIVING MULTI FAMILY, NOTHING SHOWING ARTIC AVE COMMAND

01/15/2022 18:16:12 PF: Severns, Kevin D

1221/5

01/15/2022 18:11:49

Toner Alert Initiated
{112}[F11200]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

01/15/2022 18:11:48 PF: Severns, Kevin D

Dispatched: F11200

01/15/2022 18:11:01

Toner Alert Initiated
{112}

01/15/2022 18:11:00 PF: Tucker, Scott L

Units Recommended: {112 }, {122 };

Dispatched: {112}, {122}

Station Dispatched : {112 }

01/15/2022 18:10:17

Toner Alert Initiated, Following tones sent to device - F3

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

01/15/2022 18:10:03 PF: Tucker, Scott L

PF# ST5087 , notified with address flag

01/15/2022 18:09:47 PF: Gallo, Andrew M

PF# AG5048 , notified with address flag

01/15/2022 18:08:10 PF: Gallo, Andrew M

1ST FLOOR GFA

FRANKLIN

REF=16-3446

8006332677

OP=010290

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000005

Incident Date : 01/15/2022 12:24:09

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 01/15/2022 12:24:09

Stacked Time : 01/15/2022 12:25:03

Acknowledge Time :

On-Scene Time : 01/15/2022 12:33:16

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 01/15/2022 12:26:07

Enroute Time : 01/15/2022 12:27:43

Cleared : 01/15/2022 12:46:48

Inc Disposition : Finished

Units

Descr

Unit : 112

01/15/22 12:26:07 Dispatch

Unit : F1126

01/15/22 12:31:49 Dispatch

01/15/22 12:31:49 Enroute

01/15/22 12:33:54 On-Scene

01/15/22 12:46:48 In-Station

Unit : F11200

01/15/22 12:27:42 Dispatch

01/15/22 12:27:43 Enroute

01/15/22 12:33:16 On-Scene

01/15/22 12:46:48 In-Station

Comments

01/15/2022 12:46:30 PF: Severns, Kevin D

PER BUENA GARDENS COMMAND TERMINATED ALL COMPANIES AVAILABLE

01/15/2022 12:40:27 PF: Severns, Kevin D

CARELESS COOKING, SITUATION UNDER CONTROL

01/15/2022 12:36:49 PF: Severns, Kevin D

PER COMMAND, PANEL SHOWING APT 216

01/15/2022 12:33:49 PF: Severns, Kevin D

11200 ARRIVED THREE STORY RES NOTHING SHOWING, BUENA GARDENS COMMAND

01/15/2022 12:32:26 PF: Severns, Kevin D

1126/3, EM11

01/15/2022 12:31:49 PF: Severns, Kevin D

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

01/15/2022 12:29:23 PF: Severns, Kevin D

12201 ENROUTE

01/15/2022 12:28:26 PF: Severns, Kevin D

11200 ENROUTE

Call Summary Report

Printed On: 03/07/22 09:17

Comments

01/15/2022 12:27:42 PF: Severns, Kevin D

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

01/15/2022 12:26:08

Toner Alert Initiated
{112}

01/15/2022 12:26:07 PF: Tucker, Scott L

Units Recommended: {112 }, {122 };

Dispatched: {112}, {122}

Station Dispatched : {112 }

01/15/2022 12:25:23 PF: Gallo, Andrew M

Update reviewed by dispatcher- Gallo, Andrew M

Toner Alert Initiated, Following tones sent to device - F3

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

01/15/2022 12:25:09 PF: Tucker, Scott L

PF# ST5087 , notified with address flag

01/15/2022 12:25:03 PF: Shannon, Scott M

PF# SS5086 , notified with address flag

01/15/2022 12:24:09 PF: Shannon, Scott M

2ND FLOOR ROOMS- GFA-

FRANKLIN ALARM- 800-633-2677- 3364

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000004

Incident Date : 01/10/2022 12:24:21

Incident Information

Location	: 296 Wheat RD;04		
Reported CFS	: SERV - Service assignment (Fire)		
Initial / Final Alarm Level	: 0 : 1 / 0 : 1	Primary Unit	: F1122
Priority Level	: 3	GeoX/GeoY	:
Receive Source	:	Patrol Area	:
Reported Time	: 01/10/2022 12:24:21	District	:
Stacked Time	: 01/10/2022 12:24:54	Dispatched Time	: 01/10/2022 12:26:04
Acknowledge Time	:	Enroute Time	: 01/10/2022 12:32:35
On-Scene Time	: 01/10/2022 12:32:56	Cleared	: 01/10/2022 12:39:26
Final CFS	: Service assignment (Fire)	Inc Disposition	: Finished

Units

Descr

Unit : 112

01/10/22 12:26:04	Dispatch
01/10/22 12:39:27	Clear Station

Unit : F1122

01/10/22 12:32:34	Dispatch
01/10/22 12:32:35	Enroute
01/10/22 12:32:56	On-Scene
01/10/22 12:39:26	In-Station

Comments

01/10/2022 12:39:27	
Station Cleared : {112 }	
01/10/2022 12:39:07	PF: Shannon, Scott M
1122- FD CLEAR	
01/10/2022 12:34:39	PF: Shannon, Scott M
1122- SITUATION IS UNDERCONTROL	
01/10/2022 12:32:39	PF: Shannon, Scott M
1122 W/4	
01/10/2022 12:32:34	PF: Shannon, Scott M
Dispatched: F1122	
Toner Alert Initiated {112}[F1122]	
01/10/2022 12:26:04	PF: Maycock, Kathryn E
Units Recommended: {112 };	
Dispatched: {112}	
Station Dispatched : {112 }	
Toner Alert Initiated {112}	
01/10/2022 12:25:11	
Toner Alert Initiated, Following tones sent to device - F3	
112B - 11-2 Minotola FD	
01/10/2022 12:24:54	PF: Rodgers, Michael S
Names Added : Zone; Caller	

Call Summary ReportPrinted On: 03/07/22 09:17

Comments

01/10/2022 12:24:21

PF: Rodgers, Michael S

Requested by pd

Names

Activity	Name	DOB	Address	Phone#
Caller	Zone			

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000003

Incident Date : 01/08/2022 23:03:53

Incident Information

Location : 616 S Central AVE,2;04
Reported CFS : SERV - Service assignment (Fire)
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 01/08/2022 23:03:53
Stacked Time : 01/08/2022 23:05:06
Acknowledge Time :
On-Scene Time : 01/08/2022 23:13:12
Final CFS : Service assignment (Fire)

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 01/08/2022 23:06:22
Enroute Time : 01/08/2022 23:07:13
Cleared : 01/09/2022 00:48:03
Inc Disposition : Finished

Units

Unit : 112

01/08/22 23:06:22 Dispatch
01/09/22 0:48:12 Clear Station

Unit : F1127

01/08/22 23:06:22 Dispatch
01/08/22 23:07:13 Enroute
01/08/22 23:13:24 On-Scene
01/09/22 0:48:03 In-Station

Unit : F11200

01/08/22 23:06:22 Dispatch
01/08/22 23:07:15 Enroute
01/08/22 23:13:12 On-Scene
01/09/22 0:48:03 In-Station

Comments

01/09/2022 00:48:12

Station Cleared : {112 }

01/09/2022 00:03:54

PF: Hauck, James J

Unit: F11200

Under control

01/08/2022 23:46:46

PF: Breyer, Michael R

in process of cleanup with contractors

01/08/2022 23:16:45

PF: Breyer, Michael R

3 inches of water in the building due to water main break

01/08/2022 23:06:22

PF: Mehaffey, Ryan R

Units Recommended: {112 };
Dispatched: {112}, F11200, F1127

Station Dispatched : {112 }

Toner Alert Initiated
{112}[F1127][F11200]

01/08/2022 23:05:45

Toner Alert Initiated, Following tones sent to device - F3
112A - 11-2 Minotola FD

Comments	
01/08/2022 23:05:07	PF: Condo, Robert J
Names Added : F11200; Caller	
01/08/2022 23:03:53	PF: Condo, Robert J
Dewatering	

Names				
Activity	Name	DOB	Address	Phone#
Caller	F11200			

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000002

Incident Date : 01/08/2022 08:32:37

Incident Information

Location	: 308 E Pacific AVE;04		
Reported CFS	: ALRM - Fire Alarm System		
Initial / Final Alarm Level	: 0 : 1 / 0 : 1	Primary Unit	: F11200
Priority Level	: 3	GeoX/GeoY	:
Receive Source	:	Patrol Area	:
Reported Time	: 01/08/2022 08:32:37	District	:
Stacked Time	: 01/08/2022 08:33:22	Dispatched Time	: 01/08/2022 08:35:12
Acknowledge Time	:	Enroute Time	: 01/08/2022 08:38:59
On-Scene Time	: 01/08/2022 08:43:47	Cleared	: 01/08/2022 08:47:58
Final CFS	: Fire Alarm System	Inc Disposition	: Finished

Units

Descr

Unit : 112

01/08/22 8:35:12	Dispatch
01/08/22 8:48:14	Clear Station

Unit : F1126

01/08/22 8:41:03	Dispatch
01/08/22 8:41:03	Enroute
01/08/22 8:43:47	On-Scene
01/08/22 8:44:17	In-Station

Unit : F11200

01/08/22 8:38:59	Dispatch
01/08/22 8:38:59	Enroute
01/08/22 8:43:47	On-Scene
01/08/22 8:47:58	In-Station

Comments

01/08/2022 08:48:14

Station Cleared : {112 }

01/08/2022 08:47:37	PF: Barbato-Buckley, Michael C	Unit: F11200
11200 fire alarm system restored station is available		

01/08/2022 08:44:17	PF: Barbato-Buckley, Michael C
11200 situateion under control self cleaning oven recall 1126	

01/08/2022 08:42:52	PF: Barbato-Buckley, Michael C
11200 on loc single story wood frame nothing showing building is evacuated	

01/08/2022 08:41:47	PF: Barbato-Buckley, Michael C
Update reviewed by dispatcher- Barbato-Buckley, Michael C	

01/08/2022 08:41:12	PF: Richards, Bryan D	Unit: F1126
1126 W 3		

01/08/2022 08:41:03	PF: Richards, Bryan D
Dispatched: F1126	

Toner Alert Initiated
{112}[F1126]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

01/08/2022 08:40:40	PF: Taylor, Kathy R	Unit: F11200
---------------------	---------------------	--------------

PER POLICE, BLDG EVACUATED, SO SMELL OF SMOKE, DID FIND AN OVEN ALARM

01/08/2022 08:38:59	PF: Mehaffey, Ryan R	
---------------------	----------------------	--

Dispatched: F11200
Toner Alert Initiated
{112}[F11200]

01/08/2022 08:35:12	PF: Mehaffey, Ryan R	
---------------------	----------------------	--

Units Recommended: {112 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated
{112}

01/08/2022 08:34:29		
---------------------	--	--

Toner Alert Initiated, Following tones sent to device - F3
112B - 11-2 Minotola FD

01/08/2022 08:32:37	PF: Richards, Bryan D	
---------------------	-----------------------	--

GFA
OPER 010385 / TOTAL SECURITY ALAMS / 800-633-2677

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 22-000001

Incident Date : 01/02/2022 02:35:37

Incident Information

Location	: 104 S Laurel ST;04	Primary Unit	: F11200
Reported CFS	: ALRM - Fire Alarm System	GeoX/GeoY	:
Initial / Final Alarm Level	: 0 : 1 / 0 : 1	Patrol Area	: BU
Priority Level	: 3	District	:
Receive Source	: 9 - 911 Incoming Calls	Dispatched Time	: 01/02/2022 02:35:37
Reported Time	: 01/02/2022 02:35:37	Enroute Time	: 01/02/2022 02:38:39
Stacked Time	: 01/02/2022 02:35:37	Cleared	: 01/02/2022 03:03:36
Acknowledge Time	:	Inc Disposition	: Finished
On-Scene Time	: 01/02/2022 02:44:52		
Final CFS	: Fire Alarm System		

Units

Descr

Unit : 112

01/02/22 2:35:37	Dispatch
01/02/22 3:03:37	Clear Station

Unit : F1122

01/02/22 2:52:10	Dispatch
01/02/22 2:52:10	Enroute
01/02/22 2:56:23	On-Scene
01/02/22 2:59:25	In-Station

Unit : F1126

01/02/22 2:44:48	Dispatch
01/02/22 2:44:48	Enroute
01/02/22 2:49:45	On-Scene
01/02/22 3:03:36	In-Station

Unit : F11200

01/02/22 2:38:39	Dispatch
01/02/22 2:38:39	Enroute
01/02/22 2:44:52	On-Scene
01/02/22 3:03:36	In-Station

Comments

01/02/2022 03:03:37

Station Cleared : {112 }

Station Cleared : {112 }

01/02/2022 02:58:02	PF: Breyer, Michael R
faulty detector - hold to 1126	
faulty detector - hold to 1126	

01/02/2022 02:52:17	PF: Breyer, Michael R	Unit: F1122
1122 w1		
1122 w1		

01/02/2022 02:52:10	PF: Breyer, Michael R
Dispatched: F1122	
Dispatched: F1122	

Call Summary Report

Printed On: 03/07/22 09:17

Toner Alert Initiated
{112}[F1122]

Toner Alert Initiated
{112}[F1122]

01/02/2022 02:44:48

PF: Breyer, Michael R

Dispatched: F1126

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

Toner Alert Initiated
{112}[F1126]

01/02/2022 02:44:45

PF: Breyer, Michael R

Unit: F11200

1126 w3

1126 w3

01/02/2022 02:44:41

PF: Breyer, Michael R

Unit: F11200

11200 = 2 story wood frame nothing showing laurel street command

11200 = 2 story wood frame nothing showing laurel street command

01/02/2022 02:38:39

PF: Breyer, Michael R

Dispatched: F11200

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

Toner Alert Initiated
{112}[F11200]

01/02/2022 02:35:37

PF: Clauser, Zachary R

Units Recommended: {112 };

Dispatched: {112}

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Station Dispatched : {112 }

Toner Alert Initiated
{112}

Toner Alert Initiated
{112}

01/02/2022 02:34:58

PF: Walker, Stephen L

Names Added : [REDACTED]; Caller

Names Added : [REDACTED]; Caller

01/02/2022 02:33:57

PF: Walker, Stephen L

DOES NOT SEE OR SMELL ANYTHING//ADVISED TO WAIT OUTSIDE

DOES NOT SEE OR SMELL ANYTHING//ADVISED TO WAIT OUTSIDE

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000151

Incident Date : 12/30/2021 15:51:35

Incident Information

Location : 405 S Nixon ST;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 12/30/2021 15:51:35

Stacked Time : 12/30/2021 15:51:35

Acknowledge Time :

On-Scene Time :

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 12/30/2021 15:51:35

Enroute Time :

Cleared : 12/30/2021 16:00:14

Inc Disposition : Finished

Units

Descr

Unit : 112

12/30/21 15:51:35 Dispatch

12/30/21 16:00:17 Clear Station

Unit : F1126

12/30/21 15:59:46 Dispatch

12/30/21 15:59:47 Enroute

12/30/21 16:00:14 In-Station

Unit : F11200

12/30/21 15:52:05 Dispatch

12/30/21 15:52:06 Enroute

12/30/21 16:00:14 In-Station

Comments

12/30/2021 16:00:17

Station Cleared : {112 }

12/30/2021 15:59:46 PF: Karcher, Kevin M

Dispatched: F1126

Toner Alert Initiated
{112}{F1126}

12/30/2021 15:52:05 PF: Karcher, Kevin M

Dispatched: F11200

Toner Alert Initiated
{112}{F11200}

12/30/2021 15:51:35 PF: Raggio, Douglas A

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

12/30/2021 15:45:50 PF: Mehaffey, Ryan R

HALLWAY SMOKE
COMMERCIAL SOUND SECURITY CB 800 633 2677 OP # 10431

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000150

Incident Date : 12/30/2021 14:07:49

Incident Information

Location : 301 S Harding HWY,1;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 12/30/2021 14:07:49
Stacked Time : 12/30/2021 14:07:49
Acknowledge Time :
On-Scene Time : 12/30/2021 14:14:44
Final CFS : Fire Alarm System

Primary Unit : F1126
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 12/30/2021 14:07:49
Enroute Time : 12/30/2021 14:08:33
Cleared : 12/30/2021 14:30:11
Inc Disposition : Finished

Units

Unit : 112

12/30/21 14:07:49 Dispatch
12/30/21 14:30:14 Clear Station

Unit : F1122

12/30/21 14:13:53 Dispatch
12/30/21 14:13:53 Enroute
12/30/21 14:16:05 In-Station

Unit : F1126

12/30/21 14:08:32 Dispatch
12/30/21 14:08:33 Enroute
12/30/21 14:14:44 On-Scene
12/30/21 14:30:11 In-Station

Comments

12/30/2021 14:30:14

Station Cleared : {112 }

12/30/2021 14:15:51

PF: Karcher, Kevin M

Unit: F1126

SMOKE UNDER THE DETECTOR

12/30/2021 14:13:53

PF: Karcher, Kevin M

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

12/30/2021 14:08:32

PF: Karcher, Kevin M

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

12/30/2021 14:07:49

PF: Raggio, Douglas A

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

Call Summary Report

Printed On: 03/07/22 09:17

Comments

12/30/2021 14:05:15 PF: Hammel, Forrest R
856-697-2350 / General Fire Alarm, No Zone
Commercial Sound, security and video
800-633-2677
op 10269

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000149

Incident Date : 12/28/2021 09:46:59

Incident Information

Location : 653 Forest Grove RD;04
Reported CFS : FUMEEEX - Exterior Fumes
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 12/28/2021 09:46:59
Stacked Time : 12/28/2021 09:47:47
Acknowledge Time :
On-Scene Time : 12/28/2021 09:58:34
Final CFS : Exterior Fumes

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 12/28/2021 09:48:59
Enroute Time : 12/28/2021 09:50:59
Cleared : 12/28/2021 10:01:23
Inc Disposition : Finished

Units

Unit : 112

12/28/21 9:48:59 Dispatch
12/28/21 10:45:12 Clear Station

Unit : F1126

12/28/21 9:58:45 Dispatch
12/28/21 9:58:46 Enroute
12/28/21 10:01:23 In-Station

Unit : F11200

12/28/21 9:50:58 Dispatch
12/28/21 9:50:59 Enroute
12/28/21 9:58:34 On-Scene
12/28/21 10:01:23 In-Station

Comments

12/28/2021 10:45:12
Station Cleared : {112 }
12/28/2021 10:01:24

12/28/2021 10:01:23 PF: Karcher, Kevin M
SJ GAS ON SCENE

12/28/2021 09:58:45 PF: Karcher, Kevin M
Dispatched: F1126
Toner Alert Initiated
{112}[F1126]

12/28/2021 09:50:58 PF: Karcher, Kevin M
Dispatched: F11200
Toner Alert Initiated
{112}[F11200]

12/28/2021 09:48:59 PF: Shannon, Scott M
Units Recommended: {112 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated

{112}

12/28/2021 09:48:25

Toner Alert Initiated, Following tones sent to device - F4

112B - 11-2 Minotola FD

12/28/2021 09:47:47PF: Karcher, Kevin M

Names Added : Sgjas; Caller

12/28/2021 09:46:59PF: Karcher, Kevin M

HOMEOWNER DIGGING STRUCK THE GAS LINE. ETA 20-25MINS

Names

Activity	Name	DOB	Address	Phone#
Caller	Sgjas		653 Forest Grove RD;04 Minotola ,NJ 08341	

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000148

Incident Date : 12/23/2021 01:00:40

Incident Information

Location : 561 Forest Grove RD;04

Reported CFS : DWEL - Dwelling Fire

Initial / Final Alarm Level : 0 : 20 / 0 : 20

Priority Level : 2

Receive Source : 9 - 911 Incoming Calls

Reported Time : 12/23/2021 01:00:40

Stacked Time : 12/23/2021 01:01:51

Acknowledge Time :

On-Scene Time : 12/23/2021 01:10:21

Final CFS : Dwelling Fire

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 12/23/2021 01:02:56

Enroute Time : 12/23/2021 01:05:23

Cleared : 12/23/2021 03:15:52

Inc Disposition : Finished

Units

Descr

Unit : 112

12/23/21 1:02:56 Dispatch

12/23/21 3:16:13 Clear Station

Unit : F1122

12/23/21 1:16:18 Dispatch

12/23/21 1:16:18 Enroute

12/23/21 1:18:16 On-Scene

12/23/21 2:11:12 In-Station

Unit : F1126

12/23/21 1:09:41 Dispatch

12/23/21 1:09:42 Enroute

12/23/21 1:14:55 On-Scene

12/23/21 3:15:52 In-Station

Unit : F11200

12/23/21 1:05:23 Dispatch

12/23/21 1:05:23 Enroute

12/23/21 1:10:21 On-Scene

12/23/21 1:28:38 Apply Containment Time

12/23/21 3:15:52 In-Station

Comments

12/23/2021 03:16:13

Station Cleared : {112 }

12/23/2021 03:15:52

12/23/2021 02:06:44 PF: Fanslau, Wayne R

NJ Fm 203 en-route

12/23/2021 01:58:21 PF: Fanslau, Wayne R Unit: NJDFS

Division contacted Ron Meyers unknown ETA

12/23/2021 01:31:14 PF: Sexton, Leah A

1172 standing by with FD

Call Summary Report

Printed On: 03/07/22 09:17

Comments

12/23/2021 01:28:24 situation under control per cmd	PF: Centanni, Louis A	Unit: F1122
12/23/2021 01:25:01 4356 w 5 4352 w 4	PF: Centanni, Louis A	Unit: F1122
12/23/2021 01:24:30 Staffing note - 4352 (4) 4356 (5)	PF: Castrataro, Mike A	Unit: F4352
12/23/2021 01:19:50 bulk of fire knocked per cmd	PF: Centanni, Louis A	
12/23/2021 01:18:03 NJ Division Fire notified	PF: Fanslau, Wayne R	
12/23/2021 01:16:22 1122 w 3	PF: Centanni, Louis A	
12/23/2021 01:16:18 Dispatched: F1122 Toner Alert Initiated {112}[F1122]	PF: Centanni, Louis A	
12/23/2021 01:15:42 Update reviewed by dispatcher- Fanslau, Wayne R	PF: Fanslau, Wayne R	
12/23/2021 01:15:37 cmd requesting response from state fm	PF: Centanni, Louis A	
12/23/2021 01:14:12 cmd reporting small fire in the rear	PF: Centanni, Louis A	
12/23/2021 01:10:50 11200 os single stry wf investigating	PF: Centanni, Louis A	
12/23/2021 01:09:41 Dispatched: F1126 Toner Alert Initiated {112}[F1126]	PF: Centanni, Louis A	
12/23/2021 01:05:23 Dispatched: F11200 Toner Alert Initiated {112}[F11200]	PF: Centanni, Louis A	
12/23/2021 01:03:51 Advised to evac // said everyone was out of the house	PF: Castrataro, Mike A	
12/23/2021 01:02:56 Units Recommended: {112 }, {122 }, {435 }, EM11; Dispatched: {112}, {122}, {435}, EM11 Station Dispatched : {112 } Toner Alert Initiated {112}	PF: MCGarvey, Raymond E	

Call Summary Report

Printed On: 03/07/22 09:17

Comments

12/23/2021 01:02:45

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

435A - 43-5 Forest Grove FD

12/23/2021 01:01:51

PF: Castrataro, Mike A

Names Added : [REDACTED] Caller

12/23/2021 01:00:40

PF: Castrataro, Mike A

House filled with smoke /// fire was on outside unknown if extinguished

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000147

Incident Date : 12/15/2021 01:36:20

Incident Information

Location : 213 E Weymouth RD;2;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 12/15/2021 01:36:20

Stacked Time : 12/15/2021 01:36:20

Acknowledge Time :

On-Scene Time : 12/15/2021 01:47:13

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 12/15/2021 01:36:20

Enroute Time : 12/15/2021 01:37:57

Cleared : 12/15/2021 01:57:54

Inc Disposition : False Alarm Clear

Units

Descr

Unit : 112

12/15/21 1:36:20 Dispatch

12/15/21 1:57:56 Clear Station

Unit : F1122

12/15/21 1:52:27 Dispatch

12/15/21 1:52:27 Enroute

12/15/21 1:56:01 In-Station

Unit : F1126

12/15/21 1:47:18 Dispatch

12/15/21 1:47:19 Enroute

12/15/21 1:51:38 On-Scene

12/15/21 1:57:54 In-Station

Unit : F11200

12/15/21 1:37:56 Dispatch

12/15/21 1:37:57 Enroute

12/15/21 1:47:13 On-Scene

12/15/21 1:57:54 In-Station

Comments

12/15/2021 01:57:56

Station Cleared : {112 }

12/15/2021 01:57:55

12/15/2021 01:55:53

PF: Breyer, Michael R

command - drop of pressure at the fire pump - holding assignment to 1126

12/15/2021 01:52:27

PF: Breyer, Michael R

Dispatched: F1122

Toner Alert Initiated

{112}[F1122]

12/15/2021 01:52:17

PF: Breyer, Michael R

1122 w3

Call Summary Report

Printed On: 03/07/22 09:17

Comments

12/15/2021 01:47:23 1126 w2	PF: Breyer, Michael R
12/15/2021 01:47:18 Dispatched: F1126 Toner Alert Initiated {112}[F1126]	PF: Breyer, Michael R
12/15/2021 01:47:08 Building C - Nothing showing investigating	PF: Breyer, Michael R
12/15/2021 01:46:06 Update reviewed by dispatcher- Breyer, Michael R	PF: Breyer, Michael R
12/15/2021 01:45:50 11200 - retone for FF	PF: Breyer, Michael R
12/15/2021 01:45:26 Update reviewed by dispatcher- Ricker, James T	PF: Ricker, James T
12/15/2021 01:44:11 1221 w3	PF: Breyer, Michael R
12/15/2021 01:37:56 Dispatched: F11200 Toner Alert Initiated {112}[F11200]	PF: Breyer, Michael R
12/15/2021 01:36:20 Units Recommended: {112 } , {122 } ; Dispatched: {112}, {122} Station Dispatched : {112 } Toner Alert Initiated {112}	PF: Mcgarvey, Raymond E
12/15/2021 01:33:57 General fire alarm premise 856-258-1710 keystone fire protection 800-877-3624 operator 18	PF: Breyer, Michael R

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000146

Incident Date : 12/12/2021 15:26:37

Incident Information

Location : 178 Wheat RD;04

Reported CFS : BRSH - Brush Fire

Initial / Final Alarm Level : 0 : 5 / 0 : 5

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 12/12/2021 15:26:37

Stacked Time : 12/12/2021 15:29:09

Acknowledge Time :

On-Scene Time : 12/12/2021 15:35:12

Final CFS : Brush Fire

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 12/12/2021 15:30:23

Enroute Time : 12/12/2021 15:31:13

Cleared : 12/12/2021 16:02:49

Inc Disposition : Finished

Units

Descr

Unit : 112

12/12/21 15:30:23 Dispatch

12/12/21 16:02:52 Clear Station

Unit : F1122

12/12/21 15:37:51 Dispatch

12/12/21 15:37:55 Enroute

12/12/21 15:40:40 On-Scene

12/12/21 16:02:49 In-Station

Unit : F1125

12/12/21 15:31:50 Dispatch

12/12/21 15:31:51 Enroute

12/12/21 15:35:12 On-Scene

12/12/21 16:02:49 In-Station

Unit : F11200

12/12/21 15:31:12 Dispatch

12/12/21 15:31:13 Enroute

12/12/21 16:02:49 In-Station

Comments

12/12/2021 16:02:52

Station Cleared : {112 }

12/12/2021 16:02:50

12/12/2021 15:41:11

PF: DeAngelo, Anthony M

Unit: F11200

1125 U/C, made contact with Forestry

12/12/2021 15:37:51

Toner Alert Initiated
{112}[F1122]

12/12/2021 15:37:42

PF: Taylor, Kathy R

COMMAND: CONFIRMING ILLEGAL BURN

12/12/2021 15:37:27

PF: Taylor, Kathy R

R 1122 W/2

Call Summary Report

Printed On: 03/07/22 09:17

Comments

12/12/2021 15:35:39	PF: DeAngelo, Anthony M	Unit: F11200
1125-appears to be an illegal burn in the rear yard		
12/12/2021 15:31:50	PF: DeAngelo, Anthony M	
Dispatched: F1125		
Toner Alert Initiated {112}[F1125]		
12/12/2021 15:31:12	PF: DeAngelo, Anthony M	
Dispatched: F11200		
Toner Alert Initiated {112}[F11200]		
12/12/2021 15:30:23	PF: Gernscheid, Edward R	
Units Recommended: {112 },C-9;		
Dispatched: {112}, C-9		
Station Dispatched : {112 }		
Toner Alert Initiated {112}		
12/12/2021 15:29:47		
Toner Alert Initiated, Following tones sent to device - F1 112B - 11-2 Minotola FD		
12/12/2021 15:29:09	PF: Evans, Christine M	
Names Added : [REDACTED]; Caller		
12/12/2021 15:26:37	PF: Evans, Christine M	
CALLER BELIEVES WHAT APPEARS TO BE FIRE IN THE WOODS BEHIND THIS RESIDENCE		

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000145

Incident Date : 12/07/2021 11:45:30

Incident Information

Location : 213 E Weymouth RD;2;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 12/07/2021 11:45:30

Stacked Time : 12/07/2021 11:45:30

Acknowledge Time :

On-Scene Time : 12/07/2021 11:52:06

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 12/07/2021 11:45:30

Enroute Time : 12/07/2021 11:46:08

Cleared : 12/07/2021 11:53:52

Inc Disposition : Finished

Units

Descr

Unit : 112

12/07/21 11:45:30 Dispatch

12/07/21 11:54:00 Clear Station

Unit : F1126

12/07/21 11:51:10 Dispatch

12/07/21 11:51:15 Enroute

12/07/21 11:53:52 In-Station

Unit : F11200

12/07/21 11:46:08 Dispatch

12/07/21 11:46:08 Enroute

12/07/21 11:52:06 On-Scene

12/07/21 11:53:52 In-Station

Comments

12/07/2021 11:53:59

Station Cleared : {112 }

12/07/2021 11:52:16 PF: Priggemeier, Bryce A

Unit: F11200

per PD _ aLARM CO TESTING

12/07/2021 11:51:22 PF: Taylor, Kathy R

R 1126 W/4

12/07/2021 11:51:10

Toner Alert Initiated
{112}[F1126]

12/07/2021 11:50:00 PF: Taylor, Kathy R

R 1221 W/2

12/07/2021 11:46:08 PF: Karcher, Kevin M

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

12/07/2021 11:45:30 PF: Germerscheid, Edward R

Units Recommended: {112 }, {122 };

Dispatched: {112}, {122}

Station Dispatched : {112 }

Call Summary Report

Printed On: 03/07/22 09:17

Toner Alert Initiated
{112}

12/07/2021 11:42:17 PF: Hammel, Forrest R
Aceess NJ / No phone number / Zone 7 Building C General Fire Alarm
ADT
877-357-1808
op KHN

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000144

Incident Date : 12/07/2021 01:35:02

Incident Information

Location : 186 Wheat RD;04

Reported CFS : RUB - Rubbish Fire

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 12/07/2021 01:35:02

Stacked Time : 12/07/2021 01:36:45

Acknowledge Time :

On-Scene Time : 12/07/2021 01:46:46

Final CFS : Rubbish Fire

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 12/07/2021 01:37:25

Enroute Time : 12/07/2021 01:39:31

Cleared : 12/07/2021 02:08:26

Inc Disposition : Finished

Units

Descr

Unit : 112

12/07/21 1:37:25 Dispatch

12/07/21 2:08:30 Clear Station

Unit : F1122

12/07/21 1:44:43 Dispatch

12/07/21 1:44:43 Enroute

12/07/21 1:46:46 On-Scene

12/07/21 2:02:52 In-Station

Unit : F11200

12/07/21 1:39:31 Dispatch

12/07/21 1:39:31 Enroute

12/07/21 1:56:01 Apply Containment Time

12/07/21 2:08:26 In-Station

Comments

12/07/2021 02:08:30

Station Cleared : {112 }

12/07/2021 02:08:26

12/07/2021 01:56:16 PF: Reagan, Stephen W
under control

12/07/2021 01:50:50 PF: Gorman, Rachel A Unit: C-9
Everbridge sent to C-9

12/07/2021 01:50:04 PF: Reagan, Stephen W
C-9 to call 11200

12/07/2021 01:47:10 PF: Reagan, Stephen W
small pile of leaves on roadside

12/07/2021 01:44:43 PF: Reagan, Stephen W
Dispatched: F1122
Toner Alert Initiated
{112}[F1122]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

12/07/2021 01:44:31 PF: Reagan, Stephen W

1122/4

12/07/2021 01:39:31 PF: Reagan, Stephen W

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

12/07/2021 01:37:25 PF: Condo, Robert J

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

12/07/2021 01:37:22

Toner Alert Initiated, Following tones sent to device - F1
112A - 11-2 Minotola FD

12/07/2021 01:35:02 PF: Reagan, Stephen W

Burning leaves/ 1150

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000143

Incident Date : 12/04/2021 21:46:40

Incident Information

Location : 104 N Brewster RD;04

Reported CFS : SMOK - Outside Smoke Investigation

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 12/04/2021 21:46:40

Stacked Time : 12/04/2021 21:47:51

Acknowledge Time :

On-Scene Time :

Final CFS : Outside Smoke Investigation

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 12/04/2021 21:48:24

Enroute Time :

Cleared : 12/04/2021 21:57:39

Inc Disposition : Finished

Units

Descr

Unit : 112

12/04/21 21:48:24 Dispatch

12/04/21 21:57:42 Clear Station

Unit : F1122

12/04/21 21:55:07 Dispatch

12/04/21 21:55:07 Enroute

12/04/21 21:57:39 In-Station

Unit : F11200

12/04/21 21:50:28 Dispatch

12/04/21 21:50:29 Enroute

12/04/21 21:57:39 In-Station

Comments

12/04/2021 21:57:42

Station Cleared : {112 }

12/04/2021 21:57:40

12/04/2021 21:57:25 PF: Castrataro, Mike A

11200 CONFIRMING PD REPORT. STATION AVAILABLE

12/04/2021 21:56:32 PF: Castrataro, Mike A

11200 ADVISED HOLDING WITH 1122 AND HIMSELF. 1125 W/2 HOLDING IN STATION

12/04/2021 21:55:07 PF: Castrataro, Mike A

Dispatched: F1122

Toner Alert Initiated

{112}[F1122]

12/04/2021 21:54:44 PF: Castrataro, Mike A

1122 W/4

12/04/2021 21:54:31 PF: Clauser, Zachary R

SMOKE FROM CHIMNEY // PD REQ RECALL

12/04/2021 21:50:28 PF: Castrataro, Mike A

Dispatched: F11200

Toner Alert Initiated

Call Summary Report

Printed On: 03/07/22 09:17

{112}[F11200]

12/04/2021 21:48:24

PF: Ricker, James T

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

12/04/2021 21:48:21

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

12/04/2021 21:47:52

PF: Sexton, Leah A

Names Added : [REDACTED]; Caller

12/04/2021 21:46:40

PF: Sexton, Leah A

SEES A LOT SMOKE IAO CASE TRACTOR SMOKE

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000142

Incident Date : 12/02/2021 00:52:05

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 12/02/2021 00:52:05

Stacked Time : 12/02/2021 00:53:06

Acknowledge Time :

On-Scene Time : 12/02/2021 01:04:17

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 12/02/2021 00:54:23

Enroute Time : 12/02/2021 00:56:54

Cleared : 12/02/2021 01:23:56

Inc Disposition : Finished

Units

Descr

Unit : 112

12/02/21 0:54:23 Dispatch

12/02/21 1:24:01 Clear Station

Unit : F1126

12/02/21 1:02:26 Dispatch

12/02/21 1:02:27 Enroute

12/02/21 1:04:17 On-Scene

12/02/21 1:23:56 In-Station

Unit : F11200

12/02/21 0:56:54 Dispatch

12/02/21 0:56:54 Enroute

12/02/21 1:04:22 On-Scene

12/02/21 1:13:22 Apply Containment Time

12/02/21 1:23:56 In-Station

Comments

12/02/2021 01:24:01

Station Cleared : {112 }

12/02/2021 01:24:00

12/02/2021 01:13:22 PF: Lawrence, Joseph B

Containment Time - F11200
Under control 12-2 released

12/02/2021 01:10:51 PF: Lawrence, Joseph B

Cooking mishap room 316 vent in process per IC

12/02/2021 01:06:45 PF: Lawrence, Joseph B

Room 316 crews on way up to invest per IC

12/02/2021 01:02:58 PF: Lawrence, Joseph B

1126 w/3 1221 w/3

12/02/2021 01:02:26 PF: Lawrence, Joseph B

Dispatched: F1126, F1221

Toner Alert Initiated

Call Summary ReportPrinted On: 03/07/22 09:17

{112}[F1126]

12/02/2021 00:56:54

PF: Lawrence, Joseph B

Dispatched: F11200

Toner Alert Initiated

{112}[F11200]

12/02/2021 00:54:23

PF: Reagan, Stephen W

Units Recommended: {112 },{122 };

Dispatched: {112}, {122}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

12/02/2021 00:54:20

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

12/02/2021 00:54:11

PF: Gallo, Andrew M

Update reviewed by dispatcher- Gallo, Andrew M

12/02/2021 00:53:58

PF: Reagan, Stephen W

PF# SR5030 , notified with address flag

12/02/2021 00:53:06

PF: Lawrence, Joseph B

PF# JL5059 , notified with address flag

12/02/2021 00:52:05

PF: Lawrence, Joseph B

3rd flr franklin oper#10336 80063326777

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000141

Incident Date : 11/29/2021 18:46:02

Incident Information

Location : 405 S Nixon ST;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 11/29/2021 18:46:02
Stacked Time : 11/29/2021 18:46:02
Acknowledge Time :
On-Scene Time : 11/29/2021 18:54:35
Final CFS : Fire Alarm System

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 11/29/2021 18:46:03
Enroute Time : 11/29/2021 18:47:07
Cleared : 11/29/2021 18:58:48
Inc Disposition : Finished

Units	Descr
-------	-------

Unit : 112

11/29/21 18:46:03	Dispatch
11/29/21 18:58:54	Clear Station

Unit : F1122

11/29/21 18:55:48	Dispatch
11/29/21 18:55:48	Enroute
11/29/21 18:58:48	In-Station

Unit : F1126

11/29/21 18:50:53	Dispatch
11/29/21 18:50:54	Enroute
11/29/21 18:54:35	On-Scene
11/29/21 18:58:48	In-Station

Unit : F11200

11/29/21 18:47:07	Dispatch
11/29/21 18:47:07	Enroute
11/29/21 18:58:48	In-Station

Unit : F11201

11/29/21 18:48:42	Dispatch
11/29/21 18:48:43	Enroute
11/29/21 18:58:48	In-Station

Comments

11/29/2021 18:58:54

Station Cleared : {112 }

11/29/2021 18:58:49

11/29/2021 18:55:48 PF: Walker, Stephen L

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

11/29/2021 18:55:28 PF: Walker, Stephen L Unit: F1126

1123 enr with 3

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/29/2021 18:50:53 PF: Gallo, Andrew M

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

11/29/2021 18:50:39 PF: Gallo, Andrew M

1126/6

11/29/2021 18:50:04 PF: Gallo, Andrew M

fireplace glove smoking

11/29/2021 18:49:30 PF: Gallo, Andrew M

Proper passcode false alarm

11/29/2021 18:48:43

Toner Alert Initiated
{112}[F11201]

11/29/2021 18:48:42 PF: Gallo, Andrew M

Dispatched: F11201

11/29/2021 18:48:29 PF: Gallo, Andrew M

11201

11/29/2021 18:47:07 PF: Gallo, Andrew M

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

11/29/2021 18:46:44 PF: Gallo, Andrew M

11200

11/29/2021 18:46:03 PF: Severns, Kevin D

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

11/29/2021 18:42:25 PF: Gallo, Andrew M

HALLWAY DETECTOR // RES= OOGUIDICE 8566924883

COMMERCIAL SOUND

8006332677

REF=265-3606

OP=10052

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000140

Incident Date : 11/27/2021 14:21:32

Incident Information

Location : 103 Fiocchi ST;04

Reported CFS : ALMC - CO Alarm

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 11/27/2021 14:21:32

Stacked Time : 11/27/2021 14:21:32

Acknowledge Time :

On-Scene Time : 11/27/2021 14:29:09

Final CFS : CO Alarm

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 11/27/2021 14:21:32

Enroute Time : 11/27/2021 14:22:19

Cleared : 11/27/2021 14:48:08

Inc Disposition : Finished

Units

Descr

Unit : 112

11/27/21 14:21:32 Dispatch

11/27/21 14:48:12 Clear Station

Unit : F1122

11/27/21 14:30:27 Dispatch

11/27/21 14:30:27 Enroute

11/27/21 14:32:26 On-Scene

11/27/21 14:42:41 In-Station

Unit : F1126

11/27/21 14:28:36 Dispatch

11/27/21 14:28:36 Enroute

11/27/21 14:31:47 On-Scene

11/27/21 14:48:08 In-Station

Unit : F11200

11/27/21 14:22:19 Dispatch

11/27/21 14:22:19 Enroute

11/27/21 14:29:09 On-Scene

11/27/21 14:48:08 In-Station

Comments

11/27/2021 14:48:12

Station Cleared : {112 }

11/27/2021 14:48:10

11/27/2021 14:30:27 PF: Karcher, Kevin M

Dispatched: F1122

Toner Alert Initiated
{112}{F1122}

11/27/2021 14:29:25 PF: Masoorli, Mark A

Fire department and bls standing by

11/27/2021 14:28:36 PF: Karcher, Kevin M

Dispatched: F1126

Call Summary Report

Printed On: 03/07/22 09:17

Toner Alert Initiated
{112}[F1126]

11/27/2021 14:22:19

PF: Karcher, Kevin M

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

11/27/2021 14:21:33

Toner Alert Initiated
{112}

11/27/2021 14:21:32

PF: Taylor, Kathy R

Units Recommended: {112 };

Dispatched: {112}, E1191

Station Dispatched : {112 }

11/27/2021 14:20:17

PF: Mehaffey, Ryan R

Names Added : [REDACTED]; Caller

11/27/2021 14:19:34

PF: Mehaffey, Ryan R

CO ALARM GOING OFF- 70/M PT INSIDE FEELS ILL, DIZZY AND SICK TO THE STOMACH.

Call Back Information : [REDACTED]

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000139

Incident Date : 11/27/2021 07:26:56

Incident Information

Location : Wheat RD/S Central AVE;04

Reported CFS : SPIL - Material Spill

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 11/27/2021 07:26:56

Stacked Time : 11/27/2021 07:28:01

Acknowledge Time :

On-Scene Time : 11/27/2021 07:37:22

Final CFS : Material Spill

Primary Unit : F1127

GeoX/GeoY :

Patrol Area : HB

District :

Dispatched Time : 11/27/2021 07:28:37

Enroute Time : 11/27/2021 07:30:28

Cleared : 11/27/2021 07:47:17

Inc Disposition : Finished

Units

Descr

Unit : 112

11/27/21 7:28:37 Dispatch

11/27/21 7:47:18 Clear Station

Unit : F1127

11/27/21 7:30:28 Dispatch

11/27/21 7:30:28 Enroute

11/27/21 7:31:00 On-Scene

11/27/21 7:47:17 In-Station

Unit : F11200

11/27/21 7:31:15 Dispatch

11/27/21 7:31:15 Enroute

11/27/21 7:37:22 On-Scene

11/27/21 7:47:17 In-Station

Comments

11/27/2021 07:47:18

Station Cleared : {112 }

11/27/2021 07:47:17

11/27/2021 07:46:59 PF: Richards, Bryan D

Dep notified for 2.5 gal of anitfreeze on the ground and in the storm drain. oper 96 dep case# 21-11-27-0744-00

11/27/2021 07:31:15 PF: Richards, Bryan D

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

11/27/2021 07:30:28 PF: Richards, Bryan D

Dispatched: F1127

Toner Alert Initiated
{112}[F1127]

11/27/2021 07:29:37 PF: Germerscheid, Edward R

BADGE 1174

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/27/2021 07:28:37 PF: Taylor, Kathy R

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

11/27/2021 07:26:56 PF: Germerscheid, Edward R

FROM ZONE REQUESTING FD FOR FLUIDS ON ROADWAY

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000138

Incident Date : 11/26/2021 16:08:55

Incident Information

Location : 329 Oakwood DR;M

Reported CFS : DWEL - Dwelling Fire

Initial / Final Alarm Level : 0 : 20 / 0 : 20

Priority Level : 2

Receive Source : 9 - 911 Incoming Calls

Reported Time : 11/26/2021 16:08:55

Stacked Time : 11/26/2021 16:08:55

Acknowledge Time :

On-Scene Time : 11/26/2021 16:24:03

Final CFS : Dwelling Fire

Primary Unit : F1126

GeoX/GeoY :

Patrol Area : M

District :

Dispatched Time : 11/26/2021 16:08:56

Enroute Time : 11/26/2021 16:17:29

Cleared : 11/26/2021 17:30:56

Inc Disposition : Finished

Units

Descr

Unit : F1122

11/26/21 16:08:56 Dispatch

11/26/21 16:08:56 On Assignment

11/26/21 16:17:29 Enroute

11/26/21 16:18:31 In-Station

Unit : F1126

11/26/21 16:18:21 Dispatch

11/26/21 16:18:21 Enroute

11/26/21 16:24:03 On-Scene

11/26/21 17:30:51 In-Station

Comments

11/26/2021 17:22:56 PF: Mehaffey, Ryan R

Update reviewed by dispatcher- Mehaffey, Ryan R

11/26/2021 17:13:14 PF: Mehaffey, Ryan R

COVERS CAN BE RELEASED FROM 43-4

11/26/2021 17:11:17 PF: Mehaffey, Ryan R

RED CROSS FOR 3 ADULTS

11/26/2021 17:07:29 PF: Mehaffey, Ryan R

4322 AT COVER

11/26/2021 16:55:13 PF: Mehaffey, Ryan R Unit: F48101

4322 CLEAR OFF THE FIRE, GOING TO 43-4 TO COVER

11/26/2021 16:49:50

Update reviewed by dispatcher- Karcher, Kevin M

11/26/2021 16:37:44 PF: Mehaffey, Ryan R Unit: F48101

4345 W 3

11/26/2021 16:36:16 PF: Chapman, Jennifer S

P1178 OFFICERS CLEAR

11/26/2021 16:34:08 PF: Mehaffey, Ryan R Unit: F48101

PER COMMAND- FIRE U/C

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/26/2021 16:32:00

Update reviewed by dispatcher- Hauck, James J

11/26/2021 16:26:06

PF: Mehaffey, Ryan R

Unit: F48101

PER COMMAND- BULK OF FIRE KNOCKED, CREWS OVERHAULING AND STARTING TO VENT THE DWELLING

11/26/2021 16:24:21

PF: Mehaffey, Ryan R

Unit: F48101

4358 W 2*

11/26/2021 16:24:04

PF: Mehaffey, Ryan R

Unit: F48101

W 2

11/26/2021 16:23:47

PF: Mehaffey, Ryan R

Unit: F48101

ACE O/L

11/26/2021 16:23:06

PF: Mehaffey, Ryan R

Unit: F48101

2 LADDERS

3 RESCUES

6 ENGINES

APROX 40 FF'S

UTILITIES, COVERS, CFM AND FIRE COORDINATOR ARE IN PLACE

11/26/2021 16:21:06

PF: Mehaffey, Ryan R

Unit: F48101

PER 43401 HAVE THE RESCUE 1238 COVER 43-4

11/26/2021 16:19:32

PF: Mehaffey, Ryan R

Unit: F48101

PER COMMAND- TWO (1 3/4) LINES IN SERVICE, LADDER IS LADDERING THE BLDG, BULK KNOCKED ON THE BRAVO SIDE

11/26/2021 16:18:30

Prime Unit Changed to - F1126

11/26/2021 16:18:21

PF: Karcher, Kevin M

Dispatched: F1126

Toner Alert Initiated

{112}[F1126]

11/26/2021 16:15:58

PF: Karcher, Kevin M

FC Kappler enroute

11/26/2021 16:15:49

PF: Hauck, James J

Unit: F4338

Per cumberland they have a chief on loc that has requested ladder 4 to be dispatched they are en route w/4

11/26/2021 16:15:30

PF: Mehaffey, Ryan R

Unit: F48101

4322 W 2

11/26/2021 16:14:53

PF: Hauck, James J

Unit: F4338

Vineland engine 3 on loc

11/26/2021 16:12:56

Update reviewed by dispatcher- Taylor, Kathy R

11/26/2021 16:11:44

PF: Mehaffey, Ryan R

Unit: F48101

ALL OCCUPANTS ARE PUT OF THE HOME

11/26/2021 16:09:45

PF: Mehaffey, Ryan R

Unit: F48101

4352 W 4

11/26/2021 16:08:56

PF: Germscheid, Edward R

Reason:CV

Units On Cover:F1122;

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/26/2021 16:08:25 PF: Mehaffey, Ryan R

PER COMMAND- REQ SJ GAS

11/26/2021 16:08:16 PF: Gismondi, Ettore J

Eng 3 with 2

11/26/2021 16:08:06 PF: Mehaffey, Ryan R

COMMAND REQ FIRE COORDINATOR

11/26/2021 16:06:57 PF: Mehaffey, Ryan R

4812 W 3

4341 W 4

4348 W 4

11/26/2021 16:06:02 PF: Mehaffey, Ryan R

Dispatched: F4812

11/26/2021 16:05:47 PF: Taylor, Kathy R

ACE NOTIFIED. OPER CHRIS WITHIN 40 MINUTE ETA

11/26/2021 16:05:25 PF: Mehaffey, Ryan R

COMMAND REQ ACE ASAP

11/26/2021 16:04:49 PF: Mehaffey, Ryan R

4344 W 4

11/26/2021 16:04:09 PF: Mehaffey, Ryan R

4356 W 4

11/26/2021 16:03:38 PF: Mehaffey, Ryan R

ALL HANDS*

11/26/2021 16:03:24 PF: Mehaffey, Ryan R

FIRST DUE ENGINE- BRAVO SIDE, PULL A LINE.

48101 ALL HANF

11/26/2021 16:02:34 PF: Mehaffey, Ryan R

48101 O/L- SINGLE FAMILY - FIRE ON THE BRAVO SIDE

11/26/2021 15:59:51 PF: Mehaffey, Ryan R

Dispatched: F48101, F48103

11/26/2021 15:57:12 PF: Mehaffey, Ryan R

Names Added : [REDACTED]; Caller

11/26/2021 15:55:41 PF: Mehaffey, Ryan R

(ACROSS FROM) ELECTRICAL BOX ON THE SIDE OF THE HOUSE ON FIRE.
ON FAWN.

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000137

Incident Date : 11/26/2021 09:27:34

Incident Information

Location : 114 W Pacific AVE;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 11/26/2021 09:27:34
Stacked Time : 11/26/2021 09:28:15
Acknowledge Time :
On-Scene Time : 11/26/2021 09:36:26
Final CFS : Fire Alarm System

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 11/26/2021 09:29:03
Enroute Time : 11/26/2021 09:32:46
Cleared : 11/26/2021 10:21:18
Inc Disposition : Finished

Units

Unit : 112

11/26/21 9:29:03 Dispatch
11/26/21 10:21:25 Clear Station

Unit : F1126

11/26/21 9:38:55 Dispatch
11/26/21 9:38:55 Enroute
11/26/21 9:41:44 On-Scene
11/26/21 10:01:35 In-Station

Unit : F11200

11/26/21 9:32:45 Dispatch
11/26/21 9:32:46 Enroute
11/26/21 9:36:26 On-Scene
11/26/21 10:21:18 In-Station

Comments

11/26/2021 10:21:25

Station Cleared : {112 }

11/26/2021 10:21:18 PF: Richards, Bryan D
BUILDING HAS BEEN SECURED, STOVE IS OUTSIDE

11/26/2021 10:07:46 PF: Gismondi, Ettore J
Cmd requested PD back to location

11/26/2021 10:01:20 PF: Gismondi, Ettore J
Sj gas on location

11/26/2021 09:55:18 PF: Gismondi, Ettore J
Cmd//situation under control and system reset

11/26/2021 09:46:23 PF: Gismondi, Ettore J
sj gas notified tech will be enroute

11/26/2021 09:44:31 PF: Gismondi, Ettore J
cmd//requesting sj gas

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/26/2021 09:44:16	PF: Masoorli, Mark A
Fire department standign by	
11/26/2021 09:38:55	
Toner Alert Initiated {112}[F1126]	
11/26/2021 09:38:43	PF: Gismondi, Ettore J
1126/1at rdc speed	
11/26/2021 09:38:26	PF: Gismondi, Ettore J
cmd//oven on self clean hownwer thought it was on fire discharges a dry chem	
11/26/2021 09:37:04	PF: Gismondi, Ettore J
11200//hold retones	
11/26/2021 09:32:45	
Toner Alert Initiated {112}[F11200]	
11/26/2021 09:29:03	PF: Germscheid, Edward R
Units Recommended: {112 };	
Dispatched: {112}	
Station Dispatched : {112 }	
Toner Alert Initiated {112}	
11/26/2021 09:29:00	
Toner Alert Initiated, Following tones sent to device - F1 112B - 11-2 Minotola FD	
11/26/2021 09:27:34	PF: Karcher, Kevin M
HALLWAY SMOKE [REDACTED]	
CENTRAL ALARM OP JACK 800-639-2066	

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000136

Incident Date : 11/25/2021 13:01:37

Incident Information

Location : 731 S Harding HWY;04

Reported CFS : SPIL - Material Spill

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 11/25/2021 13:01:37

Stacked Time : 11/25/2021 13:01:37

Acknowledge Time :

On-Scene Time : 11/25/2021 13:08:54

Final CFS : Material Spill

Primary Unit : F1122

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 11/25/2021 13:01:37

Enroute Time : 11/25/2021 13:07:52

Cleared : 11/25/2021 13:21:18

Inc Disposition : Finished

Units

Descr

Unit : 112

11/25/21 13:01:37 Dispatch

11/25/21 13:21:32 Clear Station

Unit : F1122

11/25/21 13:07:51 Dispatch

11/25/21 13:07:52 Enroute

11/25/21 13:08:54 On-Scene

11/25/21 13:11:43 Apply Containment Time

11/25/21 13:21:18 In-Station

Unit : F1127

11/25/21 13:07:51 Dispatch

11/25/21 13:07:52 Enroute

11/25/21 13:12:45 In-Station

Comments

11/25/2021 13:21:32

Station Cleared : {112 }

11/25/2021 13:21:19

11/25/2021 13:21:18 PF: Maycock, Kathryn E

Sta avail

11/25/2021 13:12:45 PF: Maycock, Kathryn E

1127 avail

11/25/2021 13:11:43 PF: Maycock, Kathryn E

Containment Time - F1122
Undercontrol / hold to 1122

11/25/2021 13:08:54 PF: Maycock, Kathryn E

O 1122 rt 40 command

11/25/2021 13:07:52

Toner Alert Initiated
{112}[F1122][F1127]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/25/2021 13:07:51 PF: Maycock, Kathryn E

Dispatched: F1122, F1127

11/25/2021 13:07:34 PF: Maycock, Kathryn E

R 1127

11/25/2021 13:07:16 PF: Maycock, Kathryn E

R 1122 w/3 / 11203

11/25/2021 13:01:37 PF: Severns, Kevin D

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

11/25/2021 12:59:54 PF: Shannon, Scott M

Names Added : [REDACTED]; Caller

11/25/2021 12:58:06 PF: Shannon, Scott M

IN THE PARKING LOT- BMW CONVERTIBLE- LIGHT BLUE- HAD A GAS LEAK- NEEDS FD TO CHECK BEFORE AAA TOWS IT AWAY

Call Back Information : [REDACTED]

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000135

Incident Date : 11/20/2021 17:03:15

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 11/20/2021 17:03:15

Stacked Time : 11/20/2021 17:04:57

Acknowledge Time :

On-Scene Time : 11/20/2021 17:13:41

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 11/20/2021 17:06:49

Enroute Time : 11/20/2021 17:07:48

Cleared : 11/20/2021 17:29:03

Inc Disposition : Finished

Units

Descr

Unit : 112

11/20/21 17:06:49 Dispatch

Unit : F1126

11/20/21 17:12:50 Dispatch

11/20/21 17:12:51 Enroute

11/20/21 17:18:10 In-Station

Unit : F11200

11/20/21 17:07:48 Dispatch

11/20/21 17:07:48 Enroute

11/20/21 17:13:41 On-Scene

11/20/21 17:29:03 In-Station

Comments

11/20/2021 17:28:40 PF: Maycock, Kathryn E

All avail

11/20/2021 17:17:52 PF: Maycock, Kathryn E

Careless cooking / situation under control / all sta returning

11/20/2021 17:15:22 PF: Maycock, Kathryn E

O em1100

11/20/2021 17:14:52 PF: Maycock, Kathryn E

Rm 232 on alrm panel

11/20/2021 17:13:51 PF: Maycock, Kathryn E

R 1221 w/2

11/20/2021 17:13:41 PF: Maycock, Kathryn E

O 11200 / nothning showing / est artic command

11/20/2021 17:12:58 PF: Maycock, Kathryn E

r 1126 w/2

11/20/2021 17:12:51

Toner Alert Initiated

{112}[F1126]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/20/2021 17:12:50 PF: Maycock, Kathryn E

Dispatched: EM11, F1126

11/20/2021 17:07:48 PF: Maycock, Kathryn E

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

11/20/2021 17:07:10 PF: Maycock, Kathryn E

R 11200

11/20/2021 17:06:49 PF: Tucker, Scott L

Units Recommended: {112 },{122 };

Dispatched: {112}, {122}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

11/20/2021 17:06:00

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

11/20/2021 17:05:29

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

11/20/2021 17:05:05 PF: Tucker, Scott L

PF# ST5087 , notified with address flag

11/20/2021 17:04:57 PF: Rodgers, Michael S

PF# MR6046 , notified with address flag

11/20/2021 17:03:15 PF: Rodgers, Michael S

Franklin 800-633-2677 ref # 163446 , 3rd floor rooms activation [REDACTED] not on loc requesting dispatch

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000134

Incident Date : 11/17/2021 10:04:35

Incident Information

Location : 363 Wheat RD,2;04

Reported CFS : BLDG - Building Fire

Initial / Final Alarm Level : 0 : 20 / 0 : 20

Priority Level : 2

Receive Source :

Reported Time : 11/17/2021 10:04:35

Stacked Time : 11/17/2021 10:06:28

Acknowledge Time :

On-Scene Time : 11/17/2021 10:09:49

Final CFS : Building Fire

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 11/17/2021 10:07:08

Enroute Time : 11/17/2021 10:09:43

Cleared : 11/17/2021 10:16:06

Inc Disposition : Finished

Units

Descr

Unit : 112

11/17/21 10:07:08 Dispatch

11/17/21 10:16:13 Clear Station

Unit : F11200

11/17/21 10:09:42 Dispatch

11/17/21 10:09:43 Enroute

11/17/21 10:09:49 On-Scene

11/17/21 10:16:06 In-Station

Unit : F11201

11/17/21 10:09:42 Dispatch

11/17/21 10:09:43 Enroute

11/17/21 10:12:34 In-Station

Comments

11/17/2021 10:16:13

Station Cleared : {112 }

11/17/2021 10:16:06 PF: Maycock, Kathryn E

Terminating command

11/17/2021 10:11:54 PF: Rieger, Justin J

Update reviewed by dispatcher- Rieger, Justin J-6207

11/17/2021 10:11:31 PF: Maycock, Kathryn E

Per 11200 / wheat rd command / situation under control / rcl all

11/17/2021 10:09:42 PF: Maycock, Kathryn E

Dispatched: F11200, F11201

Toner Alert Initiated
{112}[F11200][F11201]

11/17/2021 10:09:06 PF: Karcher, Kevin M

Update reviewed by dispatcher- Karcher, Kevin M

11/17/2021 10:09:03 PF: Maycock, Kathryn E

O 11200

Update reviewed by dispatcher- Rieger, Justin J-6207

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/17/2021 10:08:42 PF: Maycock, Kathryn E
O 12206

11/17/2021 10:08:29 PF: Maycock, Kathryn E
R 22201 / 11200

11/17/2021 10:07:08 PF: Rieger, Justin J

Units Recommended: {112 }, {122 }, {435 }, EM11;

Dispatched: {112}, {122}, {435}, EM11

Station Dispatched : {112 }

Toner Alert Initiated

{112}

11/17/2021 10:04:35 PF: Maycock, Kathryn E

Cocina oaxaquena/ fire on stove / 3rd pty to vineland pd w/ language barrier

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000133

Incident Date : 11/16/2021 17:51:39

Incident Information

Location : 527 Forest Grove RD;04

Reported CFS : VEH - Vehicle fire

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 11/16/2021 17:51:39

Stacked Time : 11/16/2021 17:53:09

Acknowledge Time :

On-Scene Time : 11/16/2021 18:00:27

Final CFS : Vehicle fire

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 11/16/2021 17:54:09

Enroute Time : 11/16/2021 17:55:24

Cleared : 11/16/2021 19:22:10

Inc Disposition : Finished

Units

Descr

Unit : 112

11/16/21 17:54:09

Dispatch

11/16/21 19:22:19

Clear Station

Unit : F1122

11/16/21 17:58:59

Dispatch

11/16/21 17:59:00

Enroute

11/16/21 18:03:22

On-Scene

11/16/21 19:22:10

In-Station

Unit : F1126

11/16/21 18:01:19

Dispatch

11/16/21 18:01:19

Enroute

11/16/21 18:03:19

On-Scene

11/16/21 19:22:10

In-Station

Unit : F1125

11/16/21 18:04:16

Dispatch

11/16/21 18:04:16

Enroute

11/16/21 19:22:10

In-Station

Unit : F11200

11/16/21 17:55:24

Dispatch

11/16/21 17:55:24

Enroute

11/16/21 18:00:27

On-Scene

11/16/21 18:04:25

Apply Containment Time

11/16/21 19:22:10

In-Station

Comments

11/16/2021 19:22:19

Station Cleared : {112 }

11/16/2021 18:21:03

PF: Sklar, Gary

ROD MEYER [REDACTED], AND JOE JACKSON NJ STATE FM'S ARE ENRT
45 MIN ETA

11/16/2021 18:19:03

PF: Sklar, Gary

Update reviewed by dispatcher- Sklar, Gary

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/16/2021 18:10:55 PF: Estrada, April L

FIRE DEPT ON SCENE

11/16/2021 18:06:50 PF: Cattell, Matthew J

DIVISION OF FIRE SAFETY CONTACTED / NO ETA

11/16/2021 18:04:16 PF: Nahas, Michael P

Dispatched: F1125

Toner Alert Initiated
{112}[F1125]

11/16/2021 18:04:05 PF: Cattell, Matthew J

Update reviewed by dispatcher- Cattell, Matthew J-6216

11/16/2021 18:03:40 PF: Nahas, Michael P

response from state FM

11/16/2021 18:01:54 PF: Nahas, Michael P

1126 w 4

11/16/2021 18:01:47 PF: Nahas, Michael P

per cmd notify state fire marshall

11/16/2021 18:01:19 PF: Nahas, Michael P

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

11/16/2021 18:01:01 PF: Nahas, Michael P

11200 fully involved, stretch front bumper line when at they arrive

11/16/2021 17:59:13 PF: Nahas, Michael P

1122 w 3

11/16/2021 17:58:59 PF: Nahas, Michael P

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

11/16/2021 17:57:57 PF: Raggio, Douglas A

Per PD fully involved, impinging on the house.

11/16/2021 17:55:24 PF: Nahas, Michael P

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

11/16/2021 17:54:09 PF: Shannon, Scott M

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

11/16/2021 17:53:33

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/16/2021 17:53:09 PF: Tucker, Scott L

Names Added : [REDACTED] ; Caller

11/16/2021 17:51:39 PF: Tucker, Scott L

Car on fire in the drive way

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000132

Incident Date : 11/06/2021 09:47:55

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 11/06/2021 09:47:55

Stacked Time : 11/06/2021 09:49:26

Acknowledge Time :

On-Scene Time : 11/06/2021 09:58:08

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 11/06/2021 09:51:20

Enroute Time : 11/06/2021 09:52:57

Cleared : 11/06/2021 10:06:52

Inc Disposition : Finished

Units

Descr

Unit : 112

11/06/21 9:51:20 Dispatch

Unit : F1126

11/06/21 9:58:29 Dispatch

11/06/21 9:58:29 Enroute

11/06/21 9:59:56 On-Scene

11/06/21 10:02:03 In-Station

Unit : F11200

11/06/21 9:52:56 Dispatch

11/06/21 9:52:57 Enroute

11/06/21 9:58:08 On-Scene

11/06/21 10:06:52 In-Station

Comments

11/06/2021 10:06:38 PF: Maycock, Kathryn E

System reset / sta avail;

11/06/2021 10:02:23 PF: Maycock, Kathryn E

Apt 304 / careless cooking / 1126 and 1221 avail

11/06/2021 10:01:51 PF: Maycock, Kathryn E

O em1100

11/06/2021 10:00:43 PF: Maycock, Kathryn E

O em1100

11/06/2021 09:59:56 PF: Maycock, Kathryn E

O 1126

11/06/2021 09:58:53 PF: Maycock, Kathryn E

11200 / beuna gardens command / 3 st senior housing

11/06/2021 09:58:29 PF: Maycock, Kathryn E

Dispatched: F1126

Toner Alert Initiated

{112}[F1126]

11/06/2021 09:58:15 PF: Maycock, Kathryn E

R 1126 w/3

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/06/2021 09:58:08 O 11200	PF: Maycock, Kathryn E
11/06/2021 09:55:12 R 1221 w/4	PF: Maycock, Kathryn E
11/06/2021 09:52:56 Dispatched: F11200 Toner Alert Initiated {112}[F11200]	PF: Maycock, Kathryn E
11/06/2021 09:52:18 R 11200	PF: Maycock, Kathryn E
11/06/2021 09:51:20 Units Recommended: {112 },{122 }; Dispatched: {112}, {122} Station Dispatched : {112 } Toner Alert Initiated {112}	PF: Rodgers, Michael S
11/06/2021 09:50:07 Toner Alert Initiated, Following tones sent to device - F1 112B - 11-2 Minotola FD 122B - 12-2 East Vineland FD	
11/06/2021 09:49:34 PF# MR6046 , notified with address flag	PF: Rodgers, Michael S
11/06/2021 09:49:27 PF# JS6192 , notified with address flag	PF: Spade, James A Jr
11/06/2021 09:47:55 3rd Flr Rooms 856-697-3074 Frankkin 800-633-2677 op# 3849	PF: Spade, James A Jr

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000131

Incident Date : 11/05/2021 17:49:40

Incident Information

Location : Cumberland RD/Harding HWY;05

Reported CFS : MVCC - Commercial MVC

Initial / Final Alarm Level : 0 : 60 / 0 : 60

Priority Level : 2

Receive Source : 9 - 911 Incoming Calls

Reported Time : 11/05/2021 17:49:40

Stacked Time : 11/05/2021 17:49:40

Acknowledge Time :

On-Scene Time :

Final CFS : Commercial MVC

Primary Unit : F1122

GeoX/GeoY :

Patrol Area : 05

District :

Dispatched Time : 11/05/2021 17:49:41

Enroute Time : 11/05/2021 17:55:09

Cleared : 11/05/2021 18:02:22

Inc Disposition : Recalled

Units

Descr

Unit : 112

11/05/21 17:49:41 Dispatch

Unit : F1122

11/05/21 17:55:08 Dispatch

11/05/21 17:55:09 Enroute

11/05/21 18:02:22 In-Station

Comments

11/05/2021 18:01:41 PF: Sklar, Gary
R 12200

11/05/2021 18:00:41 PF: Sklar, Gary
O 12100

11/05/2021 18:00:10 PF: Sklar, Gary
R 12100

11/05/2021 17:58:49 PF: Sklar, Gary
O 1122

11/05/2021 17:57:56
Toner Alert Initiated, Following tones sent to device - F1
121B - 12-1 Richland FD
122B - 12-2 East Vineland FD

11/05/2021 17:56:35 PF: Gallo, Andrew M
Update reviewed by dispatcher- Gallo, Andrew M

11/05/2021 17:55:32 PF: Gallo, Andrew M
Loc changed from {S Harding HWY/Rt 54;04} to {Harding HWY/Cumberland RD;05}

11/05/2021 17:55:08 PF: Sklar, Gary
Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

11/05/2021 17:54:55 PF: Sklar, Gary
R 1122/3

11/05/2021 17:54:48 PF: Gallo, Andrew M
Update reviewed by dispatcher- Gallo, Andrew M

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/05/2021 17:54:44 PF: Sklar, Gary
FRANKLIN PD ADVISED ITS ON THE BVT SIDE

11/05/2021 17:50:38 PF: Sklar, Gary
NJSP BUENA WAS ALSO ADVISED

11/05/2021 17:49:41 PF: Tucker, Scott L
Units Recommended: Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated
{112}

11/05/2021 17:48:45 PF: Sklar, Gary
TRACTOR & TRAILER

11/05/2021 17:45:59 PF: Sklar, Gary
Names Added : [REDACTED]; Caller

11/05/2021 17:43:49 PF: Sklar, Gary
2 VEHS TT AND TOY SUV 2 PATIENTS FACIAL LACERATIONS

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000130

Incident Date : 11/04/2021 15:09:16

Incident Information

Location	: 105 E Pacific AVE;04	Primary Unit	: F11201
Reported CFS	: ALRM - Fire Alarm System	GeoX/GeoY	:
Initial / Final Alarm Level	: 0 : 1 / 0 : 1	Patrol Area	:
Priority Level	: 3	District	:
Receive Source	: 9 - 911 Incoming Calls	Dispatched Time	: 11/04/2021 15:12:01
Reported Time	: 11/04/2021 15:09:16	Enroute Time	: 11/04/2021 15:14:33
Stacked Time	: 11/04/2021 15:10:25	Cleared	: 11/04/2021 15:25:50
Acknowledge Time	:	Inc Disposition	: Finished
On-Scene Time	: 11/04/2021 15:19:08		
Final CFS	: Fire Alarm System		

Units

Descr

Unit : 112

11/04/21 15:12:01	Dispatch
11/04/21 15:25:52	Clear Station

Unit : F1122

11/04/21 15:20:51	Dispatch
11/04/21 15:20:52	Enroute
11/04/21 15:23:00	On-Scene
11/04/21 15:25:50	In-Station

Unit : F1126

11/04/21 15:17:10	Dispatch
11/04/21 15:17:11	Enroute
11/04/21 15:19:08	On-Scene
11/04/21 15:25:50	In-Station

Unit : F11201

11/04/21 15:14:32	Dispatch
11/04/21 15:14:33	Enroute
11/04/21 15:25:50	In-Station

Comments

11/04/2021 15:25:50	PF: Karcher, Kevin M
u/c	

11/04/2021 15:20:51	PF: Karcher, Kevin M
Dispatched: F1122	
Toner Alert Initiated {112}[F1122]	

11/04/2021 15:17:11	
Toner Alert Initiated {112}[F1126]	
11/04/2021 15:17:10	PF: Karcher, Kevin M
Dispatched: F1126	

11/04/2021 15:14:32	PF: Karcher, Kevin M
Dispatched: F11201	
Toner Alert Initiated	

Call Summary Report

Printed On: 03/07/22 09:17

{112}[F11201]

11/04/2021 15:12:01

PF: Rieger, Justin J

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

11/04/2021 15:11:27

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

11/04/2021 15:10:26

PF: Richards, Bryan D

Names Added : [REDACTED]; Caller

11/04/2021 15:09:16

PF: Richards, Bryan D

NEIGHBOR HEARS AN ALARM AT THE RESD

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000129

Incident Date : 11/02/2021 09:26:55

Incident Information

Location : 714 S Harding HWY,1;04

Reported CFS : FUMEIN - InteriorFumes

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 11/02/2021 09:26:55

Stacked Time : 11/02/2021 09:26:55

Acknowledge Time :

On-Scene Time : 11/02/2021 09:36:34

Final CFS : InteriorFumes

Primary Unit : F11202

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 11/02/2021 09:26:55

Enroute Time : 11/02/2021 09:32:38

Cleared : 11/02/2021 09:45:10

Inc Disposition : Finished

Units

Descr

Unit : 112

11/02/21 9:26:55 Dispatch

11/02/21 9:53:42 Clear Station

Unit : F1122

11/02/21 9:37:31 Dispatch

11/02/21 9:37:32 Enroute

11/02/21 9:41:41 On-Scene

11/02/21 9:45:10 In-Station

Unit : F1126

11/02/21 9:33:52 Dispatch

11/02/21 9:33:52 Enroute

11/02/21 9:36:34 On-Scene

11/02/21 9:45:10 In-Station

Unit : F11202

11/02/21 9:32:37 Dispatch

11/02/21 9:32:38 Enroute

11/02/21 9:36:34 On-Scene

11/02/21 9:45:09 In-Station

Comments

11/02/2021 09:53:42

Station Cleared : {112 }

11/02/2021 09:44:44 PF: Maycock, Kathryn E

Neg findings / sta avail

11/02/2021 09:41:41 PF: Maycock, Kathryn E

O 1122

11/02/2021 09:37:31 PF: Maycock, Kathryn E

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

11/02/2021 09:37:15 PF: Maycock, Kathryn E

R 1122 w/2

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/02/2021 09:36:34 O 1126 / investigating	PF: Maycock, Kathryn E
11/02/2021 09:33:52 Dispatched: F1126 Toner Alert Initiated {112}[F1126]	PF: Maycock, Kathryn E
11/02/2021 09:33:34 R 1126 w/3	PF: Maycock, Kathryn E
11/02/2021 09:32:46 R 11202	PF: Maycock, Kathryn E
11/02/2021 09:32:38 Toner Alert Initiated {112}[F11202]	
11/02/2021 09:32:37 Dispatched: F11202	PF: Maycock, Kathryn E
11/02/2021 09:30:37 R 1102	PF: Maycock, Kathryn E
11/02/2021 09:26:55 Units Recommended: {112 }; Dispatched: {112} Station Dispatched : {112 } Toner Alert Initiated {112}	PF: Shannon, Scott M
11/02/2021 09:24:16 First Neck Buena Unit A Called in by SJ gas interior smell of gas Op2932 SJ GAS 609-561-9000 x3344	PF: Gillen, Sean M

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000128

Incident Date : 11/01/2021 10:26:21

Incident Information

Location	: 320 Wheat RD;04	Primary Unit	: F11200
Reported CFS	: DWEL - Dwelling Fire	GeoX/GeoY	:
Initial / Final Alarm Level	: 0 : 20 / 0 : 20	Patrol Area	: BU
Priority Level	: 2	District	:
Receive Source	: 9 - 911 Incoming Calls	Dispatched Time	: 11/01/2021 10:29:24
Reported Time	: 11/01/2021 10:26:21	Enroute Time	: 11/01/2021 10:29:59
Stacked Time	: 11/01/2021 10:26:50	Cleared	: 11/01/2021 10:43:51
Acknowledge Time	:	Inc Disposition	: Finished
On-Scene Time	: 11/01/2021 10:37:04		
Final CFS	: Dwelling Fire		

Units

Descr

Unit : 112

11/01/21 10:29:24 Dispatch

Unit : F1126

11/01/21 10:35:08 Dispatch

11/01/21 10:35:08 Enroute

11/01/21 10:37:04 On-Scene

11/01/21 10:43:50 In-Station

Unit : F11200

11/01/21 10:29:59 Dispatch

11/01/21 10:29:59 Enroute

11/01/21 10:40:36 In-Station

Unit : F11201

11/01/21 10:33:03 Dispatch

11/01/21 10:33:03 Enroute

11/01/21 10:37:14 On-Scene

11/01/21 10:43:50 In-Station

Comments

11/01/2021 10:43:33 PF: Shannon, Scott M

COMMAND- STATIONS AVAIL

11/01/2021 10:40:07 PF: Shannon, Scott M

COMMAND- HOLD WITH 1126

11/01/2021 10:39:23 PF: Shannon, Scott M

COMMAND- SITUATION UNDERCONTROL

11/01/2021 10:38:43 PF: Rodgers, Michael S Unit: F4356
4356 w/5

11/01/2021 10:36:55 PF: Shannon, Scott M

12201 ON LOC- NOTHING SHOWING- OP AS WHEAT RD COMMAND

11/01/2021 10:36:35 PF: Tucker, Scott L

1191 self dispatched to the assignment

Call Summary Report

Printed On: 03/07/22 09:17

Comments

11/01/2021 10:35:08	PF: Shannon, Scott M
Dispatched: F1126	
Toner Alert Initiated {112}[F1126]	
11/01/2021 10:34:55	PF: Shannon, Scott M
1126 W3	
11/01/2021 10:33:51	
Update reviewed by dispatcher- Nahas, Michael P-5101	
11/01/2021 10:33:09	PF: Shannon, Scott M
1221 W/4	
11/01/2021 10:33:03	PF: Shannon, Scott M
Dispatched: F1221, F11201	
Toner Alert Initiated {112}[F11201]	
11/01/2021 10:32:43	PF: Shannon, Scott M
2ND CALL- CALLER STATED STOVE WAS TURNED OFF- POSS EXTINGUISHED	
11/01/2021 10:30:08	PF: Shannon, Scott M
12206 ON RADIO	
11/01/2021 10:29:59	PF: Shannon, Scott M
Dispatched: F11200	
Toner Alert Initiated {112}[F11200]	
11/01/2021 10:29:25	
Toner Alert Initiated {112}	
11/01/2021 10:29:24	PF: Maycock, Kathryn E
Units Recommended: {112 },{122 },{435 },EM11;	
Dispatched: {112}, {122}, {435}, EM11	
Station Dispatched : {112 }	
11/01/2021 10:28:23	
Toner Alert Initiated, Following tones sent to device - F1	
112B - 11-2 Minotola FD	
122B - 12-2 East Vineland FD	
435A - 43-5 Forest Grove FD	
11/01/2021 10:28:05	PF: Barnett, William S
CALLER WAS GETTING EVERYBODY OUT OF THE HOUSE	
11/01/2021 10:26:50	PF: Barnett, William S
Names Added : [REDACTED]; Caller	
11/01/2021 10:26:21	PF: Barnett, William S
STOVE ON FIRE	
Call Back Information : [REDACTED]	

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000127

Incident Date : 10/30/2021 07:49:27

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 10/30/2021 07:49:27

Stacked Time : 10/30/2021 07:50:34

Acknowledge Time :

On-Scene Time : 10/30/2021 07:55:05

Final CFS : Fire Alarm System

Primary Unit : F1126

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 10/30/2021 07:51:41

Enroute Time : 10/30/2021 07:53:33

Cleared : 10/30/2021 08:06:26

Inc Disposition : Finished

Units

Descr

Unit : 112

10/30/21 7:51:41 Dispatch

Unit : F1126

10/30/21 7:53:33 Dispatch

10/30/21 7:53:33 Enroute

10/30/21 7:55:05 On-Scene

10/30/21 8:06:26 In-Station

Comments

10/30/2021 07:59:16 PF: Germscheid, Edward R

SMOKE FROM BURNT COOKING RECALL 1221

10/30/2021 07:58:02 PF: Germscheid, Edward R

1221 W/6

10/30/2021 07:56:55 PF: Germscheid, Edward R

CMD REPORTING ROOM 325 FOR ACTIVATION

10/30/2021 07:55:47 PF: Germscheid, Edward R

1126 OL NS 3 STRY ASSISTED LIVING

10/30/2021 07:53:52 PF: Germscheid, Edward R

1126 W/5

10/30/2021 07:53:33 PF: Germscheid, Edward R

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

10/30/2021 07:51:41 PF: Richards, Bryan D

Units Recommended: {112 },{122 };

Dispatched: {112}, {122}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

10/30/2021 07:50:56

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

Call Summary Report

Printed On: 03/07/22 09:17

Comments

10/30/2021 07:50:43	PF: Richards, Bryan D
PF# BR5049 , notified with address flag	
10/30/2021 07:50:34	PF: Germscheid, Edward R
PF# ERG5109 , notified with address flag	
10/30/2021 07:49:27	PF: Germscheid, Edward R
3RD FLOOR ROOMS	
PREMISE 856-697-3074	
FRANKLIN ALARM 800-633-2677	
OP 1015	

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000126

Incident Date : 10/30/2021 02:42:35

Incident Information

Location : 731 S Harding HWY;04
Reported CFS : FUMEIN - InteriorFumes
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 10/30/2021 02:42:35
Stacked Time : 10/30/2021 02:42:35
Acknowledge Time :
On-Scene Time : 10/30/2021 02:56:32
Final CFS : InteriorFumes

Primary Unit : F11200
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 10/30/2021 02:42:35
Enroute Time : 10/30/2021 02:44:43
Cleared : 10/30/2021 03:00:52
Inc Disposition : Finished

Units

Unit : 112

10/30/21 2:42:35 Dispatch
10/30/21 3:00:55 Clear Station

Unit : F1122

10/30/21 2:58:11 Dispatch
10/30/21 2:58:12 Enroute
10/30/21 2:58:21 In-Station

Unit : F1126

10/30/21 2:52:51 Dispatch
10/30/21 2:52:51 Enroute
10/30/21 2:56:32 On-Scene
10/30/21 3:00:51 In-Station

Unit : F11200

10/30/21 2:44:42 Dispatch
10/30/21 2:44:43 Enroute
10/30/21 2:56:32 On-Scene
10/30/21 3:00:51 In-Station

Comments

10/30/2021 03:00:55

Station Cleared : {112 }

10/30/2021 03:00:42 PF: Spross, Nicholas J

COMMAND STATION AVAIL.

10/30/2021 02:58:42 PF: Spross, Nicholas J

COMMAND REPORTS SITUATION UNDER CONTROL AT 0258HRS

10/30/2021 02:58:11 PF: Spross, Nicholas J

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

10/30/2021 02:58:03 PF: Spross, Nicholas J

R 1122 W3

Call Summary Report

Printed On: 03/07/22 09:17

Comments

10/30/2021 02:56:57 PF: Spross, Nicholas J
OS 1126; 1 STORY CONVINCE STORE ASSUMING HARDING HWY COMMAND

10/30/2021 02:52:55 PF: Spross, Nicholas J
R 1126 W2

10/30/2021 02:52:51 PF: Spross, Nicholas J
Dispatched: F1126
Toner Alert Initiated
{112}[F1126]

10/30/2021 02:44:42 PF: Spross, Nicholas J
Dispatched: F11200
Toner Alert Initiated
{112}[F11200]

10/30/2021 02:44:30 PF: Spross, Nicholas J
R 11200

10/30/2021 02:42:35 PF: Lawrence, Joseph B
Units Recommended: {112 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated
{112}

10/30/2021 02:40:10 PF: Condo, Robert J
SMELL FROM FREEZER AREA. REQUESTED BY 1173

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000125

Incident Date : 10/23/2021 15:24:18

Incident Information

Location : 600 S Central AVE,N2;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 10/23/2021 15:24:18
Stacked Time : 10/23/2021 15:27:28
Acknowledge Time :
On-Scene Time : 10/23/2021 15:35:22
Final CFS : Fire Alarm System

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 10/23/2021 15:28:40
Enroute Time : 10/23/2021 15:29:14
Cleared : 10/23/2021 15:42:37
Inc Disposition : False Alarm Malfunction

Units

Unit : 112

10/23/21 15:28:40 Dispatch
10/23/21 15:42:47 Clear Station

Unit : F1126

10/23/21 15:33:30 Dispatch
10/23/21 15:33:30 Enroute
10/23/21 15:38:13 On-Scene
10/23/21 15:42:37 In-Station

Unit : F11200

10/23/21 15:29:14 Dispatch
10/23/21 15:29:14 Enroute
10/23/21 15:35:22 On-Scene
10/23/21 15:38:24 Apply Containment Time
10/23/21 15:42:37 In-Station

Unit : F11201

10/23/21 15:30:10 Dispatch
10/23/21 15:30:10 Enroute
10/23/21 15:36:32 On-Scene
10/23/21 15:42:37 In-Station

Comments

10/23/2021 15:42:47
Station Cleared : {112 }
10/23/2021 15:41:39 PF: Gallo, Andrew M
STATION AVAILABLE / TOT MAINT
10/23/2021 15:38:03 PF: Gallo, Andrew M
UNDER CONTROL / FAULTY DETECTOR, ATTEMPTING TO REACH MAINT
10/23/2021 15:37:19 PF: Gallo, Andrew M
SINGLE STORY, MASONRY, MULTI-FAMILY, N/S
10/23/2021 15:33:50 PF: Gallo, Andrew M
1126/5

Call Summary Report

Printed On: 03/07/22 09:17

Comments

10/23/2021 15:33:37 PF: Gallo, Andrew M

EM1100

10/23/2021 15:33:30 PF: Gallo, Andrew M

Dispatched: EM1100, F1126

Toner Alert Initiated
{112}[F1126]

10/23/2021 15:30:10 PF: Gallo, Andrew M

Dispatched: F11201

Toner Alert Initiated
{112}[F11201]

10/23/2021 15:29:54 PF: Gallo, Andrew M

11200, 11201

10/23/2021 15:29:14 PF: Gallo, Andrew M

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

10/23/2021 15:28:41

Toner Alert Initiated
{112}

10/23/2021 15:28:40 PF: Barnett, William S

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

10/23/2021 15:27:55

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

10/23/2021 15:27:28 PF: Kelly, Devon N

Names Added : [REDACTED]; Caller

10/23/2021 15:24:18 PF: Kelly, Devon N

Smoke alarm going off

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000124

Incident Date : 10/22/2021 17:37:22

Incident Information

Location : N Central AVE/N Harding HWY;04

Reported CFS : MVC - Motor Vehicle Crash

Initial / Final Alarm Level : 0 : 60 / 0 : 60

Priority Level : 2

Receive Source : 9 - 911 Incoming Calls

Reported Time : 10/22/2021 17:37:22

Stacked Time : 10/22/2021 17:37:22

Acknowledge Time :

On-Scene Time : 10/22/2021 17:45:23

Final CFS : Motor Vehicle Crash

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 10/22/2021 17:37:23

Enroute Time : 10/22/2021 17:37:48

Cleared : 10/22/2021 18:22:00

Inc Disposition : Finished

Units

Descr

Unit : 112

10/22/21 17:37:23 Dispatch

10/22/21 18:31:17 Clear Station

Unit : F1122

10/22/21 17:42:37 Dispatch

10/22/21 17:42:37 Enroute

10/22/21 17:46:10 On-Scene

10/22/21 18:22:00 In-Station

Unit : F1127

10/22/21 17:46:42 Dispatch

10/22/21 17:46:42 Enroute

10/22/21 17:51:26 On-Scene

10/22/21 18:22:00 In-Station

Unit : F11200

10/22/21 17:37:47 Dispatch

10/22/21 17:37:48 Enroute

10/22/21 17:45:23 On-Scene

10/22/21 18:22:00 In-Station

Comments

10/22/2021 18:31:17

Station Cleared : {112 }

10/22/2021 18:22:03

PF: Kelly, Devon N

both vehicles were towed // one transported to inspira // show all units clear

both vehicles were towed // one transported to inspira // show all units clear

10/22/2021 18:04:27

PF: Tucker, Scott L

Unit: E1191

situation is under control, standing by with police for towing

situation is under control, standing by with police for towing

10/22/2021 17:46:42

PF: Tucker, Scott L

Dispatched: F1127

Dispatched: F1127

Toner Alert Initiated

Call Summary Report

Printed On: 03/07/22 09:17

{112}[F1127]

Toner Alert Initiated

{112}[F1127]

10/22/2021 17:45:58

PF: Tucker, Scott L

Unit: E1191

112200 confirming report has central cmd

112200 confirming report has central cmd

10/22/2021 17:42:37

PF: Tucker, Scott L

Dispatched: F1122

Dispatched: F1122

Toner Alert Initiated

{112}[F1122]

Toner Alert Initiated

{112}[F1122]

10/22/2021 17:38:45

PF: Shannon, Scott M

Unit: E1191

PER PD- BOTH PT CONS

PER PD- BOTH PT CONS

10/22/2021 17:37:47

PF: Tucker, Scott L

Dispatched: F11200

Dispatched: F11200

Toner Alert Initiated

{112}[F11200]

Toner Alert Initiated

{112}[F11200]

10/22/2021 17:37:23

PF: Shannon, Scott M

CAR OVERTURNED

CAR OVERTURNED

Units Recommended: E1191;

Dispatched: E1191, {112}

Units Recommended: E1191;

Dispatched: E1191, {112}

Station Dispatched : {112 }

Station Dispatched : {112 }

Toner Alert Initiated

{112}

Toner Alert Initiated

{112}

10/22/2021 17:37:21

PF: Shannon, Scott M

CAR OVERTURNED

CAR OVERTURNED

10/22/2021 17:37:11

PF: Shannon, Scott M

New Names Added : [REDACTED]; Caller

New Names Added : [REDACTED]; Caller

10/22/2021 17:35:53

PF: Rodgers, Michael S

Names Added : [REDACTED]; Caller

Names Added : [REDACTED]; Caller

10/22/2021 17:34:53

PF: Rodgers, Michael S

Car v motorcycle 2 persons down

Call Summary Report

Printed On: 03/07/22 09:17

Car v motorcycle 2 persons down

Names

Activity	Name	DOB	Address	Phone#
Caller				
Caller				

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000123

Incident Date : 10/22/2021 02:55:05

Incident Information

Location : 600 S Central AVE,N2;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 10/22/2021 02:55:05
Stacked Time : 10/22/2021 02:56:11
Acknowledge Time :
On-Scene Time : 10/22/2021 03:08:38
Final CFS : Fire Alarm System

Primary Unit : F11201
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 10/22/2021 02:56:40
Enroute Time : 10/22/2021 03:01:28
Cleared : 10/22/2021 03:22:03
Inc Disposition : Finished

Units

Unit : 112

10/22/21 2:56:40 Dispatch
10/22/21 3:22:06 Clear Station

Unit : F1126

10/22/21 3:05:04 Dispatch
10/22/21 3:05:05 Enroute
10/22/21 3:08:38 On-Scene
10/22/21 3:22:03 In-Station

Unit : F11201

10/22/21 3:01:28 Dispatch
10/22/21 3:01:28 Enroute
10/22/21 3:22:03 In-Station

Comments

10/22/2021 03:22:06
Station Cleared : {112 }
10/22/2021 03:21:53 PF: Spross, Nicholas J
Station avail.
10/22/2021 03:12:14 PF: Spross, Nicholas J
correction to last entry, situation is under control at 0312hrs
10/22/2021 03:11:51 PF: Spross, Nicholas J
Command reports situation uncontrol
10/22/2021 03:08:35 PF: Spross, Nicholas J
OS 1126 1 story brick mulit familly NSI mult. alarms sounding
10/22/2021 03:05:17 PF: Spross, Nicholas J
R 1126 w2
10/22/2021 03:05:04 PF: Spross, Nicholas J
Dispatched: F1126
Toner Alert Initiated
{112}[F1126]
10/22/2021 03:01:28 PF: Spross, Nicholas J
Dispatched: F11201

Call Summary Report

Printed On: 03/07/22 09:17

Toner Alert Initiated
{112}[F11201]

10/22/2021 02:56:40

PF: Fanslau, Shawn A

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

10/22/2021 02:56:36

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

10/22/2021 02:55:05

PF: Spross, Nicholas J

1174 Req FD for a smoke detector sounding they do not see or smell anything.

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000122

Incident Date : 10/20/2021 11:05:30

Incident Information

Location : Summer AVE/S Central AVE;04

Reported CFS : MVCC - Commercial MVC

Initial / Final Alarm Level : 0 : 60 / 0 : 60

Priority Level : 2

Receive Source : 9 - 911 Incoming Calls

Reported Time : 10/20/2021 11:05:30

Stacked Time : 10/20/2021 11:05:30

Acknowledge Time :

On-Scene Time : 10/20/2021 11:08:45

Final CFS : Commercial MVC

Primary Unit : F11202

GeoX/GeoY :

Patrol Area : HB

District :

Dispatched Time : 10/20/2021 11:05:30

Enroute Time : 10/20/2021 11:06:41

Cleared : 10/20/2021 11:19:14

Inc Disposition : Finished

Units

Descr

Unit : 112

10/20/21 11:05:30 Dispatch

10/20/21 11:19:23 Clear Station

Unit : F1122

10/20/21 11:11:56 Dispatch

10/20/21 11:11:56 Enroute

10/20/21 11:13:38 On-Scene

10/20/21 11:14:10 In-Station

Unit : F11200

10/20/21 11:08:32 Dispatch

10/20/21 11:08:33 Enroute

10/20/21 11:08:45 On-Scene

10/20/21 11:19:14 In-Station

Unit : F11202

10/20/21 11:06:39 Dispatch

10/20/21 11:06:41 Enroute

10/20/21 11:19:14 In-Station

Comments

10/20/2021 11:19:23

Station Cleared : {112 }

10/20/2021 11:11:56

PF: Rieger, Justin J

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

10/20/2021 11:11:30

PF: Rieger, Justin J

Unit: F11200

11200 reporting minor mvc

10/20/2021 11:08:32

PF: Rieger, Justin J

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

10/20/2021 11:08:27

Toner Alert Initiated, Following tones sent to device - F2
127D - E1273

10/20/2021 11:06:53

PF: Gismondi, Ettore J

Box truck vs car

10/20/2021 11:06:40

Toner Alert Initiated
{112}[F11202]

10/20/2021 11:06:39

PF: Rieger, Justin J

Dispatched: F11202

10/20/2021 11:05:31

Toner Alert Initiated
{112}

10/20/2021 11:05:30

PF: Germscheid, Edward R

Units Recommended: E1191;
Dispatched: E1192, {112}

Station Dispatched : {112 }

10/20/2021 11:02:57

PF: Gismondi, Ettore J

Names Added : [REDACTED]; Caller

10/20/2021 11:01:36

PF: Gismondi, Ettore J

2 cars 1pt with poss head injury

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000121

Incident Date : 10/19/2021 20:45:47

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 10/19/2021 20:45:47

Stacked Time : 10/19/2021 20:48:02

Acknowledge Time :

On-Scene Time : 10/19/2021 20:50:46

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 10/19/2021 20:48:39

Enroute Time : 10/19/2021 20:49:48

Cleared : 10/19/2021 21:00:18

Inc Disposition : Finished

Units

Descr

Unit : 112

10/19/21 20:48:39 Dispatch

10/19/21 21:00:20 Clear Station

Unit : F1122

10/19/21 20:51:45 Dispatch

10/19/21 20:51:45 Enroute

10/19/21 20:53:10 On-Scene

10/19/21 21:00:18 In-Station

Unit : F1126

10/19/21 20:50:42 Dispatch

10/19/21 20:50:42 Enroute

10/19/21 20:52:04 On-Scene

10/19/21 21:00:18 In-Station

Unit : F11200

10/19/21 20:49:48 Dispatch

10/19/21 20:49:48 Enroute

10/19/21 20:50:46 On-Scene

10/19/21 21:00:18 In-Station

Comments

10/19/2021 21:00:20

Station Cleared : {112 }

10/19/2021 20:59:32 PF: Ricker, James T

Unit: EM1100

Per command situation under control/ stations available.

10/19/2021 20:55:32 PF: Owens, Kathleen E

1165 CLEAR - BURNED TOAST.

10/19/2021 20:55:02 PF: Breyer, Michael R

Unit: F11200

1221 w2

10/19/2021 20:54:32 PF: Breyer, Michael R

Unit: F11200

Burnt Toast - Apt 306

Call Summary Report

Printed On: 03/07/22 09:17

Comments

10/19/2021 20:51:48 1122 w3	PF: Breyer, Michael R	Unit: F11200
10/19/2021 20:51:45 Dispatched: F1122 Toner Alert Initiated {112}[F1122]	PF: Breyer, Michael R	
10/19/2021 20:51:09 nothing showing 3 story wood frame - arctic ave command	PF: Breyer, Michael R	Unit: F11200
10/19/2021 20:50:42 Dispatched: F1126 Toner Alert Initiated {112}[F1126]	PF: Breyer, Michael R	
10/19/2021 20:50:31 1126 w5	PF: Breyer, Michael R	Unit: F11200
10/19/2021 20:49:48 Dispatched: F11200 Toner Alert Initiated {112}[F11200]	PF: Breyer, Michael R	
10/19/2021 20:48:39 Units Recommended: {112 } , {122 } ; Dispatched: {112}, {122} Station Dispatched : {112 } Toner Alert Initiated {112}	PF: Ricker, James T	
10/19/2021 20:48:35 Toner Alert Initiated, Following tones sent to device - F1 112B - 11-2 Minotola FD 122B - 12-2 East Vineland FD		
10/19/2021 20:48:28 PF# JTR5110 , notified with address flag	PF: Ricker, James T	
10/19/2021 20:48:02 PF# ZC6285 , notified with address flag	PF: Clauser, Zachary R	
10/19/2021 20:45:47 GFA 3RD FLOOR PREM 8566973074 FRANKLIN ALARMS (800) 633 2677 OP 5936 REF 16-3446 KEYHOLDER EN ROUTE	PF: Clauser, Zachary R	

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000120

Incident Date : 10/18/2021 21:37:56

Incident Information

Location : 501 Southwest BLVD;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 10/18/2021 21:37:56
Stacked Time : 10/18/2021 21:37:56
Acknowledge Time :
On-Scene Time : 10/18/2021 21:45:00
Final CFS : Fire Alarm System

Primary Unit : F1126
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 10/18/2021 21:37:56
Enroute Time : 10/18/2021 21:42:46
Cleared : 10/18/2021 21:59:06
Inc Disposition : False Alarm Clear

Units

Unit : 112

10/18/21 21:37:56 Dispatch
10/18/21 21:59:08 Clear Station

Unit : F1122

10/18/21 21:46:17 Dispatch
10/18/21 21:46:17 Enroute
10/18/21 21:47:39 On-Scene
10/18/21 21:54:13 In-Station

Unit : F1126

10/18/21 21:42:45 Dispatch
10/18/21 21:42:46 Enroute
10/18/21 21:45:00 On-Scene
10/18/21 21:53:10 Apply Containment Time
10/18/21 21:59:05 In-Station

Comments

10/18/2021 21:59:08

Station Cleared : {112 }

10/18/2021 21:58:58 PF: Breyer, Michael R

Command confirming address of 504 southwest ave was correct

Command confirming address of 504 southwest ave was correct

10/18/2021 21:53:05 PF: Breyer, Michael R

Incense burning in the basement - light haze

Incense burning in the basement - light haze

10/18/2021 21:47:20 PF: Breyer, Michael R

1122 hydrant

1122 hydrant

10/18/2021 21:46:43 PF: Herzberg, Kevin M

Fd on loc, clear

Fd on loc, clear

10/18/2021 21:46:32 PF: Breyer, Michael R

1122 w2

Call Summary Report

Printed On: 03/07/22 09:17

1122 w2

10/18/2021 21:46:25 PF: Breyer, Michael R

Maintenance on scene - crews investigating

Maintenance on scene - crews investigating

10/18/2021 21:46:17 PF: Breyer, Michael R

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

10/18/2021 21:45:06 PF: Breyer, Michael R

1126 2 story church nothing showing A/B side - West Ave

1126 2 story church nothing showing A/B side - West Ave

10/18/2021 21:42:50 PF: Breyer, Michael R

1126 w5

1126 w5

10/18/2021 21:42:45 PF: Breyer, Michael R

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

10/18/2021 21:37:57

Toner Alert Initiated
{112}

Toner Alert Initiated
{112}

10/18/2021 21:37:56 PF: Clauser, Zachary R

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

10/18/2021 21:35:44 PF: Fanslau, Wayne R

Saiont Michaels Our Lady of Blessed Sacrament
Basement Smoke Det
Franklin alarm

Op 010418
800-633-2677

Saiont Michaels Our Lady of Blessed Sacrament
Basement Smoke Det
Franklin alarm

Op 010418
800-633-2677

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000119

Incident Date : 10/17/2021 11:13:21

Incident Information

Location : Kennedy DR/E Weymouth RD;04

Reported CFS : WIRE - Wires down or Arcing

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 10/17/2021 11:13:21

Stacked Time : 10/17/2021 11:13:21

Acknowledge Time :

On-Scene Time : 10/17/2021 11:21:55

Final CFS : Wires down or Arcing

Primary Unit : F11202

GeoX/GeoY :

Patrol Area : HA

District :

Dispatched Time : 10/17/2021 11:13:21

Enroute Time : 10/17/2021 11:15:59

Cleared : 10/17/2021 12:49:36

Inc Disposition : Finished

Units

Descr

Unit : 112

10/17/21 11:13:21 Dispatch

10/17/21 12:49:42 Clear Station

Unit : F1122

10/17/21 11:19:19 Dispatch

10/17/21 11:19:19 Enroute

10/17/21 11:23:21 On-Scene

10/17/21 12:49:35 In-Station

Unit : F1125

10/17/21 11:23:40 Dispatch

10/17/21 11:23:40 Enroute

10/17/21 11:23:43 On-Scene

10/17/21 12:49:35 In-Station

Unit : F11200

10/17/21 11:21:50 Dispatch

10/17/21 11:21:50 Enroute

10/17/21 11:21:55 On-Scene

10/17/21 12:49:35 In-Station

Unit : F11202

10/17/21 11:15:58 Dispatch

10/17/21 11:15:59 Enroute

10/17/21 12:49:35 In-Station

Comments

10/17/2021 12:49:42

Station Cleared : {112 }

10/17/2021 12:08:12 PF: Germerscheid, Edward R

REQUESTING CONTACT TO BUENA BORO PUBLIC WORKS

10/17/2021 11:58:33 PF: Hadry, Rebecca L

ACE and fire standing by

10/17/2021 11:55:09 PF: Germerscheid, Edward R

PER CMD POWER CUT AND NOW WORKING ON GRASS FIRE

Call Summary Report

Printed On: 03/07/22 09:17

Comments

10/17/2021 11:44:47 ACE O/L	PF: Mehaffey, Ryan R	Unit: ACE
10/17/2021 11:26:33 PER COMMAND CAN HOLD WITH 1122 AND 1125	PF: Germscheid, Edward R	
10/17/2021 11:23:40 Dispatched: F1125 Toner Alert Initiated {112}[F1125]	PF: Germscheid, Edward R	
10/17/2021 11:23:09 POLE # SJ1981B	PF: Germscheid, Edward R	
10/17/2021 11:21:50 Dispatched: F11200 Toner Alert Initiated {112}[F11200]	PF: Germscheid, Edward R	
10/17/2021 11:19:30 1122 W/4	PF: Germscheid, Edward R	
10/17/2021 11:19:19 Dispatched: F1122 Toner Alert Initiated {112}[F1122]	PF: Germscheid, Edward R	
10/17/2021 11:15:58 Dispatched: F11202 Toner Alert Initiated {112}[F11202]	PF: Germscheid, Edward R	
10/17/2021 11:13:22 Toner Alert Initiated {112}		
10/17/2021 11:13:21 Units Recommended: {112 }; Dispatched: {112} Station Dispatched : {112 }	PF: Richards, Bryan D	
10/17/2021 11:12:30 Names Added : [REDACTED] Caller	PF: Gismondi, Ettore J	
10/17/2021 11:10:52 Wires and tree down and grass on fire	PF: Gismondi, Ettore J	

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000118

Incident Date : 10/11/2021 16:29:27

Incident Information

Location : 308 E Pacific AVE;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 10/11/2021 16:29:27
Stacked Time : 10/11/2021 16:31:01
Acknowledge Time :
On-Scene Time : 10/11/2021 16:38:17
Final CFS : Fire Alarm System

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 10/11/2021 16:31:46
Enroute Time : 10/11/2021 16:36:18
Cleared : 10/11/2021 16:40:47
Inc Disposition : False Alarm Clear

Units	Descr
-------	-------

Unit : 112

10/11/21 16:31:46	Dispatch
10/11/21 16:40:52	Clear Station

Unit : F1126

10/11/21 16:36:17	Dispatch
10/11/21 16:36:18	Enroute
10/11/21 16:38:17	On-Scene
10/11/21 16:40:47	In-Station

Unit : F11200

10/11/21 16:36:17	Dispatch
10/11/21 16:36:18	Enroute
10/11/21 16:40:47	In-Station

Comments

10/11/2021 16:40:52	
Station Cleared : {112 }	
10/11/2021 16:40:47	PF: Raggio, Douglas A
Careless cooking.	
10/11/2021 16:37:45	PF: Raggio, Douglas A
1122/4 at station	
10/11/2021 16:36:59	PF: Masoorli, Mark A
Confirm accidental // recall fire // alarm room advised	
10/11/2021 16:36:53	PF: Raggio, Douglas A
PD reporting accidental.	
10/11/2021 16:36:25	PF: Raggio, Douglas A
1126/2	
10/11/2021 16:36:17	PF: Raggio, Douglas A
Dispatched: F11200, F1126	
Toner Alert Initiated {112}[F1126][F11200]	
10/11/2021 16:33:13	PF: Raggio, Douglas A
R 11203	

Call Summary Report

Printed On: 03/07/22 09:17

Comments

10/11/2021 16:31:46 PF: Taylor, Kathy R
Units Recommended: {112 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated
{112}

10/11/2021 16:29:27 PF: Miller, Thomas D
General Fire alarm
856-304-5840
Total Securities alarms
1800 633 2677 #3109

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000117

Incident Date : 10/06/2021 12:00:27

Incident Information

Location : 345 E Weymouth RD;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 10/06/2021 12:00:27
Stacked Time : 10/06/2021 12:00:27
Acknowledge Time :
On-Scene Time : 10/06/2021 12:11:28
Final CFS : Fire Alarm System

Primary Unit : F1126
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 10/06/2021 12:00:27
Enroute Time : 10/06/2021 12:05:26
Cleared : 10/06/2021 12:24:55
Inc Disposition : Finished

Units

Unit : 112

10/06/21 12:00:27 Dispatch

Unit : F1126

10/06/21 12:05:25 Dispatch

10/06/21 12:05:26 Enroute

10/06/21 12:11:28 On-Scene

10/06/21 12:24:54 In-Station

Comments

10/06/2021 12:24:21 PF: Masoorli, Mark A

False alarm

10/06/2021 12:24:17 PF: Germscheid, Edward R

CMD REPORTING ALARM ON TEST COMPANY AVAILABLE

10/06/2021 12:21:43 PF: Germscheid, Edward R

ATTEMPTING TO CONTACT STAFF MEMBER FOR ALARM

10/06/2021 12:10:31 PF: Germscheid, Edward R

CMD REPORTING CONTRACTOR WORKING IN AREA REDUCED SPEED FOR 1126 AND RECALL 122

10/06/2021 12:07:39 PF: Germscheid, Edward R

12201 OL NS WEYMOUTH COMMAND

10/06/2021 12:05:25 PF: Germscheid, Edward R

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

10/06/2021 12:05:07 PF: Germscheid, Edward R

1126 W/3

10/06/2021 12:04:50 PF: Germscheid, Edward R

1221 W/ 3

10/06/2021 12:00:27 PF: Richards, Bryan D

Units Recommended: {112 },{122 };

Dispatched: {112},{122}

Station Dispatched : {112 }

Toner Alert Initiated

Call Summary Report

Printed On: 03/07/22 09:17

{112}

10/06/2021 11:57:53 PF: Germscheid, Edward R
WATER FLOW ALARM
PREMISE 644-420-5074
TELLER ALARM 800-633-2677
OP 10310

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000116

Incident Date : 09/18/2021 03:06:50

Incident Information

Location	: Blackwater Pond/S Brewster RD;04	Primary Unit	: F11200
Reported CFS	: MVCP - Pedestrian Motor Vehicle Crash	GeoX/GeoY	:
Initial / Final Alarm Level	: 0 : 70 / 0 : 70	Patrol Area	:
Priority Level	: 2	District	:
Receive Source	: 9 - 911 Incoming Calls	Dispatched Time	: 09/18/2021 03:06:50
Reported Time	: 09/18/2021 03:06:50	Enroute Time	: 09/18/2021 03:09:20
Stacked Time	: 09/18/2021 03:06:50	Cleared	: 09/18/2021 03:16:03
Acknowledge Time	:	Inc Disposition	: Finished
On-Scene Time	: 09/18/2021 03:14:16		
Final CFS	: Pedestrian Motor Vehicle Crash		

Units

Descr

Unit : 112

09/18/21 3:06:50 Dispatch

Unit : F1122

09/18/21 3:14:33 Dispatch

09/18/21 3:14:33 Enroute

09/18/21 3:16:03 In-Station

Unit : F11200

09/18/21 3:09:20 Dispatch

09/18/21 3:09:20 Enroute

09/18/21 3:14:16 On-Scene

09/18/21 3:16:03 In-Station

Comments

09/18/2021 03:14:33 PF: Gorman, Rachel A

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

09/18/2021 03:13:57 PF: Gorman, Rachel A Unit: F1221
1121 w/ 5

09/18/2021 03:09:20 PF: Gorman, Rachel A

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

09/18/2021 03:06:51

Toner Alert Initiated
{112}

09/18/2021 03:06:50 PF: Condo, Robert J

Units Recommended: {112 }, {122 }, E1191, 51MED;
Dispatched: {112}, {122}, E1191

Station Dispatched : {112 }

09/18/2021 03:05:50 PF: Gorman, Rachel A

Names Added : [REDACTED]; Caller

Call Summary Report

Printed On: 03/07/22 09:17

Comments

09/18/2021 03:04:12 PF: Gorman, Rachel A
Caller advising her boyfriend attempted to get in her car and she hit him black hyundi male complaining of leg pain

Names

Activity	Name	DOB	Address	Phone#
Caller				

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000115

Incident Date : 09/15/2021 19:15:59

Incident Information

Location : 600 S Central AVE,M2;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 09/15/2021 19:15:59
Stacked Time : 09/15/2021 19:18:00
Acknowledge Time :
On-Scene Time : 09/15/2021 19:27:01
Final CFS : Fire Alarm System

Primary Unit : F1126
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 09/15/2021 19:18:52
Enroute Time : 09/15/2021 19:23:49
Cleared : 09/15/2021 19:30:59
Inc Disposition : Finished

Units

Unit : 112

09/15/21 19:18:52 Dispatch
09/15/21 19:31:02 Clear Station

Unit : F1126

09/15/21 19:23:48 Dispatch
09/15/21 19:23:49 Enroute
09/15/21 19:27:01 On-Scene
09/15/21 19:30:59 In-Station

Comments

09/15/2021 19:31:02
Station Cleared : {112 }
09/15/2021 19:30:48 PF: Clauser, Zachary R
PER CMD DEAD BATTERY IN CO DETECT // MAKE STA AVAIL
09/15/2021 19:28:34 PF: Clauser, Zachary R
PER CMD FAULTY DETECTOR // UNDER CONTROL // HOLD EVERYONE IN STATION
09/15/2021 19:28:13 PF: Clauser, Zachary R
1126 OS // 1 STORY MF // // BRICK BUILDING // .NSI // S CENTRAL CMD//
09/15/2021 19:24:05 PF: Clauser, Zachary R
1126 w3 11204 on baord
09/15/2021 19:23:48 PF: Clauser, Zachary R
Dispatched: F1126
Toner Alert Initiated
{112}[F1126]
09/15/2021 19:18:52 PF: Castrataro, Michael A Jr
Units Recommended: {112 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated
{112}

Call Summary Report

Printed On: 03/07/22 09:17

Comments

09/15/2021 19:18:49

Toner Alert Initiated, Following tones sent to device - F1
112A - 11-2 Minotola FD
112B - 11-2 Minotola FD

09/15/2021 19:18:43

PF: Raggio, Douglas A

Caller pressed their medic alert button to notify that their smoke detector was sounding.

09/15/2021 19:15:59

PF: Raggio, Douglas A

AREA OF ACTIVATION: Smoke alarm sounding
ALARM COMPANY: Help Alert
AC PHONE: 877-206-9041
OP: Parker
REF: MHA0636


Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000114

Incident Date : 09/13/2021 18:24:14

Incident Information

Location : 600 S Central AVE,M2;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 09/13/2021 18:24:14
Stacked Time : 09/13/2021 18:25:14
Acknowledge Time :
On-Scene Time : 09/13/2021 18:39:02
Final CFS : Fire Alarm System

Primary Unit : F1126
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 09/13/2021 18:26:35
Enroute Time : 09/13/2021 18:37:00
Cleared : 09/13/2021 18:51:50
Inc Disposition : Finished

Units

Unit : 112

09/13/21 18:26:35 Dispatch
09/13/21 18:51:42 Clear Station

Unit : F1122

09/13/21 18:37:00 Dispatch
09/13/21 18:37:00 Enroute
09/13/21 18:39:02 On-Scene
09/13/21 18:40:31 In-Station

Unit : F1126

09/13/21 18:37:00 Dispatch
09/13/21 18:37:00 Enroute
09/13/21 18:39:06 On-Scene
09/13/21 18:51:50 In-Station

Comments

09/13/2021 18:51:42
Station Cleared : {112 }
09/13/2021 18:47:53 PF: Coulbourn, Connor A
claer fire on scene
09/13/2021 18:40:16 PF: Mehaffey, Ryan R
PER COMMAND- CREWS REPLACING THE BATTERIES, 1122 CAN CLEAR AND RETURN
09/13/2021 18:39:23 PF: Mehaffey, Ryan R
PER 1126 O/L SINGLE STORY MULTI FAMILY BRICK, NS, INVEST
09/13/2021 18:37:59
Toner Alert Initiated
{112}[F1122][F1126]
09/13/2021 18:37:22 PF: Taylor, Kathy R
R 1126 W/4
R 1122 W/3
09/13/2021 18:37:00 PF: Mehaffey, Ryan R
Dispatched: F1126, F1122

Call Summary Report

Printed On: 03/07/22 09:17

Comments

09/13/2021 18:26:35 PF: Germscheid, Edward R

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

09/13/2021 18:25:50

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

09/13/2021 18:24:14 PF: Mehaffey, Ryan R

FIRE ALARM IS BEEPING
HELP ALERT OP# CARTER CB # 877 206 9141

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000113

Incident Date : 09/06/2021 11:01:39

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : R - Radio

Reported Time : 09/06/2021 11:01:39

Stacked Time : 09/06/2021 11:02:58

Acknowledge Time :

On-Scene Time : 09/06/2021 11:05:25

Final CFS : Fire Alarm System

Primary Unit : F11201

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 09/06/2021 11:03:53

Enroute Time : 09/06/2021 11:05:23

Cleared : 09/06/2021 11:21:08

Inc Disposition : False Alarm Clear

Units

Descr

Unit : 112

09/06/21 11:03:53 Dispatch

09/06/21 11:21:11 Clear Station

Unit : F1122

09/06/21 11:10:36 Dispatch

09/06/21 11:10:36 Enroute

09/06/21 11:11:49 On-Scene

09/06/21 11:21:08 In-Station

Unit : F1126

09/06/21 11:08:18 Dispatch

09/06/21 11:08:18 Enroute

09/06/21 11:08:21 On-Scene

09/06/21 11:21:08 In-Station

Unit : F1127

09/06/21 11:14:46 Dispatch

09/06/21 11:14:46 Enroute

09/06/21 11:21:08 In-Station

Unit : F11201

09/06/21 11:05:22 Dispatch

09/06/21 11:05:23 Enroute

09/06/21 11:05:25 On-Scene

09/06/21 11:21:08 In-Station

Comments

09/06/2021 11:21:11

Station Cleared : {112 }

09/06/2021 11:20:11

PF: Tucker, Scott L

Reset asnd holding avail

Reset asnd holding avail

09/06/2021 11:14:46

PF: Tucker, Scott L

Dispatched: F1127

Toner Alert Initiated

{112}[F1127]

Call Summary Report

Printed On: 03/07/22 09:17

Dispatched: F1127

Toner Alert Initiated
{112}[F1127]

09/06/2021 11:14:16

PF: Tucker, Scott L

situation under control, cooking incident

situation under control, cooking incident

09/06/2021 11:13:09

PF: Tucker, Scott L

Oem on loc

Oem on loc

09/06/2021 11:12:03

PF: Tucker, Scott L

Main rep 20min eta

Main rep 20min eta

09/06/2021 11:11:04

PF: Tucker, Scott L

cmd req maint

cmd req maint

09/06/2021 11:10:55

PF: Tucker, Scott L

1126 w6

1122 w3

1126 w6

1122 w3

09/06/2021 11:10:36

PF: Tucker, Scott L

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

09/06/2021 11:08:18

PF: Tucker, Scott L

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

09/06/2021 11:05:23

Toner Alert Initiated
{112}[F11201]

Toner Alert Initiated
{112}[F11201]

09/06/2021 11:05:22

PF: Tucker, Scott L

Dispatched: F11201

Dispatched: F11201

09/06/2021 11:03:53

PF: Shannon, Scott M

Units Recommended: {112 } , {122 } ;

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

Call Summary Report

Printed On: 03/07/22 09:17

{112}
Units Recommended: {112 },{122 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated
{112}

09/06/2021 11:03:21
Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD
Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

09/06/2021 11:01:39 PF: Tucker, Scott L
Caled in by 11201 hold to 11-2 on loc n/s
Caled in by 11201 hold to 11-2 on loc n/s

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000112

Incident Date : 09/04/2021 05:27:03

Incident Information

Location : 213 E Summer RD;04

Reported CFS : ALMC - CO Alarm

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 09/04/2021 05:27:03

Stacked Time : 09/04/2021 05:27:03

Acknowledge Time :

On-Scene Time : 09/04/2021 05:44:10

Final CFS : CO Alarm

Primary Unit : F1126

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 09/04/2021 05:27:03

Enroute Time : 09/04/2021 05:37:42

Cleared : 09/04/2021 05:56:53

Inc Disposition : Finished

Units

Descr

Unit : 112

09/04/21 5:27:03 Dispatch

09/04/21 5:57:10 Clear Station

Unit : F1122

09/04/21 5:47:24 Dispatch

09/04/21 5:47:24 Enroute

09/04/21 5:47:59 In-Station

Unit : F1126

09/04/21 5:37:42 Dispatch

09/04/21 5:37:42 Enroute

09/04/21 5:44:10 On-Scene

09/04/21 5:56:53 In-Station

Comments

09/04/2021 05:57:10

Station Cleared : {112 }

09/04/2021 05:47:34 PF: Lawrence, Joseph B

1122 w/2

09/04/2021 05:47:24 PF: Lawrence, Joseph B

Dispatched: F1122

Toner Alert Initiated

{112}[F1122]

09/04/2021 05:47:03 PF: Lawrence, Joseph B

Bad battery under control avail shortly

09/04/2021 05:38:14 PF: Lawrence, Joseph B

122 recalled per 11204

09/04/2021 05:37:56 PF: Lawrence, Joseph B

1126 w/3

09/04/2021 05:37:42 PF: Lawrence, Joseph B

Dispatched: F1126

Toner Alert Initiated

{112}[F1126]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

09/04/2021 05:35:49

Toner Alert Initiated, Following tones sent to device - F1
122B - 12-2 East Vineland FD

09/04/2021 05:35:08

PF: Lawrence, Joseph B

Retoned for F/F 's

09/04/2021 05:34:52

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

09/04/2021 05:27:03

PF: Lawrence, Joseph B

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

09/04/2021 05:25:59

PF: Lawrence, Joseph B

Names Added : [REDACTED]; Caller

09/04/2021 05:24:43

PF: Lawrence, Joseph B

Detetctor sounding

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000111

Incident Date : 09/04/2021 00:45:48

Incident Information

Location : 802 S Central AVE;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 09/04/2021 00:45:48
Stacked Time : 09/04/2021 00:47:14
Acknowledge Time :
On-Scene Time : 09/04/2021 00:57:26
Final CFS : Fire Alarm System

Primary Unit : F1126
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 09/04/2021 00:47:51
Enroute Time :
Cleared : 09/04/2021 01:16:10
Inc Disposition : Finished

Units

Unit : 112

09/04/21 0:47:51 Dispatch
09/04/21 1:16:17 Clear Station

Unit : F1126

09/04/21 0:54:09 Dispatch
09/04/21 0:57:26 On-Scene
09/04/21 1:16:10 In-Station

Comments

09/04/2021 01:16:17

Station Cleared : {112 }

09/04/2021 01:03:18 PF: Spross, Nicholas J
SITUATION UNDER, HOLDING WITH 1126 WILL BE CLEARING SHORTLY

09/04/2021 00:57:21 PF: Gorman, Rachel A Unit: F1126
1126 on scene

09/04/2021 00:54:16 PF: Gorman, Rachel A Unit: F1126
1126 W/ 4

09/04/2021 00:54:09

Toner Alert Initiated
{112}[F1126]

09/04/2021 00:47:51 PF: Spross, Nicholas J

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

09/04/2021 00:47:49

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

09/04/2021 00:47:14 PF: Fanslau, Shawn A

Names Added : Unknown, [REDACTED]; Caller

Call Summary Report

Printed On: 03/07/22 09:17

Comments

09/04/2021 00:45:48 PF: Fanslau, Shawn A
Apt b
fire alarm sounding does not see or smell anything

Names

Activity	Name	DOB	Address	Phone#
Caller				

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000110

Incident Date : 09/02/2021 05:42:14

Incident Information

Location : 311 S Harding HWY;04

Reported CFS : SERV - Service assignment (Fire)

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 09/02/2021 05:42:14

Stacked Time : 09/02/2021 05:42:51

Acknowledge Time :

On-Scene Time : 09/02/2021 05:55:27

Final CFS : Service assignment (Fire)

Primary Unit : F11202

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 09/02/2021 05:43:49

Enroute Time : 09/02/2021 05:53:37

Cleared : 09/02/2021 06:28:38

Inc Disposition : Finished

Units

Descr

Unit : 112

09/02/21 5:43:49 Dispatch

09/02/21 6:29:11 Clear Station

Unit : F1126

09/02/21 5:57:09 Dispatch

09/02/21 5:57:09 Enroute

09/02/21 6:02:03 On-Scene

09/02/21 6:28:38 In-Station

Unit : F11202

09/02/21 5:53:36 Dispatch

09/02/21 5:53:37 Enroute

09/02/21 5:55:27 On-Scene

09/02/21 6:28:38 In-Station

Comments

09/02/2021 06:29:11

Station Cleared : {112 }

09/02/2021 06:28:57 PF: Breyer, Michael R

Female has been located - FD can clear

09/02/2021 05:58:20 PF: Clauser, Zachary R

1126 w4

09/02/2021 05:57:09 PF: Clauser, Zachary R

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

09/02/2021 05:53:36 PF: Clauser, Zachary R

Dispatched: F11202

Toner Alert Initiated
{112}[F11202]

09/02/2021 05:52:31 PF: Clauser, Zachary R

RESP CHECK NO RESP RETONE

Call Summary Report

Printed On: 03/07/22 09:17

Comments

09/02/2021 05:51:42

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

09/02/2021 05:51:09

PF: Walker, Stephen L

Update reviewed by dispatcher- Walker, Stephen L

09/02/2021 05:44:19

PF: Breyer, Michael R

Command post will be at Martins Catering

09/02/2021 05:43:56

PF: Breyer, Michael R

Loc changed from {514 Martinelli AVE;04} to {311 S Harding HWY;04;Martins Custom Catering;04}

09/02/2021 05:43:49

PF: Fanslau, Wayne R

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

09/02/2021 05:43:47

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

09/02/2021 05:43:43

PF: Breyer, Michael R

police requesting thermal cameras and manpower

09/02/2021 05:42:14

PF: Clauser, Zachary R

Assist pd missing person

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000109

Incident Date : 09/01/2021 23:47:33

Incident Information

Location : 210 Wheat RD;04

Reported CFS : ALMC - CO Alarm

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 09/01/2021 23:47:33

Stacked Time : 09/01/2021 23:48:29

Acknowledge Time :

On-Scene Time : 09/01/2021 23:58:41

Final CFS : CO Alarm

Primary Unit : F11202

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 09/01/2021 23:49:01

Enroute Time : 09/01/2021 23:51:51

Cleared : 09/02/2021 00:07:09

Inc Disposition : Finished

Units

Descr

Unit : 112

09/01/21 23:49:01 Dispatch

09/02/21 0:07:18 Clear Station

Unit : F1126

09/01/21 23:55:24 Dispatch

09/01/21 23:55:24 Enroute

09/01/21 23:58:41 On-Scene

09/02/21 0:07:09 In-Station

Unit : F11202

09/01/21 23:51:51 Dispatch

09/01/21 23:51:51 Enroute

09/01/21 23:58:43 On-Scene

09/02/21 0:07:09 In-Station

Comments

09/02/2021 00:07:18

Station Cleared : {112 }

09/02/2021 00:06:55 PF: Holmstrom, William E

NEGATIVE READING, FAULTY DETECTOR, COMMAND TERMINATED, STATION CLR RETURNING

09/01/2021 23:59:03 PF: Holmstrom, William E

1126 ON SCENE INVESTIGATING; WHEAT RD COMMAND

09/01/2021 23:55:24 PF: Holmstrom, William E

Dispatched: F1126

Toner Alert Initiated

{112}[F1126]

09/01/2021 23:55:11 PF: Holmstrom, William E

1126 W/4

09/01/2021 23:51:51 PF: Holmstrom, William E

Dispatched: F11202

Toner Alert Initiated

{112}[F11202]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

09/01/2021 23:49:01 PF: Fanslau, Wayne R

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

09/01/2021 23:48:59

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

09/01/2021 23:48:29 PF: Ricker, James T

Names Added : [REDACTED]; Caller

09/01/2021 23:47:33 PF: Ricker, James T

AUDIBLE ALARM/ STATED CO ALARM

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000108

Incident Date : 08/30/2021 20:49:40

Incident Information

Location : 1003 S Central AVE;04
Reported CFS : DWEL - Dwelling Fire
Initial / Final Alarm Level : 0 : 20 / 0 : 20
Priority Level : 2
Receive Source : 9 - 911 Incoming Calls
Reported Time : 08/30/2021 20:49:40
Stacked Time : 08/30/2021 20:50:24
Acknowledge Time :
On-Scene Time : 08/30/2021 20:57:49
Final CFS : Dwelling Fire

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 08/30/2021 20:51:05
Enroute Time : 08/30/2021 20:52:46
Cleared : 08/30/2021 22:07:56
Inc Disposition : Finished

Units

Unit : 112

08/30/21 20:51:05 Dispatch

Unit : F1122

08/30/21 21:00:58 Dispatch

08/30/21 21:00:58 Enroute

08/30/21 21:01:10 On-Scene

08/30/21 21:06:47 In-Station

Unit : F1126

08/30/21 20:56:58 Dispatch

08/30/21 20:56:58 Enroute

08/30/21 20:57:49 On-Scene

08/30/21 22:07:56 In-Station

Unit : F1127

08/30/21 21:05:03 Dispatch

08/30/21 21:05:03 Enroute

08/30/21 21:06:47 In-Station

Unit : F11200

08/30/21 20:52:45 Dispatch

08/30/21 20:52:46 Enroute

08/30/21 20:58:45 On-Scene

08/30/21 22:07:56 In-Station

Comments

08/30/2021 21:58:01 PF: Condo, Robert J Unit: EM1100
njfm on scene

08/30/2021 21:16:01 PF: Condo, Robert J
state fire invest

08/30/2021 21:13:30 PF: Condo, Robert J
ventilation in progress. waiting on call from dfs

08/30/2021 21:07:51
Update reviewed by dispatcher- Lawrence, Joseph B

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/30/2021 21:05:52	PF: Condo, Robert J
per cmd recall except 1126 4356	
08/30/2021 21:05:41	PF: Spross, Nicholas J
11200 req DFS to respond JV home by himself, was working on a guitar, had a couple candles lit. Minor damage to house.	
08/30/2021 21:05:03	PF: Condo, Robert J
Dispatched: F1127	
Toner Alert Initiated {112}[F1127]	
08/30/2021 21:04:06	PF: Condo, Robert J
Cmd request state fire Marshall	
08/30/2021 21:03:22	
Update reviewed by dispatcher- Lawrence, Joseph B	
08/30/2021 21:02:19	PF: Condo, Robert J
fire under control	
08/30/2021 21:01:34	
Toner Alert Initiated, Following tones sent to device - F1 119D - 11-9 Buena Boro EMS	
08/30/2021 21:01:30	PF: Condo, Robert J
cmd request bls	
08/30/2021 21:00:58	PF: Condo, Robert J
Dispatched: F1122, F1223	
Toner Alert Initiated {112}[F1122]	
08/30/2021 20:58:44	PF: Condo, Robert J
multiple units on scene nothing showing	
08/30/2021 20:56:58	PF: Condo, Robert J
Dispatched: F1126	
Toner Alert Initiated {112}[F1126]	
08/30/2021 20:56:43	PF: Condo, Robert J
1126 w6	
08/30/2021 20:55:59	PF: Condo, Robert J
1221 w6	
08/30/2021 20:54:45	
Update reviewed by dispatcher- Lawrence, Joseph B	
08/30/2021 20:54:01	PF: Condo, Robert J
4356 w5	
08/30/2021 20:52:45	PF: Condo, Robert J
Dispatched: F11200	
Toner Alert Initiated {112}[F11200]	

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/30/2021 20:52:19

PF: Condo, Robert J

11200 reroute

08/30/2021 20:51:05

PF: Lawrence, Joseph B

Units Recommended: {112 }, {122 }, {435 }, EM11;

Dispatched: {112}, {122}, {435}, EM11

Station Dispatched : {112 }

Toner Alert Initiated

{112}

08/30/2021 20:50:57

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

435A - 43-5 Forest Grove FD

08/30/2021 20:50:25

PF: Fanslau, Shawn A

Names Added : [REDACTED]; Caller

08/30/2021 20:49:40

PF: Fanslau, Shawn A

Room was on fire now believed to be extinguished

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000107

Incident Date : 08/30/2021 15:41:59

Incident Information

Location	: 125 S Central AVE;04	Primary Unit	: F11200
Reported CFS	: STRC - Detached or Out Building Fire	GeoX/GeoY	:
Initial / Final Alarm Level	: 0 : 20 / 0 : 20	Patrol Area	: BU
Priority Level	: 2	District	:
Receive Source	: 9 - 911 Incoming Calls	Dispatched Time	: 08/30/2021 15:42:00
Reported Time	: 08/30/2021 15:41:59	Enroute Time	: 08/30/2021 15:42:37
Stacked Time	: 08/30/2021 15:41:59	Cleared	: 08/30/2021 15:54:43
Acknowledge Time	:	Inc Disposition	: Finished
On-Scene Time	: 08/30/2021 15:46:50		
Final CFS	: Detached or Out Building Fire		

Units

Descr

Unit : 112

08/30/21 15:42:00	Dispatch
08/30/21 15:54:46	Clear Station

Unit : F1126

08/30/21 15:46:38	Dispatch
08/30/21 15:46:39	Enroute
08/30/21 15:48:55	On-Scene
08/30/21 15:54:43	In-Station

Unit : F11200

08/30/21 15:42:37	Dispatch
08/30/21 15:42:37	Enroute
08/30/21 15:46:50	On-Scene
08/30/21 15:54:43	In-Station

Comments

08/30/2021 15:54:46

Station Cleared : {112 }

08/30/2021 15:49:33	PF: Rieger, Justin J	Unit: F11200
---------------------	----------------------	--------------

Fire is out holding to 1226 and 1221

Fire is out holding to 1226 and 1221

08/30/2021 15:47:05	PF: Rieger, Justin J	Unit: F11200
---------------------	----------------------	--------------

11200 o/l nothing showing

11200 o/l nothing showing

08/30/2021 15:46:38	PF: Rieger, Justin J
---------------------	----------------------

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

08/30/2021 15:45:35	PF: Mehaffey, Ryan R
---------------------	----------------------

PER PD- FIRES OUT

PER PD- FIRES OUT

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/30/2021 15:42:37

PF: Rieger, Justin J

Dispatched: F11200

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

Toner Alert Initiated
{112}[F11200]

08/30/2021 15:42:00

PF: Germerscheid, Edward R

Units Recommended: {112 }, {122 }, {435 }, EM11;
Dispatched: {112}, {122}, {435}, EM11

Units Recommended: {112 }, {122 }, {435 }, EM11;
Dispatched: {112}, {122}, {435}, EM11

Station Dispatched : {112 }

Station Dispatched : {112 }

Toner Alert Initiated
{112}

Toner Alert Initiated
{112}

08/30/2021 15:39:44

PF: Mehaffey, Ryan R

Names Added : [REDACTED]; Caller

Names Added : [REDACTED]; Caller

08/30/2021 15:38:27

PF: Mehaffey, Ryan R

LAWN MOWER ON FIRE IN SHED

LAWN MOWER ON FIRE IN SHED

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000106

Incident Date : 08/29/2021 18:22:56

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 08/29/2021 18:22:56

Stacked Time : 08/29/2021 18:23:53

Acknowledge Time :

On-Scene Time : 08/29/2021 18:31:15

Final CFS : Fire Alarm System

Primary Unit : F1126

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 08/29/2021 18:24:54

Enroute Time : 08/29/2021 18:29:56

Cleared : 08/29/2021 18:37:41

Inc Disposition : Finished

Units

Descr

Unit : 112

08/29/21 18:24:54 Dispatch

Unit : F1126

08/29/21 18:29:55 Dispatch

08/29/21 18:29:56 Enroute

08/29/21 18:31:15 On-Scene

08/29/21 18:37:41 In-Station

Comments

08/29/2021 18:37:33 PF: Shannon, Scott M

ALARM RESET- HOLDING. FD CLEAR

08/29/2021 18:35:14 PF: Shannon, Scott M

HOLDING TO 1126

08/29/2021 18:32:51 PF: Shannon, Scott M

RM 113- COOKING MISHAP

08/29/2021 18:31:36 PF: Shannon, Scott M

1126 ON LOC, 3 STRY WOODFRAME- NOTHING SHOWING- INVEST

08/29/2021 18:30:12 PF: Shannon, Scott M

1126 W/3

1222 W/3

08/29/2021 18:29:55 PF: Shannon, Scott M

Dispatched: F1221, F1126

Toner Alert Initiated

{112}[F1126]

08/29/2021 18:25:55 PF: Shannon, Scott M

11202 ON RADIO

08/29/2021 18:24:55

Toner Alert Initiated

{112}

08/29/2021 18:24:54 PF: Tucker, Scott L

Units Recommended: {112 }, {122 };

Dispatched: {112}, {122}

Station Dispatched : {112 }

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/29/2021 18:24:10

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD
122B - 12-2 East Vineland FD

08/29/2021 18:22:56

PF: Shannon, Scott M

1ST FLOOR SMOKE ACTIVATION-
FRANKLIN ALARM- 800-633-2677- OP-6556

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000105

Incident Date : 08/29/2021 13:02:25

Incident Information

Location : 376 Wheat RD,3;04

Reported CFS : VEH - Vehicle fire

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : R - Radio

Reported Time : 08/29/2021 13:02:25

Stacked Time : 08/29/2021 13:02:37

Acknowledge Time :

On-Scene Time : 08/29/2021 13:04:20

Final CFS : Vehicle fire

Primary Unit :

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 08/29/2021 13:04:20

Enroute Time :

Cleared : 08/29/2021 13:04:20

Inc Disposition : Cancelled

Comments

08/29/2021 13:04:20 PF: Karcher, Kevin M

CAN = CANCELLED
DUP

08/29/2021 13:02:25 PF: Karcher, Kevin M

12/2 IRO

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000104

Incident Date : 08/27/2021 08:33:53

Incident Information

Location	: 112 Melini AVE;04	Primary Unit	: F11200
Reported CFS	: DWEL - Dwelling Fire	GeoX/GeoY	:
Initial / Final Alarm Level	: 0 : 20 / 0 : 20	Patrol Area	: BU
Priority Level	: 2	District	:
Receive Source	: 9 - 911 Incoming Calls	Dispatched Time	: 08/27/2021 08:33:54
Reported Time	: 08/27/2021 08:33:53	Enroute Time	: 08/27/2021 08:36:19
Stacked Time	: 08/27/2021 08:33:53	Cleared	: 08/27/2021 08:51:45
Acknowledge Time	:	Inc Disposition	: Finished
On-Scene Time	: 08/27/2021 08:42:39		
Final CFS	: Dwelling Fire		

Units

Descr

Unit : 112

08/27/21 8:33:54	Dispatch
08/27/21 8:51:49	Clear Station

Unit : F1126

08/27/21 8:40:08	Dispatch
08/27/21 8:40:09	Enroute
08/27/21 8:44:10	On-Scene
08/27/21 8:51:44	In-Station

Unit : F11200

08/27/21 8:36:19	Dispatch
08/27/21 8:36:19	Enroute
08/27/21 8:42:39	On-Scene
08/27/21 8:51:44	In-Station

Comments

08/27/2021 08:51:49	
Station Cleared : {112 }	
08/27/2021 08:49:08	PF: Cattell, Matthew J
CMD RELEASING 4356 AND 1221	
08/27/2021 08:48:06	PF: Cattell, Matthew J
CMD - SITUATION U/C - FAULTY WALL AC UNIT	
08/27/2021 08:46:42	PF: Barnett, William S
4352/1	
08/27/2021 08:42:57	PF: Cattell, Matthew J
11200 O/L 2 STORY SFD - NSI / OP AS CMD	
08/27/2021 08:41:52	PF: Barnett, William S
4356/3	
08/27/2021 08:40:08	PF: Cattell, Matthew J
Dispatched: F1126	
Toner Alert Initiated {112}[F1126]	

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/27/2021 08:40:00 PF: Cattell, Matthew J
1126/3

08/27/2021 08:39:06 PF: Cattell, Matthew J
1221/3

08/27/2021 08:36:19 PF: Cattell, Matthew J
Dispatched: F11200
Toner Alert Initiated
{112}[F11200]

08/27/2021 08:33:54 PF: Priggemeier, Bryce A
Units Recommended: {112 },{122 },{435 },EM11;
Dispatched: {112}, {122}, {435}, EM11
Station Dispatched : {112 }
Toner Alert Initiated
{112}

08/27/2021 08:32:21 PF: Tucker, Scott L
Police on location with a smoke condition and an odor

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000103

Incident Date : 08/26/2021 00:43:21

Incident Information

Location : 309 N Harding HWY;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 08/26/2021 00:43:21
Stacked Time : 08/26/2021 00:43:21
Acknowledge Time :
On-Scene Time : 08/26/2021 00:56:49
Final CFS : Fire Alarm System

Primary Unit : F1126
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 08/26/2021 00:43:22
Enroute Time : 08/26/2021 00:49:47
Cleared : 08/26/2021 01:00:42
Inc Disposition : Finished

Units

Unit : 112

08/26/21 0:43:22 Dispatch
08/26/21 1:00:45 Clear Station

Unit : F1126

08/26/21 0:49:47 Dispatch
08/26/21 0:49:47 Enroute
08/26/21 0:56:49 On-Scene
08/26/21 1:00:42 In-Station

Comments

08/26/2021 01:00:45
Station Cleared : {112 }
08/26/2021 00:57:07 PF: Fanslau, Shawn A
1126 1 1/2 story nothing showing investigating as harding hwy command
1126 1 1/2 story nothing showing investigating as harding hwy command
08/26/2021 00:50:11 PF: Fanslau, Shawn A
1126 proceeding reduced speed per the report
1126 proceeding reduced speed per the report
08/26/2021 00:49:53 PF: Fanslau, Shawn A
1126 w 3
1126 w 3
08/26/2021 00:49:47 PF: Fanslau, Shawn A
Dispatched: F1126
Toner Alert Initiated
{112}[F1126]
Dispatched: F1126
Toner Alert Initiated
{112}[F1126]
08/26/2021 00:45:51 PF: Lawrence, Joseph B
Proper pass code from homeowner, request cancel, no reason for alarm
Proper pass code from homeowner, request cancel, no reason for alarm

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/26/2021 00:43:22 PF: Fanslau, Shawn A

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

08/26/2021 00:41:56 PF: Richards, Bryan D

GFA
OPER CR06 / BIANCO / 800-434-4000 RE3F E391892

GFA
OPER CR06 / BIANCO / 800-434-4000 RE3F E391892

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000102

Incident Date : 08/22/2021 11:39:58

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 08/22/2021 11:39:58

Stacked Time : 08/22/2021 11:42:19

Acknowledge Time :

On-Scene Time : 08/22/2021 11:50:06

Final CFS : Fire Alarm System

Primary Unit : F11201

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 08/22/2021 11:44:01

Enroute Time : 08/22/2021 11:45:07

Cleared : 08/22/2021 11:57:09

Inc Disposition : Finished

Units

Descr

Unit : 112

08/22/21 11:44:01 Dispatch

08/22/21 11:57:11 Clear Station

Unit : F1122

08/22/21 11:51:22 Dispatch

08/22/21 11:51:22 Enroute

08/22/21 11:53:11 In-Station

Unit : F1126

08/22/21 11:48:37 Dispatch

08/22/21 11:48:37 Enroute

08/22/21 11:50:06 On-Scene

08/22/21 11:57:09 In-Station

Unit : F11201

08/22/21 11:45:06 Dispatch

08/22/21 11:45:07 Enroute

08/22/21 11:53:15 In-Station

Comments

08/22/2021 11:57:11

Station Cleared : {112 }

08/22/2021 11:53:38 PF: McCormick, David G

Unit: F1126

CMD - ALARM UNDER CONTROL, CARELESS COOKING, RETURNED BALANCE

CMD - ALARM UNDER CONTROL, CARELESS COOKING, RETURNED BALANCE

08/22/2021 11:51:22 PF: McCormick, David G

Dispatched: F1122

Dispatched: F1122

Toner Alert Initiated

{112}[F1122]

Toner Alert Initiated

{112}[F1122]

08/22/2021 11:48:37 PF: McCormick, David G

Dispatched: F1126

Dispatched: F1126

Call Summary Report

Printed On: 03/07/22 09:17

Toner Alert Initiated
{112}[F1126]

Toner Alert Initiated
{112}[F1126]

08/22/2021 11:48:28 PF: McCormick, David G

1126 X 5

1126 X 5

08/22/2021 11:47:55 PF: McCormick, David G

1221 X 6

1221 X 6

08/22/2021 11:45:06 PF: McCormick, David G

Dispatched: F11201

Dispatched: F11201

Toner Alert Initiated
{112}[F11201]

Toner Alert Initiated
{112}[F11201]

08/22/2021 11:44:01 PF: Mehaffey, Ryan R

Units Recommended: {112 } , {122 } ;

Dispatched: {112}, {122}

Units Recommended: {112 } , {122 } ;

Dispatched: {112}, {122}

Station Dispatched : {112 }

Station Dispatched : {112 }

Toner Alert Initiated
{112}

Toner Alert Initiated
{112}

08/22/2021 11:43:09

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

08/22/2021 11:42:19 PF: McCormick, David G

Names Added : [REDACTED] ; Caller

Names Added : [REDACTED] ; Caller

08/22/2021 11:39:58 PF: McCormick, David G

FIRST FLOOR ACTIVATION / CALLED IN BY MAINT MAN WHO IS NOT ON LOCATION, STATES HE GOT A CALL FROM ALARM CO.

FIRST FLOOR ACTIVATION / CALLED IN BY MAINT MAN WHO IS NOT ON LOCATION, STATES HE GOT A CALL FROM ALARM CO.

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000101

Incident Date : 08/17/2021 13:25:46

Incident Information

Location	: 111 S Franklin ST;04	Primary Unit	: F11200
Reported CFS	: DWEL - Dwelling Fire	GeoX/GeoY	:
Initial / Final Alarm Level	: 0 : 20 / 0 : 20	Patrol Area	: BU
Priority Level	: 2	District	:
Receive Source	: 9 - 911 Incoming Calls	Dispatched Time	: 08/17/2021 13:25:46
Reported Time	: 08/17/2021 13:25:46	Enroute Time	: 08/17/2021 13:27:15
Stacked Time	: 08/17/2021 13:25:46	Cleared	: 08/17/2021 14:00:30
Acknowledge Time	:	Inc Disposition	: Finished
On-Scene Time	: 08/17/2021 13:35:14		
Final CFS	: Dwelling Fire		

Units

Descr

Unit : 112

08/17/21 13:25:46	Dispatch
08/17/21 14:00:36	Clear Station

Unit : F1126

08/17/21 13:31:10	Dispatch
08/17/21 13:31:11	Enroute
08/17/21 13:35:14	On-Scene
08/17/21 14:00:30	In-Station

Unit : F1127

08/17/21 13:35:08	Dispatch
08/17/21 13:35:09	Enroute
08/17/21 14:00:30	In-Station

Unit : F11200

08/17/21 13:27:15	Dispatch
08/17/21 13:27:15	Enroute
08/17/21 13:35:22	On-Scene
08/17/21 14:00:30	In-Station

Comments

08/17/2021 14:00:36

Station Cleared : {112 }

08/17/2021 13:46:35	PF: Rieger, Justin J	Unit: F11200
---------------------	----------------------	--------------

Situation under c/o issue with the ac unit

08/17/2021 13:40:30	PF: Rieger, Justin J	Unit: F11200
---------------------	----------------------	--------------

Possible overheated motor on the ac unit

08/17/2021 13:39:27	PF: Rieger, Justin J	Unit: F11200
---------------------	----------------------	--------------

Cmdnd reporting that crews have a smell of something burning in the basement

08/17/2021 13:36:09	PF: Rieger, Justin J	Unit: F11200
---------------------	----------------------	--------------

1221 on the hydrant

08/17/2021 13:35:08	PF: Rieger, Justin J
---------------------	----------------------

Dispatched: F1127

Toner Alert Initiated

Call Summary Report

Printed On: 03/07/22 09:17

{112}[F1127]

08/17/2021 13:33:03
4356/4

PF: Rieger, Justin J

Unit: F11200

08/17/2021 13:31:18
1126/3

PF: Rieger, Justin J

Unit: F11200

08/17/2021 13:31:10
Dispatched: F1126

PF: Rieger, Justin J

Toner Alert Initiated
{112}[F1126]

08/17/2021 13:30:47
POLICE ON SCENE, NO ACTIVE FIRE

PF: McCormick, David G

08/17/2021 13:30:00
1221/4

PF: Rieger, Justin J

Unit: F11200

08/17/2021 13:28:26
12206 on radio

PF: Rieger, Justin J

Unit: F11200

08/17/2021 13:27:15
Dispatched: F11200

PF: Rieger, Justin J

Toner Alert Initiated
{112}[F11200]

08/17/2021 13:25:46
Units Recommended: {112 }, {122 }, {435 }, EM11;
Dispatched: {112}, {122}, {435}, EM11
Station Dispatched : {112 }

PF: Taylor, Kathy R

Toner Alert Initiated
{112}

08/17/2021 13:23:49

PF: Rieger, Justin J

Names Added : [REDACTED]; Caller

08/17/2021 13:22:38

PF: Rieger, Justin J

Smoke from the basement

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000100

Incident Date : 08/12/2021 17:38:53

Incident Information

Location : 105 Irene AVE;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 08/12/2021 17:38:53

Stacked Time : 08/12/2021 17:38:53

Acknowledge Time :

On-Scene Time : 08/12/2021 17:49:21

Final CFS : Fire Alarm System

Primary Unit : F11201

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 08/12/2021 17:38:53

Enroute Time : 08/12/2021 17:41:44

Cleared : 08/12/2021 17:52:12

Inc Disposition : Finished

Units

Descr

Unit : 112

08/12/21 17:38:53 Dispatch

08/12/21 17:52:26 Clear Station

Unit : F1122

08/12/21 17:49:42 Dispatch

08/12/21 17:49:43 Enroute

08/12/21 17:50:34 In-Station

Unit : F1126

08/12/21 17:44:33 Dispatch

08/12/21 17:44:33 Enroute

08/12/21 17:49:21 On-Scene

08/12/21 17:52:11 In-Station

Unit : F11200

08/12/21 17:41:43 Dispatch

08/12/21 17:41:44 Enroute

08/12/21 17:49:26 On-Scene

08/12/21 17:52:11 In-Station

Unit : F11201

08/12/21 17:41:43 Dispatch

08/12/21 17:41:44 Enroute

08/12/21 17:52:11 In-Station

Comments

08/12/2021 17:52:26

Station Cleared : {112 }

08/12/2021 17:51:53 PF: Germscheid, Edward R

STATION AVAILBLE

08/12/2021 17:50:14 PF: Germscheid, Edward R

1126 OL NOTHING SHOWING PLACE SITUATION UNDER CONTROL AND RETURN 1122

08/12/2021 17:49:42 PF: Germscheid, Edward R

Dispatched: F1122

Toner Alert Initiated

Call Summary Report

Printed On: 03/07/22 09:17

{112}[F1122]

08/12/2021 17:49:11

PF: Germscheid, Edward R

1122 W/3

08/12/2021 17:47:28

PF: DeHart, James V IV

Fire is on scene

08/12/2021 17:44:33

PF: Germscheid, Edward R

Dispatched: F1126

Toner Alert Initiated

{112}[F1126]

08/12/2021 17:44:21

PF: Germscheid, Edward R

1126 W/4

08/12/2021 17:41:43

PF: Germscheid, Edward R

Dispatched: F11201, F11200

Toner Alert Initiated

{112}[F11200][F11201]

08/12/2021 17:41:34

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

08/12/2021 17:38:57

Update reviewed by dispatcher- Priggemeier, Bryce A

08/12/2021 17:38:53

PF: Priggemeier, Bryce A

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

08/12/2021 17:37:34

PF: Germscheid, Edward R

RADIO FIRE AND UPLINK FIRE ACTIVATION

08/12/2021 17:35:53

PF: Germscheid, Edward R

SYSTEC OF VINELAND

866-900-5389

PREMISE 856-839-2452

OP 83425

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000099

Incident Date : 08/09/2021 16:49:39

Incident Information

Location : 139 N Brewster RD;04
Reported CFS : BRSH - Brush Fire
Initial / Final Alarm Level : 0 : 1 / 0 : 5
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 08/09/2021 16:49:39
Stacked Time : 08/09/2021 16:49:39
Acknowledge Time :
On-Scene Time : 08/09/2021 16:55:57
Final CFS : Brush Fire

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 08/09/2021 16:49:39
Enroute Time : 08/09/2021 16:50:42
Cleared : 08/09/2021 17:16:48
Inc Disposition : Finished

Units

Unit : 112

08/09/21 16:49:39 Dispatch
08/09/21 17:16:55 Clear Station

Unit : F1122

08/09/21 16:55:38 Dispatch
08/09/21 16:55:38 Enroute
08/09/21 17:02:48 On-Scene
08/09/21 17:13:14 In-Station

Unit : F1126

08/09/21 16:51:25 Dispatch
08/09/21 16:51:25 Enroute
08/09/21 16:55:57 On-Scene
08/09/21 17:16:48 In-Station

Unit : F1125

08/09/21 17:03:45 Dispatch
08/09/21 17:03:45 Enroute
08/09/21 17:08:55 On-Scene
08/09/21 17:13:14 In-Station

Unit : F1127

08/09/21 16:59:18 Dispatch
08/09/21 16:59:19 Enroute
08/09/21 17:04:30 In-Station

Unit : F11200

08/09/21 16:50:42 Dispatch
08/09/21 16:50:42 Enroute
08/09/21 17:01:15 On-Scene
08/09/21 17:12:25 Apply Containment Time
08/09/21 17:16:48 In-Station

Comments

08/09/2021 17:16:55
Station Cleared : {112 }

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/09/2021 17:16:48

CFS from -> SMOK to BRSH

08/09/2021 17:12:25

PF: Holmstrom, William E

Containment Time - F11200

PER COMMAND UNDER CONTROL RETURN EVERYTHING EXCEPT 1126

08/09/2021 17:07:39

PF: Holmstrom, William E

COMMAND ADVISING LIGHTNING STRIKE AT BASE OF FENCE; 25X4' SELF EXTINGUISHED

08/09/2021 17:04:45

PF: Holmstrom, William E

1127 RETURNED AND RESPONDED WITH 1125

08/09/2021 17:04:08

PF: Holmstrom, William E

Loc changed from {510 N Harding HWY;04} to {139 N Brewster RD;04}

08/09/2021 17:03:45

PF: Holmstrom, William E

Dispatched: F1125

Toner Alert Initiated

{112}[F1125]

08/09/2021 17:03:32

PF: Holmstrom, William E

1125 W/2

08/09/2021 17:01:41

PF: Holmstrom, William E

11200 ON LOCATION 139 BREWSTER RD INVESTIGATING, BREWSTER RD COMMAND

08/09/2021 16:59:18

PF: Holmstrom, William E

Dispatched: F1127

Toner Alert Initiated

{112}[F1127]

08/09/2021 16:58:45

PF: Sklar, Gary

1165 CHECKED THE AREA NOTHING IN EVIDENCE

08/09/2021 16:58:20

PF: Holmstrom, William E

1126 ON SCENE 139 BREWSTER INVESTIGATING

08/09/2021 16:57:50

PF: Holmstrom, William E

1126 ADVISING IRO LONG TAN RANCHER ON BREWSTER LEFT OFF RT 40; LIGHTNING STRUCK SOMETHIG

08/09/2021 16:55:53

PF: Holmstrom, William E

1126 SPEAKINHG WITH CALLER

08/09/2021 16:55:44

PF: Holmstrom, William E

11200 IAO WEYMOUTH & BREWSTER INVESTIGATING

08/09/2021 16:55:38

PF: Holmstrom, William E

Dispatched: F1122

Toner Alert Initiated

{112}[F1122]

08/09/2021 16:51:28

PF: Holmstrom, William E

1126 W/3

08/09/2021 16:51:25

PF: Holmstrom, William E

Dispatched: F1126

Toner Alert Initiated

{112}[F1126]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/09/2021 16:50:42

PF: Holmstrom, William E

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

08/09/2021 16:49:40

Toner Alert Initiated
{112}

08/09/2021 16:49:39

PF: Maycock, Kathryn E

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

08/09/2021 16:49:28

PF: Barnett, William S

CALLER THINKS IT WAS FROM A LIGHTING STRIKE

08/09/2021 16:48:29

PF: Barnett, William S

Names Added : [REDACTED]; Caller

08/09/2021 16:46:11

PF: Barnett, William S

CALLER WAS FROM THE ABOVE ADDRESS/ SEE'S SMOKE COMING FROM A FIELD IAO WEYMOUTH AND BREWSTER

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000098

Incident Date : 08/06/2021 00:13:57

Incident Information

Location	: 2252 N Bluebell RD;E		
Reported CFS	: DWEL - Dwelling Fire		
Initial / Final Alarm Level	: 0 : 20 / 0 : 20	Primary Unit	: F1126
Priority Level	: 2	GeoX/GeoY	:
Receive Source	: 9 - 911 Incoming Calls	Patrol Area	: E
Reported Time	: 08/06/2021 00:13:57	District	:
Stacked Time	: 08/06/2021 00:13:57	Dispatched Time	: 08/06/2021 00:21:36
Acknowledge Time	:	Enroute Time	:
On-Scene Time	: 08/06/2021 00:33:25	Cleared	: 08/06/2021 03:24:30
Final CFS	: Dwelling Fire	Inc Disposition	: Finished

Units

Descr

Unit : 112

08/06/21 0:13:58	Dispatch
08/06/21 3:24:31	Clear Station

Unit : F1126

08/06/21 0:21:36	Dispatch
08/06/21 0:21:36	On Assignment
08/06/21 0:33:25	On-Scene
08/06/21 3:24:29	In-Station

Comments

08/06/2021 03:24:31
Station Cleared : {112 }

08/06/2021 01:28:07 PF: Holmstrom, William E
WATER SUPPLY ADVISING TENDER 12-2 WILL BE CLEARING UP ONCE EMPTIED; HOLDING WITH TWP TENDERS, 12-3 & 6717. ALL OTHERS CAN RECALL

08/06/2021 01:18:33 PF: Holmstrom, William E
NOTHING FROM 9101 REGARDING CAN9; COMMAND ASKED FOR CHERRY HILL AND HE ADVISED TO DISREGARD

08/06/2021 01:16:14 PF: Breyer, Michael R
For canteen Staffing between 80-100 total

08/06/2021 01:15:41 PF: Holmstrom, William E
Containment Time - F43501
FIRE UNDER CONTROL W/EXTENSIVE OVERHAUL

08/06/2021 01:08:46
Update reviewed by dispatcher- Breyer, Michael R

08/06/2021 01:08:15 PF: Breyer, Michael R
Fire Coordinators updated of tender task force dispatch at 00:50

08/06/2021 01:07:34 PF: Breyer, Michael R
Everbridge message sent to 9101 requesting canteen approval

08/06/2021 01:06:35 PF: Holmstrom, William E
COMMAND REQUEST CANTEEN

08/06/2021 01:05:11 PF: Holmstrom, William E
43301 ADVISING AND CALLS HIS LOCAL DISPATCH 29-1

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/06/2021 01:04:26	PF: Holmstrom, William E	
WATER SUPPLY ADVISING TENDERS NOT ON SCENE STAGE ON DUTCH MILL AT BLUEBELL.		
08/06/2021 01:02:26	PF: Holmstrom, William E	
COMMAND REQUESTING MAN POWER PULL INFRONT OF 4344		
08/06/2021 01:01:42	PF: Breyer, Michael R	
Covers		
Station 43-4		
Tender 29 / Engine 4311		
Station 43-5		
Tender 1219 / Ladder 1126		
08/06/2021 00:59:13	PF: Holmstrom, William E	
EMERGENCY ACTIVATION FROM 4325-P1 W/NO RESPONSE ON EMERGENCY CHANNEL. COMMAND ADVISED, WATER SUPPLY ADVISING ACCIDENTAL		
08/06/2021 00:58:14	PF: Holmstrom, William E	
4311 CALLED IN ADVISNG THEY WERE AT 43-4		
08/06/2021 00:58:07	PF: Breyer, Michael R	
Tender 29 enroute to 43-4. Engine 4311 also at 43-4		
08/06/2021 00:56:01		
Update reviewed by dispatcher- Mcgarvey, Raymond E		
08/06/2021 00:55:36	PF: Holmstrom, William E	
WATER SUPPLY REQUESTING UPDATE ON COVERS; 4311 / 1126 / 1219 @ 43-5		
08/06/2021 00:55:12	PF: Breyer, Michael R	Unit: F1219
1219 w5		
08/06/2021 00:54:12	PF: Holmstrom, William E	
WATER SUPPLY REQUESTING ROSENHAYNE TO GO TO 43-5 TOP COVER		
08/06/2021 00:51:02	PF: Holmstrom, William E	
COMMAND ADVISING BULK OF FIRE KNOCKED DOWN, STILL UNABLE TO ACCESS FIRE FROM DIVISION D DUE TO ELECTRIC LINES, NO NEED FOR C9 (SPOKE TO HIM ON PHONE) AND REQUEST FOR CTY CFM		
08/06/2021 00:49:50	PF: Holmstrom, William E	
3924 W/2		
08/06/2021 00:47:19	PF: Breyer, Michael R	
Tender 1219 dispatched to backfill the cover		
1234 W/4		
08/06/2021 00:46:01	PF: Holmstrom, William E	
3923 W/2		
08/06/2021 00:44:13	PF: Holmstrom, William E	
WATER SUPPLY ADVISING FILL SITE @ STATION 43-2		
08/06/2021 00:43:37	PF: Holmstrom, William E	
2954 W/3		
08/06/2021 00:39:33	PF: Holmstrom, William E	
DELAYED ENTRY COMMAND ADVISING ACCOUNTABILITY AND SAFETY IN PLACE		
08/06/2021 00:38:08	PF: Holmstrom, William E	
WATER SUPPLY REQUESTING ALL TENDERS ENTER OFF DUTCH MILL RD		

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/06/2021 00:37:38	PF: Holmstrom, William E
WATER SUPPLY REQUESTING FRANKLIN TWP TENDER TASK FORCE AS WELL AS 1222 AS WELL AND 295 TENDER FOR FILL SIDE SOMEWHERE ON COLES MILL RD	
08/06/2021 00:35:19	
Update reviewed by dispatcher- Mcgarvey, Raymond E	
08/06/2021 00:34:20	PF: Breyer, Michael R
C9 called in. He is in Montana with the forest fires. He will be reaching out to additional unit.	
08/06/2021 00:28:57	PF: Holmstrom, William E
4322 W/2	
08/06/2021 00:28:18	PF: Holmstrom, William E
4334 W/4	
08/06/2021 00:27:11	PF: Holmstrom, William E
COMMAND ADVISED WORKING ON SAFETY AND ACCOUNTABILITY	
08/06/2021 00:24:52	PF: Holmstrom, William E
ACE RECONTACTED FOR UPDATED ETA; STILL TRYING TO GET SOMEONE IN, WILL KEEP POSTED	
08/06/2021 00:23:14	PF: Holmstrom, William E
COMMAND REPORTING DELUGE GUN IN SERVICE W/2 1" 3/4 HANDLINES MAKING GOOD PROGRESS	
08/06/2021 00:22:40	
Update reviewed by dispatcher- Mcgarvey, Raymond E	
08/06/2021 00:21:36	PF: Breyer, Michael R
Reason:CV Units On Cover:F1126;	
08/06/2021 00:21:01	PF: Holmstrom, William E
4338 W/2 & 4341 W/3	
08/06/2021 00:20:40	PF: Holmstrom, William E
COMMAND REPORTING FIRE THRU OUT, NO PRIMARY SEARCH DUE TO EXTENT OF FIRE	
08/06/2021 00:20:03	
Update reviewed by dispatcher- Walker, Stephen L	
08/06/2021 00:18:50	PF: Holmstrom, William E
43301 TAKING WATER SUPPLY	
08/06/2021 00:18:22	PF: Holmstrom, William E
4331 W/3 4812 W/4	
08/06/2021 00:17:44	PF: Fanslau, Wayne R
Cumberland Ladder 4 w/ 5	
08/06/2021 00:16:44	PF: Breyer, Michael R
R 11200 / R 12206 for cover	
08/06/2021 00:16:11	PF: Holmstrom, William E
4312 W/2 & 4321 W/2	
08/06/2021 00:15:24	PF: Holmstrom, William E
4336 W/6	

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/06/2021 00:14:22 4358 W/2	PF: Holmstrom, William E
08/06/2021 00:14:00 COMMAND REQUESTING REMAINDER TENDERS FROM TWP NOT ALREADY DISPATCHED	PF: Holmstrom, William E
08/06/2021 00:13:58 Reason:CV Units On Cover:{112}; Station OnAssignment/Cover : {112 }	PF: Mcgarvey, Raymond E
08/06/2021 00:13:56 COMMAND REQUESTING REMAINDER TENDERS FROM TWP NOT ALREADY DISPATCHED	PF: Holmstrom, William E
08/06/2021 00:13:34 Everbridge to C9 group for a response	PF: Breyer, Michael R
08/06/2021 00:13:21 4344 W/5	PF: Holmstrom, William E
08/06/2021 00:13:02 4344 W/5	PF: Holmstrom, William E
08/06/2021 00:12:24 C-9 BEING REQUESTING HOUSE 800 FEET OFF ROADWAY IN WOODS	PF: Holmstrom, William E
08/06/2021 00:11:40 COMMAND REPORTING 1 1/2 DWELLING HEAVY FIRE A/B/D DIVISIONS, REQUESTING ACE FOR LIVE WIRES, POLICE REPORTING VACANT DWELLING	PF: Holmstrom, William E
08/06/2021 00:11:31 Sjgas notified/ op; 4094 25-30min eta	PF: Ricker, James T
08/06/2021 00:11:02 Fire coordinators advised Everbridge to FM43 group	PF: Breyer, Michael R
08/06/2021 00:10:43 4351 W/3	PF: Holmstrom, William E
08/06/2021 00:10:23 Dispatched: F4351, F43301	PF: Holmstrom, William E
08/06/2021 00:09:22 Wires down Pole to house per PD	PF: Fanslau, Wayne R
08/06/2021 00:08:03 Approx 200 ft into woods	PF: Fanslau, Wayne R
08/06/2021 00:06:59 Dispatched: F4352	PF: Holmstrom, William E
08/06/2021 00:06:39 4352 W/4	PF: Holmstrom, William E
08/06/2021 00:05:23 2252 n blue bell fully involved per police	PF: Ricker, James T

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/06/2021 00:02:23 PF: Holmstrom, William E
Dispatched: F43501

08/05/2021 23:58:40 PF: Ricker, James T
Names Added : [REDACTED]; Caller

08/05/2021 23:57:06 PF: Ricker, James T
In the area of/ Large amount of smoke in area/ does see fire but unsure if it is a bonfire/ stated far back in the woods/ caller not on location just passerby

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000097

Incident Date : 08/05/2021 21:27:26

Incident Information

Location : 114 W Arctic AVE,105;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 08/05/2021 21:27:26
Stacked Time : 08/05/2021 21:29:00
Acknowledge Time :
On-Scene Time : 08/05/2021 21:37:54
Final CFS : Fire Alarm System

Primary Unit : F11200
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 08/05/2021 21:30:41
Enroute Time : 08/05/2021 21:32:11
Cleared : 08/05/2021 21:53:26
Inc Disposition : Finished

Units

Unit : 112

08/05/21 21:30:41 Dispatch
08/05/21 21:53:29 Clear Station

Unit : F1122

08/05/21 21:40:00 Dispatch
08/05/21 21:40:00 Enroute
08/05/21 21:42:07 In-Station

Unit : F1126

08/05/21 21:36:39 Dispatch
08/05/21 21:36:40 Enroute
08/05/21 21:38:23 On-Scene
08/05/21 21:53:26 In-Station

Unit : F11200

08/05/21 21:32:10 Dispatch
08/05/21 21:32:11 Enroute
08/05/21 21:37:54 On-Scene
08/05/21 21:53:26 In-Station

Comments

08/05/2021 21:53:29
Station Cleared : {112 }
08/05/2021 21:43:47
Update reviewed by dispatcher- Walker, Stephen L
08/05/2021 21:42:59 PF: Holmstrom, William E
Loc changed from {114 W Arctic AVE,COMPLEX;04} to {114 W Arctic AVE,105;04;Buena Gardens Senior Housing Apt 105;04}
08/05/2021 21:42:36
Update reviewed by dispatcher- Holmstrom, William E
08/05/2021 21:41:32 PF: Holmstrom, William E
COMMAND AVISING CONFIRMED COOKING INCIDENT, SITUATION UNDER CONTROL, HOLD TO 1126 RETURN BALANNCE
08/05/2021 21:40:28 PF: McMahon, Edward J
tot fd

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/05/2021 21:40:18 PF: Holmstrom, William E

COMMAND REPORTING COOKING INCIDENT RM 105 CREWS INVESTIGATING

08/05/2021 21:40:00 PF: Holmstrom, William E

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

08/05/2021 21:39:38 PF: Holmstrom, William E

1122 W/3

08/05/2021 21:38:47 PF: Holmstrom, William E

11200 ON LOCATION 3 STORY SENIOR NOTHING SHOWING INVESTIGATING, ARTIC AVE COMMAND

08/05/2021 21:37:49 PF: Holmstrom, William E

1221 W/4

08/05/2021 21:36:39 PF: Holmstrom, William E

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

08/05/2021 21:36:32 PF: Holmstrom, William E

1126 /4

08/05/2021 21:33:04 PF: Holmstrom, William E

R 12206

08/05/2021 21:32:10 PF: Holmstrom, William E

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

08/05/2021 21:30:41 PF: MCGarvey, Raymond E

Units Recommended: {112 },{122 };

Dispatched: {112}, {122}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

08/05/2021 21:30:38

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

08/05/2021 21:27:26 PF: Breyer, Michael R

First floor rooms

premise 856-697-3074

operator 10052

alarm company Franklin Alarms 800-633-2677

Alarm company spoke to pat on scene -requesting a response - unknown reason for activation

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000096

Incident Date : 08/05/2021 14:35:11

Incident Information

Location	: 577 Salem AVE;E	Primary Unit	: F1126
Reported CFS	: DWEL - Dwelling Fire	GeoX/GeoY	:
Initial / Final Alarm Level	: 0 : 20 / 0 : 20	Patrol Area	: E
Priority Level	: 2	District	:
Receive Source	: 9 - 911 Incoming Calls	Dispatched Time	: 08/05/2021 14:44:25
Reported Time	: 08/05/2021 14:35:11	Enroute Time	: 08/05/2021 14:44:27
Stacked Time	: 08/05/2021 14:35:11	Cleared	: 08/05/2021 15:39:04
Acknowledge Time	:	Inc Disposition	: Finished
On-Scene Time	: 08/05/2021 14:53:53		
Final CFS	: Dwelling Fire		

Units

Descr

Unit : 112

08/05/21 14:35:13 Dispatch

Unit : F1126

08/05/21 14:44:25 Dispatch

08/05/21 14:44:27 Enroute

08/05/21 14:53:53 On-Scene

08/05/21 15:39:04 In-Station

Unit : F11200

08/05/21 14:54:08 Dispatch

08/05/21 14:54:08 On-Scene

08/05/21 15:39:04 In-Station

Comments

08/05/2021 15:12:58 PF: Shannon, Scott M
4812-48101 TO COVER AT 43-4

08/05/2021 15:06:04 PF: Shannon, Scott M
COMMAND- VENTILATION IN PROGRESS

08/05/2021 14:57:57
Update reviewed by dispatcher- Gallo, Andrew M

08/05/2021 14:57:34 PF: Rodgers, Michael S Unit: F4311
4311 at 43-5 for cover

08/05/2021 14:54:58 PF: Cattell, Matthew J
1126 / 11200 / 1221 O/L STA 43-5

08/05/2021 14:54:08
Toner Alert Initiated
{112}[F11200]

08/05/2021 14:52:33 PF: Shannon, Scott M
COMMAND- FIRE UNDERCONTROL

08/05/2021 14:52:07 PF: Shannon, Scott M
COMMAND-

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/05/2021 14:51:48	PF: Shannon, Scott M	
COMMAND- MANPOWER POOL DIV A- STREETSIDE		
08/05/2021 14:51:14	PF: Shannon, Scott M	
STAFFING FOR THIS ASSIGNMENT:		
4352-5		
4344-2		
4351-2		
4342-1		
VINELAND LAD4-4		
4358-2		
4812-3		
4336-4		
4331-2		
4321-2		
4341-2		
4347-1		
4338-2		
08/05/2021 14:48:21	PF: Shannon, Scott M	
15 MIN UPDATE: 1 LINE IN SERVICE- NO FIRE IN HOUSE STILL		
SAFETY AND ACCOUNTABILITY IN PLACE. NO NEED FOR COORDINATOR		
4 ENGINES		
4 TENDERS		
2 LADDERS		
1 RESCUE		
08/05/2021 14:45:15	PF: Shannon, Scott M	
FM-431 IS ALSO ON LOC, PER 43301		
08/05/2021 14:44:26		
Toner Alert Initiated		
{112}[F1126]		
08/05/2021 14:44:25	PF: Cattell, Matthew J	
Dispatched: F1126		
08/05/2021 14:44:02	PF: Cattell, Matthew J	
1126/3 TO THE COVER		
08/05/2021 14:42:44	PF: Cattell, Matthew J	
1221/3 TO THE COVER		
08/05/2021 14:41:26		
Toner Alert Initiated, Following tones sent to device - F1		
112B - 11-2 Minotola FD		
08/05/2021 14:37:17	PF: Shannon, Scott M	
ALL OCCUPANTS ACCOUNTED FOR		
08/05/2021 14:36:40	PF: Shannon, Scott M	
COMMAND- PRIMARY SEARCH COMPLETE		
08/05/2021 14:35:55	PF: Tucker, Scott L	Unit: FM43
ACE notified no eta		
08/05/2021 14:35:38	PF: Shannon, Scott M	
VINELAND LADDER 4 TO BACK IN THE DRIVEWAY		
08/05/2021 14:35:27	PF: Rodgers, Michael S	Unit: RT5604
Vineland ladder 4 w/4 in rte		

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/05/2021 14:35:13 PF: Barnett, William S
Reason:CV
Units On Cover:{112};
Station OnAssignment/Cover : {112 }

08/05/2021 14:35:04 PF: Cattell, Matthew J
FM43 IS ENR - REQ PAGE FM43-1 (43301)

08/05/2021 14:33:49 PF: Shannon, Scott M
COMMAND- INTERIOR CREWS IN THE ATTIC, NEGATIVE FIRE IN THE ATTIC- ALL IS CONTAINED TO SOLAR PANELS ATT

08/05/2021 14:32:10 PF: Shannon, Scott M
COMMAND- SOLAR PANELS ARE DISCONNECTED FROM ELECTRICAL PANEL.

08/05/2021 14:30:22 PF: Shannon, Scott M
4344 on loc, 2 stry split level- fire showing on the roof- spreading into attic, upgrade assignment.

08/05/2021 14:30:01 PF: Shannon, Scott M
Dispatched: F4358

08/05/2021 14:28:03 PF: Gallo, Andrew M
police report visible fire on roof

08/05/2021 14:25:15 PF: Shannon, Scott M
Dispatched: F4351

08/05/2021 14:21:41 PF: Shannon, Scott M
Dispatched: F4352

08/05/2021 14:19:06 PF: Shannon, Scott M
43504

08/05/2021 14:18:43 PF: Gallo, Andrew M
Vineland requested

08/05/2021 14:17:17 PF: Cattell, Matthew J
CALLER WAS NEIGHBOR - MADE CONTACT WITH RESIDENTS AND THEY WERE EVACUATING

08/05/2021 14:16:13 PF: Cattell, Matthew J
ON THE ROOF

08/05/2021 14:16:03 PF: Cattell, Matthew J
Names Added : [REDACTED]; Caller

08/05/2021 14:15:08 PF: Cattell, Matthew J
SOLAR PANELS ON FIRE ON THE FIRE

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000095

Incident Date : 08/04/2021 22:29:52

Incident Information

Location : 1105 S Central AVE;04
Reported CFS : WIRE - Wires down or Arcing
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 08/04/2021 22:29:52
Stacked Time : 08/04/2021 22:30:59
Acknowledge Time :
On-Scene Time : 08/04/2021 22:35:37
Final CFS : Wires down or Arcing

Primary Unit : F1126
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 08/04/2021 22:31:22
Enroute Time : 08/04/2021 22:33:46
Cleared : 08/04/2021 23:07:25
Inc Disposition : Finished

Units	Descr
-------	-------

Unit : 112

08/04/21 22:31:22	Dispatch
08/04/21 23:07:26	Clear Station

Unit : F1122

08/04/21 22:33:46	Dispatch
08/04/21 22:33:46	Enroute
08/04/21 22:35:37	On-Scene
08/04/21 23:07:25	In-Station

Unit : F1126

08/04/21 22:33:46	Dispatch
08/04/21 22:33:46	Enroute
08/04/21 22:36:23	On-Scene
08/04/21 23:07:25	In-Station

Unit : F1127

08/04/21 22:36:02	Dispatch
08/04/21 22:36:02	Enroute
08/04/21 22:39:47	On-Scene
08/04/21 23:07:25	In-Station

Comments

08/04/2021 22:41:23	PF: Breyer, Michael R	Unit: ACE
ACE advised		
08/04/2021 22:37:17	PF: Breyer, Michael R	
Pole - ACE FJI433B		
08/04/2021 22:36:02	PF: Breyer, Michael R	
Dispatched: F1127		
Toner Alert Initiated {112}[F1127]		
08/04/2021 22:33:46	PF: Breyer, Michael R	
Dispatched: F1126, F1122		
Toner Alert Initiated {112}[F1122][F1126]		

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/04/2021 22:33:35

PF: Breyer, Michael R

1126 w5

08/04/2021 22:31:22

PF: Fanslau, Wayne R

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

08/04/2021 22:31:20

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

08/04/2021 22:31:14

PF: DeAngelo, Anthony M

caller still has power to her residence

08/04/2021 22:30:59

PF: DeAngelo, Anthony M

Names Added : [REDACTED]; Caller

08/04/2021 22:29:52

PF: DeAngelo, Anthony M

Electric pole and transformer sparking in front of her residence

Call Back Information : [REDACTED]

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000094

Incident Date : 08/04/2021 21:47:10

Incident Information

Location : 206 S Franklin ST;04
Reported CFS : WIRE - Wires down or Arcing
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 08/04/2021 21:47:10
Stacked Time : 08/04/2021 21:47:10
Acknowledge Time :
On-Scene Time : 08/04/2021 21:53:02
Final CFS : Wires down or Arcing

Primary Unit : F1126
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 08/04/2021 21:47:11
Enroute Time : 08/04/2021 21:49:12
Cleared : 08/04/2021 22:13:23
Inc Disposition : Finished

Units

Unit : 112

08/04/21 21:47:11 Dispatch
08/04/21 22:13:27 Clear Station

Unit : F1122

08/04/21 21:49:12 Dispatch
08/04/21 21:49:12 Enroute
08/04/21 21:53:02 On-Scene
08/04/21 22:03:31 In-Station

Unit : F1126

08/04/21 21:52:38 Dispatch
08/04/21 21:52:38 Enroute
08/04/21 21:56:04 On-Scene
08/04/21 22:03:24
08/04/21 22:13:22 In-Station

Comments

08/04/2021 22:13:27
Station Cleared : {112 }
08/04/2021 22:05:26 PF: McMahon, Edward J
Ac elect in loc
08/04/2021 22:03:24 PF: Breyer, Michael R
Unit Changed to Prime - F1126
08/04/2021 22:03:10 PF: Breyer, Michael R
under control - holding to 1126
08/04/2021 22:00:38 PF: Breyer, Michael R
ACE on scene
08/04/2021 21:58:01 PF: Breyer, Michael R
ACE advised - Operator Sheryl
08/04/2021 21:55:45 PF: Breyer, Michael R
Pole to pole
Pole Number - SJ1134B
Blown Transformer on top

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/04/2021 21:52:38

PF: Breyer, Michael R

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

08/04/2021 21:49:12

PF: Breyer, Michael R

Dispatched: F1122

Toner Alert Initiated
{112}[F1122]

08/04/2021 21:47:11

PF: Fanslau, Wayne R

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

08/04/2021 21:46:40

PF: Mcgarvey, Raymond E

Names Added : [REDACTED]; Caller

08/04/2021 21:44:32

PF: Mcgarvey, Raymond E

Transformer blew wires arching power is out

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000093

Incident Date : 08/02/2021 18:41:52

Incident Information

Location : 1635 Forest Grove RD;E
Reported CFS : COVR - Cover Assignment
Initial / Final Alarm Level : 0 : 30 / 0 : 30
Priority Level : 3
Receive Source :
Reported Time : 08/02/2021 18:41:52
Stacked Time : 08/02/2021 18:41:52
Acknowledge Time :
On-Scene Time : 08/02/2021 18:47:39
Final CFS : Cover Assignment

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : E
District :
Dispatched Time : 08/02/2021 18:41:52
Enroute Time : 08/02/2021 18:47:36
Cleared : 08/02/2021 22:16:52
Inc Disposition : Finished

Units

Unit : 112

08/02/21 18:41:52 Dispatch
08/02/21 22:16:57 Clear Station

Unit : F1126

08/02/21 18:48:24 Dispatch
08/02/21 18:48:25 Enroute
08/02/21 18:48:28 On-Scene
08/02/21 22:16:52 In-Station

Unit : F11200

08/02/21 18:47:35 Dispatch
08/02/21 18:47:36 Enroute
08/02/21 18:47:39 On-Scene
08/02/21 22:16:52 In-Station

Comments

08/02/2021 22:16:57

Station Cleared : {112 }

08/02/2021 18:55:14 PF: Fanslau, Shawn A Unit: F11200
per 11200 since they are also covering station 48-1 they will be moving to station 43-5

08/02/2021 18:49:06 PF: Fanslau, Shawn A Unit: F11200
1126 staffing of 3

08/02/2021 18:48:44 PF: Fanslau, Shawn A Unit: F11200
11200 1126 covering from station 11-2

08/02/2021 18:48:24 PF: Fanslau, Shawn A
Dispatched: F1126
Toner Alert Initiated
{112}[F1126]

08/02/2021 18:47:35 PF: Fanslau, Shawn A
Dispatched: F11200
Toner Alert Initiated
{112}[F11200]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/02/2021 18:41:52 PF: Mehaffey, Ryan R
Units Recommended: {435 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated
{112}

08/02/2021 18:40:51 PF: Mehaffey, Ryan R
11-2 cover 43-5

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000092

Incident Date : 08/02/2021 03:06:53

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 08/02/2021 03:06:53

Stacked Time : 08/02/2021 03:08:15

Acknowledge Time :

On-Scene Time : 08/02/2021 03:18:24

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 08/02/2021 03:09:07

Enroute Time : 08/02/2021 03:11:24

Cleared : 08/02/2021 03:28:19

Inc Disposition : False Alarm Clear

Units

Descr

Unit : 112

08/02/21 3:09:07 Dispatch

08/02/21 3:28:21 Clear Station

Unit : F1122

08/02/21 3:19:48 Dispatch

08/02/21 3:19:48 Enroute

08/02/21 3:21:23 On-Scene

08/02/21 3:24:02 In-Station

Unit : F1126

08/02/21 3:16:39 Dispatch

08/02/21 3:16:39 Enroute

08/02/21 3:18:24 On-Scene

08/02/21 3:28:18 In-Station

Unit : F11200

08/02/21 3:11:24 Dispatch

08/02/21 3:11:24 Enroute

08/02/21 3:18:27 On-Scene

08/02/21 3:28:18 In-Station

Comments

08/02/2021 03:28:21

Station Cleared : {112 }

08/02/2021 03:22:57

PF: Breyer, Michael R

apartment 208 - cooking mishap - holding with 1126

apartment 208 - cooking mishap - holding with 1126

08/02/2021 03:19:48

PF: Breyer, Michael R

Dispatched: F1122

Dispatched: F1122

Toner Alert Initiated

{112}[F1122]

Toner Alert Initiated

{112}[F1122]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/02/2021 03:19:40	PF: Breyer, Michael R
1122 w2	
1122 w2	
08/02/2021 03:18:32	PF: Breyer, Michael R
3 story senior complex - nothing showing a division - arctic ave command	
3 story senior complex - nothing showing a division - arctic ave command	
08/02/2021 03:17:04	PF: Breyer, Michael R
1221 w2	
1221 w2	
08/02/2021 03:16:39	PF: Breyer, Michael R
Dispatched: F1126	
Dispatched: F1126	
Toner Alert Initiated {112}[F1126]	
Toner Alert Initiated {112}[F1126]	
08/02/2021 03:16:09	PF: Walker, Stephen L
2ND SIGNAL FOR 2ND FLOOR SMOKE // OPR 5173	
2ND SIGNAL FOR 2ND FLOOR SMOKE // OPR 5173	
08/02/2021 03:11:24	PF: Breyer, Michael R
Dispatched: F11200	
Dispatched: F11200	
Toner Alert Initiated {112}[F11200]	
Toner Alert Initiated {112}[F11200]	
08/02/2021 03:09:07	PF: Centanni, Louis A
Units Recommended: {112 } , {122 } ; Dispatched: {112}, {122}	
Units Recommended: {112 } , {122 } ; Dispatched: {112}, {122}	
Station Dispatched : {112 }	
Station Dispatched : {112 }	
Toner Alert Initiated {112}	
Toner Alert Initiated {112}	
08/02/2021 03:08:57	
Toner Alert Initiated, Following tones sent to device - F1 112B - 11-2 Minotola FD 122B - 12-2 East Vineland FD	
Toner Alert Initiated, Following tones sent to device - F1 112B - 11-2 Minotola FD 122B - 12-2 East Vineland FD	

Call Summary Report

Printed On: 03/07/22 09:17

Comments

08/02/2021 03:06:53 PF: Breyer, Michael R

Second floor
premise 856-697-3074
Franklin 800-633-2677
operator 5687
Alarm company spoke to a pat who is requesting dispatch - unknown reason for activation

Second floor
premise 856-697-3074
Franklin 800-633-2677
operator 5687
Alarm company spoke to a pat who is requesting dispatch - unknown reason for activation

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000091

Incident Date : 07/31/2021 06:12:17

Incident Information

Location : 1004 S Central AVE;04

Reported CFS : SERV - Service assignment (Fire)

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 07/31/2021 06:12:17

Stacked Time : 07/31/2021 06:13:40

Acknowledge Time :

On-Scene Time : 07/31/2021 06:24:41

Final CFS : Service assignment (Fire)

Primary Unit : F11200

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 07/31/2021 06:14:16

Enroute Time : 07/31/2021 06:17:37

Cleared : 07/31/2021 06:25:54

Inc Disposition : Finished

Units

Descr

Unit : 112

07/31/21 6:14:16

Dispatch

07/31/21 6:25:57

Clear Station

Unit : F1122

07/31/21 6:23:25

Dispatch

07/31/21 6:23:26

Enroute

07/31/21 6:24:50

On-Scene

07/31/21 6:25:54

In-Station

Unit : F1125

07/31/21 6:22:06

Dispatch

07/31/21 6:22:07

Enroute

07/31/21 6:24:41

On-Scene

07/31/21 6:25:54

In-Station

Unit : F11200

07/31/21 6:17:36

Dispatch

07/31/21 6:17:37

Enroute

07/31/21 6:24:52

On-Scene

07/31/21 6:25:12

Apply Containment Time

07/31/21 6:25:54

In-Station

Comments

07/31/2021 06:25:57

Station Cleared : {112 }

07/31/2021 06:25:09

PF: Breyer, Michael R

Unit: F1122

under control

07/31/2021 06:25:00

PF: Breyer, Michael R

Unit: F1122

11200 central ave command

07/31/2021 06:23:31

PF: Breyer, Michael R

Unit: F1122

1122 w3

07/31/2021 06:23:25

PF: Breyer, Michael R

Dispatched: F1122

Toner Alert Initiated

Call Summary Report

Printed On: 03/07/22 09:17

{112}[F1122]

07/31/2021 06:22:12

PF: Breyer, Michael R

1125 w2

07/31/2021 06:22:06

PF: Breyer, Michael R

Dispatched: F1125

Toner Alert Initiated

{112}[F1125]

07/31/2021 06:17:36

PF: Breyer, Michael R

Dispatched: F11200

Toner Alert Initiated

{112}[F11200]

07/31/2021 06:14:16

PF: Mcgarvey, Raymond E

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

07/31/2021 06:14:14

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

07/31/2021 06:13:41

PF: Walker, Stephen L

Names Added : [REDACTED] Caller

07/31/2021 06:12:17

PF: Walker, Stephen L

CALLER REPORTING TREE FELL, PARTIALLY IN ROADWAY IFO RESIDENCE

Call Back Information : [REDACTED]

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000090

Incident Date : 07/30/2021 17:08:34

Incident Information

Location : 114 W Arctic AVE,301;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 07/30/2021 17:08:34
Stacked Time : 07/30/2021 17:10:41
Acknowledge Time :
On-Scene Time : 07/30/2021 17:17:20
Final CFS : Fire Alarm System

Primary Unit : F1126
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 07/30/2021 17:11:13
Enroute Time : 07/30/2021 17:15:55
Cleared : 07/30/2021 17:27:12
Inc Disposition : Finished

Units

Unit : 112

07/30/21 17:11:13 Dispatch
07/30/21 17:27:15 Clear Station

Unit : F1122

07/30/21 17:19:13 Dispatch
07/30/21 17:19:13 Enroute
07/30/21 17:21:34 On-Scene
07/30/21 17:27:12 In-Station

Unit : F1126

07/30/21 17:15:54 Dispatch
07/30/21 17:15:55 Enroute
07/30/21 17:17:20 On-Scene
07/30/21 17:22:23 Apply Containment Time
07/30/21 17:27:12 In-Station

Comments

07/30/2021 17:27:15
Station Cleared : {112 }
07/30/2021 17:23:27 PF: Rodgers, Michael S
Recalled 1127 and 1221 per command
07/30/2021 17:22:58 PF: Rodgers, Michael S
Under control rom being vented alarm reset and holding
07/30/2021 17:19:34 PF: Rodgers, Michael S
Rm 306
07/30/2021 17:19:13 PF: Rodgers, Michael S
Dispatched: F1122
Toner Alert Initiated
{112}[F1122]
07/30/2021 17:19:03 PF: Rodgers, Michael S
1122 w/3
07/30/2021 17:18:27 PF: Rodgers, Michael S
3 story senior living nothing showing a diz 1221 to take hydrant on pacific

Call Summary Report

Printed On: 03/07/22 09:17

Comments

07/30/2021 17:15:54 Dispatched: F1126 Toner Alert Initiated {112}[F1126]	PF: Rodgers, Michael S
07/30/2021 17:15:45 1126 w/4 11204	PF: Rodgers, Michael S
07/30/2021 17:14:06 1221 w/3	PF: Rodgers, Michael S
07/30/2021 17:12:56 12206	PF: Rodgers, Michael S
07/30/2021 17:11:14 Toner Alert Initiated {112}	
07/30/2021 17:11:13 Units Recommended: {112 } , {122 } ; Dispatched: {112}, {122} Station Dispatched : {112 }	PF: Cattell, Matthew J
07/30/2021 17:11:09 Toner Alert Initiated, Following tones sent to device - F1 112B - 11-2 Minotola FD 122B - 12-2 East Vineland FD	
07/30/2021 17:08:34 Franklin 8006332677 rf # 16-3446 , 3rd floor rooms activation unable to get a hold of contact person	PF: Rodgers, Michael S

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000089

Incident Date : 07/29/2021 08:54:53

Incident Information

Location : 1001 S Central AVE;04
Reported CFS : FUMEIN - InteriorFumes
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 07/29/2021 08:54:53
Stacked Time : 07/29/2021 08:56:09
Acknowledge Time :
On-Scene Time : 07/29/2021 09:06:39
Final CFS : InteriorFumes

Primary Unit : F11201
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 07/29/2021 08:57:27
Enroute Time : 07/29/2021 09:00:47
Cleared : 07/29/2021 09:19:03
Inc Disposition : Finished

Units

Unit : 112

07/29/21 8:57:27 Dispatch
07/29/21 9:42:49 Clear Station

Unit : F1126

07/29/21 9:04:06 Dispatch
07/29/21 9:04:07 Enroute
07/29/21 9:06:39 On-Scene
07/29/21 9:19:03 In-Station

Unit : F11201

07/29/21 9:00:46 Dispatch
07/29/21 9:00:47 Enroute
07/29/21 9:19:03 In-Station

Comments

07/29/2021 09:42:49

Station Cleared : {112 }

07/29/2021 09:17:34 PF: McCormick, David G Unit: F1126

PER CMD SITUATION UNDER CONTROL, METERED BLDG, ZERO READINGS

07/29/2021 09:04:14 PF: McCormick, David G Unit: F1126

1126 X 3

07/29/2021 09:04:06 PF: McCormick, David G

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

07/29/2021 09:00:46 PF: McCormick, David G

Dispatched: F11201

Toner Alert Initiated
{112}[F11201]

07/29/2021 08:57:27 PF: Karcher, Kevin M

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

07/29/2021 08:56:10PF: Spade, James A Jr

Names Added : Sjgas; Caller

07/29/2021 08:54:53PF: Spade, James A Jr

Interior Leak advised to evacuate no ill effects ETA 20-25 mins ext 3344

Names				
Activity	Name	DOB	Address	Phone#
Caller	Sjgas		556 Forest Grove RD;04 Minotola ,NJ 08341	W:(609) 561-9000

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000088

Incident Date : 07/27/2021 14:05:48

Incident Information

Location : 108 Buena Vista AVE;04

Reported CFS : BLDG - Building Fire

Initial / Final Alarm Level : 0 : 20 / 0 : 20

Priority Level : 2

Receive Source : 9 - 911 Incoming Calls

Reported Time : 07/27/2021 14:05:48

Stacked Time : 07/27/2021 14:05:48

Acknowledge Time :

On-Scene Time : 07/27/2021 14:13:41

Final CFS : Building Fire

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : BU

District :

Dispatched Time : 07/27/2021 14:05:48

Enroute Time : 07/27/2021 14:07:21

Cleared : 07/27/2021 15:39:29

Inc Disposition : Finished

Units

Descr

Unit : 112

07/27/21 14:05:48 Dispatch

07/27/21 15:39:38 Clear Station

Unit : F1126

07/27/21 14:10:32 Dispatch

07/27/21 14:10:33 Enroute

07/27/21 14:13:41 On-Scene

07/27/21 15:39:25 In-Station

Unit : F1127

07/27/21 14:32:44 Dispatch

07/27/21 14:32:44 Enroute

07/27/21 14:36:00 On-Scene

07/27/21 15:39:26 In-Station

Unit : F11200

07/27/21 14:07:20 Dispatch

07/27/21 14:07:21 Enroute

07/27/21 14:13:41 On-Scene

07/27/21 15:28:46 Apply Containment Time

07/27/21 15:39:03 In-Station

Comments

07/27/2021 15:39:38

Station Cleared : {112 }

07/27/2021 15:39:03

PF: Maycock, Kathryn E

Sta 112 avail

Sta 112 avail

07/27/2021 15:29:12

PF: Maycock, Kathryn E

Under control

Under control

07/27/2021 15:28:46

PF: Maycock, Kathryn E

Containment Time - F11200

Under control

Containment Time - F11200

Call Summary Report

Printed On: 03/07/22 09:17

Under control

07/27/2021 15:28:25 PF: Maycock, Kathryn E

435 released

435 released

07/27/2021 15:19:13 PF: Maycock, Kathryn E

Ace on loc

Ace on loc

07/27/2021 15:13:25 PF: Maycock, Kathryn E

122 released

122 released

07/27/2021 15:02:35 PF: Maycock, Kathryn E

ACE / eta 20

ACE / eta 20

07/27/2021 14:36:41

Update reviewed by dispatcher- Sklar, Gary

Update reviewed by dispatcher- Sklar, Gary

07/27/2021 14:36:00 PF: Maycock, Kathryn E

O 1127

O 1127

07/27/2021 14:32:44 PF: Maycock, Kathryn E

Dispatched: F1127

Toner Alert Initiated

{112}[F1127]

Dispatched: F1127

Toner Alert Initiated

{112}[F1127]

07/27/2021 14:29:33 PF: Maycock, Kathryn E

Bucket truck / urban cable technology NC plate

Bucket truck / urban cable technology NC plate

07/27/2021 14:18:45 PF: Maycock, Kathryn E

Per command / pole #AC1144 / power disconnected at main breaker

Per command / pole #AC1144 / power disconnected at main breaker

07/27/2021 14:18:02 PF: Maycock, Kathryn E

o 43501/4352

o 43501/4352

07/27/2021 14:17:13 PF: Maycock, Kathryn E

O 4352/43501

O 4352/43501

07/27/2021 14:15:18 PF: Coats, Sydarra N Unit: F43501

4352 w4

4352 w4

07/27/2021 14:14:35 PF: Maycock, Kathryn E

O 1221

O 1221

Call Summary Report

Printed On: 03/07/22 09:17

07/27/2021 14:14:28 PF: Maycock, Kathryn E

O 1221

O 1221

07/27/2021 14:13:41 PF: Maycock, Kathryn E

O 11200 / tri-tech command
o 1126

O 11200 / tri-tech command
o 1126

07/27/2021 14:10:49 PF: Maycock, Kathryn E

R 1221 w/5
r 1126 w/5

R 1221 w/5
r 1126 w/5

07/27/2021 14:10:32 PF: Maycock, Kathryn E

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

07/27/2021 14:10:20

Update reviewed by dispatcher- Raggio, Douglas A

Update reviewed by dispatcher- Raggio, Douglas A

07/27/2021 14:10:13 PF: Maycock, Kathryn E

R 43501

R 43501

07/27/2021 14:09:16 PF: Rodgers, Michael S

Ac elec advised to respond asap

Ac elec advised to respond asap

07/27/2021 14:07:52

Update reviewed by dispatcher- Cattell, Matthew J-6216

Update reviewed by dispatcher- Cattell, Matthew J-6216

07/27/2021 14:07:33 PF: Maycock, Kathryn E

R 12206/11200

R 12206/11200

07/27/2021 14:07:20 PF: Maycock, Kathryn E

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

Dispatched: F11200

Toner Alert Initiated
{112}[F11200]

07/27/2021 14:05:49

Toner Alert Initiated
{112}

Toner Alert Initiated

Call Summary Report

Printed On: 03/07/22 09:17

{112}

07/27/2021 14:05:48

PF: Tucker, Scott L

Units Recommended: {112 }, {122 }, {435 }, EM11;

Dispatched: {112}, {122}, {435}, EM11

Station Dispatched : {112 }

Units Recommended: {112 }, {122 }, {435 }, EM11;

Dispatched: {112}, {122}, {435}, EM11

Station Dispatched : {112 }

07/27/2021 14:04:31

PF: Nahas, Michael P

Wires wrapped around vehicle, noone in the vehicle, building evacuated

Wires wrapped around vehicle, noone in the vehicle, building evacuated

07/27/2021 14:03:54

PF: Nahas, Michael P

Names Added : [REDACTED]; Caller

Names Added : [REDACTED]; Caller

07/27/2021 14:02:49

PF: Nahas, Michael P

Wires ripped down from bucket truck, fire at the meter attached to the building

Wires ripped down from bucket truck, fire at the meter attached to the building

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000087

Incident Date : 07/26/2021 14:30:31

Incident Information

Location : 802 S Central AVE;04
Reported CFS : INV - Investigation (FIRE)
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 07/26/2021 14:30:31
Stacked Time : 07/26/2021 14:34:24
Acknowledge Time :
On-Scene Time : 07/26/2021 14:45:02
Final CFS : Investigation (FIRE)

Primary Unit : F11201
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 07/26/2021 14:35:29
Enroute Time : 07/26/2021 14:37:00
Cleared : 07/26/2021 15:00:46
Inc Disposition : Finished

Units

Unit : 112

07/26/21 14:35:29 Dispatch
07/26/21 15:00:51 Clear Station

Unit : F1126

07/26/21 14:41:40 Dispatch
07/26/21 14:41:41 Enroute
07/26/21 14:45:02 On-Scene
07/26/21 15:00:45 In-Station

Unit : F11201

07/26/21 14:36:59 Dispatch
07/26/21 14:37:00 Enroute
07/26/21 15:00:45 In-Station

Unit : F1121

07/26/21 14:53:36 Dispatch
07/26/21 14:53:36 Enroute
07/26/21 14:53:52 In-Station
07/26/21 14:55:44 Dispatch
07/26/21 14:55:45 Enroute
07/26/21 14:56:28 In-Station

Comments

07/26/2021 15:00:51

Station Cleared : {112 }

07/26/2021 14:55:44

Toner Alert Initiated
{112}[F1121]

07/26/2021 14:53:36

Toner Alert Initiated
{112}[F1121]

07/26/2021 14:41:40

PF: Raggio, Douglas A

Dispatched: F1126

Toner Alert Initiated
{112}[F1126]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

07/26/2021 14:41:25
1126/3

PF: Raggio, Douglas A

07/26/2021 14:36:59
Dispatched: F11201
Toner Alert Initiated
{112}[F11201]

PF: Raggio, Douglas A

07/26/2021 14:35:29
Units Recommended: {112 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated
{112}

PF: Maycock, Kathryn E

07/26/2021 14:34:44
Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

07/26/2021 14:34:25
Names Added : P1179; Caller

PF: Sklar, Gary

07/26/2021 14:30:31
POLICE ARE REQUESTING A CHECK ON A REFRIGERATOR THAT SPARKED, NO SMOKE OR FIRE.

PF: Sklar, Gary

Names

Activity	Name	DOB	Address	Phone#
Caller	P1179		802 S Central AVE;04 Minotola ,NJ 08341	

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000086

Incident Date : 07/24/2021 12:52:13

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 07/24/2021 12:52:13

Stacked Time : 07/24/2021 12:53:10

Acknowledge Time :

On-Scene Time : 07/24/2021 12:59:11

Final CFS : Fire Alarm System

Primary Unit : F11202

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 07/24/2021 12:54:40

Enroute Time : 07/24/2021 12:56:46

Cleared : 07/24/2021 13:12:57

Inc Disposition : Finished

Units

Descr

Unit : 112

07/24/21 12:54:40 Dispatch

Unit : F1122

07/24/21 12:59:29 Dispatch

07/24/21 12:59:29 Enroute

07/24/21 13:01:06 On-Scene

07/24/21 13:07:04 In-Station

Unit : F1126

07/24/21 12:57:43 Dispatch

07/24/21 12:57:44 Enroute

07/24/21 12:59:11 On-Scene

07/24/21 13:12:57 In-Station

Unit : F11202

07/24/21 12:56:45 Dispatch

07/24/21 12:56:46 Enroute

07/24/21 13:12:57 In-Station

Comments

07/24/2021 13:04:33 PF: Spade, James A Jr
advised

07/24/2021 12:59:29 PF: Karcher, Kevin M
Dispatched: F1122
Toner Alert Initiated
{112}[F1122]

07/24/2021 12:57:43 PF: Karcher, Kevin M
Dispatched: F1126
Toner Alert Initiated
{112}[F1126]

07/24/2021 12:56:45 PF: Karcher, Kevin M
Dispatched: F11202
Toner Alert Initiated
{112}[F11202]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

07/24/2021 12:55:31

PF: Karcher, Kevin M

12206 R

07/24/2021 12:54:40

PF: Gismondi, Ettore J

Units Recommended: {112 },{122 };

Dispatched: {112}, {122}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

07/24/2021 12:53:51

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

07/24/2021 12:52:13

PF: Maycock, Kathryn E

3rd fl GFA

franklin / 8006332677/ oper 9969

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000085

Incident Date : 07/21/2021 19:48:08

Incident Information

Location : 105 E Arctic AVE;04
Reported CFS : WIRE - Wires down or Arcing
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 07/21/2021 19:48:08
Stacked Time : 07/21/2021 19:49:14
Acknowledge Time :
On-Scene Time : 07/21/2021 20:01:44
Final CFS : Wires down or Arcing

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 07/21/2021 19:49:45
Enroute Time : 07/21/2021 19:51:36
Cleared : 07/21/2021 20:39:34
Inc Disposition : Finished

Units

Unit : 112

07/21/21 19:49:45 Dispatch
07/21/21 20:39:39 Clear Station

Unit : F1122

07/21/21 19:59:41 Dispatch
07/21/21 19:59:41 Enroute
07/21/21 20:01:44 On-Scene
07/21/21 20:39:34 In-Station

Unit : F11200

07/21/21 19:51:36 Dispatch
07/21/21 19:51:36 Enroute
07/21/21 20:39:34 In-Station

Comments

07/21/2021 20:39:39
Station Cleared : {112 }
07/21/2021 20:02:40 PF: Fanslau, Wayne R
1005 Central Ave (Behind)
07/21/2021 20:01:23 PF: Fanslau, Wayne R
Pole# PN42016 Transformer Smoking
07/21/2021 19:59:41 PF: Fanslau, Wayne R
Dispatched: F1122
Toner Alert Initiated
{112}[F1122]
07/21/2021 19:56:54
Toner Alert Initiated, Following tones sent to device - F1
122B - 12-2 East Vineland FD
07/21/2021 19:56:41
Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD
07/21/2021 19:55:57
Update reviewed by dispatcher- Centanni, Louis A-5102

Call Summary Report

Printed On: 03/07/22 09:17

Comments

07/21/2021 19:55:43 PF: Fanslau, Wayne R
Response check

07/21/2021 19:51:36 PF: Fanslau, Wayne R
Dispatched: F11200
Toner Alert Initiated
{112}[F11200]

07/21/2021 19:49:45 PF: Centanni, Louis A
Units Recommended: {112 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated
{112}

07/21/2021 19:49:41
Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

07/21/2021 19:49:14 PF: DeAngelo, Anthony M
Names Added : [REDACTED]; Caller

07/21/2021 19:48:08 PF: DeAngelo, Anthony M
Across from this address, pole and transformer smoking, Caller does have power

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000084

Incident Date : 07/19/2021 09:00:46

Incident Information

Location : 700 S Central AVE;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : O - Other Source
Reported Time : 07/19/2021 09:00:46
Stacked Time : 07/19/2021 09:02:12
Acknowledge Time :
On-Scene Time : 07/19/2021 09:10:21
Final CFS : Fire Alarm System

Primary Unit : F11201
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 07/19/2021 09:02:46
Enroute Time : 07/19/2021 09:05:21
Cleared : 07/19/2021 09:20:02
Inc Disposition : Finished

Units

Unit : 112

07/19/21 9:02:46 Dispatch
07/19/21 9:20:23 Clear Station

Unit : F1126

07/19/21 9:10:47 Dispatch
07/19/21 9:10:47 Enroute
07/19/21 9:16:28 On-Scene
07/19/21 9:20:02 In-Station

Unit : F11200

07/19/21 9:05:20 Dispatch
07/19/21 9:05:21 Enroute
07/19/21 9:10:21 On-Scene
07/19/21 9:20:02 In-Station

Unit : F11201

07/19/21 9:05:20 Dispatch
07/19/21 9:05:21 Enroute
07/19/21 9:20:02 In-Station

Comments

07/19/2021 09:20:23

Station Cleared : {112 }

07/19/2021 09:19:43 PF: Rieger, Justin J

Unit: F11200

REP EN ROUTE 25MIN ETA

07/19/2021 09:19:25 PF: Rieger, Justin J

Unit: F11200

KEY HAS BEEN RETURNED TO KNOCK BOX

07/19/2021 09:15:48 PF: Rieger, Justin J

SAME ISSUE AS YESTERDAY WAITING FOR A REP TO RESPOND

07/19/2021 09:15:15 PF: Rieger, Justin J

11200 ON LOCATION LARGE SINGLE STORY BUILDING NOTHING SHOWING

07/19/2021 09:10:47 PF: Rieger, Justin J

Dispatched: F1126

Toner Alert Initiated

Call Summary ReportPrinted On: 03/07/22 09:17

{112}[F1126]

07/19/2021 09:05:20

PF: Rieger, Justin J

Dispatched: F11201, F11200

Toner Alert Initiated

{112}[F11200][F11201]

07/19/2021 09:02:46

PF: Taylor, Kathy R

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

07/19/2021 09:00:46

PF: Rieger, Justin J

Sj clothing company / activated fire alarm automated recording

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000083

Incident Date : 07/18/2021 14:40:36

Incident Information

Location : 700 S Central AVE;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : R - Radio
Reported Time : 07/18/2021 14:40:36
Stacked Time : 07/18/2021 14:40:36
Acknowledge Time :
On-Scene Time : 07/18/2021 14:40:36
Final CFS : Fire Alarm System

Primary Unit : F11200
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 07/18/2021 14:40:36
Enroute Time :
Cleared : 07/18/2021 15:22:44
Inc Disposition : Finished

Units

Unit : F1126

07/18/21 14:47:11 Dispatch
07/18/21 14:47:11 Enroute
07/18/21 14:47:28 On-Scene
07/18/21 15:22:44 In-Station

Unit : F11200

07/18/21 14:40:36 On-Scene
07/18/21 15:22:44 In-Station

Comments

07/18/2021 15:22:22 PF: Holmstrom, William E Unit: F11200
11200 ADVISING PROPERTY REP ON SCENE, STATION CLR RETURNING

07/18/2021 15:13:29 PF: Holmstrom, William E Unit: F11200
COMMAND ALSO ADVISING PROPERTY MANAGER ON SCENE

07/18/2021 15:12:52 PF: Holmstrom, William E Unit: F11200
11200 ADVISING FROM ASSISTANCE OF PAST EMPLOYEE THE TAPE DIALER HAS BEEN RESET.

07/18/2021 15:08:09 PF: Holmstrom, William E Unit: F11200
SOMEONE DID CALL ON RADIO FOR 11200 TO CALL HIM ON CELL AND WILL ADVISE WHERE THE DIALER ALARM IS ON 2ND FLOOR.

07/18/2021 15:07:41 PF: Holmstrom, William E Unit: F11200
COMMAND ADVISING THE 24HRS CALL CENTER WAS ABLE TO GET AHOLD OF REP WHO WAS GIVEN COUNTY NUMBER TO CALL. ALARM IN NORMAL STATE, JUST THE DIALER IS MALFUNCTIONING.

07/18/2021 15:01:57 PF: Holmstrom, William E Unit: F11200
COMMAND ADVISED OF ADDITIONAL ALARM, HE'S ON PHONE W/SOMEONE ATTEMPTING TO MAKE NOTIFICATION.

07/18/2021 14:58:40 PF: Cattell, Matthew J Unit: F11200
ADDITIONAL CALL FROM AUTO DIALER AT 1458 HRS

07/18/2021 14:53:07 PF: Holmstrom, William E Unit: F11200
11200 ADVISING NO ACTIVATION OF ALARM, ATTEMPTING TO LOCATE THE TAPE DIALER WHICH SEEMS TO BE CURRENT PROBLEM.

07/18/2021 14:48:12 PF: Holmstrom, William E Unit: F11200
1126 w/3 ON SCENE REQUESTING KNOX BOX ACTIVATED; SUCCESSFUL

07/18/2021 14:47:11 PF: Holmstrom, William E
Dispatched: F1126
Toner Alert Initiated

Call Summary Report

Printed On: 03/07/22 09:17

{112}[F1126]

07/18/2021 14:43:15 PF: Holmstrom, William E Unit: F11200
11200 CALLED IN AND WILL RESPOND TO INVESTIGATE

07/18/2021 14:40:36 PF: Holmstrom, William E
TAPE DIALER AGAIN
Toner Alert Initiated
{112}[F11200]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000082

Incident Date : 07/18/2021 13:46:10

Incident Information

Location : 700 S Central AVE;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 07/18/2021 13:46:10
Stacked Time : 07/18/2021 13:47:51
Acknowledge Time :
On-Scene Time : 07/18/2021 14:00:15
Final CFS : Fire Alarm System

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 07/18/2021 13:49:25
Enroute Time : 07/18/2021 13:50:42
Cleared : 07/18/2021 14:24:25
Inc Disposition : Finished

Units

Unit : 112

07/18/21 13:49:25 Dispatch
07/18/21 14:24:29 Clear Station

Unit : F1126

07/18/21 13:57:52 Dispatch
07/18/21 13:59:32 Enroute
07/18/21 14:00:15 On-Scene
07/18/21 14:24:25 In-Station

Unit : F11200

07/18/21 13:50:42 Dispatch
07/18/21 13:50:42 Enroute
07/18/21 13:56:00 On-Scene
07/18/21 14:24:25 In-Station

Comments

07/18/2021 14:24:29

Station Cleared : {112 }

07/18/2021 14:24:04 PF: Holmstrom, William E

COMMAND ADVISING ALARM HAS RESET AND HOLDING. FOUND CONTACT NUMBERS ON WALL BUT NONE LISTED HAVE WORKED BUSINESS OVER 2 YEARS. STATION CLR RETURNIGN.

COMMAND ADVISING ALARM HAS RESET AND HOLDING. FOUND CONTACT NUMBERS ON WALL BUT NONE LISTED HAVE WORKED BUSINESS OVER 2 YEARS. STATION CLR RETURNIGN.

07/18/2021 14:21:19 PF: Holmstrom, William E

EM1100 ADVISED TO CALL IN; 1126 ADVISED HE IS ON PHONE, WILL ADVISE

EM1100 ADVISED TO CALL IN; 1126 ADVISED HE IS ON PHONE, WILL ADVISE

07/18/2021 14:10:14 PF: Holmstrom, William E

EM1100 ADVISING STILL GOING THRU FILES FOR CONTACT NUMBERS

EM1100 ADVISING STILL GOING THRU FILES FOR CONTACT NUMBERS

07/18/2021 14:09:52 PF: Holmstrom, William E

COMMAND OUT OF BUILDING ADVISING DETECTOR ACTIVATED IN CONFERENCE ROOM FROM WATER LEAK. REQUESTING IF WE DO MAKE CONTACT TO HAVE RESPOND.

COMMAND OUT OF BUILDING ADVISING DETECTOR ACTIVATED IN CONFERENCE ROOM FROM WATER LEAK. REQUESTING IF WE DO MAKE CONTACT TO HAVE RESPOND.

Call Summary Report

Printed On: 03/07/22 09:17

Comments

07/18/2021 14:07:29 PF: Barnett, William S
xxxxx.xxxxx@xxx.xxx - BRIAN QUINN EMAIL FOR THE EPA
xxxxx.xxxxx@xxx.xxx - BRIAN QUINN EMAIL FOR THE EPA

07/18/2021 14:07:16 PF: Holmstrom, William E
COMMAND ADVISING MADE ACCESS TO BUILDING VIA KNOX BOX AND WILL BE INVESTIGATING. WILL NOT HAVE COMMUNICATIONS WHILE INSIDE BUILDING, WILL ADVISE WHEN BACK OUT
COMMAND ADVISING MADE ACCESS TO BUILDING VIA KNOX BOX AND WILL BE INVESTIGATING. WILL NOT HAVE COMMUNICATIONS WHILE INSIDE BUILDING, WILL ADVISE WHEN BACK OUT

07/18/2021 14:04:57 PF: Holmstrom, William E
1126 REQUESTING KNOX BOX ACTIVATED
1126 REQUESTING KNOX BOX ACTIVATED

07/18/2021 13:58:54
Update reviewed by dispatcher- Barnett, William S
Update reviewed by dispatcher- Barnett, William S

07/18/2021 13:58:48
Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD
Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

07/18/2021 13:58:25 PF: Barnett, William S
CALLED BRIAN QUINN [REDACTED] NO ANSWER LEFT A MESSAGE
CALLED BRIAN QUINN [REDACTED] NO ANSWER LEFT A MESSAGE

07/18/2021 13:58:13 PF: Holmstrom, William E
1126 STANDING BY STATION REQUESTING RETONE
1126 STANDING BY STATION REQUESTING RETONE

07/18/2021 13:57:52
Toner Alert Initiated
{112}[F1126]
Toner Alert Initiated
{112}[F1126]

07/18/2021 13:56:57 PF: Holmstrom, William E
11200 ON LOCATION LARGE SINGLE STORY BUILDING, AUDIBLE AND VISUAL ALARMS, GATE LOCKED AWAITING REP RESPONSE.
11200 ON LOCATION LARGE SINGLE STORY BUILDING, AUDIBLE AND VISUAL ALARMS, GATE LOCKED AWAITING REP RESPONSE.

07/18/2021 13:54:04
Update reviewed by dispatcher- Barnett, William S
Update reviewed by dispatcher- Barnett, William S

07/18/2021 13:54:03 PF: Holmstrom, William E
11200 requesting emergency rep to respond. called em1100 on radio and is checking, will advise
11200 requesting emergency rep to respond. called em1100 on radio and is checking, will advise

07/18/2021 13:50:42 PF: Holmstrom, William E
Dispatched: F11200
Toner Alert Initiated
{112}[F11200]
Dispatched: F11200

Call Summary Report

Printed On: 03/07/22 09:17

Toner Alert Initiated
{112}[F11200]

07/18/2021 13:49:26

Toner Alert Initiated
{112}

Toner Alert Initiated
{112}

07/18/2021 13:49:25

PF: Barnett, William S

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

07/18/2021 13:48:35

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

07/18/2021 13:47:51

PF: Shannon, Scott M

Names Added : Us, Epa; Caller

Names Added : Us, Epa; Caller

07/18/2021 13:46:10

PF: Shannon, Scott M

DIALER ALARM- FIRE ALARM ACTIVATION AT SJ CLOTHING COMPANY SUPER FUND SITE

DIALER ALARM- FIRE ALARM ACTIVATION AT SJ CLOTHING COMPANY SUPER FUND SITE

Names

Activity	Name	DOB	Address	Phone#
Caller	Us Epa			

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000081

Incident Date : 07/16/2021 23:05:58

Incident Information

Location : 714 S Harding HWY,1;04
Reported CFS : SERV - Service assignment (Fire)
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 07/16/2021 23:05:58
Stacked Time : 07/16/2021 23:05:58
Acknowledge Time :
On-Scene Time : 07/16/2021 23:12:13
Final CFS : Service assignment (Fire)

Primary Unit : F11200
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 07/16/2021 23:05:58
Enroute Time : 07/16/2021 23:09:28
Cleared : 07/16/2021 23:20:07
Inc Disposition : Finished

Units

Unit : 112

07/16/21 23:05:58 Dispatch
07/16/21 23:20:20 Clear Station

Unit : F1122

07/16/21 23:11:56 Dispatch
07/16/21 23:11:57 Enroute
07/16/21 23:14:43 On-Scene
07/16/21 23:20:07 In-Station

Unit : F11200

07/16/21 23:09:28 Dispatch
07/16/21 23:09:28 Enroute
07/16/21 23:12:13 On-Scene
07/16/21 23:20:07 In-Station

Comments

07/16/2021 23:20:20
Station Cleared : {112 }
07/16/2021 23:13:22 PF: Fanslau, Wayne R
1127 remain in quarters
07/16/2021 23:12:32 PF: Ricker, James T Unit: F1122
Per 11200 hold to self and 1122
07/16/2021 23:12:09 PF: Fanslau, Wayne R
1122 w/ 5
07/16/2021 23:11:56 PF: Fanslau, Wayne R
Dispatched: F1122
Toner Alert Initiated
{112}[F1122]
07/16/2021 23:10:59 PF: Mcgarvey, Raymond E
11200 called in - gate code given
07/16/2021 23:09:28 PF: Fanslau, Wayne R
Dispatched: F11200
Toner Alert Initiated

Call Summary ReportPrinted On: 03/07/22 09:17

{112}[F11200]

07/16/2021 23:08:45

PF: Ricker, James T

gate code 0612

07/16/2021 23:05:58

PF: Teti, Susan P

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated

{112}

07/16/2021 23:01:37

PF: Fanslau, Wayne R

Female locked in the gate. Code not working, per PD send FD

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000080

Incident Date : 07/14/2021 22:01:16

Incident Information

Location : 102 Park DR;04
Reported CFS : SERV - Service assignment (Fire)
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 07/14/2021 22:01:16
Stacked Time : 07/14/2021 22:03:11
Acknowledge Time :
On-Scene Time : 07/14/2021 22:11:07
Final CFS : Service assignment (Fire)

Primary Unit : F11200
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 07/14/2021 22:03:41
Enroute Time : 07/14/2021 22:06:31
Cleared : 07/14/2021 23:33:02
Inc Disposition : Finished

Units

Unit : 112

07/14/21 22:03:41 Dispatch
07/14/21 23:33:05 Clear Station

Unit : F1122

07/14/21 22:11:36 Dispatch
07/14/21 22:11:36 Enroute
07/14/21 22:12:04 On-Scene
07/14/21 22:39:00 In-Station

Unit : F1125

07/14/21 22:15:29 Dispatch
07/14/21 22:15:29 Enroute
07/14/21 22:27:00 On-Scene
07/14/21 22:39:00 In-Station

Unit : F1127

07/14/21 22:10:34 Dispatch
07/14/21 22:10:34 Enroute
07/14/21 22:12:17 On-Scene
07/14/21 23:33:02 In-Station

Unit : F11200

07/14/21 22:06:30 Dispatch
07/14/21 22:06:31 Enroute
07/14/21 22:11:07 On-Scene
07/14/21 23:33:02 In-Station

Unit : F11201

07/14/21 22:07:34 Dispatch
07/14/21 22:07:35 Enroute
07/14/21 22:39:00 In-Station

Comments

07/14/2021 23:33:05

Station Cleared : {112 }

Call Summary Report

Printed On: 03/07/22 09:17

Comments

07/14/2021 23:23:28	PF: Spross, Nicholas J	Unit: F11200
Situation under, standing by for lighting for MUA		
07/14/2021 22:15:29	PF: Spross, Nicholas J	
Dispatched: F1125		
Toner Alert Initiated {112}[F1125]		
07/14/2021 22:15:02	PF: Spross, Nicholas J	
r 1125 w1		
07/14/2021 22:14:24	PF: Spross, Nicholas J	
Police making notification to the MUA		
07/14/2021 22:13:44	PF: Spross, Nicholas J	
11200 reports an active sewage backage, req MUA		
07/14/2021 22:11:36	PF: Spross, Nicholas J	
Dispatched: F1122		
Toner Alert Initiated {112}[F1122]		
07/14/2021 22:11:28	PF: Spross, Nicholas J	
R 1122 w4		
07/14/2021 22:11:12	PF: Spross, Nicholas J	
OS 11200		
07/14/2021 22:10:39	PF: Spross, Nicholas J	
r 1127 w2		
07/14/2021 22:10:34	PF: Spross, Nicholas J	
Dispatched: F1127		
Toner Alert Initiated {112}[F1127]		
07/14/2021 22:07:34	PF: Spross, Nicholas J	
Dispatched: F11201		
Toner Alert Initiated {112}[F11201]		
07/14/2021 22:07:22	PF: Spross, Nicholas J	
r 11200		
r11201		
07/14/2021 22:06:30	PF: Spross, Nicholas J	
Dispatched: F11200		
Toner Alert Initiated {112}[F11200]		
07/14/2021 22:03:41	PF: Fanslau, Shawn A	
Units Recommended: {112 };		
Dispatched: {112}		
Station Dispatched : {112 }		
Toner Alert Initiated {112}		

Call Summary Report

Printed On: 03/07/22 09:17

Comments

07/14/2021 22:03:38

Toner Alert Initiated, Following tones sent to device - F1
112A - 11-2 Minotola FD

07/14/2021 22:03:12

PF: Gismondi, Ettore J

Names Added : [REDACTED]; Caller

07/14/2021 22:01:16

PF: Gismondi, Ettore J

Less then foot in basement

Call Back Information : [REDACTED]

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000079

Incident Date : 07/07/2021 21:53:39

Incident Information

Location : 114 W Arctic AVE,301;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source :
Reported Time : 07/07/2021 21:53:39
Stacked Time : 07/07/2021 21:56:08
Acknowledge Time :
On-Scene Time : 07/07/2021 22:05:00
Final CFS : Fire Alarm System

Primary Unit : F11202
GeoX/GeoY :
Patrol Area :
District :
Dispatched Time : 07/07/2021 21:56:55
Enroute Time : 07/07/2021 21:59:12
Cleared : 07/07/2021 22:13:41
Inc Disposition : Finished

Units	Descr
-------	-------

Unit : 112

07/07/21 21:56:55	Dispatch
07/07/21 22:13:42	Clear Station

Unit : F1122

07/07/21 22:04:57	Dispatch
07/07/21 22:04:57	Enroute
07/07/21 22:06:32	On-Scene
07/07/21 22:09:51	In-Station

Unit : F1126

07/07/21 22:03:04	Dispatch
07/07/21 22:03:05	Enroute
07/07/21 22:05:00	On-Scene
07/07/21 22:13:41	In-Station

Unit : F11201

07/07/21 22:00:35	Dispatch
07/07/21 22:00:35	Enroute
07/07/21 22:13:41	In-Station

Unit : F11202

07/07/21 21:59:12	Dispatch
07/07/21 21:59:12	Enroute
07/07/21 22:13:41	In-Station

Comments

07/07/2021 22:13:42

Station Cleared : {112 }

07/07/2021 22:10:45

PF: McMahon, Edward J

false alarm, fd on loc

false alarm, fd on loc

07/07/2021 22:10:06

PF: Breyer, Michael R

Per command holding with 1126

Per command holding with 1126

Call Summary Report

Printed On: 03/07/22 09:17

Comments

07/07/2021 22:08:51	PF: Breyer, Michael R
Under control - Room 315 - Alarm Reset - Holding with whats on scene	
Under control - Room 315 - Alarm Reset - Holding with whats on scene	
07/07/2021 22:06:32	PF: Breyer, Michael R
1122 hydrant	
1122 hydrant	
07/07/2021 22:04:57	PF: Breyer, Michael R
Dispatched: F1122	
Dispatched: F1122	
Toner Alert Initiated {112}[F1122]	
Toner Alert Initiated {112}[F1122]	
07/07/2021 22:04:50	PF: Breyer, Michael R
1122 w4	
1122 w4	
07/07/2021 22:04:42	PF: Breyer, Michael R
3 story multi family - Nothing showing - arctic ave command	
3 story multi family - Nothing showing - arctic ave command	
07/07/2021 22:03:15	PF: Breyer, Michael R
1221 w4	
1221 w4	
07/07/2021 22:03:12	PF: Breyer, Michael R
R 1126 w4	
R 1126 w4	
07/07/2021 22:03:04	PF: Breyer, Michael R
Dispatched: F1221, F1126	
Dispatched: F1221, F1126	
Toner Alert Initiated {112}[F1126]	
Toner Alert Initiated {112}[F1126]	
07/07/2021 22:00:35	PF: Breyer, Michael R
Dispatched: F11201	
Dispatched: F11201	
Toner Alert Initiated {112}[F11201]	
Toner Alert Initiated {112}[F11201]	
07/07/2021 21:59:12	PF: Breyer, Michael R
Dispatched: F11202	
Dispatched: F11202	
Toner Alert Initiated {112}[F11202]	
Toner Alert Initiated	

Call Summary Report

Printed On: 03/07/22 09:17

{112}[F11202]

07/07/2021 21:56:55

PF: Fanslau, Wayne R

Units Recommended: {112 } , {122 } ;

Dispatched: {112}, {122}

Units Recommended: {112 } , {122 } ;

Dispatched: {112}, {122}

Station Dispatched : {112 }

Station Dispatched : {112 }

Toner Alert Initiated

{112}

Toner Alert Initiated

{112}

07/07/2021 21:56:53

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

Toner Alert Initiated, Following tones sent to device - F1

112B - 11-2 Minotola FD

122B - 12-2 East Vineland FD

07/07/2021 21:53:39

PF: Teti, Susan P

3rd floor no specific unit

prem, #856-697-3074

no last name

off site keyholder pat Meley

franklin alarm

#800-633-2677

op\$9642

3rd floor no specific unit

prem, #856-697-3074

no last name

off site keyholder pat Meley

franklin alarm

#800-633-2677

op\$9642

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000078

Incident Date : 07/06/2021 17:39:42

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : R - Radio

Reported Time : 07/06/2021 17:39:42

Stacked Time : 07/06/2021 17:39:42

Acknowledge Time :

On-Scene Time : 07/06/2021 17:39:42

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 07/06/2021 17:39:42

Enroute Time :

Cleared : 07/06/2021 17:41:57

Inc Disposition : Finished

Units

Descr

Unit : F11200

07/06/21 17:39:42 On-Scene

07/06/21 17:41:57 In-Station

Comments

07/06/2021 17:41:48 PF: Mehaffey, Ryan R Unit: F11200

CARLESS COOKING MISHAP IN RM 110. ALARM WAS REPORTED TO SOMEONE WALKING BY THE STA

07/06/2021 17:39:43

Toner Alert Initiated
{112}[F11200]

07/06/2021 17:39:42 PF: Mehaffey, Ryan R

FIRE ALARM GOING OFF FOR TWENTY MINUTES- HOLD RESOURCES IN STATION WHILE 11200 INVEST.

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000077

Incident Date : 07/04/2021 21:30:58

Incident Information

Location	: 103 Lewis CT;E	Primary Unit	:
Reported CFS	: DWEL - Dwelling Fire	GeoX/GeoY	:
Initial / Final Alarm Level	: 0 : 20 / 0 : 20	Patrol Area	: E
Priority Level	: 2	District	:
Receive Source	: 9 - 911 Incoming Calls	Dispatched Time	:
Reported Time	: 07/04/2021 21:30:58	Enroute Time	:
Stacked Time	: 07/04/2021 21:30:58	Cleared	: 07/04/2021 23:48:05
Acknowledge Time	:	Inc Disposition	:
On-Scene Time	:		
Final CFS	: Dwelling Fire		

Units

Unit : 112

07/04/21 21:30:59	Dispatch
07/04/21 23:47:59	Clear Station

Comments

07/04/2021 23:47:59
Station Cleared : {112 }

07/04/2021 23:45:54 PF: Breyer, Michael R Unit: NJDFS
Division of fire safety advised - Will follow up in AM with CFM

07/04/2021 23:25:31 PF: Teti, Susan P
GAS COMPANY AND ELECTRIC COMPANY ARE DONE WITH THEIR INVESTIGATION THE BOMB SQUAD AND THEY ARE BRINGING BACK MORE EQUIPMENT FIRE DEPARTMENT IN DEFENSIVE MODE AND WILL BE THERE MOST OF THE NIGHT. UNTIL SUNRISE DUE TO THE AMOUNT OF FIREWORKS AND MORTARS AND OTHER THINGS INSIDE THE BASEMENT

07/04/2021 22:40:37 PF: Breyer, Michael R
Everbridge page sent to 9101 for canteen request

07/04/2021 22:39:29 PF: Teti, Susan P
REQUESTING CAN9 FOR APPOX 100 PEOPLE

07/04/2021 22:34:39 PF: Breyer, Michael R
PD sending secondary page for full response from bomb squad

07/04/2021 22:30:34 PF: Breyer, Michael R
P1496 called in regarding the bomb response. Will be responding directly to location - PD side advised and will be making notification to Camden County to send out their general bomb response notification

07/04/2021 22:26:58 PF: Teti, Susan P
PER CFM1 MEETING IRO 4334 AND (LEWIS CT COMMAND)

07/04/2021 22:24:57 PF: Breyer, Michael R
CFM1 requesting GC Bomb tech to respond - Have them contact CFM1 on his cell phone -

07/04/2021 22:21:25 PF: Teti, Susan P
PER COMMAND HAVE POLICE RESPOND TO CLEAR THE AREA OFF THE PROPERTY ...AND NOTIFY BOMB SQUAD TO RESPOND OUT

07/04/2021 22:20:41 PF: Centanni, Louis A
pd enroute

07/04/2021 22:20:03 PF: Centanni, Louis A
Sj gas back enroute

Call Summary Report

Printed On: 03/07/22 09:17

Comments

07/04/2021 22:13:12	PF: Teti, Susan P	
PER 4812 WATER SUPPLY HAS BEEN DISCONTINUED AT WHITE PATCH		
07/04/2021 22:08:14	PF: Breyer, Michael R	
Major Incident Group Notification sent due to injury at the fireground.		
07/04/2021 22:04:06	PF: Breyer, Michael R	
COVERS Rescue 1234 Ladder 1126 Engine 1221 Tender 22-5		
07/04/2021 22:02:12	PF: Teti, Susan P	
291 IS COVERING 43-3		
07/04/2021 21:57:45	PF: Teti, Susan P	
4337 MAIN/DUTCHMILL		
07/04/2021 21:55:27	PF: Teti, Susan P	
MASTER STREAM SHUT DOWN		
07/04/2021 21:54:53	PF: Teti, Susan P	
4337/ DUTCHMILL/ AND MAIN FOR TRAFFIC		
07/04/2021 21:54:04	PF: Teti, Susan P	
CFM1 AND CFM6 OS REPORT TO COMMAND POST		
07/04/2021 21:52:06	PF: Teti, Susan P	
BULK OF THE FIRE KNOCKED DOWN INCH AND 3/4 IN USE FOR BASEMENT ALSO HAVE EVERYONE ELSE NOT ON LOCATION REDUCE SPEED STAGING WHITE PINE/MAIN		
07/04/2021 21:50:05	PF: Breyer, Michael R	
12302 REQUESTING HAMMONTON FIRE TO COVER 12-3		
07/04/2021 21:49:40	PF: Breyer, Michael R	
COVERS LADDER 1126 W3 ENGINE 1221 W4		
07/04/2021 21:43:02	PF: Teti, Susan P	
43101 HAS ACCOUNTABILITY		
07/04/2021 21:42:21	PF: Teti, Susan P	
LADDER PIPER OPERATIONS SUSPENDED		
07/04/2021 21:41:37	PF: Teti, Susan P	
INTERIOR INSERVICE DIV 2		
07/04/2021 21:40:22	PF: Breyer, Michael R	
11200 - COVER		
07/04/2021 21:38:24	PF: Teti, Susan P	
LADDER 6 IS RIC		
07/04/2021 21:37:51	PF: Teti, Susan P	
PER COMMAND LADDER IS IN SERVICE		
07/04/2021 21:37:37	PF: Breyer, Michael R	Unit: F1234
12-3 RETONED FOR TENDER		

Call Summary Report

Printed On: 03/07/22 09:17

Comments

07/04/2021 21:36:57 R 12200 - COVER	PF: Breyer, Michael R
07/04/2021 21:35:29 2954/3	PF: Teti, Susan P
07/04/2021 21:34:36 WATER SUPPLY _WHITE PATCH TRAIL	PF: Teti, Susan P
07/04/2021 21:34:35 Command asking for a total of 8 tenders in total - adding tending 1234/willowgrove 22-5/Tender 2954	PF: Breyer, Michael R
07/04/2021 21:32:57 4811/2	PF: Teti, Susan P
07/04/2021 21:30:59 Reason:CV Units On Cover:{112}; Station OnAssignment/Cover : {112 }	PF: Centanni, Louis A
07/04/2021 21:30:23 WATER SUPPLY 43301	PF: Teti, Susan P
07/04/2021 21:29:18 4336/5 4311 4111	PF: Teti, Susan P
07/04/2021 21:28:13 PER COMMAND NO PERSONAL INSIDE THE BLDG....REQUESTING 2ND ALARM...EVACUATION ORDER HAS BEEN GIVEN	PF: Teti, Susan P
07/04/2021 21:26:34 PER COMMAND 360 OF THE DWELLING FIRE 2/C DIV. CREWS GOING INTERIOR DIV. 1A	PF: Teti, Susan P
07/04/2021 21:25:35 PER COMMAND HAVE COVER CHIEFS MEET AT COMMAND FOR IMT	PF: Teti, Susan P
07/04/2021 21:25:09 12302 - Cover	PF: Breyer, Michael R
07/04/2021 21:23:58 LADDER 6 RESPONDING WITH 4	PF: Teti, Susan P
07/04/2021 21:23:49 GC Bomb admin group advised - Due to explosions in the house	PF: Breyer, Michael R
07/04/2021 21:21:13 43401 defense ONLY	PF: Teti, Susan P
07/04/2021 21:19:11 QRV3 spoke to homeowner stated that blast was not set off by fireworks but by bnatural gas - no need for ALS	PF: Mcgarvey, Raymond E
07/04/2021 21:17:58 SJGAS notified; Operator 3857	PF: Ricker, James T
07/04/2021 21:17:46 R 43101 4311 w6	PF: Breyer, Michael R

Call Summary Report

Printed On: 03/07/22 09:17

Comments

07/04/2021 21:17:43 4332/2 4336/6 4322/3	PF: Teti, Susan P
07/04/2021 21:16:53 Everbridge sent to GC Fire Coordinators and FM43 group	PF: Breyer, Michael R
07/04/2021 21:16:41 ACE NOTIFIED// OPR KELLY	PF: Walker, Stephen L
07/04/2021 21:15:13 4342/3	PF: Teti, Susan P
07/04/2021 21:15:05 Dispatched: F4342	PF: Teti, Susan P
07/04/2021 21:13:38 4344/4 also requesting	PF: Teti, Susan P
07/04/2021 21:12:58 Dispatched: F4344	PF: Teti, Susan P
07/04/2021 21:10:03 Dispatched: F43401	PF: Teti, Susan P
07/04/2021 21:09:12 CALLER REPORTING TOP WINDOWS OF RES BLEW OUT// DEBRIS ALL OVER FRONT LAWN// CALLER BELIEVING FIREWORKS WENT OFF INSIDE HOUSE	PF: Walker, Stephen L
07/04/2021 21:08:51 [REDACTED]	PF: Teti, Susan P
07/04/2021 21:08:45 FIREWORKS IN THE HOUSE GOING OFF IN THE BASEMENT	PF: Breyer, Michael R

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000076

Incident Date : 07/01/2021 17:46:51

Incident Information

Location : S Brewster RD/W Summer RD;04

Reported CFS : SERV - Service assignment (Fire)

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : R - Radio

Reported Time : 07/01/2021 17:46:51

Stacked Time : 07/01/2021 17:47:25

Acknowledge Time :

On-Scene Time : 07/01/2021 17:55:28

Final CFS : Service assignment (Fire)

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : HB

District :

Dispatched Time : 07/01/2021 17:49:59

Enroute Time : 07/01/2021 17:52:58

Cleared : 07/01/2021 18:06:48

Inc Disposition : Finished

Units

Descr

Unit : 112

07/01/21 17:49:59 Dispatch

07/01/21 18:06:54 Clear Station

Unit : F1125

07/01/21 17:54:41 Dispatch

07/01/21 17:54:41 Enroute

07/01/21 17:58:56 On-Scene

07/01/21 18:06:47 In-Station

Unit : F11200

07/01/21 17:52:57 Dispatch

07/01/21 17:52:58 Enroute

07/01/21 17:55:28 On-Scene

07/01/21 18:06:48 In-Station

Unit : F11201

07/01/21 17:52:57 Dispatch

07/01/21 17:52:58 Enroute

07/01/21 18:06:47 In-Station

Comments

07/01/2021 18:06:54

Station Cleared : {112 }

07/01/2021 17:58:11 PF: Raggio, Douglas A

1122/3 at station.

07/01/2021 17:56:17 PF: Raggio, Douglas A

Per 11200, holding with 1125.

07/01/2021 17:54:52 PF: Raggio, Douglas A

1125/2

07/01/2021 17:54:41 PF: Raggio, Douglas A

Dispatched: F1125

Toner Alert Initiated

{112}[F1125]

Call Summary Report

Printed On: 03/07/22 09:17

Comments

07/01/2021 17:52:57 PF: Raggio, Douglas A

Dispatched: F11200, F11201

Toner Alert Initiated
{112}[F11200][F11201]

07/01/2021 17:49:59 PF: Taylor, Kathy R

Units Recommended: {112 };
Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

07/01/2021 17:46:51 PF: Spade, James A Jr

TREE REMOVAL tree in roadway per 1164

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000075

Incident Date : 06/28/2021 01:18:13

Incident Information

Location : 109 N Central AVE;04
Reported CFS : ALRM - Fire Alarm System
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 06/28/2021 01:18:13
Stacked Time : 06/28/2021 01:18:13
Acknowledge Time :
On-Scene Time : 06/28/2021 01:28:45
Final CFS : Fire Alarm System

Primary Unit : F1126
GeoX/GeoY :
Patrol Area : BU
District :
Dispatched Time : 06/28/2021 01:18:14
Enroute Time : 06/28/2021 01:25:27
Cleared : 06/28/2021 01:39:37
Inc Disposition : Finished

Units

Unit : 112

06/28/21 1:18:14 Dispatch
06/28/21 1:39:40 Clear Station

Unit : F1122

06/28/21 1:29:19 Dispatch
06/28/21 1:29:19 Enroute
06/28/21 1:34:08 On-Scene
06/28/21 1:35:40 In-Station

Unit : F1126

06/28/21 1:25:26 Dispatch
06/28/21 1:25:27 Enroute
06/28/21 1:28:45 On-Scene
06/28/21 1:39:36 In-Station

Comments

06/28/2021 01:39:40

Station Cleared : {112 }

06/28/2021 01:30:38 PF: Fanslau, Shawn A Unit: F1122
1122 reduce speed
1122 reduce speed

06/28/2021 01:29:19 PF: Fanslau, Shawn A
Dispatched: F1122
Toner Alert Initiated
{112}[F1122]
Dispatched: F1122
Toner Alert Initiated
{112}[F1122]

06/28/2021 01:29:10 PF: Fanslau, Shawn A Unit: F1126
1122 w 3
1122 w 3

06/28/2021 01:29:02 PF: Fanslau, Shawn A Unit: F1126
N Central Ave Command
N Central Ave Command

Call Summary Report

Printed On: 03/07/22 09:17

Comments

06/28/2021 01:28:56 PF: Fanslau, Shawn A Unit: F1126
single story nothing showing investigating
single story nothing showing investigating

06/28/2021 01:25:26 PF: Fanslau, Shawn A
Dispatched: F1126
Toner Alert Initiated
{112}[F1126]
Dispatched: F1126
Toner Alert Initiated
{112}[F1126]

06/28/2021 01:18:14 PF: Lawrence, Joseph B
Units Recommended: {112 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated
{112}
Units Recommended: {112 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated
{112}

06/28/2021 01:17:42 PF: Spross, Nicholas J
Names Added : [REDACTED]; Caller
Names Added : [REDACTED]; Caller

06/28/2021 01:16:13 PF: Spross, Nicholas J
Smoke/CO detector sounding residence is evac no ill effects, no signs of smoke and/or fire
Smoke/CO detector sounding residence is evac no ill effects, no signs of smoke and/or fire

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000074

Incident Date : 06/26/2021 19:07:04

Incident Information

Location : Cass AVE/Summer AVE;04
Reported CFS : WIRE - Wires down or Arcing
Initial / Final Alarm Level : 0 : 1 / 0 : 1
Priority Level : 3
Receive Source : 9 - 911 Incoming Calls
Reported Time : 06/26/2021 19:07:04
Stacked Time : 06/26/2021 19:08:27
Acknowledge Time :
On-Scene Time : 06/26/2021 19:17:39
Final CFS : Wires down or Arcing

Primary Unit : F11201
GeoX/GeoY :
Patrol Area : HB
District :
Dispatched Time : 06/26/2021 19:08:59
Enroute Time : 06/26/2021 19:14:36
Cleared : 06/26/2021 19:19:13
Inc Disposition : Unfounded

Units

Unit : 112

06/26/21 19:08:59 Dispatch
06/26/21 19:19:18 Clear Station

Unit : F1122

06/26/21 19:16:19 Dispatch
06/26/21 19:16:20 Enroute
06/26/21 19:17:39 On-Scene
06/26/21 19:19:13 In-Station

Unit : F11201

06/26/21 19:14:36 Dispatch
06/26/21 19:14:36 Enroute
06/26/21 19:19:12 In-Station

Comments

06/26/2021 19:19:18
Station Cleared : {112 }

06/26/2021 19:16:23 PF: Ricci, Ryan M
unfounded

06/26/2021 19:16:19 PF: Lawrence, Joseph B
Dispatched: F1122
Toner Alert Initiated
{112}[F1122]

06/26/2021 19:15:48 PF: Lawrence, Joseph B
1122 w/2

06/26/2021 19:14:36 PF: Lawrence, Joseph B
Dispatched: F11201
Toner Alert Initiated
{112}[F11201]

06/26/2021 19:08:59 PF: Condo, Robert J
Units Recommended: {112 };
Dispatched: {112}
Station Dispatched : {112 }
Toner Alert Initiated

Call Summary Report

Printed On: 03/07/22 09:17

{112}

06/26/2021 19:08:57

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

06/26/2021 19:08:49

PF: Fanslau, Shawn A

correction wire not pole

06/26/2021 19:08:27

PF: Fanslau, Shawn A

Names Added : [REDACTED] Caller

06/26/2021 19:07:04

PF: Fanslau, Shawn A

Pole down across the street, not sparking or arving

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000073

Incident Date : 06/18/2021 17:46:29

Incident Information

Location : 105 Lincoln AVE;05

Reported CFS : SPIL - Material Spill

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 06/18/2021 17:46:29

Stacked Time : 06/18/2021 17:46:29

Acknowledge Time :

On-Scene Time : 06/18/2021 17:50:02

Final CFS : Material Spill

Primary Unit : F1126

GeoX/GeoY :

Patrol Area : 05

District :

Dispatched Time : 06/18/2021 17:46:29

Enroute Time : 06/18/2021 17:47:56

Cleared : 06/18/2021 19:43:01

Inc Disposition : Finished

Units

Descr

Unit : 112

06/18/21 17:46:29 Dispatch

Unit : F1126

06/18/21 17:47:55 Dispatch

06/18/21 17:47:56 Enroute

06/18/21 17:50:02 On-Scene

06/18/21 19:42:57 In-Station

Unit : F1127

06/18/21 17:50:44 Dispatch

06/18/21 17:50:45 Enroute

06/18/21 17:51:45 On-Scene

06/18/21 19:43:01 In-Station

Unit : F11200

06/18/21 17:51:57 Dispatch

06/18/21 17:51:57 Enroute

06/18/21 17:52:01 On-Scene

06/18/21 19:42:51 In-Station

Comments

06/18/2021 19:29:40 PF: Ross, William L Unit: F1221

Situation Under Control spill mitigated, owner to has a clean up company address, crews taking up releasing cover

06/18/2021 19:11:27 PF: Nahas, Michael P Unit: F1126

Brad Ruggeri Vineland Fire req DEP notified. multiple acids less then 5 gals total
dep:210618190411
OP86

06/18/2021 19:08:37

Update reviewed by dispatcher- Nahas, Michael P-5101

06/18/2021 19:07:37 PF: Centanni, Louis A Unit: E1293

596 sherman ave waiting for ls-6

06/18/2021 19:05:18

Update reviewed by dispatcher- Nahas, Michael P-5101

Call Summary Report

Printed On: 03/07/22 09:17

Comments

06/18/2021 18:55:46	PF: Centanni, Louis A	Unit: LS-6
1293 enroute imc vineland meet uo lincon and sherman		
06/18/2021 18:51:48	PF: Ricker, James T	Unit: F1210
1221 w2		
06/18/2021 18:51:09		
Update reviewed by dispatcher- Nahas, Michael P-5101		
06/18/2021 18:39:32	PF: Rodgers, Michael S	
Safety engineer on loc		
06/18/2021 18:39:04	PF: Rodgers, Michael S	
1231 staging 54/40		
06/18/2021 18:31:52	PF: Rodgers, Michael S	
1231 w/3		
06/18/2021 18:27:07	PF: Rodgers, Michael S	
12300		
06/18/2021 18:25:03		
Update reviewed by dispatcher- Rodgers, Michael S		
06/18/2021 18:24:37	PF: Nahas, Michael P	
12-3 TO COVER STATION 12-1		
06/18/2021 18:24:27	PF: Rodgers, Michael S	
12-1 crew left building and is isolated		
06/18/2021 18:24:01	PF: Rodgers, Michael S	
Victims clothing testing positive for acid		
06/18/2021 18:23:42		
Update reviewed by dispatcher- Nahas, Michael P-5101		
06/18/2021 18:23:05	PF: Shannon, Scott M	Unit: E1293
BLS 1292 TOOK 1 PT TO IMC VINELAND- 1293 WILL BE ON LOCATION		
06/18/2021 18:22:23	PF: Rodgers, Michael S	
12-2 retone for man power engine 12-3 to cover 54/40		
06/18/2021 18:21:10		
Update reviewed by dispatcher- Nahas, Michael P-5101		
06/18/2021 18:20:39	PF: Rodgers, Michael S	
Warehouse clear		
06/18/2021 18:20:19	PF: Rodgers, Michael S	
In room 2022 and down southern hall way in building 105 2-3 gal spill		
06/18/2021 18:12:22	PF: Rodgers, Michael S	
3rd and 2nd flr clear no victims found		
06/18/2021 18:05:25	PF: Rodgers, Michael S	
Spill on breeze way		
06/18/2021 18:05:03	PF: Rodgers, Michael S	
Div 2 north clear 101 building		

Call Summary Report

Printed On: 03/07/22 09:17

Comments

06/18/2021 18:04:41	PF: Rodgers, Michael S
Per command ff to be on air packs and maintain distance from spill	
06/18/2021 18:00:12	PF: Rodgers, Michael S
Recon 6 on loc	
06/18/2021 17:59:35	PF: Rodgers, Michael S
Fd on loc attempting to evac building	
06/18/2021 17:59:20	PF: Rodgers, Michael S
Atlantic county hazmat team advised of incident at this time no need to respond	
06/18/2021 17:54:45	PF: Rodgers, Michael S
1 exposure so far ems on loc	
06/18/2021 17:53:22	PF: Rodgers, Michael S
Recon6 advised approx 7ft diameter container spill of hydrochloric and sulfuric acids	
06/18/2021 17:51:57	PF: Rodgers, Michael S
Dispatched: F11200	
Toner Alert Initiated {112}[F11200]	
06/18/2021 17:50:44	PF: Rodgers, Michael S
Dispatched: F1127	
Toner Alert Initiated {112}[F1127]	
06/18/2021 17:47:55	PF: Rodgers, Michael S
Dispatched: F1126	
Toner Alert Initiated {112}[F1126]	
06/18/2021 17:47:24	PF: Rodgers, Michael S
12206	
06/18/2021 17:47:12	PF: Rodgers, Michael S
1126 w/4	
06/18/2021 17:46:58	PF: Rodgers, Michael S
11200	
06/18/2021 17:46:39	PF: Rodgers, Michael S
Toning 11-2 , approx 6ft circumference of hydrochloric acid and other acids per command	
06/18/2021 17:46:29	PF: Nahas, Michael P
Station Dispatched : {112 }	
Toner Alert Initiated {112}	
06/18/2021 17:43:18	PF: Rodgers, Michael S
12200	
06/18/2021 17:42:34	PF: Rodgers, Michael S
Retone 12-2 add recon 6	
06/18/2021 17:41:36	PF: Rodgers, Michael S
BIs requested	

Call Summary ReportPrinted On: 03/07/22 09:17

Comments

06/18/2021 17:39:51 Dispatched: F1210	PF: Rodgers, Michael S
06/18/2021 17:39:44 1210 w/3	PF: Rodgers, Michael S
06/18/2021 17:35:54 12200	PF: Rodgers, Michael S
06/18/2021 17:35:16 Dispatched: F12100	PF: Rodgers, Michael S
06/18/2021 17:35:04 12100	PF: Rodgers, Michael S
06/18/2021 17:31:19 2nd fl stand 2 manual pull Afa / 888-232-1873 / oper 32	PF: Maycock, Kathryn E

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000072

Incident Date : 06/18/2021 17:17:49

Incident Information

Location : Wheat RD/S Brewster RD;04

Reported CFS : VEHC - Commercial Vehicle

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : 9 - 911 Incoming Calls

Reported Time : 06/18/2021 17:17:49

Stacked Time : 06/18/2021 17:18:54

Acknowledge Time :

On-Scene Time : 06/18/2021 17:24:41

Final CFS : Commercial Vehicle

Primary Unit : F11200

GeoX/GeoY :

Patrol Area : HB

District :

Dispatched Time : 06/18/2021 17:20:03

Enroute Time : 06/18/2021 17:20:55

Cleared : 06/18/2021 17:35:44

Inc Disposition : Finished

Units

Descr

Unit : 112

06/18/21 17:20:03 Dispatch

06/18/21 17:35:47 Clear Station

Unit : F1122

06/18/21 17:25:22 Dispatch

06/18/21 17:27:27 On-Scene

06/18/21 17:33:49 In-Station

Unit : F11200

06/18/21 17:20:54 Dispatch

06/18/21 17:24:41 On-Scene

06/18/21 17:31:09 Apply Containment Time

06/18/21 17:35:44 In-Station

Unit : F11202

06/18/21 17:21:32 Dispatch

06/18/21 17:21:32 Enroute

06/18/21 17:26:38 On-Scene

06/18/21 17:33:55 In-Station

Comments

06/18/2021 17:35:47

Station Cleared : {112 }

06/18/2021 17:31:24

PF: Rodgers, Michael S

Under control per command

06/18/2021 17:25:23

Toner Alert Initiated
{112}[F1122]

06/18/2021 17:25:22

PF: Rodgers, Michael S

Dispatched: F1122

06/18/2021 17:25:12

PF: Rodgers, Michael S

1122 w/2

06/18/2021 17:21:32

PF: Rodgers, Michael S

Dispatched: F11202

Call Summary Report

Printed On: 03/07/22 09:17

Toner Alert Initiated
{112}[F11202]

06/18/2021 17:21:13

PF: Rodgers, Michael S

11202

06/18/2021 17:20:55

Toner Alert Initiated
{112}[F11200]

06/18/2021 17:20:54

PF: Rodgers, Michael S

Dispatched: F11200

06/18/2021 17:20:45

PF: Rodgers, Michael S

11200

06/18/2021 17:20:03

PF: Nahas, Michael P

Units Recommended: {112 };

Dispatched: {112}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

06/18/2021 17:19:27

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

06/18/2021 17:18:54

PF: Raggio, Douglas A

Names Added : [REDACTED]

06/18/2021 17:17:49

PF: Raggio, Douglas A

Caller reporting possible brake fire on a truck. Driver was using an extinguisher.

Call Back Information : [REDACTED]

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000071

Incident Date : 06/18/2021 14:44:53

Incident Information

Location : N Brewster RD/N Harding HWY;04

Reported CFS : ASPD - Assist PD

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 06/18/2021 14:44:53

Stacked Time : 06/18/2021 14:44:53

Acknowledge Time :

On-Scene Time : 06/18/2021 14:58:02

Final CFS : Assist PD

Primary Unit : F1127

GeoX/GeoY :

Patrol Area : HA

District :

Dispatched Time : 06/18/2021 14:44:54

Enroute Time : 06/18/2021 14:51:36

Cleared : 06/18/2021 15:29:57

Inc Disposition : Finished

Units

Descr

Unit : 112

06/18/21 14:44:54 Dispatch

06/18/21 15:30:06 Clear Station

Unit : F1122

06/18/21 14:51:36 Dispatch

06/18/21 14:51:36 Enroute

06/18/21 14:58:05 On-Scene

06/18/21 15:29:56 In-Station

Unit : F1127

06/18/21 14:52:43 Dispatch

06/18/21 14:58:02 On-Scene

06/18/21 15:29:56 In-Station

Comments

06/18/2021 15:30:06

Station Cleared : {112 }

06/18/2021 15:29:34 PF: Rodgers, Michael S

Unit: F1122

Light back up and running properly per command

06/18/2021 15:20:55 PF: Rodgers, Michael S

Ace on scene

06/18/2021 15:03:17 PF: Rodgers, Michael S

Pd contacted state dot to send rep to above for traffic control

06/18/2021 14:59:46 PF: Rodgers, Michael S

Ac elec in rte

06/18/2021 14:59:10 PF: Rodgers, Michael S

Prime Unit Changed to - F1127

06/18/2021 14:58:16 PF: Rodgers, Michael S

Unit: F1122

11205 rt 40 command

06/18/2021 14:52:43 PF: Rodgers, Michael S

Dispatched: F1127

Toner Alert Initiated

{112}[F1127]

Call Summary ReportPrinted On: 03/07/22 09:17

Comments

06/18/2021 14:52:32 1122 w/2 1127 w/1	PF: Rodgers, Michael S	
06/18/2021 14:52:18 W/3	PF: Maycock, Kathryn E	Unit: F1122
06/18/2021 14:51:36 Dispatched: F1122 Toner Alert Initiated {112}[F1122]	PF: Maycock, Kathryn E	
06/18/2021 14:46:59 No eta ac elec	PF: Rodgers, Michael S	
06/18/2021 14:44:54 Units Recommended: {112 }; Dispatched: {112} Station Dispatched : {112 } Toner Alert Initiated {112}	PF: Nahas, Michael P	
06/18/2021 14:42:22 P1172 / traffic light out	PF: Maycock, Kathryn E	

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000070

Incident Date : 06/08/2021 17:44:11

Incident Information

Location : Forest Grove RD/S Brewster RD;04

Reported CFS : ASPD - Assist PD

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source : R - Radio

Reported Time : 06/08/2021 17:44:11

Stacked Time : 06/08/2021 17:44:40

Acknowledge Time :

On-Scene Time :

Final CFS : Assist PD

Primary Unit : F11201

GeoX/GeoY :

Patrol Area : HB

District :

Dispatched Time : 06/08/2021 17:46:24

Enroute Time :

Cleared : 06/08/2021 18:10:12

Inc Disposition : Finished

Units

Descr

Unit : 112

06/08/21 17:46:24 Dispatch

06/08/21 18:10:14 Clear Station

Unit : F1122

06/08/21 17:53:50 Dispatch

06/08/21 17:53:51 Enroute

06/08/21 18:10:12 In-Station

Unit : F1125

06/08/21 17:51:21 Dispatch

06/08/21 17:51:21 Enroute

06/08/21 18:10:12 In-Station

Unit : F11201

06/08/21 17:48:54 Dispatch

06/08/21 18:10:12 In-Station

Comments

06/08/2021 18:10:14

Station Cleared : {112 }

06/08/2021 17:53:50

PF: Richards, Bryan D

Dispatched: F1122

Toner Alert Initiated

{112}[F1122]

06/08/2021 17:51:21

PF: Richards, Bryan D

Dispatched: F1125

Toner Alert Initiated

{112}[F1125]

06/08/2021 17:48:54

PF: Richards, Bryan D

Dispatched: F11201

Toner Alert Initiated

{112}[F11201]

06/08/2021 17:46:24

PF: Mehaffey, Ryan R

Units Recommended: {112 };

Dispatched: {112}

Call Summary Report

Printed On: 03/07/22 09:17

Station Dispatched : {112 }

Toner Alert Initiated
{112}

06/08/2021 17:46:22

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD

06/08/2021 17:44:11

PF: Richardson Davis, Ashley L

Tree in roadway
1178

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000069

Incident Date : 06/03/2021 16:51:24

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : ALRM - Fire Alarm System

Initial / Final Alarm Level : 0 : 1 / 0 : 1

Priority Level : 3

Receive Source :

Reported Time : 06/03/2021 16:51:24

Stacked Time : 06/03/2021 16:52:11

Acknowledge Time :

On-Scene Time : 06/03/2021 16:55:46

Final CFS : Fire Alarm System

Primary Unit : F11200

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 06/03/2021 16:53:36

Enroute Time : 06/03/2021 16:55:42

Cleared : 06/03/2021 17:03:58

Inc Disposition : False Alarm Clear

Units

Descr

Unit : 112

06/03/21 16:53:36 Dispatch

Unit : F1126

06/03/21 16:55:41 Dispatch

06/03/21 16:57:35 On-Scene

06/03/21 17:03:58 In-Station

Unit : F11200

06/03/21 16:55:41 Dispatch

06/03/21 16:55:46 On-Scene

06/03/21 17:03:58 In-Station

Comments

06/03/2021 16:58:50 PF: McCormick, David G

CMD ADVISE COOKING INCIDENT

06/03/2021 16:55:41 PF: McCormick, David G

Dispatched: F11200, F1126

Toner Alert Initiated
{112}[F1126][F11200]

06/03/2021 16:53:54 PF: McCormick, David G

12206 ON RADIO

06/03/2021 16:53:36 PF: Rieger, Justin J

Units Recommended: {112 },{122 };
Dispatched: {112}, {122}

Station Dispatched : {112 }

Toner Alert Initiated
{112}

06/03/2021 16:53:13

Update reviewed by dispatcher- McCormick, David G

06/03/2021 16:52:42

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD
122B - 12-2 East Vineland FD

Call Summary Report

Printed On: 03/07/22 09:17

Comments

06/03/2021 16:52:28	PF: Rieger, Justin J
PF# JR6207 , notified with address flag	
06/03/2021 16:52:11	PF: McCormick, David G
PF# DM6094 , notified with address flag	
06/03/2021 16:51:24	PF: McCormick, David G
FIRST FLOOR GFA	
FRANKLIN 800 633 2677	
OP 5163	

Call Summary Report

Printed On: 03/07/22 09:17

Incident# : 21-000068

Incident Date : 06/03/2021 09:03:46

Incident Information

Location : 114 W Arctic AVE,COMPLEX;04

Reported CFS : BLDG - Building Fire

Initial / Final Alarm Level : 0 : 20 / 0 : 20

Priority Level : 2

Receive Source : 9 - 911 Incoming Calls

Reported Time : 06/03/2021 09:03:46

Stacked Time : 06/03/2021 09:05:41

Acknowledge Time :

On-Scene Time : 06/03/2021 09:13:52

Final CFS : Building Fire

Primary Unit : F11200

GeoX/GeoY :

Patrol Area :

District :

Dispatched Time : 06/03/2021 09:07:23

Enroute Time : 06/03/2021 09:09:32

Cleared : 06/03/2021 10:59:18

Inc Disposition : Finished

Units

Descr

Unit : 112

06/03/21 9:07:23 Dispatch

Unit : F1122

06/03/21 9:24:54 Dispatch

06/03/21 9:24:55 Enroute

06/03/21 9:25:04 On-Scene

06/03/21 10:59:18 In-Station

Unit : F1126

06/03/21 9:11:56 Dispatch

06/03/21 9:11:57 Enroute

06/03/21 9:13:52 On-Scene

06/03/21 10:59:18 In-Station

Unit : F11200

06/03/21 9:09:32 Dispatch

06/03/21 9:09:32 Enroute

06/03/21 9:25:34 On-Scene

06/03/21 10:59:18 In-Station

Unit : F1121

06/03/21 9:16:35 Dispatch

06/03/21 9:16:35 Enroute

06/03/21 9:25:21 On-Scene

06/03/21 10:59:18 In-Station

Comments

06/03/2021 10:59:24

Station Cleared : {112 }

06/03/2021 10:50:24 PF: Priggemeier, Bryce A

Unit: EM11

Atlantic City Electric notified of contractor being on scene.

Atlantic City Electric notified of contractor being on scene.

06/03/2021 09:24:54 PF: Priggemeier, Bryce A

Dispatched: F1122

Toner Alert Initiated

{112}{F1122}

Call Summary Report

Printed On: 03/07/22 09:17

06/03/2021 09:22:32	PF: Priggemeier, Bryce A	Unit: EM11
CMD adv maintenance supervisor notified / attempting to isolate to HVAC unit which is leaking onto a breaker panel.		
06/03/2021 09:20:11	PF: Priggemeier, Bryce A	Unit: EM11
1227/1		
06/03/2021 09:20:07	PF: Priggemeier, Bryce A	Unit: EM11
ACE notified for scene response - no eta given		
06/03/2021 09:16:35	PF: Priggemeier, Bryce A	
Dispatched: F1121		
Toner Alert Initiated {112}[F1121]		
06/03/2021 09:16:25	PF: Priggemeier, Bryce A	Unit: EM11
1121/1		
06/03/2021 09:14:06	PF: Priggemeier, Bryce A	Unit: EM11
1126 - 3 sty MFD nothing showing		
06/03/2021 09:13:01	PF: Priggemeier, Bryce A	Unit: EM11
1221/2		
06/03/2021 09:11:57		
Toner Alert Initiated {112}[F1126]		
06/03/2021 09:11:56	PF: Priggemeier, Bryce A	
Dispatched: F1126		
06/03/2021 09:11:46	PF: Priggemeier, Bryce A	Unit: EM11
1126/3		
06/03/2021 09:09:32	PF: Priggemeier, Bryce A	
Dispatched: F11200		
Toner Alert Initiated {112}[F11200]		
06/03/2021 09:09:14		
Update reviewed by dispatcher- Karcher, Kevin M		
06/03/2021 09:09:09	PF: Priggemeier, Bryce A	Unit: EM11
12206 & 11200 enroute		
06/03/2021 09:07:23	PF: Rieger, Justin J	
Units Recommended: {112 },{122 },EM11;		
Dispatched: {112}, {122}, EM11		
Station Dispatched : {112 }		
Toner Alert Initiated {112}		
06/03/2021 09:07:17	PF: Gismondi, Ettore J	
Covid flag for complex		
06/03/2021 09:07:01	PF: Gismondi, Ettore J	
smell in common areas and apt 217		
06/03/2021 09:06:40		
Update reviewed by dispatcher- Gismondi, Ettore J		

Call Summary Report

Printed On: 03/07/22 09:17

Comments

06/03/2021 09:06:17

Toner Alert Initiated, Following tones sent to device - F1
112B - 11-2 Minotola FD
122B - 12-2 East Vineland FD

06/03/2021 09:05:48

PF: Rieger, Justin J

PF# JR6207 , notified with address flag

06/03/2021 09:05:41

PF: Gismondi, Ettore J

Names Added : Dyuff Shawn

PF# TG5071 , notified with address flag

06/03/2021 09:03:46

PF: Gismondi, Ettore J

Smell of electrical burning in bldg does not see any smoke

Names

Activity	Name	DOB	Address	Phone#
Caller	[REDACTED]		[REDACTED]	[REDACTED]