



Ocean County Health Department
 Daniel E. Regenye, MHA, Public Health Coordinator/Health Officer
 175 Sunset Avenue, PO Box 2191 Toms River, NJ 08754
 Telephone: (732) 341-9700 Fax: (732) 286-1495
 E-Mail: xxxxxxxxxxxx@xxxx.xxx
 www.ochd.org



RISK-BASED INSPECTION REPORT

Insp Date: 10/10/17 **Business ID:** 100283
Business: Cozy Kitchen
 344 Herbertsville Rd.
 Brick, NJ 08724

Inspection: OG000167
File Number: 2088
Phone: 7324586110
REHS: B-101909 Dwight Gerdes
Reason: 02. REINSPECTION
Results: Satisfactory

Time In / Time Out

Date	In	Out	Insp	Travel	Total	Mileage	Notes
10/10/17	10:23 AM	11:00 PM	12:37	0:00	12:37	0	
Total:			12:37	0:00	12:37	0	

Establishment Information

Municipality 1506 Brick Risk Type 2
 FMC _____ Name _____ Type _____ Exp Date _____
 Sewage System Public Water System Public Lab _____
 PWSID # _____ Nitrate _____ Total Coliform _____
 Business Owner Chris G. Koch Business Type 26 Luncheonette

FOODBORNE ILLNESS RISK FACTORS AND INTERVENTIONS

RISK FACTORS are improper practices identified as the most common factors resulting in foodborne illness (FBI).
 INTERVENTIONS are control measures to prevent FBI.

Mark "X" in appropriate Box: IN=In Compliance; OUT=Not in Compliance; NO=Not Observed; NA=Not Applicable;
 COS=Corrected On-site; R=Repeat Violation.

MANAGEMENT AND PERSONNEL

- PIC demonstrates knowledge of food safety principles pertaining to this operation.
- PIC in Risk Level 3 Retail Food Establishments is certified by January 2, 2010.
- Ill or injured foodworkers restricted or excluded as required.

IN	OUT	N.O.	N/A	COS	REPEAT
"	"	p	"	"	"
"	"	p	"	"	"
"	"	p	"	"	"

PREVENTING CONTAMINATION FROM HANDS

- Handwashing conducted in a timely manner; prior to work, after using restroom, etc.
- Handwashing proper; duration at least 20 seconds with at least 10 seconds of vigorous lathering.
- Handwashing facilities provided in toilet rooms and prep areas; convenient, accessible, unobstructed.

IN	OUT	N.O.	N/A	COS	REPEAT
"	"	p	"	"	"
p	"	p	"	"	"
p	"	"	"	"	"

Inspector

Acknowledged Receipt : Chris Koch

RISK-BASED INSPECTION REPORT

PREVENTING CONTAMINATION FROM HANDS

	IN	OUT	N.O.	N/A	COS	REPEAT
7. Handwashing facilities provided with warm water; soap and acceptable hand-drying method.	p	"	"	"	"	"
8. Direct bare hand contact with exposed, ready-to-eat foods is avoided.	p	"	"	"	"	"

FOOD SOURCE

	IN	OUT	N.O.	N/A	COS	REPEAT
9. All foods, including ice and water, from approved sources; with proper records.	p	"	"	"	"	"
10. Shellfish/Seafood record keeping procedures; storage; proper handling; parasite destruction	"	"	p	"	"	"
11. PHFs received at 41°F or below. Except: milk, shell eggs and shellfish (45°F)	"	"	p	"	"	"

FOOD PROTECTION FROM CONTAMINATION

	IN	OUT	N.O.	N/A	COS	REPEAT
12. Proper separation of raw meats and raw eggs from ready-to-eat foods provided	p	"	"	"	"	"
13. Food protected from contamination	p	"	"	"	"	"
14. Food contact surfaces properly cleaned and sanitized	"	"	p	"	"	"

PHFs TIME/TEMPERATURE CONTROLS

	IN	OUT	N.O.	N/A	COS	REPEAT
15. SAFE COOKING TEMPERATURES (Internal temperatures for raw animal foods for 15 seconds) Except: Foods may be served raw or undercooked in response to a consumer order and for immediate service. 130°F for 112 minutes: Roasts or as per cooking chart found under 3.4.(a)2; 145°F: Fish, Meat, Pork; 155°F: Ground Meat/Fish; Injected Meats; or Pooled Shell Eggs; 165°F; Poultry, Stuffed fish/meat/or pasta; Stuffing containing fish/meat.	"	"	p	"	"	"
16. PASTEURIZED EGGS: substituted for shell eggs in raw or undercooked egg-containing foods, i.e. Caesar salad dressing, hollandaise sauce, tiramisu, chocolate mousse, meringue, etc.	"	"	p	"	"	"
17. COLD HOLDING: PHFs maintained at "Refrigeration Temperatures" (41°F)	p	"	"	"	"	"
18. COOLING: PHFs rapidly cooled from 135°F to 41°F within 6 hours and from 135°F to 70°F within 2 hours.	"	"	p	"	"	"
19. COOLING: PHFs prepared from ingredients at ambient temperature cooled to 41°F within 4 hours	"	"	p	"	"	"
20. REHEATING: PHFs rapidly reheated (within 2 hours) in proper facilities to at least 165°F; or commercially processed PHFs heated to at least 135°F prior to hot holding.	"	"	p	"	"	"
21. HOT HOLDING: PHFs Hot Held at 135°F or above in appropriate equipment.	p	"	"	"	"	"
22. TIME as a PUBLIC HEALTH CONTROL: Approval; written procedures; time marked; discarded in 4 hours.	"	"	"	p	"	"
23. SPECIALIZED PROCESSING METHODS: Approval; written procedures; conducted properly.	"	"	"	p	"	"
24. HIGHLY SUSCEPTIBLE POPULATIONS: Pasteurized foods used; prohibited foods not offered.	"	"	"	p	"	"

GOOD RETAIL PRACTICES

Good retail practices are preventive measures to control the addition of pathogens, chemicals and physical objects into foods.

OUT = Not in Compliance; COS = Corrected On-site; REPEAT = Repeat Violations

SAFE FOOD AND WATER / PROTECTION FROM CONTAMINATION

OUT COS REPEAT



Inspector



Acknowledged Receipt : Chris Koch

RISK-BASED INSPECTION REPORT

SAFE FOOD AND WATER / PROTECTION FROM CONTAMINATION

	OUT	COS	REPEAT
25. Hot and cold water available; adequate pressure.	"	"	"
26. Food properly labeled; original container	"	"	"
27. Food protected from potential contamination during preparation, storage, display.	"	"	"
28. Utensils, spatulas, tongs, forks, disposable gloves provided and used properly to restrict bare hand contact.	"	"	"
29. Raw fruits and vegetables washed prior to serving.	"	"	"
30. Wiping cloths properly used and stored.	"	"	"
31. Toxic substances properly identified, stored and used.	"	"	"
32. Presence of insects/rodents minimized: outer openings protected, animals as allowed.	"	"	"
33. Personal cleanliness (fingernails, jewelry, outer clothing, hair restraint).	"	"	"

FOOD TEMPERATURE CONTROL

	OUT	COS	REPEAT
34. Food temperature measuring devices provided and calibrated.	"	"	"
35. Thin-probed temperature measuring device provided for monitoring thin foods (i.e., meat patties and fish fillets).	"	"	"
36. Frozen foods maintained completely frozen.	"	"	"
37. Frozen foods properly thawed.	"	"	"
38. Plant food for hot holding properly cooked to at least 135°F.	"	"	"
39. Methods for rapidly cooling PHFs are properly conducted and equipment is adequate.	"	"	"

EQUIPMENT, UTENSILS AND LINENS

	OUT	COS	REPEAT
40. Materials, construction, repair, design, capacity, location, installation, maintenance.	"	"	p
41. Equipment temperature measuring devices provided (refrigeration units, etc).	"	"	"
42. In-use utensils properly stored.	"	"	"
43. Utensils, single service items, equipment, linens properly stored, dried and handled.	"	"	"
44. Food and non-food contact surfaces properly constructed, cleanable, used.	"	"	"
45. Proper warewashing facilities installed, maintained, cleaned, used; sanitizer test strips available, used.	"	"	"

PHYSICAL FACILITIES

	OUT	COS	REPEAT
46. Plumbing system properly installed; safe and in good repair; no potential backflow or backsiphonage conditions.	"	"	p
47. Sewage and waste water properly disposed.	"	"	"
48. Toilet facilities are adequate, properly constructed, properly maintained, supplied and cleaned.	"	"	"
49. Design, construction, installation and maintenance proper-floors/walls/ceilings.	"	"	"
50. Adequate ventilation; lighting; designated areas used.	"	"	"
51. Premises maintained free of litter, unnecessary articles, cleaning and maintenance equipment properly stored; and garbage and refuse properly maintained.	"	"	"
52. All required signs (handwashing, inspection placard, etc) provided and conspicuously posted.	"	"	"



Inspector



Acknowledged Receipt : Chris Koch

RISK-BASED INSPECTION REPORT

Additional Remarks

10/10/17 Re-Inspection

Review thorough cleaning prior to sanitizing of slicer. Owner indicates interest in possible replacement.

Review recommendation of the addition of a hand wash sink at the counter.

Hand wash sign issued for posting at newly installed hand wash sink in Kichen. Bathroom and Counter sinks are repaired.



Inspector



Acknowledged Receipt : Chris Koch

RISK-BASED INSPECTION REPORT
Fail Notes Summary

Fail Code	Fail Text
40. Materials, construction, repair, design, capacity, location, installation, maintenance.	
4.5(a)	Dishwasher gage(s) inoperable. Must operate properly by next inspection (2108)
46. Plumbing system properly installed; safe and in good repair; no potential backflow or backsiphonage conditions.	
5.2(g)	Retail food establishment lacks a mop sink. As reviewed and agreed with owner, Mop Sink or curbed floor cleaning facility to be added by next inspection (2018)



Inspector



Acknowledged Receipt : Chris Koch