



Ocean County Health Department

Daniel E. Regenye, MHA, Public Health Coordinator/Health Officer
175 Sunset Avenue, PO Box 2191 Toms River, NJ 08754
Telephone: (732) 341-9700 Fax: (732) 286-1495
E-Mail: xxxxxxxxxxxx@xxxx.xxx
www.ochd.org



RISK-BASED INSPECTION REPORT

Insp Date: 8/13/2021 **Business ID:** 100842
Business: Dunkin Donuts #306118
13 Lanes Mill Road
Brick, NJ 08724

Inspection: OC000165
File Number: 7227
Phone: 732-458-7787
Inspector: B-102062 George McCoy
Reason: 02. REINSPECTION
Results: Conditionally Satisfactory

Establishment Information

Municipality 1506 Brick Risk Type 2
FMC _____ Name _____ Type _____ Exp Date _____
Sewage System Public Water System Public Lab _____
PWSID # _____ Nitrate _____ Total Coliform _____
Business Owner Rahit Patel Business Type 83 Coffee Shop

FOODBORNE ILLNESS RISK FACTORS AND INTERVENTIONS

RISK FACTORS are improper practices identified as the most common factors resulting in foodborne illness (FBI).
INTERVENTIONS are control measures to prevent FBI.

Mark "X" in appropriate Box: IN=In Compliance; OUT=Not in Compliance; NO=Not Observed; NA=Not Applicable;
COS=Corrected On-site; R=Repeat Violation.

MANAGEMENT AND PERSONNEL

1. PIC demonstrates knowledge of food safety principles pertaining to this operation.
2. PIC in Risk Level 3 Retail Food Establishments is certified by January 2, 2010.
3. Ill or injured foodworkers restricted or excluded as required.

IN	OUT	N.O.	N/A	COS	REPEAT
		p			
			p		
		p			

PREVENTING CONTAMINATION FROM HANDS

4. Handwashing conducted in a timely manner; prior to work, after using restroom, etc.
5. Handwashing proper; duration at least 20 seconds with at least 10 seconds of vigorous lathering.
6. Handwashing facilities provided in toilet rooms and prep areas; convenient, accessible, unobstructed.
7. Handwashing facilities provided with warm water; soap and acceptable hand-drying method.
8. Direct bare hand contact with exposed, ready-to-eat foods is avoided.

IN	OUT	N.O.	N/A	COS	REPEAT
		p			
		p			
	p				
p					
		p			

FOOD SOURCE

9. All foods, including ice and water, from approved sources; with proper records.

IN	OUT	N.O.	N/A	COS	REPEAT
p					

Inspector

Acknowledged Receipt :

Page 1 of 5

RISK-BASED INSPECTION REPORT

FOOD SOURCE

10. Shellfish/Seafood record keeping procedures; storage; proper handling; parasite destruction

11. PHFs received at 41°F or below. Except: milk, shell eggs and shellfish (45°F)

FOOD PROTECTION FROM CONTAMINATION

12. Proper separation of raw meats and raw eggs from ready-to-eat foods provided

13. Food protected from contamination

14. Food contact surfaces properly cleaned and sanitized

PHFs TIME/TEMPERATURE CONTROLS

15. SAFE COOKING TEMPERATURES (Internal temperatures for raw animal foods for 15 seconds) Except: Foods may be served raw or undercooked in response to a consumer order and for immediate service. 130°F for 112 minutes: Roasts or as per cooking chart found under 3.4.(a)2; 145°F: Fish, Meat, Pork; 155°F: Ground Meat/Fish; Injected Meats; or Pooled Shell Eggs; 165°F; Poultry, Stuffed fish/meat/or pasta; Stuffing containing fish/meat.

16. PASTEURIZED EGGS: substituted for shell eggs in raw or undercooked egg-containing foods, i.e. Caesar salad dressing, hollandaise sauce, tiramisu, chocolate mousse, meringue, etc.

17. COLD HOLDING: PHFs maintained at "Refrigeration Temperatures" (41°F)

18. COOLING: PHFs rapidly cooled from 135°F to 41°F within 6 hours and from 135°F to 70°F within 2 hours.

19. COOLING: PHFs prepared from ingredients at ambient temperature cooled to 41°F within 4 hours

20. REHEATING: PHFs rapidly reheated (within 2 hours) in proper facilities to at least 165°F; or commercially processed PHFs heated to at least 135°F prior to hot holding.

21. HOT HOLDING: PHFs Hot Held at 135°F or above in appropriate equipment.

22. TIME as a PUBLIC HEALTH CONTROL: Approval; written procedures; time marked; discarded in 4 hours.

23. SPECIALIZED PROCESSING METHODS: Approval; written procedures; conducted properly.

24. HIGHLY SUSCEPTIBLE POPULATIONS: Pasteurized foods used; prohibited foods not offered.

GOOD RETAIL PRACTICES

Good retail practices are preventive measures to control the addition of pathogens, chemicals and physical objects into foods.

OUT = Not in Compliance; COS = Corrected On-site; REPEAT = Repeat Violations

SAFE FOOD AND WATER / PROTECTION FROM CONTAMINATION

25. Hot and cold water water available; adequate pressure.

26. Food properly labeled; original container

27. Food protected from potential contamination during preparation, storage, display.

28. Utensils, spatulas, tongs, forks, disposable gloves provided and used properly to restrict bare hand contact.

IN OUT N.O. N/A COS REPEAT

" " " p " "

" " p " " "

IN OUT N.O. N/A COS REPEAT

p " " " " "

" " p " " "

" p " " " "

IN OUT N.O. N/A COS REPEAT

" " p " " "

" " " p " "

p " " " " "

" " " p " "

" " " p " "

" " p " " "

" " p " " "

" " " p " "

" " " p " "

" " " p " "

OUT COS REPEAT

" " "

" " "

" " "

" " "



Inspector

Acknowledged Receipt :

Page 2 of 5

RISK-BASED INSPECTION REPORT

SAFE FOOD AND WATER / PROTECTION FROM CONTAMINATION

OUT COS REPEAT

- 29. Raw fruits and vegetables washed prior to serving.
- 30. Wiping cloths properly used and stored.
- 31. Toxic substances properly identified, stored and used.
- 32. Presence of insects/rodents minimized: outer openings protected, animals as allowed.
- 33. Personal cleanliness (fingernails, jewelery, outer clothing, hair restraint).

.. ..
.. ..
.. ..
.. ..
.. ..

FOOD TEMPERATURE CONTROL

OUT COS REPEAT

- 34. Food temperature measuring devices provided and calibrated.
- 35. Thin-probed temperature measuring device provided for monitoring thin foods (i.e., meat patties and fish fillets).
- 36. Frozen foods maintained completely frozen.
- 37. Frozen foods properly thawed.
- 38. Plant food for hot holding properly cooked to at least 135°F.
- 39. Methods for rapidly cooling PHFs are properly conducted and equipment is adequate.

.. ..
.. ..
.. ..
.. ..
.. ..
.. ..

EQUIPMENT, UTENSILS AND LINENS

OUT COS REPEAT

- 40. Materials, construction, repair, design, capacity, location, installation, maintenance.
- 41. Equipment temperature measuring devices provided (refrigeration units, etc).
- 42. In-use utensils properly stored.
- 43. Utensils, single service items, equipment, linens properly stored, dried and handled.
- 44. Food and non-food contact surfaces properly constructed, cleanable, used.
- 45. Proper warewashing facilities installed, maintained, cleaned, used; sanitizer test strips available, used.

p ..
.. ..
.. ..
.. ..
.. ..
p ..

PHYSICAL FACILITIES

OUT COS REPEAT

- 46. Plumbing system properly installed; safe and in good repair; no potential backflow or backsiphonage conditions.
- 47. Sewage and waste water properly disposed.
- 48. Toilet facilities are adequate, properly constructed, properly maintained, supplied and cleaned.
- 49. Design, construction, installation and maintenance proper-floors/walls/ceilings.
- 50. Adequate ventilation; lighting; designated areas used.
- 51. Premises maintained free of litter, unnecessary articles, cleaning and maintenance equipment properly stored; and garbage and refuse properly maintained.
- 52. All required signs (handwashing, inspection placard, etc) provided and conspicuously posted.

.. ..
.. ..
p ..
p ..
.. ..
.. ..
.. ..

Additional Remarks




Inspector

Acknowledged Receipt :

RISK-BASED INSPECTION REPORT

Additional Remarks




Inspector

Acknowledged Receipt :

Page 4 of 5

RISK-BASED INSPECTION REPORT
Fail Notes Summary

Fail Code	Fail Text
6. Handwashing facilities provided in toilet rooms and prep areas; convenient, accessible, unobstructed.	
6.7(q)	HAND WASH SINKS ARE SOILED.THESE STATIONS REQUIRE CLEANING.
14. Food contact surfaces properly cleaned and sanitized	
4.6(a)	THE ENTIRE PREP. ARAE IS IN NEED OF CLEAN UP AND ORGANIZING.
40. Materials, construction, repair, design, capacity, location, installation, maintenance.	
4.5(a)	EQUIPMENT THAT IS IN DISREPAIR AND IS NO LONGER IN USE MUST BE REMOVED FROM THE ESTABLISHMENT.
45. Proper warewashing facilities installed, maintained, cleaned, used; sanitizer test strips available, used.	
4.8(a)	3 BAY SINK IS EXTREMELY SOILED. OLD DRIED RUSTY MATTER WAS OBSERVED ON THE EXTERIOR SURFACES.
48. Toilet facilities are adequate, properly constructed, properly maintained, supplied and cleaned.	
6.6(e)	SOILED. MENS ROOM TOILET HAS A GRAY RING.
49. Design, construction, installation and maintenance proper-floors/walls/ceilings.	
6.1(a)	CEILING TILE ARE DAMAGED AND SOME MISSING.. MOLDY MATTER WAS OBSERVED. 2 BUCKETS ARE LOCATED IN THE MIDDLE OF THE REAR PREP. / CLEAN UP AREA TO COLLECT RAIN WATER.THE ENTIRE REAR CLEAN UP AND REAR STORAGE AREAS ARE IN NEED OF TOTAL REPAIR AND CLEANING UP..ALSO A SECTION OF WALL AT THE DRY STORAGE ARE IS DAMAGED AND MOLDY.



Inspector

Acknowledged Receipt :

Page 5 of 5