



OCEAN COUNTY HEALTH DEPARTMENT

P.O. Box 2191
Toms River, NJ 08754-2191
(732) 341-9700 ext. 7480
Fax: (732) 286-1495
www.ochd.org



Retail Food Establishment Sanitary Inspection Report

Type: Initial

Rating: Satisfactory

Risk: 1

Establishment Information

Bonefish Grill
179 Van Zile Rd
Brick NJ 08723
(732) 785-2725

Inspection Times

Date	From	To	Total Minutes	Inspector
06/21/23	2:05 pm	4:05 pm	120	Mccoy, George
			Total: 120	

FOODBORNE ILLNESS RISK FACTORS AND INTERVENTIONS

	IN	OUT	NO	NA	COS	MANAGEMENT AND PERSONNEL
1	☒	☐	☐		☐	PIC demonstrates knowledge of food safety principles pertaining to this operation.
2	☒	☐	☐	☐	☐	PIC in Risk Level 3 Retail Food Establishments is certified by January 2, 2010
3	☒	☐	☐		☐	Ill or injured foodworkers restricted or excluded as required.
	IN	OUT	NO	NA	COS	PREVENTING CONTAMINATION FROM HANDS
4	☒	☐	☐	☐	☐	Handwashing conducted in a timely manner, prior to work, after using restroom, etc.
5	☒	☐	☐		☐	Handwashing proper; duration at least 20 seconds with at least 10 seconds of vigorous lathering.
6	☒	☐			☐	Handwashing facilities provided in toilet rooms and prep areas; convenient, accessible, unobstructed.
7	☒	☐			☐	Handwashing facilities provided with warm water; soap and acceptable hand-drying method.
8	☒	☐	☐	☐	☐	Direct bare hand contact with exposed, ready-to-eat foods is avoided
	IN	OUT	NO	NA	COS	FOOD SOURCE
9	☒	☐			☐	All foods, including ice and water, from approved sources; with proper records.
10	☐	☐	☐	☒	☐	Shellfish/Seafood record keeping procedures; storage; proper handling; parasite destruction.
11	☐	☐	☒	☐	☐	PHFs received at 41F or below. Except milk, shell eggs and shellfish (45F).
	IN	OUT	NO	NA	COS	FOOD PROTECTED FROM CONTAMINATION
12	☒	☐	☐	☐	☐	Proper separation of raw meats and raw eggs from ready-to-eat foods provided.
13	☒	☐	☐	☐	☐	Food protected from contamination.
14	☒	☐	☐	☐	☐	Food contact surfaces properly cleaned and sanitized.
	IN	OUT	NO	NA	COS	PHFs TIME/TEMPERATURE CONTROLS
15	☐	☐	☐	☒	☐	SAFE COOKING TEMPERATURES (Internal temperatures for raw animal foods for 15 seconds) Except: Foods may be served raw or undercooked in response to a consumer order and for immediate service. 130F for 112 minutes. Roasts or as per cooking chart found un
16	☐	☐	☐	☒	☐	Pasteurized Eggs: substituted for shell eggs in raw or undercooked egg-containing foods, i.e. Caesar salad dressing, hollandaise sauce, tiramisu, chocolate mousse, meringue, etc.
17	☒	☐	☐	☐	☐	Cold Holding: PHF's maintained at "Refrigeration Temperatures" (41 F)

18	☒	☐	☒	☐	☐	Cooling: PHF's rapidly cooled from 135 F to 41 F within 6 hours and from 135 F to 70 F within 2 hours.
19	☐	☐	☒	☐	☐	Cooling: PHF's prepared from ingredients at ambient temperature must be cooled to 41 F or below within 4 hours.
20	☐	☐	☒	☐	☐	Reheating: PHF's rapidly reheated in proper facilities to 165 F or above within two hours or commercially processed PHF's heated to 135 F or above prior to hot holding.
21	☒	☐	☐	☐	☐	Hot Holding: PHF's hot held at 135 F or above in appropriate equipment.
22	☐	☐	☐	☒	☐	Time as a Public Health Control: Approval; written procedures; time marked; discarded after 4 hours.
23	☐	☐	☐	☒	☐	Specialized processing; approval; written procedures; conducted properly.
24	☐	☐		☒	☐	Highly Susceptible Populations
GOOD RETAIL PRACTICES						
	IN	OUT	NO	NA	COS	SAFE FOOD AND WATER / PROTECTION FROM CONTAMINATION
25	☒	☐			☐	Hot and cold water available; adequate pressure.
26	☒	☐			☐	Food properly labeled, original container.
27	☒	☐			☐	Food protected from contamination during preparation, storage, and display.
28	☒	☐			☐	Utensils, spatulas, tongs, forks, disposable gloves provided & used properly to restrict bare hand contact.
29	☒	☐			☐	Ready-to-eat raw fruits and vegetables washed prior to serving.
30	☒	☐			☐	Wiping cloths used and stored properly.
31	☒	☐			☐	Toxic substances, properly identified, stored and used.
32	☒	☐			☐	Presence of insects/rodents minimized: outer openings protected, animals as allowed.
33	☒	☐			☐	Personal Cleanliness (fingernails, jewelry, outer clothing, hair restraint).
	IN	OUT	NO	NA	COS	FOOD TEMPERATURE CONTROL
34	☒	☐			☐	Food temperature measuring devices provided and calibrated.
35	☒	☐			☐	Thin-probed temperature measuring device provided for monitoring thin foods (i.e. meat patties and fish fillets).
36	☒	☐			☐	Frozen foods maintenance completely frozen.
37	☒	☐			☐	Frozen foods properly thawed.
38	☒	☐			☐	Plant food for hot holding properly cooked to at least 135F.
39	☒	☐			☐	Methods for rapidly cooling PHF's are properly conducted and equipment is adequate.
	IN	OUT	NO	NA	COS	EQUIPMENT, UTENSILS AND LINENS
40	☒	☐			☐	Materials, construction, repair, design, capacity, location, installation, maintenance.
41	☒	☐			☐	Equipment temperature measuring devices provided (refrigeration units, etc)
42	☒	☐			☐	In-use utensils properly stored.
43	☒	☐			☐	Utensils, single service items, equipment, linens properly stored, dried and handled.
44	☒	☐			☐	Food and non-food contact surfaces properly constructed, cleanable, used.
45		☒			☐	Proper ware washing facilities installed, maintained, cleaned, used, sanitizer test strips available, used.
	IN	OUT	NO	NA	COS	PHYSICAL FACILITIES
46		☒			☐	Plumbing system properly installed; safe and in good repair, no potential backflow or back siphonage conditions.
47	☒	☐			☐	Sewage and waste water properly disposed.
48		☒			☐	Toilet facilities are adequate, properly constructed, properly maintained, supplied and cleaned.
49		☒			☐	Design, construction, installation and maintenance proper-floors/walls/ceilings.
50	☒	☐			☐	Adequate ventilation, lighting, designated areas used.

51		☒			☐	Premises maintained free of litter, unnecessary articles, cleaning and maintenance equipment properly stored; and garbage and refuse properly maintained.
52	☒	☐			☐	All required signs (handwashing, inspection placard, etc.) provided and conspicuously posted.

Additional Notes and Comments

Note: The door gaskets on the walk in refrigeration units are beginning to show signs of wear.

Citations

45. Admin Code	N.J.A.C. 8:24-4.9 (g)2 2. throughout the day at a frequency necessary to prevent recontamination of equipment and utensils and to ensure that the equipment performs its intended function; and
Remarks	The auto dishwasher requires house keeping to insure that there is no crosscontamination while transitioning from dirty to clean due to the equipment being soiled and the surrounding walls. etc.
Location	Dishwash area.
Correction	Perform housekeeping on the dishwashing unit and the surrounding areas
Risk Factor	N/A N/A N/A
46. Admin Code	N.J.A.C. 8:24-5.2 (a)2 2. Maintained in good repair.
Remarks	The left faucet in the men's room is detached from the base.
Location	Left sink in the men's
Correction	Service the faucet
Risk Factor	N/A N/A N/A
48. Admin Code	N.J.A.C. 8:24-6.6 (h) (h) Toilet facilities, including toilet rooms and fixtures, shall be kept clean and in good repair, and free of objectionable odors. If vestibules are provided, they shall be kept in a clean condition and in good repair.
Remarks	Mens room is in need of housekeeping.
Location	Rear of the dining room.
Correction	Perform housekeeping.
Risk Factor	N/A N/A N/A
49. Admin Code	N.J.A.C. 8:24-6.1 (a)1(ii) (a) Indoor surface characteristics shall include the following: 1. Except as specified in (a)2 below, materials for indoor floor, wall, and ceiling surfaces under conditions of normal use shall be: ii. Closely woven and easily cleanable carpet for carpeted areas; and
Remarks	Certain walls in the dishwash area have a dark damp moldy accumulation.
Location	The area below the storage tables of the auto dishwasher.
Correction	Clean the walls and perimeter tiles.
Risk Factor	N/A N/A N/A
51. Admin Code	N.J.A.C. 8:24-6.5 (b) (b) The physical facilities shall be cleaned as often as necessary to keep them clean. Cleaning shall be done during periods when the least amount of food is exposed such as after closing. This requirement does not apply to cleaning that is necessary due to a spill or other accident.
Remarks	The rear stock room is in need of housekeeping.
Location	Rear dry stock area.
Correction	Perform housekeeping in the storage room.
Risk Factor	N/A N/A N/A

Signatures

George Mccoy, Senior Registered Environmental Health Specialist,



Inspection Official

Signature of Inspecting Official