



**Parsippany District 2**  
**Rainbow Lakes Volunteer Fire Company**  
**1 Rainbow Trail**  
**Denville, NJ 07834**



Mary Moore-Clerk Office  
Township of Parsippany-Troy Hills  
1001 Parsippany Blvd  
Parsippany, New Jersey 07054

Dear Mary Moore,

Since January 1, 2022, Rainbow Lakes Volunteer Fire Company-Parsippany Fire District #2 has had no building fires in our district.

Respectfully Submitted,

A handwritten signature in cursive script, appearing to read "Russ Greuter".

Russ Greuter  
Fire Chief-RLVFC  
9/26/2022

CC. Kaled Madin



**Parsippany Troy-Hills Fire  
District 6  
Station: ST1**

|                                                     |                                                                               |
|-----------------------------------------------------|-------------------------------------------------------------------------------|
| Location:<br>1 Hilton CT # 2<br>Parsippany NJ 07054 | Incident Type:<br><b>461 - Building or structure weakened or collapsed</b>    |
| Lat/Long:<br>N 40° 50' 28.79"<br>W 74° 27' 18.83"   | FDID: 14296<br>Incident #: 2022-206<br>Exposure ID: 66092039<br>Exposure #: 0 |
| Location Type: 1 - Street address                   | Incident Date: 05/14/2022<br>Dispatch Run #: 2022000206                       |

|                      |                   |     |                             |
|----------------------|-------------------|-----|-----------------------------|
| Report Completed by: | Otte , John       | ID: | Date: 05/14/2022            |
| Report Reviewed by:  | Petito , Vincent  | ID: | Date: 05/19/2022            |
| Report Printed by:   | Petito, Vincent A | ID: | Date: 8/11/2022 Time: 14:46 |

|                                                                   |                                             |                               |                                  |
|-------------------------------------------------------------------|---------------------------------------------|-------------------------------|----------------------------------|
| Structure Type:                                                   | Property Use: 449 - Hotel/motel, commercial |                               |                                  |
| Automatic Extinguishment System Present: <input type="checkbox"/> | Detectors Present: <input type="checkbox"/> | Cause of Ignition:            |                                  |
| Aid Given or Received:                                            | None                                        | Primary action taken:         | 86 - Investigate                 |
| <b>Losses</b>                                                     | <b>Pre-Incident Values</b>                  |                               |                                  |
| Property:                                                         | Property:                                   | Civilian Injuries: 0          | Fire Service Injuries: 0         |
| Contents:                                                         | Contents:                                   | Civilian Fatalities: 0        | Fire Service Fatalities: 0       |
| Total:                                                            | Total:                                      | Total Casualties: 0           | Total Fire Service Casualties: 0 |
| Total # of apparatus on call:                                     | 3                                           | Total # of personnel on call: | 11                               |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Narrative from dispatch:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <p>2022-05-14 18:20:00 - CEILING MAIN BALLROOM COLLAPSED, 2 INJURIES, ARM INJ 2022-05-14 18:31:09 - DROP CEILING COLLAPSED 2022-05-14 18:36:28 - NO STRUCTURAL DAMAGE TO BUILDING JUST DROP CEILING 2022-05-14 18:42:14 - 20 MIN- STILL INVESTIGATING PAR TROY TAKING 1 INJ 2022-05-14 18:45:27 - 105356 sm 2022-05-14 18:50:24 - 66859.2 two patients 2022-05-14 18:52:43 - RM ISOLATED AND SECURE D6 CLEAR, REACHING OUT TO CONSTRUCTION OFFICIAL TO FOLLOW UP ON MONDAY 2022-05-14 18:56:40 - 105362 em</p> |

|                                                                                                                                                                                                                                                                                                              |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>NARRATIVE (2)</b>                                                                                                                                                                                                                                                                                         |  |
| <b>Narrative Title:</b> n/a                                                                                                                                                                                                                                                                                  |  |
| <b>Narrative Author:</b> Otte, John                                                                                                                                                                                                                                                                          |  |
| <b>Narrative Date:</b> 05/14/2022 19:19:46                                                                                                                                                                                                                                                                   |  |
| <b>Narrative Apparatus ID:</b> n/a                                                                                                                                                                                                                                                                           |  |
| <b>Narrative:</b>                                                                                                                                                                                                                                                                                            |  |
| Squad 6 crew investigated collapse of ceiling in ballroom. Found to be ceiling grid for drop ceiling fell. EMS treated 2 individuals with minor injuries. Nothing further needed by fd. Advised maintenance to make repairs and inspect ceiling further. Parsippany construction office notified to come out |  |
| Parsippany PD                                                                                                                                                                                                                                                                                                |  |
| Parsippany EMS                                                                                                                                                                                                                                                                                               |  |
| Parsippany Rescue and Recovery                                                                                                                                                                                                                                                                               |  |

|                                                                                                                                                   |              |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| <b>CUSTOM FIELDS FORM</b>                                                                                                                         |              |
| <b>Was a Report sent to Fire Prevention? If so make sure the correct FA# was on the Fax. Check past reports to make sure correct FA# is sent.</b> | <b>NO</b>    |
| <b>Who was the District 6 member in charge.</b>                                                                                                   | <b>Chief</b> |

Member Making Report (Captain John Otte): \_\_\_\_\_

Incident Reviewer (Chief Vincent Petito): \_\_\_\_\_



**Parsippany Troy-Hills Fire  
District 6**  
Station: ST1

|                                                                  |                                                                                                                                                                                    |
|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Location:<br><b>200 Baldwin RD # D28<br/>Parsippany NJ 07054</b> | Incident Type:<br><b>111 - Building fire</b>                                                                                                                                       |
| Lat/Long:<br><b>N 40° 51' 53.99"<br/>W 74° 23' 41.27"</b>        | FDID: <b>14296</b><br>Incident #: <b>2022-257</b><br>Exposure ID: <b>66773403</b><br>Exposure #: <b>0</b><br>Incident Date: <b>06/16/2022</b><br>Dispatch Run #: <b>2022000257</b> |
| Location Type: <b>1 - Street address</b>                         |                                                                                                                                                                                    |

|                      |                   |        |                             |
|----------------------|-------------------|--------|-----------------------------|
| Report Completed by: | Petito , Vincent  | ID:    | Date: 07/01/2022            |
| Report Reviewed by:  | Petito , Vincent  | ID:    | Date: 07/01/2022            |
| Report Printed by:   | Petito, Vincent A | ID: 37 | Date: 9/23/2022 Time: 17:03 |

|                                                                         |                                                        |                                                                    |
|-------------------------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------------------|
| Structure Type: <b>Enclosed building</b>                                | Property Use: <b>429 - Multifamily dwelling</b>        |                                                                    |
| Automatic Extinguishment System Present: <input type="checkbox"/>       | Detectors Present: <input checked="" type="checkbox"/> | Cause of Ignition: <b>Unintentional</b>                            |
| Aid Given or Received: <b>None</b>                                      | Primary action taken: <b>86 - Investigate</b>          |                                                                    |
| Additional actions: <b>51 - Ventilate , 12 - Salvage &amp; overhaul</b> |                                                        |                                                                    |
| <b>Losses</b>                                                           | <b>Pre-Incident Values</b>                             |                                                                    |
| Property:                                                               | Property:                                              | Civilian Injuries: <b>0</b> Fire Service Injuries: <b>0</b>        |
| Contents:                                                               | Contents:                                              | Civilian Fatalities: <b>0</b> Fire Service Fatalities: <b>0</b>    |
| Total:                                                                  | Total:                                                 | Total Casualties: <b>0</b> Total Fire Service Casualties: <b>0</b> |
| Total # of apparatus on call: <b>4</b>                                  |                                                        | Total # of personnel on call: <b>10</b>                            |

**Narrative from dispatch:**

2022-06-16 21:28:08 - 3rd fl stairwell

VECTOR

Op#11

800 638 7077

## COMM FIRE ALARM

2022-06-16 21:34:48 - Fire CFS from -> FalarmC to SMOKEC

### NARRATIVE (2)

**Narrative Title:** n/a

**Narrative Author:** Petito, Vincent

**Narrative Date:** 06/16/2022 21:55:57

**Narrative Apparatus ID:** n/a

**Narrative:**

Cooking fire in unit 23. Fire out on arrival. E63 and L63 used water cans to cool off area. Walls we opened to check for extension. nothing found. Apt 11 did have water coming down into the unit from waters cans.

### FIRE

|                                            |                                       |                                             |                                                   |
|--------------------------------------------|---------------------------------------|---------------------------------------------|---------------------------------------------------|
| <b>Acres Burned</b>                        | None or Less Than One                 | <b>Acres Burn From Wildland Form</b>        | False                                             |
| <b>Area Of Fire Origin</b>                 | Cooking area, kitchen                 | <b>Heat Source</b>                          | Heat from powered equipment, other                |
| <b>Item First Ignited</b>                  | Undetermined                          | <b>Fire Is Confined To Object Of Origin</b> |                                                   |
| <b>Type Of Material</b>                    | Undetermined                          | <b>Cause Of Ignition</b>                    | Unintentional                                     |
| <b>Factor Contributing To Ignition</b>     | None                                  |                                             |                                                   |
| <b>Human Factors Contributing</b>          | Unattended or unsupervised person,    |                                             |                                                   |
| <b>Equipment Involved In Ignition Flag</b> | True                                  | <b>Equipment Involved</b>                   | Range, stove with/without oven or cooking surface |
| <b>Equipment Power Source</b>              | Electrical line voltage (>= 50 volts) | <b>Equipment Portability</b>                | Stationary                                        |

**STRUCTURE FIRE**

|                             |                                                 |                          |                   |
|-----------------------------|-------------------------------------------------|--------------------------|-------------------|
| Structure Type              | Enclosed building                               | Building Status          | In normal use     |
| # Of Stories At Above Grade | 2                                               | # Of Stories Below Grade | 1                 |
| Square Feet                 |                                                 | Length                   | 100               |
| Width                       | 40                                              | Floor Of Origin          | 2                 |
| Fire Spread                 | Confined to room of origin                      |                          |                   |
| Minor Damage                | 0                                               | Significant Damage       | 0                 |
| Heavy Damage                | 0                                               | Extreme Damage           | 0                 |
| Presence Of Detectors       | Present                                         | Type Of Detection System | Smoke             |
| Detector Power Supply       | Hardwire with battery backup                    | Detector Operation       | Detector operated |
| Detector Effectiveness      | Detector alerted occupants, occupants responded | Detector Failure Reason  |                   |


**CUSTOM FIELDS FORM**



Was a Report sent to Fire Prevention? If so make sure the correct FA# was on the Fax. Check past reports to make sure correct FA# is sent.

NO

Who was the District 6 member in charge.

Chief

**INCIDENT IMAGES**



Member Making Report (Chief Vincent Petito): \_\_\_\_\_

Incident Reviewer (Chief Vincent Petito): \_\_\_\_\_



**Parsippany Troy-Hills Fire  
District 6  
Station: ST1**

|                                                                        |                                                                                                                                                                                    |
|------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Location:</b><br><b>11 Lakeside DR</b><br><b>Boonton NJ 07005</b>   | <b>Incident Type:</b><br><b>111 - Building fire</b>                                                                                                                                |
| <b>Lat/Long:</b><br><b>N 40° 52' 57.39"</b><br><b>W 74° 25' 42.38"</b> | <b>FDID: 14296</b><br><b>Incident #: 2022-227</b><br><b>Exposure ID: 66350868</b><br><b>Exposure #: 0</b><br><b>Incident Date: 05/27/2022</b><br><b>Dispatch Run #: 2022000227</b> |
| <b>Location Type: 1 - Street address</b>                               |                                                                                                                                                                                    |

|                             |                   |               |                                           |
|-----------------------------|-------------------|---------------|-------------------------------------------|
| <b>Report Completed by:</b> | Petito , Vincent  | <b>ID:</b>    | <b>Date:</b> 05/31/2022                   |
| <b>Report Reviewed by:</b>  | Sanford , Michael | <b>ID:</b>    | <b>Date:</b> 06/06/2022                   |
| <b>Report Printed by:</b>   | Petito, Vincent A | <b>ID:</b> 37 | <b>Date:</b> 9/23/2022 <b>Time:</b> 17:02 |

|                                                                          |                                                                         |                                                               |                                  |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------|----------------------------------|
| <b>Structure Type: Enclosed building</b>                                 |                                                                         | <b>Property Use: 419 - 1 or 2 family dwelling</b>             |                                  |
| <b>Automatic Extinguishment System Present:</b> <input type="checkbox"/> | <b>Detectors Present:</b> <input checked="" type="checkbox"/>           | <b>Cause of Ignition: Failure of equipment or heat source</b> |                                  |
| <b>Aid Given or Received:</b> None                                       | <b>Primary action taken: 10 - Fire control or extinguishment, other</b> |                                                               |                                  |
| <b>Additional actions: 51 - Ventilate , -</b>                            |                                                                         |                                                               |                                  |
| <b>Losses</b>                                                            | <b>Pre-Incident Values</b>                                              |                                                               |                                  |
| Property:                                                                | Property:                                                               | Civilian Injuries: 0                                          | Fire Service Injuries: 0         |
| Contents:                                                                | Contents:                                                               | Civilian Fatalities: 0                                        | Fire Service Fatalities: 0       |
| Total:                                                                   | Total:                                                                  | Total Casualties: 0                                           | Total Fire Service Casualties: 0 |
| <b>Total # of apparatus on call: 4</b>                                   |                                                                         | <b>Total # of personnel on call: 14</b>                       |                                  |

|                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------|
| <b>Neighboring Agencies</b>                                                                                     |
| <b>Agency Name:</b> Parsippany Dist. #3 - FDID# 14293<br><b>Agency ID:</b> 14293<br><b>Agency Type:</b> Fire    |
| <b>Agency Name:</b> Rainbow Lakes Dist. #2 - FDID# 14292<br><b>Agency ID:</b> 14292<br><b>Agency Type:</b> Fire |
| <b>Agency Name:</b> Town of Boonton - FDID# 14010<br><b>Agency ID:</b> 14010<br><b>Agency Type:</b> Fire        |

|                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Narrative from dispatch:</b><br><br>2022-05-27 17:46:03 - Basement filled with smoke 2022-05-27 17:47:01 - everyone out of house 2022-05-27 17:47:09 - water flowing from basement 2022-05-27 17:47:18 - power out in basement 2022-05-27 17:47:44 - caller is owner - vollner,ryan |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

97353382582022-05-27 17:50:51 - Pd reporting heavy smoke in the basement2022-05-27 17:51:02 - All occupants out2022-05-27 17:51:58 - 2 story house - establish command 2022-05-27 17:54:21 - Working basement fire2022-05-27 18:01:29 - PreEmpt - T6

Wrong unit s2022-05-27 18:02:19 - Fire knocked at this time2022-05-27 18:08:07 - 20 min mark - vent in progress and overhaul 2022-05-27 18:27:33 - 40 min mark - Overhaul still in progress. 2022-05-27 18:35:51 - R&R Requested for air bottle fill 2022-05-27 18:47:56 - 60 min mark - Released D3. Overhaul about wrapped up. 2022-05-27 18:48:02 - 696 en route 2022-05-27 19:08:07 - 1hr 20min mark - Per command stop the clock. 2022-05-27 19:14:55 - All units clear and available. Command terminated.

## NARRATIVE (2)

**Narrative Title:** n/a

**Narrative Author:** Otte, John

**Narrative Date:** 06/01/2022 19:45:03

**Narrative Apparatus ID:** n/a

### Narrative:

Deputy 6 and Captain 61 arrived on scene to find smoke showing from the residence. Upon contacting the homeowner and PD it was confirmed that there was an active basement fire. Engine 62 crew arrived and stretched a handline to accomplish the initial fire attack in the basement. Captain 61 secured the power to the residence at the breaker. Rainbow Lakes Fire District 2 conducted a primary and secondary search of the first and second division which was negative. After the fire was knocked, all responding fire districts deployed multiple fans for ventilation throughout the residence. Town of Boonton responded as RIC but was not needed. The homeowner was advised to contact their insurance company and to not turn power back on until all the electrical was inspected. After further investigation the cause of origin was a fan motor that burnt up under the plastic slop sink. All units cleared nothing further.

## FIRE

|                                            |                                        |                                             |                                     |
|--------------------------------------------|----------------------------------------|---------------------------------------------|-------------------------------------|
| <b>Acres Burned</b>                        | None or Less Than One                  | <b>Acres Burn From Wildland Form</b>        | False                               |
| <b>Area Of Fire Origin</b>                 | Laundry area, wash house (laundry)     | <b>Heat Source</b>                          | Electrical arcing                   |
| <b>Item First Ignited</b>                  | Undetermined                           | <b>Fire Is Confined To Object Of Origin</b> |                                     |
| <b>Type Of Material</b>                    | Plastic                                | <b>Cause Of Ignition</b>                    | Failure of equipment or heat source |
| <b>Factor Contributing To Ignition</b>     | Mechanical failure, malfunction, other |                                             |                                     |
| <b>Human Factors Contributing</b>          | None                                   |                                             |                                     |
| <b>Equipment Involved In Ignition Flag</b> | True                                   | <b>Equipment Involved</b>                   | Dehumidifier, portable              |
| <b>Equipment Power Source</b>              | Electrical line voltage (>= 50 volts)  | <b>Equipment Portability</b>                | Portable                            |

**STRUCTURE FIRE**


|                             |                                                 |                          |                   |
|-----------------------------|-------------------------------------------------|--------------------------|-------------------|
| Structure Type              | Enclosed building                               | Building Status          | In normal use     |
| # Of Stories At Above Grade | 1                                               | # Of Stories Below Grade | 1                 |
| Square Feet                 | 2766                                            | Length                   |                   |
| Width                       |                                                 | Floor Of Origin          | 1 (Below grade)   |
| Fire Spread                 | Confined to room of origin                      |                          |                   |
| Minor Damage                | 1                                               | Significant Damage       | 0                 |
| Heavy Damage                | 0                                               | Extreme Damage           | 0                 |
| Presence Of Detectors       | Present                                         | Type Of Detection System | Smoke             |
| Detector Power Supply       | Hardwire only                                   | Detector Operation       | Detector operated |
| Detector Effectiveness      | Detector alerted occupants, occupants responded | Detector Failure Reason  |                   |




**PEOPLE -- PERSON 1**

|                  |              |               |                          |
|------------------|--------------|---------------|--------------------------|
| Is Owner         | True         | Business Name |                          |
| Telephone Number |              | Involvement   | REDACTED PURSUANT TO OPR |
| Name             | Ryan Zollner | Date of Birth |                          |
| Address          |              |               |                          |

**CUSTOM FIELDS FORM**


|                                                                                                                                            |              |
|--------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| Was a Report sent to Fire Prevention? If so make sure the correct FA# was on the Fax. Check past reports to make sure correct FA# is sent. | NO           |
| Who was the District 6 member in charge.                                                                                                   | Deputy Chief |

**INCIDENT IMAGES**



Member Making Report (Chief Vincent Petito): \_\_\_\_\_

Incident Reviewer (Lieutenant Michael Sanford): \_\_\_\_\_



**Parsippany Troy-Hills Fire  
District 6**  
Station: ST1

|                                                                  |                                                                                                                                          |
|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Location:<br><b>200 Baldwin RD # E24<br/>Parsippany NJ 07054</b> | Incident Type:<br><b>111 - Building fire</b>                                                                                             |
| Lat/Long:<br><b>N 40° 51' 53.99"<br/>W 74° 23' 41.27"</b>        | FDID: 14296<br>Incident #: 2022-104<br>Exposure ID: 64748817<br>Exposure #: 0<br>Incident Date: 03/07/2022<br>Dispatch Run #: 2022000104 |
| Location Type: 1 - Street address                                |                                                                                                                                          |

|                      |                   |        |                             |
|----------------------|-------------------|--------|-----------------------------|
| Report Completed by: | Petito, Vincent   | ID:    | Date: 03/07/2022            |
| Report Reviewed by:  | Petito, Vincent   | ID:    | Date: 03/07/2022            |
| Report Printed by:   | Petito, Vincent A | ID: 37 | Date: 9/23/2022 Time: 17:01 |

|                                                                   |                                                                                         |                               |                                  |
|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------------------|----------------------------------|
| Structure Type: Enclosed building                                 | Property Use: 429 - Multifamily dwelling                                                |                               |                                  |
| Automatic Extinguishment System Present: <input type="checkbox"/> | Detectors Present: <input checked="" type="checkbox"/> Cause of Ignition: Unintentional |                               |                                  |
| Aid Given or Received: Automatic aid received                     | Primary action taken: 11 - Extinguishment by fire service personnel                     |                               |                                  |
| <b>Losses</b>                                                     | <b>Pre-Incident Values</b>                                                              |                               |                                  |
| Property:                                                         | Property:                                                                               | Civilian Injuries: 0          | Fire Service Injuries: 0         |
| Contents:                                                         | Contents:                                                                               | Civilian Fatalities: 0        | Fire Service Fatalities: 0       |
| Total:                                                            | Total:                                                                                  | Total Casualties: 0           | Total Fire Service Casualties: 0 |
| Total # of apparatus on call:                                     | 5                                                                                       | Total # of personnel on call: | 12                               |

|                                                                                         |
|-----------------------------------------------------------------------------------------|
| <b>Neighboring Agencies</b>                                                             |
| Agency Name: Parsippany Dist. #1 - FDID# 14291<br>Agency ID: 14291<br>Agency Type: Fire |
| Agency Name: Parsippany Dist. #4 - FDID# 14294<br>Agency ID: 14294<br>Agency Type: Fire |
| Agency Name: Parsippany Dist. #5 - FDID# 14295<br>Agency ID: 14295<br>Agency Type: Fire |

|                                                                                         |
|-----------------------------------------------------------------------------------------|
| <b>Narrative from dispatch:</b>                                                         |
| 2022-03-07 12:30:06 - FIRE KNOCKED DOWN2022-03-07 12:21:42 - First alarm structure fire |

## NARRATIVE (2)

**Narrative Title:** n/a

**Narrative Author:** Petito, Vincent

**Narrative Date:** 03/07/2022 17:40:29

**Narrative Apparatus ID:** n/a

### Narrative:

Initial dispatch was a fire alarm. While enroute C6 got the update from dispatch that there was a report of a fire in the apt and C6 upgraded it to a 1st alarm fire. Chief 6 arrived and reported smoke showing from the building. DC6 and DC5 went up to the unit on the 2nd floor and reported fire was out, another maintenance worker also reported he knocked out the fire with an extinguisher. E51 Arrived and went up with a hand line and water cans. E62 arrived and also went up to the unit with water cans and fans. L5 assisted with overhaul and venting. C4 and Rescue 44 were staged for RIC . Partoy EMS and Car 66 were staged for EMS. L63, E65 & E54 also assisted with vent fans.

Parsippany Fire Investigator was called to look into the fire. While a carpet company was working in the unit items on the stove top caught fire, the maintenance worker reported the large burner was "red hot" and on when he entered the unit. Stove top burner was turned one no one on site knew how the burner was turned on.

District 6

District 5

District 4 RIC

Whippany RIC

District 1 Back Fill

## FIRE



|                                            |                                        |                                             |                                    |
|--------------------------------------------|----------------------------------------|---------------------------------------------|------------------------------------|
| <b>Acres Burned</b>                        | None or Less Than One                  | <b>Acres Burn From Wildland Form</b>        | False                              |
| <b>Area Of Fire Origin</b>                 | Cooking area, kitchen                  | <b>Heat Source</b>                          | Heat from powered equipment, other |
| <b>Item First Ignited</b>                  | Undetermined                           | <b>Fire Is Confined To Object Of Origin</b> |                                    |
| <b>Type Of Material</b>                    | Undetermined                           | <b>Cause Of Ignition</b>                    | Unintentional                      |
| <b>Factor Contributing To Ignition</b>     | Heat source too close to combustibles. |                                             |                                    |
| <b>Human Factors Contributing</b>          | Unattended or unsupervised person,     |                                             |                                    |
| <b>Equipment Involved In Ignition Flag</b> | True                                   | <b>Equipment Involved</b>                   | Stove, heating                     |
| <b>Equipment Power Source</b>              | Electrical line voltage (>= 50 volts)  | <b>Equipment Portability</b>                | Stationary                         |


| STRUCTURE FIRE              |                                                 |                          |                   |
|-----------------------------|-------------------------------------------------|--------------------------|-------------------|
| Structure Type              | Enclosed building                               | Building Status          | In normal use     |
| # Of Stories At Above Grade | 2                                               | # Of Stories Below Grade | 1                 |
| Square Feet                 | 650                                             | Length                   |                   |
| Width                       |                                                 | Floor Of Origin          | 2                 |
| Fire Spread                 | Confined to room of origin                      |                          |                   |
| Minor Damage                | 0                                               | Significant Damage       | 0                 |
| Heavy Damage                | 0                                               | Extreme Damage           | 0                 |
| Presence Of Detectors       | Present                                         | Type Of Detection System | Smoke             |
| Detector Power Supply       | Hardwire with battery backup                    | Detector Operation       | Detector operated |
| Detector Effectiveness      | Detector alerted occupants, occupants responded | Detector Failure Reason  |                   |

| PEOPLE -- PERSON 1 |                           |               |            |
|--------------------|---------------------------|---------------|------------|
| Is Owner           | False                     | Business Name |            |
| Telephone Number   | REDACTED PURSUANT TO ORPA | Involvement   | Asst Super |
| Name               | James Cina                | Date of Birth |            |
| Address            |                           |               |            |

| CUSTOM FIELDS FORM                                                                                                                         |       |
|--------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Was a Report sent to Fire Prevention? If so make sure the correct FA# was on the Fax. Check past reports to make sure correct FA# is sent. | NO    |
| Who was the District 6 member in charge.                                                                                                   | Chief |

## INCIDENT IMAGES





**Parsippany Troy-Hills Fire  
District 6**  
Station: ST1

|                                                                                             |                                                                                                                                        |
|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Location:<br><b>Green Hill Shopping Plaza<br/>180 Parsippany RD<br/>Parsippany NJ 07054</b> | Incident Type:<br><b>111 - Building fire</b>                                                                                           |
| Lat/Long:<br><b>N 40° 51' 33.98"<br/>W 74° 25' 35.15"</b>                                   | FDID: 14296<br>Incident #: 2022-2<br>Exposure ID: 63396837<br>Exposure #: 0<br>Incident Date: 01/04/2022<br>Dispatch Run #: 2022000002 |
| Location Type: 1 - Street address                                                           |                                                                                                                                        |

|                      |                   |        |                             |
|----------------------|-------------------|--------|-----------------------------|
| Report Completed by: | Petito, Vincent   | ID:    | Date: 01/16/2022            |
| Report Reviewed by:  | Petito, Vincent   | ID:    | Date: 01/16/2022            |
| Report Printed by:   | Petito, Vincent A | ID: 37 | Date: 9/23/2022 Time: 17:00 |

|                                                                   |                                                                     |                                              |                                  |
|-------------------------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------|----------------------------------|
| Structure Type: Enclosed building                                 | Property Use: 161 - Restaurant or cafeteria                         |                                              |                                  |
| Automatic Extinguishment System Present: <input type="checkbox"/> | Detectors Present: <input type="checkbox"/>                         | Cause of Ignition: Cause under investigation |                                  |
| Aid Given or Received: Automatic aid received                     | Primary action taken: 11 - Extinguishment by fire service personnel |                                              |                                  |
| Additional actions: 52 - Forcible entry, 12 - Salvage & overhaul  |                                                                     |                                              |                                  |
| <b>Losses</b>                                                     | <b>Pre-Incident Values</b>                                          |                                              |                                  |
| Property:                                                         | Property: \$3,285,239.00                                            | Civilian Injuries: 0                         | Fire Service Injuries: 0         |
| Contents:                                                         | Contents:                                                           | Civilian Fatalities: 0                       | Fire Service Fatalities: 0       |
| Total:                                                            | Total:                                                              | Total Casualties: 0                          | Total Fire Service Casualties: 0 |
| Total # of apparatus on call: 5                                   |                                                                     | Total # of personnel on call: 18             |                                  |

|                                         |                                |
|-----------------------------------------|--------------------------------|
| <b>Special Studies</b>                  |                                |
| COVID 19 was a factor in this incident. | No, COVID 19 was not a factor. |

|                                                                                      |
|--------------------------------------------------------------------------------------|
| <b>Neighboring Agencies</b>                                                          |
| Agency Name: Boonton Township - FDID# 14020<br>Agency ID: 14020<br>Agency Type: Fire |
| Agency Name: Denville - FDID# 14080<br>Agency ID: 14080<br>Agency Type: Fire         |
| Agency Name: Mountain Lakes - FDID# 14250<br>Agency ID: 14250<br>Agency Type: Fire   |
| Agency Name: Parsippany Dist. #1 - FDID# 14291<br>Agency ID: 14291                   |

|                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Agency Type:</b> Fire<br><b>Agency Name:</b> Parsippany Dist. #3 - FDID# 14293<br><b>Agency ID:</b> 14293<br><b>Agency Type:</b> Fire |
| <b>Agency Name:</b> Parsippany Dist. #4 - FDID# 14294<br><b>Agency ID:</b> 14294<br><b>Agency Type:</b> Fire                             |
| <b>Agency Name:</b> Parsippany Dist. #5 - FDID# 14295<br><b>Agency ID:</b> 14295<br><b>Agency Type:</b> Fire                             |
| <b>Agency Name:</b> Rainbow Lakes Dist. #2 - FDID# 14292<br><b>Agency ID:</b> 14292<br><b>Agency Type:</b> Fire                          |
| <b>Agency Name:</b> Town of Boonton - FDID# 14010<br><b>Agency ID:</b> 14010<br><b>Agency Type:</b> Fire                                 |

**Narrative from dispatch:**

2022-01-04 01:22:08 - JCP&L - contacted - ref #350564734 2022-01-04 01:22:36 - NJ gas also sending crew to shut off gas to location 2022-01-04 00:41:16 - flames and smoke form 2022-01-04 00:42:27 - Large - 2022-01-04 00:48:26 - 2nd alarm - 2022-01-04 00:55:54 - Upgrade alarm requested by : CH6

Units Recommended: {MAC },{BNT },{MTV };

Dispatched: {MAC},{BNT},{MTV} 2022-01-04 01:04:38 - EMSOPS 2022-01-04 01:05:49 - Firefighter injured - ems to front 2022-01-04 01:07:11 - 651 to handle injured FF 2022-01-04 01:11:03 - Whippany and cedar knolls ric to the scene requested 2022-01-04 01:13:17 - Fire extending to delta side 2022-01-04 01:13:47 - Contacting gas and electric 2022-01-04 01:14:56 - Salt trucks requested 2022-01-04 01:20:07 - Als requested 2022-01-04 01:25:25 - JCP&L will attempt to get crew to location with in an hour

2022-01-04 01:31:23 - Als unit had to be pulled. st clairrs stated that they do not do medical standby 2022-01-04 01:32:29 - Jcpl on scene 2022-01-04 01:36:42 - Heavy fire at 40 min check on the first floor. ext operations going on 2022-01-04 01:40:39 - Denville quint to stand by D4 firehouse 2022-01-04 01:41:09 - Fire alarm company just called to report fire alarm 2022-01-04 01:42:19 - Standing by per 651 2022-01-04 01:52:13 - E34 requested to come to scene per cavalier 2022-01-04 01:52:29 - Ladder 9 denville to D4 2022-01-04 01:55:53 - Still working fire at 1 hr mark 2022-01-04 02:01:05 - Pine Brook Tower requested to D5 station 1 firehouse 2022-01-04 02:02:35 - Tower to respond to D5 station 1 coverage 2022-01-04 02:25:09 - Master streams working making progress. 1:30 in 2022-01-04 02:58:07 - Super for water dept requested 2022-01-04 02:59:13 - Water dept notified. 2022-01-04 02:59:35 - Defensive operations continuing 2hr in 2022-01-04 03:09:21 - Water dept on scene 2022-01-04 03:25:01 - Continuing defensive operation. 2:30 hr in 2022-01-04 03:45:31 - Fire Official Bob Schmidt en route 2022-01-04 03:46:57 - Per tabor ch1 PAR in progress 2022-01-04 03:51:39 - PAR complete. All units have PAR 2022-01-04 03:58:32 - Still in defensive ops. 3:00 hr in 2022-01-04 04:28:15 - Making progress defensively per CH6. 3:30 in 2022-01-04 05:26:13 - Main body of the fire has been knocked. 4:30 hr in 2022-01-04 06:20:00 - Fire knocked. Overhaul in progress. 5:30 hr in 2022-01-04 07:26:17 - Fire out. overhaul continuing. Under investigation 6:30 in 2022-01-04 07:50:21 - Requested bldg dept to respond 2022-01-04 11:03:15 - Command turn over to dc6 2022-01-04 12:04:29 - request all avail manpower to respond for board up 2022-01-04 12:04:35 - board up 2022-01-04 15:34:24 - Ch6 back on scene - has taken

**NARRATIVE (2)****Narrative Title:** n/a**Narrative Author:** Petito, Vincent**Narrative Date:** 01/16/2022 12:16:12**Narrative Apparatus ID:** n/a**Narrative:**

On Tuesday, January 4th, 2022 at 00:44 hours Parsippany fire districts 6, 3, and 1 along with the Boonton RIC team were called to the Green Hill shopping plaza for the report of a structure fire in the rear of the building. Deputy 6 arrived on scene and confirmed heavy fire from the alpha side of the pizzeria. Parsippany PD also reported heavy fire from the rear Charlie side basement level at the same time. Chief 6 arrived and assumed command of the incident before upgrading the scene to a second alarm. Chief 3 arrived and was directed to the rear of the building to assume operations for that section of the structure. Engine 62 arrived and laid a 5 inch supply line from the corner of Parsippany Road and Green Hill Road to the alpha side of the structure. Fire personnel deployed two, 2.5 inch hose lines for the initial fire attack from the alpha side into Joseph's Pizzeria. On the initial interior push, crews were met with heavy fire and ceiling collapse conditions inside the structure. Upon receiving the report from interior operations, Chief 6 backed all personnel out of the building as a precaution and exterior monitors were set up to the pizzeria and to the right into the Bagel Café. Engine 31, Engine 54 and Ladder 5 arrived and secured an additional water supply to the rear of the structure and began fire suppression. At this time command received the report of a collapse of division one in Joseph's pizzeria into the basement. Chief 6 struck a third alarm and called for all handlines to be removed from the structure while defensive operations were initiated. During this transition firefighter Adams fell over a pile of chairs inside the pizzeria while removing hose and suffered a minor burn to his left wrist. He was immediately evaluated by EMS on scene and was cleared to return to active status. As a result of continuing defensive operations, Tower 6 deployed on the delta side of the building and received a water supply from Engine 13. Ladder 63 set up on the alpha side of the building and directed it's master stream to cool the firewall between the Laundry and Beauty City Salon & Spa in an effort to prevent the fire from spreading. Rainbow Lakes Truck 21 deployed at the alpha delta corner of the building for defensive operations. At this time Tower 6, Ladder 63 and Ladder 5 all reported heavy fire conditions visible between the firewall at the Laundromat and the Panda Wok rooftop. Cedar knolls Deputy Chief had a medical incident and was taken to the hospital with PVAS 65. During the next 3 hours Ladder 63, Ladder 5 and Truck 21 along with multiple handlines hit hotspots in the structure. At address 152 occupants were found within the buildings basement and evacuated. Fire Prevention was notified of illegal Residential use and firefighters cleared the rest of the businesses. During that time gas and electric was secured to the building. Fire was placed under control at 05:26. Throughout the morning crews knocked hotspots with an 1 3/4 handline and allowed fire investigators to start their investigation. During their investigation, crews were informed of a dog inside the rear gym. Fire Investigators removed the deceased dog from the structure. Mutual aid was released with Districts 4, 5 and 6 remaining on scene throughout the investigation. During the investigation, hotspots in the rear of the structure were continuing to burn. Given the location of the hotspots fire crews used excavator to pull down portions of the rear wall. Fire investigators used the excavator to assist in evidence recovery. All hotspots were subsequently extinguished. Rescue and Recovery boarded up doors and windows to the structure. At this time the cause of fire is under investigation by Parsippany PD and Morris County Sheriffs Office

**Incident Command:** Chief 6**Alpha Side Operations:** Deputy 6**Charlie Side Operations:** Chief 3**Accountability Officer:** Chief 1**Safety Officer:** Chief 2**Agencies Involved on scene**

Parsippany Fire Districts 1,2,3,4,5 &amp; 6

Parsippany Rescue and Recovery

Par-Troy EMS  
 Parsippany Volunteer Ambulance Squad 65  
 Parsippany Police  
 Parsippany DPW  
 County MAB  
 Boonton Fire Dept.  
 Boonton Township Fire Dept.  
 Lincoln Park Fire Dept.  
 Cedar Knolls Fire Dept.  
 Whippany Fire Dept.  
 County Coordinators  
 County Drone  
 On-Line Contracting Inc.  
 Morris County Fire Investigators  
 Parsippany Fire Investigators

## FIRE

|                                        |                                                                                     |                                             |                                                        |
|----------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------|--------------------------------------------------------|
| <b>Acres Burned</b>                    | None or Less Than One                                                               | <b>Acres Burn From Wildland Form</b>        | False                                                  |
| <b>Material</b>                        | Food, other , Appliances , Restaurant supplies, not including food                  |                                             |                                                        |
| <b>Storage Use</b>                     | Packaged goods for sale , Processing or manufacturing , Bulk storage or warehousing |                                             |                                                        |
| <b>Area Of Fire Origin</b>             | Cooking area, kitchen                                                               | <b>Heat Source</b>                          | Heat from other open flame or smoking materials, other |
| <b>Item First Ignited</b>              | Undetermined                                                                        | <b>Fire Is Confined To Object Of Origin</b> |                                                        |
| <b>Type Of Material</b>                | Type of material first ignited, other                                               | <b>Cause Of Ignition</b>                    | Cause under investigation                              |
| <b>Factor Contributing To Ignition</b> | Undetermined                                                                        |                                             |                                                        |
| <b>Human Factors Contributing</b>      | None                                                                                |                                             |                                                        |
| <b>Suppression Factors</b>             | Attic undivided , Roof collapse , Temperature, low                                  |                                             |                                                        |

## STRUCTURE FIRE

|                                    |                                |                                 |                 |
|------------------------------------|--------------------------------|---------------------------------|-----------------|
| <b>Structure Type</b>              | Enclosed building              | <b>Building Status</b>          | In normal use   |
| <b># Of Stories At Above Grade</b> | 1                              | <b># Of Stories Below Grade</b> | 1               |
| <b>Square Feet</b>                 | 19872                          | <b>Length</b>                   |                 |
| <b>Width</b>                       |                                | <b>Floor Of Origin</b>          | 1 (Below grade) |
| <b>Fire Spread</b>                 | Confined to building of origin |                                 |                 |
| <b>Minor Damage</b>                | 0                              | <b>Significant Damage</b>       | 0               |
| <b>Heavy Damage</b>                | 0                              | <b>Extreme Damage</b>           | 0               |

## ARSON

|                    |                       |                     |
|--------------------|-----------------------|---------------------|
| <b>Agency Name</b> | <b>Agency Address</b> | <b>Agency Phone</b> |
|                    | Parsippany Road       |                     |

## CUSTOM FIELDS FORM


Was a Report sent to Fire Prevention? If so make sure the correct FA# was on the Fax. Check past reports to make sure correct FA# is sent.

NO

Who was the District 6 member in charge.

Chief

## INCIDENT IMAGES



Member Making Report (Chief Vincent Petito): \_\_\_\_\_

Incident Reviewer (Chief Vincent Petito): \_\_\_\_\_