

Melissa Cheung

From: Nathan <opra+request-35530-f2fc22f8@requests.opramachine.com>
Sent: Saturday, September 24, 2022 6:51 PM
To: OPRA
Subject: OPRA request - List of Properties

[EXTERNAL EMAIL]: Do not click any links or open any attachments unless you trust the sender and know the content is safe!

Dear Montclair Township,

This is a request for public records made under OPRA and the common law right of access. I am not required to fill out an official form. Please acknowledge receipt of this message.

Records requested:

- A list of all property addresses that have an unpaid property tax bill. Please also include in the list or separately a list of properties whose property tax bill was lien against the property.
- A list of property addresses that have received any code violations since the beginning of the year. Please provide the type of violation. (ex. Garbage in yard, maintenance issue, overgrown lawn, safety issues, risk of condemnation, etc)
- A list of all properties that have had fires occur, or have had emergency calls to the property since the beginning of 2022

Yours faithfully,

Nathan

Please use deliver records electronically via email to the below UNIQUE address for all replies to this request:
opra+request-35530-f2fc22f8@requests.opramachine.com

Is OPRA@montclairnjusa.org the wrong address for OPRA requests to Montclair Township? If so, please contact us using this form:

https://opramachine.com/change_request/new?body=montclair_township

Disclaimer: This message and any reply that you make will be published on the internet. Our privacy and copyright policies:

<https://opramachine.com/help/officers>

View this OPRA request & responses online:

https://opramachine.com/request/list_of_properties_8

Please note that in some cases publication of requests and responses will be delayed.

Incident Run Log

Montclair Fire Department

Date Range: From 1/1/2022 to 9/24/2022

Company: All Companies

Sorted by: Date of Incident

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
01/01/2022	07130	2022-000010	00:40	27	Douglas Road		Gas leak (natural gas or LPG)
01/01/2022	07130	2022-000075	10:58	50	Pine St	C2	Carbon monoxide incident
01/01/2022	07130	2022-000168	18:10	56	Walnut St	e4a	Assist police or other governmental agency
01/01/2022	07130	2022-000244	22:48	410	Bloomfield Ave		Water problem, other
01/02/2022	07130	2022-000304	05:54	37	Douglas Road		Carbon monoxide detector activation, no CO
01/02/2022	07130	2022-000426	19:16	10	Bradford Ave		Assist police or other governmental agency
01/02/2022	07130	2022-000430	19:25	6	Jerome Pl	5	Person in distress, other
01/03/2022	07130	2022-000557	08:30	80	Grove St		Smoke scare, odor of smoke
01/03/2022	07130	2022-000598	11:21	62	Orange Road		Alarm system activation, no fire - unintentional
01/03/2022	07130	2022-000765	22:27	16	Glenwood Road		Alarm system activation, no fire - unintentional
01/03/2022	07130	2022-000795	23:49	131	Llewellyn Road		Alarm system sounded due to malfunction
01/04/2022	07130	2022-000865	04:34	415	Claremont Ave		Alarm system sounded due to malfunction
01/04/2022	07130	2022-000908	10:11	25	Mission St		Gas leak (natural gas or LPG)
01/04/2022	07130	2022-000915	10:50	27	Glenridge Pkwy		Cooking fire, confined to container
01/04/2022	07130	2022-000921	10:58	23	S Mountain Ave		Smoke detector activation, no fire - unintentional
01/04/2022	07130	2022-000952	12:49	100	Chestnut St		Alarm system activation, no fire - unintentional
01/04/2022	07130	2022-000968	13:36	271	Claremont Ave	307	Medical assist, assist EMS crew
01/04/2022	07130	2022-000985	14:13	320	Upper Mountain Ave		Smoke detector activation, no fire - unintentional
01/04/2022	07130	2022-000995	14:29	109	High St		Water or steam leak
01/04/2022	07130	2022-001044	18:19	613	Valley Road		Gas leak (natural gas or LPG)
01/04/2022	07130	2022-001108	20:19	146	Valley Rd		Smoke or odor removal
01/04/2022	07130	2022-001118	20:42	116	Grove St		Aircraft standby
01/04/2022	07130	2022-001136	21:23	100	Inwood Ave		Smoke or odor removal
01/04/2022	07130	2022-001156	22:23	7	Saint Lukes Pl	305	Gas leak (natural gas or LPG)
01/05/2022	07130	2022-001256	07:47	327	Grove St		Power line down
01/05/2022	07130	2022-001291	10:48	498	Ridgewood Ave		False alarm or false call, other
01/05/2022	07130	2022-001322	12:37	66	Valley Road		Hazardous condition, other
01/05/2022	07130	2022-001323	12:42	855	Bloomfield Ave		Auto Lock-Out
01/05/2022	07130	2022-001332	13:27	4	Waterbury Road		Smoke or odor removal
01/05/2022	07130	2022-001331	13:34	99	Valley Road		Medical assist, assist EMS crew
01/05/2022	07130	2022-001356	14:50	190	Bloomfield Ave	3	Carbon monoxide detector activation, no CO
01/05/2022	07130	2022-001374	16:34	62	James St		Gas leak (natural gas or LPG)
01/05/2022	07130	2022-001381	16:54	1	Harrison Ave		Outside rubbish, trash or waste fire
01/05/2022	07130	2022-001416	19:22	647	Bloomfield Ave		Auto Lock-Out
01/05/2022	07130	2022-001447	20:24	40	Franklin Pl		Gas leak (natural gas or LPG)
01/06/2022	07130	2022-001567	08:19	1	Greenwood Ave	102	Gasoline or other flammable liquid spill
01/06/2022	07130	2022-001639	13:52	125	Bloomfield Ave		Alarm system sounded due to malfunction
01/06/2022	07130	2022-001652	15:54	433	Grove St		Passenger vehicle fire
01/06/2022	07130	2022-001680	17:34	515	Bloomfield Ave		Smoke detector activation, no fire - unintentional
01/06/2022	07130	2022-001759	23:35	173	Harrison Ave		Smoke detector activation due to malfunction
01/07/2022	07130	2022-001771	00:08	22	Graham Ter		Fuel burner/boiler malfunction, fire confined
01/07/2022	07130	2022-001839	11:10	20	Mendl Ter		Alarm system activation, no fire - unintentional
01/07/2022	07130	2022-001854	12:31	569	Bloomfield Ave		Building or structure weakened or collapsed
01/07/2022	07130	2022-001865	13:12	365	N Fullerton Ave		Cooking fire, confined to container
01/07/2022	07130	2022-001872	13:26	30	N Mountain Ave		Alarm system activation, no fire - unintentional
01/07/2022	07130	2022-001961	19:17	46	Church St		Public service
01/08/2022	07130	2022-002031	00:00	468	Main Street		Cover assignment, standby, moveup
01/08/2022	07130	2022-002143	12:26	555	Ridgewood Ave		Detector activation, no fire - unintentional
01/08/2022	07130	2022-002155	13:43	188	Claremont Ave		Water or steam leak
01/08/2022	07130	2022-002162	14:11	89	Porter Pl		Gas leak (natural gas or LPG)
01/08/2022	07130	2022-002167	14:56	7	Central Ave	2nd fl	Building fire - Contents only (appliance/computer)
01/08/2022	07130	2022-002198	17:28	10	Howe Ave		Building fire - Contents only (appliance/computer)
01/08/2022	07130	2022-002212	17:50	563	Upper Mountain Ave		Vicinity alarm (incident in other location)
01/08/2022	07130	2022-002214	17:54	541	Upper Mountain Ave		Vicinity alarm (incident in other location)
01/08/2022	07130	2022-002230	18:46	530	Valley Road		Service Call, other
01/08/2022	07130	2022-002240	19:02	816	Valley Road		Vicinity alarm (incident in other location)
01/08/2022	07130	2022-002242	19:18	16	Erwin Park Road		Detector activation, no fire - unintentional
01/08/2022	07130	2022-002254	19:36	46	new st	4B	Smoke scare, odor of smoke
01/08/2022	07130	2022-002320	23:53	468	Main St		Cover assignment, standby, moveup

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
01/09/2022	07130	2022-002431	13:15	306	Grove St		Medical assist, assist EMS crew
01/09/2022	07130	2022-002434	13:21	89	Christopher St		Cooking fire, confined to container
01/09/2022	07130	2022-002459	16:26	16	Mission St	1fl	Overpressure rupture, explosion, overheat other
01/09/2022	07130	2022-002487	18:20	13	Montague Pl		Medical assist, assist EMS crew
01/09/2022	07130	2022-002489	18:53		High St		Power line down
01/10/2022	07130	2022-002638	08:02	23	Central Ave		Power line down
01/10/2022	07130	2022-002719	16:11	141	Park St		Detector activation, no fire - unintentional
01/10/2022	07130	2022-002732	16:48	20	Hillside Ave		Alarm system activation, no fire - unintentional
01/10/2022	07130	2022-002809	20:25	690	Bloomfield Ave		Alarm system activation, no fire - unintentional
01/11/2022	07130	2022-002882	00:55	1202	Van Houten Ave		Cover assignment, standby, moveup
01/11/2022	07130	2022-002940	09:53	147	Willowdale Ave	1	Medical assist, assist EMS crew
01/11/2022	07130	2022-002968	12:34	122	Upper Mountain Ave		System malfunction, other
01/11/2022	07130	2022-003000	16:04	1	Seymour Plaza		Alarm system sounded due to malfunction
01/11/2022	07130	2022-003010	16:37	1	Normal Ave		Removal of victim(s) from stalled elevator
01/12/2022	07130	2022-003105	00:02	77	Park St		Alarm system sounded due to malfunction
01/12/2022	07130	2022-003116	00:26	89	Eagle Rock Way		Dispatched & canceled en route
01/12/2022	07130	2022-003176	04:36	77	Park St		Alarm system sounded due to malfunction
01/12/2022	07130	2022-003225	10:36	89	Llewellyn Road		Alarm system activation, no fire - unintentional
01/12/2022	07130	2022-003238	11:19	30	N Mountain Ave		Detector activation, no fire - unintentional
01/12/2022	07130	2022-003268	13:05	24	William St	1 st	Public service
01/12/2022	07130	2022-003283	14:59	95	Walnut St		Water or steam leak
01/12/2022	07130	2022-003294	15:51	119	Watchung ave		Water or steam leak
01/12/2022	07130	2022-003312	17:02	6	Depot Sq		Water evacuation
01/12/2022	07130	2022-003370	21:00	690	Bloomfield Ave		Alarm system activation, no fire - unintentional
01/12/2022	07130	2022-003403	23:10	36	Montague Pl		Gas leak (natural gas or LPG)
01/13/2022	07130	2022-003562	12:13	28	Greenview Way		Smoke detector activation, no fire - unintentional
01/13/2022	07130	2022-003591	15:43	32	Park St		Alarm system activation, no fire - unintentional
01/13/2022	07130	2022-003608	16:49	8	Clairidge Ct		Gas leak (natural gas or LPG)
01/13/2022	07130	2022-003656	19:37	256	Park St		Smoke scare, odor of smoke
01/14/2022	07130	2022-003852	12:07		Bay St		Power line down
01/14/2022	07130	2022-003882	14:12	292	Bloomfield Ave		Detector activation, no fire - unintentional
01/14/2022	07130	2022-003893	14:53	555	Ridgewood Ave		Unintentional transmission of alarm, other
01/14/2022	07130	2022-003913	16:00	51	Glenridge Ave	2	Lock-out
01/14/2022	07130	2022-003987	21:33	350	Paulison Ave		Cover assignment, standby, moveup
01/15/2022	07130	2022-004092	11:46	7	Carey Ct		Alarm system sounded due to malfunction
01/15/2022	07130	2022-004103	12:36	588	Valley Rd		Cover assignment, standby, moveup
01/15/2022	07130	2022-004106	13:01	24	The Fairway		Lock-out
01/15/2022	07130	2022-004153	17:34	49	Erwin Park (E)		Building fire
01/15/2022	07130	2022-004240	23:46	420	Bloomfield Ave		Alarm system sounded due to malfunction
01/16/2022	07130	2022-004318	10:48	133	Grove St		Alarm system activation, no fire - unintentional
01/16/2022	07130	2022-004332	11:39	133	Grove St.		Alarm system sounded due to malfunction
01/16/2022	07130	2022-004391	16:50	20	George St		Detector activation, no fire - unintentional
01/16/2022	07130	2022-004413	18:04	26	Washington St	2L	Carbon monoxide incident
01/16/2022	07130	2022-004417	18:16	42	North Mountain Ave		Water or steam leak
01/16/2022	07130	2022-004423	18:46	87	Pine St		Electrical wiring/equipment problem, other
01/16/2022	07130	2022-004431	18:56	41	Chestnut St		Alarm system sounded due to malfunction
01/16/2022	07130	2022-004442	19:20	13	Park Ter		Alarm system activation, no fire - unintentional
01/16/2022	07130	2022-004458	20:40	300	Bay Ave		Smoke detector activation due to malfunction
01/16/2022	07130	2022-004492	23:34	441	Bloomfield Ave		Water or steam leak
01/17/2022	07130	2022-004519	01:27	184a	Forest St	5	Water or steam leak
01/17/2022	07130	2022-004529	03:12	1	Pine St		Dispatched & canceled en route
01/17/2022	07130	2022-004528	03:13	418	Valley Road	1	Gas leak (natural gas or LPG)
01/17/2022	07130	2022-004554	08:26	691	Grove St		Power line down
01/17/2022	07130	2022-004581	09:54	15	Pine St		Removal of victim(s) from stalled elevator
01/17/2022	07130	2022-004587	10:17	70	Inwood Ave		Smoke detector activation, no fire - unintentional
01/17/2022	07130	2022-004602	11:28	158	Gates Ave		Smoke or odor removal
01/17/2022	07130	2022-004606	11:49		Valley Road		Gas leak (natural gas or LPG)
01/17/2022	07130	2022-004675	16:40	647	Bloomfield Ave		Water problem, other
01/17/2022	07130	2022-004700	18:00	217	Linden Ave		Public service
01/17/2022	07130	2022-004784	21:34	31	Maple Ave		Auto Lock-Out
01/18/2022	07130	2022-005002	12:53	31	Maple Ave		Outside leaf fire
01/18/2022	07130	2022-005059	17:05	7	Carlton Dr		Water or steam leak
01/18/2022	07130	2022-005060	17:06	15	Pine St		Outside leaf fire

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
01/18/2022	07130	2022-005068	17:24	18-	Lackawanna Plz		Gas leak (natural gas or LPG)
01/18/2022	07130	2022-005098	19:01	49	Maple Ave		Unintentional transmission of alarm, other
01/18/2022	07130	2022-005186	22:50	97	Warren Pl		Alarm system activation, no fire - unintentional
01/19/2022	07130	2022-005323	07:38	55	Washington St		Gas leak (natural gas or LPG)
01/19/2022	07130	2022-005431	14:23	500	Valley Road		Gas leak (natural gas or LPG)
01/19/2022	07130	2022-005440	15:24	41	S Willow St		Alarm system sounded due to malfunction
01/19/2022	07130	2022-005461	17:03	110	Greenwood Ave		Gas leak (natural gas or LPG)
01/19/2022	07130	2022-005481	17:59	34	Tuxedo Road		Alarm system activation, no fire - unintentional
01/19/2022	07130	2022-005514	20:33	94	Lincoln St		EMS call, excluding vehicle accident with injury
01/20/2022	07130	2022-005660	08:52	272	Highland Ave		Public service
01/20/2022	07130	2022-005677	10:10	55	Glenridge Ave		Water or steam leak
01/20/2022	07130	2022-005708	12:33	49	Prospect Ave		Smoke detector activation, no fire - unintentional
01/20/2022	07130	2022-005751	16:19	99	Lincoln St		Water or steam leak
01/20/2022	07130	2022-005764	17:45	69	Christopher St	2 fir	Dispatched & canceled en route
01/21/2022	07130	2022-005888	00:26	8	Bell St	blg 3	Smoke detector activation due to malfunction
01/21/2022	07130	2022-005930	06:56	375	Franklin St		Dispatched & canceled en route
01/21/2022	07130	2022-005996	12:23	110	Greenwood Ave		Alarm system activation, no fire - unintentional
01/21/2022	07130	2022-006010	13:32	57	Union St		Removal of victim(s) from stalled elevator
01/21/2022	07130	2022-006025	14:43	151	Harrison Ave		Person in distress, other
01/21/2022	07130	2022-006028	14:50	17	Mission St		Water or steam leak
01/21/2022	07130	2022-006030	14:54		N/A		Service Call, other
01/21/2022	07130	2022-006045	16:01	187	Forest St	fl2	Gas leak (natural gas or LPG)
01/21/2022	07130	2022-006087	18:15	29 A	N Willow St		Arcing, shorted electrical equipment
01/21/2022	07130	2022-006186	21:49	50	Pine St	306	Auto Lock-Out
01/22/2022	07130	2022-006299	05:05	60	Glenridge Ave		Alarm system activation, no fire - unintentional
01/22/2022	07130	2022-006343	09:53	118	Walnut St		Smoke detector activation due to malfunction
01/22/2022	07130	2022-006386	12:33	8	Curtis Ter		Water problem, other
01/22/2022	07130	2022-006405	13:27	89	Llewellyn Road		Alarm system activation, no fire - unintentional
01/22/2022	07130	2022-006481	17:52	219	Ridgewood Ave		Alarm system activation, no fire - unintentional
01/22/2022	07130	2022-006514	19:16	34	Valley Road	407	Gas leak (natural gas or LPG)
01/22/2022	07130	2022-006614	23:48	13	The Crescent		Alarm system activation, no fire - unintentional
01/23/2022	07130	2022-006659	04:14	54	Prospect Ave		Smoke detector activation due to malfunction
01/23/2022	07130	2022-006706	09:42	10	Jefferson Pl		Gas leak (natural gas or LPG)
01/23/2022	07130	2022-006733	11:07	381	Bloomfield Ave		Carbon monoxide incident
01/23/2022	07130	2022-006741	11:42	499	Highland Ave		Water or steam leak
01/23/2022	07130	2022-006756	12:25		Valley Road		Gas leak (natural gas or LPG)
01/23/2022	07130	2022-006814	15:53	41	Chestnut St		Alarm system sounded due to malfunction
01/23/2022	07130	2022-006830	17:17	29	Glenridge Ave	7	Public service
01/24/2022	07130	2022-007061	09:35	20	Edgemont Rd		Alarm system activation, no fire - unintentional
01/24/2022	07130	2022-007103	11:39	480	Valley Road		Gas leak (natural gas or LPG)
01/24/2022	07130	2022-007117	12:20	408	Bloomfield Ave		Smoke detector activation, no fire - unintentional
01/24/2022	07130	2022-007150	14:16	10	Pine St		Alarm system activation, no fire - unintentional
01/24/2022	07130	2022-007185	16:16	10	Warman St		Lock-out
01/24/2022	07130	2022-007196	17:49	44	Saint Lukes Pl		Toxic condition, other
01/24/2022	07130	2022-007253	22:35	29	Glenridge Ave	1c	Cooking fire, confined to container
01/25/2022	07130	2022-007320	07:24	12	Elston Road		Electrical wiring/equipment problem, other
01/25/2022	07130	2022-007390	11:14	6	Warren Pl		Carbon monoxide incident
01/25/2022	07130	2022-007400	12:17	58	Essex Ave		Public service
01/25/2022	07130	2022-007430	15:11	10	Crestmont Road	4-e	Dispatched & canceled en route
01/25/2022	07130	2022-007486	19:22	510	Highland Ave		Gas leak (natural gas or LPG)
01/25/2022	07130	2022-007491	19:22	228	S Mountain Ave		Alarm system activation, no fire - unintentional
01/26/2022	07130	2022-007602	02:16	42	North Mountain Ave	207	Auto Lock-Out
01/26/2022	07130	2022-007686	09:56	565	Valley Rd		Auto Lock-Out
01/26/2022	07130	2022-007710	12:08	190	Bloomfield Ave		Biological hazard, confirmed or suspected
01/26/2022	07130	2022-007741	13:52	155	Park St		Vehicle accident, general cleanup
01/26/2022	07130	2022-007764	16:14	41	Chestnut St		Alarm system sounded due to malfunction
01/26/2022	07130	2022-007795	17:06	510	Valley Rd		Chemical hazard (no spill or leak)
01/26/2022	07130	2022-007814	17:58	253	N Fullerton Ave		Power line down
01/27/2022	07130	2022-007941	05:07	65	N Fullerton Ave		Alarm system sounded due to malfunction
01/27/2022	07130	2022-008017	10:06	118	Walnut St		Heat detector activation due to malfunction
01/27/2022	07130	2022-008023	10:22	24	Virginia Ave		Power line down
01/27/2022	07130	2022-008068	12:31	60	Glenridge Ave		Water or steam leak
01/27/2022	07130	2022-008104	15:10	123	Highland Ave		Passenger vehicle fire

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
01/27/2022	07130	2022-008134	17:39	82	Watchung Ave		Water problem, other
01/27/2022	07130	2022-008172	19:59	489	Highland Ave		Gas leak (natural gas or LPG)
01/27/2022	07130	2022-008217	22:26	82	Watchung Ave		Service Call, other
01/28/2022	07130	2022-008286	03:19	83	Plymouth St		Carbon monoxide incident
01/28/2022	07130	2022-008410	15:59	99	Pine St	10	Assist police or other governmental agency
01/29/2022	07130	2022-008578	07:22	15	Pine St		Removal of victim(s) from stalled elevator
01/29/2022	07130	2022-008623	12:26	9	Wheeler St	1fl	Gas leak (natural gas or LPG)
01/29/2022	07130	2022-008626	12:50	375	Franklin St		Cover assignment, standby, moveup
01/29/2022	07130	2022-008630	14:23	544	Bloomfield Ave		Detector activation, no fire - unintentional
01/29/2022	07130	2022-008656	17:13	60	Woodmont Road		Alarm system activation, no fire - unintentional
01/29/2022	07130	2022-008697	21:02	27	Essex Ave		CO detector activation due to malfunction
01/29/2022	07130	2022-008700	21:16	150	Gordonhurst Ave		Carbon monoxide incident
01/30/2022	07130	2022-008769	05:41	39	Madison Ave		Auto Lock-Out
01/30/2022	07130	2022-008774	06:26	83	High St		Water or steam leak
01/30/2022	07130	2022-008783	09:07	133	Grove St		Smoke detector activation, no fire - unintentional
01/30/2022	07130	2022-008851	15:20	199	Bellevue Ave		Alarm system sounded due to malfunction
01/30/2022	07130	2022-008868	16:37	465	Park St		Alarm system activation, no fire - unintentional
01/31/2022	07130	2022-009057	08:29	20	Edgemont Rd		Auto Lock-Out
01/31/2022	07130	2022-009071	09:12	855	Bloomfield Ave		Alarm system activation, no fire - unintentional
01/31/2022	07130	2022-009088	10:08	118	Walnut St		Alarm system sounded due to malfunction
01/31/2022	07130	2022-009111	11:03		Highland Ave		Gas leak (natural gas or LPG)
01/31/2022	07130	2022-009113	11:04		Lincoln St		Assist police or other governmental agency
01/31/2022	07130	2022-009118	11:14	57	S Mountain Ave		Lock-in (if lock out , use 511)
01/31/2022	07130	2022-009144	12:56	19	Wilfred St		Power line down
01/31/2022	07130	2022-009167	14:50	1	N Brookwood Dr		Alarm system activation, no fire - unintentional
01/31/2022	07130	2022-009258	20:36	9	Miller St		Medical assist, assist EMS crew
02/01/2022	07130	2022-009368	03:10	691	Bloomfield Ave	blg 2	Alarm system sounded due to malfunction
02/01/2022	07130	2022-009439	09:47	47	Union St		Smoke or odor removal
02/01/2022	07130	2022-009464	11:05	37	Dodd St		Lock-out
02/01/2022	07130	2022-009529	16:18	375	Franklin Street		Cover assignment, standby, moveup
02/01/2022	07130	2022-009544	17:39	354	Orange Road	3N	Lock-out
02/01/2022	07130	2022-009574	19:39	151	Christopher St		Carbon monoxide incident
02/01/2022	07130	2022-009605	22:05	300	Bay Ave		Alarm system activation, no fire - unintentional
02/02/2022	07130	2022-009736	09:24	4	Stonebridge Road		Gas leak (natural gas or LPG)
02/02/2022	07130	2022-009742	09:50	159	Glenridge Ave		Gas leak (natural gas or LPG)
02/02/2022	07130	2022-009767	12:12	310	Orange Road		Alarm system activation, no fire - unintentional
02/02/2022	07130	2022-009834	19:16	354	Orange Road	2	Public service assistance, other
02/02/2022	07130	2022-009846	19:38	77A	Central Ave		Service Call, other
02/02/2022	07130	2022-009918	22:27	80	Glenridge Ave	b1-2	Medical assist, assist EMS crew
02/02/2022	07130	2022-009931	22:51	1	Normal Ave		Smoke detector activation, no fire - unintentional
02/03/2022	07130	2022-010118	15:05	274	Upper Mountain Ave		Alarm system activation, no fire - unintentional
02/03/2022	07130	2022-010124	15:25	29	Cloverhill Pl		Fuel burner/boiler malfunction, fire confined
02/03/2022	07130	2022-010139	16:56	203	Bellevue Ave		Good intent call, other
02/03/2022	07130	2022-010142	17:05	35	Park St		Arcing, shorted electrical equipment
02/03/2022	07130	2022-010151	17:50	125	Glenridge Ave		Alarm system sounded due to malfunction
02/03/2022	07130	2022-010162	18:11	300	Highland Ave		Severe weather or natural disaster, other
02/03/2022	07130	2022-010166	18:25	7	Wellesley Road		Alarm system sounded due to malfunction
02/04/2022	07130	2022-010223	01:08	19	Wheeler St		Gas leak (natural gas or LPG)
02/04/2022	07130	2022-010228	01:28	28	Wheeler St		Gas leak (natural gas or LPG)
02/04/2022	07130	2022-010249	03:30	111-	Gates Ave		Smoke detector activation, no fire - unintentional
02/04/2022	07130	2022-010260	04:44		Bradford Ave		Assist police or other governmental agency
02/04/2022	07130	2022-010326	10:20	180	Walnut St	A44	HazMat release investigation w/no HazMat
02/04/2022	07130	2022-010404	17:50	553	Grove		Cooking fire, confined to container
02/04/2022	07130	2022-010415	18:41		Bloomfield ave and Vally Rd		Heat from short circuit (wiring), defective/worn
02/04/2022	07130	2022-010445	20:09	48	Woodland Ave		Gas leak (natural gas or LPG)
02/04/2022	07130	2022-010498	23:07	36	Hawthorne Pl	59	Carbon monoxide incident
02/05/2022	07130	2022-010585	02:11	1	Bay Ave		Alarm system activation, no fire - unintentional
02/05/2022	07130	2022-010627	07:23	125	Glenridge Pkwy		Alarm system activation, no fire - unintentional
02/05/2022	07130	2022-010649	08:42		Bloomfield Ave		Arcing, shorted electrical equipment
02/05/2022	07130	2022-010682	11:19		Bloomfield Ave		Arcing, shorted electrical equipment
02/05/2022	07130	2022-010696	12:14	119	Elm St		Gas leak (natural gas or LPG)
02/05/2022	07130	2022-010700	12:41	295	Bloomfield Ave		Smoke detector activation, no fire - unintentional
02/05/2022	07130	2022-010738	15:05	22	Porter Pl		Water problem, other

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
02/05/2022	07130	2022-010762	17:25	12-	Elm St	10	Medical assist, assist EMS crew
02/05/2022	07130	2022-010839	19:46	491	Bloomfield Ave		Building fire
02/06/2022	07130	2022-010949	01:40	2	Graham Ter		Water or steam leak
02/06/2022	07130	2022-011010	08:23	211	Bellevue Ave	201	Smoke scare, odor of smoke
02/06/2022	07130	2022-011065	13:47	740	Valley Road		Gas leak (natural gas or LPG)
02/06/2022	07130	2022-011106	17:52	409	Ridgewood Ave		Alarm system activation, no fire - unintentional
02/06/2022	07130	2022-011118	18:20	34	Valley Road		Alarm system activation, no fire - unintentional
02/07/2022	07130	2022-011427	15:17		Elm St	4A	Gas leak (natural gas or LPG)
02/07/2022	07130	2022-011556	22:47	71	Christopher St		Detector activation, no fire - unintentional
02/08/2022	07130	2022-011582	00:41	44	Gates Ave	4	Lock-out
02/08/2022	07130	2022-011639	09:59		Mount Hebron Road		Gas leak (natural gas or LPG)
02/08/2022	07130	2022-011678	12:23	46	Church St		Gas leak (natural gas or LPG)
02/08/2022	07130	2022-011682	12:24		Forest Ave		Dispatched & canceled en route
02/08/2022	07130	2022-011714	16:02	151	Lorraine Ave		Smoke scare, odor of smoke
02/08/2022	07130	2022-011751	17:46	229	Upper Mountain Ave		Smoke scare, odor of smoke
02/08/2022	07130	2022-011784	19:16	264	Bloomfield Ave		Smoke scare, odor of smoke
02/08/2022	07130	2022-011836	21:02	28	Wheeler St		Building fire - Contents only (appliance/computer)
02/09/2022	07130	2022-011928	08:16		N Mountain Ave		Power line down
02/09/2022	07130	2022-011960	10:21	159	Glenridge Ave		Extrication of victim(s) from machinery
02/09/2022	07130	2022-011977	11:21	434	Bloomfield Ave		Carbon monoxide incident
02/09/2022	07130	2022-012036	15:06		Alexander Ave		Public service
02/09/2022	07130	2022-012125	20:20	21	Carlton Dr		Person in distress, other
02/09/2022	07130	2022-012137	20:45	138	Forest St	2	Gas leak (natural gas or LPG)
02/10/2022	07130	2022-012339	07:35	35	Glenridge Ave		Good intent call, other
02/10/2022	07130	2022-012370	09:30	6	Curtis Ter		Alarm system activation, no fire - unintentional
02/10/2022	07130	2022-012383	09:54	18	Maple Ave		Auto Lock-Out
02/10/2022	07130	2022-012404	11:00	27	Saint Lukes Pl		Power line down
02/10/2022	07130	2022-012424	12:16	14	Garden St		Smoke detector activation due to malfunction
02/10/2022	07130	2022-012436	13:17	37	N Fullerton Ave		Alarm system sounded due to malfunction
02/10/2022	07130	2022-012459	14:31	14	Garden St		Smoke detector activation due to malfunction
02/10/2022	07130	2022-012479	15:25	165	Valley Road	2R	Gas leak (natural gas or LPG)
02/10/2022	07130	2022-012482	15:38	434	Washington Ave		Cooking fire, confined to container
02/11/2022	07130	2022-012676	01:55	19	Elm St		Detector activation, no fire - unintentional
02/11/2022	07130	2022-012766	10:07	588	Valley Rd		Public service
02/11/2022	07130	2022-012773	10:28	15	Windsor Pl		Gas leak (natural gas or LPG)
02/11/2022	07130	2022-012808	13:21	690	Bloomfield Ave		Auto Lock-Out
02/11/2022	07130	2022-012821	14:39	434	Washington Ave		Cooking fire, confined to container
02/11/2022	07130	2022-012875	18:04	42	North Mountain Ave		Alarm system activation, no fire - unintentional
02/11/2022	07130	2022-012885	18:22	227	Glenridge Ave	42f	Gas leak (natural gas or LPG)
02/11/2022	07130	2022-012891	18:26	375	Franklin St		Cover assignment, standby, moveup
02/11/2022	07130	2022-012901	19:18	18	Madison Ave		Smoke or odor removal
02/11/2022	07130	2022-012998	22:55	72	Christopher St		Gasoline or other flammable liquid spill
02/12/2022	07130	2022-013065	07:27	24	N Fullerton Ave		Smoke detector activation, no fire - unintentional
02/12/2022	07130	2022-013164	15:15	209	Cooper Ave		Auto Lock-Out
02/13/2022	07130	2022-013442	10:38	100	Llewellyn Road		Electrical wiring/equipment problem, other
02/13/2022	07130	2022-013495	15:58	50	Pine St	6, e2	Gas leak (natural gas or LPG)
02/14/2022	07130	2022-013598	02:25	73	Park Pl		Building fire
02/14/2022	07130	2022-013638	07:14	408	Bloomfield Ave		Smoke detector activation, no fire - unintentional
02/14/2022	07130	2022-013716	12:40	408	Bloomfield Ave		Smoke detector activation, no fire - unintentional
02/14/2022	07130	2022-013747	15:10	325	Clairemont Ave		Medical assist, assist EMS crew
02/14/2022	07130	2022-013751	15:59	18	Maple Ave		Public service
02/14/2022	07130	2022-013772	17:14	46	James St		Alarm system activation, no fire - unintentional
02/14/2022	07130	2022-013797	18:46	10	Cornell Way		Smoke detector activation, no fire - unintentional
02/14/2022	07130	2022-013867	21:47	67	Pleasant Ave		Lock-out
02/14/2022	07130	2022-013897	23:49	205	Linden Ave		Lock-out
02/15/2022	07130	2022-014064	13:06	50	Greenwood Ave	c16	Lock-out
02/15/2022	07130	2022-014141	19:12	123	Gordonhurst Ave		Alarm system activation, no fire - unintentional
02/15/2022	07130	2022-014252	23:09	1	Pine St		Cover assignment, standby, moveup
02/16/2022	07130	2022-014268	00:00	51	Greenwood Ave		Smoke scare, odor of smoke
02/16/2022	07130	2022-014411	10:02	629	Valley Road		Alarm system activation, no fire - unintentional
02/16/2022	07130	2022-014478	13:58	300	Bay Ave		Detector activation, no fire - unintentional
02/16/2022	07130	2022-014565	19:43	415	Bloomfield Ave		Police matter
02/17/2022	07130	2022-014656	04:58	340	Orange Road	206	Medical assist, assist EMS crew

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
02/17/2022	07130	2022-014710	09:48	18	Maple Ave		Special type of incident, other
02/17/2022	07130	2022-014863	20:45	67	Llewellyn Road		Smoke detector activation due to malfunction
02/17/2022	07130	2022-014883	21:41	1	Seymour Plaza		Good Intent call, other
02/17/2022	07130	2022-014908	23:26	11	Pine St		Removal of victim(s) from stalled elevator
02/18/2022	07130	2022-014971	06:02	9	Wheeler St	2	Smoke detector activation due to malfunction
02/18/2022	07130	2022-014977	06:40	21	Astor Pl		Arcing, shorted electrical equipment
02/18/2022	07130	2022-014980	07:15	50	Greenwood Ave	c11	Dispatched & canceled en route
02/18/2022	07130	2022-015083	12:48	71	Winding Way		Building fire
02/19/2022	07130	2022-015504	19:04	22	Stephen St		Wind storm, tornado/hurricane assessment
02/19/2022	07130	2022-015544	20:16	362	Park St		Steam, vapor, fog or dust thought to be smoke
02/19/2022	07130	2022-015546	20:21	27	Hillside Ave		Smoke detector activation, no fire - unintentional
02/20/2022	07130	2022-015673	04:49	415	Valley Road		Cover assignment, standby, moveup
02/20/2022	07130	2022-015706	10:17	77	Sherman Ave		Smoke detector activation, no fire - unintentional
02/20/2022	07130	2022-015765	16:37	89	Clinton Ave		Electrical wiring/equipment problem, other
02/21/2022	07130	2022-016024	12:14	213	Glenridge Ave		Alarm system activation, no fire - unintentional
02/21/2022	07130	2022-016041	13:46		Mission St		Brush or brush-and-grass mixture fire
02/21/2022	07130	2022-016111	18:38	24	Monroe Pl		Gas leak (natural gas or LPG)
02/22/2022	07130	2022-016220	01:45	193	N Fullerton Ave	2nd	Carbon monoxide detector activation, no CO
02/22/2022	07130	2022-016223	02:35	193	N Fullerton Ave		Carbon monoxide detector activation, no CO
02/22/2022	07130	2022-016417	19:32		Yantacaw Brook Road		Assist police or other governmental agency
02/22/2022	07130	2022-016430	20:23	24	Forest St		Carbon monoxide detector activation, no CO
02/22/2022	07130	2022-016484	23:08	58	Melrose Pl		Alarm system activation, no fire - unintentional
02/23/2022	07130	2022-016595	09:39		Upper Mountain Ave		Police matter
02/23/2022	07130	2022-016637	11:40	33	Forest St		Gasoline or other flammable liquid spill
02/23/2022	07130	2022-016685	13:59		Nishuane Road		Electrical wiring/equipment problem, other
02/23/2022	07130	2022-016688	14:18	9	Woodland Ave		Detector activation, no fire - unintentional
02/23/2022	07130	2022-016761	18:16	1	Seymour Plaza		Auto Lock-Out
02/24/2022	07130	2022-017091	12:51	292	Bloomfield Ave		Auto Lock-Out
02/24/2022	07130	2022-017118	15:40	403	Claremont Ave		Alarm system activation, no fire - unintentional
02/24/2022	07130	2022-017142	17:53	110	Orange Rd		Alarm system activation, no fire - unintentional
02/24/2022	07130	2022-017226	23:47		Mount Hebron Road		Gas leak (natural gas or LPG)
02/25/2022	07130	2022-017294	07:40	36	Draper Ter		Power line down
02/25/2022	07130	2022-017302	08:36	474	Upper Mountain Ave		Steam, other gas mistaken for smoke, other
02/25/2022	07130	2022-017306	09:01		Union St		Power line down
02/25/2022	07130	2022-017315	09:46	101	Pleasant Ave		Power line down
02/25/2022	07130	2022-017319	09:51		Forest St		Power line down
02/25/2022	07130	2022-017324	10:05	15	Marston Pl		Power line down
02/25/2022	07130	2022-017340	10:43		Valley Road		Water problem, other
02/25/2022	07130	2022-017354	11:43	160	Bellevue Ave		Power line down
02/25/2022	07130	2022-017357	12:04		Lincoln St		Power line down
02/25/2022	07130	2022-017375	13:48	19	Saint Lukes Pl		Power line down
02/25/2022	07130	2022-017421	16:13	192	Bloomfield Ave		Alarm system activation, no fire - unintentional
02/25/2022	07130	2022-017446	18:19	137	Upper Mountain Ave		Alarm system sounded due to malfunction
02/26/2022	07130	2022-017583	00:49	50	Hamilton Road		Carbon monoxide incident
02/26/2022	07130	2022-017703	12:38	26	Laurel Pl		Gas leak (natural gas or LPG)
02/26/2022	07130	2022-017729	14:34	491	Bloomfield Ave		Smoke detector activation, no fire - unintentional
02/26/2022	07130	2022-017739	15:23	621	Valley Rd		Alarm system activation, no fire - unintentional
02/26/2022	07130	2022-017773	18:41	49	N Willow St		Alarm system sounded due to malfunction
02/26/2022	07130	2022-017822	21:13		Bloomfield Ave		Auto Lock-Out
02/27/2022	07130	2022-017986	11:52	427	Bloomfield Ave		Smoke detector activation, no fire - unintentional
02/27/2022	07130	2022-018009	13:34	212	Hillside Ave		Smoke detector activation due to malfunction
02/27/2022	07130	2022-018050	15:44	67	Church St		Alarm system sounded due to malfunction
02/28/2022	07130	2022-018239	10:02	48	South Park St		Alarm system activation, no fire - unintentional
02/28/2022	07130	2022-018241	10:05	224	Orange Rd		Alarm system activation, no fire - unintentional
02/28/2022	07130	2022-018248	10:10		Church St		Steam, vapor, fog or dust thought to be smoke
02/28/2022	07130	2022-018277	11:55	3	Valley Pl		Gas leak (natural gas or LPG)
02/28/2022	07130	2022-018283	12:19	277	Baldwin St		Alarm system activation, no fire - unintentional
02/28/2022	07130	2022-018292	13:22	408	Orange Rd		Alarm system activation, no fire - unintentional
02/28/2022	07130	2022-018314	14:41	19	N Fullerton Ave		Dispatched & canceled en route
02/28/2022	07130	2022-018346	16:51	8	Bloomfield Ave		Outside equipment fire
03/01/2022	07130	2022-018605	10:30	510	Valley Rd		Power line down
03/01/2022	07130	2022-018634	14:10	690	Bloomfield Ave		Detector activation, no fire - unintentional
03/02/2022	07130	2022-018921	09:39	50	Greenwood Ave		Smoke detector activation, no fire - unintentional

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
03/02/2022	07130	2022-018931	10:05	69	Christopher St	3fl	Dispatched & canceled en route
03/02/2022	07130	2022-019079	19:26	133	Willowdale Ave		Smoke from barbecue, tar kettle
03/02/2022	07130	2022-019090	19:40	119	Harrison Ave		Water or steam leak
03/02/2022	07130	2022-019133	21:57	50	Pine St	5H	Carbon monoxide incident
03/03/2022	07130	2022-019244	07:58	115	Undercliff Road		Animal problem, other
03/03/2022	07130	2022-019265	08:53	35	Aubrey Road		CO detector activation due to malfunction
03/03/2022	07130	2022-019294	09:54	235	Ridgewood Ave		Alarm system activation, no fire - unintentional
03/03/2022	07130	2022-019326	11:16	110	Greenwood Ave		Alarm system activation, no fire - unintentional
03/03/2022	07130	2022-019382	15:35	468	Main St		Cover assignment, standby, moveup
03/03/2022	07130	2022-019402	17:51	511	Bloomfield Ave		Detector activation, no fire - unintentional
03/03/2022	07130	2022-019409	18:09	31	Brunswick Road		Smoke detector activation, no fire - unintentional
03/03/2022	07130	2022-019419	19:05	50	Greenwood Ave	c16	Lock-out
03/03/2022	07130	2022-019425	19:43	63	Elm St	9	Building fire - Contents only (appliance/computer)
03/04/2022	07130	2022-019572	09:24	79	Forest St		Alarm system sounded due to malfunction
03/04/2022	07130	2022-019683	17:06	136	Lincoln St		Smoke detector activation due to malfunction
03/04/2022	07130	2022-019698	18:38	47	Walnut St		Gasoline or other flammable liquid spill
03/04/2022	07130	2022-019775	22:20	71	Eagle Rock Way		Brush or brush-and-grass mixture fire
03/05/2022	07130	2022-019961	13:59	39	S Willow St		Service Call, other
03/05/2022	07130	2022-020049	20:07	128	Maple Ave		Carbon monoxide incident
03/06/2022	07130	2022-020249	13:03	7	Bell St	302	Public service
03/06/2022	07130	2022-020363	20:42		Washington Ave		Dispatched & canceled en route
03/07/2022	07130	2022-020529	08:39	260	Bellevue Ave		Smoke detector activation, no fire - unintentional
03/07/2022	07130	2022-020567	10:11	119	Grove St		Smoke detector activation, no fire - unintentional
03/07/2022	07130	2022-020606	12:36	581	Valley Rd		Alarm system activation, no fire - unintentional
03/07/2022	07130	2022-020615	12:59	123	Highland Ave		Alarm system sounded due to malfunction
03/07/2022	07130	2022-020645	15:32	11	Pine St		Removal of victim(s) from stalled elevator
03/07/2022	07130	2022-020658	16:38	375	Franklin St		Cover assignment, standby, moveup
03/07/2022	07130	2022-020682	18:16	1	Pine St		Cover assignment, standby, moveup
03/08/2022	07130	2022-020861	02:30		Tremont Pl		Arcing, shorted electrical equipment
03/08/2022	07130	2022-020851	03:09	123	Grove St		Assist police or other governmental agency
03/09/2022	07130	2022-021372	18:13	7	Amelia St		Smoke detector activation, no fire - unintentional
03/10/2022	07130	2022-021535	08:31	62	Maple Ave		Public service assistance, other
03/10/2022	07130	2022-021544	09:49	570	Bloomfield Ave	3	Assist police or other governmental agency
03/10/2022	07130	2022-021554	10:04	35	Glenwood Road		Detector activation, no fire - unintentional
03/10/2022	07130	2022-021597	12:56	11	Undercliff Dr		Detector activation, no fire - unintentional
03/10/2022	07130	2022-021615	14:37	1	Pine St		Emergency medical service incident, other
03/10/2022	07130	2022-021641	16:54	116	Grove St		EMS call, party transported by non-fire agency
03/10/2022	07130	2022-021683	20:02	164	Chestnut St		Building or structure weakened or collapsed
03/10/2022	07130	2022-021726	22:42	38	Watchung Ave		Alarm system activation, no fire - unintentional
03/10/2022	07130	2022-021737	23:13	124	Claremont Ave		Cooking fire, confined to container
03/11/2022	07130	2022-021893	12:09	45	Church St		Police matter
03/11/2022	07130	2022-021899	12:44	162	Bloomfield Ave		Auto Lock-Out
03/11/2022	07130	2022-022069	21:57	39	Glenridge Ave		Auto Lock-Out
03/12/2022	07130	2022-022132	02:32	22	William St		Assist police or other governmental agency
03/12/2022	07130	2022-022160	08:07	300	Bay Ave		Detector activation, no fire - unintentional
03/12/2022	07130	2022-022206	10:44	69	Myrtle Ave		Power line down
03/12/2022	07130	2022-022236	13:29		Monroe Pl		Public service
03/12/2022	07130	2022-022355	20:28	55	S Fullerton Ave	B	Alarm system activation, no fire - unintentional
03/13/2022	07130	2022-022503	10:46	250	Bellevue Ave		Alarm system sounded due to malfunction
03/13/2022	07130	2022-022533	14:00	31	Greenview Way		Alarm system activation, no fire - unintentional
03/13/2022	07130	2022-022559	15:02	232	Valley Road		Chimney or flue fire, confined to chimney or flue
03/14/2022	07130	2022-022703	05:08	25	Erwin Park Road		Gas leak (natural gas or LPG)
03/14/2022	07130	2022-022774	10:04	171	Lincoln St		Carbon monoxide incident
03/14/2022	07130	2022-022798	11:47	19	Wellesley Road		Power line down
03/14/2022	07130	2022-022850	15:23	465	Bloomfield Ave		Gas leak (natural gas or LPG)
03/14/2022	07130	2022-022857	15:44	1	Pine St		Emergency medical service incident, other
03/14/2022	07130	2022-022953	20:25	33	Valley Rd		Public service
03/15/2022	07130	2022-023135	10:20	32	Cedar Ave		Alarm system activation, no fire - unintentional
03/15/2022	07130	2022-023163	12:02	19	Elm St		Detector activation, no fire - unintentional
03/15/2022	07130	2022-023246	17:33	256	N Mountain Ave		Lock-out
03/16/2022	07130	2022-023416	04:27	40	Gordonhurst Ave		Smoke detector activation, no fire - unintentional
03/16/2022	07130	2022-023476	10:59	33	Enfield Ave		Gas leak (natural gas or LPG)
03/16/2022	07130	2022-023505	12:15	50	S Fullerton Ave		Alarm system sounded due to malfunction

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
03/16/2022	07130	2022-023520	12:59	260	Bellevue Ave		Alarm system activation, no fire - unintentional
03/16/2022	07130	2022-023601	19:55	65	Douglas Road		Alarm system activation, no fire - unintentional
03/16/2022	07130	2022-023612	20:33	211	Bellevue Ave		Auto Lock-Out
03/16/2022	07130	2022-023629	21:24	74	Valley Road		Assist police or other governmental agency
03/17/2022	07130	2022-023727	08:31	42	High St		Lock-out
03/17/2022	07130	2022-023738	09:01	106	Pine St		Gas leak (natural gas or LPG)
03/17/2022	07130	2022-023736	09:01		Bloomfield Ave		Overpressure rupture of air or gas pipe/pipeline
03/18/2022	07130	2022-024032	09:05	381	Bloomfield Ave		Alarm system sounded due to malfunction
03/18/2022	07130	2022-024074	11:59	10	Crestmont Road		Alarm system sounded due to malfunction
03/18/2022	07130	2022-024086	12:24	312	Bloomfield Ave		Alarm system sounded due to malfunction
03/18/2022	07130	2022-024127	15:27	20	Woodmont Road		Gas leak (natural gas or LPG)
03/18/2022	07130	2022-024217	20:18	111-	Gates Ave		Alarm system sounded due to malfunction
03/18/2022	07130	2022-024228	20:49	301	Valley Road		Detector activation, no fire - unintentional
03/19/2022	07130	2022-024341	05:37	48	S Park St	307	Medical assist, assist EMS crew
03/19/2022	07130	2022-024378	10:25	12	Elm St		Auto Lock-Out
03/19/2022	07130	2022-024381	10:46	571	Bloomfield Ave		Carbon monoxide incident
03/19/2022	07130	2022-024418	14:54		Harrison Ave		Police matter
03/19/2022	07130	2022-024433	15:02	116	Grove St		Medical assist, assist EMS crew
03/19/2022	07130	2022-024444	16:00	42	Maple Ave		Outside rubbish, trash or waste fire
03/19/2022	07130	2022-024476	18:44	20	Edgemont Road		Lock-out
03/20/2022	07130	2022-024600	01:20		Prospect Ave		Electrical wiring/equipment problem, other
03/20/2022	07130	2022-024717	14:22	7	Charles St		Carbon monoxide incident
03/20/2022	07130	2022-024728	15:48	110	Stonehouse Road		Outside equipment fire
03/20/2022	07130	2022-024799	19:54	9	Emerson Pl		Gas leak (natural gas or LPG)
03/20/2022	07130	2022-024834	21:42	29	Fairfield St		Smoke scare, odor of smoke
03/21/2022	07130	2022-025047	10:05	408	Bloomfield Ave		Smoke detector activation, no fire - unintentional
03/21/2022	07130	2022-025058	10:48	9	Godfrey Road		Person in distress, other
03/21/2022	07130	2022-025079	12:18	1	Pine St		Medical assist, assist EMS crew
03/21/2022	07130	2022-025087	12:59	141	Park St		Alarm system activation, no fire - unintentional
03/21/2022	07130	2022-025124	15:04	147	Willowdale Ave	1st fir	Medical assist, assist EMS crew
03/21/2022	07130	2022-025154	16:53	211	Bellevue Ave		Smoke detector activation, no fire - unintentional
03/22/2022	07130	2022-025378	09:48	39	S Fullerton Ave		No incident found on arrival at dispatch address
03/22/2022	07130	2022-025430	13:36		Main St		Cover assignment, standby, moveup
03/22/2022	07130	2022-025460	16:19	23	Stanford Pl		Alarm system activation, no fire - unintentional
03/22/2022	07130	2022-025469	16:46	120	Clarewill Ave		Smoke scare, odor of smoke
03/23/2022	07130	2022-025610	02:08	1	Pine St		Cover assignment, standby, moveup
03/23/2022	07130	2022-025697	10:23	96	Ridgewood Ave		Alarm system activation, no fire - unintentional
03/23/2022	07130	2022-025730	12:21	115	Watchung Ave		Outside rubbish, trash or waste fire
03/23/2022	07130	2022-025761	13:39	246	N Fullerton Ave		Power line down
03/23/2022	07130	2022-025811	17:15	330	Bloomfield Ave		Motor vehicle accident with no injuries.
03/23/2022	07130	2022-025823	17:49	84	Mission St	2b	Lock-out
03/24/2022	07130	2022-026046	07:13	33	Brunswick Road		Detector activation, no fire - unintentional
03/24/2022	07130	2022-026095	09:51	60	Lloyd Road		Smoke scare, odor of smoke
03/24/2022	07130	2022-026104	10:49	41	Union St		Medical assist, assist EMS crew
03/24/2022	07130	2022-026158	14:23	510	Valley Rd		Auto Lock-Out
03/24/2022	07130	2022-026168	14:34	166	Midland Ave		Cooking fire, confined to container
03/24/2022	07130	2022-026212	17:16	11	Cambridge Road		Alarm system activation, no fire - unintentional
03/24/2022	07130	2022-026326	22:57	27	Franklin Pl		Smoke scare, odor of smoke
03/25/2022	07130	2022-026467	10:42	80	Glenridge Ave		Alarm system activation, no fire - unintentional
03/25/2022	07130	2022-026483	11:14	408	Bloomfield Ave		Smoke detector activation, no fire - unintentional
03/25/2022	07130	2022-026491	11:24		Cooper Ave		Power line down
03/26/2022	07130	2022-026866	17:26	510	Valley Rd		Arcing, shorted electrical equipment
03/26/2022	07130	2022-026898	21:04	5	Columbus Ave		Alarm system sounded due to malfunction
03/26/2022	07130	2022-026903	21:23	18	Van Breemen Ct		Water or steam leak
03/26/2022	07130	2022-026935	22:30	292	Ridgewood Ave		Carbon monoxide incident
03/27/2022	07130	2022-026991	02:39	10	Woodmont Road		Overpressure rupture of boiler from air or gas
03/27/2022	07130	2022-027098	13:45	1	Pine St		Ring or jewelry removal
03/27/2022	07130	2022-027116	14:31	82	Gates Ave		Carbon monoxide detector activation, no CO
03/28/2022	07130	2022-027235	01:42	50	Greenwood Ave		Smoke detector activation, no fire - unintentional
03/28/2022	07130	2022-027287	07:47	9	Stonehenge Road		Detector activation, no fire - unintentional
03/28/2022	07130	2022-027309	09:10	571	Bloomfield Ave		Alarm system activation, no fire - unintentional
03/28/2022	07130	2022-027360	12:04		Valley Road		Medical assist, assist EMS crew
03/28/2022	07130	2022-027370	12:32	295	Claremont Ave	1	Heat from short circuit (wiring), defective/worn

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
03/29/2022	07130	2022-027717	11:32	52	Sherman St	3	Water or steam leak
03/29/2022	07130	2022-027768	14:34	125	Cooper Ave		Lock-out
03/29/2022	07130	2022-027794	16:50	228	Chestnut St		Cover assignment, standby, moveup
03/29/2022	07130	2022-027825	18:47	71	Club Road		Water or steam leak
03/29/2022	07130	2022-027932	23:08	223	Glenridge Ave		Alarm system activation, no fire - unintentional
03/30/2022	07130	2022-028031	07:04	207	Cooper Ave		Power line down
03/30/2022	07130	2022-028037	07:35		Jerome Pl		Gas leak (natural gas or LPG)
03/30/2022	07130	2022-028065	08:40		Glenridge Ave		Gas leak (natural gas or LPG)
03/30/2022	07130	2022-028131	13:56	28	Union St	2	Assist police or other governmental agency
03/30/2022	07130	2022-028141	14:00	30	Porter Pl		Gas leak (natural gas or LPG)
03/30/2022	07130	2022-028301	23:33	35	S Willow St	b3	Medical assist, assist EMS crew
03/30/2022	07130	2022-028307	23:56	183	Grove St		Dispatched & canceled en route
03/31/2022	07130	2022-028341	07:31	9	Stonehenge Road		CO detector activation due to malfunction
03/31/2022	07130	2022-028424	12:15	147	High St		Lock-out
03/31/2022	07130	2022-028459	14:31	5	Roosevelt Pl	4g	Dispatched & canceled en route
03/31/2022	07130	2022-028460	14:41	7	Wellesley Road		Lock-in (if lock out , use 511)
04/01/2022	07130	2022-028604	00:22	15	Pine St		Person in distress, other
04/01/2022	07130	2022-028605	00:29	300	Bay Ave		Alarm system sounded due to malfunction
04/01/2022	07130	2022-028611	00:30	250	Highland Ave		Detector activation, no fire - unintentional
04/01/2022	07130	2022-028770	15:22	690	Bloomfield Ave		Alarm system activation, no fire - unintentional
04/01/2022	07130	2022-028788	16:16	44	S Park St		Alarm system activation, no fire - unintentional
04/01/2022	07130	2022-028824	18:01	47	Union St	3rd	Smoke scare, odor of smoke
04/01/2022	07130	2022-028897	21:14	37	Carolyn Road		Carbon monoxide detector activation, no CO
04/01/2022	07130	2022-028898	21:53	95	Walnut St		Police matter
04/02/2022	07130	2022-029055	10:51	25	Park St		Alarm system activation, no fire - unintentional
04/02/2022	07130	2022-029075	12:06	96	Lincoln St		Arcing, shorted electrical equipment
04/02/2022	07130	2022-029125	15:28	271	Claremont Ave		Alarm system activation, no fire - unintentional
04/03/2022	07130	2022-029316	04:13	42	North Mountain Ave		Unintentional transmission of alarm, other
04/03/2022	07130	2022-029371	09:57	360	Bloomfield Ave		Unintentional transmission of alarm, other
04/03/2022	07130	2022-029433	15:27	250	Bellevue Ave		Alarm system activation, no fire - unintentional
04/03/2022	07130	2022-029445	16:32	25	Park St		Alarm system sounded due to malfunction
04/03/2022	07130	2022-029476	19:06	8	Bell St		Alarm system sounded due to malfunction
04/03/2022	07130	2022-029505	20:29	8	Bell St		Alarm system sounded due to malfunction
04/04/2022	07130	2022-029809	15:54	11	Mead Ter		Alarm system activation, no fire - unintentional
04/04/2022	07130	2022-029945	21:53	241	Park St		Assist police or other governmental agency
04/04/2022	07130	2022-029958	21:54	133	Grove St	1	Lock-out
04/05/2022	07130	2022-030007	03:54	2-4	Walnut Pl		Alarm system sounded due to malfunction
04/05/2022	07130	2022-030019	04:54	39	N Fullerton Ave	5th fl	Alarm system sounded due to malfunction
04/05/2022	07130	2022-030081	09:07	86	Walnut St		Dispatched & canceled en route
04/05/2022	07130	2022-030235	19:40	183	Forest Ave		Smoke detector activation, no fire - unintentional
04/05/2022	07130	2022-030318	23:20	87	N Fullerton Ave	3fl	Dispatched & canceled en route
04/06/2022	07130	2022-030346	00:38	408	Bloomfield Ave		Alarm system activation, no fire - unintentional
04/06/2022	07130	2022-030487	10:30	180	Bloomfield Ave		Alarm system sounded due to malfunction
04/06/2022	07130	2022-030516	11:13	59	Club Road		Smoke detector activation, no fire - unintentional
04/06/2022	07130	2022-030547	12:51	347	Upper Mountain Ave		Water or steam leak
04/06/2022	07130	2022-030604	16:57	180	Walnut St		Overheated motor
04/06/2022	07130	2022-030626	18:51	61	Club Road		Smoke detector activation due to malfunction
04/06/2022	07130	2022-030652	19:49	48	S Park St		No incident found on arrival at dispatch address
04/07/2022	07130	2022-030842	10:05	51	James St	A	Smoke detector activation due to malfunction
04/07/2022	07130	2022-030864	11:26	40	Wayside Pl		Gas leak (natural gas or LPG)
04/07/2022	07130	2022-030947	17:42	25	Montclair Ave		Power line down
04/07/2022	07130	2022-031009	20:53	11	Pine St		Alarm system sounded due to malfunction
04/07/2022	07130	2022-031016	21:02	9	Miller St		Water or steam leak
04/07/2022	07130	2022-031036	22:03	11	Sylvan Pl		No incident found on arrival at dispatch address
04/08/2022	07130	2022-031108	01:51	136	Inwood Ave		Gas leak (natural gas or LPG)
04/08/2022	07130	2022-031146	04:24	28	Irving St		Breakdown of light ballast
04/08/2022	07130	2022-031171	06:51	1	Orchard Ct		Dispatched & canceled en route
04/08/2022	07130	2022-031223	09:23	25	Carlisle Road		Water evacuation
04/08/2022	07130	2022-031204	09:52	106	Squire Hill Road		Water evacuation
04/08/2022	07130	2022-031271	11:39	13	Chester Road		Water problem, other
04/08/2022	07130	2022-031327	14:50	89	Douglas Road		Water problem, other
04/08/2022	07130	2022-031374	18:22	33	Prospect Ave		Smoke detector activation, no fire - unintentional
04/09/2022	07130	2022-031536	08:41	118	Walnut St		Alarm system activation, no fire - unintentional

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
04/09/2022	07130	2022-031650	18:50	39	Stephen St		Smoke detector activation due to malfunction
04/09/2022	07130	2022-031681	19:46	39	Stephen St		Smoke detector activation due to malfunction
04/10/2022	07130	2022-031859	10:56	594	Valley Road		Smoke detector activation, no fire - unintentional
04/10/2022	07130	2022-031887	13:32	67	Park St		Gas leak (natural gas or LPG)
04/10/2022	07130	2022-031954	19:17	716	Valley Road		Smoke detector activation, no fire - unintentional
04/10/2022	07130	2022-031980	20:12	48	S Park St		Sprinkler activation due to malfunction
04/10/2022	07130	2022-031999	21:29	15	Hartley St		Alarm system activation, no fire - unintentional
04/11/2022	07130	2022-032047	02:21	468	Main Street		Cover assignment, standby, moveup
04/11/2022	07130	2022-032055	03:34	56	Walnut St	w2a	Citizen complaint
04/11/2022	07130	2022-032170	12:12	67	Melrose Pl		Gas leak (natural gas or LPG)
04/11/2022	07130	2022-032199	15:01	105	Clinton Ave		Alarm system activation, no fire - unintentional
04/11/2022	07130	2022-032234	18:09	369	Upper Mountain Ave		Alarm system activation, no fire - unintentional
04/11/2022	07130	2022-032260	19:56	275	Franklin Avenue		Cover assignment, standby, moveup
04/12/2022	07130	2022-032497	10:03	1	Pine St		Ring or jewelry removal
04/12/2022	07130	2022-032569	12:36	94	Cooper Ave		CO detector activation due to malfunction
04/12/2022	07130	2022-032595	14:25	28	Clinton Ave		Alarm system sounded due to malfunction
04/12/2022	07130	2022-032606	14:57	62	Greenwood Ave		Power line down
04/12/2022	07130	2022-032649	18:13	491	Valley Road		Water evacuation
04/12/2022	07130	2022-032712	21:49	118	Maple Ave	D	Carbon monoxide detector activation, no CO
04/13/2022	07130	2022-032834	08:28	56	Madison Ave		Power line down
04/13/2022	07130	2022-032840	08:39	187	Midland Ave		Alarm system sounded due to malfunction
04/13/2022	07130	2022-032956	15:19	235	Ridgewood Ave		Alarm system activation, no fire - unintentional
04/13/2022	07130	2022-032970	16:03	42	N Mountain Ave		Alarm system activation, no fire - unintentional
04/13/2022	07130	2022-033002	17:24	548	Highland Ave		Lock-out
04/13/2022	07130	2022-033068	21:03	41	N Fullerton Ave	D5	Alarm system sounded due to malfunction
04/13/2022	07130	2022-033079	21:17	31	Maple Ave		Medical assist, assist EMS crew
04/13/2022	07130	2022-033100	21:57	26	Clinton Road		Smoke or odor removal
04/14/2022	07130	2022-033337	16:32	113	Clarewill Ave		Auto Lock-Out
04/14/2022	07130	2022-033346	17:11	29	Warman St		CO detector activation due to malfunction
04/15/2022	07130	2022-033495	08:01	101	Inwood Ave		Steam, vapor, fog or dust thought to be smoke
04/15/2022	07130	2022-033515	09:31	176	Cooper Ave		Alarm system sounded due to malfunction
04/15/2022	07130	2022-033519	09:33	58	Melrose Pl		Smoke detector activation, no fire - unintentional
04/15/2022	07130	2022-033542	11:17	100	Inwood Ave		Alarm system sounded due to malfunction
04/15/2022	07130	2022-033584	13:28	215	Midland Ave		Arcing, shorted electrical equipment
04/15/2022	07130	2022-033606	14:40	147	Bloomfield Ave		Carbon monoxide incident
04/15/2022	07130	2022-033688	20:02	40	Sherman St	2	Lock-out
04/15/2022	07130	2022-033792	23:52	16	Pierson Pl		Medical assist, assist EMS crew
04/16/2022	07130	2022-033976	11:23	127	Elm Street		Gas leak (natural gas or LPG)
04/16/2022	07130	2022-033996	12:56		Glenridge Ave		Service Call, other
04/16/2022	07130	2022-034014	14:16	500	Ridgewood Ave		Gas leak (natural gas or LPG)
04/16/2022	07130	2022-034016	14:23	209	Christopher St		Smoke detector activation due to malfunction
04/16/2022	07130	2022-034037	16:00	5	Roosevelt Pl		Removal of victim(s) from stalled elevator
04/16/2022	07130	2022-034059	17:04	7	Mead Ter		Alarm system activation, no fire - unintentional
04/17/2022	07130	2022-034263	10:35		Label St		Public service
04/17/2022	07130	2022-034291	13:15	74	Mission St		Lock-out
04/17/2022	07130	2022-034290	13:16	42	North Mountain Ave		Central station, malicious false alarm
04/17/2022	07130	2022-034333	15:18	25	Gray St		Alarm system activation, no fire - unintentional
04/18/2022	07130	2022-034526	08:56	419	Central Avenue		Building fire
04/18/2022	07130	2022-034608	13:13	55	Pleasant Way		Power line down
04/18/2022	07130	2022-034618	13:26	235	Ridgewood Ave		Alarm system activation, no fire - unintentional
04/18/2022	07130	2022-034644	14:26	135	Grove St		Water or steam leak
04/18/2022	07130	2022-034692	16:59	244	Highland Ave		Smoke detector activation, no fire - unintentional
04/18/2022	07130	2022-034747	20:21	468	Main Street		Cover assignment, standby, moveup
04/18/2022	07130	2022-034773	21:15	50	Greenwood Ave		Smoke detector activation due to malfunction
04/18/2022	07130	2022-034808	22:43	180	Bloomfield Ave		Alarm system sounded due to malfunction
04/19/2022	07130	2022-034828	00:35		Park Ter		Assist police or other governmental agency
04/19/2022	07130	2022-034831	00:39	360	Clinton Avenue		Cover assignment, standby, moveup
04/19/2022	07130	2022-034851	05:29	419	Central Avenue		Building fire
04/19/2022	07130	2022-034854	05:39	5	Seymour St		Alarm system sounded due to malfunction
04/19/2022	07130	2022-034870	06:19	5	Undercliff Road		Water or steam leak
04/19/2022	07130	2022-034874	06:36	42	North Mountain Ave		Smoke detector activation, no fire - unintentional
04/19/2022	07130	2022-034894	08:22	180	Bloomfield Ave		Alarm system sounded due to malfunction
04/19/2022	07130	2022-034896	08:45	33	Elmwood Ave		Assist police or other governmental agency

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
04/19/2022	07130	2022-034901	09:08	340	Orange Road	214	Person in distress, other
04/19/2022	07130	2022-034942	11:22	39	S Willow St		Cooking fire, confined to container
04/20/2022	07130	2022-035187	02:40	48	S Park St	502	Carbon monoxide incident
04/20/2022	07130	2022-035341	16:09	14	Undercliff		Outside rubbish, trash or waste fire
04/20/2022	07130	2022-035372	17:58	7	Bay St		Gas leak (natural gas or LPG)
04/20/2022	07130	2022-035412	21:04	55	Glenridge Ave		Smoke scare, odor of smoke
04/21/2022	07130	2022-035477	01:12	48	S Park St		Lock-out
04/21/2022	07130	2022-035482	01:26	544	Bloomfield Ave		Auto Lock-Out
04/21/2022	07130	2022-035505	03:05	127	Westview Road		Smoke detector activation due to malfunction
04/21/2022	07130	2022-035571	11:03	650	Valley Rd		Auto Lock-Out
04/21/2022	07130	2022-035590	11:34	292	Bloomfield Ave		Detector activation, no fire - unintentional
04/21/2022	07130	2022-035596	11:41	1	Pine St		Cover assignment, standby, moveup
04/21/2022	07130	2022-035607	12:09	283	Bellevue Ave		Detector activation, no fire - unintentional
04/21/2022	07130	2022-035670	15:08	468	Main Street		Cover assignment, standby, moveup
04/21/2022	07130	2022-035681	16:33	300	Bay Ave		Alarm system activation, no fire - unintentional
04/21/2022	07130	2022-035711	18:36	223-	Glenridge Ave		Alarm system activation, no fire - unintentional
04/22/2022	07130	2022-035956	10:13	42	North Mountain Ave		Alarm system activation, no fire - unintentional
04/22/2022	07130	2022-035971	10:45	65	Chestnut St		Alarm system activation, no fire - unintentional
04/22/2022	07130	2022-035986	11:11	100	Clarewill Ave		Smoke detector activation, no fire - unintentional
04/22/2022	07130	2022-036005	12:01	10	Lackawanna Plz		Unintentional transmission of alarm, other
04/22/2022	07130	2022-036035	13:20	180	Bloomfield Ave		Building fire - Contents only (appliance/computer)
04/22/2022	07130	2022-036062	16:00		Glenfield Park		Brush or brush-and-grass mixture fire
04/22/2022	07130	2022-036075	17:12	42	North Mountain Ave		Central station, malicious false alarm
04/22/2022	07130	2022-036077	17:22	82	Pine Street		Gas leak (natural gas or LPG)
04/22/2022	07130	2022-036089	17:56	277	Valley Road		Building fire
04/22/2022	07130	2022-036103	18:30	352	N Mountain Ave		Carbon monoxide detector activation, no CO
04/22/2022	07130	2022-036129	19:55	30	Bradford Ave		Alarm system sounded due to malfunction
04/23/2022	07130	2022-036253	06:34	219	N Fullerton Ave		Arcing, shorted electrical equipment
04/23/2022	07130	2022-036287	10:30	47	Columbus Ave		Detector activation, no fire - unintentional
04/24/2022	07130	2022-036548	10:16	15	Hart Dr		Building fire
04/24/2022	07130	2022-036573	11:37	5	Hawthorne Pl		Auto Lock-Out
04/24/2022	07130	2022-036673	20:16	62	Orange Road		Alarm system activation, no fire - unintentional
04/24/2022	07130	2022-036699	21:35	228	S Mountain Ave		Smoke scare, odor of smoke
04/24/2022	07130	2022-036710	21:51	25	Lincoln St		Outside rubbish, trash or waste fire
04/25/2022	07130	2022-036730	01:41	29	Woodland Ave		Cooking fire, confined to container
04/25/2022	07130	2022-036800	09:50	25	Maple Ave		Public service
04/25/2022	07130	2022-036801	10:02	116	Grove St		Aircraft standby
04/25/2022	07130	2022-036814	10:33	11	Sutherland Road		Alarm system activation, no fire - unintentional
04/26/2022	07130	2022-037196	10:25	27	Hillside Ave		Smoke detector activation, no fire - unintentional
04/26/2022	07130	2022-037195	10:25	92	Bay St		Gas leak (natural gas or LPG)
04/26/2022	07130	2022-037209	10:52	224	Orange Rd		False alarm or false call, other
04/26/2022	07130	2022-037298	16:16	2	Maple Ave		Citizen complaint
04/26/2022	07130	2022-037350	18:57	110	Ridgewood Ave		Smoke detector activation, no fire - unintentional
04/26/2022	07130	2022-037400	20:59	30	Gates Ave		Cooking fire, confined to container
04/27/2022	07130	2022-037489	02:23	21	Hillicrest Road		Detector activation, no fire - unintentional
04/27/2022	07130	2022-037641	13:10	20	Maple Ave		Gasoline or other flammable liquid spill
04/27/2022	07130	2022-037662	14:48	15	Pine St		Emergency medical service incident, other
04/27/2022	07130	2022-037700	17:02	1	Seymour Plaza		Smoke detector activation, no fire - unintentional
04/27/2022	07130	2022-037707	17:12	374	Park St		Brush or brush-and-grass mixture fire
04/27/2022	07130	2022-037784	22:53	42	North Mountain Ave		Alarm system activation, no fire - unintentional
04/28/2022	07130	2022-037931	12:23	78	Clinton Ave		Smoke detector activation, no fire - unintentional
04/28/2022	07130	2022-037952	13:29	275	Park St		Power line down
04/28/2022	07130	2022-037973	14:48	33	Valley Rd		Outside rubbish fire, other
04/28/2022	07130	2022-038003	16:51	581	Valley Road		System malfunction, other
04/28/2022	07130	2022-038035	18:24	44	Portland Pl	2	Lock-out
04/28/2022	07130	2022-038041	19:01	14	Depot Sq		Auto Lock-Out
04/29/2022	07130	2022-038142	02:01	107	Gordonhurst Ave		CO detector activation due to malfunction
04/29/2022	07130	2022-038182	08:07	34	Valley Road		Smoke detector activation due to malfunction
04/29/2022	07130	2022-038206	08:58	235	Ridgewood Ave		Alarm system sounded due to malfunction
04/29/2022	07130	2022-038216	09:21	55	Washington St		Auto Lock-Out
04/29/2022	07130	2022-038231	10:34	219	N Fullerton Ave		Power line down
04/29/2022	07130	2022-038242	11:17	77	Central Ave		Alarm system activation, no fire - unintentional
04/29/2022	07130	2022-038261	12:48	8	Gray St		Power line down

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
04/29/2022	07130	2022-038284	14:08	6	Jerome Pl	3	Power line down
04/29/2022	07130	2022-038299	15:51	5	Inness Pl		HazMat release investigation w/no HazMat
04/29/2022	07130	2022-038326	17:32	148	Central Ave		Alarm system activation, no fire - unintentional
04/29/2022	07130	2022-038341	17:58	468	Main Street		Dispatched & canceled en route
04/30/2022	07130	2022-038492	00:43	36	Valley Road	620	CO detector activation due to malfunction
04/30/2022	07130	2022-038577	08:42	69	Highland ave		Smoke detector activation, no fire - unintentional
04/30/2022	07130	2022-038730	18:45	690	Bloomfield Ave		Smoke detector activation, no fire - unintentional
04/30/2022	07130	2022-038843	23:31	1	399 Heywood Ave		Building fire
05/01/2022	07130	2022-038930	11:26	130	Heller Way		Smoke detector activation, no fire - unintentional
05/01/2022	07130	2022-039040	19:31	1	Pine St		Dispatched & canceled en route
05/02/2022	07130	2022-039191	04:25	14	Glenwood Road		Alarm system sounded due to malfunction
05/02/2022	07130	2022-039255	11:12	50	Pine St	Build	Carbon monoxide detector activation, no CO
05/02/2022	07130	2022-039291	13:50	427	Bloomfield Ave		Unintentional transmission of alarm, other
05/02/2022	07130	2022-039392	20:40	39	N Mountain Ave		Cooking fire, confined to container
05/02/2022	07130	2022-039438	22:28	23	Oxford St		Smoke or odor removal
05/03/2022	07130	2022-039477	01:02	419	Central Avenue		Structure fire, Other (conversion only)
05/03/2022	07130	2022-039521	08:29	176	Wildwood Ave		Lock-in (if lock out , use 511)
05/03/2022	07130	2022-039590	12:11	323	Maolis Ave		Alarm system activation, no fire - unintentional
05/03/2022	07130	2022-039636	15:37	162	Bloomfield Ave		Power line down
05/03/2022	07130	2022-039673	17:29	468	Main St		Cover assignment, standby, moveup
05/03/2022	07130	2022-039720	20:18	2	Friendship Pl		Smoke or odor removal
05/03/2022	07130	2022-039724	20:24	50	Greenwood Ave		Smoke detector activation, no fire - unintentional
05/03/2022	07130	2022-039764	21:13	487	Highland Ave		Smoke detector activation due to malfunction
05/03/2022	07130	2022-039795	22:37	41	Warren Pl		Smoke or odor removal
05/04/2022	07130	2022-039861	06:21	100	Clarewill Ave		Carbon monoxide detector activation, no CO
05/04/2022	07130	2022-039932	10:40	1	Bay Ave		Alarm system activation, no fire - unintentional
05/04/2022	07130	2022-039998	14:55	30	S Park St		Alarm system activation, no fire - unintentional
05/04/2022	07130	2022-040020	16:27	224	Ridgewood Ave		Service Call, other
05/04/2022	07130	2022-040148	22:34	63	S Mountain Ave		Smoke detector activation due to malfunction
05/04/2022	07130	2022-040160	23:23	292	Bloomfield Ave		Alarm system sounded due to malfunction
05/05/2022	07130	2022-040288	08:50	27	S Fullerton Ave		Wrong location
05/05/2022	07130	2022-040294	09:13	14	N Fullerton Ave		Citizen complaint
05/05/2022	07130	2022-040398	13:12	133	Norwood Ave		Detector activation, no fire - unintentional
05/05/2022	07130	2022-040456	16:48	51	Brighton Road		Cover assignment, standby, moveup
05/05/2022	07130	2022-040534	20:33	28	Clinton Ave		Alarm system activation, no fire - unintentional
05/06/2022	07130	2022-040667	04:24	647	Bloomfield Ave		Alarm system sounded due to malfunction
05/06/2022	07130	2022-040712	08:25	622	Valley Road		Cooking fire, confined to container
05/06/2022	07130	2022-040789	16:20	555	Ridgewood Ave		Alarm system activation, no fire - unintentional
05/06/2022	07130	2022-040818	17:57	19	Victor Ave		Smoke detector activation, no fire - unintentional
05/06/2022	07130	2022-040871	22:30	197	Highland Ave		Person in distress, other
05/06/2022	07130	2022-040895	23:03	408	Bloomfield Ave		Alarm system activation, no fire - unintentional
05/07/2022	07130	2022-040925	02:43	180	Gordonhurst Ave		Lock-out
05/07/2022	07130	2022-040984	10:43	67	Heller Way		Detector activation, no fire - unintentional
05/07/2022	07130	2022-041018	14:05	42	North Mountain Ave		Alarm system activation, no fire - unintentional
05/07/2022	07130	2022-041022	14:09	622	Valley Rd		Alarm system sounded due to malfunction
05/08/2022	07130	2022-041254	12:42	42	North Mountain Ave		Alarm system activation, no fire - unintentional
05/08/2022	07130	2022-041303	17:43	55	Cambridge Road		Alarm system activation, no fire - unintentional
05/08/2022	07130	2022-041305	17:43				
05/08/2022	07130	2022-041313	18:18	363	Grove St		Smoke detector activation, no fire - unintentional
05/08/2022	07130	2022-041353	20:47	199	Bellevue Ave		Oil or other combustible liquid spill
05/08/2022	07130	2022-041373	22:23	68	Pine St	1st fl	Gas leak (natural gas or LPG)
05/08/2022	07130	2022-041393	23:44	1	Pine St		Cover assignment, standby, moveup
05/09/2022	07130	2022-041515	11:16	33	Hillside Ave		Gas leak (natural gas or LPG)
05/09/2022	07130	2022-041556	14:13	218	Bloomfield Ave		Alarm system activation, no fire - unintentional
05/09/2022	07130	2022-041566	15:17	340	Orange Road		Alarm system activation, no fire - unintentional
05/09/2022	07130	2022-041608	17:37	53	Greenwood Ave	1A	Gas leak (natural gas or LPG)
05/09/2022	07130	2022-041672	21:19	42	North Mountain Ave		Alarm system activation, no fire - unintentional
05/09/2022	07130	2022-041709	23:30	21	Warfield St		Smoke detector activation, no fire - unintentional
05/09/2022	07130	2022-041704	23:30	381	Bloomfield Ave		Detector activation, no fire - unintentional
05/10/2022	07130	2022-041774	04:37		Elm St		Extrication of victim(s) from vehicle
05/10/2022	07130	2022-041793	05:35	537	Bloomfield Ave	2	Building fire
05/10/2022	07130	2022-041825	07:46	761	Valley Road		Alarm system activation, no fire - unintentional
05/10/2022	07130	2022-041829	07:51	99	Central Ave		Gas leak (natural gas or LPG)

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
05/10/2022	07130	2022-041833	08:01	201	Valley Road		Gas leak (natural gas or LPG)
05/10/2022	07130	2022-041834	08:04	70	Central Ave		Gas leak (natural gas or LPG)
05/10/2022	07130	2022-041835	08:10	13	Bellaire Dr		Gas leak (natural gas or LPG)
05/10/2022	07130	2022-041842	08:23	22	Valley Road		Alarm system activation, no fire - unintentional
05/10/2022	07130	2022-041850	08:50	1	Pine St		Person in distress, other
05/10/2022	07130	2022-041857	09:13	28	Wheeler St		Lock-out
05/10/2022	07130	2022-041927	14:56	173	Bellevue Ave		Smoke detector activation, no fire - unintentional
05/10/2022	07130	2022-041944	16:19	9	Linden Ave		Power line down
05/10/2022	07130	2022-041973	18:13	202	Watchung Ave		Smoke scare, odor of smoke
05/11/2022	07130	2022-042091	08:13	92	Sherman St		Gas leak (natural gas or LPG)
05/11/2022	07130	2022-042173	13:38	442	Bloomfield Ave	fl 2	Public service
05/11/2022	07130	2022-042216	17:32	9	Emerson Pl		Gas leak (natural gas or LPG)
05/11/2022	07130	2022-042228	18:34	46	Park St		Auto Lock-Out
05/12/2022	07130	2022-042310	00:42	300	Bay Ave		Alarm system sounded due to malfunction
05/12/2022	07130	2022-042436	13:24	42	North Mountain Ave		Malicious, mischievous false call, other
05/12/2022	07130	2022-042450	13:57	4	Marquette Road		Smoke detector activation, no fire - unintentional
05/12/2022	07130	2022-042458	15:51	61	Forest St		Gas leak (natural gas or LPG)
05/12/2022	07130	2022-042462	16:07	11	Rudd Ct		Gas leak (natural gas or LPG)
05/12/2022	07130	2022-042524	19:41	52-	Fairfield St		Cooking fire, confined to container
05/12/2022	07130	2022-042551	21:09	160	Summit Ave		Smoke detector activation, no fire - unintentional
05/13/2022	07130	2022-042680	10:26	53	Clinton Road		Public service
05/13/2022	07130	2022-042748	16:52	11	Mead Ter		Smoke detector activation, no fire - unintentional
05/13/2022	07130	2022-042818	20:18	225	Park St		Smoke detector activation due to malfunction
05/14/2022	07130	2022-042953	08:11	499	Bloomfield Ave		Alarm system activation, no fire - unintentional
05/14/2022	07130	2022-042998	11:12	12	Winsor Pl		Alarm system sounded due to malfunction
05/14/2022	07130	2022-043034	14:10	152	Clarewill Ave		Unintentional transmission of alarm, other
05/14/2022	07130	2022-043056	15:33	960	Bloomfield Ave		Alarm system sounded due to malfunction
05/14/2022	07130	2022-043092	17:57	52	Sherman St		Lock-out
05/14/2022	07130	2022-043102	19:17	24	Woodland Ave		Detector activation, no fire - unintentional
05/14/2022	07130	2022-043065	20:43	99	Bellevue Ave		Person in distress, other
05/14/2022	07130	2022-043132	20:48	19	Roswell Ter		Smoke detector activation, no fire - unintentional
05/14/2022	07130	2022-043152	21:54	219	Ridgewood Ave		Smoke detector activation, no fire - unintentional
05/15/2022	07130	2022-043343	13:24	154	Montclair Ave		Detector activation, no fire - unintentional
05/15/2022	07130	2022-043348	13:26	10	Heller Dr		Lock-out
05/15/2022	07130	2022-043356	13:41	31	N Mountain Ave		Alarm system sounded due to malfunction
05/15/2022	07130	2022-043376	14:53		Chestnut St		Assist police or other governmental agency
05/15/2022	07130	2022-043421	17:53	58	Melrose Pl		Alarm system activation, no fire - unintentional
05/15/2022	07130	2022-043427	18:18	90	Elm St		Gasoline or other flammable liquid spill
05/15/2022	07130	2022-043436	19:05	364	Highland Ave		Motor vehicle accident with no injuries.
05/15/2022	07130	2022-043446	19:12	148	Central Ave		Alarm system activation, no fire - unintentional
05/15/2022	07130	2022-043463	20:18	480	Bloomfield Ave		Alarm system activation, no fire - unintentional
05/15/2022	07130	2022-043466	20:21	494	Bloomfield Ave		Good intent call, other
05/15/2022	07130	2022-043497	21:16	55	Grove St	208	Lock-out
05/15/2022	07130	2022-043498	21:16	690	Bloomfield Ave		Detector activation, no fire - unintentional
05/15/2022	07130	2022-043505	21:31	175	Ridgewood Ave		Smoke detector activation due to malfunction
05/16/2022	07130	2022-043646	09:51	95	Inwood Ave		Detector activation, no fire - unintentional
05/16/2022	07130	2022-043661	10:41	16	Montclair Ave	1	Smoke detector activation, no fire - unintentional
05/16/2022	07130	2022-043690	12:11	5	Tuers Pl		Detector activation, no fire - unintentional
05/16/2022	07130	2022-043696	12:17	17	Brookfield Road		Gas leak (natural gas or LPG)
05/16/2022	07130	2022-043740	16:43	300	Bay Ave		Malicious, mischievous false call, other
05/16/2022	07130	2022-043752	17:39	79	Inwood Ave		Smoke detector activation due to malfunction
05/16/2022	07130	2022-043776	19:35	173	Bellevue Ave		Alarm system activation, no fire - unintentional
05/16/2022	07130	2022-043786	20:25	437	Ridgewood Ave		Smoke detector activation due to malfunction
05/17/2022	07130	2022-043856	01:59	468	Main St		Cover assignment, standby, moveup
05/17/2022	07130	2022-043938	11:08	95	Park St		Arcing, shorted electrical equipment
05/17/2022	07130	2022-043945	11:28	130	Grove St		Removal of victim(s) from stalled elevator
05/17/2022	07130	2022-043948	11:44	38	Upper Montclair Plz		Gas leak (natural gas or LPG)
05/17/2022	07130	2022-043955	12:11	1	Pine St		Fire, other
05/17/2022	07130	2022-043997	15:06	97	Stonebridge Road		Carbon monoxide incident
05/17/2022	07130	2022-044002	15:33	571	Chestnut St		Fire, other
05/17/2022	07130	2022-044004	15:40	97	Stonebridge Road		Carbon monoxide incident
05/17/2022	07130	2022-044041	18:44	10	Pine St		Public service
05/18/2022	07130	2022-044207	10:47	49	Fairview Pl		Electrical wiring/equipment problem, other

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
05/18/2022	07130	2022-044255	14:52	46	Park St		Power line down
05/18/2022	07130	2022-044285	17:21	33	Marquette Road		Chemical hazard (no spill or leak)
05/18/2022	07130	2022-044323	19:38		Irving St		Vehicle accident, general cleanup
05/19/2022	07130	2022-044461	04:49	26	Oak Pl		Arcing, shorted electrical equipment
05/19/2022	07130	2022-044463	05:07	36	Hawthorne Pl	5	Electrical wiring/equipment problem, other
05/19/2022	07130	2022-044468	05:48	50	Greenwood Ave	d9	Lock-out
05/19/2022	07130	2022-044476	07:29	205	Claremont Ave		Detector activation, no fire - unintentional
05/19/2022	07130	2022-044491	08:26	26	Oak Pl		Arcing, shorted electrical equipment
05/19/2022	07130	2022-044592	15:08	10	Howe Ave		Gas leak (natural gas or LPG)
05/19/2022	07130	2022-044596	15:30	10	Crestmont		Auto Lock-Out
05/19/2022	07130	2022-044678	21:08		Park St		Arcing, shorted electrical equipment
05/19/2022	07130	2022-044680	21:23	50	Greenwood Ave		Heat from short circuit (wiring), defective/worn
05/19/2022	07130	2022-044691	22:06	354	Orange Road	2	Lock-out
05/19/2022	07130	2022-044706	23:06	67	Overlook Road		Smoke detector activation, no fire - unintentional
05/20/2022	07130	2022-044830	09:58	267	Midland Ave		Detector activation, no fire - unintentional
05/20/2022	07130	2022-044836	10:11	1	Lackawanna Plz		Detector activation, no fire - unintentional
05/20/2022	07130	2022-044842	10:37	7	Saint Lukes Pl	106	Dispatched & canceled en route
05/20/2022	07130	2022-044861	11:39	160	Gordonhurst Ave	Build	Detector activation, no fire - unintentional
05/20/2022	07130	2022-044928	16:07	17	Mission St		Water or steam leak
05/20/2022	07130	2022-044943	16:48	63	Elm St	b	Detector activation, no fire - unintentional
05/20/2022	07130	2022-044983	19:09		Bloomfield Ave		Lock-out
05/21/2022	07130	2022-045141	09:28		Cooper Ave		Telephone, malicious false alarm
05/21/2022	07130	2022-045150	09:56	111	Gates Ave		Alarm system activation, no fire - unintentional
05/21/2022	07130	2022-045200	12:29	22	Saint Lukes Pl	6	Lock-out
05/21/2022	07130	2022-045209	12:53	578	Bloomfield Ave		Alarm system sounded due to malfunction
05/21/2022	07130	2022-045221	13:20	188	Forest St		Smoke detector activation due to malfunction
05/21/2022	07130	2022-045246	14:40	50	Pine St	316	Alarm system sounded due to malfunction
05/21/2022	07130	2022-045274	15:48	8	Walnut PL.		Alarm system sounded due to malfunction
05/21/2022	07130	2022-045282	16:32	5	Roosevelt Pl	5A	Good intent call, other
05/21/2022	07130	2022-045296	17:43	219	Ridgewood Ave		Alarm system activation, no fire - unintentional
05/21/2022	07130	2022-045334	20:55	555	Ridgewood Ave		Alarm system activation, no fire - unintentional
05/22/2022	07130	2022-045392	00:15	415	Valley Rd		Cover assignment, standby, moveup
05/22/2022	07130	2022-045408	01:47		Ardsley Road		Smoke scare, odor of smoke
05/22/2022	07130	2022-045407	01:56	204	Glenridge Ave		Alarm system sounded due to malfunction
05/22/2022	07130	2022-045438	08:09	93	Carteret St	1st fl	Smoke detector activation, no fire - unintentional
05/22/2022	07130	2022-045493	10:53	100	Clarewill Ave		Alarm system activation, no fire - unintentional
05/22/2022	07130	2022-045497	10:56	1	Pine St		Building fire
05/22/2022	07130	2022-045525	12:57	31	N Mountain Ave		Smoke detector activation due to malfunction
05/22/2022	07130	2022-045577	16:32	10	Prescott Ave		CO detector activation due to malfunction
05/22/2022	07130	2022-045591	18:22	20	Stanford Pl		Cooking fire, confined to container
05/22/2022	07130	2022-045592	18:28	204	Glenridge Ave		Heat detector activation due to malfunction
05/22/2022	07130	2022-045604	19:41	41	Gates Ave		Wind storm, tornado/hurricane assessment
05/22/2022	07130	2022-045606	19:49	186	Cedar St		Building fire
05/22/2022	07130	2022-045608	19:55	18	Warfield St		Power line down
05/23/2022	07130	2022-045665	01:41	34	S Willow St		Smoke detector activation due to malfunction
05/23/2022	07130	2022-045739	11:13	176	N Fullerton Ave		Lock-in (if lock out , use 511)
05/23/2022	07130	2022-045759	13:08	31	N Mountain Ave		Alarm system sounded due to malfunction
05/23/2022	07130	2022-045765	13:26	44	Hamilton Road		Alarm system activation, no fire - unintentional
05/23/2022	07130	2022-045790	15:19	636	Valley Rd		Alarm system activation, no fire - unintentional
05/23/2022	07130	2022-045825	17:32	224	Christopher St		Alarm system activation, no fire - unintentional
05/23/2022	07130	2022-045832	18:22	11	The Fairway		Detector activation, no fire - unintentional
05/23/2022	07130	2022-045843	19:20	13	Fulton St		Smoke detector activation due to malfunction
05/23/2022	07130	2022-045863	20:10	300	Bay Ave		Ring or jewelry removal
05/24/2022	07130	2022-046016	07:09	434	Washington Ave		Smoke detector activation, no fire - unintentional
05/24/2022	07130	2022-046172	17:12	500	Park St		Carbon monoxide detector activation, no CO
05/24/2022	07130	2022-046259	22:14	2	Melrose Pl		CO detector activation due to malfunction
05/25/2022	07130	2022-046285	00:30	60	Warren Pl		Alarm system sounded due to malfunction
05/25/2022	07130	2022-046401	08:38	1	Pine St		EMS call, party transported by non-fire agency
05/25/2022	07130	2022-046459	10:35	87	N Fullerton Ave	3RD	Dispatched & canceled en route
05/25/2022	07130	2022-046473	10:45	474	Upper Mountain Ave		CO detector activation due to malfunction
05/25/2022	07130	2022-046493	11:37	71	Brookfield Road		Detector activation, no fire - unintentional
05/25/2022	07130	2022-046590	16:04		Bellevue Ave		Vehicle accident, general cleanup
05/25/2022	07130	2022-046602	16:40	6	Lloyd Rd		Alarm system sounded due to malfunction

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
05/26/2022	07130	2022-046734	03:05	134	Squire Hill Road		CO detector activation due to malfunction
05/26/2022	07130	2022-046791	10:27	100	Chestnut St		Public service
05/26/2022	07130	2022-046915	16:42	50	Greenwood Ave		Alarm system activation, no fire - unintentional
05/26/2022	07130	2022-046941	18:32	416	Bloomfield Ave	9	Smoke detector activation due to malfunction
05/26/2022	07130	2022-046975	20:28	31	N Mountain Ave		Smoke detector activation due to malfunction
05/27/2022	07130	2022-047092	08:45	5	Roosevelt Pl	2nd	Alarm system sounded due to malfunction
05/27/2022	07130	2022-047091	08:47	540	Upper Mountain Ave		Power line down
05/27/2022	07130	2022-047148	11:58	50	Greenwood Ave		Smoke detector activation, no fire - unintentional
05/27/2022	07130	2022-047179	13:05	50	Greenwood Ave		Defective elevator, no occupants
05/27/2022	07130	2022-047239	17:09	29	Greenview Way		Arcing, shorted electrical equipment
05/27/2022	07130	2022-047250	18:23	27	Greenview Way		Arcing, shorted electrical equipment
05/28/2022	07130	2022-047362	02:23	603	Grove St		Water or steam leak
05/28/2022	07130	2022-047370	02:30	14	Depot Sq		CO detector activation due to malfunction
05/28/2022	07130	2022-047398	05:41	14	Depot Sq		Smoke detector activation due to malfunction
05/28/2022	07130	2022-047415	07:15	28	Essex Ave		Alarm system sounded due to malfunction
05/28/2022	07130	2022-047431	08:33	28	Essex Ave		Alarm system sounded due to malfunction
05/28/2022	07130	2022-047438	09:04	77	Orange Road	5	Assist invalid
05/28/2022	07130	2022-047443	09:53	28	Elmwood Ave		Gas leak (natural gas or LPG)
05/28/2022	07130	2022-047452	10:36	79	Elm St		Power line down
05/28/2022	07130	2022-047460	11:16	116	Grove St		Aircraft standby
05/28/2022	07130	2022-047480	12:22	427	Bloomfield Ave		Alarm system sounded due to malfunction
05/28/2022	07130	2022-047506	14:36	415	Claremont Ave		Breakdown of light ballast
05/28/2022	07130	2022-047513	14:43	64	Dryden Road		Water or steam leak
05/28/2022	07130	2022-047585	20:16	80	Mission St	1st	Lock-in (if lock out , use 511)
05/28/2022	07130	2022-047652	23:10	603	Grove St		Detector activation, no fire - unintentional
05/29/2022	07130	2022-047739	08:51	14	Depot Sq		Alarm system sounded due to malfunction
05/29/2022	07130	2022-047826	17:22	36	Hawthorne Pl	4J	Hazardous condition, other
05/29/2022	07130	2022-047856	19:18	690	Bloomfield Ave		Smoke detector activation, no fire - unintentional
05/29/2022	07130	2022-047896	20:33	690	Bloomfield Ave		Smoke detector activation, no fire - unintentional
05/29/2022	07130	2022-047906	21:20	24	Hillside Ave	D1	Carbon monoxide detector activation, no CO
05/30/2022	07130	2022-047953	00:45	23	Carlisle Road		Assist invalid
05/31/2022	07130	2022-048108	02:56	25	Park St		Alarm system sounded due to malfunction
05/31/2022	07130	2022-048123	04:29	110	Greenwood Ave		Alarm system activation, no fire - unintentional
05/31/2022	07130	2022-048132	05:49	25	Park St		Alarm system sounded due to malfunction
05/31/2022	07130	2022-048264	15:15	311	Bay Ave		Removal of victim(s) from stalled elevator
05/31/2022	07130	2022-048267	15:27	311	Bay Ave		Removal of victim(s) from stalled elevator
05/31/2022	07130	2022-048277	15:47	105	Pine St	4	CO detector activation due to malfunction
05/31/2022	07130	2022-048280	16:09	125	Bloomfield Ave	108	CO detector activation due to malfunction
05/31/2022	07130	2022-048285	16:38	36	Hawthorne Pl	5-I	Assist police or other governmental agency
05/31/2022	07130	2022-048291	16:57	17	Central Ave		Steam, other gas mistaken for smoke, other
05/31/2022	07130	2022-048311	18:19	79	Douglas		Gas leak (natural gas or LPG)
05/31/2022	07130	2022-048339	19:48	690	Bloomfield Ave		Alarm system sounded due to malfunction
05/31/2022	07130	2022-048397	23:16	69	Dryden Road		Carbon monoxide detector activation, no CO
05/31/2022	07130	2022-048400	23:20	177	Gates Ave		Alarm system activation, no fire - unintentional
06/01/2022	07130	2022-048442	04:29	10	Crestmont Road		Detector activation, no fire - unintentional
06/01/2022	07130	2022-048462	07:16	97	Pine St	7	Medical assist, assist EMS crew
06/01/2022	07130	2022-048505	09:35		Main St		Dispatched & canceled en route
06/01/2022	07130	2022-048591	16:19	1	Pine Street		EMS call, excluding vehicle accident with injury
06/01/2022	07130	2022-048601	16:47	110	N Fullerton Ave		Carbon monoxide detector activation, no CO
06/02/2022	07130	2022-048823	05:28	787	Northfield Ave		Building fire
06/02/2022	07130	2022-048871	09:01	52	Llewellyn Road		Gas leak (natural gas or LPG)
06/02/2022	07130	2022-048940	13:43	32	Ardsley Road		Detector activation, no fire - unintentional
06/02/2022	07130	2022-049025	19:23	49	Park St		Alarm system sounded due to malfunction
06/03/2022	07130	2022-049166	06:46	572	Upper Mountain Ave		Arcing, shorted electrical equipment
06/03/2022	07130	2022-049206	08:59	300	Bay Ave		Arcing, shorted electrical equipment
06/03/2022	07130	2022-049214	09:14	25	Park St		Alarm system sounded due to malfunction
06/03/2022	07130	2022-049351	16:40	5	Tuers Pl		Alarm system sounded due to malfunction
06/03/2022	07130	2022-049385	19:17	25	Park St		Alarm system sounded due to malfunction
06/03/2022	07130	2022-049410	20:14	15	Bloomfield Ave		Auto Lock-Out
06/04/2022	07130	2022-049462	00:12	2	S Willow St		Smoke detector activation due to malfunction
06/04/2022	07130	2022-049534	09:18	1	Pine St		Ring or jewelry removal
06/04/2022	07130	2022-049545	09:55	340	Orange Road		Removal of victim(s) from stalled elevator
06/04/2022	07130	2022-049598	11:36	46	Park St		Alarm system sounded due to malfunction

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
06/04/2022	07130	2022-049632	13:01	34	Montclair Ave	2	Detector activation, no fire - unintentional
06/04/2022	07130	2022-049702	18:41	690	Bloomfield Ave		Removal of victim(s) from stalled elevator
06/04/2022	07130	2022-049723	19:40	37	Warren Pl		Alarm system sounded due to malfunction
06/04/2022	07130	2022-049784	22:38	34	valley Road		Removal of victim(s) from stalled elevator
06/04/2022	07130	2022-049798	23:07	647	Bloomfield Ave		Auto Lock-Out
06/05/2022	07130	2022-049801	00:07	63	Elmwood Ave		Smoke scare, odor of smoke
06/05/2022	07130	2022-049902	10:51	101	Gates Ave		Smoke detector activation due to malfunction
06/05/2022	07130	2022-050001	20:38	21	Norman Road		Animal problem
06/05/2022	07130	2022-050009	22:00	125	Lincoln St		No incident found on arrival at dispatch address
06/06/2022	07130	2022-050108	07:57	325	Claremont Ave		Alarm system activation, no fire - unintentional
06/06/2022	07130	2022-050179	11:38	7	Oak Pl	204	Alarm system sounded due to malfunction
06/06/2022	07130	2022-050218	14:17	36	Hawthorne Pl	4-v	Police matter
06/06/2022	07130	2022-050256	17:32	116	Park St		Alarm system activation, no fire - unintentional
06/06/2022	07130	2022-050317	21:10	188	Forest Ave		Carbon monoxide detector activation, no CO
06/07/2022	07130	2022-050440	09:10	40	S Fullerton Ave		Alarm system sounded due to malfunction
06/07/2022	07130	2022-050616	19:27		Forest Ave		Good intent call, other
06/08/2022	07130	2022-050763	07:45	1	Laurel Pl		Gas leak (natural gas or LPG)
06/08/2022	07130	2022-050798	09:37	22	Oakcroft Ave		Power line down
06/08/2022	07130	2022-050853	12:36	19	Franklin Pl		Power line down
06/08/2022	07130	2022-050870	13:49	10	Smith Manor Blvd		Dispatched & canceled en route
06/09/2022	07130	2022-051082	04:00	252	N Fullerton Ave		Alarm system activation, no fire - unintentional
06/09/2022	07130	2022-051244	17:00	37	Glenridge Ave		Power line down
06/09/2022	07130	2022-051303	20:37	2	S Willow St		Alarm system activation, no fire - unintentional
06/10/2022	07130	2022-051350	02:11	116	Grove St		Rescue or EMS standby
06/11/2022	07130	2022-051715	08:26	112	Upper Mountain Ave		Smoke detector activation, no fire - unintentional
06/11/2022	07130	2022-051903	21:49	6	Washington St		Gas leak (natural gas or LPG)
06/11/2022	07130	2022-051917	22:38	392	Highland Ave		Carbon monoxide detector activation, no CO
06/11/2022	07130	2022-051919	22:59	392	Highland Ave		Service Call, other
06/12/2022	07130	2022-051939	00:45	450	Ridgewood Ave		Smoke or odor removal
06/12/2022	07130	2022-051998	09:27	267	Park St		Power line down
06/12/2022	07130	2022-052037	11:38	190	Christopher St		CO detector activation due to malfunction
06/12/2022	07130	2022-052095	18:44	468	Main Street		Cover assignment, standby, moveup
06/12/2022	07130	2022-052103	19:03	212	Hillside Ave		Smoke detector activation due to malfunction
06/12/2022	07130	2022-052128	19:28	107	Lincoln St		Carbon monoxide incident
06/12/2022	07130	2022-052145	20:28	22	Ridgewood Ave		CO detector activation due to malfunction
06/13/2022	07130	2022-052195	01:39	14	Walden Pl	7	Good intent call, other
06/13/2022	07130	2022-052283	07:34	203	S Mountain Ave		Alarm system activation, no fire - unintentional
06/13/2022	07130	2022-052312	09:23	295	Bloomfield Ave		Alarm system sounded due to malfunction
06/13/2022	07130	2022-052347	12:16	651	Grove St		CO detector activation due to malfunction
06/13/2022	07130	2022-052366	13:13	32	Church St		Carbon monoxide incident
06/13/2022	07130	2022-052383	15:05	499	Bloomfield Ave		Carbon monoxide detector activation, no CO
06/13/2022	07130	2022-052459	20:24	499	Bloomfield Ave		Carbon monoxide detector activation, no CO
06/13/2022	07130	2022-052464	20:33	22	Conforti Ave		Cover assignment, standby, moveup
06/13/2022	07130	2022-052476	21:11	121	Essex Ave		Alarm system activation, no fire - unintentional
06/14/2022	07130	2022-052536	01:50	120	Westview Road		CO detector activation due to malfunction
06/14/2022	07130	2022-052545	04:15	123	Grove St		Assist police or other governmental agency
06/14/2022	07130	2022-052561	06:34	6	Walnut Pl	2	Gas leak (natural gas or LPG)
06/14/2022	07130	2022-052605	10:19	36	Hawthorne Pl	6R	Alarm system activation, no fire - unintentional
06/14/2022	07130	2022-052609	10:37	50	Pine St		Citizen complaint
06/14/2022	07130	2022-052659	13:47	544	Bloomfield Ave		Outside rubbish, trash or waste fire
06/14/2022	07130	2022-052684	16:29	56	Gates Ave	4	Water or steam leak
06/14/2022	07130	2022-052751	20:56	105	Union St	3fl	Alarm system activation, no fire - unintentional
06/15/2022	07130	2022-052869	09:14		Claremont Ave		Road freight or transport vehicle fire
06/15/2022	07130	2022-052877	09:18		350 Paulson Ave		Cover assignment, standby, moveup
06/15/2022	07130	2022-052971	13:16	235	Ridgewood Ave		Gasoline or other flammable liquid spill
06/15/2022	07130	2022-052991	15:11	51	Brighton Road		Structure fire, Other (conversion only)
06/15/2022	07130	2022-052994	15:17	299	Orange Road		Building fire - Contents only (appliance/computer)
06/15/2022	07130	2022-053048	17:14	20	Edgemont Rd		Lock-out
06/16/2022	07130	2022-053297	07:21	525	Pompton Ave		Cover assignment, standby, moveup
06/16/2022	07130	2022-053319	09:01	51	Pillot Pl		Cover assignment, standby, moveup
06/16/2022	07130	2022-053557	22:04	330	Orange Road		Unintentional transmission of alarm, other
06/16/2022	07130	2022-053567	22:39	85	Stonebridge Road		Unintentional transmission of alarm, other
06/17/2022	07130	2022-053650	04:36	544	Bloomfield Ave		Smoke detector activation, no fire - unintentional

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
06/17/2022	07130	2022-053769	12:35	99	Cooper Ave		Public service
06/17/2022	07130	2022-053859	18:37	22	Saint Lukes Pl	37	Smoke or odor removal
06/17/2022	07130	2022-053873	19:43	16	Greenview Way		Gas leak (natural gas or LPG)
06/17/2022	07130	2022-053883	20:43	87	Bay St	C	Water or steam leak
06/18/2022	07130	2022-053972	01:27	5	Bellegrove Dr		Smoke detector activation due to malfunction
06/18/2022	07130	2022-054033	09:19	88	Warren Pl		Water or steam leak
06/18/2022	07130	2022-054036	09:43	73	S Fullerton Ave		Alarm system activation, no fire - unintentional
06/18/2022	07130	2022-054079	12:13	555	Ridgewood Ave		Heat from short circuit (wiring), defective/worn
06/18/2022	07130	2022-054090	12:51	116	Park St		Overheated motor
06/18/2022	07130	2022-054102	14:13	218	Bloomfield Ave		Detector activation, no fire - unintentional
06/18/2022	07130	2022-054124	15:48	89	Llewellyn Road		Alarm system activation, no fire - unintentional
06/18/2022	07130	2022-054131	16:08	41	N Fullerton Ave		Removal of victim(s) from stalled elevator
06/18/2022	07130	2022-054191	20:30	168	Park St		Arcing, shorted electrical equipment
06/19/2022	07130	2022-054239	00:51	540	Valley Road		Smoke detector activation due to malfunction
06/19/2022	07130	2022-054304	08:42	544	Bloomfield Ave		Smoke detector activation, no fire - unintentional
06/19/2022	07130	2022-054317	09:38	83	Montague Pl		Outside rubbish, trash or waste fire
06/20/2022	07130	2022-054547	09:59	178	Summit Ave		Alarm system activation, no fire - unintentional
06/20/2022	07130	2022-054581	11:34	122	Wildwood Ave		Gas leak (natural gas or LPG)
06/20/2022	07130	2022-054647	15:59		Valley Road		Extrication of victim(s) from vehicle
06/20/2022	07130	2022-054710	17:54	275	Franklin Ave		Cover assignment, standby, moveup
06/20/2022	07130	2022-054742	19:13	8	Riverview Dr W		Alarm system activation, no fire - unintentional
06/21/2022	07130	2022-054895	07:15	19	Bellaire Dr		Outside mulch fire
06/21/2022	07130	2022-054941	09:08	143	Gates Ave		Alarm system activation, no fire - unintentional
06/21/2022	07130	2022-055006	11:26	311	Clonaver Rd		Building fire
06/21/2022	07130	2022-055020	12:12	136	Midland Ave		Auto Lock-Out
06/21/2022	07130	2022-055163	20:32	147	Willowdale Ave	1st fl	Medical assist, assist EMS crew
06/21/2022	07130	2022-055157	21:09	37	Pleasant Ave	Attic	Medical assist, assist EMS crew
06/22/2022	07130	2022-055297	09:40	3	Park Ter		Smoke or odor removal
06/22/2022	07130	2022-055410	16:35	544	Bloomfield Ave		Detector activation, no fire - unintentional
06/22/2022	07130	2022-055429	17:51	340	Orange Road		Removal of victim(s) from stalled elevator
06/23/2022	07130	2022-055550	05:44	140	Forest Ave		Alarm system sounded due to malfunction
06/23/2022	07130	2022-055587	08:45	31	Oxford St		Water or steam leak
06/23/2022	07130	2022-055681	15:30	31	Maple Ave		Outside equipment fire
06/23/2022	07130	2022-055690	16:05		Maple Ave		Person in distress, other
06/24/2022	07130	2022-055800	02:24	125	Bloomfield Ave	407	Smoke detector activation due to malfunction
06/24/2022	07130	2022-055811	04:24	87	Mount Hebron Road		Smoke detector activation due to malfunction
06/24/2022	07130	2022-055842	08:28	586	Park St		Carbon monoxide detector activation, no CO
06/24/2022	07130	2022-056074	23:38	354	Orange Road	3S	Lock-in (if lock out , use 511)
06/24/2022	07130	2022-056079	23:54	21	Carlton Dr		CO detector activation due to malfunction
06/25/2022	07130	2022-056253	14:02	124	Midland Ave	3	Lock-in (if lock out , use 511)
06/25/2022	07130	2022-056264	14:31	105	Union St		Alarm system sounded due to malfunction
06/25/2022	07130	2022-056298	16:27	38	Douglas Road		Alarm system activation, no fire - unintentional
06/25/2022	07130	2022-056307	16:51	128	Inwood Ave		Smoke detector activation due to malfunction
06/25/2022	07130	2022-056419	23:58	50	Pine St		Smoke scare, odor of smoke
06/26/2022	07130	2022-056431	00:35	11	Pine St		Smoke scare, odor of smoke
06/26/2022	07130	2022-056492	03:25	434	Washington Ave		Alarm system sounded due to malfunction
06/26/2022	07130	2022-056539	08:43	7	Saint Lukes Pl		Gas leak (natural gas or LPG)
06/26/2022	07130	2022-056546	09:37	33	Cottage Pl		Auto Lock-Out
06/26/2022	07130	2022-056589	13:32	658	Valley Road	G1	Lock-out
06/26/2022	07130	2022-056622	14:52	22	Porter Pl		Water or steam leak
06/27/2022	07130	2022-056841	10:02	155	Lorraine Ave		Smoke detector activation, no fire - unintentional
06/27/2022	07130	2022-056847	10:16	235	Ridgewood Ave		Smoke detector activation due to malfunction
06/27/2022	07130	2022-056883	12:09	11	Mead Ter		Smoke detector activation, no fire - unintentional
06/27/2022	07130	2022-056900	13:24	86	Bay St	8	Gas leak (natural gas or LPG)
06/27/2022	07130	2022-056921	14:38	116	Maple Ave	4	Alarm system activation, no fire - unintentional
06/27/2022	07130	2022-056931	15:07	28	Lexington Ave		Electrical wiring/equipment problem, other
06/27/2022	07130	2022-056934	15:21	71	Forest St		Auto Lock-Out
06/27/2022	07130	2022-057024	22:47	16	Tiffany Ct		Building fire
06/27/2022	07130	2022-057029	23:23	18	Edgecliff Road		Public service
06/28/2022	07130	2022-057053	03:43	300	Bay Ave		Arcing, shorted electrical equipment
06/28/2022	07130	2022-057061	05:29	27	Irving St	1	Dispatched & canceled en route
06/28/2022	07130	2022-057082	07:39	2	N Brookwood Dr		Smoke detector activation due to malfunction
06/28/2022	07130	2022-057201	13:05	49	Freeman St		Cover assignment, standby, moveup

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
06/28/2022	07130	2022-057253	17:46	204	Bloomfield Ave	D	Gas leak (natural gas or LPG)
06/28/2022	07130	2022-057262	18:16	137a	High St		Hazardous condition, other
06/28/2022	07130	2022-057282	19:37	555	Ridgewood Ave		Alarm system activation, no fire - unintentional
06/28/2022	07130	2022-057305	20:40	13	The Crescent		No incident found on arrival at dispatch address
06/29/2022	07130	2022-057439	08:13	105	Union St		Alarm system activation, no fire - unintentional
06/29/2022	07130	2022-057554	14:29		Bloomfield Ave		Excessive heat, scorch burns with no ignition
06/29/2022	07130	2022-057569	16:24	65	S Fullerton Ave		Dispatched & canceled en route
06/29/2022	07130	2022-057599	18:22		Elm St		Power line down
06/29/2022	07130	2022-057621	19:09		Elm st.		Power line down
06/29/2022	07130	2022-057642	20:07	185	Valley Road		Heat from short circuit (wiring), defective/worn
06/29/2022	07130	2022-057694	23:17		Llewellyn Road		Assist police or other governmental agency
06/30/2022	07130	2022-057709	00:06	19	Windsor Pl		Smoke detector activation due to malfunction
06/30/2022	07130	2022-057844	09:58	170	Ridgewood Ave		Detector activation, no fire - unintentional
06/30/2022	07130	2022-057889	12:06	127	Valley Road		Dispatched & canceled en route
06/30/2022	07130	2022-057897	12:59	50	Greenwood Ave		Smoke detector activation due to malfunction
06/30/2022	07130	2022-057908	13:33	114	Harrison Ave		Alarm system sounded due to malfunction
06/30/2022	07130	2022-057945	15:58	173	Bellevue Ave		Outside small trash can/container
06/30/2022	07130	2022-057983	18:02	255	Park St	aoa	Smoke detector activation due to malfunction
06/30/2022	07130	2022-057997	18:42	173	Bellevue Ave		False alarm or false call, other
06/30/2022	07130	2022-058004	18:59	13	New St		Public service
06/30/2022	07130	2022-058044	19:54	8	Hillside Ave		Alarm system sounded due to malfunction
06/30/2022	07130	2022-058073	21:39	23	South Fullerton Ave		Arcing, shorted electrical equipment
06/30/2022	07130	2022-058083	22:01	105	Union St		Alarm system activation, no fire - unintentional
06/30/2022	07130	2022-058089	22:10	83	Plymouth St		Carbon monoxide incident
06/30/2022	07130	2022-058121	23:39	153	Montclair Ave		Dispatched & canceled en route
07/01/2022	07130	2022-058230	09:53	126	Valley Road		Electrical wiring/equipment problem, other
07/01/2022	07130	2022-058218	10:40		S Mountain Ave		Electrical wiring/equipment problem, other
07/01/2022	07130	2022-058261	11:53	39	Harrison Ave	20	
07/01/2022	07130	2022-058264	11:55	300	Bay Ave		Fuel burner/boiler malfunction, fire confined
07/01/2022	07130	2022-058284	12:50	256	Park St		Alarm system activation, no fire - unintentional
07/01/2022	07130	2022-058318	15:23	30	Gates Ave	104	Alarm system activation, no fire - unintentional
07/01/2022	07130	2022-058331	16:27	494	Bloomfield Ave		Alarm system activation, no fire - unintentional
07/01/2022	07130	2022-058354	17:37	25	Clairidge Ct		Alarm system sounded due to malfunction
07/02/2022	07130	2022-058537	12:07	5	Columbus Ave		Alarm system activation, no fire - unintentional
07/02/2022	07130	2022-058576	14:05	61	Willowdale Ave		CO detector activation due to malfunction
07/02/2022	07130	2022-058606	17:42	30	Draper Ter		Passenger vehicle fire
07/03/2022	07130	2022-058734	03:40	6	Wendover Road		Motor vehicle accident with no injuries.
07/03/2022	07130	2022-058750	06:09	215	Bellevue Ave		Building fire - Contents only (appliance/computer)
07/03/2022	07130	2022-058819	13:58	33	Forest St		Public service
07/03/2022	07130	2022-058843	16:42	5	Tuers Pl		Smoke detector activation, no fire - unintentional
07/04/2022	07130	2022-058931	01:06		Pompton Ave		Cover assignment, standby, moveup
07/04/2022	07130	2022-059056	15:39	48	S Park St		Detector activation, no fire - unintentional
07/05/2022	07130	2022-059229	06:42	56	Walnut St		Alarm system sounded due to malfunction
07/05/2022	07130	2022-059265	09:27	17	Graham Ter		Gas leak (natural gas or LPG)
07/05/2022	07130	2022-059301	12:33	51	Brighton Road		Structure fire, Other (conversion only)
07/05/2022	07130	2022-059305	12:48	56	Walnut St		Alarm system activation, no fire - unintentional
07/06/2022	07130	2022-059547	00:49	195	Ridgewood Ave		Alarm system sounded due to malfunction
07/06/2022	07130	2022-059625	06:54	133	Undercliff Road		Alarm system activation, no fire - unintentional
07/06/2022	07130	2022-059684	10:14	346	Ridgewood Ave		Alarm system activation, no fire - unintentional
07/06/2022	07130	2022-059709	11:12	2	S Willow St		Smoke detector activation, no fire - unintentional
07/06/2022	07130	2022-059747	13:27	96	Cooper Ave		Outside equipment fire
07/06/2022	07130	2022-059837	19:58	95	Inwood Ave		Alarm system activation, no fire - unintentional
07/07/2022	07130	2022-059946	05:27	2	Melrose Pl		CO detector activation due to malfunction
07/07/2022	07130	2022-059971	08:31	1	Pine St		Emergency medical service incident, other
07/07/2022	07130	2022-060001	10:12	300	Valley Rd		Extrication, rescue, other
07/07/2022	07130	2022-060049	14:00	26	Willow St		Alarm system activation, no fire - unintentional
07/07/2022	07130	2022-060058	14:28	68	Elmwood Ave		Water or steam leak
07/07/2022	07130	2022-060090	16:58	415	Valley Road		Cover assignment, standby, moveup
07/07/2022	07130	2022-060112	18:02	12	Hollywood Ave		Smoke detector activation, no fire - unintentional
07/07/2022	07130	2022-060116	18:19	285	Grove St		Building or structure weakened or collapsed
07/07/2022	07130	2022-060159	20:29	25	William St	2flr	Lock-out
07/08/2022	07130	2022-060258	07:34	500	Park St		Carbon monoxide incident
07/08/2022	07130	2022-060275	08:50	35	Irving St		Lock-in (if lock out , use 511)

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
07/08/2022	07130	2022-060305	09:46	25	Montclair Ave		Public service
07/08/2022	07130	2022-060339	11:03	3	Parkway		CO detector activation due to malfunction
07/08/2022	07130	2022-060377	12:09	151	Valley Road		Public service
07/08/2022	07130	2022-060441	16:29	45	New St		Outside rubbish, trash or waste fire
07/08/2022	07130	2022-060452	16:34	28	Monroe Pl		Power line down
07/08/2022	07130	2022-060592	22:40	6	Glenside Ter		Alarm system sounded due to malfunction
07/09/2022	07130	2022-060644	01:10	468	Main Street		Cover assignment, standby, moveup
07/09/2022	07130	2022-060732	08:29	419	Central Ave		Cover assignment, standby, moveup
07/09/2022	07130	2022-060878	15:42	228	Highland Ave		Alarm system activation, no fire - unintentional
07/09/2022	07130	2022-060893	16:19	228	Highland Ave		Smoke detector activation, no fire - unintentional
07/09/2022	07130	2022-060925	18:10	209	S Mountain Ave		Alarm system activation, no fire - unintentional
07/09/2022	07130	2022-060940	18:44	71	Brookfield Road		Smoke detector activation, no fire - unintentional
07/09/2022	07130	2022-060971	20:09	123	Buckingham Road		Overheated motor
07/09/2022	07130	2022-061025	23:21	33	Montclair Ave	2	Alarm system activation, no fire - unintentional
07/10/2022	07130	2022-061035	00:14	33	Montclair Ave	2nd fl	Alarm system sounded due to malfunction
07/10/2022	07130	2022-061098	08:27	39	Irving St		Heat from short circuit (wiring), defective/worn
07/10/2022	07130	2022-061141	11:37	49	Glenwood Road		Gas leak (natural gas or LPG)
07/10/2022	07130	2022-061188	15:43	690	Bloomfield Ave		Detector activation, no fire - unintentional
07/10/2022	07130	2022-061256	20:26	95	Inwood Ave		Smoke scare, odor of smoke
07/11/2022	07130	2022-061387	07:30		Watchung Ave		Assist police or other governmental agency
07/11/2022	07130	2022-061415	09:56	39	Irving St		Arcing, shorted electrical equipment
07/11/2022	07130	2022-061527	18:48	97	Glen Rock Road		Cover assignment, standby, moveup
07/12/2022	07130	2022-061664	10:56	10	Woodland Ave		Alarm system activation, no fire - unintentional
07/12/2022	07130	2022-061676	11:33	20	Sand Park Road		Cover assignment, standby, moveup
07/12/2022	07130	2022-061764	17:16	375	Franklin St		Cover assignment, standby, moveup
07/12/2022	07130	2022-061834	20:21	107	Lincoln St		Arcing, shorted electrical equipment
07/13/2022	07130	2022-061912	01:14	420	Bloomfield Ave		Alarm system sounded due to malfunction
07/13/2022	07130	2022-062002	10:21	117	Grove St		Smoke detector activation, no fire - unintentional
07/13/2022	07130	2022-062026	11:38	4	Stonebridge Road		Alarm system activation, no fire - unintentional
07/13/2022	07130	2022-062047	12:38	363	Bloomfield Ave		Smoke detector activation, no fire - unintentional
07/13/2022	07130	2022-062043	12:39	38	Macopin Ave		Person in distress, other
07/13/2022	07130	2022-062090	15:31	23	Heller Dr		Alarm system sounded due to malfunction
07/13/2022	07130	2022-062139	18:57	4	Bellegrove Dr		Smoke detector activation due to malfunction
07/13/2022	07130	2022-062233	22:38	571	Bloomfield Ave	4	Carbon monoxide incident
07/14/2022	07130	2022-062301	03:22	176	Walnut St	1	Lock-out
07/14/2022	07130	2022-062393	10:35	346	Ridgewood Ave		Alarm system activation, no fire - unintentional
07/14/2022	07130	2022-062398	10:56	573	Ridgewood Ave		Alarm system activation, no fire - unintentional
07/14/2022	07130	2022-062407	11:23	573	Ridgewood Ave		Alarm system activation, no fire - unintentional
07/14/2022	07130	2022-062434	12:52	206	Claremont Ave	FI 1	Smoke detector activation due to malfunction
07/14/2022	07130	2022-062444	13:11	420	Bloomfield Ave		Medical assist, assist EMS crew
07/14/2022	07130	2022-062453	13:35	300	Bay Ave		Alarm system activation, no fire - unintentional
07/14/2022	07130	2022-062559	21:13	926	Bloomfield Ave		Forest, woods or wildland fire
07/15/2022	07130	2022-062703	07:48	1	Normal Ave		Removal of victim(s) from stalled elevator
07/15/2022	07130	2022-062711	08:35	5	Roosevelt Pl		Alarm system activation, no fire - unintentional
07/15/2022	07130	2022-062754	10:46	300	Bay Ave		Alarm system sounded due to malfunction
07/15/2022	07130	2022-062793	13:50	49	Claremont Ave		Gas leak (natural gas or LPG)
07/15/2022	07130	2022-062812	14:41	16	Mission St		Public service assistance, other
07/15/2022	07130	2022-062814	14:44	105	Clinton Ave		Alarm system activation, no fire - unintentional
07/16/2022	07130	2022-062972	05:04	647	Bloomfield Ave		Cover assignment, standby, moveup
07/16/2022	07130	2022-063060	13:41	35	Afterglow Way		Carbon monoxide detector activation, no CO
07/16/2022	07130	2022-063104	18:15	33	Walnut St		Detector activation, no fire - unintentional
07/17/2022	07130	2022-063177	01:37	46	New St	2I	Lock-out
07/17/2022	07130	2022-063200	06:25	5	Ridley Ct		Smoke detector activation due to malfunction
07/17/2022	07130	2022-063229	10:51	174	S Mountain Ave		Overheated motor
07/17/2022	07130	2022-063271	16:08	10	Jefferson Pl	1st	Building fire - Contents only (appliance/computer)
07/17/2022	07130	2022-063290	17:02		N Willow St		Auto Lock-Out
07/17/2022	07130	2022-063295	17:29	7	N Willow St		Auto Lock-Out
07/17/2022	07130	2022-063352	22:17	324	Claremont Ave	1st	Carbon monoxide incident
07/18/2022	07130	2022-063447	09:23	225	Walnut St		Public service
07/18/2022	07130	2022-063458	09:57	104	Summit Ave		Alarm system activation, no fire - unintentional
07/18/2022	07130	2022-063469	10:21	588	Valley Road		Ring or jewelry removal
07/18/2022	07130	2022-063479	11:20	153	Park St		Alarm system sounded due to malfunction
07/18/2022	07130	2022-063524	14:00	4	Gates Ln		Alarm system sounded due to malfunction

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
07/18/2022	07130	2022-063534	14:26	19	Fairfield St		Carbon monoxide incident
07/18/2022	07130	2022-063533	14:26	32	Park St		Lock-in (if lock out , use 511)
07/18/2022	07130	2022-063548	15:17	250	Bellevue Ave		Water or steam leak
07/18/2022	07130	2022-063588	18:58	275	Franklin Avenue		Cover assignment, standby, moveup
07/18/2022	07130	2022-063622	19:54	75	Harrison Ave		Power line down
07/19/2022	07130	2022-063757	04:49	219	N Fullerton Ave		Alarm system sounded due to malfunction
07/19/2022	07130	2022-063788	07:23	124	Midland Ave		Smoke detector activation due to malfunction
07/19/2022	07130	2022-063794	07:28	83	Walnut St		Power line down
07/19/2022	07130	2022-063865	11:45	36	Edgewood Road		Smoke detector activation due to malfunction
07/19/2022	07130	2022-063897	14:03	12	Hollywood Ave		Smoke detector activation due to malfunction
07/19/2022	07130	2022-063914	15:15	48	S Park St		Smoke detector activation, no fire - unintentional
07/19/2022	07130	2022-063928	16:06	9	Douglas Road		Detector activation, no fire - unintentional
07/19/2022	07130	2022-064009	20:31	460	Bloomfield Ave		Alarm system sounded due to malfunction
07/19/2022	07130	2022-064083	23:49	5	Locust Dr		Detector activation, no fire - unintentional
07/20/2022	07130	2022-064185	08:13	14	N Willow St		Alarm system sounded due to malfunction
07/20/2022	07130	2022-064257	13:37	18	Snowden Pl		Detector activation, no fire - unintentional
07/20/2022	07130	2022-064381	20:39	34	Stanford Pl		Lock-in (if lock out , use 511)
07/20/2022	07130	2022-064388	21:10	3	Astor Pl		Carbon monoxide incident
07/21/2022	07130	2022-064452	03:39	128	Inwood Ave		Alarm system activation, no fire - unintentional
07/21/2022	07130	2022-064517	10:50	483	Ridgewood Ave		Detector activation, no fire - unintentional
07/21/2022	07130	2022-064547	12:40	2	Clairidge Ct		Arcing, shorted electrical equipment
07/21/2022	07130	2022-064549	12:50	155	Lorraine Ave		Arcing, shorted electrical equipment
07/21/2022	07130	2022-064557	12:50	279	Forest Ave		Power line down
07/21/2022	07130	2022-064559	12:52	10	Tuxedo Road		Power line down
07/21/2022	07130	2022-064561	12:53	85	Gordonhurst Ave		Wind storm, tornado/hurricane assessment
07/21/2022	07130	2022-064566	13:02	52	Fairfield St		Power line down
07/21/2022	07130	2022-064568	13:03	20	Hathaway Pl		Power line down
07/21/2022	07130	2022-064569	13:07	15	Erwin Park (E)		Electrical wiring/equipment problem, other
07/21/2022	07130	2022-064574	13:26	32	Walnut Cres		Arcing, shorted electrical equipment
07/21/2022	07130	2022-064579	13:36	47	Ardsley Road		Power line down
07/21/2022	07130	2022-064582	13:45	141	N Fullerton Ave		Power line down
07/21/2022	07130	2022-064587	13:51	300	Bay Ave		Alarm system sounded due to malfunction
07/21/2022	07130	2022-064592	13:55	11	Northview Ave		Power line down
07/21/2022	07130	2022-064594	14:00		Claremont Ave		Arcing, shorted electrical equipment
07/21/2022	07130	2022-064596	14:08	392	N Fullerton Ave		Alarm system sounded due to malfunction
07/21/2022	07130	2022-064597	14:11	32	Hathaway Pl		Building fire
07/21/2022	07130	2022-064606	14:37	292	Bloomfield Ave		Alarm system sounded due to malfunction
07/21/2022	07130	2022-064627	16:11	176	Cooper Ave		Arcing, shorted electrical equipment
07/21/2022	07130	2022-064656	18:09	20	Chestnut St		Cover assignment, standby, moveup
07/21/2022	07130	2022-064681	19:54	22	Walnut Pkwy		Arcing, shorted electrical equipment
07/21/2022	07130	2022-064685	20:06	1	Watchung Ave		Arcing, shorted electrical equipment
07/21/2022	07130	2022-064693	20:32	392	N Fullerton Ave		Smoke detector activation due to malfunction
07/22/2022	07130	2022-064737	00:38	161	Prospect St		Building fire
07/22/2022	07130	2022-064739	01:19	64	Oakwood Ave		Smoke detector activation due to malfunction
07/22/2022	07130	2022-064761	06:08	1	Bay Ave		Heat detector activation due to malfunction
07/22/2022	07130	2022-064801	09:58	145	Gates Ave		Smoke detector activation, no fire - unintentional
07/22/2022	07130	2022-064805	09:59	3	Lansing Pl		Smoke detector activation, no fire - unintentional
07/22/2022	07130	2022-064833	11:26	118	Walnut St		Alarm system activation, no fire - unintentional
07/22/2022	07130	2022-064894	15:40	192	Bellevue Ave		Power line down
07/22/2022	07130	2022-064895	15:42		Claremont Ave		Public service
07/22/2022	07130	2022-064924	18:03	29	Clairidge Ct		Power line down
07/22/2022	07130	2022-064925	18:03	26	Bell St		Outside mulch fire
07/22/2022	07130	2022-064983	20:16	714	Mount Prospect Avenue		Cover assignment, standby, moveup
07/22/2022	07130	2022-064998	21:41	167	Claremont Ave		Auto Lock-Out
07/23/2022	07130	2022-065156	10:17	6	Ridley Ct		Smoke detector activation, no fire - unintentional
07/23/2022	07130	2022-065174	11:21	31	James St		Gas leak (natural gas or LPG)
07/23/2022	07130	2022-065198	13:15	42	Watchung Ave		Lock-in (if lock out , use 511)
07/23/2022	07130	2022-065205	13:45	39	N Fullerton Ave		Alarm system activation, no fire - unintentional
07/23/2022	07130	2022-065275	18:15	363	Bloomfield Ave		Alarm system activation, no fire - unintentional
07/24/2022	07130	2022-065574	18:38	87	Willowdale Ave		Person in distress, other
07/24/2022	07130	2022-065595	19:53	8	S Fullerton Ave		Lock-out
07/24/2022	07130	2022-065599	20:31	151	Harrison Avenue		EMS call, excluding vehicle accident with injury
07/24/2022	07130	2022-065605	20:44	647	Bloomfield Ave		False alarm or false call, other

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
07/24/2022	07130	2022-065614	21:14	170	Wildwood Ave		Carbon monoxide detector activation, no CO
07/24/2022	07130	2022-065621	21:35	115	Christopher St		Water problem, other
07/24/2022	07130	2022-065657	23:24	34	Melrose Pl		Smoke or odor removal
07/25/2022	07130	2022-065670	00:17	7	Melrose Pl		Alarm system activation, no fire - unintentional
07/25/2022	07130	2022-065735	08:07		College Ave		Power line down
07/25/2022	07130	2022-065749	08:51	51	Brighton Road		Building fire
07/25/2022	07130	2022-065828	14:16	277	Baldwin St		Unintentional transmission of alarm, other
07/25/2022	07130	2022-065956	22:15	537	Bloomfield Ave	2	Arcing, shorted electrical equipment
07/26/2022	07130	2022-066016	08:25	324	Claremont Ave	3	Smoke scare, odor of smoke
07/26/2022	07130	2022-066029	08:42	94	Mount Hebron Road		Gas leak (natural gas or LPG)
07/26/2022	07130	2022-066072	09:59	10	Tuxedo Road		Gas leak (natural gas or LPG)
07/26/2022	07130	2022-066121	12:39	240	Grove St		Alarm system activation, no fire - unintentional
07/26/2022	07130	2022-066212	19:28	17	Cloverhill Pl		Assist police or other governmental agency
07/26/2022	07130	2022-066234	20:30	56	Madison Ave		Smoke scare, odor of smoke
07/26/2022	07130	2022-066275	23:08	383	Park St		Gas leak (natural gas or LPG)
07/27/2022	07130	2022-066336	08:26	568	Bloomfield Ave		Alarm system activation, no fire - unintentional
07/27/2022	07130	2022-066353	09:04	64	Chestnut St		Building fire - Contents only (appliance/computer)
07/27/2022	07130	2022-066380	10:04	63	Elm St		Alarm system activation, no fire - unintentional
07/27/2022	07130	2022-066390	10:28	5	Seymour St		Alarm system activation, no fire - unintentional
07/27/2022	07130	2022-066410	11:25	129	Watchung Ave		Alarm system activation, no fire - unintentional
07/28/2022	07130	2022-066695	09:08	160	Summit Ave		Alarm system activation, no fire - unintentional
07/28/2022	07130	2022-066769	13:23	69	Christopher St		Unauthorized burning
07/28/2022	07130	2022-066780	14:28	960	Bloomfield Ave		Public service
07/29/2022	07130	2022-066957	00:22	21	Sommer Ave		Lock-out
07/29/2022	07130	2022-067122	13:36	40	S Fullerton Ave		Alarm system activation, no fire - unintentional
07/29/2022	07130	2022-067192	18:03	153	Bellevue Ave		Alarm system sounded due to malfunction
07/29/2022	07130	2022-067200	18:46	161	Orange Road		Outside rubbish, trash or waste fire
07/30/2022	07130	2022-067278	00:55	499	Bloomfield Ave		Refrigeration leak
07/30/2022	07130	2022-067281	01:29	60	Park St		Building fire
07/30/2022	07130	2022-067388	12:06	97	Pine St		Alarm system sounded due to malfunction
07/30/2022	07130	2022-067434	15:13	70	Midland Ave		Auto Lock-Out
07/30/2022	07130	2022-067446	16:58	105	Dunnell Road		Cover assignment, standby, moveup
07/30/2022	07130	2022-067460	20:03	56	Walnut St	w3f	Assist police or other governmental agency
07/31/2022	07130	2022-067571	10:42	690	Bloomfield Ave		Smoke detector activation due to malfunction
07/31/2022	07130	2022-067600	13:49	375	Franklin Street		Cover assignment, standby, moveup
08/01/2022	07130	2022-067779	11:05		Upper Mountain Ave		Power line down
08/01/2022	07130	2022-067812	13:05	300	Bay Ave		Alarm system activation, no fire - unintentional
08/01/2022	07130	2022-067838	15:16	67	Chestnut Hill Pl.	rear	Lightning strike (no fire)
08/01/2022	07130	2022-067890	18:13	17	High St		Arcing, shorted electrical equipment
08/02/2022	07130	2022-067991	00:40	530	Valley Road	4r	Water or steam leak
08/02/2022	07130	2022-068027	02:16	56	Douglas Road		Alarm system activation, no fire - unintentional
08/02/2022	07130	2022-068094	07:22	9	Roswell Ter		Person in distress, other
08/02/2022	07130	2022-068279	16:49	5	Tuers Place		Smoke detector activation due to malfunction
08/02/2022	07130	2022-068301	17:56	116	Grove St		Aircraft standby
08/02/2022	07130	2022-068323	19:25		Yantecaw Ave		Service Call, other
08/02/2022	07130	2022-068324	19:33	50	Greenwood Ave	C16	Lock-out
08/02/2022	07130	2022-068329	19:57		137A High St		Gas leak (natural gas or LPG)
08/02/2022	07130	2022-068376	22:01	530	Valley Road	4R	Water problem, other
08/03/2022	07130	2022-068601	12:07	581	Valley Rd		Smoke detector activation, no fire - unintentional
08/04/2022	07130	2022-068745	00:01	27	Claremont Ave		Alarm system activation, no fire - unintentional
08/04/2022	07130	2022-068780	04:57	416	Valley Road		False alarm or false call, other
08/04/2022	07130	2022-068807	07:12	416	Valley Road		Carbon monoxide detector activation, no CO
08/04/2022	07130	2022-068832	09:09	41	S Mountain Ave		Detector activation, no fire - unintentional
08/04/2022	07130	2022-068892	13:34	173	Glenridge Ave		Special type of incident, other
08/04/2022	07130	2022-068899	13:54	468	Main Street		Cover assignment, standby, moveup
08/04/2022	07130	2022-068915	15:01	545	Norwood St		Dispatched & canceled en route
08/05/2022	07130	2022-069133	09:56	526	Upper Mountain Ave		Smoke detector activation, no fire - unintentional
08/05/2022	07130	2022-069139	10:11	35	Afterglow Way		Alarm system activation, no fire - unintentional
08/05/2022	07130	2022-069175	12:05	714	Mount Prospect Avenue		Cover assignment, standby, moveup
08/05/2022	07130	2022-069198	13:41	408	Orange Rd		Auto Lock-Out
08/05/2022	07130	2022-069217	14:58	551	Highland Ave		CO detector activation due to malfunction
08/05/2022	07130	2022-069251	17:00	80	S Mountain Ave		Alarm system activation, no fire - unintentional
08/05/2022	07130	2022-069296	18:33		Bloomfield Ave		Person in distress, other

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
08/05/2022	07130	2022-069295	18:33	20	Midland Ave		Medical assist, assist EMS crew
08/06/2022	07130	2022-069434	01:11	90	Elm St		Lock-out
08/06/2022	07130	2022-069622	15:27	30	Clinton Ave		Carbon monoxide detector activation, no CO
08/06/2022	07130	2022-069683	19:53	63	Elm St		Alarm system activation, no fire - unintentional
08/06/2022	07130	2022-069677	20:00	49	Claremont Ave		Lock-out
08/06/2022	07130	2022-069712	21:55	36	Hawthorne Pl	5F	Good intent call, other
08/07/2022	07130	2022-069856	10:08	555	Ridgewood Ave		Alarm system activation, no fire - unintentional
08/07/2022	07130	2022-069873	10:43	320	Upper Mountain Ave		Alarm system activation, no fire - unintentional
08/07/2022	07130	2022-069952	19:04	514	Bloomfield Ave		Alarm system activation, no fire - unintentional
08/07/2022	07130	2022-069976	20:02	80	Glenridge Ave	2	Lock-out
08/08/2022	07130	2022-070078	03:12	200	Ridgewood Ave		Alarm system sounded due to malfunction
08/08/2022	07130	2022-070210	14:18	15	Bloomfield Ave		Auto Lock-Out
08/08/2022	07130	2022-070223	15:33	14	Heller Dr		CO detector activation due to malfunction
08/08/2022	07130	2022-070240	16:11	100	Chestnut St		Detector activation, no fire - unintentional
08/08/2022	07130	2022-070302	18:37	15	Grenada Pl		Power line down
08/08/2022	07130	2022-070309	18:59	152	Highland Ave		Natural vegetation fire, other
08/08/2022	07130	2022-070346	20:28	3	Astor Pl		Hazardous condition, other
08/09/2022	07130	2022-070429	05:26	36	Montague Pl		Smoke detector activation due to malfunction
08/09/2022	07130	2022-070508	11:20	120	Clarewill Ave		Alarm system activation, no fire - unintentional
08/09/2022	07130	2022-070547	13:56		Watchung Plz		Public service
08/09/2022	07130	2022-070581	16:41	214	Park St	1-2	Alarm system activation, no fire - unintentional
08/09/2022	07130	2022-070563	16:56	658	Valley Road	a1	Dispatched & canceled en route
08/09/2022	07130	2022-070611	18:05	214	Park St		Alarm system activation, no fire - unintentional
08/09/2022	07130	2022-070617	18:33	125	Norwood Ave		Wind storm, tornado/hurricane assessment
08/09/2022	07130	2022-070646	20:09	6	Mountain Pl		Passenger vehicle fire
08/09/2022	07130	2022-070653	20:21	695	Grove St		Public service
08/09/2022	07130	2022-070658	21:08	160	N Mountain Ave		Power line down
08/09/2022	07130	2022-070685	22:58	500	Bloomfield Ave		Alarm system sounded due to malfunction
08/10/2022	07130	2022-070718	01:50	39	N Fullerton Ave		Removal of victim(s) from stalled elevator
08/10/2022	07130	2022-070722	01:55	194	Bloomfield Ave	3b	Carbon monoxide detector activation, no CO
08/10/2022	07130	2022-070723	02:01	48	S Park St	615	Alarm system activation, no fire - unintentional
08/10/2022	07130	2022-070733	02:15	13	Walden Pl		CO detector activation due to malfunction
08/10/2022	07130	2022-070738	03:24	99	S Fullerton Ave		Alarm system activation, no fire - unintentional
08/10/2022	07130	2022-070746	04:14	48	s Park St	404	Dispatched & canceled en route
08/10/2022	07130	2022-070766	06:23	212	Walnut St	2nd	Carbon monoxide detector activation, no CO
08/10/2022	07130	2022-070846	12:36	530	Valley Road	4R	Alarm system activation, no fire - unintentional
08/10/2022	07130	2022-070872	14:18	42	Nishuane Road		Overheated motor
08/10/2022	07130	2022-070888	15:23	140	Bellevue Ave	2	Gas leak (natural gas or LPG)
08/10/2022	07130	2022-070926	18:34	144	Forest St	1	Lock-out
08/10/2022	07130	2022-071006	22:47	20	Glenridge Ave		Water problem, other
08/10/2022	07130	2022-071011	23:07	271	Claremont Ave		Alarm system sounded due to malfunction
08/11/2022	07130	2022-071073	07:37	752	Valley Road	1	Person in distress, other
08/11/2022	07130	2022-071146	13:21	701	Bloomfield		Special outside fire, other
08/11/2022	07130	2022-071151	13:36	31	N Mountain Ave		Alarm system activation, no fire - unintentional
08/11/2022	07130	2022-071194	16:17	29	N Fullerton Ave		Alarm system activation, no fire - unintentional
08/11/2022	07130	2022-071251	20:42	1	Normal Ave		Removal of victim(s) from stalled elevator
08/11/2022	07130	2022-071259	21:10	28	Hamilton Road		Outside equipment fire
08/12/2022	07130	2022-071466	14:03	13	The Crescent		Auto Lock-Out
08/13/2022	07130	2022-071587	00:07	11	Rudd Ct		Lock-out
08/13/2022	07130	2022-071626	06:31	199	Christopher St		Brush or brush-and-grass mixture fire
08/13/2022	07130	2022-071713	14:39	1	Riverview Dr W		Lock-out
08/13/2022	07130	2022-071739	16:31	76	Mission St		Smoke or odor removal
08/13/2022	07130	2022-071838	23:54	9	Charles St		Smoke scare, odor of smoke
08/14/2022	07130	2022-071921	10:35	56	Walnut St	E3F	Person in distress, other
08/14/2022	07130	2022-072013	17:49	31	Montague Pl		Structure fire, Other (conversion only)
08/14/2022	07130	2022-072069	20:34	31	Montague Pl		Public service assistance, other
08/14/2022	07130	2022-072089	22:51	10	Burnside St		Smoke detector activation due to malfunction
08/15/2022	07130	2022-072184	09:03	40	Oakwood Ave		Carbon monoxide incident
08/15/2022	07130	2022-072222	11:29	205	Claremont Ave		Alarm system activation, no fire - unintentional
08/15/2022	07130	2022-072292	14:57	109	Valley Road		Smoke scare, odor of smoke
08/15/2022	07130	2022-072284	15:31	213	Bellevue Ave		Assist police or other governmental agency
08/15/2022	07130	2022-072321	17:18	45	Church St	10B	Gas leak (natural gas or LPG)
08/15/2022	07130	2022-072330	18:07	1	Pine Street		Medical assist, assist EMS crew

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
08/16/2022	07130	2022-072520	07:32	553	Belleville Ave		Gas leak (natural gas or LPG)
08/16/2022	07130	2022-072614	14:00	157	Walnut St		Outside mulch fire
08/16/2022	07130	2022-072627	14:48	50	Pine St	311	Person in distress, other
08/16/2022	07130	2022-072632	15:48		Walnut St		Outside small trash can/container
08/16/2022	07130	2022-072645	16:21	468	Main Street		Cover assignment, standby, moveup
08/16/2022	07130	2022-072737	21:23	14	Laurel Pl		Detector activation, no fire - unintentional
08/17/2022	07130	2022-072801	00:29	419	Central Avenue		Cover assignment, standby, moveup
08/17/2022	07130	2022-072842	02:38	48	Walnut St	2	Alarm system activation, no fire - unintentional
08/17/2022	07130	2022-072882	04:53	257	Orange Road		Smoke scare, odor of smoke
08/17/2022	07130	2022-072901	07:10		Bloomfield Ave		Gas leak (natural gas or LPG)
08/17/2022	07130	2022-072913	08:07	155	Inwood Ave		Smoke detector activation due to malfunction
08/17/2022	07130	2022-072972	12:26		Upper Mountain Ave		Outside rubbish, trash or waste fire
08/17/2022	07130	2022-072975	12:29	117	Grove St		Alarm system activation, no fire - unintentional
08/17/2022	07130	2022-073034	17:05	7	Central Ave		Unintentional transmission of alarm, other
08/17/2022	07130	2022-073073	19:32	24	Wildwood Ter		Detector activation, no fire - unintentional
08/17/2022	07130	2022-073096	19:53	163	Montclair Ave		Alarm system sounded due to malfunction
08/18/2022	07130	2022-073190	03:35	11	Pine St	425	Lock-out
08/18/2022	07130	2022-073255	10:15		1 Greenwood Ave		Lock-out
08/18/2022	07130	2022-073271	11:04	10	Bloomfield Ave		Brush or brush-and-grass mixture fire
08/18/2022	07130	2022-073327	14:11	406	Bloomfield Ave		Hazardous condition, other
08/18/2022	07130	2022-073330	14:15	74	Douglas Road		Alarm system activation, no fire - unintentional
08/18/2022	07130	2022-073385	18:32	7	Central Ave		Alarm system activation, no fire - unintentional
08/18/2022	07130	2022-073408	19:44	163	Ridgewood Ave		Carbon monoxide detector activation, no CO
08/18/2022	07130	2022-073415	20:08	182	Cooper Ave		Smoke or odor removal
08/19/2022	07130	2022-073456	00:03	35	Glenridge Ave	5	Carbon monoxide incident
08/19/2022	07130	2022-073473	01:28	107	Lincoln St		Carbon monoxide detector activation, no CO
08/19/2022	07130	2022-073548	09:42	100	Chestnut St		Alarm system sounded due to malfunction
08/19/2022	07130	2022-073556	09:48	526	Upper Mountain Ave		Alarm system sounded due to malfunction
08/19/2022	07130	2022-073691	19:00	12	Hitchcock Pl		Lock-out
08/20/2022	07130	2022-073816	08:21	544	Bloomfield Ave		Alarm system activation, no fire - unintentional
08/20/2022	07130	2022-073871	13:25	20	Glenridge Ave		Alarm system sounded due to malfunction
08/20/2022	07130	2022-073893	15:00	136	Midland Ave	2nd	Carbon monoxide incident
08/20/2022	07130	2022-073894	15:27	100	Chestnut St		Alarm system sounded due to malfunction
08/20/2022	07130	2022-073905	16:08	100	Chestnut St		Alarm system sounded due to malfunction
08/20/2022	07130	2022-073910	16:27	71	Wildwood Ave		Carbon monoxide incident
08/20/2022	07130	2022-073930	18:47	100	Chestnut St		Alarm system sounded due to malfunction
08/20/2022	07130	2022-073961	20:38	14	Elm St		Smoke scare, odor of smoke
08/20/2022	07130	2022-073962	20:43		Lincoln St		Outside rubbish fire, other
08/21/2022	07130	2022-074161	16:40	23	Heller Dr		CO detector activation due to malfunction
08/21/2022	07130	2022-074195	20:29	68	Pine St	1	Lock-out
08/21/2022	07130	2022-074210	22:02	47	Christopher St		Assist police or other governmental agency
08/22/2022	07130	2022-074372	12:07	511	Bloomfield Ave		Alarm system activation, no fire - unintentional
08/22/2022	07130	2022-074407	15:14	170	N Mountain Ave		Smoke detector activation, no fire - unintentional
08/22/2022	07130	2022-074417	16:25	228	Chestnut Street		Cover assignment, standby, moveup
08/22/2022	07130	2022-074418	16:38	364	N Fullerton Ave		Smoke detector activation due to malfunction
08/22/2022	07130	2022-074465	19:51	35	Glenridge Ave	5	Carbon monoxide incident
08/22/2022	07130	2022-074482	21:09	80	Willow St		Arcing, shorted electrical equipment
08/23/2022	07130	2022-074530	04:58	100	Chestnut St		Smoke detector activation due to malfunction
08/23/2022	07130	2022-074553	07:33	3	Ridley Ct		Alarm system activation, no fire - unintentional
08/23/2022	07130	2022-074634	11:15	246	N Fullerton Ave		Gas leak (natural gas or LPG)
08/23/2022	07130	2022-074695	15:00	83	Douglas Road		Alarm system sounded due to malfunction
08/23/2022	07130	2022-074713	16:04	7	Wellesley Road		Smoke detector activation, no fire - unintentional
08/23/2022	07130	2022-074752	19:08	86	Porter Pl		Detector activation, no fire - unintentional
08/24/2022	07130	2022-074927	11:08	85	Park Ave	301	Smoke scare, odor of smoke
08/24/2022	07130	2022-074928	11:09	40	S Fullerton Ave		Alarm system activation, no fire - unintentional
08/24/2022	07130	2022-075091	19:28	99	Cooper Ave		Water or steam leak
08/24/2022	07130	2022-075107	20:56	50	Greenwood Ave	A8	Water or steam leak
08/24/2022	07130	2022-075116	21:54	4	Washington St	1	Lock-out
08/25/2022	07130	2022-075197	05:24	30	Gates Ave	405	Carbon monoxide detector activation, no CO
08/25/2022	07130	2022-075201	05:54	2	S Willow St		Lock-out
08/25/2022	07130	2022-075210	07:01	419	Central Avenue		Cover assignment, standby, moveup
08/25/2022	07130	2022-075239	09:31	111	Gates Ave		Smoke detector activation due to malfunction
08/25/2022	07130	2022-075251	09:44	112	Pine St		Alarm system activation, no fire - unintentional

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
08/25/2022	07130	2022-075271	11:12	80	Lloyd Road		Heat detector activation due to malfunction
08/25/2022	07130	2022-075280	11:30	100	Chestnut St		Alarm system sounded due to malfunction
08/25/2022	07130	2022-075399	18:35	105	Dunnell Road		Cover assignment, standby, moveup
08/26/2022	07130	2022-075543	04:33	111-	Gates Ave		Smoke detector activation due to malfunction
08/26/2022	07130	2022-075568	08:31	291	Orange Road		Carbon monoxide detector activation, no CO
08/26/2022	07130	2022-075583	09:04	111	Gates Ave		Alarm system sounded due to malfunction
08/26/2022	07130	2022-075693	14:20	19	Warren Pl		Alarm system activation, no fire - unintentional
08/26/2022	07130	2022-075745	18:06	578	Bloomfield Ave		Alarm system sounded due to malfunction
08/26/2022	07130	2022-075781	20:18	11	Seymour St		Arcing, shorted electrical equipment
08/27/2022	07130	2022-075877	08:59	67	Melrose Pl	B	Carbon monoxide detector activation, no CO
08/27/2022	07130	2022-075879	09:06	223	Glenridge Ave		Alarm system sounded due to malfunction
08/27/2022	07130	2022-075884	09:09	255	Bellevue Ave		Smoke detector activation, no fire - unintentional
08/27/2022	07130	2022-075925	11:42	87	Mount Hebron Road		Smoke detector activation due to malfunction
08/27/2022	07130	2022-075924	11:42	44	Forest St		Auto Lock-Out
08/27/2022	07130	2022-075942	13:55	76	Montague Pl		Chemical spill or leak
08/27/2022	07130	2022-075985	17:41	87	Mount Hebron Road		Smoke detector activation due to malfunction
08/27/2022	07130	2022-076052	22:08	3	Bellevue Ave		False alarm or false call, other
08/28/2022	07130	2022-076135	11:19	12	College Ave		Alarm system activation, no fire - unintentional
08/28/2022	07130	2022-076146	12:17	12	College Ave		Alarm system activation, no fire - unintentional
08/28/2022	07130	2022-076155	13:37	42	Church St		Assist police or other governmental agency
08/28/2022	07130	2022-076194	17:42	199	Hillside Ave		Smoke scare, odor of smoke
08/28/2022	07130	2022-076239	20:57	19	Madison St		Electrical wiring/equipment problem, other
08/29/2022	07130	2022-076338	09:50	9	High St	2v	Gas leak (natural gas or LPG)
08/29/2022	07130	2022-076404	13:38	1	Main st		Cover assignment, standby, moveup
08/29/2022	07130	2022-076426	14:34	480	Bloomfield Ave		Alarm system activation, no fire - unintentional
08/29/2022	07130	2022-076457	16:20	287	Forest Ave		Municipal alarm system, malicious false alarm
08/29/2022	07130	2022-076477	17:24		Yantecaw Ave		Assist police or other governmental agency
08/29/2022	07130	2022-076485	18:05		Bloomfield Ave		Service Call, other
08/30/2022	07130	2022-076645	07:29	1	Normal Ave		Lock-in (if lock out , use 511)
08/30/2022	07130	2022-076684	09:11	100	Clove Road		Public service
08/30/2022	07130	2022-076710	10:07	381	Bloomfield Ave		Carbon monoxide incident
08/30/2022	07130	2022-076765	13:27	89	Llewellyn Road		Smoke detector activation, no fire - unintentional
08/30/2022	07130	2022-076825	16:29	50	Upper Montclair Plz		Detector activation, no fire - unintentional
08/30/2022	07130	2022-076859	19:54	133	Willowdale Ave	1	Water or steam leak
08/30/2022	07130	2022-076868	20:54	227	Grove St		Arcing, shorted electrical equipment
08/30/2022	07130	2022-076886	22:28	22	Orange Road	1	Alarm system sounded due to malfunction
08/30/2022	07130	2022-076896	22:59	41	Harrison Ave		Carbon monoxide detector activation, no CO
08/31/2022	07130	2022-076968	03:00	75	Prospect Ave		Detector activation, no fire - unintentional
08/31/2022	07130	2022-077018	07:34	363	Bloomfield Ave		Alarm system sounded due to malfunction
08/31/2022	07130	2022-077027	07:43	2	S Willow St		Smoke detector activation, no fire - unintentional
08/31/2022	07130	2022-077036	08:10		Elmwood Ave		Public service
08/31/2022	07130	2022-077082	11:16	42	Church St		Assist police or other governmental agency
08/31/2022	07130	2022-077101	13:24	17	Pleasant Ave		Power line down
08/31/2022	07130	2022-077108	14:09	19	Mitchell Pl		Excessive heat, scorch burns with no ignition
08/31/2022	07130	2022-077127	15:12	36	Valley Road	2	Smoke detector activation due to malfunction
08/31/2022	07130	2022-077218	20:41	7	Cross Pl		Carbon monoxide detector activation, no CO
08/31/2022	07130	2022-077220	20:48	310	Upper Mountain Ave		Smoke detector activation, no fire - unintentional
09/01/2022	07130	2022-077273	05:07	300	McBride Ave		Cover assignment, standby, moveup
09/01/2022	07130	2022-077293	07:49	363	Bloomfield Ave		Alarm system sounded due to malfunction
09/01/2022	07130	2022-077330	09:27	51	Brighton Road		Cover assignment, standby, moveup
09/01/2022	07130	2022-077341	10:14	648	Bloomfield Ave		Good intent call, other
09/01/2022	07130	2022-077414	15:26	468	Main Street		Cover assignment, standby, moveup
09/01/2022	07130	2022-077421	15:48		Pine St		Citizen complaint
09/01/2022	07130	2022-077487	23:02	59	Glenridge Ave		Assist police or other governmental agency
09/02/2022	07130	2022-077535	04:16		Bloomfield Ave		Outside rubbish, trash or waste fire
09/02/2022	07130	2022-077573	08:17	57	Harrison Ave		Arcing, shorted electrical equipment
09/02/2022	07130	2022-077577	08:32	690	Bloomfield Ave		False alarm or false call, other
09/02/2022	07130	2022-077649	13:30		S Fullerton Ave		Auto Lock-Out
09/02/2022	07130	2022-077648	13:31	11	Undercliff Dr		Alarm system activation, no fire - unintentional
09/02/2022	07130	2022-077663	14:20	149	Valley Road		Power line down
09/02/2022	07130	2022-077692	17:22	578	Bloomfield Ave		Alarm system activation, no fire - unintentional
09/02/2022	07130	2022-077704	17:58	49	Orange Rd		Person in distress, other
09/02/2022	07130	2022-077738	20:10	12	College Ave		Detector activation, no fire - unintentional

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
09/02/2022	07130	2022-077764	21:13	525	Pompton Ave		Cover assignment, standby, moveup
09/03/2022	07130	2022-077840	02:51	1	Pine St		Cover assignment, standby, moveup
09/03/2022	07130	2022-077913	10:59	170	Ridgewood Ave		Alarm system sounded due to malfunction
09/03/2022	07130	2022-077989	18:15	50	Pine St	j2	Carbon monoxide incident
09/03/2022	07130	2022-078004	19:30	25	Park St		Alarm system sounded due to malfunction
09/04/2022	07130	2022-078102	03:03	50	Pine St	5g	Carbon monoxide detector activation, no CO
09/04/2022	07130	2022-078112	05:14	1	Normal Ave		Detector activation, no fire - unintentional
09/04/2022	07130	2022-078133	07:17	15	Laurel Pl		Smoke from barbecue, tar kettle
09/04/2022	07130	2022-078156	10:14	100	Chestnut St		Alarm system sounded due to malfunction
09/04/2022	07130	2022-078177	11:27	11	Pine St		Sprinkler activation due to malfunction
09/04/2022	07130	2022-078189	12:10	116	Grove St		Aircraft standby
09/04/2022	07130	2022-078198	12:20	427	Bloomfield Ave		Detector activation, no fire - unintentional
09/04/2022	07130	2022-078201	12:23	16	Edgcliff Road		Smoke detector activation, no fire - unintentional
09/04/2022	07130	2022-078206	13:17	520	Bloomfield Ave		Police matter
09/04/2022	07130	2022-078321	20:36	19	Weber Rd		Building fire
09/05/2022	07130	2022-078377	00:20	46	New St		Carbon monoxide detector activation, no CO
09/05/2022	07130	2022-078420	08:16	761	Valley Road	1st	Smoke detector activation, no fire - unintentional
09/05/2022	07130	2022-078473	12:17	690	Bloomfield Ave	611	Assist police or other governmental agency
09/05/2022	07130	2022-078573	18:47	25	Ramsey Road		Unauthorized burning
09/06/2022	07130	2022-078626	01:06	50	Upper Montclair Plz		Alarm system sounded due to malfunction
09/06/2022	07130	2022-078657	06:53	295	Bloomfield Ave		Alarm system sounded due to malfunction
09/06/2022	07130	2022-078668	07:29	159	Glenridge Ave		
09/06/2022	07130	2022-078747	09:30		Walnut St		Power line down
09/06/2022	07130	2022-078763	10:17	11	Ridgewood Ave		Power line down
09/06/2022	07130	2022-078790	12:09	1	Normal Ave		Defective elevator, no occupants
09/06/2022	07130	2022-078838	14:23	200	Ridgewood Ave		Alarm system sounded due to malfunction
09/06/2022	07130	2022-078919	19:40	100	Chestnut St		Heat detector activation due to malfunction
09/06/2022	07130	2022-078954	21:09		Yantecaw Ave		Assist police or other governmental agency
09/06/2022	07130	2022-078968	22:07	206	Upper Mountain Ave		CO detector activation due to malfunction
09/06/2022	07130	2022-078975	23:33	100	Chestnut St		Heat detector activation due to malfunction
09/07/2022	07130	2022-078979	00:06	200	Ridgewood Ave		Alarm system sounded due to malfunction
09/07/2022	07130	2022-078991	00:36	48	S Park St	715	Public service assistance, other
09/07/2022	07130	2022-079016	05:55	100	Chestnut St		Heat detector activation due to malfunction
09/07/2022	07130	2022-079021	06:31	1	Bay Ave		Smoke detector activation, no fire - unintentional
09/07/2022	07130	2022-079028	07:22	12	Kenneth Road		Lock-out
09/07/2022	07130	2022-079030	07:31	311	Bay Ave		Alarm system activation, no fire - unintentional
09/07/2022	07130	2022-079059	08:31	97	Beverley Road		Gas leak (natural gas or LPG)
09/07/2022	07130	2022-079068	08:45	459	Essex St		Cover assignment, standby, moveup
09/07/2022	07130	2022-079077	09:06	19	Central Ave		Smoke detector activation due to malfunction
09/07/2022	07130	2022-079108	10:41	555	Ridgewood Ave		Alarm system activation, no fire - unintentional
09/07/2022	07130	2022-079151	12:35	10	Park St		Arcing, shorted electrical equipment
09/07/2022	07130	2022-079179	13:21	555	Ridgewood Ave		Smoke detector activation, no fire - unintentional
09/07/2022	07130	2022-079218	15:20	55	Elm St		Gas leak (natural gas or LPG)
09/08/2022	07130	2022-079405	02:45	16	Mountainside Park Ter		CO detector activation due to malfunction
09/08/2022	07130	2022-079437	07:27	36	Appleton Road		Detector activation, no fire - unintentional
09/08/2022	07130	2022-079453	08:09	52	Glenridge Ave		Alarm system activation, no fire - unintentional
09/08/2022	07130	2022-079467	08:43	16	The Fairway		Alarm system activation, no fire - unintentional
09/08/2022	07130	2022-079538	11:28	201	Orange Road		Smoke detector activation due to malfunction
09/08/2022	07130	2022-079571	13:05	530	Valley Road	2h	Carbon monoxide incident
09/08/2022	07130	2022-079620	16:50	194	Alexander Ave		Gas leak (natural gas or LPG)
09/08/2022	07130	2022-079641	18:26	356	Park St		Alarm system activation, no fire - unintentional
09/08/2022	07130	2022-079659	18:56	50	Greenwood Ave	B4	Water problem, other
09/09/2022	07130	2022-079728	00:21	50	Pine St		Alarm system sounded due to malfunction
09/09/2022	07130	2022-079742	01:03	228	Highland Ave		Gas leak (natural gas or LPG)
09/09/2022	07130	2022-079788	07:34	79	Pine St	2	Smoke scare, odor of smoke
09/09/2022	07130	2022-079795	07:43	256	N Fullerton Ave		
09/09/2022	07130	2022-079828	08:44	622	Valley Road		Smoke or odor removal
09/09/2022	07130	2022-079909	11:28	300	Bay Ave		Smoke detector activation due to malfunction
09/09/2022	07130	2022-079915	11:29	35	Afterglow Way		Detector activation, no fire - unintentional
09/09/2022	07130	2022-079977	14:59	1	Capron Lane		Smoke detector activation, no fire - unintentional
09/09/2022	07130	2022-080010	17:27	48	South Park St	709	Cooking fire, confined to container
09/10/2022	07130	2022-080128	00:31	30	Gates Ave		Smoke detector activation due to malfunction
09/10/2022	07130	2022-080263	14:47	10	Bloomfield Ave		Arcing, shorted electrical equipment

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
09/10/2022	07130	2022-080267	14:53	0	Freeman Pkwy		Power line down
09/10/2022	07130	2022-080269	15:00	0	Glenridge Pkwy		Public service
09/10/2022	07130	2022-080296	16:53	10	Bloomfield Ave.		Arcing, shorted electrical equipment
09/11/2022	07130	2022-080437	08:06	96	Grove St		Alarm system sounded due to malfunction
09/11/2022	07130	2022-080501	14:21	1	Oak St		
09/11/2022	07130	2022-080519	15:47	25	Maple Ave		Medical assist, assist EMS crew
09/11/2022	07130	2022-080538	17:23	117	Gordonhurst Ave		Smoke detector activation due to malfunction
09/11/2022	07130	2022-080573	19:38	515	Bloomfield Ave		Alarm system sounded due to malfunction
09/11/2022	07130	2022-080588	20:01	48	S Park St	305	Alarm system activation, no fire - unintentional
09/11/2022	07130	2022-080611	21:06	16	Forest St	406	Smoke scare, odor of smoke
09/11/2022	07130	2022-080626	22:51	25	Park St		Alarm system sounded due to malfunction
09/11/2022	07130	2022-080637	23:48	278	N Fullerton Ave		Lock-out
09/12/2022	07130	2022-080654	03:58	25	Park St		Alarm system sounded due to malfunction
09/12/2022	07130	2022-080747	10:55	111	Grove St		Smoke or odor removal
09/12/2022	07130	2022-080768	11:42		Park St		Gas leak (natural gas or LPG)
09/12/2022	07130	2022-080863	17:21	90	Greenwood Ave	2fir	Smoke detector activation, no fire - unintentional
09/12/2022	07130	2022-080871	17:26		Lackawanna Plz		Excessive heat, scorch burns with no ignition
09/12/2022	07130	2022-080889	18:43	25	Park St		Smoke detector activation due to malfunction
09/12/2022	07130	2022-080902	19:12	1	Harrison Ave		False alarm or false call, other
09/12/2022	07130	2022-080963	23:24	415	Claremont Ave		Arcing, shorted electrical equipment
09/13/2022	07130	2022-081021	05:16	619-	Bloomfield Ave		Smoke detector activation due to malfunction
09/13/2022	07130	2022-081043	06:53	2	Bellevue Ave		Arcing, shorted electrical equipment
09/13/2022	07130	2022-081055	07:32		Draper Ter		Power line down
09/13/2022	07130	2022-081098	09:12	60	Elmwood Ave		Gas leak (natural gas or LPG)
09/13/2022	07130	2022-081100	09:17	196	N Mountain Ave		Water or steam leak
09/13/2022	07130	2022-081106	09:48	3	Eagle Rock Way		CO detector activation due to malfunction
09/13/2022	07130	2022-081134	11:05	24	Gates Ave		Alarm system sounded due to malfunction
09/13/2022	07130	2022-081169	13:02	496	Ridgewood Ave		Gas leak (natural gas or LPG)
09/14/2022	07130	2022-081449	07:28	15	Bloomfield Ave		Arcing, shorted electrical equipment
09/14/2022	07130	2022-081474	08:25	88	S Mountain Ave		Carbon monoxide incident
09/14/2022	07130	2022-081515	10:15	11	Lexington Ave	3rd	Building fire
09/14/2022	07130	2022-081610	14:44	48	S Park St	611	Alarm system activation, no fire - unintentional
09/14/2022	07130	2022-081668	18:04	233	Sherman Ave		Arcing, shorted electrical equipment
09/14/2022	07130	2022-081738	21:04	413	Bloomfield Ave	NJ	Detector activation, no fire - unintentional
09/14/2022	07130	2022-081753	22:51	13	Trinity Pl	1ST	Assist police or other governmental agency
09/15/2022	07130	2022-081809	04:06	295	Bloomfield Ave		Alarm system sounded due to malfunction
09/15/2022	07130	2022-081883	09:42	115	Maple Ave	2r	Smoke detector activation due to malfunction
09/15/2022	07130	2022-081972	14:10	415	Valley Rd		Cover assignment, standby, moveup
09/15/2022	07130	2022-082013	16:38	9-11	Seymour St		Smoke detector activation, no fire - unintentional
09/16/2022	07130	2022-082125	01:45	690	Bloomfield Ave		Defective elevator, no occupants
09/16/2022	07130	2022-082140	02:31	107	Lincoln St		Auto Lock-Out
09/16/2022	07130	2022-082171	06:56	61	Elmwood Ave	1st	Alarm system sounded due to malfunction
09/16/2022	07130	2022-082294	11:56	94	Pine St		Alarm system activation, no fire - unintentional
09/16/2022	07130	2022-082337	13:48	172	Park St		Alarm system activation, no fire - unintentional
09/16/2022	07130	2022-082372	16:31	95	Walnut St		Gas leak (natural gas or LPG)
09/16/2022	07130	2022-082374	16:33	47	Northview Ave		Smoke scare, odor of smoke
09/16/2022	07130	2022-082413	19:10	99	Pine St	10	Medical assist, assist EMS crew
09/16/2022	07130	2022-082421	19:38	71	Walnut St		Alarm system sounded due to malfunction
09/16/2022	07130	2022-082422	19:51	116	Grove St		Aircraft standby
09/16/2022	07130	2022-082449	21:09	116	Grove St		Aircraft standby
09/17/2022	07130	2022-082557	09:59	159	Park St		CO detector activation due to malfunction
09/17/2022	07130	2022-082595	11:33		Bellevue Ave		Smoke scare, odor of smoke
09/17/2022	07130	2022-082628	13:04	50	Pine St	BLDg	Citizen complaint
09/17/2022	07130	2022-082664	15:32	1	Civic Sq		Cover assignment, standby, moveup
09/17/2022	07130	2022-082790	23:18	36	Hawthorne Pl	1K	Lock-in (if lock out , use 511)
09/18/2022	07130	2022-082875	09:32	7	Linden Ave		Gasoline or other flammable liquid spill
09/18/2022	07130	2022-082882	10:39	183	Harrison Ave		Alarm system activation, no fire - unintentional
09/19/2022	07130	2022-083139	09:04	181	Wildwood Ave		Gas leak (natural gas or LPG)
09/19/2022	07130	2022-083239	14:59	1	Pine St		Building fire
09/19/2022	07130	2022-083281	17:37	4	Washington St		Alarm system activation, no fire - unintentional
09/19/2022	07130	2022-083313	19:06	29	Laurel Pl		Lock-out
09/19/2022	07130	2022-083317	19:17	49	Gray St		Arcing, shorted electrical equipment
09/19/2022	07130	2022-083318	19:17	433	Valley Road		Electrical wiring/equipment problem, other

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
09/19/2022	07130	2022-083335	20:05	375	Forest Ave		Water problem, other
09/20/2022	07130	2022-083400	02:05	619-	Bloomfield Ave		Alarm system sounded due to malfunction
09/20/2022	07130	2022-083407	02:41	88	Clinton Ave		Smoke detector activation due to malfunction
09/20/2022	07130	2022-083434	08:15	105	Union St		CO detector activation due to malfunction
09/20/2022	07130	2022-083442	08:31	256	Park St		System malfunction, other
09/20/2022	07130	2022-083507	11:34	107	Pine St		Lock-out
09/20/2022	07130	2022-083611	17:03	177	Gates Ave		Carbon monoxide detector activation, no CO
09/20/2022	07130	2022-083621	18:17	7	Saint Lukes Pl	106	Medical assist, assist EMS crew
09/20/2022	07130	2022-083660	20:12	233	Bloomfield Ave		Steam, vapor, fog or dust thought to be smoke
09/20/2022	07130	2022-083667	20:24	65	N Fullerton Ave	37	CO detector activation due to malfunction
09/20/2022	07130	2022-083674	20:58	35	Lackawanna Plz		Auto Lock-Out
09/20/2022	07130	2022-083686	21:49	7	Manor Ct		False alarm or false call, other
09/21/2022	07130	2022-083869	11:39	119	Harrison Ave		Animal problem
09/21/2022	07130	2022-083889	12:47	105	Eagle Rock Way		Detector activation, no fire - unintentional
09/21/2022	07130	2022-083911	13:41	300	Bay Ave		Alarm system activation, no fire - unintentional
09/21/2022	07130	2022-083930	14:39	346	Ridgewood Ave		Alarm system activation, no fire - unintentional
09/21/2022	07130	2022-083960	16:50	54	Plymouth St		Smoke detector activation due to malfunction
09/22/2022	07130	2022-084145	02:14	106	Heller Way		Smoke detector activation due to malfunction
09/22/2022	07130	2022-084182	06:39	130	Montclair Ave		Smoke detector activation, no fire - unintentional
09/22/2022	07130	2022-084224	08:57	48	S Park St		Alarm system activation, no fire - unintentional
09/22/2022	07130	2022-084335	14:51	312	Orange Road		Alarm system activation, no fire - unintentional
09/22/2022	07130	2022-084387	18:22	50	Tremont Pl		Public service
09/22/2022	07130	2022-084412	19:26	185	Harrison Ave		Carbon monoxide incident
09/22/2022	07130	2022-084422	20:12	155	Inwood Ave		Alarm system activation, no fire - unintentional
09/22/2022	07130	2022-084426	21:05	100	Chestnut St		Police matter
09/22/2022	07130	2022-084452	22:13	34	Valley Road		Sprinkler activation due to malfunction
09/23/2022	07130	2022-084627	11:05	601	Valley Road		Gas leak (natural gas or LPG)
09/23/2022	07130	2022-084674	12:57	21	Dodd St		Arcing, shorted electrical equipment
09/23/2022	07130	2022-084702	13:53	31	Lloyd Road		Alarm system activation, no fire - unintentional
09/23/2022	07130	2022-084716	14:22	31	Lloyd Road		System malfunction, other
09/23/2022	07130	2022-084823	20:08	26	Appleton Pl		Water or steam leak
09/24/2022	07130	2022-084889	00:33	240	Grove St		Alarm system activation, no fire - unintentional
09/24/2022	07130	2022-084984	11:08	148	Central Ave		System malfunction, other
09/24/2022	07130	2022-085022	12:39	144	Midland Ave		Gas leak (natural gas or LPG)
09/24/2022	07130	2022-085159	22:54	299	Orange Road		Detector activation, no fire - unintentional
09/24/2022	07130	2022-085169	23:12		Bloomfield Ave		Auto Lock-Out

Total Number of Incidents: 1,670