

MONTGOMERY TOWNSHIP HEALTH DEPARTMENT SEPTIC PERMIT

☐ New ☐ Alteration ☒ Repair ☐ Abandonment Permit # 2022-09
Date March 9, 2022 Expires March 8, 2023 Issued to: Long Hill Contracting LLC
System Location: 15 Robin Drive Block: 29002 Lot: 22
Name of Owner of Record: Kelly Quensnelle

This is to certify that installation of an on-site sewage disposal system is hereby permitted at the above location. It is understood by the system installer that this permission applies to the specific design approved by the Health Department. No deviations will be allowed unless prior approval is obtained from the Health Department and the design engineer.

This permit is valid only if the following conditions are satisfied:

System to be installed by: Long Hill Contracting LLC No. of Bedrooms: 5

☐ Pump System ☒ Gravity System ☒ Public Water ☐ Private Well

- A. All installers must be registered with the Montgomery Township Health Department.
- B. A series of system inspections are required. Inspections REQUIRE AT LEAST 24 HOURS prior notice for scheduling.
- C. **Design Engineer inspections** are required for every system. It is the installer's responsibility to obtain a written copy of the design engineer's construction inspection schedule.
- D. Construction equipment for septic system installation or repairs **shall ONLY access site through the existing driveway** to ensure the public infrastructure is not damaged. (road edge, curbs, or sidewalks) If access through the driveway is not possible, the applicant must contact the Engineering Dept at: (908) 359-8211 x2295 for a **Street/Right-of-Way permit**.
- E. The Montgomery Township Health Department will require, as a minimum, inspections at the following phases of construction (please give 24-hour notice):
 - 1. An open excavation inspection.
 - 2. A tube permeameter test sample must be taken by engineer from the installed fill. The elevation of the select fill must be verified.
 - 3. Inspection of the septic bed prior to backfill. D-box or manifold connections will be checked, lateral levels, gravel suitability and all port installation. Filter fabric must be on site during inspection. Pressurized designs will require observation of the pump supplying water to the pressure lines in the bed. Backfill of the pressure lines prior to pump installation is not acceptable. Call the Health Department if circumstances will necessitate an exception to this policy.
 - 4. Septic tank and pump tank inspections. Township ordinance requires **2-compartment septic tanks** be installed. **All septic tanks must be tested for water tightness and have an effluent filter.**
Pump, alarm and float inspection. Pump tank must be filled with water up to the alarm level, so that the float setting can be verified.
 - 5. Backfill inspection for temporary/final grade, proper stabilization of backfill to prevent erosion. Capped ports to be cut to final grade level.
 - 6. At time of permit issuance, you will be notified of any other inspections that may be required based on the nature of the design.
- F. **PLEASE NOTE:** Failure to request either The Health Department or Design Engineer inspections will jeopardize acceptance of the constructed system.
- G. All disposal system locations shall be staked by the Engineer prior to construction start. Installer **must be in possession** of this permit onsite & be able to produce it for inspector review.

**CALL BEFORE YOU DIG
811 OR 1-800-272-1000
FOR UTILITY LOCATIONS.**

Kristen Sargent
MONTGOMERY TOWNSHIP HEALTH DEPARTMENT