



CONSTRUCTION PERMIT APPLICATION

Application Completes: Sections I, II, III (optional), IV, VI, and VII

I. IDENTIFICATION

1. Proposed Work Site at 58 CONDOR DRIVE MORGANVILLE NJ 07751
 2. Name of Owner in Fee: SHAH GAUTAM Tel. ()
 Address 58 CONDOR DRIVE MORGANVILLE 07751
street municipality zip code
 3. Ownership in Fee: Public _____ Private /
 4. Principal Contractor: _____ Tel. ()
 Address _____
 License No. OR, if new home, Builder Reg. No. _____ Exp. Date _____
 Federal Employee No. _____ FAX ()
 5. Architect or Engineer _____ Tel. ()
 Address _____
 6. Responsible Person in Charge of Work _____
 Tel. () FAX ()

4090

Phone Grand Pool

V. FEE SUMMARY (for office use only)

		Update	Update
1. Building	\$ <u>1102</u>		
2. Electrical	<u>105</u>		
3. Plumbing			
4. Fire Protection			
5. Elevator Devices			
6. Subtotal	\$		
7. Less 20% for State Plan Review			
8. Subtotal	\$		
9. DCA Training Fee	<u>11</u>		
10. Subtotal			
11. Cert. of Occupancy			
12. Other			
13. TOTAL	\$ <u>2216</u>		

VI. BUILDING/SITE CHARACTERISTICS

		(office use only)
1. Number of Stories		
2. Height of Structure		ft.
3. Area — Largest Floor		sq. ft.
4. New Building Area		sq. ft.
5. Volume of New Structure		cu. ft.
6. Construction Classification		
7. Total Land Area Disturbed		sq. ft.
8. Flood Hazard Zone		
9. Base Flood Elevation		ft.
10. Wetlands	yes _____ no _____	
11. Max. Live Load		
12. Max. Occupancy Load		

II. PROPOSED WORK

- ☐ Minor Work
- ☐ New Building
- ☒ Addition
- ☐ Alteration
- ☐ Fire Protection
- ☐ Plumbing
- ☒ Electrical
- ☐ Elevator Devices
- ☐ Asbestos Abat. Subch. 8
- ☐ Lead Hazard Abatement
- ☐ Demolition

Est. Cost

OPTIONAL (for office use only)

Plans Rec'd by	Date Rec'd	Rejection Date	Approval Date	Re-viewer	Resubmission Dates	Re-viewer
					Approval	Rejection

TOTAL COSTS

III. DO YOU WANT: (optional)

- ☐ Partial Releases
- ☐ Prototype Processing

IV. DOES OR WILL YOUR BUILDING CONTAIN ANY OF THE FOLLOWING?

- ☐ Elevators/Escalators/Lifts/
Dumbwaiters/Moving Walks
- ☐ High Pressure Boilers
- ☐ Pressure Vessels
- ☐ Refrigeration Systems
- ☐ Cross-Connections/Backflow Preventers
- ☐ Hazardous Uses/Places of Assembly
- ☐ Sprinklers
- ☐ Smoke Control Systems in Open Wells
- ☐ Underground Storage Tanks

VII. DESCRIPTION OF BUILDING USE

A. RESIDENTIAL


- ☐ Hotels (R-1)
- ☐ Multi-Family (R-2)
- ☐ Two-Family (R-3) BOCA
- ☐ Two-Family (R-4) CABO
- ☐ One-Family (R-3) BOCA
- ☐ One-Family (R-4) CABO

No. of dwelling units:

Before Construction _____
 After Construction _____
 Net Gain or Loss _____

B. NON-RESIDENTIAL

- State Specific Use:
- Use Group:
- Change in Use Group, Indicate Former:



CERTIFICATION IN LIEU OF OATH

I. OWNER SECTION (to be completed if the applicant is the owner in fee)

I hereby certify that I am the owner in fee of the property listed on Page 1.

Mark the following applicable boxes.

- A. ☐ I further certify that a new home (private residence) will be constructed on this property for my own use and occupancy. This dwelling is to be occupied by myself and is not to be used for any purpose other than single family residential use. I attest that all construction, plumbing, or electrical work will be done, in whole or in part, by me or by subcontractors under my supervision, in accordance with all applicable laws; and, I further acknowledge that said new home is not covered under the New Home Warranty and Builders Registration Act (N.J.S.A. 46:3B-1 et seq.) and that such fact shall be disclosed to any person purchasing this property within ten years of the date of issuance of a certificate of occupancy.

I UNDERSTAND THAT IN MARKING BOX A, I ACKNOWLEDGE THAT I AM ASSUMING RESPONSIBILITY FOR THE WORK DONE ON SAID PROPERTY, THE CONDITION OF THE PROPERTY PRIOR TO, DURING, AND AFTER ANY WORK PERFORMED, AND FOR THE PERFORMANCE OF THE SUBCONTRACTORS I HIRE, EMPLOY, OR OTHERWISE CONTRACT OR WITH WHOM I MAKE AGREEMENTS TO PERFORM WORK. I AM VOLUNTARILY AND KNOWINGLY ASSUMING THIS RESPONSIBILITY.

- B. ☐ I further certify the following as required by the New Jersey Uniform Construction Code, N.J.A.C. 5:23-2.15(e)1 vii:
I personally prepared the plans submitted for: 1) the new home referred to in A.; or, 2) an addition, alteration, renovation, or repair to an existing single family residence owned and occupied by myself and located on the property listed on Page 1, or, 3) a new structure that will be physically separate from, but that will be deemed part of, an existing single family residence that is owned and occupied by myself and located on the property listed on Page 1.

- C. ☐ I further certify that I will perform or supervise the following work:

C.1. ☐ Building C.2. ☐ Fire Protection

I further certify that I will perform the following work:

C.3. ☐ Electrical C.4. ☐ Plumbing

- D. ☐ I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I further certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(a)5: All required State, county, and local prior approvals have been given, including such certification as the construction official may require.

I understand that if any of the above statements are willfully false, I am subject to punishment.

Signature _____

Date

5/19/2005

II. AGENT SECTION (to be completed if the applicant is not the owner in fee)

I hereby certify the following as required by the Uniform Construction Code, N.J.A.C. 5:32-2.15(d): the proposed work is authorized by the owner in fee, and I have been authorized by the owner in fee to make this application as his agent.

I further certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(a)5: All required State, county, and local prior approvals have been given, including such certification as the construction official may require.

I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

☐ Check if contractor.

Agent Name _____

Address _____

Telephone (_____) _____

Signature _____

III. ☐ LEAD HAZARD ABATEMENT: Include Homeowner or Building Owner Affidavit as per N.J.A.C. 5:17.

MARLBORO TOWNSHIP CONSTRUCTION DEPT.

1979 Township Drive

Marlboro, NJ 07746

JOHN CAVALIERE

Construction Official



CONSTRUCTION PERMIT

Date Issued

Permit #

6/17/05

Control # 38922
20051893

IDENTIFICATION Block 171 Lot 15.29 Qualification Code _____

Work Site Location 58 CONDOR DRIVE Contractor A.D.

MORGANVILLE NJ 07751 Address _____

Owner in Fee GAUTAM _____

Address 58 CONDOR DRIVE Tel. (____) _____

MORGANVILLE NJ 07751 Lic. No. or Bldrs. Reg. No. _____

Tel. _____

I hereby granted permission to perform the following work:

- | | | |
|--|---|--|
| ☒ BUILDING | ☐ PLUMBING | ☐ LEAD HAZARD ABATEMENT |
| ☒ ELECTRICAL | ☐ FIRE PROTECTION | ☐ DEMOLITION |
| ☐ ELEVATOR DEVICES | ☐ ASBESTOS ABATEMENT | ☐ OTHER _____ |
- (Subchapter 8 only)

DESCRIPTION OF WORK:

Above Ground Pool / Gazebo

NOTE: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Estimated Cost of Work \$ 804

Construction Official

Date

6-15-05

PAYMENTS (Office Use Only)

Building 110-

Electrical 105-

Plumbing _____

Fire Protection _____

Elevator Devices _____

Other _____

DCA State Permit Fee 11-

Cert. of Occupancy _____

Other _____

Total 8226-

Check No. 4090

Cash _____

Collected by DD 6/21/05

(see reverse side)

MARLBORO TOWNSHIP CONSTRUCTION DEPT.
1979 Township Drive
Marlboro, NJ 07746
JOHN CAVALIERE
Construction Official



**BUILDING SUBCODE
TECHNICAL SECTION**



Date Received 6/17/05
Control # 38922
Date Issued
Permit # 20051293

A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 171 Lot 15.29 Qualification Code _____
Work Site Location 58 CONDOR DRIVE
MORGANVILLE NJ 07751
Owner in Fee GAUTAM
Address 58 CONDOR DRIVE
MORGANVILLE NJ 07751
Tel. _____
Contractor _____
Address N/A
Tel. (____) _____ FAX (____) _____
Contractor License No. or Builder Registration No. _____
Federal Emp. No. _____

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application.

X P. Gaudin
Signature

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

24' round above ground pool
~~Basement 170 sq. ft.~~

JOB SUMMARY (Office Use Only)

PLAN REVIEW	Date	Initial	INSPECTIONS	Dates (Month/Day)			
☐ No Plans Required			Type:	Failure	Failure	Approval	Initial
☐ All	<u>6-15-05</u>		Footings				
☐ Footing			Footings Bonding				
☐ Foundation			Foundation				
☐ Frame			Slab				
☐ Other			Frame				
			Truss Sys./Bracing				
			Barrier-Free				
Joint Plan Review Required:			Insulation				
☐ Elec. ☐ Plumb. ☐ Fire ☐ Elevator			Finishes -Base Layer				
			Finishes -Final				
SUBCODE APPROVAL			Energy				
☐ CO ☐ CCC ☐ CA			Mechanical				
Date: _____			TCO				
Approved by: _____			Other				
			Final				
			Barrier-Free				

TYPE OF WORK:

- ☐ New Building
☐ Addition
☐ Rehabilitation
☐ Roofing
☐ Siding
☒ Fence 6 Height (exceeds 6')
☐ Sign _____ Sq. Ft.
☒ Pool
☐ Asbestos Abatement Subchapter 8
☐ Lead Haz. Abatement NJAC 5:17
☐ Other _____
☐ Demolition

FEE (Office Use Only)

\$ _____
_____ 45 _____
_____ 65 _____

B. BUILDING CHARACTERISTICS

Use Group Present _____ Proposed _____
Constr. Class Present _____ Proposed _____
No. of Stories _____
Height of Structure _____ Ft.
Area — Largest Floor _____ Sq. Ft.
New Bldg. Area/All Floors _____ Sq. Ft.
Volume of New Structure _____ Cu. Ft.
Total Land Area Disturbed _____ Sq. Ft.

Est. Cost of Bldg. Work:

1. New Bldg. \$ _____
2. Rehabilitation \$ _____
3. Total (1+2) \$ _____

Administrative Surcharge \$ _____
Minimum Fee \$ 110 _____
State Permit Surcharge Fee \$ 11 _____
TOTAL FEE \$ 121 _____

MARLBORO TOWNSHIP CONSTRUCTION DEPT.

1979 Township Drive
Marlboro, NJ 07746
JOHN CAVALIERE
Construction Official

BUILDING SUBCODE
TECHNICAL SECTION

Date Received

Control #

Date Issued

Permit #

4/17/05
38922
20051293

A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 171 Lot 15-29 Qualification Code _____

Work Site Location 58 CONDER DRIVE
MORRISTOWN, NJ 07960

Owner in Fee GA. ITANA

Address 58 CONDER DRIVE

MORRISTOWN, NJ 07761

Tel. _____

Contractor _____

Address 1111

Tel. (____) _____ FAX (____) _____

Contractor License No. or Builder Registration No. _____

Federal Emp. No. _____

JOB SUMMARY (Office Use Only)

PLAN REVIEW		Date	Initial	INSPECTIONS		Dates (Month/Day)	
				Type:	Failure	Failure	Approval
☐	No Plans Required			Footings			
☐	All			Footings Bonding			
☐	Footings	6-15-05		Foundation			
☐	Foundation			Slab			
☐	Frame			Frame			
☐	Other			Truss Sys./Bracing			
Joint Plan Review Required:				Barrier-Free			
☐	Elec.	☐	Plumb.	Insulation			
☐	Fire	☐	Elevator	Finishes -Base Layer			
SUBCODE APPROVAL				Finishes -Final			
☐	CO	☐	CCO	Energy			
☐	CA			Mechanical			
Date: <u>8-17-05</u>				TCO			
Approved by: <u>[Signature]</u>				Other			
				Final			
				Barrier-Free			

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application.

X P.C. [Signature]
Signature

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

20' round above ground pool
~~6' x 12' pool~~

TYPE OF WORK:

- ☐ New Building
☐ Addition
☐ Rehabilitation
☐ Roofing
☐ Siding
☒ Fence 6 Height (exceeds 6')
☐ Sign _____ Sq. Ft.
☒ Pool
☐ Asbestos Abatement Subchapter 8
☐ Lead Haz. Abatement NJAC 5:17
☐ Other _____
☐ Demolition

FEE (Office Use Only)

\$ _____

45

65

B. BUILDING CHARACTERISTICS

Use Group Present _____ Proposed _____
Constr. Class Present _____ Proposed _____
No. of Stories _____
Height of Structure _____ Ft.
Area — Largest Floor _____ Sq. Ft.
New Bldg. Area/All Floors _____ Sq. Ft.
Volume of New Structure _____ Cu. Ft.
Total Land Area Disturbed _____ Sq. Ft.

Est. Cost of Bldg. Work:

1. New Bldg. \$ _____
2. Rehabilitation \$ _____
3. Total (1+2) \$ _____

CA requested
1/31/06

Administrative Surcharge \$ _____
Minimum Fee \$ 110
State Permit Surcharge Fee \$ 11
TOTAL FEE \$ 121

OFFICE OF THE CONSTRUCTION OFFICIAL

Marlboro Township
1979 Township Drive
Marlboro, NJ 07746
732-536-0200

Project Inspection Activity Report

Permit No.: 20051293
Issued On: June 22,2005
Closed On:

IDENTIFICATION

Work Site Location: 58 CONDOR DRIVE

Block : 171

Lot : 15.29

Owner In Fee: SHAH, GAUTAM & S. & PRITI G.

Address: 58 CONDOR DRIVE
MORGANVILLE , NJ 07751

Subcodes:

Bldg	Elec	Fire	Plmb	Elev	Mech
Y	Y	N	N	N	N

Work Type and Description: Altrtn

Number of Updates: 0

HISTORY

Requested On	Inspected On	Subcode	Inspector	Inspection Types and Results		Comment
08/16/2005	08/16/2005	Building	EG	FINAL : P	:	
07/07/2005	07/07/2005	Building	PZ	FINAL : F	:	NO FENCE
07/06/2005	07/06/2005	Building	PZ	FINAL : F	:	FENCE INCOMPLETE
06/30/2005	06/30/2005	Electrical	CN	FINAL : P	:	

Total Inspections: Bldg - 3 Elec - 1 Fire - 0 Plmb - 0 Elev - 0 Mech - 0

Legend : P-Pass F-Fail C-Cancel X-Not Ready N-Not Done ***-Third Party Agency

MARLBORO TOWNSHIP CONSTRUCTION DEPT.
1979 Township Drive
Marlboro, NJ 07746
JOHN CAVALIERE
Construction Official



ELECTRICAL SUBCODE
TECHNICAL SECTION



Date Received 6/17/05
Control # 38922
Date Issued
Permit # 20051293

A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 171 Lot 15.29 Qualification Code _____
Work Site Location 58 CONDOR DRIVE
MORGANVILLE NJ 07751
Owner in Fee SELF
Address 58 CONDOR DRIVE
MORGANVILLE NJ 07751
Tel _____
Contractor _____
Address N/A
Tel (_____) _____ FAX (_____) _____
Contractor License No. _____
Federal Emp. No. _____

B. ELECTRICAL CHARACTERISTICS

Use Group Present _____ Proposed yes
[] Pole/Pad # _____ [] Temporary [] Other _____
Building Occupied as _____ Utility Co. _____
Est. Cost of Elec. Work \$ _____

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature _____

[] Licensed Elec. Contractor [] Certifd Landscape Irrigation Contr'r [] Exempt Applicant

D. TECHNICAL SITE DATA

QTY.	SIZE	ITEMS
1		Lighting Fixtures
		Receptacles
		Switches
		Detectors
		Light Poles
		Motors—Fract. HP
		Emergency & Exit Lights
		Communications Points
		Alarm Devices/F.A.C. Panel
		TOTAL NUMBERS
		Pool Permit/with UW Lights
		Storable Pool/Spa/Hot Tub
		KW Elec. Range/Receptacle
		KW Oven/Surface Unit
		KW Elec. Water Heater
		KW Elec. Dryer/Receptacle
		KW Dishwasher
		HP Garbage Disposal
		KW Central A/C Unit
		HP/KW Space Heater/Air Handler
1	1/2	KW Baseboard Heat
		HP Motors 1/+ HP
		KW Transformer/Generator
		AMP Service
		AMP Subpanels
		AMP Motor Control Center
		KW Elec. Sign/Outline Light

FEE (Office Use Only)

\$ 4.50
35

25

Administrative Surcharge \$ _____
Minimum Fee \$ 1.05
State Permit Surcharge Fee \$ _____
TOTAL FEE \$ 1.05

JOB SUMMARY (Office Use Only)

PLAN REVIEW	Date	Initial	INSPECTIONS	Dates (Month/Day)
[] No Plans Required			Type:	Failure Failure Approval Initial
Joint Plan Review Required:			Rough	
[] Building [] Plumbing			Barrier-Free	
[] Fire [] Elevator			Trench	
[] Elec. Plans Approved			Temp. Serv.	
Date: <u>6/18/05</u>			Constr. Serv.	
Approved by: <u>P</u>			TCO	
			Other	
			Service	
			Final	
			Barrier-Free	
SUBCODE APPROVAL			Temp. Cut-in-Card Date Issued	
[] CO [] CCO [] CA			Final Cut-in-Card Date Issued	
Date: _____			Annual Pool Inspection	
Approved by: _____			Date of Grounding and Bonding	
			Certification	

Note: Grand Pad not required

MARLBORO TOWNSHIP CONSTRUCTION DEPT.
1979 Township Drive
Marlboro, NJ 07746
JOHN CAVALIERE
Construction Official



ELECTRICAL SUBCODE
TECHNICAL SECTION



Date Received
Control #

Date Issued
Permit #

A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY B.G. NO: 1-800-272-1000.

Block 197 Lot 15.29 Qualification Code _____

Work Site Location 58 CONDOCK DRIVE

MARLBORO NJ 07746

Owner in Fee SCM

Address 58 CONDOCK DRIVE

MARLBORO NJ 07746

Tel _____

Contractor _____

Address 1A

Tel (____) _____ FAX (____) _____

Contractor License No. _____

Federal Emp. No. _____

B. ELECTRICAL CHARACTERISTICS

Use Group Present _____ Proposed Yes

[] Pole/Pad # _____ [] Temporary [] Other _____

Building Occupied as _____ Utility Co. _____

Est. Cost of Elec. Work \$ _____

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature _____

[] Licensed Elec. Contractor [] Certif'd Landscape Irrigation Contr' [] Exempt Applicant

D. TECHNICAL SITE DATA

QTY. SIZE ITEMS

Lighting Fixtures

Receptacles

Switches

Detectors

Light Poles

Motors—Fract. HP

Emergency & Exit Lights

Communications Points

Alarm Devices/F.A.C. Panel

TOTAL NUMBERS

Pool Permit/with UW Lights

Storable Pool/Spa/Hot Tub

KW Elec. Range/Receptacle

KW Oven/Surface Unit

KW Elec. Water Heater

KW Elec. Dryer/Receptacle

KW Dishwasher

HP Garbage Disposal

KW Central A/C Unit

HP/KW Space Heater/Air Handler

KW Baseboard Heat

HP Motors 1/+ HP

KW Transformer/Generator

AMP Service

AMP Subpanels

AMP Motor Control Center

KW Elec. Sign/Outline Light

FEE (Office Use Only)

JOB SUMMARY (Office Use Only)

PLAN REVIEW Date Initial INSPECTIONS Dates (Month/Day)

[] No Plans Required Type: Failure Failure Approval Initial

Joint Plan Review Required: Rough _____

[] Building [] Plumbing Barrier-Free _____

[] Fire [] Elevator Trench _____

[] Elec. Plans Approved Temp. Serv. _____

Date: 6/30/05 Constr. Serv. _____

Approved by: _____ TCO _____

Other _____

Service _____

Final _____

Barrier-Free _____

SUBCODE APPROVAL

[] CO [X] CCO [] CA

Date: 6/30/05

Approved by: _____

Date of Grounding and Bonding

Certification

Note: Ground Rod not required

Administrative Surcharge \$ _____
Minimum Fee \$ 105
State Permit Surcharge Fee \$ _____
TOTAL FEE \$ 105

TOWNSHIP OF MARLBORO
(732) 536-0200
APPLICATION FOR ZONING APPROVAL

Permit # 05-100402

BLOCK 171 LOT 15.29 DAYTIME PHONE _____

DATE _____

OWNER'S NAME SHAIL MOUNTAIN

OWNER'S ADDRESS CR 610 RD, 2000 MARLBORO, NJ 07151

WORKSITE ADDRESS (If Different) _____

Application is hereby made for a Zoning Permit in accordance with the requirements of the Township of Marlboro. The sub-joined statement and drawings submitted herewith are hereby made a part of this application. I hereby agree to comply with all ordinances and governing regulations of the Township of Marlboro. If any use or building or structure applied for herein shall be in violation of the above, the zoning officer shall have the right to stop such use or work on the premises until such violation shall have been corrected and there shall be no liability on the part of the Township of Marlboro because of such stoppage.

CONTRACTOR'S NAME Self -

ADDRESS 11/A

PHONE _____

Explain in detail the proposed construction: 6 feet vinyl fence

24 round above ground pool

State size of new construction (sq. ft.) and dimensions 175 sq. ft. (2 round) total base

Attach two (2) copies of survey with proposed construction drawn in to scale. Survey must be up to date and must be certified by homeowner stating that, "This survey is a true and exact representation of my property as it exists today."


For Tenant Fit-Up: Name of Business _____ USE _____

New Construction: Model Name _____ Development _____

Attach two copies of reduced front elevation. 8

If "Look-A-Like", list three structural changes:

1. _____
2. _____
3. _____



AFFIDAVIT TO BE SIGNED BY APPLICANT

COUNTY OF MONMOUTH

SS:

STATE OF NEW JERSEY

DATE: 5/17/05

I, SHAIL MOUNTAIN, being of full age and duly sworn, depose and say that I am the owner in fee simple of the premises herein described and shown on the accompanying drawings, and that the use or occupancy herein described will be done in accordance with all laws and ordinances of the Township of Marlboro pertaining thereto.

All statements herein made by me are true to the best of my knowledge and belief.

Signature of Applicant [Signature] Date 5/17/05

or _____ Date _____

Signature of Agent
(If accompanied by authorization letter from homeowner)

Sworn to and Signature of Applicant
Subscribed before me this 17 day of May 2005
[Signature]
NOTARY PUBLIC

**ZONING APPROVAL SPECIFIC
TO ATTACHED SURVEY**

(for office use only)

**SUBJECT TO ENGINEERS
APPROVAL OF GRADING**

Sonia Schogel

Notary Public of New Jersey

Commission Expires 11/15/05

Approved: [Signature] Zoning Officer

Date 5/23/05

DENIAL OF ZONING PERMIT (IF APPLICABLE)

Zoning Officer _____ Date _____

SDonis

From: JRivas

Sent: Thursday, March 30, 2006 4:29 PM


To: ca list; JRivas

Subject: APPROVED by Engineering for pool CA - Block 171 Lot 15.29 - 58 Condor Drive

The following Pool has recieved the Engineering Department's Final Approval: Name: Shah Address: 58
Condor Drive Block: 171 Lot: 15.29

Splash

75, 100 and 150 Sq. Ft. Element Filter Systems



Innovative Ring-Lok™ design with safety lock allows easy, tool-free access to the filter element with a simple twist.

Automatic air bleed assures 100% filtration, resulting in longer filter cycles between cleaning.

Heavy duty, coreless, polyester element is easily cleaned with a garden hose.

Patented dirt catcher prevents debris from falling into tank when the element is removed. The convenient t-handles simplify element removal.

5 year warranty on filter tank.

K Series Pump offers high performance in a small package. An easy service strainer simplifies maintenance.

A unique air-cooled heat sink allows pump to run dry without damage to the shaft seal.

1 year limited warranty on pump.

- Flexible 2-piece base.
- Pump/filter "interconnect" w/ union requires no thread sealant.
- Two six foot hoses.
- Complete hardware kit (barb adapters, clamps, teflon tape)

150 Sq. Foot Systems

Model No.	Order No.	HP	Price
Single Speed Side Discharge Pump (6' cord w/ std. 3-prong plug)			
150EF-S15KG9-6-HK6	9422-3658	1.5 HP	\$623.00
Single Speed Side Discharge Pump (3' cord w/ twist lock plug - UL)			
150EF-S15KG9-3-HK6	9422-3740	1.5 HP	\$633.00
Two-Speed Side Discharge Pump (6' cord w/ std. 3-prong plug)			
150EF-S15KGT9-6-HK6	9422-4318	1.5 HP	\$692.00
Two-Speed Side Discharge Pump (3' cord w/ twist lock plug - UL)			
150EF-S15KGT9-3-HK6	9422-4417	1.5 HP	\$702.00

50 Sq. Foot Systems

Model No.	Order No.	HP	Price
Single Speed Side Discharge Pump (6' cord w/ std. 3-prong plug)			
50EF-S7KG9-6-HK6	9422-3237	3/4 HP	\$490.00
50EF-S1KG9-6-HK6	9422-3245	1 HP	\$505.00
Single Speed Side Discharge Pump (3' cord w/ twist lock plug - UL)			
50EF-S7KG9-3-HK6	9422-3195	3/4 HP	\$500.00
50EF-S1KG9-3-HK6	9422-3203	1 HP	\$515.00
Two-Speed Side Discharge Pump (6' cord w/ std. 3-prong plug)			
50EF-S1KGT9-6-HK6	9422-3641	1 HP	\$574.00
Two-Speed Side Discharge Pump (3' cord w/ twist lock plug - UL)			
50EF-S1KGT9-3-HK6	9422-4227	1 HP	\$584.00

75 Sq. Foot Systems

Model No.	Order No.	HP	Price
Single Speed Side Discharge Pump (6' cord w/ std. 3-prong plug)			
75EF-S1KG9-6-HK6	9422-3252	1 HP	\$527.00
75EF-S15KG9-6-HK6	9422-3260	1.5 HP	\$548.00
Single Speed Side Discharge Pump (3' cord w/ twist lock plug - UL)			
75EF-S1KG9-3-HK6	9422-3211	1 HP	\$537.00
75EF-S15KG9-3-HK6	9422-3229	1.5 HP	\$558.00
Two-Speed Side Discharge Pump (6' cord w/ std. 3-prong plug)			
75EF-S1KGT9-6-HK6	9422-4334	1 HP	\$596.00
Two-Speed Side Discharge Pump (3' cord w/ twist lock plug - UL)			
75EF-S1KGT9-3-HK6	9422-4433	1 HP	\$606.00

100 Sq. Foot Systems

Model No.	Order No.	HP	Price
Single Speed Side Discharge Pump (6' cord w/ std. 3-prong plug)			
100EF-S1KG9-6-HK6	9422-3559	1 HP	\$544.00
100EF-S15KG9-6-HK6	9422-3757	1.5 HP	\$591.00
Single Speed Side Discharge Pump (3' cord w/ twist lock plug - UL)			
100EF-S1KG9-3-HK6	9422-4532	1 HP	\$554.00
100EF-S15KG9-3-HK6	9422-3526	1.5 HP	\$601.00
Two-Speed Side Discharge Pump (6' cord w/ std. 3-prong plug)			
100EF-S15KGT9-6-HK6	9422-4631	1.5 HP	\$660.00
Two-Speed Side Discharge Pump (3' cord w/ twist lock plug - UL)			
100EF-S15KGT9-3-HK6	9422-4730	1.5 HP	\$670.00

Township of Marlboro

Engineering Department
1979 Township Drive
Marlboro, New Jersey 07746-2299

(732) 536-0200 ext. 501
Fax: (732) 972-7697

ENGINEERING DEPARTMENT POOL APPLICATION AND INSPECTION REPORT

Applicant Name: SHAH

Block: 171

Address: 58 Condor Drive

Lot: 15.29

20051243

Part 1 - Pool Grading Plan Review

N/A

Yes No N/A

- Existing and proposed surface drainage pattern and elevation as it affects the subject and all adjoining properties provided. ☐ ☐ ☐
- Location, size and elevation of the proposed pool provided. ☐ ☐ ☐
- Proposed grading not to exceed the allowable 4:1 slope or as otherwise required by the planning board. ☐ ☐ ☐
- Location of any existing streams, watercourse, ponds, easements and wetlands/ wetlands buffer lines provided. ☐ ☐ ☐
- Location of the proposed construction entrance provided. ☐ ☐ ☐

Comments:

Part 2 - Nature of Construction

☒ Above Ground Pool: 452 SF ☐ Inground Pool: _____ SF ☐ Patio: _____ SF

☐ Retaining Wall:

Material: _____ Maximum Height: _____

Note: Walls over 30" high require a safety barrier, engineering drawings and material certification for approval.

☐ Tree Removal: No. of healthy trees greater than 9" to be removed: _____

Removing more than nine healthy trees greater than 9" requires Planning Board Approval.

☐ PB approval required

☐ PB approval received _____
Date

Note: One tree must be replanted for every healthy greater than 9" removed.

☐ Variance Application: ZB # _____ Date of resolution: _____

Part 3 - Permit

The following construction requirements must be met in order to receive a Final Certificate of Approval from the Engineering Department:

1. Construction is to agree entirely with the approved pool grading plan.

A. Date of plan N/A Last Revised _____

B. Prepared by: _____

2. One tree per Twp. Code Sec. 84-30D(24)(b)(2) must be replanted for every tree removed in Part 1.

3. Curbs and sidewalks broken during pool construction must be replaced per Twp. requirements.

4. Ground cover is to be established on all disturbed areas.
5. Silt fence is required as per approved pool grading plan, prior to any construction activity.

Other requirements:

Part 4 - Final Inspection for CA

Inspection

Date Outstanding Item (describe, or use # from Part 3, above)

To be signed by homeowner or pool company construction manager or foreman:

I have read and fully understand the requirements outlined in Part 2, above. Failure to comply with these requirements will result in a withholding of Engineering Final Approval for Certificate of Approval. I understand that this list is not final and other requirements may arise as future inspections warrant.


Print Name

Signature

Date

☐ homeowner
☐ construction foreman

☒ Approved


Signature

6/3/05
Date

☐ Disapproved

Signature

Date

☐ OK for CA

Signature

Date

Twp. Engineer or Agent

1579 Rt. 9
Toms River, NJ 08755
Phone: (732) 505-1749
Fax: (732) 505-9160

PROPOSAL/CONTRACT




INSPECTIONS: Foot: _____
Open: _____
Final: _____
Start Date: _____ Complete Date: _____
Installer Name: _____

NAME: Prithi Shah HOME # _____ DATE: 5/3/05
ADDRESS: 58 Garden Drive CROSS STREET: Crane Rd.
CITY: Morganville STATE: NJ ZIP: 07701 COUNTY: Monmouth
WORK PHONE: _____ CELL: _____ FAX: _____

BILLING ADDRESS (IF DIFFERENT FROM ABOVE): _____

MAY 20 2005



GENERAL INFO:

Deck: ☒ New ☐ Resurface: Age: _____
Type: ☐ P.T. ☐ Cedar ☐ P.E. ☐ Crossmember ☐ Ever Green
Railings: ☐ Wood ☐ P.T. ☐ Cedar ☐ Vinyl ☐ Aluminum ☐ Composite
Fasteners: ☐ Nails ☐ Stainless Screws ☐ Colored Screws + 30c
Facing: ☐ Solid ☐ Solid Lattice ☐ Vinyl Lattice ☐ Square ☐ Diagonal
Color: Ever Green: ☐ Gray ☒ Cedar ☐ Redwood
☐ Weathered Wood
Crossmembers: ☐ Sandalwood ☐ Weathered Wood
☐ Sienna ☐ Cedar ☐ Gray
Building Guidelines: Height At House: _____
Approx. Amount of Steps: _____
Total Sq. Footage: _____

We hereby propose to furnish labor and materials complete in accordance with the above specifications.

Customer responsible for permit x _____

The Owner agrees to pay the Contractor: 15,800.00 dollars (plus) for the work + \$ _____ cost of permit.

(A) DOWN PAYMENT BY OWNER \$ _____ (B) FOOTING/OTHER _____

(C) PAYMENT DUE AT DELIVERY/OTHER \$ _____ (D) FRAME/OTHER _____

(E) OTHER PERMIT ACQUISITION FEE \$150.00 x _____ Initial (F) BALANCE MUST BE PAID UPON COMPLETION: \$ _____

CREDIT CARD # _____ EXP. _____ Waive Y/N x _____ Initial

CONDITIONS PRINTED ON THE REVERSE SIDE ARE MUTUALLY UNDERSTOOD TO FORM PART OF THIS CONTRACT

SPECIAL ITEMS TO CONSIDER: (circle one)

Demo/Deck Removal: Yes No
Demo/Rail Removal: Yes No
Core Drilling: Asphalt Yes No
Concrete/Pavement Yes No
Deck Removal Cost \$1.50 Sq. Ft. x _____ Initial
Railing Removal Cost \$5.00 Lin. Ft. x _____ Initial

All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications or living costs will be executed only upon written orders, and will become the client's responsibility above the contractor. All agreements contingent upon no accidents, weather or delays beyond our control. All materials used are standard and accepted within the industry.

ACCEPTED BY: Prithi Shah ACCEPTED BY: _____
CARL'S FENCE CUSTOMER SIGNATURE: _____

Surrounded By The Best

TURN OVER



Pelican Pools

908-254-5115

Safety

Manager

Salesmen

Eric-47

NO 09789

NAME SHAIL GADAM

DATE

ADDRESS 58 CONNER DR

CITY Marlboro

STATE MA

HOME PHONE

WORK PHONE

SHIPPED	B/O	QTY.	ITEM/DESCRIPTION	SALE PRICE
		1	POOL SIZE <u>20' x 40' x 4' Elite</u>	<u>\$1925</u>
		1	LINER <u>All Swirl</u>	
		1	WALL	
		1	FRAME	
		1	DECK	
		1	FENCING	
		1	FILTER SYSTEM <u>1500gph In-ground</u>	
		1	PUMP & MOTOR NO. <u>1 1/2 HP 2sp Pump</u>	
		1	FILTER MEDIA <u>Cartridge</u>	
		1	LADDER <u>Aluminum A-Frame</u>	
		1	LINER PATCH KIT	
		1	WALL BRUSH	
		1	DELUXE BOTTOM VACUUM WITH TELESCOPIC POLE	
		1	DELUXE VACUUM HOSE	
		1	DELUXE SKIMMER NET	
		1	THERMOMETER	
		1	2 WAY TEST KIT	
		1	THRU-THE-WALL SKIMMER AND RETURN <u>Underneath</u>	
		1	PELICAN'S OWNER'S MANUAL	
		1	SOLAR COVER	
		1	CHLORINE TABLETS	
		1	PH +	
		1	STABILIZER	
		1	ALGICIDE	
		1	CHEMICAL KIT INSTRUCTIONS	
		1	AUTOMATIC CHLORINATOR	
		1	AUTOMATIC FILTER TIMER	
		1	SELF CLEANING POOL SYSTEM	
		1	<u>Winter kit: Bumper, Clunk, Pillow, Rings, Apron</u>	<u>\$159</u>
			STORE MERCHANDISE APPROX. \$60.00 VALUE WITH CUSTOMER PICKUP	

FREE WITH PICK UP DATE:

Liquid Chlorine
Filter Cleaner
French Lounge
Winter Pillow

FINANCING

DELIVER APPROX:

Back order

IMPORTANT — PLEASE NOTE:

1. Pool must be installed on solid level surface as per manufacturer's instructions.
2. Mound earth around pool sidewall as per manufacturer's instructions.
3. Filter electrical extensions cords are important. Check filter manual or town ordinances.
4. Filter & Pool should be properly grounded electrically.
5. Correct chlorine content is important for health and proper filter operation.
6. Warning - Do Not drive in pools less than 8 feet deep — Horseplay & running are dangerous.

IMPORTANT: How did customer find out about Pelican? ☐ From a Friend

☐ Newspaper ☐ Radio ☐ TV

SALESPERSON ☐ Mail ☐ Billboard ☐ Yellowpages ☐ Driveby

PLEASE NOTE: ☐ Other

PAID IN FULL

CHECK

CASH

CHARGE

SALES TOTAL	<u>\$2284.00</u>
SALES TAX	<u>\$125.04</u>
DEL. CHGE.	<u>\$200.00</u>
TOTAL	<u>\$2609.04</u>
DEPOSIT	<u>\$100.00</u>
BALANCE	<u>\$1984.00</u>

CUSTOMER'S RESPONSIBILITY:
SAND
PATIOBLOCKS
INSTALLATION
WATER

Strict caution should be maintained in the use of pools and pool equipment, particularly when children and minors are involved.

"SWIM IN THE BEST FOR LESS"

TOWNSHIP OF MARLBORO

DIVISION OF ZONING/CODE ENFORCEMENT

1979 TOWNSHIP DRIVE

MARLBORO, NEW JERSEY 07746

(732) 536-0200

Fax: (732) 972-7697

Sarah Paris

Zoning/Code Enforcement Officer

Date

5/17/05

RECEIVED

MAY 20 2005

TWP OF MARLBORO
ZONING

I, GAUTAM SMAN hereby certify that the proposed fence () pool ()

as depicted on the attached survey and topographical survey, will be situated in the exact location as

shown. The proposed fence will be made of Vinyl and will be

6 feet in height and will meet the BOCA requirements for a pool fence.

[Signature]
Homeowner's Signature

State of New Jersey, County of Monmouth

Be it remembered that on this 17 day of May 2005 Before me, the

subscriber, a Notary Public of the State of New Jersey, personally appeared _____

who, I am satisfied, are the person(s) named in and who executed the within statement, and thereupon they acknowledged that they signed, sealed and delivered the same as their act and deed, for the use and purpose therein expressed.

[Signature]
Notary Public, State of New Jersey

My Commission Expires:


Sonia Schogel

Notary Public of New Jersey

My Commission Expires 7/28/08

BLOCK 171

LOT 21



CONDOR DRIVE
(50' WIDE R.O.W.)

CRINE ROAD
(30' TO CENTERLINE)

RECEIVED
MAY 20 2005
TWP OF MARLBORO
ZONING

FINISHED FLOOR ELEVATION 94.98
GARAGE FLOOR ELEVATION 92.43

PROPERTY BEING KNOWN AND DESIGNATED AS LOT 15.29 IN BLOCK 171 AS SHOWN ON A MAP ENTITLED, "EAGLES NEST- FINAL PLAT, MAJOR SUBDIVISION", FILED IN THE MONMOUTH COUNTY CLERKS OFFICE ON 12/18/00 AS CASE NO. 279-13.

LOT 15.29	BLOCK 171	MODEL	CONCORD W/FP	HOUSE No. 58	AREA 13,193 S.F.
-----------	-----------	-------	--------------	--------------	------------------

CREST
Engineering Associates Inc.
PROFESSIONAL ENGINEERS & PLANNERS
LAND SURVEYORS - LANDSCAPE ARCHITECTS
CERTIFICATE OF AUTHORIZATION NO. 54527589300

CREST PROFESSIONAL PLATA
P.O. BOX 1210 STATE HWY. 33
HIGHTSTOWN, N.J. 08520
(609) 448-5550

12 ROSSING PKWY. AT WATER STREET
TOMS RIVER, N.J. 08753
(732) 244-0382

Daniel P. Hundley
DANIEL P. HUNDLEY
LICENSED PROFESSIONAL LAND SURVEYOR N.J. No. 33174

I CERTIFY THAT, TO THE BEST OF MY KNOWLEDGE AND BELIEF, THIS MAP OR PLAN IS THE RESULT OF A FIELD SURVEY MADE ON 5/6/04, BY ME OR UNDER MY DIRECT SUPERVISION, IN ACCORDANCE WITH THE RULES AND REGULATION PROMULGATED BY THE STATE BOARD OF PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

THE INFORMATION SHOWN HEREON CORRECTLY REPRESENTS THE CONDITIONS FOUND AT, AND AS OF THE DATE OF THE FIELD SURVEY, EXCEPT SUCH IMPROVEMENTS OR EASEMENTS, IF ANY, BELOW THE SURFACE AND NOT VISIBLE.

THIS CERTIFICATION IS GIVEN SOLELY TO THE ABOVE NAMED PARTIES EXCEPT AS FOLLOWS:

- TO THE TITLE INSURER SO THAT IT MAY INSURE TITLE TO THE PREMISES SHOWN HEREON;
- TO THE MORTGAGE HOLDER, THE CERTIFICATION SHALL SURVIVE TO ITS SUCCESSORS OR ASSIGNS;

CAUTION: IF THIS DOCUMENT DOES NOT CONTAIN A RAISED IMPRESSION SEAL OF THE PROFESSIONAL, IT IS NOT AN AUTHORIZED ORIGINAL DOCUMENT AND MAY HAVE BEEN ALTERED.

- NOTES:
- THIS CERTIFICATION IS MADE ONLY TO HEREON NAMED PARTIES FOR PURCHASE AND OR MORTGAGE OF HEREIN DELINEATED PROPERTY BY THE NAME PURCHASER. NO RESPONSIBILITY OR LIABILITY IS ASSUMED BY SURVEYOR FOR USE OF SURVEY FOR ANY OTHER PURPOSE INCLUDING BUT NOT LIMITED TO USE OF SURVEY FOR SURVEY AFFIDAVIT, RESALE OF PROPERTY, OR TO ANY OTHER PERSON NOT LISTED IN CERTIFICATION EITHER DIRECTLY OR INDIRECTLY.
 - UNDERGROUND UTILITIES NOT LOCATED BY THIS SURVEY.
 - NO ATTEMPT WAS MADE TO DETERMINE IF ANY PORTION OF THIS SURVEY IS CLAIMED BY THE STATE OF N.J. AS TIDELANDS.
 - DEED REFERENCE BOOK _____, PAGE _____.
 - ENVIRONMENTALLY SENSITIVE AREAS ARE NOT LOCATED BY THIS SURVEY.
 - A WRITTEN WAIVER AND DIRECTION NOT TO SET CORNERS MARKERS HAS BEEN OBTAINED FROM THE ULTIMATE USER PURSUANT TO N.J.A.C. 13:40-5.1(d).
 - SETBACK LINES PER FILED MAP

SURVEY OF PROPERTY
LOT 15.29
BLOCK 171
MARLBORO TOWNSHIP
MONMOUTH COUNTY, NEW JERSEY

DATE 5/6/04	DRAWN AD	CHECKED
SCALE 1" = 40'	FILE No. N 2868	DWG. No. 171-29.DWG

La Festiva!

5704

*Notre nouvelle
marche économique!*

Notre système de poids est intégré
à la marche pour faciliter l'installation.
Plus besoin de se mouiller!

Deux poids de 40 livres
assurent un bon ancrage

Une très bonne capacité d'adaptation
aux dénivellations du fond de la piscine
(2 pouces 1/2)

Des surfaces antidérapantes
garantissent la plus grande sécurité



La marche à suivre...
Pour un choix éclairé!

Empilable
(10 par palette)

The Festival!

5704

*Our new
affordable step!*

A plastic bracket can be
fixed on your patio.

Two weights of 40
pounds for ballasting

Our steps effectively
eliminate slipping.

Our ballast system is integrated
into the stairs for easier installation.
You don't need to get wet!



The leader in-pool steps


Stackable
(10 on a skid)



Lite II

ULTRA

7000 SERIES



Artesian POOLS
"ABSOLUTELY SPLASHING!"





Lifetime Guaranteed Stainless Steel Service Panel

Every Artesian Elite I Ultra pool features a Lifetime Guaranteed Stainless Steel Service Panel to protect your pool from corrosion around the skimmer and return openings, greatly increasing its lifespan. Plus, the wide mouth skimmer opening helps keep your pool cleaner.

YOUR SAFETY IS OUR GREATEST CONCERN

While owning a pool means years of family fun, it also involves responsible use and water safety. You must observe the following safety rules:

- NEVER jump or dive into an aboveground pool. Above ground pools contain shallow water.
- Provide constant adult supervision when children are in or near water. You should build or install an appropriate barrier to prevent unsupervised access, especially by young children. Consult your local dealer or local government for regulations and codes that may apply in your area.
- Read and follow all safety information provided with your pool, including the installation manual and water safety brochure.
- NEVER remove any applied or posted safety signs or labels from your pool or pool area.
- Follow all detailed safety warnings and notices in your pool installation manual and other literature.



DANGER - DO NOT DIVE



#BR-EL10-U

Armor Coat™ Ultimate Protection

- Copper-Bearing Steel Core
- Alkaline Cleaned
- Optimum Hot-Dipped Galvanized
- Alkaline Cleaned
- Acid Etched
- Pre-Bonding Agents Applied
- Chromate Sealed
- Enamel Base Coat
- Designer Pattern Application
- Armor Coat™ Protective Outer Coating**
- LiquiLok™ Epoxy Wall Backer**

Elite I ULTRA 7000 SERIES



● Lifetime Limited Warranty

Every Elite I Ultra Pool features a Lifetime Prorated Warranty on the entire pool.

● SunSafe™ Resin Seat

Artesian's exclusive high-density cellular resin combines unbeatable durability with superior style.

● 52" Wall Height - Standard!

Almost 4 feet of water depth! Steel in Artesian's 52" wall is 20% thicker than the typical 48" wall to withstand the increased water pressure.

● 7000 Series Frame

The wide, sturdy accented top seat and massive, multi-faceted upright provide reliable support and integrity to your pool.

● Sculpted Two-Piece Resin Seat Clamp

Stylish visual impact and smooth, no-snap edges.

● ArmorCoat™ Wall and PolyTak™ Frame

Our liquid-coat resin sealers lock out corrosion, discoloration and dirt buildup before they can start.

● LiquiLok™ Epoxy Wall Backer

Maximum protection against condensation buildup between wall and liner.

● The Perfect Finishing Touch...

Artesian offers a wide selection of custom-built deck and fence kits to complement your new pool!

ROUND POOLS

Pool Size	U.S. Gallons
12'	3,300
15'	5,100
18'	7,300
21'	9,950
24'	13,000
27'	16,450
30'	20,300



STANDARD OVALS

12'x24'	7,400
16'x24'	9,450
16'x32'	13,150
18'x34'	15,600

Water capacities shown are with water to the middle of the skimmer and a 2" protective layer of sand under the liner.



Universal Resin Fence Systems



**Fencing
Made
Easy**

**CENTRAL
JERSEY
POOLS**
PATIO & MORE

4235 Route 9 North
Freehold, NJ 07728
T 732.462.5005
F 732.462.0438

www.centraljerseypools.com

The Universal Resin Fence System offers you and your family poolside safety . . . and it's easy to install

- ☐ Universal fencing fits most above ground pools
- ☐ 100% maintenance-free Resin construction
- ☐ Hassle-free installation
- ☐ Attractive design enhances the pool's beauty
- ☐ Works with any pool ladder, deck, or entry system



Finely crafted decorative resin fence



Enhance your pool's appearance and safety with a UV-resistant Universal Resin Fence System. Purchase only the amount of fence you need, depending on the size of your pool.

Benefits of a Resin Fence System

- ☑ Decreases the risk of unauthorized pool use
- ☑ Enhances pool appearance
- ☑ UV resistant
- ☑ Purchase only the amount you need
- ☑ Will not chalk, crack, or peel
- ☑ Each fence section is 24" tall and 60" long

Adding this 24" tall resin fence to your pool increases safety in your backyard. This fence is not a substitute for adult supervision. Consult your local authorities on local codes that may apply. Make sure your pool entrance has a self-closing and self-latching gate and is properly maintained.






**It couldn't be easier to
install your
Universal Resin Fence System.**

Clear and Simple Instructions

- ☐ Safe and easy to work with
- ☐ Lightweight and durable
- ☐ Determine the amount of fence needed
- ☐ One fence section = one top rail
- ☐ Double check your measurements
- ☐ Lay the components out and begin following our easy instructions




Easy snap
on top-cap.



Easily
adds fence
sections.

Simple bolt
in end posts.

Easy tap-in rail
pickets for a
complete sturdy
resin fence.



Slide the
fence post into
bracket and secure.

Universal Resin Fence System:

- Resin Fence is made from HI-impact, UV stabilized, extruded PVC
- Resin Fence is shipped KD (unassembled)
- Resin Fence is field cut and assembled on the job site
- Resin Fence is available in 60" lengths only, so it can be cut to fit on any brand of above ground pool
- Resin Fence is UPS'able

Description	Part Number
A 8 piece base pack includes: 8 fence sections 7 middle fence posts 2 end posts	18601
B 3 piece add on includes: 3 fence sections 3 middle posts	18602
C 2 piece add on includes: 2 fence sections 2 middle posts	18603
E 1 resin self-closing gate	SCG24-R

The following is needed to enclose any above ground pool.
Works with both round and oval pools.

To figure out how much fence to buy, simply count the number of uprights on your pool and follow our easy-to-use chart.

To close the pool you must purchase a self-closing gate section (E kit) or you should purchase some other type of safety entry system.

This fence is not a substitute for adult supervision. Consult your local authorities on local codes that may apply. Make sure your pool entrance has a self-closing and self latching gate and is properly maintained.

11 uprights	10 sections fence	1A	1C
12 uprights	11 sections fence	1A	1B
13 uprights	12 sections fence	1A	2C
14 uprights	13 sections fence	1A	1B 1C
15 uprights	14 sections fence	1A	2B
16 uprights	15 sections fence	1A	1B 2C
17 uprights	16 sections fence	1A	2B 1C
18 uprights	17 sections fence	1A	3B
19 uprights	18 sections fence	1A	2B 2C
20 uprights	19 sections fence	1A	3B 1C
21 uprights	20 sections fence	1A	4B
22 uprights	21 sections fence	1A	3B 2C
23 uprights	22 sections fence	1A	4B 1C
24 uprights	23 sections fence	1A	5B
25 uprights	24 sections fence	1A	4B 2C
26 uprights	25 sections fence	1A	5B 1C
27 uprights	26 sections fence	1A	6B
28 uprights	27 sections fence	1A	5B 2C

Marlboro Township

Agent :

Contractor : SHAH, GAUTAM & S. & PRITI G.
CONDOR DRIVE
MORGANVILLE, NJ-07751

Ref : Application #. 38922

Subject : Building Review for 58 CONDOR DRIVE

Date : June 08, 2005

Subcode Notes

1. NO ZONING FOR GAZEBO
2. NEED PLANS FOR GAZEBO

Marlboro Township

Agent :

Contractor : SHAH, GAUTAM & S. & PRITI G.
CONDOR DRIVE
MORGANVILLE, NJ-07751

Ref : Application #. 38922

Subject : Building Review for 58 CONDOR DRIVE

Date : June 14, 2005

Subcode Notes

1. NO ZONING FOR GAZEBO
2. NEED PLANS FOR GAZEBO

6-14-05

1. IF THIS PERMIT IN FOR POOL ONLY.....REMOVE GAZEBO AND DECK INFO.....

Marlboro Township

Agent :

Contractor : SHAH, GAUTAM & S. & PRITI G.
CONDOR DRIVE
MORGANVILLE, NJ-07751

Ref : Application #. 38790

Subject : Building Review for 58 CONDOR DRIVE

Date : June 14, 2005

Subcode Notes

5-31-2005

1. NEED 2 COPIES OF DETAILED CONSTRUCTION PLANS FOR DECK AND GAZEBO

6-14-05

1. NEED 2 COPIES OF DETAILED PLANS FOR ALL PARTS OF DECK-----FOOTING SPANS==POST SIZES== BEAM SPANS==DECK HEIGHT

2. GAZEBO== NEED FOOTINGS & POST SIZES & FRAMING DETAIL OR IF MANUFACTURED, NEED BOOKLET ON SPECS.

3. FILL OUT CONTRACTOR INFO

DATE ORDERED _____
DATE RECEIVED _____
JOB READY _____
Insider Name _____

PROPOSAL / CONTRACT

NAME: Pittu Shah HOME# _____ DATE 5/3/05
ADDRESS 58 Candor Drive CROSS STREET Crane Rd.
CITY Morganville STATE NJ ZIP 07751 COUNTY Monmouth
WORK PHONE _____ CELL# _____ FAX# _____

BILLING ADDRESS (IF DIFFERENT FROM ABOVE)

Chain Link Fabric	Mesh	Gauge wire	Line posts	Turn posts	Ft. Spacing	Total	High
-------------------	------	------------	------------	------------	-------------	-------	------

Supply & Install:


19 sec. 6' high Augusta white
4 sec. 6' high Springfield white
1-8' d/d gate

N/E cps

\$620.00

~~4~~ Gazebo \$3800.00

MARK OUT #

Special Note:

Water ☐ Any Changes to Above Must Be In Writing ☐ Electric

We hereby propose to furnish labor and materials complete in accordance with the above specifications.

The Owner agrees to pay the Contractor \$ 620.00 dollars in full for the work.

(A) DOWN PAYMENT BY OWNER \$ _____ (C) BALANCE MUST BE PAID UPON COMPLETION \$ _____

(B) PAYMENT DUE AT DELIVERY/OTHER \$ _____ (D) CREDIT CARD # _____ EXP _____

Wahar **Y / N** X Initial

CONDITIONS PRINTED ON THE REVERSE SIDE ARE MUTUALLY UNDERSTOOD TO FORM PART OF THIS CONTRACT

SPECIAL ITEMS TO CONSIDER: (circle one)

Clearing: Yes No

Fence:	Take down	Yes	No
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68			
69			
70			
71			
72			
73			
74			
75			
76			
77			
78			
79			
80			
81			
82			
83			
84			
85			
86			
87			
88			
89			
90			
91			
92			
93			
94			
95			
96			
97			
98			
99			
100			

Take Away	Yes	No
-----------	-----	----

Core Drilling:	Asphalt	Yes	No
-----------------------	---------	-----	----

Concrete/Paver	Yes	No
----------------	-----	----

Top of fence to: ☒ follow ground ☐ be straight ☐ FD ☐ E

Additional Cleaning Cost: _____

Materials to be Taken Down _____ Footage _____

Location of Materials to be Taken Down

Pool Yes No Gale Swing _____

THE CUSTOMER IS RESPONSIBLE FOR ANY PERMITS OR VARIANCES. WE PROPOSE TO FURNISH AND INSTALL FENCING MATERIAL (OR MATERIAL ONLY) IN ACCORDANCE WITH THE CONDITIONS AND TERMS LISTED. THE FENCE LINE AND GRADE ARE TO BE LOCATED BY THE PROPERTY OWNER. CUSTOMER ASSUMES FULL RESPONSIBILITY FOR LOCATION OF FENCE AND AGREES TO, AT CUSTOMER'S SOLE EXPENSE, DEFEND AND HOLD HIM HARMLESS RESPECTING CLAIMS OF ENCROACHMENT, CLAIMS OF DAMAGE TO ANY AND ALL UNDERGROUND FACILITIES, AND/OR ANY OTHER CLAIMS BROUGHT ON ACCOUNT OF THE WORK HEREIN ABOVE DESCRIBED. NO WARRANTY ON WOOD PRODUCTS. CUSTOMER IS ALSO RESPONSIBLE FOR CLEANING AND MARKING OF ALL PROPERTY LINES. CUSTOMER MUST BE AT HOME FOR ENTIRE INSTALLATION OF FENCE. THIS MEANS; THE ACTUAL DECISION MADE, AS TO THE DESIGN OF THE FENCE LOCATION, MUST BE MADE UPON INSTALLATION DAY.


ALL work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving costs, will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents, weather or delays beyond our control. All material used are standard and accepted within the fence industry. **WARRANTY IS VOID IF SIGN IS REMOVED OR REUSED.**

ACCEPTED BY:
CARL'S FENCE

ACCEPTED BY: _____
CUSTOMER SIGNATURE: _____

Surrounded By The Best

TURN OVER



Electrical.

20 amp cables.

Copper 100 will be there

$\frac{3}{4}$ " PVC Conduit

THHN #12 Stranded Copper Wire

Black or Red
White
Green

#8 Green Solid copper Wire


Single Twist-Lock Receptacle
1 GFCI

1 Grounding Electrode


Drif box with Cover

GFI Protected covered
outlet.


SHAH GAUTAM
58 CONDOR DRIVE
MORGANVILLE NJ 07751
732-822-0570



CONGRESSIONAL
ARBOR



MEDINAH
ARBOR



POSTS

A CRITICAL ELEMENT TO ANY FENCE IS THE POSTS. COUNTRY CLUB VINYL PRODUCTS OFFER TWO OF THE HEAVIEST WALL THICKNESS POSTS AVAILABLE.

4" X 4" - 0.160"
5" X 5" - 0.160"

ANY STYLE CALLING FOR A 4" POST CAN ALWAYS BE UPGRADED TO A 5" POST. WE NOW OFFER A 5" X 5" - 0.270" GATE POST FOR ADDED STRENGTH.



CARL'S FENCING
1579 Route 9

Toms River, New Jersey 08755

Fax 732-505-1552

732-505-1749

- Residential
- Commercial
- Industrial
- Custom

Free Estimates
Reasonable Prices


Soel - 684-6703

© Copyright 2002 ASF, Inc.



THE QUALITY


Until recently, anyone wanting an impressive fence on their property was limited to wood construction. Those days are over. Advances in vinyl technology enable Country Club Vinyl Products to create vinyl fences that are more attractive and less expensive than comparable wood models. While the initial costs of wood may be lower, the long-term benefits of vinyl save money. These advantages include



minimal maintenance, virtually no replacement costs, and an attractive appearance that lasts many more years. We formulate and extrude some of the finest vinyl fences available today. They feature everything from interlocking panels and tongue-and-groove construction to decorative caps, aluminum reinforced bottom rails and a limited lifetime warranty. If reliable performance, alluring design and endless selections are important to you, look to us.




**INCREASE YOUR HOME VALUE AND EXTEND YOUR LEISURE
TIME WITH MAINTENANCE-FREE VINYL FENCING**



SPYGLASS

FENCE HEIGHT: 4 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 6" TONGUE & GROOVE & 2 3/4" DIAGONAL LATTICE
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO


FENCE HEIGHT: 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 6" TONGUE & GROOVE & 2 3/4" DIAGONAL LATTICE
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES



OAKMONT


FENCE HEIGHT: 4 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 6" INTERLOCKING PANELS & 2 3/4" DIAGONAL LATTICE
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO

FENCE HEIGHT: 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 6" INTERLOCKING PANELS & 2 3/4" DIAGONAL LATTICE
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES




BUSHWOOD

FENCE HEIGHT: 3 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 96" ON CENTER
 RAIL SPACING: 12 1/2"
 RAIL SIZE: 1 1/2" X 5 1/2" OR 2" X 6"
 ALUMINUM REINFORCED BOTTOM RAIL: NO
 MEETS BOCA POOL CODES: NO




BUSHWOOD

FENCE HEIGHT: 4 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 96" ON CENTER
 RAIL SPACING: 10 1/2"
 RAIL SIZE: 1 1/2" X 5 1/2" OR 2" X 6"
 ALUMINUM REINFORCED BOTTOM RAIL: NO
 MEETS BOCA POOL CODES: NO



AUGUSTA


FENCE HEIGHT: 4 FOOT, 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 6" TONGUE & GROOVE
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES



DORAL

FENCE HEIGHT: 4 FOOT, 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 6" INTERLOCKING PANELS
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES

CAPS



NEW ENGLAND
POST CAP




FLAT
POST CAP



BALL
POST CAP

















GOthic
POST CAP




BUSHWOOD

FENCE HEIGHT: 5 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 RAIL SPACING: 9 1/2"
 RAIL SIZE: 1 1/2" X 5 1/2" OR 2" X 6"
 ALUMINUM REINFORCED BOTTOM RAIL: NO
 MEETS BOCA POOL CODES: NO









SAWGRASS

FENCE HEIGHT: 3 FOOT, 3 1/2 FOOT & 4 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 96 1/4" ON CENTER
 PICKET SIZE: 1 3/8" X 1 3/8"
 PICKET SPACING: 1 11/16"
 RAIL SIZE: 2" X 3 1/2" & 2" X 6"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO



SHINNECOCK


FENCE HEIGHT: 3 FOOT & 4 FOOT
 POST SIZE: 4" X 4"
 POST SPACING: 95 1/2" ON CENTER
 PICKET SIZE: 7/8" X 3"
 PICKET SPACING: 2 7/16"
 RAIL SIZE: 2" X 3 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO



WENTWORTH

FENCE HEIGHT: 4 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 6" TONGUE & GROOVE & 1" X 1" TOPPER PICKETS
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO

FENCE HEIGHT: 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 6" TONGUE & GROOVE & 1" X 1" TOPPER PICKETS
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES




BROOKLINE

FENCE HEIGHT: 3 FOOT & 3 1/2 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 96 1/4" ON CENTER
 PICKET SIZE: 1 3/8" X 1 3/8"
 PICKET SPACING: 1 11/16"
 RAIL SIZE: 2" X 3 1/2" & 2" X 6"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO

FENCE HEIGHT: 4 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 96 1/4" ON CENTER
 PICKET SIZE: 1 3/8" X 1 3/8"
 PICKET SPACING: 1 11/16"
 RAIL SIZE: 2" X 3 1/2" & 2" X 6"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES


CONSTRUCTION



SPYGLASS

SHOWN IN ALMOND

THE COLOR ALMOND SHOWN ON THIS PAGE IS AS ACCURATE A REPRESENTATION AS POSSIBLE. ASK TO SEE A COLOR SAMPLE BEFORE MAKING YOUR PURCHASE.



ALUMINUM REINFORCED
 BOTTOM RAIL




INTERLOCKING
 PANEL



TONGUE &
 GROOVE




CENTER RAIL CONSTRUCTION







AVENEL

FENCE HEIGHT: 4 FOOT, 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 92 1/2" ON CENTER
 PICKET SIZE: 7/8" X 6"
 PICKET SPACING: 5 1/2"
 RAIL SIZE: 3 1/4" X 3 1/4"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO



HOMESTEAD

FENCE HEIGHT: 3 FOOT & 4 FOOT
 POST SIZE: 4" X 4"
 POST SPACING: 95 1/2" ON CENTER
 PICKET SIZE: 7/8" X 3"
 PICKET SPACING: 2 7/16"
 RAIL SIZE: 2" X 3 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO



PINEHURST





FENCE HEIGHT: 4 FOOT
 POST SIZE: 4" X 4"
 POST SPACING: 95 1/2" ON CENTER
 PICKET SIZE: 7/8" X 1 1/2" & 7/8" X 6"
 PICKET SPACING: 2 1/4"
 RAIL SIZE: 2" X 3 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO

FENCE HEIGHT: 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 96 1/2" ON CENTER
 PICKET SIZE: 7/8" X 1 1/2" & 7/8" X 6"
 PICKET SPACING: 2 1/4"
 RAIL SIZE: 2" X 3 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES

MUIRFIELD

FENCE HEIGHT: 4 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 96" ON CENTER
 PICKET SIZE: 7/8" X 6"
 PICKET SPACING: 7/8"
 RAIL SIZE: 2" X 3 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES

FENCE HEIGHT: 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 96" ON CENTER
 PICKET SIZE: 7/8" X 6"
 PICKET SPACING: 7/8"
 RAIL SIZE: 2" X 3 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES



TURNBERRY





FENCE HEIGHT: 4 FOOT
 POST SIZE: 4" X 4"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 1 3/8" X 1 3/8"
 PICKET SPACING: 3 3/4"
 RAIL SIZE: 2" X 3 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO

FENCE HEIGHT: 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 96" ON CENTER
 PICKET SIZE: 1 3/8" X 1 3/8"
 PICKET SPACING: 3 3/4"
 RAIL SIZE: 2" X 3 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES

BETHPAGE

FENCE HEIGHT: 4 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 96" ON CENTER
 PICKET SIZE: 7/8" X 6"
 PICKET SPACING: 7/8"
 RAIL SIZE: 2" X 3 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES

FENCE HEIGHT: 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 96" ON CENTER
 PICKET SIZE: 7/8" X 6"
 PICKET SPACING: 7/8"
 RAIL SIZE: 2" X 3 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES



INVERNESS





FENCE HEIGHT: 4 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 11.3" TONGUE & GROOVE & 1 3/8" X 1 3/8"
 TOPPER PICKETS WITH PYRAMID CAPS
 PICKET SPACING: NONE
 RAIL SIZE: 2" X 6" MIDDLE & BOTTOM RAIL & 2" X 3 1/2" TOP RAIL
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO

FENCE HEIGHT: 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 11.3" TONGUE & GROOVE & 1 3/8" X 1 3/8"
 TOPPER PICKETS WITH PYRAMID CAPS
 PICKET SPACING: NONE
 RAIL SIZE: 2" X 6" MIDDLE & BOTTOM RAIL & 2" X 3 1/2" TOP RAIL
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES

TRALEE

FENCE HEIGHT: 4 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 11.3" TONGUE & GROOVE & 1" X 1" TOPPER PICKETS
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO

FENCE HEIGHT: 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 11.3" TONGUE & GROOVE & 1" X 1" TOPPER PICKETS
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES




VALDERRAMA

FENCE HEIGHT: 4 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 11.3" TONGUE & GROOVE & 2 3/4" DIAGONAL LATTICE
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO

FENCE HEIGHT: 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 11.3" TONGUE & GROOVE & 2 3/4" DIAGONAL LATTICE
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES

PRESTWICK



FENCE HEIGHT: 4 FOOT, 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 11.3" TONGUE & GROOVE
 PICKET SPACING: NONE
 RAIL SIZE: 1 1/2" X 5 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES



SOUTHWIND

FENCE HEIGHT: 4 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 6" TONGUE & GROOVE & 1 3/8" X 1 3/8" TOPPER PICKETS WITH PYRAMID CAPS
 PICKET SPACING: NONE
 RAIL SIZE: 2" X 6" MIDDLE & BOTTOM RAIL & 2" X 3 1/2" TOP RAIL
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO

FENCE HEIGHT: 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 6" TONGUE & GROOVE & 1 3/8" X 1 3/8" TOPPER PICKETS WITH PYRAMID CAPS
 PICKET SPACING: NONE
 RAIL SIZE: 2" X 6" MIDDLE & BOTTOM RAIL & 2" X 3 1/2" TOP RAIL
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES



CANTERBURY

FENCE HEIGHT: 4 FOOT
 POST SIZE: 4" X 4"
 POST SPACING: 95" ON CENTER
 PICKET SIZE: 7/8" X 3"
 PICKET SPACING: 3 3/4"
 RAIL SIZE: 2" X 3 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: NO

FENCE HEIGHT: 5 FOOT & 6 FOOT
 POST SIZE: 5" X 5"
 POST SPACING: 96" ON CENTER
 PICKET SIZE: 7/8" X 3"
 PICKET SPACING: 3 3/4"
 RAIL SIZE: 2" X 3 1/2"
 ALUMINUM REINFORCED BOTTOM RAIL: YES
 MEETS BOCA POOL CODES: YES

