



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-001085 - 000	Alarm Date/Time	: 03/25/2024 05:33
Incident Location	: 30 Burnett Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp#	: 24-001084 - 000	Alarm Date/Time	: 03/24/2024 19:39
Incident Location	: Washington Ave/Hancox Ave, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital. Engine 1 performed a general cleanup of debris and twin towing removed both vehicles from the scene.

Incident Information

Incident-Exp#	: 24-001083 - 000	Alarm Date/Time	: 03/24/2024 19:14
Incident Location	: 30 Edgewood Ave, Nutley, NJ 07110	Incident Type	: 113 - Cooking fire, confined to container

Incident Remarks

Upon arrival we determined it was unattended cooking. The homeowner did not want us to assist in the ventilation and they were going to restore the fire alarm system

Incident Information

Incident-Exp#	: 24-001082 - 000	Alarm Date/Time	: 03/24/2024 18:45
Incident Location	: 1 River Rd, Nutley, NJ 07110	Incident Type	: 331 - Lock-in (if lock out, use 511)

Incident Remarks

Engine 1 and Ladder 1 had to force entry into 1 River Road Building 2 Unit L. The entry release form was signed by the unit owner and the office manager for the complex was on scene as well.

Incident Information

Incident-Exp#	: 24-001081 - 000	Alarm Date/Time	: 03/24/2024 18:11
Incident Location	: 287 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-001080 - 000	Alarm Date/Time	: 03/24/2024 13:40
Incident Location	: Hancox Ave/Lovel Ct, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Ladder 1 and 101 were dispatched on a tree limb that was hanging dangerously. We were able to raise the ladder and take down the limb.

Incident Information

Incident-Exp#	: 24-001079 - 000	Alarm Date/Time	: 03/24/2024 13:21
Incident Location	: 205 Raymond Ave, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

- Engine 1 responded to 205 Raymond Ave. on the report of a low hanging wire. Engine 1 arrived with PD on scene and observed a low hanging cable line. The resident of 205 Raymond stated the wire was old and hadn't been in service for quite some time. Engine crew were able to cut down the cable line and remove it for disposal. Engine 1 then cleared the scene.

Incident Information

Incident-Exp#	: 24-001078 - 000	Alarm Date/Time	: 03/24/2024 12:39
Incident Location	: 3 Yale St, APT 3D, Nutley, NJ, 07110, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

EMS 1 signed RMA

Incident Information

Incident-Exp#	: 24-001077 - 000	Alarm Date/Time	: 03/24/2024 11:38
Incident Location	: 716 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 716 Bloomfield Ave. on the report of an 86-year-old feeling lethargic and dehydrated.
- CAD # 24-16753
- Transport to Mountainside.

Incident Information

Incident-Exp#	: 24-001076 - 000	Alarm Date/Time	: 03/24/2024 09:41
Incident Location	: 38 Wells Ct, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 38 Wells Court on the report of chest pain.
- CAD # 24-16742
- Canceled en-route

Incident Information

Incident-Exp#	: 24-001075 - 000	Alarm Date/Time	: 03/24/2024 05:34
Incident Location	: 621 Prospect St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS1 and L1 responded to above address for a medical with transport.
See CAD # 24-16732

Incident Information

Incident-Exp#	: 24-001074 - 000	Alarm Date/Time	: 03/24/2024 01:48
Incident Location	: 475 Franklin Ave, Nutley, NJ 07110	Incident Type	: 735 - Alarm system sounded due to malfunction

Incident Remarks

E1 and L1 responded to 475 Franklin on an alarm activation. Upon arrival alarm was not sounding but a beeping was heard from the keypad. Entry was unable to be made and 360 of building showed no sign of smoke or fire. NPD had no contact information and it was determined to be a malfunction.

Incident Information

Incident-Exp#	: 24-001073 - 000	Alarm Date/Time	: 03/23/2024 23:10
Incident Location	: 83 Raymond Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above address for a lift assist.
See CAD # 24-16655



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-001072 - 000	Alarm Date/Time	: 03/23/2024 22:11
Incident Location	: 152 Prospect St, Nutley, NJ 07110	Incident Type	: 114 - Chimney or flue fire, confined to chimney or flue

Incident Remarks

E1, L1, EMS1 and automatic aid were dispatched to 152 Prospect St for a chimney fire. Engine 3 also responded. Upon arrival crews found sparks coming from the top of chimney at the fireplace flue. Homeowner had a fire in the fireplace earlier. Aerial was set up and flue was extinguished and cleared with the chimney snuffer. Homeowner was advised to not use until serviced.

Incident Information

Incident-Exp#	: 24-001071 - 000	Alarm Date/Time	: 03/23/2024 20:24
Incident Location	: 16 Cuzzo St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS1 responded to above address for a medical with transport.

See CAD # 24-16624

Incident Information

Incident-Exp#	: 24-001070 - 000	Alarm Date/Time	: 03/23/2024 19:00
Incident Location	: 350 Passaic Ave, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

E1 and L1 responded to above location for an activated smoke detector. Upon arrival crew found activation was accidental from burnt food. Further investigation confirmed cause.

Incident Information

Incident-Exp#	: 24-001069 - 000	Alarm Date/Time	: 03/23/2024 14:23
Incident Location	: Third St/Clinton Ave, Clifton, NJ 07011	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 1 responded to above address for a medical with transport.

See CAD # 24-16578

Incident Information

Incident-Exp#	: 24-001068 - 000	Alarm Date/Time	: 03/23/2024 15:39
Incident Location	: 36 Cross St, Nutley, NJ 07110	Incident Type	: 522 - Water or steam leak

Incident Remarks

E1 and L1 responded to above location on the report of water coming into the home. Upon arrival, units found homeowner had water had come into her basement and gotten her rug wet. Neighbor stated he would assist with shop vac in removing water. Nothing needed by FD.

Incident Information

Incident-Exp#	: 24-001067 - 000	Alarm Date/Time	: 03/23/2024 15:22
Incident Location	: 1 Stager St, Nutley, NJ 07110	Incident Type	: 522 - Water or steam leak

Incident Remarks

L1 responded to above location on the report of water in the basement and a foul odor. Upon arrival L1 found the water and odor was due to the sewer backing up into the home due to heavy rains. Sewer department was notified of situation.

Incident Information

Incident-Exp#	: 24-001066 - 000	Alarm Date/Time	: 03/23/2024 15:04
Incident Location	: 10 Saint Pauls Pl, Nutley, NJ 07110	Incident Type	: 521 - Water evacuation

Incident Remarks

E1 responded to St Pauls church to provide Electric pump kit #4 to assist the BOE in water removal. Mike Spagnuolo is contact info for pump and was advised to contact FD when completed.

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-001065 - 000	Alarm Date/Time	: 03/23/2024 14:33
Incident Location	: 475 Franklin Ave, Nutley, NJ 07110	Incident Type	: 734 - Heat detector activation due to malfunction

Incident Remarks

E1 and L1 responded to above location for an alarm activation. Upon arrival, alarm panel stated it was a heat detector activation. A faulty head was found but alarm was unable to reset. Owner was contacting company for repair.

Incident Information

Incident-Exp#	: 24-001064 - 000	Alarm Date/Time	: 03/23/2024 13:19
Incident Location	: Bloomfield Ave/Plymouth Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above address for a medical with transport.

See CAD # 24-16571

Incident Information

Incident-Exp#	: 24-001063 - 000	Alarm Date/Time	: 03/23/2024 10:22
Incident Location	: 37 Allan Dr, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above address for a medical call with transport.

See CAD # 24-16549

Incident Information

Incident-Exp#	: 24-001062 - 000	Alarm Date/Time	: 03/23/2024 11:21
Incident Location	: 65 Povershon Rd, Nutley, NJ 07110	Incident Type	: 522 - Water or steam leak

Incident Remarks

E1 and L1 responded to above location for water coming in through the breaker panel. Investigation upon arrival found a small amount of water coming in from outside into panel. Homeowner had shut main prior to our arrival. No hazard was determined and homeowner was contacting electrician for repair.

Incident Information

Incident-Exp#	: 24-001061 - 000	Alarm Date/Time	: 03/23/2024 11:05
Incident Location	: 510 Franklin Ave, Nutley, NJ 07110	Incident Type	: 555 - Defective elevator, no occupants

Incident Remarks

L1 was dispatched to remove the lock out tag out lock from the elevator at 510 Franklin Ave for repair. Called in by elevator repair.

Incident Information

Incident-Exp#	: 24-001060 - 000	Alarm Date/Time	: 03/23/2024 06:16
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

Fire units responded to the above location for a vehicle accident with injuries. EMS transported the driver to Clara Mass Hospital. Police was going to await the tow company, Engine 1 cleared.

Incident Information

Incident-Exp#	: 24-001059 - 000	Alarm Date/Time	: 03/23/2024 06:20
Incident Location	: 283 Washington Ave, Nutley, NJ 07110	Incident Type	: 251 - Excessive heat, scorch burns with no ignition

Incident Remarks

Fire units responded to the above location for a runaway boiler. We shut the gas off to the unit. PSEG arrived on scene and we cleared.

Incident Information

Incident-Exp#	: 24-001058 - 000	Alarm Date/Time	: 03/23/2024 03:12
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 7 William St, Apt 509, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person with difficulty breathing. EMS 1 transported the patient to Clara Maass Hospital.

Incident Information

Incident-Exp# : 24-001057 - 000

Alarm Date/Time : 03/22/2024 10:50

Incident Location : 179 Franklin St, Belleville, NJ 07109

Incident Type : 651 - Smoke scare, odor of smoke

Incident Remarks

Ladder 1 responded to the above address for a reported working fire. We arrived on scene and placed the aerial to the roof. We climbed to the roof and checked for fire and HVAC units. No smoke, fire or heat signatures were present on the roof. We descended the aerial then stood by on the A side until we were released.

Clifton Ladder was put on a Verble standby while we were at this incident.

Incident Information

Incident-Exp# : 24-001056 - 000

Alarm Date/Time : 03/22/2024 11:00

Incident Location : 65 Bloomfield Ave, Nutley, NJ 07110

Incident Type : 551 - Assist police or other governmental agency

Incident Remarks

We deployed 4 light towers to demuro park for the parks and recreation department.

Incident Information

Incident-Exp# : 24-001055 - 000

Alarm Date/Time : 03/22/2024 17:48

Incident Location : 386 Franklin Ave, Nutley, NJ 07110

Incident Type : 745 - Alarm system sounded, no fire - unintentional

Incident Remarks

Fire units responded to the above location for an activated fire alarm. Upon arrival there was no alarms sounding. Crews checked the entire building and found no cause for alarm. Fire units cleared.

Incident Information

Incident-Exp# : 24-001054 - 000

Alarm Date/Time : 03/22/2024 22:44

Incident Location : 34 Entwistle Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person feeling dizzy. EMS transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-001053 - 000

Alarm Date/Time : 03/22/2024 16:30

Incident Location : 11 Harvard St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 and EMS 1 responded to the above address for a person feeling faint. EMS 1 transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-001052 - 000

Alarm Date/Time : 03/22/2024 12:40

Incident Location : Bedford St/Rhode Island Ave, EastOrange, NJ 07018

Incident Type : 411 - Gasoline or other flammable liquid spill

Incident Remarks

I received a phone call from DEP Duty Officer Carlo Ponsica regarding a possible hazmat incident. He stated he received a call from an East Orange resident that complained of illegal oil dumping at a business located at the intersection of Bedford Street and Rhode Island Avenue. I told him I would contact EOFD to send the fire department to investigate and we would respond if necessary.

I called EOFD dispatched and informed them of the DEP notification. They stated they also received a call and they sent an Engine to that



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

location to investigate. The Captain of the Engine found no illegal dumping. The Captain stated they were just power washing vehicles and there was no hazard found. I then called back DEP Officer Posica and updated him on the incident and asked him if he wanted Hazmat to respond to confirm. He stated that there was no need for a response and he closed out the case.

Incident Information

Incident-Exp#	: 24-001051 - 000	Alarm Date/Time	: 03/22/2024 10:35
Incident Location	: 98 Walnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to the above stated address for a male patient with a liver problem. Patient was transported to University Hospital.

Incident Information

Incident-Exp#	: 24-001050 - 000	Alarm Date/Time	: 03/22/2024 10:57
Incident Location	: 134 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 was dispatched to the above stated address for a woman who was bedridden. Patient transported by Bloomfield EMS 43 to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-001049 - 000	Alarm Date/Time	: 03/22/2024 09:37
Incident Location	: 1 Rutgers Ct, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to above stated address for a fall victim. EMS 1 transported patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-001048 - 000	Alarm Date/Time	: 03/22/2024 09:22
Incident Location	: Washington Ave/William St, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was cancelled en-route.

Incident Information

Incident-Exp#	: 24-001047 - 000	Alarm Date/Time	: 03/22/2024 00:57
Incident Location	: 510 Franklin Ave, Nutley, NJ 07110	Incident Type	: 353 - Removal of victim(s) from stalled elevator

Incident Remarks

Engine 1 & Ladder 1 responded to the above location for a person stuck in the elevator. Upon arrival made voice contact with the person on the 3rd floor. Door was opened using elevator keys. Elevator was shut down and locked out by FD members. E-mail sent to building department to follow up.

Incident Information

Incident-Exp#	: 24-001046 - 000	Alarm Date/Time	: 03/21/2024 22:32
Incident Location	: 62 Yale St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. RMA signed.

Incident Information

Incident-Exp#	: 24-001045 - 000	Alarm Date/Time	: 03/21/2024 20:45
Incident Location	: 319 River Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Clara Mass.

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-001044 - 000	Alarm Date/Time	: 03/21/2024 18:48
Incident Location	: 125 Columbia Ave, Nutley, NJ 07110	Incident Type	: 651 - Smoke scare, odor of smoke

Incident Remarks

Engine 1 & Ladder 1 responded to the above location for a fire alarm. Upon arrival residents were having a religious ritual in the house that set off the smoke alarm.

Incident Information

Incident-Exp#	: 24-001043 - 000	Alarm Date/Time	: 03/21/2024 16:19
Incident Location	: 53 Evergreen Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Mountainside.

Incident Information

Incident-Exp#	: 24-001042 - 000	Alarm Date/Time	: 03/21/2024 15:12
Incident Location	: 103 Park Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1 responded to the above location for a medical. RMA signed.

Incident Information

Incident-Exp#	: 24-001041 - 000	Alarm Date/Time	: 03/21/2024 14:41
Incident Location	: 780 Route 3 west, Clifton, NJ 7015	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS1 responded to the above location in Clifton. Transported to St. Joe's

Incident Information

Incident-Exp#	: 24-001040 - 000	Alarm Date/Time	: 03/21/2024 14:48
Incident Location	: 56 Povershon Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 and EMS 48 responded to the above location for a person who had fallen. EMS 48 arrived and transported 1 patient to Mountainside Hospital.
See CAD#24-16194

Incident Information

Incident-Exp#	: 24-001039 - 000	Alarm Date/Time	: 03/21/2024 09:49
Incident Location	: 724 Page Ave, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above address for a medical. EMS transported 1 patient to Hackensack Hospital.
See CAD 24-16164

Incident Information

Incident-Exp#	: 24-001038 - 000	Alarm Date/Time	: 03/21/2024 10:43
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 was dispatched to the holding cell for a sick person. Personnel took vitals and has a signed RMA.
See CAD 24-16167

Incident Information

Incident-Exp#	: 24-001037 - 000	Alarm Date/Time	: 03/21/2024 05:54
Incident Location	: 519 Forest Ave, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital with medics aboard

Incident Information

Incident-Exp#	: 24-001036 - 000	Alarm Date/Time	: 03/21/2024 05:29
Incident Location	: 339 Franklin ave, Nutley, NJ 07110	Incident Type	: 522 - Water or steam leak

Incident Remarks

Upon arrival we had a water leak under the counter of the Cupily coffee shoppe We were able to shut down the water supply to the appliance.

Incident Information

Incident-Exp#	: 24-001035 - 000	Alarm Date/Time	: 03/21/2024 02:30
Incident Location	: 88 Warren St, Apt 1A, Nutley, NJ 07110	Incident Type	: 531 - Smoke or odor removal

Incident Remarks

- Engine 1 and Ladder 1 responded to 88 Warren Street, Apt. 1A on the report of a suspicious odor. Fire personnel arrived with PD on scene speaking to the resident of Apt. 1A. The resident explained she kept noticing a suspicious odor in her apartment. Firefighters conducted air monitoring throughout the apartment and results were negative for any type of hazard. Firefighters also performed air monitoring on the second floor of the multiple dwelling with the same negative results. The apartment was deemed to be safe and fire units cleared the scene.

Incident Information

Incident-Exp#	: 24-001034 - 000	Alarm Date/Time	: 03/21/2024 00:22
Incident Location	: 53 Saint Marys Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- Ladder 1 and EMS 1 responded to 53 St. Mary's Place on the report of a welfare check. Fire personnel arrived with PD on scene. Attempts were made to make contact with the resident at the front and rear doors. A nearby neighbor made first responders aware that the resident was not home and in a rehab facility. The neighbor also provided the access code for entry into the apartment. PD made entry and after searching the apartment confirmed the resident was not home. Fire units then cleared the scene.

CAD # 24-16070

Incident Information

Incident-Exp#	: 24-001033 - 000	Alarm Date/Time	: 03/20/2024 22:53
Incident Location	: 40 Colonial Ter, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-001032 - 000	Alarm Date/Time	: 03/20/2024 19:56
Incident Location	: 158 Vreeland Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 158 Vreeland Ave. on the report of a woman with abdominal pain.

- CAD # 24-16037

- Transport to Clara Maas.

Incident Information

Incident-Exp#	: 24-001031 - 000	Alarm Date/Time	: 03/20/2024 16:26
Incident Location	: Park Ave/Union Ave, Nutley, NJ 07110	Incident Type	: 651 - Smoke scare, odor of smoke

Incident Remarks

Nutley Police dispatched us on a report of a car fire. Upon arrival it was determined to be a vehicle that had an electrical issue and would not start. NO smoke or fire at the time of arrival vehicle will be getting removed by tow truck.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-001030 - 000	Alarm Date/Time	: 03/20/2024 15:15
Incident Location	: 104 Stratford Dr, Nutley, NJ 07110	Incident Type	: 113 - Cooking fire, confined to container

Incident Remarks

Upon arrival it was determined to be unattended cooking. We performed horizontal ventilation and advised the homeowner to call for service for the fire alarm system.

Incident Information

Incident-Exp#	: 24-001029 - 000	Alarm Date/Time	: 03/20/2024 12:35
Incident Location	: 100 Vincent Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp#	: 24-001028 - 000	Alarm Date/Time	: 03/20/2024 11:11
Incident Location	: 44 Daily St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 24-001027 - 000	Alarm Date/Time	: 03/20/2024 11:14
Incident Location	: 17 North Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 checked vitals and Belleville EMS transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-001026 - 000	Alarm Date/Time	: 03/20/2024 09:14
Incident Location	: 18 Cedar St, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 24-001025 - 000	Alarm Date/Time	: 03/20/2024 07:13
Incident Location	: 7 William St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital. Engine 1 was released on scene entry gained

Incident Information

Incident-Exp#	: 24-001024 - 000	Alarm Date/Time	: 03/20/2024 04:17
Incident Location	: route 17, Lyndhurst, NJ 07071	Incident Type	: 324 - Motor vehicle accident with no injuries.

Incident Remarks

EMS 1 received a signed RMA see cad#24-15928

Incident Information

Incident-Exp#	: 24-001023 - 000	Alarm Date/Time	: 03/20/2024 03:55
Incident Location	: 168 Hillside Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

EMS 1 received a signed RMA see cad#24-15923

Incident Information

Incident-Exp#	: 24-001022 - 000	Alarm Date/Time	: 03/19/2024 22:33
Incident Location	: 15 Edgar Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-15883

Incident Information

Incident-Exp#	: 24-001021 - 000	Alarm Date/Time	: 03/19/2024 13:01
Incident Location	: 181 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-15803

Incident Information

Incident-Exp#	: 24-001020 - 000	Alarm Date/Time	: 03/19/2024 12:41
Incident Location	: 140 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-15801

Incident Information

Incident-Exp#	: 24-001019 - 000	Alarm Date/Time	: 03/19/2024 12:15
Incident Location	: 249 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-15799

Incident Information

Incident-Exp#	: 24-001018 - 000	Alarm Date/Time	: 03/19/2024 07:13
Incident Location	: 206 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-15756

Incident Information

Incident-Exp#	: 24-001017 - 000	Alarm Date/Time	: 03/19/2024 15:27
Incident Location	: 123 Metro Blvd, Nutley, NJ 07110	Incident Type	: 641 - Vicinity alarm (incident in other location)

Incident Remarks

Engine 1 Ladder 1 was dispatched to 123 Metro Blvd on an odor of gas by a passerby. Engine 1 arrived on scene and investigated. slight odor in the air on the clifton side of the property. Engine 1 advised clifton fd and PSEG to respond. Engine 1 Ladder 1 clear and available at 1533 hours.

Incident Information

Incident-Exp#	: 24-001016 - 000	Alarm Date/Time	: 03/19/2024 13:16
Incident Location	: 16 Monsignor Owens Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder responded to above location for a medical. see cad report 24-15809. Belleville transported 1 to St Barnabus

Incident Information

Incident-Exp#	: 24-001015 - 000	Alarm Date/Time	: 03/19/2024 13:10
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 98 Nutley Ave, Nutley, NJ 07110

Incident Type : 735 - Alarm system sounded due to malfunction

Incident Remarks

Engine 1 ladder 1 were dispatched to above address for an activated fire alarm. Upon arrival homeowner informed us that water was coming from the 2nd floor smoke detector which was sounding. upon further investigation we found that water was leaking from HVAC unit in the attic. Water was removed from pan and flushed down the toilet. Homeowner was advised to call service professional to fix alarm. Engine 1 was clear and available at 1325 hours and ladder one was dispatched to medical call.

Incident Information

Incident-Exp# : 24-001014 - 000

Alarm Date/Time : 03/19/2024 09:00

Incident Location : 98 Nutley Ave, Nutley, NJ 07110

Incident Type : 735 - Alarm system sounded due to malfunction

Incident Remarks

Eng 1 responded to 98 Nutley Ave as per NPD advised audible alarm sounding no emergency. Upon arrival engine 1 meet with homeowner and states her alarm was sounding and did not know why as per there was no smoke or fire. Engine 1 search the dwelling and found no emergency. Upon further investigation eng 1 found a smoke detector that did not have a green light. the detector was removed and reinstalled and worked. eng advised homeowner to contact service professional if issue persist. engine was clear and available 0932 hours.

Incident Information

Incident-Exp# : 24-001013 - 000

Alarm Date/Time : 03/19/2024 05:55

Incident Location : 42 Witherspoon St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-001012 - 000

Alarm Date/Time : 03/19/2024 04:52

Incident Location : 25 River Rd, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-001011 - 000

Alarm Date/Time : 03/19/2024 03:36

Incident Location : 658 Passaic Ave, Nutley, NJ 07110

Incident Type : 735 - Alarm system sounded due to malfunction

Incident Remarks

Engine 1 & Ladder 1 responded to the above location on a reported fire alarm activation. Upon arrival no alarm was sounding. Entered the business using the Knox key. Alarm panel was reading "normal "checked the business could find no cause for alarm. 360 survey of building was completed with negative results.

Incident Information

Incident-Exp# : 24-001010 - 000

Alarm Date/Time : 03/18/2024 20:30

Incident Location : 171 Passaic Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Upon arrival the subject refused to speak with them and walked away.

Incident Information

Incident-Exp# : 24-001009 - 000

Alarm Date/Time : 03/18/2024 19:33

Incident Location : 72 Thomas St, Bloomfield, NJ 07003

Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 responded to the above location. Upon arrival they were canceled by Medics. No patient contact.

Incident Information

Incident-Exp# : 24-001008 - 000

Alarm Date/Time : 03/18/2024 14:30



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 31 Pitt St, Bloomfield, NJ 07003

Incident Type : 111 - Building fire

Incident Remarks

Ladder 1 responded to the above address in Bloomfield on automatic aid. Upon arrival had heavy fire in a 2 1/2 story frame with extension to the house on the "D" side. Ladder 1 crew was directed into the main fire building to division 3 to open up the walls and check for extension. Found fire in the walls on division 3 called for a line and extinguished all visible fire. Ladder crew came out changed air cylinders and went back to work on division 3 until relieved by the Newark Ladder.

Incident Information

Incident-Exp# : 24-001007 - 000

Alarm Date/Time : 03/18/2024 12:52

Incident Location : 124 Conover Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 & Ladder 1 responded to the above location for an unresponsive patient. Transport to St. Joe's.

Incident Information

Incident-Exp# : 24-001006 - 000

Alarm Date/Time : 03/18/2024 16:00

Incident Location : Franklin Ave/High St, Nutley, NJ 07110

Incident Type : 553 - Public service

Incident Remarks

EMS 1 responded to the above intersection for a person who defecated themselves. EMS provided water to wash down the sidewalk.

Incident Information

Incident-Exp# : 24-001005 - 000

Alarm Date/Time : 03/18/2024 14:07

Incident Location : 88 Park Ave, Nutley, NJ 07110

Incident Type : 652 - Steam, vapor, fog or dust thought to be smoke

Incident Remarks

Engine 1 & Ladder 1 responded to the above location on a report of a fire alarm. Upon arrival found workers sanding in the building causing the dust and setting off the alarm. Alarm was re set.

Incident Information

Incident-Exp# : 24-001004 - 000

Alarm Date/Time : 03/18/2024 09:06

Incident Location : 361 Harrison St, Nutley, NJ 07110

Incident Type : 745 - Alarm system sounded, no fire - unintentional

Incident Remarks

Engine 1 and Ladder 1 responded to the above location for an activated fire alarm. Upon arrival, met with alarm company which advised that the alarm system would be on test for the next hour.

Incident Information

Incident-Exp# : 24-001003 - 000

Alarm Date/Time : 03/18/2024 08:40

Incident Location : 120 Prospect St, Nutley, NJ 07110

Incident Type : 735 - Alarm system sounded due to malfunction

Incident Remarks

Engine 1 and Ladder 1 responded to the above location for a reported fire alarm. Upon arrival, found alarms sounding throughout the church. Crews searched the entire church and could not find the activated head. Personnel on scene advised to call the alarm company.

Incident Information

Incident-Exp# : 24-001002 - 000

Alarm Date/Time : 03/17/2024 21:57

Incident Location : 42 Humbert St, Apt 9, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a possible domestic. EMS 1 received a signed RMA and returned to service.

Incident Information

Incident-Exp# : 24-001001 - 000

Alarm Date/Time : 03/17/2024 20:16

Incident Location : 153 Oak Ridge Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

EMS 1 responded to the above address for a person that fell. EMS 1 transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-001000 - 000	Alarm Date/Time	: 03/17/2024 18:55
Incident Location	: 287 William St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above address for a person with abdominal pain. EMS 1 transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000999 - 000	Alarm Date/Time	: 03/17/2024 17:39
Incident Location	: 146 San Antonio Ave, Nutley, NJ 07110	Incident Type	: 561 - Unauthorized burning

Incident Remarks

Engine 1 responded to the above address for the report of open burning. The owner of the above address was burning papers and rubbish in an approved firepit. I had FF Bozza extinguish the fire using the homeowners garden hose. I educated the homeowner on what he could and could not burn in his fire pit. Engine 1 cleared.

Incident Information

Incident-Exp#	: 24-000998 - 000	Alarm Date/Time	: 03/17/2024 12:35
Incident Location	: 1 Pauline Dr, Nutley, NJ 07110	Incident Type	: 651 - Smoke scare, odor of smoke

Incident Remarks

Engine 1 and Ladder 1 responded to the above location for an odor of burning in the basement. We entered the basement and had a slight odor in the air but had no signs of smoke or fire. I used a thermal imaging camera and checked the entire basement including, lights, outlets, utilities, sub pump and appliances and did not find any abnormal heat signatures. The odor dissipated while we were on location. I had crews pull out a chest freezer and a refrigerator to check the motor areas and both were running normal. The homeowner stated she was using the laundry and ran a large load in the dryer and that was when she smelt the odor. Firefighters checked the lint tray and the rear of the dryer and did not find anything abnormal or signs of burning. I had the homeowner raise her heat and we ran the laundry equipment and no odor occurred. I had firefighters also meter the entire house and all the readings were normal. I confirmed the homeowner was going to be home all day and advised them to call 911 if the smell came back. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000997 - 000	Alarm Date/Time	: 03/17/2024 14:31
Incident Location	: 24 Renner Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded the above location for a person with abdominal pain. EMS 1 transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000996 - 000	Alarm Date/Time	: 03/17/2024 13:57
Incident Location	: Broad St/Overlook Ter, Bloomfield, NJ 07003	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 1 responded to the above location for a MVA with injuries. EMS 1 received 2 signed RMAs then returned to service.

Incident Information

Incident-Exp#	: 24-000995 - 000	Alarm Date/Time	: 03/17/2024 12:43
Incident Location	: 83 Raymond Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to a lift assist at the above location. EMS took vitals and recommended the patient to get transported to the hospital. Patient was alert and oriented and signed an RMA AMA.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000994 - 000	Alarm Date/Time	: 03/17/2024 09:12
Incident Location	: Sunset Dr/Coeyman Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to a person who fell in the street near the above intersection. EMS 1 transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000993 - 000	Alarm Date/Time	: 03/17/2024 05:42
Incident Location	: 50 Columbia Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp#	: 24-000992 - 000	Alarm Date/Time	: 03/17/2024 05:21
Incident Location	: 98 Passaic Ave, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 1 signed RMA. Engine 1 and Ladder 1 performed a general clean up of debris and awaited PSE&G to respond. PSE&G requested the road to remain closed until the pole#6123nt could be replaced.

Incident Information

Incident-Exp#	: 24-000991 - 000	Alarm Date/Time	: 03/17/2024 04:01
Incident Location	: 482 Joralemon St, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was canceled en route by Belleville Fire

Incident Information

Incident-Exp#	: 24-000990 - 000	Alarm Date/Time	: 03/17/2024 03:16
Incident Location	: 140 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp#	: 24-000989 - 000	Alarm Date/Time	: 03/16/2024 23:07
Incident Location	: 45 San Antonio Ave, Nutley, NJ 07110	Incident Type	: 441 - Heat from short circuit (wiring), defective/worn

Incident Remarks

Homeowner called reporting that half of the home lost power. Upon arrival it was determined to be arching wires at the pole#63096. We checked inside the home with our thermal imaging camera and had negative results. PSE&G responded and released us on scene.

Incident Information

Incident-Exp#	: 24-000988 - 000	Alarm Date/Time	: 03/16/2024 21:15
Incident Location	: 16 Webster St, Nutley, NJ 07110	Incident Type	: 381 - Rescue or EMS standby

Incident Remarks

EMS 1 Ladder 1 and 101 performed a stand by for a possible welfare check. Nutley Police were able to make contact with the owner and we were released.

Incident Information

Incident-Exp#	: 24-000987 - 000	Alarm Date/Time	: 03/16/2024 17:25
Incident Location	: 390 Franklin St, Bloomfield, NJ 07003	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 canceled en route by Bloomfield FD.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp# : 24-000986 - 000

Alarm Date/Time : 03/16/2024 16:13

Incident Location : 50 Hancox Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000985 - 000

Alarm Date/Time : 03/16/2024 15:34

Incident Location : 7 William St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to 7 William Street Apt 319 on the report of a person who fell.

EMS 1 received a Signed RMA.

SEE CAD #24-15171

Incident Information

Incident-Exp# : 24-000984 - 000

Alarm Date/Time : 03/16/2024 10:23

Incident Location : 388 Washington Ave, Belleville, NJ 07109

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000983 - 000

Alarm Date/Time : 03/16/2024 08:43

Incident Location : 144 Washington Ave, Belleville, NJ 07109

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000982 - 000

Alarm Date/Time : 03/16/2024 02:52

Incident Location : 77 Columbia Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above address for a medical with transport.

See CAD # 24-15092

Incident Information

Incident-Exp# : 24-000981 - 000

Alarm Date/Time : 03/15/2024 23:38

Incident Location : 187 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above location for a medical with transport.

See CAD #24-15054

Incident Information

Incident-Exp# : 24-000980 - 000

Alarm Date/Time : 03/15/2024 20:34

Incident Location : 156 Margaret Ave, Nutley, NJ 07110

Incident Type : 551 - Assist police or other governmental agency

Incident Remarks

E1, L1 and EMS1 were called out to above location to assist NPD with a suicidal party. L1 provided a ladder for NPD and EMS1 was told to



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

stage. NPD made contact with individual and transported to hospital. No patient contact was made and all units cleared scene.

Incident Information

Incident-Exp#	: 24-000979 - 000	Alarm Date/Time	: 03/15/2024 19:39
Incident Location	: 331 Park Ave, Apt 20, Nutley, NJ 07110	Incident Type	: 531 - Smoke or odor removal

Incident Remarks

NFD was dispatched to above address for an odor investigation. Upon arrival NPD made entry with key supplied by neighbor. Resident was home asleep and odor appeared to be from garbage in hallway. NPD released NFD from scene.

Incident Information

Incident-Exp#	: 24-000978 - 000	Alarm Date/Time	: 03/15/2024 18:43
Incident Location	: 314 Grant Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above location for a medical with transport.

See CAD# 24-15024

Incident Information

Incident-Exp#	: 24-000977 - 000	Alarm Date/Time	: 03/15/2024 15:56
Incident Location	: Bloomfield Ave/Spruce St, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

E1 and L1 responded to above location for a low hanging wire. Upon arrival crew found a low cable wire with a box attached. Wire is posing no hazard and PD was advised to notify Verizon.

Incident Information

Incident-Exp#	: 24-000976 - 000	Alarm Date/Time	: 03/15/2024 15:44
Incident Location	: 378 Franklin Ave, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

E1 was dispatched to above location for an activated fire alarm. Upon arrival E1 was met by the contractor who accidentally set alarm off with sawdust. Further investigation determined that to be the cause. Alarm was reset and E1 cleared scene.

Incident Information

Incident-Exp#	: 24-000975 - 000	Alarm Date/Time	: 03/15/2024 15:43
Incident Location	: 117 Centre St, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

L1 responded to above location for a low hanging wire. Wire was found to be a cable wire, no hazard was determined and resident was advised to call Optimum.

Incident Information

Incident-Exp#	: 24-000974 - 000	Alarm Date/Time	: 03/15/2024 15:00
Incident Location	: 331 Park Ave, Apt 18, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

L1 responded to above location for a medical with Signed RMA.

See CAD # 24-14973

Incident Information

Incident-Exp#	: 24-000973 - 000	Alarm Date/Time	: 03/15/2024 14:45
Incident Location	: 140 Hepburn Rd, Clifton, NJ 07012	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above address for a medical with transport.

See CAD # 24-14971



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000972 - 000	Alarm Date/Time	: 03/15/2024 14:28
Incident Location	: 350 Centre St, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was dispatched to above location and cancelled en route.

See CAD # 24-14962

Incident Information

Incident-Exp#	: 24-000971 - 000	Alarm Date/Time	: 03/15/2024 13:40
Incident Location	: 108 Passaic Ave, Apt C26, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above address for a lift assist.

See CAD # 24-14957

Incident Information

Incident-Exp#	: 24-000970 - 000	Alarm Date/Time	: 03/15/2024 12:43
Incident Location	: 7 William St, Apt 504, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above location for a medical with transport.

See CAD # 24-14949

Incident Information

Incident-Exp#	: 24-000969 - 000	Alarm Date/Time	: 03/15/2024 13:02
Incident Location	: 54 Rutgers St, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

L1 was dispatched to above location for an automatic aid and was cancelled enroute.

Incident Information

Incident-Exp#	: 24-000968 - 000	Alarm Date/Time	: 03/15/2024 11:10
Incident Location	: 1442 Broad St, Bloomfield, NJ 07003	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 1 was dispatched to above location for a medical with signed RMA.

See CAD # 24-14933

Incident Information

Incident-Exp#	: 24-000967 - 000	Alarm Date/Time	: 03/15/2024 10:27
Incident Location	: 100 Llewellyn Ave, Bloomfield, NJ 07003	Incident Type	: 571 - Cover assignment, standby, moveup

Incident Remarks

L1 was dispatched to above location for Automatic Aid assistance. L1 provided manpower and ventilation services.

Incident Information

Incident-Exp#	: 24-000966 - 000	Alarm Date/Time	: 03/15/2024 09:10
Incident Location	: 190 Passaic Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above location for a medical with transport.

See CAD # 24-14910



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000965 - 000	Alarm Date/Time	: 03/12/2024 12:14
Incident Location	: 200 Metro Blvd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address for a person feeling faint. EMS 2 transported the patient to Hackensack University.

Incident Information

Incident-Exp#	: 24-000964 - 000	Alarm Date/Time	: 03/15/2024 06:08
Incident Location	: 85 E Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to the above location for a person throwing up blood. Patient was transported to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000963 - 000	Alarm Date/Time	: 03/14/2024 23:52
Incident Location	: 59 Stager St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above address for a person having difficulty breathing. Ladder 1 crew took vitals then assisted the patient into Belleville EMS 2. Belleville transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000962 - 000	Alarm Date/Time	: 03/14/2024 23:38
Incident Location	: 225 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person with difficulty breathing. EMS 1 transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000961 - 000	Alarm Date/Time	: 03/14/2024 21:23
Incident Location	: 47 Friedland Rd, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Ladder 1 responded to above listed address to investigate conditions at a home from a previous call. The homeowner reached out requesting that we check the carbon monoxide conditions in their home due to a prior incident. Ladder 1 used meters to check and there were zero readings throughout the home. Homeowner advised us that they installed 3 new combo units throughout their home which we checked while at the call.

Incident Information

Incident-Exp#	: 24-000960 - 000	Alarm Date/Time	: 03/14/2024 20:40
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 131 - Passenger vehicle fire

Incident Remarks

Fire units responded to Route 21 North near MM 9 for a vehicle fire. Upon arrival we had a vehicle in the right shoulder with an engine compartment fire extending to the passenger compartment. No persons were near the vehicle on arrival. Engine 1 stretched a 1 ¾ inch attack line from the front bumper and began fighting the fire. Ladder 1 checked the vehicle for any people inside and it came back negative. Ladder 1 then cut the hood of the vehicle to allow for full extinguishment. While crews were extinguishing the vehicle fire, NPD was given our thermal imaging camera to check the wooded embankment for the driver or any passengers. The search came back negative.

This fire is suspicious in nature due to it being abandoned on Route 21 and being called in by a passerby. Upon arrival, the doors and the hood of the vehicle were closed and all of the windows were intact. Fire was traveling from the engine compartment into the passenger compartment as the front bumper line was being stretched. After the fire was extinguished, the vehicle was checked and it was completely empty of any belongings or vehicle/insurance information. The heaviest oxidation was the left side of the engine compartment close to the firewall. There was no smell of gas nor a gas can or remnants an incendiary device in or around the vehicle. Crews placed a few pads down and no petroleum was absorbed. Due to the lack of additional information, and the highway needing to be open, I released the vehicle to Twin Towing and fire units cleared.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

I was advised some time after the call that NPD was able to make contact with the owner of the vehicle and it was reported stolen out of the driveway at 137 Quincy Street in Passaic this evening. NPD also contacted Passaic PD and they confirmed the owner of the vehicle contacted them at 2140hrs to report the vehicle stolen. I attempted to call the owner to gather more information, but they did not answer their phone. With the new information, I called Twin Towing to inform them that the vehicle was reported stolen and we would possibly need to look at it during daytime hours. Carl stated the vehicle was in their secure lot at 35 Mill Street in Belleville and was on constant camera surveillance.

Owner Information:

Ashley Vancleve

908 Harbor Club Drive apt 908, Parlin NJ 08859-2409

Cell phone- 862-955-0266

2015 Mitsubishi Outlander

NJ Plate Z66RYF

Vin- JA4JZ4AX9FZ000851

Incident Information

Incident-Exp# : 24-000959 - 000

Alarm Date/Time : 03/14/2024 16:17

Incident Location : 441 Kingsland St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person with abdominal pain. EMS 1 transported the patient to St. Mary's Hospital.

Incident Information

Incident-Exp# : 24-000958 - 000

Alarm Date/Time : 03/14/2024 16:20

Incident Location : 7 Brookline Ave, Nutley, NJ 07110

Incident Type : 511 - Lock-out

Incident Remarks

101 and Ladder 1 responded to the above address for a lock out. Resident was having trouble unlocking the door with his key. Ladder 1 crew was able to unlock the door with the key provided. Homeowner attempted to use the key again and was successful. 101 and Ladder 1 cleared.

Incident Information

Incident-Exp# : 24-000957 - 000

Alarm Date/Time : 03/14/2024 11:22

Incident Location : 608 Mill St, Belleville, NJ 07109

Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

Ladder 1 was cancelled in route on to automatic aid for a smoke condition.

Incident Information

Incident-Exp# : 24-000956 - 000

Alarm Date/Time : 03/14/2024 09:40

Incident Location : 55 La France Ave, Bloomfield, NJ 07003

Incident Type : 413 - Oil or other combustible liquid spill

Incident Remarks

Lieutenant Santoro conducted a follow up investigation for HM 24-15.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000955 - 000	Alarm Date/Time	: 03/14/2024 12:35
Incident Location	: 200 Metro Blvd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to 200 metro Blvd for a person feeling faint. EMS 1 transported the patient to Hackensack University.

Incident Information

Incident-Exp#	: 24-000954 - 000	Alarm Date/Time	: 03/14/2024 09:38
Incident Location	: 97 Mckinley St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to the above location for a patient having difficulty breathing and chest pain. EMS 1 transported the patient to Mountainside Hospital. Refer to EMS 1 report.

Incident Information

Incident-Exp#	: 24-000953 - 000	Alarm Date/Time	: 03/13/2024 20:34
Incident Location	: 47 Friedland Rd, Nutley, NJ 07110	Incident Type	: 251 - Excessive heat, scorch burns with no ignition

Incident Remarks

Engine 1, Ladder 1, & EMS 1 responded to the above location for an odor in the basement. Engine 3 also responded. Upon arrival had CO present 80ppm and an odor in the basement. Investigation found the oil burner had malfunctioned. The burner was shut down and made safe. The house was ventilated using the fan. We had 0 ppm upon leaving the house. The homeowner is calling for service and are staying with relatives for the night.

Incident Information

Incident-Exp#	: 24-000952 - 000	Alarm Date/Time	: 03/13/2024 17:59
Incident Location	: 14 Joerg Ave, Nutley, NJ 07110	Incident Type	: 735 - Alarm system sounded due to malfunction

Incident Remarks

Engine 1 & Ladder 1 responded to the above location on a fire alarm. Engine 3 also responded. Upon arrival resident was changing battery in the detector and the alarm transmitted.

Incident Information

Incident-Exp#	: 24-000951 - 000	Alarm Date/Time	: 03/13/2024 17:45
Incident Location	: 726 Washington Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location in Belleville. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000950 - 000	Alarm Date/Time	: 03/13/2024 16:51
Incident Location	: 55 La France Ave, Bloomfield, NJ 07003	Incident Type	: 413 - Oil or other combustible liquid spill

Incident Remarks

Haz Mat 2 responded to the above location in Bloomfield on an oil spill

DEP # 24-03-13-1057-58

NFD Haz Mat # 24-15

Incident Information

Incident-Exp#	: 24-000949 - 000	Alarm Date/Time	: 03/13/2024 16:44
Incident Location	: 184 Nutley Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

EMS 1 responded to the above location. Transported to Mountainside.

Incident Information

Incident-Exp#	: 24-000948 - 000	Alarm Date/Time	: 03/13/2024 16:10
Incident Location	: 150 Kingsland St, Nutley, NJ 07110	Incident Type	: 442 - Overheated motor

Incident Remarks

Engine 1 & Ladder 1 were dispatched to the above location for a fire alarm. Upon arriving on scene the occupants advised they had smoke in the basement. Upon checking the basement had a smoke condition and an odor of electrical burning. At this point automatic aid was started. Engine 1 stretched a dry line to the basement. EMS 1 was called to the scene. The basement was checked with the TIC. Investigation found an overloaded washing machine causing the belt to smoke. Windows were opened for ventilation. Belleville Engine 2 assisted in the basement. Bloomfield Engine 4 staged outside. Engine 3 responded and were directed to cover HQ. The washing machine was disconnected and the group home manager was advised not to use the washer until it could be serviced.

Incident Information

Incident-Exp#	: 24-000947 - 000	Alarm Date/Time	: 03/13/2024 16:00
Incident Location	: 40 Brookfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 & Engine 1 responded to the above location for a person slumped over the wheel. Upon arrival made contact and the person was sleeping. RMA signed.

Incident Information

Incident-Exp#	: 24-000946 - 000	Alarm Date/Time	: 03/13/2024 14:02
Incident Location	: 61 Howard Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000945 - 000	Alarm Date/Time	: 03/13/2024 12:45
Incident Location	: 39 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 & Engine 1 responded to the above location. EMS 1 transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000944 - 000	Alarm Date/Time	: 03/13/2024 12:30
Incident Location	: 233 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1 responded to the above location on a medical. Lynhurst 32-56 arrived on scene and transported to Mountainside.

Incident Information

Incident-Exp#	: 24-000943 - 000	Alarm Date/Time	: 03/13/2024 12:09
Incident Location	: 249 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Mountainside Hospital



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000942 - 000	Alarm Date/Time	: 03/13/2024 12:27
Incident Location	: 95 Park Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above location for a person not feeling well. Bloomfield EMS responded and transported the patient to Mountainside Hospital.
See CAD 24-14501

Incident Information

Incident-Exp#	: 24-000941 - 000	Alarm Date/Time	: 03/13/2024 09:48
Incident Location	: 18 Summit Ave, Bloomfield, NJ 07003	Incident Type	: 413 - Oil or other combustible liquid spill

Incident Remarks

Haz Mat 2 responded to Bloomfield for a Haz Mat job. Leaking oil tank.

DEP# 24-03-13-1012-12

Haz Mat # 24-14

Incident Information

Incident-Exp#	: 24-000940 - 000	Alarm Date/Time	: 03/13/2024 07:29
Incident Location	: Centre St/ E Passaic Ave, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 1 responded to the intersection of Centre and E. Passaic Ave for an MVA with injuries. RMA signed
See CAD 24-14460

Incident Information

Incident-Exp#	: 24-000939 - 000	Alarm Date/Time	: 03/12/2024 22:35
Incident Location	: 225 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp#	: 24-000938 - 000	Alarm Date/Time	: 03/13/2024 02:42
Incident Location	: 25 Washington Ave, Nutley, NJ 07110	Incident Type	: 735 - Alarm system sounded due to malfunction

Incident Remarks

Upon arrival we gained entry via the Knox Box keys. We determined the front door pull station had been activated. We walked the entire building with NO smoke and or fire. The system would not reset. No contact with any representative for the building was available.

Incident Information

Incident-Exp#	: 24-000937 - 000	Alarm Date/Time	: 03/12/2024 21:52
Incident Location	: 113 E Centre St, Nutley, NJ 07110	Incident Type	: 381 - Rescue or EMS standby

Incident Remarks

EMS 1 performed stand by and were released by Nutley Police

Incident Information

Incident-Exp#	: 24-000936 - 000	Alarm Date/Time	: 03/12/2024 21:17
Incident Location	: 42 Humbert St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000935 - 000	Alarm Date/Time	: 03/12/2024 16:39
Incident Location	: 59 Milton Ave, Nutley, NJ 07110	Incident Type	: 113 - Cooking fire, confined to container

Incident Remarks

Nutley Police dispatched us to a Carbon Monoxide call. Upon arrival it was determined to be unattended cooking that the homeowner tried to clean the burnt pot with alcohol. We had ZERO readings on all of our meters. PSE&G is on scene to check the heating system which was not in operation. The homeowner did not want medical attention.

Incident Information

Incident-Exp#	: 24-000933 - 000	Alarm Date/Time	: 03/12/2024 13:17
Incident Location	: 120 Brookline Ave, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Upon arrival we had zero readings on our meters and it was determined to be a gas supply valve for the dryer that was stuck in the off position. We advised the homeowner to wait for PSE&G to turn the natural gas supply back on.

Incident Information

Incident-Exp#	: 24-000932 - 000	Alarm Date/Time	: 03/12/2024 10:17
Incident Location	: 74 Kierstead Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 48 transported 1 patient from SNF in Montclair to 74 Kierstead Ave Nutley

Incident Information

Incident-Exp#	: 24-000931 - 000	Alarm Date/Time	: 03/12/2024 11:13
Incident Location	: 353 Park Ave, Apt 25, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 24-000930 - 000	Alarm Date/Time	: 03/12/2024 10:30
Incident Location	: 209 Prospect St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000929 - 000	Alarm Date/Time	: 03/12/2024 08:00
Incident Location	: 188 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

Nutley Police canceled Engine 1 and 101 while en route

Incident Information

Incident-Exp#	: 24-000928 - 000	Alarm Date/Time	: 03/11/2024 19:48
Incident Location	: 7 William St, Apt 404, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-14113

Incident Information

Incident-Exp#	: 24-000927 - 000	Alarm Date/Time	: 03/11/2024 15:04
Incident Location	: 221 Harrison St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Hackensack Hospital see cad#24-14081



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000926 - 000	Alarm Date/Time	: 03/11/2024 14:11
Incident Location	: 21 Bank St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-14071

Incident Information

Incident-Exp#	: 24-000925 - 000	Alarm Date/Time	: 03/11/2024 13:30
Incident Location	: 777 Bloomfield Ave, Clifton, NJ 07012	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was cancelled by Clifton see cad#24-14062

Incident Information

Incident-Exp#	: 24-000924 - 000	Alarm Date/Time	: 03/11/2024 12:21
Incident Location	: 151 Crestwood Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-14053

Incident Information

Incident-Exp#	: 24-000923 - 000	Alarm Date/Time	: 03/11/2024 11:44
Incident Location	: 36 Stanley Ave, Nutley, NJ 07110	Incident Type	: 212 - Overpressure rupture of steam boiler

Incident Remarks

Eng. 1 and Ladder 1 were dispatched to 36 Stanley Ave on a boiler issue. Upon arrival Eng. 1 met with homeowner whom stated she had an issue with the boiler. It was just worked on by a technician and he went to get a part. The boiler began to steam and I shut it down. Eng. 1 confirmed she shut the boiler down properly and there was no emergency. The technician advised the homeowner to leave it shutdown he will be returning to fix it. All units were clear and available.

Incident Information

Incident-Exp#	: 24-000922 - 000	Alarm Date/Time	: 03/11/2024 11:09
Incident Location	: 47 Vincent Pl, Nutley, NJ 07110	Incident Type	: 323 - Motor vehicle/pedestrian accident (MV Ped)

Incident Remarks

EMS 1 transported 1 to Hackensack Hospital see cad#24-14033

Incident Information

Incident-Exp#	: 24-000921 - 000	Alarm Date/Time	: 03/11/2024 09:22
Incident Location	: 102 Passaic Ave, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 cancelled by Belleville see cad#24-14009

Incident Information

Incident-Exp#	: 24-000919 - 000	Alarm Date/Time	: 03/11/2024 06:05
Incident Location	: 430 Ridge Rd, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-13982

Incident Information

Incident-Exp#	: 24-000918 - 000	Alarm Date/Time	: 03/11/2024 13:00
Incident Location	: 437 Franklin Ave, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

On the above date and time, I received a message from Fire Prevention stating that the Nutley Park Shoprite had contacted headquarters to notify the fire department about an out of service traffic signal. The message stated that the signal in question was located at the intersection of Franklin Avenue at Lloyd Ct on the west side of the street. I contacted Shoprite and spoke to a manager who stated that he was unaware of who made the phone call or that there was a signal out of service. I responded to the above location and tested all traffic signals at that intersection. I did observe the stop traffic indicator in question to be out of service, although the traffic signal was functioning. I spoke to the manager and explained that I would be making the necessary notifications. I contacted DPW and left a message for Mr. Sal Ferrara, as per the updated traffic safety responsibility list. I also spoke to Lt Patterson and provided her with a copy of the updated responsibility list. She stated she would make the necessary notifications for the NPD. Nothing further.

Incident Information

Incident-Exp#	: 24-000917 - 000	Alarm Date/Time	: 03/11/2024 11:39
Incident Location	: 7 William St, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

L1 responded to above address for a medical alert and was cancelled enroute by NPD.

Incident Information

Incident-Exp#	: 24-000916 - 000	Alarm Date/Time	: 03/10/2024 13:30
Incident Location	: 300 Franklin Ave, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Inspector Morgan performed a fire watch at the high school.

Incident Information

Incident-Exp#	: 24-000915 - 000	Alarm Date/Time	: 03/11/2024 05:38
Incident Location	: 33 Gless Ave, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

101 and Ladder 1 responded to the above location for a piece of flashing hanging from a house. Ladder 1 placed a 24-foot ladder to the B side of the building and removed hanging piece of flashing. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000914 - 000	Alarm Date/Time	: 03/11/2024 02:12
Incident Location	: 108 Passaic Ave, Apt C31, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for an edp. EMS transported the patient to Clara Maass Medical Center with police on board.

Incident Information

Incident-Exp#	: 24-000913 - 000	Alarm Date/Time	: 03/10/2024 19:26
Incident Location	: 74 E Passaic Ave, Nutley, NJ 07110	Incident Type	: 113 - Cooking fire, confined to container

Incident Remarks

101 and Ladder 1 responded to the above location to check conditions for an audible alarm that stopped. We entered Kurly Kurtosh Cafe and checked the alarm panel. The panel was silenced and said store smoke. Crews found an activated head in the kitchen. The owner stated they burn food in the toaster and set off the alarm. I reset the alarm and we cleared the scene.

Incident Information

Incident-Exp#	: 24-000912 - 000	Alarm Date/Time	: 03/10/2024 19:35
Incident Location	: 37 Ernest St, Nutley, NJ 07110	Incident Type	: 522 - Water or steam leak

Incident Remarks

The resident of 37 Ernest Street called HQ to notify us that the hydrant in front of her house was leaning. We checked the hydrant, and it looked like it was hit by a vehicle because it was pushed to one side and the steamer connection was broken. Ladder 1 crew flushed the hydrant then placed caution tape over it. I requested dispatch to advise the Water Department to address the issue.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000911 - 000	Alarm Date/Time	: 03/10/2024 16:52
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000910 - 000	Alarm Date/Time	: 03/10/2024 15:40
Incident Location	: 57 E Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person that fell outside. EMS 1 transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000909 - 000	Alarm Date/Time	: 03/10/2024 12:04
Incident Location	: 53 Spruce St, Nutley, NJ 07110	Incident Type	: 746 - Carbon monoxide detector activation, no CO

Incident Remarks

Fire units responded to the above location for a carbon monoxide alarm activation. After investigation, I determined it to be a faulty carbon monoxide alarm that was 12 years old. I advised the homeowner to replace the detector as soon as possible. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000908 - 000	Alarm Date/Time	: 03/10/2024 09:01
Incident Location	: 100 Kingsland St, Apt 209, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Fire units responded to the above location for a gas leak. Crews were able to determine a small leak at the dryer. Crews shut off the gas to the unit and I advised the tenant to await PSEG. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000907 - 000	Alarm Date/Time	: 03/10/2024 07:21
Incident Location	: 14 Joerg Ave, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Fire units responded to the above location for an activated fire alarm. We were met with the homeowner on arrival who stated he was replacing his batteries. I confirmed there was no hazard then we cleared the scene.

Incident Information

Incident-Exp#	: 24-000906 - 000	Alarm Date/Time	: 03/10/2024 08:37
Incident Location	: 59 Cedar St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person with difficulty breathing. EMS 1 transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000905 - 000	Alarm Date/Time	: 03/10/2024 07:21
Incident Location	: 59 Cedar St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 dispatched to above address for a lift assist. Patient signed RMA

Incident Information

Incident-Exp#	: 24-000904 - 000	Alarm Date/Time	: 03/10/2024 01:57
Incident Location	: 45 Hope St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 2 and Ladder 1 responded to the above location for a medical. ALS 3246 arrived Ladder 1 cleared and EMS 2 transported 1 patient to St. Barnabas with ALS on board.
See CAD 24-13763

Incident Information

Incident-Exp#	: 24-000903 - 000	Alarm Date/Time	: 03/10/2024 04:06
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 463 - Vehicle accident, general cleanup

Incident Remarks

Engine 1 and Ladder 1 responded to Route 21 South for a 1 car MVA with airbags deployed. No medical attention was needed. General cleanup.

Incident Information

Incident-Exp#	: 24-000902 - 000	Alarm Date/Time	: 03/09/2024 22:37
Incident Location	: 15 Kierstead Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person not feeling well. EMS 2 transported 1 patient to Mountainside Hospital.
See CAD 24-13748

Incident Information

Incident-Exp#	: 24-000901 - 000	Alarm Date/Time	: 03/09/2024 20:04
Incident Location	: 367 Valley Brook Ave, Lyndhurst, NJ 07071	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 2 was dispatched to the Lyndhurst Police Station for a medical and cancelled en route

Incident Information

Incident-Exp#	: 24-000900 - 000	Alarm Date/Time	: 03/09/2024 18:30
Incident Location	: 300 Franklin Ave, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Fire personnel performed a walk through for the NHS play

Incident Information

Incident-Exp#	: 24-000899 - 000	Alarm Date/Time	: 03/09/2024 16:58
Incident Location	: 343 Park Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 and Ladder 1 responded to the above location for a party having chest pain. EMS 2 transported the patient to Clara Maass Hospital.
See CAD 24-13715

Incident Information

Incident-Exp#	: 24-000898 - 000	Alarm Date/Time	: 03/09/2024 14:37
Incident Location	: 18 Villa Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 and Ladder 1 responded to the above location for an Allergic reaction. EMS 2 transported 1 patient to Mountainside Hospital.
See CAD 24-13695

Incident Information

Incident-Exp#	: 24-000897 - 000	Alarm Date/Time	: 03/09/2024 08:58
Incident Location	: 123 Walnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 and Ladder 1 responded to the above location for a Medical. EMS 2 transported 1 patient to Clara Maass Hospital, and Ladder 1 cleared.
See CAD 24-13646. ALS 3246 also responded



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000896 - 000	Alarm Date/Time	: 03/09/2024 03:31
Incident Location	: 14 Cortland St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Upon arrival ladder 1 gained entry through the window, EMS 2 assisted the patient with a lift assist and signed RMA

Incident Information

Incident-Exp#	: 24-000895 - 000	Alarm Date/Time	: 03/09/2024 00:30
Incident Location	: 24 Erie Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000894 - 000	Alarm Date/Time	: 03/08/2024 19:00
Incident Location	: 300 Franklin Ave, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Tour 4 with fire inspector Morgan performed a walk through at the Nutley High School play.

Incident Information

Incident-Exp#	: 24-000893 - 000	Alarm Date/Time	: 03/08/2024 20:32
Incident Location	: 1 River Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to the 1 river road parking lot on the report of a medical alert activation.
- CAD # 24-13560
- Transport to Clara Maas.

Incident Information

Incident-Exp#	: 24-000892 - 000	Alarm Date/Time	: 03/08/2024 11:19
Incident Location	: Bloomfield Ave/Poplar Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 24-000891 - 000	Alarm Date/Time	: 03/08/2024 11:10
Incident Location	: 600 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

Upon arrival Nutley Police had canceled EMS2. Engine 1 continued in to remove debris from the roadway. Captain Santangelo confirmed with the driver who did not want any medical attention.

Incident Information

Incident-Exp#	: 24-000890 - 000	Alarm Date/Time	: 03/08/2024 08:20
Incident Location	: 19 Wharton Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital Ladder 1 was cancelled on scene.

Incident Information

Incident-Exp#	: 24-000889 - 000	Alarm Date/Time	: 03/08/2024 09:33
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 140 Franklin Ave, Nutley, NJ 07110

Incident Type : 113 - Cooking fire, confined to container

Incident Remarks

Upon arrival it was determined to be unattended cooking in a microwave that fill the apartment 2D with smoke and out into the hallway. We removed the products from the unit and put into the sink area and ventilated the unit with the blow hard fan. We were able to restore the fire alarm system to ready. Captain Santangelo canceled all automatic aid on scene.

Incident Information

Incident-Exp# : 24-000888 - 000

Alarm Date/Time : 03/08/2024 03:24

Incident Location : 353 Park Ave, Apt 22, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-13396

Incident Information

Incident-Exp# : 24-000887 - 000

Alarm Date/Time : 03/07/2024 22:09

Incident Location : 1 Route 3, Clifton, NJ 7015

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-13353

Incident Information

Incident-Exp# : 24-000886 - 000

Alarm Date/Time : 03/07/2024 21:03

Incident Location : 217 Harrison St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-13339

Incident Information

Incident-Exp# : 24-000885 - 000

Alarm Date/Time : 03/07/2024 20:13

Incident Location : 19 Carrie Ct, Nutley, NJ 07110

Incident Type : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Eng. 1 Ladder 1 responded to 19 Carrie Ct. Upon arrival homeowner advised he was cooking steak and the smoke from the searing set off the fire alarm. No fire No extension. All units clear and available at 2018hrs.

Incident Information

Incident-Exp# : 24-000884 - 000

Alarm Date/Time : 03/07/2024 20:29

Incident Location : 61 Howard Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 was cancelled by NPD on scene see cad#24-13332

Incident Information

Incident-Exp# : 24-000883 - 000

Alarm Date/Time : 03/07/2024 18:45

Incident Location : 550 Centre St, Apt B5, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Mountainside Hospital see cad#24-13316

Incident Information

Incident-Exp# : 24-000882 - 000

Alarm Date/Time : 03/07/2024 18:05

Incident Location : 300 Franklin Ave, Nutley, NJ 07110

Incident Type : 553 - Public service

Incident Remarks

FF 223 remained at NHS during theatrical performance for fire watch.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000881 - 000	Alarm Date/Time	: 03/07/2024 16:05
Incident Location	: 50 Hetherington Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Hackensack University see cad#24-13295. Ladder 1 responded with EMS 2.

Incident Information

Incident-Exp#	: 24-000880 - 000	Alarm Date/Time	: 03/07/2024 09:26
Incident Location	: 81 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Mountainside see cad#24-13220

Incident Information

Incident-Exp#	: 24-000879 - 000	Alarm Date/Time	: 03/07/2024 14:40
Incident Location	: 54 Fremont St, Bloomfield, NJ 07003	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

L1 was dispatched and cancelled enroute to above address for automatic aid.

Incident Information

Incident-Exp#	: 24-000878 - 000	Alarm Date/Time	: 03/07/2024 13:00
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

On the above date and time, NPD Traffic unit requested the use of fire prevention vehicles for police operations. Inspector Evans provided FP 137 to SLEO Lambrugo. Vehicle was returned with no issues. Nothing further.

Incident Information

Incident-Exp#	: 24-000877 - 000	Alarm Date/Time	: 03/07/2024 00:20
Incident Location	: 111 Passaic Ave, Apt A8, Nutley, NJ 07110	Incident Type	: 735 - Alarm system sounded due to malfunction

Incident Remarks

101 and Engine 1 responded to assist a resident with an alarm that was going off intermittently. Upon arrival we spoke with the resident, and they stated it was coming from behind the building. We checked the rear and found a smoke detector in the dumpster. We deactivated the detector and returned to service.

Incident Information

Incident-Exp#	: 24-000876 - 000	Alarm Date/Time	: 03/06/2024 23:02
Incident Location	: 522 Franklin Ave, Nutley, NJ 07110	Incident Type	: 113 - Cooking fire, confined to container

Incident Remarks

Fire units responded to Meal for activated fire alarms. Upon arrival I went to the annunciator panel and it said second floor hallway. I sent crews to the apartments on the second floor, and they found an activated head in the common hallway. It was determined the alarm was set off from unattended cooking. I reset the alarm and cleared all fire units.

Incident Information

Incident-Exp#	: 24-000875 - 000	Alarm Date/Time	: 03/06/2024 18:23
Incident Location	: 7 Brookline Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person who fell. EMS 2 transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000874 - 000	Alarm Date/Time	: 03/06/2024 17:01
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 25 River Rd, Nutley, NJ 07110

Incident Type : 733 - Smoke detector activation due to malfunction

Incident Remarks

Fire units responded to the above location for an activated fire alarm. Crews checked the common areas and found the activated head. I attempted to reset it, but the panel said there was a fault in the system. I advised the supervisor on scene to contact his alarm company asap to address the issue. Fire units cleared.

Incident Information

Incident-Exp# : 24-000873 - 000

Alarm Date/Time : 03/06/2024 14:08

Incident Location : 62 Kierstead Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 and EMS 2 responded to the above location for a person with a nephrostomy tube that came loose. EMS 2 transported them to Clara Maass Medical Center.

Incident Information

Incident-Exp# : 24-000872 - 000

Alarm Date/Time : 03/06/2024 13:18

Incident Location : 1 Insights Dr, Clifton, NJ 07012

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the parking garage at quest diagnostics in Prism Properties for a person that fell. EMS 2 transported the patient to Clara Maass Hospital.

Incident Information

Incident-Exp# : 24-000871 - 000

Alarm Date/Time : 03/06/2024 11:00

Incident Location : 254 Ridge Rd, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person with difficulty breathing. EMS 2 transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp# : 24-000870 - 000

Alarm Date/Time : 03/06/2024 14:43

Incident Location : 300 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

We responded to the Highschool for a student that lost consciousness. Upon arrival the student was alert and oriented with a cut to his chin. Ladder 1 assessed the patient and awaited the parent for an RMA. All units cleared.

Incident Information

Incident-Exp# : 24-000869 - 000

Alarm Date/Time : 03/06/2024 01:15

Incident Location : 39 Conover Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person with a toothache. EMS 2 transported 1 patient to Clara Maass Hospital.
See CAD 24012927

Incident Information

Incident-Exp# : 24-000868 - 000

Alarm Date/Time : 03/05/2024 20:11

Incident Location : 420 Fern Ave, Lyndhurst, NJ 07071

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a party who had dropped a weight on his hand. EMS 2 transported 1 patient to Hackensack Hospital.
See CAD 24-12901

Incident Information

Incident-Exp# : 24-000867 - 000

Alarm Date/Time : 03/05/2024 19:32



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 437 Franklin Ave, Nutley, NJ 07110

Incident Type : 460 - Accident, potential accident, other

Incident Remarks

E-1, L-1, and EMS 2 responded to the above address for a car smoking from an MVA. Upon investigation, it was determined that the vehicle smoking was smoking from burning rubber in the North East parking lot of Shop-Rite and lost control and hit another car. The collision didn't warrant any clean-up. Fire units cleared.

Incident Information

Incident-Exp# : 24-000866 - 000

Alarm Date/Time : 03/05/2024 17:27

Incident Location : 16 Fairway Ave, Belleville, NJ 07109

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a 2month old having difficulty breathing. EMS transported 1 patient and mother to Clar Maass. See CAD 24-12884

Incident Information

Incident-Exp# : 24-000865 - 000

Alarm Date/Time : 03/05/2024 15:54

Incident Location : 162 North Rd, Nutley, NJ 07110

Incident Type : 324 - Motor vehicle accident with no injuries.

Incident Remarks

EMS 2 responded to the above location for a MVA that involved a little child. No injuries were reported but PD wanted the child transported to Police Headquarters. See CAD 24-12873

Incident Information

Incident-Exp# : 24-000864 - 000

Alarm Date/Time : 03/05/2024 14:46

Incident Location : 550 Centre St, Nutley, NJ 07110

Incident Type : 311 - Medical assist, assist EMS crew

Incident Remarks

EMS 2 was dispatched to the above address for a Medical Assist. A person needed help getting into their Apt. following an MRI appointment. See CAD 24-12871

Incident Information

Incident-Exp# : 24-000863 - 000

Alarm Date/Time : 03/05/2024 12:23

Incident Location : 17 Church St, Nutley, NJ 07110

Incident Type : 511 - Lock-out

Incident Remarks

Engine 2 was dispatched to the above location for a party who was locked out. The building Super opened the door for the resident.. Fire units cleared.

Incident Information

Incident-Exp# : 24-000862 - 000

Alarm Date/Time : 03/05/2024 12:50

Incident Location : 25 Lovel Ct, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person who had fell. EMS 2 has a signed RMA. See CAD 24-12862

Incident Information

Incident-Exp# : 24-000861 - 000

Alarm Date/Time : 03/05/2024 12:10

Incident Location : 35 Newman Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1 responded to the above location for a person who had fallen. Fire personnel checked for injuries and provided first aid. Belleville EMS 2 arrived on scene and transported the patient to Clara Maass.

Incident Information

Incident-Exp# : 24-000860 - 000

Alarm Date/Time : 03/05/2024 11:59



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 181 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 and Engine 2 responded to the above location for a person having chest pain. EMS 2 transported the patient to Clara Maass Hospital. See CAD 24-12849

Incident Information

Incident-Exp# : 24-000859 - 000

Alarm Date/Time : 03/05/2024 09:18

Incident Location : 1 Cortland St, Nutley, NJ 07110

Incident Type : 412 - Gas leak (natural gas or LPG)

Incident Remarks

Engine 1 and Engine 2 were dispatched to the above location for an odor of natural gas. We arrived to find an odor of oil coming from the DPW mechanic shop. No odor of natural gas was found. PSEG gas responded and found "0" readings of gas. Fire units cleared.

Incident Information

Incident-Exp# : 24-000858 - 000

Alarm Date/Time : 03/05/2024 08:09

Incident Location : 113 Mapes Ave, Nutley, NJ 07110

Incident Type : 745 - Alarm system sounded, no fire - unintentional

Incident Remarks

Engine 1 and Engine 2 responded to the above location for an Activated alarm. Upon arrival we were met by the homeowner who stated that his daughter had accidentally set the alarm off. We investigated and found no cause for alarm. Fire Units cleared.

Incident Information

Incident-Exp# : 24-000857 - 000

Alarm Date/Time : 03/05/2024 05:23

Incident Location : 351 2nd Ave, Lyndhurst, NJ 07071

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 signed RMA

Incident Information

Incident-Exp# : 24-000856 - 000

Alarm Date/Time : 03/05/2024 02:41

Incident Location : 515 Prospect St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp# : 24-000855 - 000

Alarm Date/Time : 03/05/2024 01:23

Incident Location : 16 Erie Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 signed RMA. Ladder 1 was released by EMS.

Incident Information

Incident-Exp# : 24-000854 - 000

Alarm Date/Time : 03/04/2024 18:00

Incident Location : 228 Chestnut St, Nutley, NJ 07110

Incident Type : 553 - Public service

Incident Remarks

- Tour 4 personnel conducted a firehouse tour with Brownie and Daisy Troop 21192.

Incident Information

Incident-Exp# : 24-000853 - 000

Alarm Date/Time : 03/04/2024 18:19

Incident Location : Chestnut St/Passaic Ave, Nutley, NJ 07110

Incident Type : 463 - Vehicle accident, general cleanup

Incident Remarks

- Engine 1 responded to the intersection of Chestnut Street and Passaic Ave. on the report of an MVA with debris in the roadway. Engine 1 arrived and observed the debris from the MVA located in the street located in front of 350 Passaic Ave. PD on scene had local traffic blocked off and the disabled cars were in the process of being removed from the roadway. Engine 1 crew gathered all debris from the MVA and removed it for disposal at Headquarters. Engine 1 then cleared the scene.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000852 - 000	Alarm Date/Time	: 03/04/2024 17:43
Incident Location	: 598 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Hackensack Hospital

Incident Information

Incident-Exp#	: 24-000851 - 000	Alarm Date/Time	: 03/04/2024 13:12
Incident Location	: Grant Ave/Washington Ave, Nutley, NJ 07110	Incident Type	: 652 - Steam, vapor, fog or dust thought to be smoke

Incident Remarks

Nutley Police received multiple 911 calls on smoke in the area. Upon arrival it was determined to be dust /pollen in the trees that was being blown around by the wind. Automatic aid was cancelled by Captain Santangelo.

Incident Information

Incident-Exp#	: 24-000850 - 000	Alarm Date/Time	: 03/04/2024 12:10
Incident Location	: 3 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 signed RMA AMA. Engine 1 was canceled prior to arrival.

Incident Information

Incident-Exp#	: 24-000849 - 000	Alarm Date/Time	: 03/04/2024 09:06
Incident Location	: 125 San Antonio Ave, Nutley, NJ 07110	Incident Type	: 736 - CO detector activation due to malfunction

Incident Remarks

Upon arrival it was determined to be a malfunctioning detector. ZERO readings throughout the home we advised the homeowner to get a replacement.

Incident Information

Incident-Exp#	: 24-000848 - 000	Alarm Date/Time	: 03/04/2024 08:07
Incident Location	: 2 Brookfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Mountainside hospital

Incident Information

Incident-Exp#	: 24-000847 - 000	Alarm Date/Time	: 03/04/2024 04:17
Incident Location	: 175 Hancox Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA see cad#24-12620

Incident Information

Incident-Exp#	: 24-000846 - 000	Alarm Date/Time	: 03/04/2024 02:09
Incident Location	: Washington Ave/Highfield Ln, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-12594

Incident Information

Incident-Exp#	: 24-000845 - 000	Alarm Date/Time	: 03/03/2024 23:30
Incident Location	: 14 Van Riper Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-12587

Incident Information

Incident-Exp#	: 24-000844 - 000	Alarm Date/Time	: 03/03/2024 21:06
Incident Location	: 580 Washington Ave, Apt C6, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported to Clara Maass see cad#24-12581

Incident Information

Incident-Exp#	: 24-000843 - 000	Alarm Date/Time	: 03/03/2024 20:36
Incident Location	: 74 Harrison St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 provided bls Belleville EMS transported 1 to Clara Maass see cad#24-12575

Incident Information

Incident-Exp#	: 24-000842 - 000	Alarm Date/Time	: 03/03/2024 20:17
Incident Location	: 124 King St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-12570. Ladder 1 assisted.

Incident Information

Incident-Exp#	: 24-000841 - 000	Alarm Date/Time	: 03/03/2024 18:20
Incident Location	: High St/Rhoda Ave, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Eng. 1 and Ladder 1 responded to the intersection of High St. and Rhoda Ave. for odor of gas outside. Upon arrival Eng. 1 found a slight odor of gas. Eng. 1 and Ladder 1 meters received readings of 0%LEL. NPD was advised of the readings and odor and contacted PSEG. All units were clear and available no emergency.

Incident Information

Incident-Exp#	: 24-000840 - 000	Alarm Date/Time	: 03/03/2024 17:59
Incident Location	: 51 Saint Marys Pl, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

Eng. 1 and Ladder 1 responded to a suspicious package called in by NPD at 51 St. Mary's Pl. Upon arrival NPD cleared us as per they determined the package to be a broken vase and no emergency. All units were clear and available at 1806hrs.

Incident Information

Incident-Exp#	: 24-000839 - 000	Alarm Date/Time	: 03/03/2024 13:48
Incident Location	: E Passaic Ave/Briar Ln, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 2 received a signed RMA see cad#24-12505

Incident Information

Incident-Exp#	: 24-000838 - 000	Alarm Date/Time	: 03/03/2024 13:09
Incident Location	: 177 Franklin St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA see cad#24-12502

Incident Information

Incident-Exp#	: 24-000837 - 000	Alarm Date/Time	: 03/03/2024 09:39
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 241 Kingsland St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Hackensack Hospital see cad#24-12470

Incident Information

Incident-Exp# : 24-000836 - 000

Alarm Date/Time : 03/03/2024 09:29

Incident Location : 495 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA see cad#24-12466

Incident Information

Incident-Exp# : 24-000835 - 000

Alarm Date/Time : 03/03/2024 08:11

Incident Location : 123 Pennsylvania Ave, Kearny, NJ 07029

Incident Type : 322 - Vehicle accident with injuries

Incident Remarks

EMS 2 received a signed RMA see cad#24-12464

Incident Information

Incident-Exp# : 24-000834 - 000

Alarm Date/Time : 03/02/2024 23:13

Incident Location : 522 Franklin Ave, Nutley, NJ 07110

Incident Type : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Fire units responded to the Meal restaurant for an activated fire alarm. After speaking with the owner, the alarm was accidentally set off from smoking. I reset the fire alarm and we cleared the scene.

Incident Information

Incident-Exp# : 24-000833 - 000

Alarm Date/Time : 03/02/2024 20:46

Incident Location : 100 Warren St, Apt 3C, Nutley, NJ 07110

Incident Type : 511 - Lock-out

Incident Remarks

Engine 1 responded to the above location for a non-emergent lock out. Upon arrival, we were met by a family that stated they just got back from vacation and forgot their key. I checked their license and confirmed they lived at the location. Firefighters were able to gain entry with no damage. Engine 1 cleared.

Incident Information

Incident-Exp# : 24-000832 - 000

Alarm Date/Time : 03/02/2024 17:45

Incident Location : 2 Brookfield Ave, Nutley, NJ 07110

Incident Type : 331 - Lock-in (if lock out, use 511)

Incident Remarks

Engine 1 responded to the above address for an elderly female locked in a bathroom. Upon arrival, the son brought us to the locked bathroom where I made verbal contact to the person locked in and confirmed she was ok. There was a slide bolt locking the door from the inside of the room, so I had Firefighters place a ground ladder to the bathroom window on the B side of the house. Firefighter Feraco was able to open the window and enter the bathroom to unlock the door. No medical attention was needed. Engine 1 cleared.

Incident Information

Incident-Exp# : 24-000831 - 000

Alarm Date/Time : 03/02/2024 14:22

Incident Location : 564 Franklin Ave, Nutley, NJ 07110

Incident Type : 733 - Smoke detector activation due to malfunction

Incident Remarks

Fire units responded to Ralphs Pizzeria for an activated fire alarm. Once on scene I confirmed it was a malfunctioning head in the boiler room. Alarm was reset and fire units cleared.

Incident Information

Incident-Exp# : 24-000830 - 000

Alarm Date/Time : 03/02/2024 20:05

Incident Location : 223 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Ladder 1 responded to the parking lot behind Luna for a person with a laceration to their eye. Ladder 1 crew started a patient assessment and bandaged the wound. Belleville EMS arrived on scene and transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000829 - 000	Alarm Date/Time	: 03/02/2024 19:50
Incident Location	: 10 Lloyd Ct, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person with a fever. EMS 2 transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000828 - 000	Alarm Date/Time	: 03/02/2024 18:43
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

All units responded in the area of Mile Marker 9 for an overturned vehicle. Upon arrival there was a single car upright in the right shoulder with the party out of the vehicle. EMS 2 started patient care and fire units blocked off traffic. The patient stated his vehicle rolled over three times and landed in its current position. EMS transported the patient to Mountainside Hospital and fire units cleared. PD stood on scene to await the tow truck.

Incident Information

Incident-Exp#	: 24-000827 - 000	Alarm Date/Time	: 03/02/2024 17:35
Incident Location	: 519 Prospect St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS2 responded to the above location for a sick person. EMS transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000826 - 000	Alarm Date/Time	: 03/02/2024 13:58
Incident Location	: 7 William St, Apt 502, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person with difficulty breathing. EMS 2 transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000825 - 000	Alarm Date/Time	: 03/02/2024 13:00
Incident Location	: Franklin Ave/Harrison St, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Fire units participated in the Nutley Irish Parade.

Incident Information

Incident-Exp#	: 24-000824 - 000	Alarm Date/Time	: 03/02/2024 11:00
Incident Location	: Franklin Ave/Chestnut St, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

NPD used the F150 and Squad 1 to assist with road closures.

Incident Information

Incident-Exp#	: 24-000823 - 000	Alarm Date/Time	: 03/02/2024 12:34
Incident Location	: 203 Barringer Dr, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address for a person who passed out. EMS received a signed RMA from the patient's parent.

Incident Information

Incident-Exp#	: 24-000822 - 000	Alarm Date/Time	: 03/02/2024 11:56
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 205 Washington Ave, Belleville, NJ 07109

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address for a patient having stomach pains. EMS transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp# : 24-000821 - 000

Alarm Date/Time : 03/02/2024 09:08

Incident Location : 161 Chestnut St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Inspector Morgan came across an unresponsive party in front of 161 Chestnut Street and requested assistance over the air. Fire and EMS units responded and assumed patient care. Patient had a pulse and was breathing but was unresponsive. Patient was loaded onto a stretcher and rapidly transported to Clara Maass Medical Center. I had Firefighter Feraco ride in the ambulance as a third for patient care.

Incident Information

Incident-Exp# : 24-000820 - 000

Alarm Date/Time : 03/02/2024 01:42

Incident Location : 25 Washington Ave, Nutley, NJ 07110

Incident Type : 735 - Alarm system sounded due to malfunction

Incident Remarks

Engine 1 and Ladder 1 were dispatched to the above location for an Activated Fire Alarm. Fire units arrived to find no alarms sounding and no sign of smoke or fire. Fire personnel accessed the Knox Box keys but were unable to gain entry to the structure. We walked around the building to find no signs of fire or smoke. We notified the Police desk to find a key holder but could not raise anyone. Police desk notified that the point of activation was the front door pull station. We could see the pull station from the front door and it was not activated. Fire units cleared due to a malfunction of the alarm system.

Incident Information

Incident-Exp# : 24-000819 - 000

Alarm Date/Time : 03/01/2024 22:51

Incident Location : 145 Ackerman Ave, Clifton, NJ 07011

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the City of Clifton for mutual aid medical. EMS 2 transported 1 patient to St. Josephs Hospital.
See CAD 24-12322

Incident Information

Incident-Exp# : 24-000818 - 000

Alarm Date/Time : 03/01/2024 21:04

Incident Location : 184 Franklin Ave, APT 304, Nutley, NJ, 07110,
Nutley, NJ 07110

Incident Type : 531 - Smoke or odor removal

Incident Remarks

E-1, L-1, and EMS 2 responded to the above location for a odor of something burning. Fire units checked the entire building and found no sign of smoke or odor. Fire personnel cleared.

Incident Information

Incident-Exp# : 24-000817 - 000

Alarm Date/Time : 03/01/2024 19:12

Incident Location : 181 Coeyman Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person with difficulty breathing. EMS 2 transported 1 patient to Hackensack Hospital.
See CAD 24-12286

Incident Information

Incident-Exp# : 24-000816 - 000

Alarm Date/Time : 03/01/2024 12:41

Incident Location : 22 Passaic Ave, APT B4, Nutley, NJ, 07110, Nutley,
NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above location for a person having headaches and confusion. Belleville EMS arrived and transported the patient to Mountainside Hospital.
See CAD 24-12225



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp# : 24-000815 - 000 **Alarm Date/Time** : 03/01/2024 09:00
Incident Location : 228 Chestnut St, Nutley, NJ 07110 **Incident Type** : 553 - Public service

Incident Remarks

On the above date and time, Truck 2 was utilized by Jay Kirk of the Township IT department for township business. Work was completed with no issues. Nothing further.

Incident Information

Incident-Exp# : 24-000813 - 000 **Alarm Date/Time** : 03/01/2024 12:20
Incident Location : 120 Brookline Ave, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person having chest pains. EMS 2 transported 1 patient to Clara Maass Hospital. See CAD 24-12219

Incident Information

Incident-Exp# : 24-000812 - 000 **Alarm Date/Time** : 03/01/2024 10:48
Incident Location : 53 Beech St, Nutley, NJ 07110 **Incident Type** : 736 - CO detector activation due to malfunction

Incident Remarks

Engine 1 received a call from the resident at the above address for a CO detector going off. Engine 1 arrived and entered the home with Draeger meter. Zero CO readings were found throughout the home. Engine 1 cleared.

Incident Information

Incident-Exp# : 24-000811 - 000 **Alarm Date/Time** : 03/01/2024 08:53
Incident Location : 1 Route 21, Nutley, NJ 07110 **Incident Type** : 463 - Vehicle accident, general cleanup

Incident Remarks

Engine 1 and Ladder 1 responded to Route 21 South for an MVA with fluid spill. Fire units arrived to find a 1 car MVA with washer fluid on the shoulder of the roadway. Fire personnel cleaned up the debris in the roadway. Ladder 1 cleared while Engine 1 waited to the tow. Tow arrived and lifted the car onto the flatbed. Engine 1 cleared.

Incident Information

Incident-Exp# : 24-000810 - 000 **Alarm Date/Time** : 03/01/2024 06:40
Incident Location : 31 Stuyvesant Ave, Lyndhurst, NJ 07071 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location Apt.1A for a medical. EMS 2 transported 1 patient to Hackensack Hospital. See CAD 24-12175

Incident Information

Incident-Exp# : 24-000809 - 000 **Alarm Date/Time** : 03/01/2024 01:47
Incident Location : 724 Page Ave, Lyndhurst, NJ 07071 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Hackensack Hospital

Incident Information

Incident-Exp# : 24-000808 - 000 **Alarm Date/Time** : 02/29/2024 22:51
Incident Location : 334 Roosevelt Ave, Lyndhurst, NJ 07071 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 signed RMA

Incident Information

Incident-Exp# : 24-000807 - 000 **Alarm Date/Time** : 02/29/2024 21:17



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 56 Hobson St, Bloomfield, NJ 07003

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 signed RMA

Incident Information

Incident-Exp# : 24-000806 - 000

Alarm Date/Time : 02/29/2024 17:28

Incident Location : 44 Park Ave, Nutley, NJ 07110

Incident Type : 744 - Detector activation, no fire - unintentional

Incident Remarks

- 101, Engine 1 and Ladder 1 responded to 44 Park Ave. on the report of an activated alarm. Fire personnel arrived with the alarm system sounding. Firefighters were met by several individuals that were using the gymnasium for basketball practice. They explained the fire alarm pull station was accidentally pulled while in the course of playing basketball. The pull station and alarm system were both able to be reset. Fire units then cleared the scene.

Incident Information

Incident-Exp# : 24-000805 - 000

Alarm Date/Time : 02/29/2024 15:42

Incident Location : 314 Grant Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp# : 24-000804 - 000

Alarm Date/Time : 02/29/2024 15:20

Incident Location : 65 River Rd, Building 4, Nutley, NJ 07110

Incident Type : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Upon arrival it was determined to be dust from contractor repairing a fixture. NO smoke and/or fire

Incident Information

Incident-Exp# : 24-000803 - 000

Alarm Date/Time : 02/29/2024 14:38

Incident Location : 325 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 signed RMA

Incident Information

Incident-Exp# : 24-000802 - 000

Alarm Date/Time : 02/29/2024 12:25

Incident Location : 228 Chestnut St, Nutley, NJ 07110

Incident Type : 512 - Ring or jewelry removal

Incident Remarks

Tour 4 cut and removed the patients ring off of the ring finger. RMA signed with EMS 2

Incident Information

Incident-Exp# : 24-000801 - 000

Alarm Date/Time : 02/29/2024 10:29

Incident Location : 5 Briar Ln, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp# : 24-000800 - 000

Alarm Date/Time : 02/29/2024 09:07

Incident Location : 125 William St, Nutley, NJ 07110

Incident Type : 510 - Person in distress, other

Incident Remarks

Nutley Fire was responding to a report of a child locked in the bathroom. Upon our arrival the door had been opened. We were canceled on scene.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp# : 24-000799 - 000 **Alarm Date/Time** : 02/29/2024 06:45
Incident Location : Bloomfield Ave/Spruce St, Nutley, NJ 07110 **Incident Type** : 444 - Power line down

Incident Remarks

Eng. 1 Ladder 1 responded to Bloomfield Ave and Spruce for a box with wires coming out hanging. Upon arrival Eng. 1 confirmed the box is cable and it has been hanging like that for a few days. Police barrels and caution tape was already on scene protecting the sidewalk from traffic. NPD was advised to contact cable providers to find out who's property it is. All units were clear and available at 0651hrs.

Incident Information

Incident-Exp# : 24-000798 - 000 **Alarm Date/Time** : 02/28/2024 21:14
Incident Location : 73 Beech St, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Mountainside Hospital see cad#24-11842

Incident Information

Incident-Exp# : 24-000797 - 000 **Alarm Date/Time** : 02/28/2024 19:45
Incident Location : 107 Kenzel Ave, Nutley, NJ 07110 **Incident Type** : 444 - Power line down

Incident Remarks

Eng. 1 responded to 107 Kenzel Ave on a wire down. Upon arrival Eng. 1 confirmed the wire to be cable and raised the wire with a zip tie. Verizon advised homeowner they will be there tomorrow to fix properly. Eng. 1 was clear and available at 2000hrs.

Incident Information

Incident-Exp# : 24-000796 - 000 **Alarm Date/Time** : 02/28/2024 17:02
Incident Location : 98 Walnut St, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signer RMA see cad#24-11814

Incident Information

Incident-Exp# : 24-000795 - 000 **Alarm Date/Time** : 02/28/2024 15:48
Incident Location : 35 Oak Crest Pl, Nutley, NJ 07110 **Incident Type** : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Eng. 1 Ladder 1 responded to 35 Oak Crest Pl on an activated fire alarm. Upon arrival homeowner advised that it was his pot that burned and there was no emergency. Ladder 1 confirmed burned pot and no extension. All units were clear and available at 1552hrs.

Incident Information

Incident-Exp# : 24-000794 - 000 **Alarm Date/Time** : 02/28/2024 15:00
Incident Location : 353 Park Ave, Apt 21, Nutley, NJ 07110 **Incident Type** : 553 - Public service

Incident Remarks

Eng. 1 Ladder 1 and EMS 2 met with tenant regarding heat issue.

Incident Information

Incident-Exp# : 24-000793 - 000 **Alarm Date/Time** : 02/28/2024 12:21
Incident Location : 65 River Rd, Apt 202, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-11766

Incident Information

Incident-Exp# : 24-000792 - 000 **Alarm Date/Time** : 02/28/2024 12:05
Incident Location : 353 Park Ave, Apt 21, Nutley, NJ 07110 **Incident Type** : 553 - Public service

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Eng. 1 Ladder 1 and EMS 2 responded to 353 Park Ave, Apt 21 on an issue with heating the apartment unit. The tenant was not home at this time. Inspector Melillo stated he will follow up with the tenant. All units were clear and available.

Incident Information

Incident-Exp#	: 24-000791 - 000	Alarm Date/Time	: 02/28/2024 10:34
Incident Location	: 80 Oak Ridge Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Hackensack see cad#24-11754

Incident Information

Incident-Exp#	: 24-000790 - 000	Alarm Date/Time	: 02/28/2024 10:55
Incident Location	: 2 Montclair Ave, Nutley, NJ 07110	Incident Type	: 736 - CO detector activation due to malfunction

Incident Remarks

L1 was dispatched to above location for an alarm investigation. Alarm activation was a CO detector activated due to end of life cycle. House was checked with meters and resident was advised to replace.

Incident Information

Incident-Exp#	: 24-000789 - 000	Alarm Date/Time	: 02/28/2024 11:17
Incident Location	: 83 Raymond Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

L1 responded to above address for a lift assist. Nothing further medical. RMA signed.

Incident Information

Incident-Exp#	: 24-000788 - 000	Alarm Date/Time	: 02/28/2024 03:45
Incident Location	: 70 Cathedral Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Fire and EMS units responded to the above address for an overdose. While assessing the patient Clifton Fire and PD arrived on scene at it was determined the house was actually located in Clifton. We assisted walking the patient into the back of the Clifton ambulance and transferred patient care. Clifton transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000787 - 000	Alarm Date/Time	: 02/27/2024 23:46
Incident Location	: 1 Municipal Plz, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the Bloomfield Police Station for an EDP. EMS 2 transported the patient to Mountainside Hospital.

*Bloomfield Fire was not on scene.

Incident Information

Incident-Exp#	: 24-000786 - 000	Alarm Date/Time	: 02/27/2024 14:01
Incident Location	: 82 Raymond Ave, Nutley, NJ 07110	Incident Type	: 651 - Smoke scare, odor of smoke

Incident Remarks

Fire units responded in the area of 516 Bloomfield Avenue for a smoke condition. Once in the area I was able to narrow the smoke to a legal fire pit in the rear yard of 82 Raymond Avenue. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000785 - 000	Alarm Date/Time	: 02/27/2024 21:34
Incident Location	: 63 Columbia Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

Ladder 1 responded to the above location for a person feeling faint. Ladder 1 assessed the patient and took vitals. North Arlington EMS transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000784 - 000	Alarm Date/Time	: 02/27/2024 21:20
Incident Location	: 275 Delawanna Ave, Clifton, NJ 07014	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address for a pregnant female vomiting blood. EMS 2 transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000783 - 000	Alarm Date/Time	: 02/27/2024 19:22
Incident Location	: 1 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

While at the above location for report #782, we came across a homeless person on the bench of the bus station asking for help. EMS 2 transported the patient to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 24-000782 - 000	Alarm Date/Time	: 02/27/2024 19:15
Incident Location	: 1 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Fire units responded to the big tree for garage for an unresponsive on the bus. After speaking to the bus driver, the person woke up and walked away prior to our arrival. Patient was GOA and all units went available.

Incident Information

Incident-Exp#	: 24-000781 - 000	Alarm Date/Time	: 02/27/2024 08:29
Incident Location	: 30 Grant Ave, Nutley, NJ 07110	Incident Type	: 522 - Water or steam leak

Incident Remarks

Fire units responded to the above location for a reported water condition. Upon arrival the homeowner stated her basement was filling up with water. I could see about 12 inches of water in the basement and hear water spraying from the top of the stairs. Firefighters entered the basement and shut off the water main which stopped the leak. The water was above the burners of the boiler and water heater, so crews shut off the gas to those units. Inspector Evans responded to the scene with an electric and a gas de-watering pump. We removed the water from the basement then I requested PSEG respond to the scene to do an inspection on the appliances that were under water. Fire units cleared.

The homeowners' daughters had a licensed Plummer responding to repair the pipe. They also contacted the insurance company to start a claim.

Incident Information

Incident-Exp#	: 24-000780 - 000	Alarm Date/Time	: 02/27/2024 18:10
Incident Location	: 650 Milton Ave, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address for a person complaining of abdominal pain. EMS 2 transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000779 - 000	Alarm Date/Time	: 02/27/2024 17:43
Incident Location	: 265 High St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above address for an assessment on a minor. Crew assessed the patient and all vitals were in the normal range. Ladder 1 received an RMA by an adult family member.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000778 - 000	Alarm Date/Time	: 02/27/2024 17:27
Incident Location	: 26 Duncan Pl, Nutley, NJ 07110	Incident Type	: 381 - Rescue or EMS standby

Incident Remarks

101, Engine 1 and EMS 2 responded in the area of 26 Duncan Place for a welfare check. PD Cleared us from the scene prior to making patient contact.

Incident Information

Incident-Exp#	: 24-000777 - 000	Alarm Date/Time	: 02/27/2024 15:31
Incident Location	: 300 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the High School for a student having a seizure. EMS 2 received a signed RMA.

Incident Information

Incident-Exp#	: 24-000776 - 000	Alarm Date/Time	: 02/27/2024 14:13
Incident Location	: 564 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Fire units responded in front of Ralphs for an unconscious person. Patient was alert and oriented upon arrival and stated they just fell. EMS 2 assessed the patient and received a signed RMA.

Incident Information

Incident-Exp#	: 24-000775 - 000	Alarm Date/Time	: 02/27/2024 12:40
Incident Location	: 370 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 and EMS 2 responded to the above location for a patient with a GI tube vomiting. EMS 2 transported the patient to Saint Josephs Regional Medical Center.

Incident Information

Incident-Exp#	: 24-000774 - 000	Alarm Date/Time	: 02/27/2024 10:52
Incident Location	: Grant Ave/Walnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1 and Ladder 1 responded to the above location for a possible broken arm. Crews assessed the patient then EMS 2 transported them to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000773 - 000	Alarm Date/Time	: 02/26/2024 20:15
Incident Location	: 59 Hillside Cres, Nutley, NJ 07110	Incident Type	: 736 - CO detector activation due to malfunction

Incident Remarks

Engine 1 & Ladder 1 responded to the above location for a carbon monoxide detector sounding. Upon arrival no alarm was sounding. House was checked using 2 meters. Zero readings. Did find batteries needed to be changed in detector. Resident changed batteries and placed the unit back in service.

Incident Information

Incident-Exp#	: 24-000772 - 000	Alarm Date/Time	: 02/26/2024 19:46
Incident Location	: 27 Brown St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1 & Ladder 1 responded to the above location for a smell of gas outside the house. Upon arrival checked outside & inside the house with negative results. PSE&G also responded.

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000771 - 000	Alarm Date/Time	: 02/26/2024 19:16
Incident Location	: 345 High St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 & Ladder 1 responded to the above location. EMS 2 transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000770 - 000	Alarm Date/Time	: 02/26/2024 18:30
Incident Location	: 109 River Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000769 - 000	Alarm Date/Time	: 02/26/2024 16:47
Incident Location	: 231 Franklin Ave, Nutley, NJ 07110	Incident Type	: 113 - Cooking fire, confined to container

Incident Remarks

Engine 1 & Ladder 1 responded to the above location on a fire alarm. Upon arrival the tenant reported that he was locked out of his apartment and the stove was on and smoking. Ladder 1 was able to force the door to apartment 1 and enter the apartment. The food was removed from the stove. The stove was shut down and the apartment and the hallway were ventilated using the battery powered fan. No damage was done to the door while entering. Alarm system was re set before leaving.

Incident Information

Incident-Exp#	: 24-000768 - 000	Alarm Date/Time	: 02/26/2024 15:39
Incident Location	: 34 Linn Rd, Nutley, NJ 07110	Incident Type	: 511 - Lock-out

Incident Remarks

Ladder 1 responded to the above location for a lock out. Ladder 1 gained entry by sticking a knife in the behind the latch and sliding the latch forward opening the door. No damage was done to the door or latch.

Incident Information

Incident-Exp#	: 24-000767 - 000	Alarm Date/Time	: 02/26/2024 13:39
Incident Location	: 126 Rutherford Blvd, Clifton, NJ 07014	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location in Clifton. Transported to St. Joseph's

Incident Information

Incident-Exp#	: 24-000766 - 000	Alarm Date/Time	: 02/26/2024 13:30
Incident Location	: 429 Stephens St, Belleville, NJ 07109	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

On the above date and time, I responded to the Belleville Township Garage in order to aid Nutley DPW in fueling Nutley Township Vehicles. I spoke to Charlie Smith, Assistant DPW- Director who stated the fueling of these vehicles would equal what Belleville Township owed Nutley Township when they fueled their vehicles at our town garage on 1/9/24. 72 Gal of Diesel were owed to Nutley Township. The breakdown of the fueling is as follows: A-22/19 Gal, G-1-32 Gal, G-1-21 Gal. Nothing Further.

Incident Information

Incident-Exp#	: 24-000765 - 000	Alarm Date/Time	: 02/26/2024 10:10
Incident Location	: 25 Lake St, Nutley, NJ 07110	Incident Type	: 522 - Water or steam leak

Incident Remarks

Engine 1 responded to the above location on a report of a water leak. Upon arrival resident stated 2nd floor bathroom was leaking water into the kitchen. We found the 2nd floor toilet was clogged and overflowing causing the water leak. The clog in the toilet was freed up and the water leak stopped. The circuit breaker in the kitchen was shut down due to water leaking thru the fixture. Resident advised to notify a plumber about the toilet & electrician about the kitchen fixture.

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000764 - 000	Alarm Date/Time	: 02/26/2024 10:01
Incident Location	: 130 Kenzel Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000763 - 000	Alarm Date/Time	: 02/26/2024 08:55
Incident Location	: 63 Perry St, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

Ladder 1 was dispatched to the above location in Belleville for automatic aid. Ladder 1 canceled en route.

Incident Information

Incident-Exp#	: 24-000762 - 000	Alarm Date/Time	: 02/26/2024 08:36
Incident Location	: Overlook Ave/Floyd St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000761 - 000	Alarm Date/Time	: 02/26/2024 06:48
Incident Location	: 442 Walnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. RMA signed.

Incident Information

Incident-Exp#	: 24-000760 - 000	Alarm Date/Time	: 02/26/2024 05:15
Incident Location	: 63 Mountainview Ave, Nutley, NJ 07110	Incident Type	: 746 - Carbon monoxide detector activation, no CO

Incident Remarks

- Engine 1 responded to 63 Mountainview on the report of an activated CO alarm. Engine 1 arrived, and the residents had evacuated the home. The homeowner stated that the detector at the top of the basement stairs started sounding. Fire personnel entered the home and began air monitoring. The results of air monitoring were negative throughout the home. The resident was made aware of the air monitoring results and advised to purchase a new combo detector unit. Engine 1 then cleared the scene.

*** Kidde 9-16-22 Combo unit

Incident Information

Incident-Exp#	: 24-000759 - 000	Alarm Date/Time	: 02/26/2024 00:25
Incident Location	: 51 Saint Marys Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000758 - 000	Alarm Date/Time	: 02/25/2024 22:36
Incident Location	: 682 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 2 and ladder 1 were canceled en route by Nutley Police.

Incident Information

Incident-Exp#	: 24-000757 - 000	Alarm Date/Time	: 02/25/2024 21:24
Incident Location	: 596 Centre St, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

Engine 1 and EMS 2 were dispatched to the area of 596 Centre Street on the report of an MVA with injuries. Fire units arrived on scene and EMS 2 did a patient assessment on the driver of the vehicle that had struck a park car in front of 569 Centre Street. Engine 1 took care of debris/ hazard removal from the vehicles. Engine 1 crew viewed both vehicles to ensure that no fluids were leaking from either vehicle, none was leaking. EMS 2 received a sign RMA from the driver. Nutley PD released Fire units from the scene and they requested Nicolette Towing to remove the vehicles. Fire units cleared and available at 2131 hours.

Incident Information

Incident-Exp#	: 24-000756 - 000	Alarm Date/Time	: 02/25/2024 18:26
Incident Location	: 33 Wallace St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 was dispatched to 33 Wallace Street Township of Belleville on the report of a possible suicidal person.

EMS 2 transported patient to CMMC.

SEE CAD #24-11171

Incident Information

Incident-Exp#	: 24-000755 - 000	Alarm Date/Time	: 02/25/2024 17:29
Incident Location	: 36 Dodd St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000754 - 000	Alarm Date/Time	: 02/25/2024 17:02
Incident Location	: 51 Spring St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 was dispatched to 51 Spring Street on the report of a person feeling faint.

EMS 2 received a signed RMA.

SEE CAD #24-11136

Incident Information

Incident-Exp#	: 24-000753 - 000	Alarm Date/Time	: 02/25/2024 15:17
Incident Location	: 7 William St, Apt 404, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 7 William Street, Apt. 404 on the report of a person not feeling well and vomiting.

- CAD # 24-11117

- Transport to Mountainside.

Incident Information

Incident-Exp#	: 24-000752 - 000	Alarm Date/Time	: 02/25/2024 14:55
Incident Location	: King St/Union Ave, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

Captain Santangelo responded with the 101 car to assist police with a call of a person burning branches from a tree. Up arrival it was unfounded for the length of King St and the surrounding area.

Incident Information

Incident-Exp#	: 24-000751 - 000	Alarm Date/Time	: 02/25/2024 11:26
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 46 Gerard Rd, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 was dispatched to 46 Gerard Road on the report of a person having High Blood Pressure.

EMS 2 received a signed RMA.

SEE CAD #24-11081

Incident Information

Incident-Exp# : 24-000750 - 000

Alarm Date/Time : 02/25/2024 11:59

Incident Location : 7 Franklin Ave, Nutley, NJ 07110

Incident Type : 113 - Cooking fire, confined to container

Incident Remarks

Upon arrival it was determined to be smoke from cooking that activated the fire alarm. We were able to reset however it still read trouble in the system. Captain Santangelo spoke with the landlord via the phone to have a technician respond to check further.

Incident Information

Incident-Exp# : 24-000749 - 000

Alarm Date/Time : 02/25/2024 10:26

Incident Location : 181 River Rd, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 was dispatched to 181 River Road Building 3 Apartment 2A on the report of a Dehydrated Person.

Ladder 1 arrived on scene and did a patient assessment and took vital signs.

Belleville EMS 2 arrived on scene and transported the patient to MTSD.

SEE CAD #24-11075

Incident Information

Incident-Exp# : 24-000748 - 000

Alarm Date/Time : 02/25/2024 10:16

Incident Location : 11 Ivy Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 was dispatched to 11 Ivy Place on the report of a person feeling ill.

EMS 2 transported the patient to MTSD

SEE CAD #24-11068

Incident Information

Incident-Exp# : 24-000747 - 000

Alarm Date/Time : 02/25/2024 09:20

Incident Location : 350 Passaic Ave, Nutley, NJ 07110

Incident Type : 733 - Smoke detector activation due to malfunction

Incident Remarks

- 101, Engine 1 & Ladder 1 responded to 350 Passaic Ave. on the report of an activated alarm. Fire personnel arrived with the alarm sounding. Onsite staff in the kitchen area stated the alarm activated while preparing food. The activated detector was located in a hallway adjacent to the kitchen. Kitchen staff had already begun natural ventilation by opening the rear exit door. The smoke detector was able to be reset but the system remained in trouble due to an ongoing issue with the fire alarm system. The owner was contacted, and he was aware of the fire alarm system malfunctioning. The owner was advised to contact the fire alarm company and have a technician make repairs as soon as possible. Fire units then cleared the scene.

Incident Information

Incident-Exp# : 24-000746 - 000

Alarm Date/Time : 02/25/2024 09:12

Incident Location : 11 Ivy Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 11 Ivy Place on the report an 80-year-old male vomiting.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

- CAD # 24-11053

- RMA signed

Incident Information

Incident-Exp# : 24-000745 - 000

Alarm Date/Time : 02/25/2024 06:19

Incident Location : 483 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000744 - 000

Alarm Date/Time : 02/25/2024 06:26

Incident Location : 499 Kingsland St, Nutley, NJ 07110

Incident Type : 733 - Smoke detector activation due to malfunction

Incident Remarks

Upon arrival the home owner advised us they have been having an issue with the system and will call for service. The home owner attempted to cancel us prior and did not want us to walk the home.

Incident Information

Incident-Exp# : 24-000743 - 000

Alarm Date/Time : 02/25/2024 04:12

Incident Location : 181 River Rd, APT 3-3A, Nutley, NJ, 07110, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 signed RMA

Incident Information

Incident-Exp# : 24-000742 - 000

Alarm Date/Time : 02/24/2024 21:36

Incident Location : 123 Metro Blvd, Nutley, NJ 07110

Incident Type : 735 - Alarm system sounded due to malfunction

Incident Remarks

Upon arrival it was determined to be an activation on the 5th floor lobby that was under construction. The system was left in trouble and building was going to have a technician respond to check further.

Incident Information

Incident-Exp# : 24-000741 - 000

Alarm Date/Time : 02/24/2024 20:15

Incident Location : 78 Yantacaw Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 signed RMA Ladder 1 released on scene.

Incident Information

Incident-Exp# : 24-000740 - 000

Alarm Date/Time : 02/24/2024 18:15

Incident Location : 117 Harrison St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Mountainside Hospital



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000739 - 000	Alarm Date/Time	: 02/24/2024 15:06
Incident Location	: 46 Gerard Rd, Nutley, NJ 07110	Incident Type	: 746 - Carbon monoxide detector activation, no CO

Incident Remarks

Engine 1 responded to the above location for a reported CO alarm. We metered the entire house and had zero readings. After speaking with the homeowner, I found out that she pressed the test button to her new CO detector and it stated evacuate and call 911 so she followed the instructions. I educated her on her new alarm and the testing procedure. Engine 1 cleared.

Incident Information

Incident-Exp#	: 24-000738 - 000	Alarm Date/Time	: 02/24/2024 13:47
Incident Location	: 52 E Centre St, Nutley, NJ 07110	Incident Type	: 151 - Outside rubbish, trash or waste fire

Incident Remarks

Fire and EMS responded to the above location for a reported vehicle fire or brush fire called in by a passerby. Upon arrival there was an exterior rubbish fire involving mattresses and pallets against the B side of the building. Engine 1 stretched the front bumper 1 3/4 inch attack line and extinguished the fire. Ladder 1 and EMS 2 crew conducted overhaul and checked for extension to the building. EMS also evacuated the one person inside of the structure. There was no extension to the building, however, there was a small area of the exterior building that was damaged from spalling concrete. We removed the residual smoke in the building with a blow hard fan then I reset the Fire Alarm to the building. All fire units cleared.

****There was no readily available ignition source in the immediate area to start the fire. The equipment and garbage that burned belonged to one of the buildings tenants called Central Medical. The one worker that was inside of the warehouse upon arrival did not see anything and denied being a smoker. There were no witness's on scene at the time of the fire. I spoke with the management company, and they had did not have any cameras on their building. I spoke with the owner of the building next door that had a camera pointing to the area of the rubbish fire, and they said they would be able to get me the footage by Monday.****

Belleville and Bloomfield were put on a Verble standby during this incident.

Incident Information

Incident-Exp#	: 24-000737 - 000	Alarm Date/Time	: 02/24/2024 09:59
Incident Location	: 46 Gerard Rd, Nutley, NJ 07110	Incident Type	: 746 - Carbon monoxide detector activation, no CO

Incident Remarks

Fire units responded to the above location for a CO alarm. Crews metered the house and had zero readings. I advised the homeowner to replace her detector due to it being past its recommended date of use.

Incident Information

Incident-Exp#	: 24-000736 - 000	Alarm Date/Time	: 02/23/2024 16:15
Incident Location	: 319 Washington Ave, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

While leaving incident 24-000735, we came across a low hanging wire at Nutley and Washington Avenue. Crews put up a ladder and resecured the cable wire to the 319 Washington Avenue. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000735 - 000	Alarm Date/Time	: 02/23/2024 16:04
Incident Location	: Nutley Ave/Walnut St, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

Engine 1 and Engine 3 responded to the above intersection for a wire down. Crews cut the downed cable wire and removed them from the street then cleared the scene.

Incident Information

Incident-Exp#	: 24-000734 - 000	Alarm Date/Time	: 02/23/2024 09:11
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : Centre St/Franklin Ave, Nutley, NJ 07110

Incident Type : 444 - Power line down

Incident Remarks

Engine 1 responded to the above location for wires down. Upon arrival there was a cable line laying in the roadway. We cut and removed the cable line. Engine 1 cleared.

Incident Information

Incident-Exp# : 24-000733 - 000

Alarm Date/Time : 02/24/2024 10:31

Incident Location : 114 Conover Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person with knee pain. EMS crew assessed the patient then received a signed RMA.

Incident Information

Incident-Exp# : 24-000732 - 000

Alarm Date/Time : 02/24/2024 07:33

Incident Location : 17 Nairn Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address for a lift assist. EMS 2 assisted the patient into the family car so they can transport him to a hospital closer to his house down the shore for a past occurred ankle injury. EMS 2 crew obtained a signed RMA then cleared.

Incident Information

Incident-Exp# : 24-000731 - 000

Alarm Date/Time : 02/24/2024 01:53

Incident Location : 223 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for an evaluation requested by PD. Patient refused agitated and refused assessment or transportation. Patient was an RMA by action.

Incident Information

Incident-Exp# : 24-000730 - 000

Alarm Date/Time : 02/24/2024 01:02

Incident Location : 150 Vreeland Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person with difficulty breathing. EMS 2 transported the person to Clara Maass Medical Center.

Incident Information

Incident-Exp# : 24-000729 - 000

Alarm Date/Time : 02/23/2024 21:17

Incident Location : 101 Scales Plz, Apt 309, Clifton, NJ 07013

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person with High Blood Pressure. EMS 2 transported the patient to St. Mary's Hospital.

Incident Information

Incident-Exp# : 24-000728 - 000

Alarm Date/Time : 02/23/2024 20:08

Incident Location : Washington Ave/Little St, Belleville, NJ 07109

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above intersection for a pedestrian struck. EMS 2 transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp# : 24-000727 - 000

Alarm Date/Time : 02/23/2024 17:34

Incident Location : 204 Adelaide St, Belleville, NJ 07109

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address with a person with a fever. EMS 2 transported the patient Clara Maass Medical Center.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000726 - 000	Alarm Date/Time	: 02/23/2024 17:14
Incident Location	: 47 Oak St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address for a person hallucinating. EMS 2 was cancelled on scene by Belleville Fire.

Incident Information

Incident-Exp#	: 24-000725 - 000	Alarm Date/Time	: 02/23/2024 14:54
Incident Location	: 170 Chestnut St, Nutley, NJ 07110	Incident Type	: 721 - Bomb scare - no bomb

Incident Remarks

I was informed by Inspector Evans that he observed an unattended briefcase while doing an inspection at Emilio's Wood Fire Pizza. We responded and I confirmed an unattended hard briefcase directly behind a fire hydrant in the normal path of travel of kids leaving the Middle and Highschool. I requested the Essex County Bomb Squad to respond. Police and fire blocked off the area from Park Drive to Passaic Avenue in both directions and evacuated the buildings to the rear of the structures closest to the briefcase. Essex County arrived on scene and x-rayed the briefcase and then opened it up to find no hazard inside. We opened up the roadway and returned to service.

Incident Information

Incident-Exp#	: 24-000724 - 000	Alarm Date/Time	: 02/23/2024 12:30
Incident Location	: 44 Park Ave, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

We checked to make sure the keys traffic keys worked in the newly installed door by Jen Electric. Everything was in working order.

Incident Information

Incident-Exp#	: 24-000723 - 000	Alarm Date/Time	: 02/23/2024 12:15
Incident Location	: Rutgers Pl/Passaic Ave, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Engine 1 responded to the above intersection for a reported cross walk light out of service. The button on the southeast corner did not activate the cross-walk light when I pressed the button. The cross-walk button on the opposite side of the cross walk was in working order. I contacted Jen Electric to fix the issue. Jen electric called me later in the day and stated it was a button and a battery issue. They were going to resolve the issue as soon as the battery came in.

Incident Information

Incident-Exp#	: 24-000722 - 000	Alarm Date/Time	: 02/23/2024 15:31
Incident Location	: 27 Park Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a special needs child that punched a window. EMS crew received a signed RMA from the patients father.

Incident Information

Incident-Exp#	: 24-000721 - 000	Alarm Date/Time	: 02/23/2024 11:00
Incident Location	: 267 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 was dispatched to the above stated address for multiple patients feeling anxious. EMS 2 crew received 3 RMA's signed.

Incident Information

Incident-Exp#	: 24-000720 - 000	Alarm Date/Time	: 02/23/2024 10:20
Incident Location	: 415 Manchester Dr, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to the above stated address for a patient with lower right abdomen pain. Patient transported to Clara Maass Medical Center.

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000719 - 000	Alarm Date/Time	: 02/23/2024 08:40
Incident Location	: 241 Kingsland St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Fire and EMS responded to the above address for an unresponsive party. EMS 2 transported the patient to Hackensack Hospital.

Incident Information

Incident-Exp#	: 24-000718 - 000	Alarm Date/Time	: 02/23/2024 04:06
Incident Location	: 31 Overlook Ter, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000717 - 000	Alarm Date/Time	: 02/23/2024 00:55
Incident Location	: 10 Berton Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. Transported to St. Mary's

Incident Information

Incident-Exp#	: 24-000716 - 000	Alarm Date/Time	: 02/22/2024 19:56
Incident Location	: 563 Franklin Ave, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

Engine 1 responded to the above location to assist NPD. NPD requested the bathroom & basement be checked for possible carbon monoxide. Checked building using 2 meters and had zero readings.

Incident Information

Incident-Exp#	: 24-000715 - 000	Alarm Date/Time	: 02/22/2024 19:41
Incident Location	: 24 Harvard St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 & Belleville EMS responded to the above location. Belleville transported to Clara mass.

Incident Information

Incident-Exp#	: 24-000714 - 000	Alarm Date/Time	: 02/22/2024 18:59
Incident Location	: 3 Freeman Pl, Nutley, NJ 07110	Incident Type	: 531 - Smoke or odor removal

Incident Remarks

Engine 1 responded to the above location for an odor of possible gas in the apartment. Upon arrival had zero reading using 2 different meters. PSE&G arrived on scene and had zero reading for Co & natural gas. Apartment and entire house checked but could not find where the odor was coming from. The odor did dissipate with the windows open. Residents advised to call back if the smell gets worse.

Incident Information

Incident-Exp#	: 24-000713 - 000	Alarm Date/Time	: 02/22/2024 18:50
Incident Location	: 240 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder1 & Belleville EMS were dispatched to the above location. After assessment, RMA signed.

Incident Information

Incident-Exp#	: 24-000712 - 000	Alarm Date/Time	: 02/22/2024 18:34
Incident Location	: 33 Nairn Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

EMS 2 responded to the above location for a person having an Asthma attack. EMS 2 transported 1 patient to St. Joes. ALS 32-46 responded

Incident Information

Incident-Exp#	: 24-000711 - 000	Alarm Date/Time	: 02/22/2024 16:24
Incident Location	: 181 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000710 - 000	Alarm Date/Time	: 02/22/2024 15:40
Incident Location	: 712 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 440 - Electrical wiring/equipment problem, other

Incident Remarks

Engine 1 responded to the above location for a low hanging wire. Engine 1 arrived on scene and found what appeared to be a large cable junction box type device hanging about 8ft in the air. It didn't pose a hazard. NPD was going to notify the cable company to respond.

Incident Information

Incident-Exp#	: 24-000709 - 000	Alarm Date/Time	: 02/22/2024 10:38
Incident Location	: 14 Oak Crest Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Mountainside .

Incident Information

Incident-Exp#	: 24-000708 - 000	Alarm Date/Time	: 02/22/2024 09:42
Incident Location	: 60 Overlook Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location in Belleville. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000707 - 000	Alarm Date/Time	: 02/22/2024 11:10
Incident Location	: 361 Harrison St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above location for a person vomiting. Belleville EMS 2 responded and transported 1 patient to Clara Maass. See CAD 24-10430

Incident Information

Incident-Exp#	: 24-000706 - 000	Alarm Date/Time	: 02/22/2024 06:24
Incident Location	: 186 Satterthwaite Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 186 Satterwaite Ave. on the report of a lift assist with no injuries.

- CAD # 24-10395

- RMA signed

Incident Information

Incident-Exp#	: 24-000705 - 000	Alarm Date/Time	: 02/22/2024 02:53
Incident Location	: 4 Hagert St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital with Nutley Police aboard



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000704 - 000	Alarm Date/Time	: 02/22/2024 03:07
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 signed RMA

Incident Information

Incident-Exp#	: 24-000703 - 000	Alarm Date/Time	: 02/22/2024 01:05
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ems 1 signed RMA

Incident Information

Incident-Exp#	: 24-000702 - 000	Alarm Date/Time	: 02/21/2024 22:30
Incident Location	: 17 Church St, Apt 17, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000701 - 000	Alarm Date/Time	: 02/21/2024 19:13
Incident Location	: 48 Plymouth Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- Ladder 1 responded to 48 Plymouth Road on the report of a lift assist.
- CAD # 24-10331
- Transport to Clara Maas by Belleville EMS-2

Incident Information

Incident-Exp#	: 24-000700 - 000	Alarm Date/Time	: 02/21/2024 19:36
Incident Location	: 191 Ridge Rd, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Nutley Police received a call for a person in distress. Upon arrival it was determined to be a person that had fallen and was helped up by a neighbor and did not want assistance from the Fire department. Captain Santangelo returned all fire units.

Incident Information

Incident-Exp#	: 24-000699 - 000	Alarm Date/Time	: 02/21/2024 18:29
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

- EMS 1 responded to Route 21 South on the report of an MVA with injuries.
- CAD # 24-10323
- Transport to Clara Maas

Incident Information

Incident-Exp#	: 24-000698 - 000	Alarm Date/Time	: 02/21/2024 14:19
Incident Location	: 88 Warren St, Apt 2B, Nutley, NJ 07110	Incident Type	: 381 - Rescue or EMS standby

Incident Remarks

Engine 1 and Ladder 1 responded on a welfare check. EMS 1 remained on scene for medics on a pronouncement. Entry gained by the complex super with the keys.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000697 - 000	Alarm Date/Time	: 02/21/2024 13:24
Incident Location	: 296 Walnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 24-000696 - 000	Alarm Date/Time	: 02/21/2024 11:54
Incident Location	: 28 Brookline Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA at Holy Family Church

Incident Information

Incident-Exp#	: 24-000695 - 000	Alarm Date/Time	: 02/21/2024 07:17
Incident Location	: 357 Greylock Pkwy, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 canceled en route by Belleville FD

Incident Information

Incident-Exp#	: 24-000694 - 000	Alarm Date/Time	: 02/21/2024 05:27
Incident Location	: 122 Stuyvesant Ave, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Hackensack Hospital see cad#24-10226

Incident Information

Incident-Exp#	: 24-000693 - 000	Alarm Date/Time	: 02/21/2024 04:47
Incident Location	: 6 Van Riper Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-10223

Incident Information

Incident-Exp#	: 24-000692 - 000	Alarm Date/Time	: 02/20/2024 22:37
Incident Location	: 580 New Jersey Ave, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-10147

Incident Information

Incident-Exp#	: 24-000691 - 000	Alarm Date/Time	: 02/20/2024 23:13
Incident Location	: 53 Nolton St, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

Ladder 1 was dispatched to 53 Nolton St on automatic aid. Cancelled enroute via Belleville command.

Incident Information

Incident-Exp#	: 24-000690 - 000	Alarm Date/Time	: 02/20/2024 21:47
Incident Location	: 23 Burnett Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-10145

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000689 - 000	Alarm Date/Time	: 02/20/2024 19:42
Incident Location	: 25 Parkview Ter, Clifton, NJ 07011	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to St. Joe's see cad#24-10133

Incident Information

Incident-Exp#	: 24-000688 - 000	Alarm Date/Time	: 02/20/2024 18:47
Incident Location	: 87 Ohlson Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-10124

Incident Information

Incident-Exp#	: 24-000687 - 000	Alarm Date/Time	: 02/20/2024 19:57
Incident Location	: 212 E Passaic Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 received a signed RMA see cad#24-10134

Incident Information

Incident-Exp#	: 24-000686 - 000	Alarm Date/Time	: 02/20/2024 19:11
Incident Location	: 27 Crestwood Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 and Eng. 1 responded to medical for choking see cad#24-10128. Pt care transferred to Bloomfield EMS whom transported 1 to Mountainside.

Incident Information

Incident-Exp#	: 24-000685 - 000	Alarm Date/Time	: 02/20/2024 18:08
Incident Location	: 120 Franklin Ave, Nutley, NJ 07110	Incident Type	: 522 - Water or steam leak

Incident Remarks

Eng.1 Ladder 1 responded to 120 Franklin Ave for a water condition. Upon arrival Eng. 1 confirmed water damage was done to the ceiling which looked as if it was coming from the drain pipe. The water damage was aggressive to the point where the beam was saturated. Ladder 1 tried to investigate on the upper floors and needed NPD for entry as per tenants were not willing. Entry was made and no obvious signs of issues found. The tenant on the second floor stated, where the wood is on the ceiling it leaks water every day. There was signs of damage and cheap repair. NPD was advised and contacted property owner. No emergency or hazards were found. All units were clear and available at 1828hrs.

Incident Information

Incident-Exp#	: 24-000684 - 000	Alarm Date/Time	: 02/20/2024 16:36
Incident Location	: 25 May Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-10091

Incident Information

Incident-Exp#	: 24-000683 - 000	Alarm Date/Time	: 02/20/2024 15:43
Incident Location	: 58 Wayne Pl, Nutley, NJ 07110	Incident Type	: 554 - Assist invalid

Incident Remarks

Ladder 1 performed lift assist and received a signed RMA see cad#24-10082

Incident Information

Incident-Exp#	: 24-000682 - 000	Alarm Date/Time	: 02/20/2024 15:05
Incident Location	: 5 Briar Ln, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-10073. Ladder 1 assisted.

Incident Information

Incident-Exp# : 24-000681 - 000 **Alarm Date/Time** : 02/20/2024 12:48

Incident Location : 193 Mountainview Ave, Nutley, NJ 07110 **Incident Type** : 554 - Assist invalid

Incident Remarks

Ladder 1 responded to 193 Mountainview Ave to assist a person into her home after a dental procedure. Ladder 1 was clear and available at 1305hrs.

Incident Information

Incident-Exp# : 24-000680 - 000 **Alarm Date/Time** : 02/20/2024 12:40

Incident Location : 345 Centre St, Apt 204, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-10044

Incident Information

Incident-Exp# : 24-000679 - 000 **Alarm Date/Time** : 02/20/2024 10:39

Incident Location : 70 Brookdale Ave, Nutley, NJ 07110 **Incident Type** : 735 - Alarm system sounded due to malfunction

Incident Remarks

Eng. 1 Ladder 1 responded to 70 Brookdale Ave on an activated fire alarm. Enroute Eng. 1 was advised it may be a CO alarm and the building was evacuated. Upon arrival Eng. 1 and Ladder 1 metered the building and received readings of 0PPM. The alarm that went off was not a CO detector. The homeowner was advised to replace the detector if the alarm sounded again with no emergency. All units were clear and available at 1050hrs.

Incident Information

Incident-Exp# : 24-000678 - 000 **Alarm Date/Time** : 02/20/2024 10:09

Incident Location : 43 Craig Pl, Bloomfield, NJ 07003 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-010019

Incident Information

Incident-Exp# : 24-000677 - 000 **Alarm Date/Time** : 02/20/2024 07:36

Incident Location : 87 Hobson St, Bloomfield, NJ 07003 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-09988

Incident Information

Incident-Exp# : 24-000676 - 000 **Alarm Date/Time** : 02/20/2024 07:51

Incident Location : 146 Franklin Ave, Nutley, NJ 07110 **Incident Type** : 444 - Power line down

Incident Remarks

Eng.1 responded to the area of 146 Franklin Ave for a wire down. Upon arrival Eng. 1 confirmed the wire to be cable and removed the hazard. Eng. 1 was clear and available at 0758hrs.

Incident Information

Incident-Exp# : 24-000675 - 000 **Alarm Date/Time** : 02/19/2024 23:14

Incident Location : 18 Dogwood Ln, Nutley, NJ 07110 **Incident Type** : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Fire units responded to the above location for an activated alarm. It was determined the alarm was set off from shower steam. Alarm was reset and fire units cleared.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000674 - 000	Alarm Date/Time	: 02/19/2024 19:55
Incident Location	: 276 Branch Brook Dr, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person with a dislocated shoulder. EMS 1 transported them to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000673 - 000	Alarm Date/Time	: 02/19/2024 18:04
Incident Location	: 149 Polito Ave, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to Medieval Times for a person vomiting. Upon arrival patient was under the influence of marijuana. Patient was transported to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000672 - 000	Alarm Date/Time	: 02/19/2024 16:05
Incident Location	: 47 Vincent Pl, Apt 301, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person with difficulty breathing. EMS 1 transported them to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000671 - 000	Alarm Date/Time	: 02/19/2024 15:23
Incident Location	: 40 Plymouth Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above location for a person with elevated blood pressure. Ladder 1 assessed the patient and Belleville EMS transported them to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000670 - 000	Alarm Date/Time	: 02/19/2024 14:29
Incident Location	: 507 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 and 101 responded to the above address to assess an elderly person that fell. After the ladder company assessed the patient, it was determined that the patient needed to be transported to a hospital. EMS 1 responded to the scene and the patient was loaded into the back of the ambulance and transported to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 24-000669 - 000	Alarm Date/Time	: 02/19/2024 13:16
Incident Location	: 108 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the rear lot of the above address for a person with lower back pain from a minor accident in the parking lot. Patient refused to be transported and signed an RMA. Ladder 1 cleared.

Incident Information

Incident-Exp#	: 24-000668 - 000	Alarm Date/Time	: 02/19/2024 12:51
Incident Location	: 149 Mountainview Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a sick person. EMS 1 transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000667 - 000	Alarm Date/Time	: 02/19/2024 12:14
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 118 Passaic Ave, Apt B27, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person in pain. EMS 1 transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-000666 - 000

Alarm Date/Time : 02/19/2024 07:41

Incident Location : 38 Kenzel Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1, Ladder 1 and EMS 1 responded to the above location for an unresponsive female. Patient was breathing but unresponsive on arrival. Crews packaged the patient onto a reeves and placed her into the rear of the ambulance. EMS 1 transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-000665 - 000

Alarm Date/Time : 02/19/2024 05:17

Incident Location : 26 Vine St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person having stomach pain. EMS 1 transported the patient to Clara Maass Hospital. See CAD 24-09763

Incident Information

Incident-Exp# : 24-000664 - 000

Alarm Date/Time : 02/19/2024 01:54

Incident Location : 99 Warren St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person not acting right. EMS 1 transported 1 person to Mountainside Hospital. See CAD 24-09720

Incident Information

Incident-Exp# : 24-000663 - 000

Alarm Date/Time : 02/18/2024 23:28

Incident Location : 1 Washington Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the Big Tree Bus terminal for a person wanting to go to the hospital. Ladder 1 arrived on scene and checked out the party and NPD transported the party to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-000662 - 000

Alarm Date/Time : 02/18/2024 23:26

Incident Location : 20 Lincoln St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person having chest pain. EMS 1 transported 1 patient to Mountainside Hospital. See CAD 24-09709

Incident Information

Incident-Exp# : 24-000661 - 000

Alarm Date/Time : 02/18/2024 18:26

Incident Location : 1 River Rd, Nutley, NJ 07110

Incident Type : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Engine 1 responded to the above location, Building 15 Apt E, for an Activated fire alarm set off unintentionally. Engine 1 arrived on scene and found the resident outside awaiting our arrival. The building super was notified and he reset the alarm. Engine 1 cleared.

Incident Information

Incident-Exp# : 24-000660 - 000

Alarm Date/Time : 02/18/2024 16:58



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 20 Nelson Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 and EMS 1 responded to the above location for a person with Altered Mental status. EMS 1 transported 1 patient to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-000659 - 000

Alarm Date/Time : 02/18/2024 15:54

Incident Location : 318 Park Ave, Nutley, NJ 07110

Incident Type : 600 - Good intent call, other

Incident Remarks

Ladder 1 was dispatched to the above location for a Life Alert for a party who fell. Ladder 1 arrived and with permission from PD, forced entry into the home. Upon investigation, the party was not at home. Contact was made with the party's daughter who stated that the party was transported to the hospital yesterday. Entry Release form was signed by PD.

Incident Information

Incident-Exp# : 24-000658 - 000

Alarm Date/Time : 02/18/2024 15:53

Incident Location : 57 E Centre St, Apt 3506, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to the above location for a fall. EMS arrived and checked for injuries. RMA signed

Incident Information

Incident-Exp# : 24-000657 - 000

Alarm Date/Time : 02/18/2024 15:28

Incident Location : 7 William St, Apt 404, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above location for a party with Urinary pain. Belleville EMS arrived and transported the patient to Mountainside Hospital.
See CAD 24-09628

Incident Information

Incident-Exp# : 24-000656 - 000

Alarm Date/Time : 02/18/2024 14:51

Incident Location : 83 Friedland Rd, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a party having difficulty breathing. EMS 1 transported 1 patient to Mountainside Hospital.
See CAD 24-09623

Incident Information

Incident-Exp# : 24-000655 - 000

Alarm Date/Time : 02/18/2024 11:44

Incident Location : 65 Povershon Rd, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to the above location for a party having difficulty breathing. ALS 3246 was dispatched. EMS 1 transported 1 patient to Mountainside Hospital.
See CAD 24-09595.

Incident Information

Incident-Exp# : 24-000654 - 000

Alarm Date/Time : 02/18/2024 09:46

Incident Location : 113 E Centre St, Apt 1004, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 and Ladder 1 were dispatched to the above location for a party having Syncope. Ladder 1 cleared and EMS 1 transported the patient to Hackensack Hospital.
See CAD 24-090570

Incident Information

Incident-Exp# : 24-000653 - 000

Alarm Date/Time : 02/18/2024 09:40



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 10 Tremont Pl, Nutley, NJ 07110

Incident Type : 440 - Electrical wiring/equipment problem, other

Incident Remarks

Engine 1 and Ladder 1 responded to the above location for a sparking wire. Engine 1 arrived and found a fuse on the telephone pole sparking. Lt. Spagnuolo asked police desk to notify PSEG Electric to respond and gave a pole number. No hazard was found, just a loose breaker on the pole. Fire units cleared

Incident Information

Incident-Exp# : 24-000652 - 000

Alarm Date/Time : 02/18/2024 09:25

Incident Location : Belleville Ave/Oak St, Bloomfield, NJ 07003

Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was dispatched to Bloomfield for a MVA with injuries and cancelled en route.
See CAD 24-09559

Incident Information

Incident-Exp# : 24-000651 - 000

Alarm Date/Time : 02/18/2024 07:24

Incident Location : 100 Kingsland St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 and Ladder 1 responded to the above location for a person having chest pain. Ladder 1 cleared and EMS 1 transported the patient to Mountainside Hospital.
See CAD 24-09549

Incident Information

Incident-Exp# : 24-000650 - 000

Alarm Date/Time : 02/18/2024 06:05

Incident Location : 200 Metro Blvd, Nutley, NJ 07110

Incident Type : 741 - Sprinkler activation, no fire - unintentional

Incident Remarks

- Engine 1 and Ladder 1 responded to 200 Metro Blvd. on the report of an activated water flow alarm. Fire personnel arrived and were met by on site staff. The alarm was silenced, and firefighters proceeded to the basement where the alarm panel stated a sprinkler head had activated. Firefighters were unable to locate any activated sprinkler head and the sprinkler system appeared to be functioning properly. The building engineer arrived on site and fire personnel explained that the sprinkler activation appeared to have been caused by a surge in the system. The alarm system was able to be reset and the building engineer stated he would remain on site to ensure the system was operating properly. Fire units then cleared the scene.

Incident Information

Incident-Exp# : 24-000649 - 000

Alarm Date/Time : 02/18/2024 00:53

Incident Location : 48 Myrtle Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to 48 Myrtle Ave on the report of an unconscious person.

EMS 1 received a signed RMA

SEE CAD #24-09492

Incident Information

Incident-Exp# : 24-000648 - 000

Alarm Date/Time : 02/17/2024 19:51

Incident Location : 30 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- Ladder 1 & EMS 1 responded to 30 Franklin Ave., 2nd floor on the report of a laceration to the hand.

- CAD # 24-09455

- Transport to Clara Maas

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000647 - 000	Alarm Date/Time	: 02/17/2024 19:23
Incident Location	: 105 Union Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 105 Union Ave. on the report of a person with general weakness.
- CAD # 24-09452
- Transport to Clara Maas

Incident Information

Incident-Exp#	: 24-000646 - 000	Alarm Date/Time	: 02/17/2024 17:52
Incident Location	: 2 Ann St, Clifton, NJ 07013	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 2 Ann Street, Clifton on the report of a person with general weakness.
- CAD # 24-09439
- Transport to Clara Maas

Incident Information

Incident-Exp#	: 24-000645 - 000	Alarm Date/Time	: 02/17/2024 17:47
Incident Location	: 7 William St, Apt 625, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

- Engine 1 responded to 7 William Street, Apt. 625 on the report of a suspicious package. Engine 1 arrived on scene with PD. Fire & police personnel arrived at Apt. 625 and the resident answered the door. She explained that she received a package that she didn't recall ordering and it contained 2 smaller boxes with batteries. Fire & Police examined the package and determined the contents were air freshening devices. The resident stated she was positive the package did not belong to her. Police and Fire brought the package to the front desk employee and asked her to check with the super on Monday morning to determine who the rightful owner was. Engine 1 then cleared the scene.

Incident Information

Incident-Exp#	: 24-000644 - 000	Alarm Date/Time	: 02/17/2024 17:28
Incident Location	: 379 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 379 Bloomfield Ave. on the report of a person feeling dizzy.
- CAD # 24-09424
- RMA signed

Incident Information

Incident-Exp#	: 24-000643 - 000	Alarm Date/Time	: 02/17/2024 16:06
Incident Location	: 92A Centre St, Nutley, NJ 07110	Incident Type	: 445 - Arcing, shorted electrical equipment

Incident Remarks

- Engine 1 responded to 92A Centre Street on the report of an electrical issue called in by the owner. Engine 1 arrived and were met by the store owner who led firefighters inside to the register area. Fire personnel observed a burnt-out electrical outlet located on a wall behind the register. Fire personnel were able to locate the electrical panel and confirmed the breaker had tripped from the outlet. The breaker was shut off and the outlet was tested to ensure it was no longer receiving power. The building owner was advised of the electrical issue and repairs required for the outlet. Engine 1 then cleared the scene.

Incident Information

Incident-Exp#	: 24-000642 - 000	Alarm Date/Time	: 02/17/2024 14:07
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 165 Tappan Ave, Belleville, NJ 07109

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 165 Tappan Ave., Belleville on the report of a fall victim.
- CAD # 24-09401
- Cancelled enroute

Incident Information

Incident-Exp# : 24-000641 - 000

Alarm Date/Time : 02/17/2024 13:04

Incident Location : 47 Vincent Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 47 Vincent Place, Apt 408 on the report of a fall victim.
- CAD # 24-09391
- Transport to Clara Maas

Incident Information

Incident-Exp# : 24-000640 - 000

Alarm Date/Time : 02/17/2024 13:15

Incident Location : 239 Coeyman Ave, Nutley, NJ 07110

Incident Type : 424 - Carbon monoxide incident

Incident Remarks

- Engine 1 and Ladder 1 responded to 239 Coeyman Ave. on the report of an activated CO alarm. Ladder 1 arrived on scene first and the residents explained the CO detector in the basement was sounding. Air monitoring was conducted, and the presence of CO was immediately detected on the first floor. Ladder 1 crew proceeded to the basement and detected levels of 50ppm near the utilities. PD dispatch was notified to have PSEG respond to the residence. Fire personnel began natural ventilation in the basement and first floor. Firefighters were able to identify that the pilot was out on the water heater and the unit was shut down. All other gas utilities were shut down for further precaution until PSEG arrived on scene to investigate. Natural ventilation continued until all CO levels in the home reached 0 during air monitoring. The residents were advised to leave all utilities shut down until PSEG was on site and fire units cleared the scene.

Incident Information

Incident-Exp# : 24-000639 - 000

Alarm Date/Time : 02/17/2024 13:06

Incident Location : 350 Passaic Ave, Nutley, NJ 07110

Incident Type : 733 - Smoke detector activation due to malfunction

Incident Remarks

- Engine 1 and Ladder 1 responded to 350 Passaic Ave on the report of an activated fire alarm. Fire personnel arrived and were met at the front door by the restaurant owner with the alarm system sounding. Ladder 1 crew proceeded to the basement and located the activated smoke detector but were unable to find a cause for the activation. The alarm was able to be reset but remained in trouble due to a malfunction with the system. The owner was advised to immediately contact their alarm company to have a technician respond in order to repair the system. Fire units cleared the scene and responded directly to 239 Coeyman for an activated CO alarm.

Incident Information

Incident-Exp# : 24-000638 - 000

Alarm Date/Time : 02/17/2024 10:00

Incident Location : 318 Park Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 was dispatched to 318 Park Ave on the report of a person having trouble breathing.
- EMS 1 arrived on scene and requested Ladder 1 respond as CPR was being done on the patient.
- EMS 1 transported the patient to CMMC.
- SEE CAD #24-09370

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000637 - 000	Alarm Date/Time	: 02/17/2024 07:50
Incident Location	: 307 Walnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to 307 Walnut Street on the report of a person who fell with a possible broken limb.

EMS 1 transported to CMMC.

SEE CAD #24-09361.

Incident Information

Incident-Exp#	: 24-000636 - 000	Alarm Date/Time	: 02/17/2024 05:55
Incident Location	: 116 Joerg Ave, Nutley, NJ 07110	Incident Type	: 735 - Alarm system sounded due to malfunction

Incident Remarks

Eng. 1 Ladder 1 responded to activated fire alarms at 116 Joerg Ave. Upon arrival Eng. 1 confirmed alarm to be non emergency and a malfunction. The homeowner was advised how to troubleshoot to find the malfunctioning detector and contact an alarm company if the issue persists. All units were clear and available at 0607hrs.

Incident Information

Incident-Exp#	: 24-000635 - 000	Alarm Date/Time	: 02/17/2024 04:44
Incident Location	: 225 Highfield Ln, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-09346

Incident Information

Incident-Exp#	: 24-000634 - 000	Alarm Date/Time	: 02/16/2024 23:42
Incident Location	: 11 Franklin Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-09308

Incident Information

Incident-Exp#	: 24-000633 - 000	Alarm Date/Time	: 02/16/2024 19:57
Incident Location	: 87 Friedland Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-09285

Incident Information

Incident-Exp#	: 24-000632 - 000	Alarm Date/Time	: 02/16/2024 18:30
Incident Location	: 307 Passaic Ave, Nutley, NJ 07110	Incident Type	: 331 - Lock-in (if lock out, use 511)

Incident Remarks

Ladder 1 and Eng. 1 responded to 307 Passaic Ave on a welfare check. Upon arrival Ladder 1 made entry and made contact with the patient. Eng. was cleared. Ladder 1 performed patient care see cad#24-09273

Incident Information

Incident-Exp#	: 24-000631 - 000	Alarm Date/Time	: 02/16/2024 18:08
Incident Location	: 47 Vincent Pl, Apt 213, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 performed BLS see cad#24-09268. Belleville EMS transported 1 to Clara Maass see cad#24-09268

Incident Information

Incident-Exp#	: 24-000630 - 000	Alarm Date/Time	: 02/16/2024 17:40
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 113 E Centre St, Apt 1101, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to St. Joe's see cad#24-09260. Eng. 1 Ladder 1 assisted.

Incident Information

Incident-Exp# : 24-000629 - 000

Alarm Date/Time : 02/16/2024 17:57

Incident Location : 57 Prospect St, Nutley, NJ 07110

Incident Type : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Eng. 1 Ladder 1 responded to 57 Prospect St on activated fire alarm. Enroute NPD advised false alarm. Ladder 1 was ordered to stand down. Eng. 1 continued in and upon arrival confirmed the alarm sounded due to homeowner changing batteries. Eng. 1 was clear and available at 1802hrs.

Incident Information

Incident-Exp# : 24-000628 - 000

Alarm Date/Time : 02/16/2024 17:12

Incident Location : 115 Belmont Ave, Belleville, NJ 07109

Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 cancelled see cad#24-09254

Incident Information

Incident-Exp# : 24-000627 - 000

Alarm Date/Time : 02/16/2024 16:44

Incident Location : Franklin Ave/William St, Nutley, NJ 07110

Incident Type : 322 - Vehicle accident with injuries

Incident Remarks

EMS 1 received a signed RMA see cad#24-09249

Incident Information

Incident-Exp# : 24-000626 - 000

Alarm Date/Time : 02/16/2024 14:18

Incident Location : 100 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-09237

Incident Information

Incident-Exp# : 24-000625 - 000

Alarm Date/Time : 02/16/2024 12:13

Incident Location : Freeman Pl/Friedland Rd, Nutley, NJ 07110

Incident Type : 444 - Power line down

Incident Remarks

Eng. 1 responded to the intersection of Freeman Pl and Friedland Rd for a wire down. Upon arrival Eng. 1 confirmed the wire to be communication not electrical. The wire was low hanging across the street and not on the ground. The wire was pulled higher as best as our resources allowed. The cable companies were advised of the situation and told to fix. Eng. 1 was clear and available at 1227hrs.

Incident Information

Incident-Exp# : 24-000624 - 000

Alarm Date/Time : 02/16/2024 13:28

Incident Location : 296 Walnut St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-09231

Incident Information

Incident-Exp# : 24-000623 - 000

Alarm Date/Time : 02/16/2024 10:16

Incident Location : 7 William St, Nutley, NJ 07110

Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was cancelled by NPD see cad#24-09199

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000622 - 000	Alarm Date/Time	: 02/16/2024 04:40
Incident Location	: 293 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 293 Chestnut Street on the report of an intoxicated individual.
- CAD # 24-09156
- RMA signed

Incident Information

Incident-Exp#	: 24-000621 - 000	Alarm Date/Time	: 02/15/2024 21:32
Incident Location	: 15 Douglas St, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 15 Douglas St., Bloomfield on the report of a possible overdose.
- CAD # 24-09083
- RMA signed

Incident Information

Incident-Exp#	: 24-000620 - 000	Alarm Date/Time	: 02/15/2024 20:19
Incident Location	: 510 Post Ave, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 510 Post Ave., Lyndhurst on the report of a fall victim.
- CAD # 24-09075
- Transport to Hackensack.

Incident Information

Incident-Exp#	: 24-000619 - 000	Alarm Date/Time	: 02/15/2024 19:17
Incident Location	: 30 Friedland Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 & Ladder 1 responded to 30 Friedland Rd. on the report of a person in/out of consciousness.
- CAD # 24-09062
- Transport to Mountainside.

Incident Information

Incident-Exp#	: 24-000618 - 000	Alarm Date/Time	: 02/15/2024 19:37
Incident Location	: 64 Plymouth Rd, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

- Engine 1 responded to 64 Plymouth Ave. on the report of a gas leak outside the home called in by the homeowner. Engine 1 arrived on scene and were met by the homeowner on the front steps. The homeowner stated she heard a hissing sound outside the home. Fire personnel investigated the gas meter located on the front of the home for a natural gas leak. Air monitoring was conducted and the presence of natural gas or any odor was not detected outside the home. Air monitoring was also conducted inside the home and no signs of a gas leak was detected. Fire personnel explained to the homeowner the hissing sound she heard was from the relief valve functioning properly on the gas meter. The residence was deemed to be safe, and Engine 1 cleared the scene.

Incident Information

Incident-Exp#	: 24-000617 - 000	Alarm Date/Time	: 02/15/2024 15:14
Incident Location	: 46 Grant Ave, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Engine 1, Ladder 1, and EMS 1 responded to the above address for a car into a pole. EMS 1 tended to the injured parties while Ladder 1 and Engine 1 picked up debris and waited for Nicollette Towing to arrive. EMS 1 has signed RMA's. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000616 - 000	Alarm Date/Time	: 02/15/2024 14:16
Incident Location	: 132 Park Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a party with altered mental status. EMS 1 transported 1 patient to Mountainside Hospital. See CAD 24-09003.

Incident Information

Incident-Exp#	: 24-000615 - 000	Alarm Date/Time	: 02/15/2024 16:02
Incident Location	: 53 Overlook Ter, Nutley, NJ 07110	Incident Type	: 440 - Electrical wiring/equipment problem, other

Incident Remarks

E-1, L-1 and EMS 1 responded to the above location for a overheated fireplace. upon investigation, we found that the thermostat was malfunctioning. We could not locate the gas shut-off for the fireplace so we informed the owner to call a repairman. We let the fireplace cool down. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000614 - 000	Alarm Date/Time	: 02/15/2024 15:00
Incident Location	: 71 Ridge Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above location for a party who fell. Ladder 1 checked for injuries and Belleville EMS responded and transported the patient to Clara Maass. See CAD 24-09009

Incident Information

Incident-Exp#	: 24-000613 - 000	Alarm Date/Time	: 02/15/2024 14:16
Incident Location	: 260 Park Ave, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 and Ladder 1 were dispatched and cancelled.

Incident Information

Incident-Exp#	: 24-000612 - 000	Alarm Date/Time	: 02/15/2024 13:20
Incident Location	: 59 Bell St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to a Mutual Aid medical call at the above location for a person who was having overall weakness. EMS 1 transported 1 patient to Clara Maass Hospital. See CAD 23-08996

Incident Information

Incident-Exp#	: 24-000611 - 000	Alarm Date/Time	: 02/15/2024 11:43
Incident Location	: 343 Park Ave, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 and Ladder 1 were dispatched to the above location for a welfare check. EMS 1 and Ladder 1 were cancelled. See CAD 24-08977



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000610 - 000	Alarm Date/Time	: 02/15/2024 10:45
Incident Location	: 591 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to the above address for a party with difficulty breathing. EMS 1 provided basic life support and transported 1 patient to Mountainside Hospital.
See CAD 24-08963

Incident Information

Incident-Exp#	: 24-000609 - 000	Alarm Date/Time	: 02/15/2024 09:44
Incident Location	: 591 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a party who fell. EMS 1 provided basic first aid and transported 1 patient to Mountainside Hospital.
See CADE 24-08946

Incident Information

Incident-Exp#	: 24-000608 - 000	Alarm Date/Time	: 02/15/2024 09:46
Incident Location	: 308 Chestnut St, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

Engine 1 went to the above address for a low hanging wire. Upon investigation, we found that it was an old Alarm wire. The wire was cut and the hazard was removed. Engine 1 returned to Headquarters.

Incident Information

Incident-Exp#	: 24-000607 - 000	Alarm Date/Time	: 02/14/2024 20:31
Incident Location	: 149 Milton Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 did an assessment of the mother of the patient found on Milton Ave. RMA signed.

Incident Information

Incident-Exp#	: 24-000606 - 000	Alarm Date/Time	: 02/14/2024 19:26
Incident Location	: 149 Milton Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 while on scene did an assessment of the father of the patient found on Milton Ave. RMA was signed.

Incident Information

Incident-Exp#	: 24-000605 - 000	Alarm Date/Time	: 02/14/2024 18:57
Incident Location	: 149 Milton Ave, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

Engine 1, Ladder 1, & EMS 1 responded to the above area for a pedestrian struck by a vehicle. EMS 1 arrived on scene and found an unresponsive patient lying in the street. EMS crew started CPR on the patient. Medic 3246 arrived on scene and assessed the patient and pronounced on scene. While this was going on we were alerted to a 2nd patient who was found on the shoulder of the Garden State Parkway at the Milton Ave. bridge southbound. Members jumped the fence and brought Ems equipment down the steep snow-covered hill to the patient. At this time Belleville EMS was dispatched to assist with this patient. Members did a trauma assessment with the paramedics and readied the patient for transport. Belleville EMS arrived and transported the patient to University Hospital in Newark.

Incident Information

Incident-Exp#	: 24-000604 - 000	Alarm Date/Time	: 02/15/2024 00:40
Incident Location	: 44 Park Ave, Nutley, NJ 07110	Incident Type	: 440 - Electrical wiring/equipment problem, other

Incident Remarks

Ladder 1 responded to the crosswalk at 44 Park Ave for a traffic light that was hanging from its mount. Fire personnel shut off the power to the light and returned to quarters.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000603 - 000	Alarm Date/Time	: 02/15/2024 00:06
Incident Location	: 277 Hillside Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 signed RMA

Incident Information

Incident-Exp#	: 24-000602 - 000	Alarm Date/Time	: 02/14/2024 23:40
Incident Location	: 9 Wayne Pl, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Engine 3 reported an alarm sounding at 9 Wayne Place. Upon arrival we found an unlocked window in the rear of the home that was used to gain entry. The home is vacant and under construction. We discovered that the top floor windows are open due to construction and the dust activated the smoke alarm. We were able to clear the alarm and secure the home NO damage to the premise.

Incident Information

Incident-Exp#	: 24-000601 - 000	Alarm Date/Time	: 02/14/2024 13:57
Incident Location	: 25 Hudson St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000600 - 000	Alarm Date/Time	: 02/14/2024 12:33
Incident Location	: 518 Washington Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded mutual aid to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000599 - 000	Alarm Date/Time	: 02/14/2024 11:27
Incident Location	: 71 Ridge Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. RMA signed.

Incident Information

Incident-Exp#	: 24-000598 - 000	Alarm Date/Time	: 02/14/2024 07:13
Incident Location	: 47 Vincent Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000597 - 000	Alarm Date/Time	: 02/14/2024 07:05
Incident Location	: 111 River Rd, Nutley, NJ 07110	Incident Type	: 511 - Lock-out

Incident Remarks

Engine 1 & Ladder 1 were dispatched to the above location for a lockout. Upon arrival Ladder 1 crew was able to gain entry thru the front door without doing any damage.

Incident Information

Incident-Exp#	: 24-000596 - 000	Alarm Date/Time	: 02/14/2024 02:42
Incident Location	: 277 Hillside Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp# : 24-000595 - 000

Alarm Date/Time : 02/13/2024 21:28

Incident Location : 7 William St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to the lobby of 7 William Street on the report of a person not feeling well.

EMS 1 received a signed RMA.

SEE CAD #24-08672

Incident Information

Incident-Exp# : 24-000594 - 000

Alarm Date/Time : 02/13/2024 18:54

Incident Location : 287 Whitford Ave, Nutley, NJ 07110

Incident Type : 445 - Arcing, shorted electrical equipment

Incident Remarks

Upon arrival we had a shorted outlet in the basement area. We were able to shut down the circuit breaker securing the power and cut out the over heated outlet. We advised the homeowner to call a licensed professional.

Incident Information

Incident-Exp# : 24-000593 - 000

Alarm Date/Time : 02/13/2024 16:01

Incident Location : 35 Newman Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 assisted the resident with a lift assist RMA signed with Ladder 1

Incident Information

Incident-Exp# : 24-000592 - 000

Alarm Date/Time : 02/13/2024 15:29

Incident Location : 338 Washington Ave, Belleville, NJ 07109

Incident Type : 322 - Vehicle accident with injuries

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000591 - 000

Alarm Date/Time : 02/13/2024 13:56

Incident Location : 291 Centre St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 and Ladder 1 responded to 291 Centre Street on the report of a man that had fallen while shoveling snow and was currently unresponsive.

- CAD # 24-08602

- Transport to Clara Maas

Incident Information

Incident-Exp# : 24-000590 - 000

Alarm Date/Time : 02/13/2024 13:50

Incident Location : 336 Hillside Ave, Nutley, NJ 07110

Incident Type : 553 - Public service

Incident Remarks

101 and Engine 1 were dispatched to 336 Hillside Ave on the report of a tree limb on a powerline.

Pole Number NT60231

101 cleared Engine 1.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

101 awaited Shady Tree for the limb removal.

101 had Nutley PD contact PSEG to assist with the service to the home.

Incident Information

Incident-Exp#	: 24-000589 - 000	Alarm Date/Time	: 02/13/2024 14:16
Incident Location	: 291 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 and Engine 1 were dispatched to 291 Centre Street on the report of welfare check/ person needing assistance.

Units arrived on scene to find a female patient having a panic attack from an incident involving her husband. Husband had collapsed and became unresponsive, CPR was done.

Engine 1 was released by EMS 2.

EMS 2 received a signed RMA.

SEE CAD #24-08610B

Incident Information

Incident-Exp#	: 24-000588 - 000	Alarm Date/Time	: 02/13/2024 13:32
Incident Location	: 26 Hawthorne Ave, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

137 and 101 responded to 26 Hawthorne on a report of a wire down. Upon arrival, units found cable wire low and obstructing the roadway. Homeowner was not home, but called the wire down once he saw it was low through his ring camera. 101 and 137 both pulled the wire to the home and secured it to the conduit. This was enough to keep it from obstructing the roadway temporarily. 137 and 101 cleared, and notified the homeowner through nutley dispatch, to contact his cable provider to resecure the cable line. Units cleared and available 1340 hours.

Incident Information

Incident-Exp#	: 24-000587 - 000	Alarm Date/Time	: 02/13/2024 12:35
Incident Location	: 89 Plymouth Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 and Ladder 1 responded to 89 Plymouth Rd. on the report of a male that had fallen and a lift assist.

- CAD # 24-08592

- Transport to Mountainside

Incident Information

Incident-Exp#	: 24-000586 - 000	Alarm Date/Time	: 02/13/2024 12:04
Incident Location	: 584 Centre St, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

Upon arrival it was determined to be a down old phone line. We cut and removed from the roadway.

Incident Information

Incident-Exp#	: 24-000585 - 000	Alarm Date/Time	: 02/13/2024 11:30
Incident Location	: 11 Hancox Ave, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

- 101, Engine 1 and Ladder 1 responded to 11 Hancox on the report of a tree into the building called in by a resident. Fire units arrived and began investigation. Firefighters observed in the rear of the multiple dwelling a tree limb that had fallen due to the inclement weather. The tree limb hit the building, but no structural damage had occurred. The utilities on the premises were not impacted and all were functioning properly. The resident was advised to contact the homeowner's association & owner to have the tree limb removed by a licensed professional. Fire units then cleared the scene.

Incident Information

Incident-Exp#	: 24-000584 - 000	Alarm Date/Time	: 02/13/2024 10:47
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 11 Irving Pl, Nutley, NJ 07110

Incident Type : 444 - Power line down

Incident Remarks

- FP137 responded to 11 Irving Place on the report of a low hanging wire. FF Serrani arrived in FP137 and observed a low hanging cable line lying on the sidewalk and across the residents driveway. The downed cable line was still attached to two utility poles located on the same side of the street. The cable line was not an immediate hazard to pedestrians and the resident was advised to contact the cable provider in order to have the cable line raised for repair. FP137 then cleared the scene.

Incident Information

Incident-Exp# : 24-000583 - 000

Alarm Date/Time : 02/13/2024 09:51

Incident Location : 138 Margaret Ave, Nutley, NJ 07110

Incident Type : 444 - Power line down

Incident Remarks

- Ladder 1 responded to Margaret Ave. on the report of a low hanging wire. Ladder 1 crew arrived and observed a low hanging wire in the roadway that was still attached to the residence at 138 Margaret Ave. Ladder 1 crew was able to raise the cable line from the roadway and attach the line to the electrical conduit on the side of the home using zip ties. Ladder 1 then cleared the scene.

Incident Information

Incident-Exp# : 24-000582 - 000

Alarm Date/Time : 02/13/2024 09:49

Incident Location : Raymond Ave/Ridge Rd, Nutley, NJ 07110

Incident Type : 444 - Power line down

Incident Remarks

- Engine 1 responded to the intersection of Raymond Ave. & Ridge Road on the report of a low hanging wire. Engine 1 crew arrived with PD on scene and observed a low hanging cable line attached to the residence of 180 Raymond Ave. Engine 1 crew was able to raise the cable line from the roadway and attach the line to the electrical conduit on the side of the home. The resident was notified of the actions taken by Engine 1 crew and also advised to contact their cable provider for further repairs. Engine 1 then cleared the scene.

Incident Information

Incident-Exp# : 24-000581 - 000

Alarm Date/Time : 02/13/2024 09:35

Incident Location : 17 Nairn Pl, Nutley, NJ 07110

Incident Type : 444 - Power line down

Incident Remarks

- 101 responded to 17 Nairn Place on the report of a wire down in the roadway. 101 arrived on scene and observed a cable line down. 101 removed the hazard from the roadway and then cleared the scene.

Incident Information

Incident-Exp# : 24-000580 - 000

Alarm Date/Time : 02/13/2024 08:35

Incident Location : 596 Passaic Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ems 1 responded to 596 Passaic Ave, on the report of a possible stroke.

Ems 1 transported one patient to MTSD.

See CAD# 24-08554.

Incident Information

Incident-Exp# : 24-000579 - 000

Alarm Date/Time : 02/13/2024 08:38

Incident Location : 522 Passaic Ave, Nutley, NJ 07110

Incident Type : 324 - Motor vehicle accident with no injuries.

Incident Remarks

Engine 1 and Ladder 1 responded to 522 Passaic Ave. on the report of an MVA with airbag deployment. Ladder 1 arrived on scene first and Engine 1 was delayed due to inclement weather. PD was on scene for the 2 car MVA & Ladder 1 crew were told there were no injuries reported by any of the involved parties. Fire personnel were no longer needed on scene and all units returned to Headquarters.

Incident Information

Incident-Exp# : 24-000578 - 000

Alarm Date/Time : 02/13/2024 08:30

Incident Location : 164 Church St, Nutley, NJ 07110

Incident Type : 444 - Power line down

Incident Remarks

- Engine 1 responded to 164 Church Street to assist the homeowner with a low hanging cable line. The homeowner approached firefighters for assistance to secure the cable service back to the home in order to clear it from the roadway. Firefighters were able to raise & secure the



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

cable line to the electrical conduit on the side of the home using zip ties. The cable line was cleared from the roadway & the homeowner was advised to contact Verizon for further repairs. Engine 1 then cleared the scene.

Incident Information

Incident-Exp#	: 24-000577 - 000	Alarm Date/Time	: 02/13/2024 08:22
Incident Location	: Bloomfield Ave/Church St, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

- Engine 1 responded to the intersection of Bloomfield Ave. & Church St. on the report of a low hanging wire. Engine 1 arrived and observed a low hanging cable line on the sidewalk on Church Street. The cable line was cut at its highest point and removed from the sidewalk for disposal at Headquarters. Engine 1 remained on scene to assist a resident at 164 Church Street.

Incident Information

Incident-Exp#	: 24-000576 - 000	Alarm Date/Time	: 02/13/2024 08:00
Incident Location	: Bloomfield Ave/Harrison St, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

101 responded to check out the traffic light and advised Nutley Police to call Jen Electric to respond as an emergency repair of the control box

Incident Information

Incident-Exp#	: 24-000575 - 000	Alarm Date/Time	: 02/13/2024 04:33
Incident Location	: 7 William St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad #24-08530

Incident Information

Incident-Exp#	: 24-000574 - 000	Alarm Date/Time	: 02/13/2024 02:12
Incident Location	: 155 Washington Ave, Nutley, NJ 07110	Incident Type	: 735 - Alarm system sounded due to malfunction

Incident Remarks

Eng. 1 Ladder 1 and 101 responded to 155 Washington Ave on activated fire alarm. Upon arrival Eng. 1 and Ladder 1 confirmed there was not activated detector nor emergency. Alarm was reset by 101 and upon further investigation it was found there was a power surge which set the alarm off. The head of maintenance Tim., was advised by NPD. All units were clear and available at 0233hrs.

Incident Information

Incident-Exp#	: 24-000573 - 000	Alarm Date/Time	: 02/12/2024 23:03
Incident Location	: 44 Park Ave, Nutley, NJ 07110	Incident Type	: 463 - Vehicle accident, general cleanup

Incident Remarks

Eng. 1 and Ladder 1 responded to MVA near 44 Park Ave with fluids in the roadway. Eng. 1 Ladder 1 cleaned the roadway from debris and fluids. All units were clear and available at 2344hrs.

Incident Information

Incident-Exp#	: 24-000572 - 000	Alarm Date/Time	: 02/12/2024 23:00
Incident Location	: 44 Park Ave, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 1 received 2 signed RMA's see cad#24-08500

Incident Information

Incident-Exp#	: 24-000571 - 000	Alarm Date/Time	: 02/12/2024 19:39
Incident Location	: 487 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-08490

Incident Information

Incident-Exp#	: 24-000570 - 000	Alarm Date/Time	: 02/12/2024 20:19
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 519 Prospect St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 received a signed RMA see cad#24-08495

Incident Information

Incident-Exp# : 24-000569 - 000

Alarm Date/Time : 02/12/2024 19:30

Incident Location : 300 Franklin Ave, Nutley, NJ 07110

Incident Type : 555 - Defective elevator, no occupants

Incident Remarks

Ladder 1 assisted the NHS janitorial staff with garbage which was stuck in the elevator. The elevator was not working properly and the elevator power was shut off. The the staff contacted the elevator company to come fix. Ladder 1 was clear and available at 2000hrs.

Incident Information

Incident-Exp# : 24-000568 - 000

Alarm Date/Time : 02/12/2024 18:04

Incident Location : 74 Harrison St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-08463

Incident Information

Incident-Exp# : 24-000567 - 000

Alarm Date/Time : 02/12/2024 16:54

Incident Location : 14 Underhill Ct, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-08456

Incident Information

Incident-Exp# : 24-000566 - 000

Alarm Date/Time : 02/12/2024 14:23

Incident Location : 349 Passaic Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 provided BLS see cad#24-08433. Belleville EMS 2 transported 1 to Clara Maass.

Incident Information

Incident-Exp# : 24-000565 - 000

Alarm Date/Time : 02/12/2024 14:14

Incident Location : 1 Route 3, Clifton, NJ 7015

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to St. Mary's see cad#24-08430

852 Route 3 West.

Incident Information

Incident-Exp# : 24-000564 - 000

Alarm Date/Time : 02/12/2024 12:53

Incident Location : 12 Yale St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 provided BLS see cad#24-08122. Belleville EMS 2 transported 1 to Clara Maass.

Incident Information

Incident-Exp# : 24-000563 - 000

Alarm Date/Time : 02/12/2024 12:41

Incident Location : 71 Washington Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA see cad#24-08418. Ladder 1 assisted.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000562 - 000	Alarm Date/Time	: 02/12/2024 12:37
Incident Location	: Washington Ave/Hancox Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-08415

Incident Information

Incident-Exp#	: 24-000561 - 000	Alarm Date/Time	: 02/12/2024 11:18
Incident Location	: 8 Fernwood Ter, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-08400

Incident Information

Incident-Exp#	: 24-000560 - 000	Alarm Date/Time	: 02/12/2024 10:37
Incident Location	: 65 Povershon Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Mountainside Hospital see cad#24-08390

Incident Information

Incident-Exp#	: 24-000559 - 000	Alarm Date/Time	: 02/12/2024 10:17
Incident Location	: 177 River Rd, Clifton, NJ 07014	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-08387

Incident Information

Incident-Exp#	: 24-000558 - 000	Alarm Date/Time	: 02/12/2024 09:26
Incident Location	: 16 Monsignor Owens Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Mountainside Hospital see cad#24-08369. Ladder 1 assisted.

Incident Information

Incident-Exp#	: 24-000557 - 000	Alarm Date/Time	: 02/12/2024 09:20
Incident Location	: 32 N Spring Garden Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-08365

Incident Information

Incident-Exp#	: 24-000556 - 000	Alarm Date/Time	: 02/11/2024 23:46
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 324 - Motor vehicle accident with no injuries.

Incident Remarks

Fire units responded to the above location for an MVA on route 21 northbound. Upon arrival there was a 2 vehicle MVA against the jersey barrier in the fast lane with all occupants outside of their vehicles. We blocked off traffic and assessed the patients. No patients had injuries and refused to be transported. I had all 4 patients sign a paper patient care report RMA. Nicolette Towing removed the vehicles and all fire units cleared.

Incident Information

Incident-Exp#	: 24-000555 - 000	Alarm Date/Time	: 02/11/2024 17:26
Incident Location	: 1 River Rd, Apt 21C, Nutley, NJ 07110	Incident Type	: 424 - Carbon monoxide incident



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

Fire units responded to the above location for a carbon monoxide activation. Upon arrival the tenant stated her alarms were sounding while cooking. We metered the unit and had 30ppm of carbon monoxide. We shut off the stove and vented the apartment down to zero readings. The levels remained at zero. I requested PSEG gas to respond to the scene. I advised the tenant to not use her stove and await PSEG. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000554 - 000	Alarm Date/Time	: 02/11/2024 16:57
Incident Location	: 113 E Centre St, Apt 2211, Nutley, NJ 07110	Incident Type	: 745 - Alarm system sounded, no fire - unintentional

Incident Remarks

Engine 1 responded to the above location for a fire alarm that would not stop sounding. The tenant set off the alarms from cooking about 30 minutes prior to calling 911 and the alarms were still sounding. We disconnected and reconnected the hardwired smoke detectors in the unit and they reset to normal working order. Engine 1 cleared.

Incident Information

Incident-Exp#	: 24-000553 - 000	Alarm Date/Time	: 02/11/2024 21:50
Incident Location	: 1 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the Big Tree Bus Garage for a person with difficulty breathing. Belleville EMS transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000552 - 000	Alarm Date/Time	: 02/11/2024 21:36
Incident Location	: 168 Hillside Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1 and EMS 1 responded to the above location for a life alert. We were given an access code to a keybox by pd. We entered the house and made patient contact. Patient was assessed and a cut was wrapped. We assisted the patient into their bedroom then received a signed RMA.

Incident Information

Incident-Exp#	: 24-000551 - 000	Alarm Date/Time	: 02/11/2024 14:08
Incident Location	: 508 Coventry Dr, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a 19 year old female with abdominal pain. EMS 1 transported them to Hackensack University.

Incident Information

Incident-Exp#	: 24-000550 - 000	Alarm Date/Time	: 02/11/2024 13:24
Incident Location	: 78 Race St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded back to the above address for a patient that had another nosebleed. EMS 1 transported them to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000549 - 000	Alarm Date/Time	: 02/11/2024 14:23
Incident Location	: 155 Whitford Ave, Nutley, NJ 07110	Incident Type	: 746 - Carbon monoxide detector activation, no CO

Incident Remarks

Fire units responded to the above location for a carbon monoxide alarm. Upon arrival we were met by the homeowner who stated their alarm was beeping when they arrived home. Crews metered the entire house and had zero readings. The detector that was beeping was indicating end of life. I advised her to replace the malfunctioning co detector and recommended the homeowner to replace all CO and smoke detectors in the home because they were all older than 10 years old.

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000548 - 000	Alarm Date/Time	: 02/11/2024 12:12
Incident Location	: 80 Plymouth Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above stated address for a female having difficulty breathing. Patient was transported to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000547 - 000	Alarm Date/Time	: 02/11/2024 12:27
Incident Location	: 78 Race St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above location for a nosebleed. EMS 1 was able to stop the patients nose from bleeding and they no longer wanted to be transported and signed an RMA. Belleville EMS was cancelled on scene. Ladder 1 cleared.

Incident Information

Incident-Exp#	: 24-000546 - 000	Alarm Date/Time	: 02/11/2024 09:11
Incident Location	: 621 Prospect St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 and Ems 1 responded to the above location for a fall victim. Ems 1 transported the patient to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000545 - 000	Alarm Date/Time	: 02/11/2024 08:41
Incident Location	: Franklin Ave/Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ems 1 responded to the intersection of Franklin ave and Centre street for general weakness. Patient was transported to Clara Maass Medical Center.

Incident Information

Incident-Exp#	: 24-000544 - 000	Alarm Date/Time	: 02/11/2024 00:35
Incident Location	: 12 Fernwood Ter, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person who fell. EMS 1 transported 1 patient to Mountainside Hospital.
See CAD 24-08089

Incident Information

Incident-Exp#	: 24-000543 - 000	Alarm Date/Time	: 02/10/2024 23:33
Incident Location	: 242 Washington Ave, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

Ladder 1 responded to the above location for an MVA. Ladder 1 has a signed RMA
See CAD 24-08082

Incident Information

Incident-Exp#	: 24-000542 - 000	Alarm Date/Time	: 02/10/2024 23:00
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

E-1, L-1, and EMS 1 responded to the above location for an MVA with injuries. Upon arrival 2 cars were involved in the accident. There was debris spread out on the highway. We swept up the debris while EMS personnel tend to the injured party. EMS 1 transported 1 patient to Clara Mass. Ladder 1 cleared for another MVA. Engine 1 waited for the tow truck.
See CAD 24-08074

Incident Information

Incident-Exp#	: 24-000541 - 000	Alarm Date/Time	: 02/10/2024 22:09
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 1 Washington Ave, Nutley, NJ 07110

Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 and Ladder 1 were dispatched to the above location for an unknown medical. EMS 1 and Ladder 1 were cancelled.
See CAD 24-08069

Incident Information

Incident-Exp# : 24-000540 - 000

Alarm Date/Time : 02/10/2024 20:01

Incident Location : 25 River Rd, Nutley, NJ 07110

Incident Type : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Engine 1 and Ladder 1 were dispatched to the above location for an Activated fire alarm. Enroute we were notified that the alarm company called to cancel, proper code was given. Engine 1 continued in to the address to confirm. Alarm was set off unintentional.

Incident Information

Incident-Exp# : 24-000539 - 000

Alarm Date/Time : 02/10/2024 18:38

Incident Location : 7 William St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 and Ladder 1 responded to the above location for a person who fell. EMS transported 1 patient to Clara Maass Hospital.
See CAD 24-08046

Incident Information

Incident-Exp# : 24-000538 - 000

Alarm Date/Time : 02/10/2024 18:02

Incident Location : 676 Bloomfield Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a party with stomach pain. EMS 1 transported the patient to Clara Maass Hospital.
See CAD 24-08036

Incident Information

Incident-Exp# : 24-000537 - 000

Alarm Date/Time : 02/10/2024 13:42

Incident Location : 173 Bellevue Ave, Montclair, NJ 07042

Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was dispatched and cancelled enroute.

Incident Information

Incident-Exp# : 24-000536 - 000

Alarm Date/Time : 02/10/2024 13:23

Incident Location : 57 Howe Ave, Nutley, NJ 07110

Incident Type : 600 - Good intent call, other

Incident Remarks

Engine 1, Ladder 1 and EMS 1 were dispatched to the above location for a reported excessive smoke coming from the yard of 57 Howe Ave. Upon investigation, a fire in an outdoor fireplace with a spark arrestor which was being fed by sticks, twigs, and some leaves was seen burning in the yard. I informed the homeowner that leaves could not be burned in the fireplace and he said he would not put any more leaves in. The fire was contained and no further actions were needed.

Incident Information

Incident-Exp# : 24-000535 - 000

Alarm Date/Time : 02/10/2024 10:01

Incident Location : 121 Brookfield Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above address for a party with Low BP. Montclair EMS 2 transported 1 patient to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-000534 - 000

Alarm Date/Time : 02/10/2024 10:41

Incident Location : 18 Washington Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

EMS 1 and Ladder 1 responded to a person with altered mental status. EMS 1 transported 1 patient to Clara Maass Hospital.
See CAD 24-07957

Incident Information

Incident-Exp#	: 24-000533 - 000	Alarm Date/Time	: 02/10/2024 09:34
Incident Location	: 124 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person having a heart attack. EMS transported 1 patient to Clara Maass. ALS 32-46 responded.
See CAD 24-07957

Incident Information

Incident-Exp#	: 24-000532 - 000	Alarm Date/Time	: 02/10/2024 09:16
Incident Location	: 26 Burnett Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a lift assist. RMA signed
See CAD # 24-07950

Incident Information

Incident-Exp#	: 24-000531 - 000	Alarm Date/Time	: 02/10/2024 05:09
Incident Location	: 130 Bloomfield Ave, Apt 3B, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp#	: 24-000530 - 000	Alarm Date/Time	: 02/10/2024 03:33
Incident Location	: Franklin St/N 7th St, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

Ladder 1 while responding to a fire was canceled en route by Belleville Fire

Incident Information

Incident-Exp#	: 24-000529 - 000	Alarm Date/Time	: 02/10/2024 01:38
Incident Location	: 62 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 was dispatched to 62 Centre Street on the report of a 16 month old vomiting.

Ladder 1 arrived on scene and did a patient assessment and took vitals.

Clifton EMS 3 arrived on scene and transported the patient and family member to Hackensack Hospital.

SEE CAD #24-07885

Incident Information

Incident-Exp#	: 24-000528 - 000	Alarm Date/Time	: 02/10/2024 01:28
Incident Location	: 568 Washington Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to 568 Washington Ave in the Township of Belleville on the report of a fall victim.

EMS 1 transported to CMMC.

SEE CAD #24-07884

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000527 - 000	Alarm Date/Time	: 02/10/2024 00:23
Incident Location	: Mill St/Main St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to the intersection of Mill Street and Main Street in the Township of Belleville for a person not feeling well.

EMS 1 transported the patient to CMMC.

SEE CAD #24-07870

Incident Information

Incident-Exp#	: 24-000526 - 000	Alarm Date/Time	: 02/09/2024 22:32
Incident Location	: 63 Brookdale Gdns, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to 63 Brookdale Garden Apt. B Township of Bloomfield on the report of a medical.

EMS 1 transported the patient to MTSD.

SEE CAD #24- 07855

Incident Information

Incident-Exp#	: 24-000525 - 000	Alarm Date/Time	: 02/09/2024 18:36
Incident Location	: 14 Essex St, Nutley, NJ 07110	Incident Type	: 522 - Water or steam leak

Incident Remarks

Upon arrival we had a pipe leaking water going to the water heater. We shut down the water supply to the water heater and gas and electric supply. We advised the homeowner to call a licensed professional.

Incident Information

Incident-Exp#	: 24-000524 - 000	Alarm Date/Time	: 02/09/2024 17:17
Incident Location	: 93 Centre St, Nutley, NJ 07110	Incident Type	: 422 - Chemical spill or leak

Incident Remarks

Nutley police received a call for a quart size paint can that was leaking in the street area. Upon arrival we were able to determine the paint was latex. We used speed dry on the large spill area and we bagged the can and bulk of the used speedy dry.

Incident Information

Incident-Exp#	: 24-000523 - 000	Alarm Date/Time	: 02/09/2024 16:26
Incident Location	: 45 Sisco Pl, Clifton, NJ 07011	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to St. Mary's Hospital

Incident Information

Incident-Exp#	: 24-000522 - 000	Alarm Date/Time	: 02/09/2024 14:38
Incident Location	: 75 Passaic Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital Engine 2 released on scene.

Incident Information

Incident-Exp#	: 24-000521 - 000	Alarm Date/Time	: 02/09/2024 15:00
Incident Location	: 75 Passaic Ave, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

Engine 1 Engine 2 and Belleville EMS transported 1 patient to Clara Mass Hospital

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000520 - 000	Alarm Date/Time	: 02/09/2024 11:51
Incident Location	: 307 Passaic Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000519 - 000	Alarm Date/Time	: 02/09/2024 14:10
Incident Location	: 379 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 745 - Alarm system sounded, no fire - unintentional

Incident Remarks

Radcliff school was conducting a fire drill. Engine 1 responded to confirm Engine 2 returned to service

Incident Information

Incident-Exp#	: 24-000518 - 000	Alarm Date/Time	: 02/09/2024 13:08
Incident Location	: 20 Macleod Ln, Bloomfield, NJ 07003	Incident Type	: 381 - Rescue or EMS standby

Incident Remarks

EMS 1 was canceled while on scene by Bloomfield Fire.

Incident Information

Incident-Exp#	: 24-000517 - 000	Alarm Date/Time	: 02/09/2024 12:07
Incident Location	: 325 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 2 assessing the patient and Bloomfield EMS transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000516 - 000	Alarm Date/Time	: 02/09/2024 11:38
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

Upon arrival we had multi car MVA we performed a general cleanup of debris from the roadway. EMS 1 transported 1 patient to Clara Mass Hospital Belleville EMS transported 2 patients to Clara Mass Hospital Nicolette Towing removed 2 vehicles from the highway.

Incident Information

Incident-Exp#	: 24-000515 - 000	Alarm Date/Time	: 02/09/2024 11:00
Incident Location	: 313 Fuller TER, Orange, NJ 07050	Incident Type	: 413 - Oil or other combustible liquid spill

Incident Remarks

NJDEP # 24-02-08-1715-58 Nutley # HM 24-13

NJDEP notified Essex County Health Department and Nutley Hazmat about oil being pumped out of a sump pump of the property 313 Fuller Terrace, Orange NJ.

Captain Santangelo called Orange Fire Department spoke with Deputy Chief Almendinger and had an engine company respond to investigate. The Deputy Chief was on scene and reported back to Captain Santangelo that the homeowner has already had a clean up contractor respond days before with clean up pending. The spill is contained to that property and Orange Fire Department disconnected the sump pump to terminate the oil from being pumped out.

Incident Information

Incident-Exp#	: 24-000514 - 000	Alarm Date/Time	: 02/09/2024 11:13
Incident Location	: 20 Peterson Ct, Clifton, NJ 07013	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 canceled En route by Clifton Fire

Incident Information

Incident-Exp#	: 24-000513 - 000	Alarm Date/Time	: 02/09/2024 10:43
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital 101 & Engine 2 released

Incident Information

Incident-Exp# : 24-000512 - 000

Alarm Date/Time : 02/09/2024 10:30

Incident Location : 99 Harrison St, Belleville, NJ 07109

Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was canceled en route by Belleville Fire.

Incident Information

Incident-Exp# : 24-000511 - 000

Alarm Date/Time : 02/09/2024 07:38

Incident Location : 168 Washington Ave, Nutley, NJ 07110

Incident Type : 323 - Motor vehicle/pedestrian accident (MV Ped)

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital Engine 2 & 101 released on scene

Incident Information

Incident-Exp# : 24-000510 - 000

Alarm Date/Time : 02/09/2024 03:02

Incident Location : 35 Wilson St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-07683

Incident Information

Incident-Exp# : 24-000509 - 000

Alarm Date/Time : 02/08/2024 16:44

Incident Location : 19 Park Dr, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-07589

Incident Information

Incident-Exp# : 24-000508 - 000

Alarm Date/Time : 02/08/2024 15:17

Incident Location : River Rd/Hay Ave, Nutley, NJ 07110

Incident Type : 622 - No incident found on arrival at dispatch address

Incident Remarks

Eng. 1 Eng. 2 and 101 responded to an odor of gas in the vicinity of Hay Ave and River Rd. Upon arrival there was no odor of gas. 101 advised to NPD all units clear and available at 1525hrs.

Incident Information

Incident-Exp# : 24-000507 - 000

Alarm Date/Time : 02/08/2024 16:08

Incident Location : 58 Wayne Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-07577

Incident Information

Incident-Exp# : 24-000506 - 000

Alarm Date/Time : 02/08/2024 14:41

Incident Location : 62 Centre St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-07561

Incident Information

Incident-Exp# : 24-000505 - 000

Alarm Date/Time : 02/08/2024 11:06



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 15 Wesley Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-07527

Incident Information

Incident-Exp# : 24-000504 - 000

Alarm Date/Time : 02/08/2024 18:42

Incident Location : 88 Warren St, Apt 2B, Nutley, NJ 07110

Incident Type : 511 - Lock-out

Incident Remarks

E1 and E2 were dispatched to above address for a lockout. Entry was gained through door, no damage occurred.

Incident Information

Incident-Exp# : 24-000503 - 000

Alarm Date/Time : 02/08/2024 10:24

Incident Location : 437 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-07517

Incident Information

Incident-Exp# : 24-000502 - 000

Alarm Date/Time : 02/08/2024 08:50

Incident Location : 78 Ravine Ave, Nutley, NJ 07110

Incident Type : 733 - Smoke detector activation due to malfunction

Incident Remarks

E1 and E2 responded back to above location for a detector activation. Activation was caused due to water getting in the head from an earlier water condition. Head was removed, alarm was reset and owner was advised to contact alarm co. for service.

Incident Information

Incident-Exp# : 24-000501 - 000

Alarm Date/Time : 02/08/2024 07:15

Incident Location : 78 Ravine Ave, Nutley, NJ 07110

Incident Type : 745 - Alarm system sounded, no fire - unintentional

Incident Remarks

Eng. 1 Eng. 2 responded on an activated fire alarm at 0715hrs. Upon arrival Eng. 1 confirmed no emergency and activation was caused by an issue with a toilet on the floor above. All units were clear and available at 0725hrs.

Incident Information

Incident-Exp# : 24-000500 - 000

Alarm Date/Time : 02/08/2024 04:23

Incident Location : 30 Roma St, Nutley, NJ 07110

Incident Type : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Fire units responded to the above location for an activated fire alarm. Upon arrival there was no alarms sounding and a tenant was outside waiting for us. He stated the alarm went off then shut off prior to our arrival. Crews checked the entire multifamily and had no cause for alarm. Fire crews cleared the scene.

Incident Information

Incident-Exp# : 24-000499 - 000

Alarm Date/Time : 02/07/2024 23:22

Incident Location : 228 Chestnut St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 crew walked over to the police front lobby for a person reporting dizziness. EMS 1 assessed the patient then transported them to Clara Maass Hospital.

Incident Information

Incident-Exp# : 24-000498 - 000

Alarm Date/Time : 02/07/2024 19:47

Incident Location : 1 Washington Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Fire units responded to the Big Tree Garage for an unresponsive person. Upon arrival there was a male party laying on the sidewalk. Patient was the same person who overdosed several hours earlier (24000487). Lyndhurst EMS arrived on scene and assumed patient care. They assisted the patient onto his feet. Patient verbally refused to be transported to a hospital to Lynhurst EMS. After I conducted a follow-up assessment, patient had pinpoint pupils, slurred speech, delayed motor function and unstable balance. I determined the patient was unable to sign an RMA due to being under the influence. We convinced the patient to be transported to the hospital without incident. Lyndhurst 3254 transported the patient to Clara Mass Hospital.

*A second person at the bus stop came up to us and stated they wanted to also go to the hospital. Lyndhurst assumed patient care of that patient as well and transported them to Clara Maass Hospital.

*No EPCR was done by NFD due to Lyndhurst arriving simultaneous and assuming patient care.

24-07331

Incident Information

Incident-Exp#	: 24-000497 - 000	Alarm Date/Time	: 02/07/2024 19:29
Incident Location	: 170 Frank St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above address for a person with difficulty breathing. EMS 1 transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000496 - 000	Alarm Date/Time	: 02/07/2024 19:19
Incident Location	: 47 Vincent Pl, Nutley, NJ 07110	Incident Type	: 445 - Arcing, shorted electrical equipment

Incident Remarks

Fire units responded to the above location for a reported fire in the church. En-route we were advised that there was an electrical outlet smoking. We found one outlet that was charred in the cafeteria area. We were able to isolate and shut off the power to the damaged outlet. The burnt-up outlet was inside of a masonry wall and had no extension. I advised the church representative to contact a licensed electrician to address the issue. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000495 - 000	Alarm Date/Time	: 02/07/2024 14:14
Incident Location	: 564 Franklin Ave, Nutley, NJ 07110	Incident Type	: 733 - Smoke detector activation due to malfunction

Incident Remarks

Fire units responded to Ralph's Pizzeria for an alarm activation. Upon arrival the alarm panel stated boiler room smoke detector. We checked the boiler room and found no cause for the alarm. The worker said the alarm system went off several times in the last week. I informed him to contact the alarm company for repair. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000494 - 000	Alarm Date/Time	: 02/07/2024 12:50
Incident Location	: 1 Park Dr, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 2 responded to the Centre Street entrance of Yantacaw Park for a lift assist. Mr. Joe Caputa (973-661-9568) fell out of his wheelchair and needed assistance back into the chair. No medical attention was needed. Engine 2 cleared the scene.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000493 - 000	Alarm Date/Time	: 02/07/2024 11:13
Incident Location	: 135 Chestnut St, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Fire units responded to the above location for an activated smoke alarms. We were met with contractors upon arrival. The contractor stated he removed a smoke detector in the basement and the alarm went off. I confirmed no issue in the basement then silenced the alarm. I informed them that they need to contact the alarm company and put it on test while they work in the basement the rest of the day. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000492 - 000	Alarm Date/Time	: 02/07/2024 06:51
Incident Location	: 1 Garden State Parkway, Bloomfield, NJ 07003	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 1 responded in the area of Watchung entrance on the parkway for an MVA. EMS 1 transported 2 patients to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 24-000491 - 000	Alarm Date/Time	: 02/07/2024 19:29
Incident Location	: 170 Frank St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000490 - 000	Alarm Date/Time	: 02/07/2024 17:35
Incident Location	: 7 William St, Apt 206, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

Fire units responded to the above location for a welfare check. Police knocked on the apartment door and the person answered in good health. No need for any medical attention. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000489 - 000	Alarm Date/Time	: 02/07/2024 16:20
Incident Location	: 379 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 2 responded to Radcliffe school for a boy having a bloody nose. Upon arrival, the patient was lying on the ground while 2 teachers were assisting him in stopping the bleed. Engine 2 members assisted as well and were able to successfully stop the bleed. The father arrived moments later and signed his RMA.

Incident Information

Incident-Exp#	: 24-000488 - 000	Alarm Date/Time	: 02/07/2024 16:02
Incident Location	: 124 Adelaide St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above address for a psych evaluation. EMS 1 transported the patient to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 24-000487 - 000	Alarm Date/Time	: 02/07/2024 14:44
Incident Location	: 1 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

101, Engine 2 and EMS 1 responded to the above address for an overdose on a transit bus. Police administered naran prior to our arrival and the patient was alert and oriented upon arrival. Patient was extremely aggressive and refused to be assessed or transported. Patient refused medical attention by action witnessed by police. Patient was left with the naran and assistance kit. Fire units cleared.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000486 - 000	Alarm Date/Time	: 02/07/2024 12:27
Incident Location	: 115 Belmont Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above address for a 2 year old with difficulty breathing. EMS 1 transported the patient to Clara Maass with medics on board.

Incident Information

Incident-Exp#	: 24-000485 - 000	Alarm Date/Time	: 02/07/2024 10:59
Incident Location	: 57 Povershon Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 2 and EMS 1 responded to the above location for a person that fell. EMS 1 transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000484 - 000	Alarm Date/Time	: 02/07/2024 10:33
Incident Location	: 3 White Ter, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a fall. EMS 1 received a signed RMA.

Incident Information

Incident-Exp#	: 24-000483 - 000	Alarm Date/Time	: 02/07/2024 08:48
Incident Location	: 58 Wayne Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above address for a fall with a possible broken arm. EMS 1 transported the patient to Saint Josephs Hospital.

Incident Information

Incident-Exp#	: 24-000482 - 000	Alarm Date/Time	: 02/07/2024 08:16
Incident Location	: 58 Milton Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 2 responded to above address for a patient having difficulty breathing. Lyndhurst transported patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000481 - 000	Alarm Date/Time	: 02/07/2024 08:00
Incident Location	: 291 Park Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

101, Engine 2 and EMS 1 responded in front of the above address for an mva with injuries. EMS established patient care and transported 1 patient to Clara Maass Hospital. Engine 2 performed a general cleanup of the accident. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000480 - 000	Alarm Date/Time	: 02/07/2024 06:40
Incident Location	: 384 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 651 - Smoke scare, odor of smoke

Incident Remarks

Received a report of smoke in the area at the above location. Upon arrival there was a haze in the area. Checked surrounding areas and found nothing. Haze dissipated. Units back in service.

Incident Information

Incident-Exp#	: 24-000479 - 000	Alarm Date/Time	: 02/06/2024 22:52
Incident Location	: 227 William St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 1 responded to the above location in Belleville. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000478 - 000	Alarm Date/Time	: 02/06/2024 21:45
Incident Location	: 33 N.Walnut, EastOrange, NJ 7019	Incident Type	: 422 - Chemical spill or leak

Incident Remarks

Haz Mat 3 responded to East Orange on a report of illegal dumping and a spill.
DEP# 24-02-06-2139-11
Haz Mat # 24-12

Incident Information

Incident-Exp#	: 24-000477 - 000	Alarm Date/Time	: 02/06/2024 20:10
Incident Location	: Washington Ave/Hancox Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000476 - 000	Alarm Date/Time	: 02/06/2024 19:01
Incident Location	: 703 Belleville Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location in Belleville. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000475 - 000	Alarm Date/Time	: 02/06/2024 17:01
Incident Location	: 82 Vreeland Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. RMA signed

Incident Information

Incident-Exp#	: 24-000474 - 000	Alarm Date/Time	: 02/06/2024 15:56
Incident Location	: 41 Lake St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. RMA signed.

Incident Information

Incident-Exp#	: 24-000473 - 000	Alarm Date/Time	: 02/06/2024 13:33
Incident Location	: 726 Washington Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded mutual aid to Belleville. RMA signed.

Incident Information

Incident-Exp#	: 24-000472 - 000	Alarm Date/Time	: 02/06/2024 11:29
Incident Location	: 359 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000471 - 000	Alarm Date/Time	: 02/06/2024 10:42
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 859 Clifton Ave, Clifton, NJ 07013

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded mutual aid to clifton. Transported to St. Joseph's

Incident Information

Incident-Exp# : 24-000470 - 000

Alarm Date/Time : 02/06/2024 10:37

Incident Location : 81 Curie Ave, Clifton, NJ 07011

Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 dispatched and canceled en route.

Incident Information

Incident-Exp# : 24-000469 - 000

Alarm Date/Time : 02/06/2024 09:16

Incident Location : 599 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp# : 24-000468 - 000

Alarm Date/Time : 02/06/2024 08:17

Incident Location : 1 River Rd, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 2 responded to the above location on an EMS incident. Belleville EMS 1 responded and transported to Clara Mass.

Incident Information

Incident-Exp# : 24-000467 - 000

Alarm Date/Time : 02/06/2024 08:08

Incident Location : 369 Bloomfield Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp# : 24-000466 - 000

Alarm Date/Time : 02/06/2024 05:07

Incident Location : 228 Chestnut St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital with police on board

Incident Information

Incident-Exp# : 24-000465 - 000

Alarm Date/Time : 02/06/2024 04:48

Incident Location : 228 Chestnut St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp# : 24-000464 - 000

Alarm Date/Time : 02/06/2024 01:44

Incident Location : 228 Chestnut St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to 228 Chestnut Street on the report of a person with a hurt foot.

EMS 1 received a signed RMA.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

SEE CAD #24-06988

Incident Information

Incident-Exp#	: 24-000463 - 000	Alarm Date/Time	: 02/06/2024 01:35
Incident Location	: 33 Wharton Ave, Nutley, NJ 07110	Incident Type	: 735 - Alarm system sounded due to malfunction

Incident Remarks

Upon arrival it was determined to be an old smoke detector. We checked the entire home out with our meters ZERO readings throughout. We advised the homeowner to get a replacement.

Incident Information

Incident-Exp#	: 24-000462 - 000	Alarm Date/Time	: 02/05/2024 20:30
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

Nutley police canceled Nutley Fire Units while responding to a report of an overturned vehicle on Route 21 North by Exit 8

Incident Information

Incident-Exp#	: 24-000461 - 000	Alarm Date/Time	: 02/05/2024 18:54
Incident Location	: 68 Howard Pl, Nutley, NJ 07110	Incident Type	: 381 - Rescue or EMS standby

Incident Remarks

EMS 1, Engine 2 and 101 performed a standby for a welfare check. Nutley Police were able to make contact and we were released from the scene.

Incident Information

Incident-Exp#	: 24-000460 - 000	Alarm Date/Time	: 02/05/2024 17:50
Incident Location	: 21 Carrie Ct, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- Engine 1 responded to 21 Carrie Court on the report of an overdose, with Narcan deployed and the patient slowly recovering.
- CAD # 24-06950
- Transport to Mountainside to Bloomfield EMS.

Incident Information

Incident-Exp#	: 24-000459 - 000	Alarm Date/Time	: 02/05/2024 17:25
Incident Location	: 314 Grant Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 24-000458 - 000	Alarm Date/Time	: 02/05/2024 17:46
Incident Location	: 599 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 2 with Belleville EMS performed a lift assist into the apartment and RMA signed with Engine 2.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000457 - 000	Alarm Date/Time	: 02/05/2024 14:36
Incident Location	: 38 Beech St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to 38 Beech Street on the report of an unknown medical.

EMS 1 received a signed RMA.

SEE CAD #24-06909

Incident Information

Incident-Exp#	: 24-000456 - 000	Alarm Date/Time	: 02/05/2024 11:56
Incident Location	: 54 Entwistle Ave, Nutley, NJ 07110	Incident Type	: 651 - Smoke scare, odor of smoke

Incident Remarks

Upon arrival we had smoke from a new oven that requires a burn off time. We advised the homeowners to ventilate the home by opening the windows before performing the burn off.

Incident Information

Incident-Exp#	: 24-000455 - 000	Alarm Date/Time	: 02/05/2024 03:48
Incident Location	: 599 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-06844

Incident Information

Incident-Exp#	: 24-000454 - 000	Alarm Date/Time	: 02/05/2024 02:37
Incident Location	: 5 White Ter, Nutley, NJ 07110	Incident Type	: 735 - Alarm system sounded due to malfunction

Incident Remarks

Eng. 1 Eng. 2 and 101 responded to activated fire alarm called in by homeowner at 5 White Ter. Upon arrival 101 confirmed no emergency. Eng. 1 and Eng. 2 searched for activated head. Eng. 1 found the detector in the garage was blinking fault. The detector was removed and the homeowner was advised to contact his alarm company. All units were clear and available at 0258hrs.

Incident Information

Incident-Exp#	: 24-000453 - 000	Alarm Date/Time	: 02/04/2024 21:50
Incident Location	: 101 Passaic Ave, Nutley, NJ 07110	Incident Type	: 424 - Carbon monoxide incident

Incident Remarks

Eng. 1 Eng. 2 and 101 responded to 101 Passaic Ave on a CO alarm activation. Upon arrival Eng. 1 and Eng. 2 metered the dwelling received readings of 0PPm. No emergency was found. All units were clear and available at 2205hrs.

Incident Information

Incident-Exp#	: 24-000452 - 000	Alarm Date/Time	: 02/04/2024 21:10
Incident Location	: 782 Valley Rd, Clifton, NJ 07013	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to St. Mary's see cad#24-06779

Incident Information

Incident-Exp#	: 24-000451 - 000	Alarm Date/Time	: 02/04/2024 20:25
Incident Location	: 225 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-06774

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000450 - 000	Alarm Date/Time	: 02/04/2024 18:13
Incident Location	: 512 Franklin Ave, Nutley, NJ 07110	Incident Type	: 212 - Overpressure rupture of steam boiler

Incident Remarks

Eng. 1 and Eng. 2 responded to 512 Franklin Ave on report of runaway boiler called in by PSEG. Upon arrival Eng. 1 confirmed no issue with boiler at this location. Eng. 2 was released and Eng. 1 awaited PSEG. Upon arrival of PSEG Eng. 1 advised there was no issue with the boiler. PSEG released Eng. 1 and remained on scene for building owner. Eng. 1 was clear and available at 1829hrs.

Incident Information

Incident-Exp#	: 24-000449 - 000	Alarm Date/Time	: 02/04/2024 15:49
Incident Location	: 70 Kierstead Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-06727

Incident Information

Incident-Exp#	: 24-000448 - 000	Alarm Date/Time	: 02/04/2024 14:53
Incident Location	: 8 Franklin St, Bloomfield, NJ 07003	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was cancelled by Bloomfield see cad#24-06716

Incident Information

Incident-Exp#	: 24-000447 - 000	Alarm Date/Time	: 02/04/2024 12:26
Incident Location	: 716 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-06702

Incident Information

Incident-Exp#	: 24-000446 - 000	Alarm Date/Time	: 02/04/2024 11:15
Incident Location	: 21 Carrie Ct, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-06692

Incident Information

Incident-Exp#	: 24-000445 - 000	Alarm Date/Time	: 02/04/2024 07:58
Incident Location	: 126 Stratford Dr, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 cancelled by NPD see cad#24-06662

Incident Information

Incident-Exp#	: 24-000444 - 000	Alarm Date/Time	: 02/04/2024 02:20
Incident Location	: Washington Ave/Hancox Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000443 - 000	Alarm Date/Time	: 02/03/2024 22:54
Incident Location	: 6 Pauline Dr, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Clara Mass.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp# : 24-000442 - 000 **Alarm Date/Time** : 02/03/2024 21:05
Incident Location : 181 River Rd, Nutley, NJ 07110 **Incident Type** : 553 - Public service

Incident Remarks

Engine 1 dispatched to 181 River by building 3. The vehicle was partially in spot 20 but most of the car was in the fire lane. #0103 was issued to NJ R82-AYR.

Incident Information

Incident-Exp# : 24-000441 - 000 **Alarm Date/Time** : 02/03/2024 20:49
Incident Location : 100 Franklin Ave, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a fall. RMA signed.

Incident Information

Incident-Exp# : 24-000440 - 000 **Alarm Date/Time** : 02/03/2024 16:32
Incident Location : 370 Bloomfield Ave, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Mountainside Hospital

Incident Information

Incident-Exp# : 24-000439 - 000 **Alarm Date/Time** : 02/03/2024 15:48
Incident Location : Park Ave/River Rd, Nutley, NJ 07110 **Incident Type** : 324 - Motor vehicle accident with no injuries.

Incident Remarks

Engine 1 & EMS 1 responded to the above location on a report of an auto accident with possible injuries. Upon arrival, no injuries and PD notified as 1 vehicle left the scene.

Incident Information

Incident-Exp# : 24-000438 - 000 **Alarm Date/Time** : 02/03/2024 14:26
Incident Location : 24 Entwistle Ave, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Mountainside Hospital

Incident Information

Incident-Exp# : 24-000437 - 000 **Alarm Date/Time** : 02/03/2024 14:24
Incident Location : 135 Bloomfield Ave, Bloomfield, NJ 07003 **Incident Type** : 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 dispatched and then canceled en route to Bloomfield.

Incident Information

Incident-Exp# : 24-000436 - 000 **Alarm Date/Time** : 02/03/2024 11:56
Incident Location : 231 Grant Ave, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 5 responded to the above location on a medical. Belleville EMS & Medic 3246 also responded. Belleville transported to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-000435 - 000 **Alarm Date/Time** : 02/03/2024 11:55
Incident Location : 437 Franklin Ave, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 1 responded to the above location on a fall. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000434 - 000	Alarm Date/Time	: 02/03/2024 11:13
Incident Location	: 28 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 & Engine 5 were dispatched to the above location on a report of a baby choking. RMA signed.

Incident Information

Incident-Exp#	: 24-000433 - 000	Alarm Date/Time	: 02/03/2024 07:00
Incident Location	: 32 San Antonio Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000432 - 000	Alarm Date/Time	: 02/03/2024 04:08
Incident Location	: 437 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a person having chest pain. EMS1 transported 1 patient to Clara Maass.
See CAD #24-06470

Incident Information

Incident-Exp#	: 24-000431 - 000	Alarm Date/Time	: 02/02/2024 22:24
Incident Location	: 510 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a party having stomach pain. EMS 1 transported 1 patient to Clara Maass
See CAD # 24-06389

Incident Information

Incident-Exp#	: 24-000430 - 000	Alarm Date/Time	: 02/02/2024 20:06
Incident Location	: 21 Glenview Rd, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 1, engine 1 and engine 5 responded to the above location for an MVA with airbags deployed. Fire personnel arrived on scene and started cleaning up debris from the street while EMS personnel provided care to the patient. EMS 1 has a signed RMA.
See CAD # 24-06411

Incident Information

Incident-Exp#	: 24-000429 - 000	Alarm Date/Time	: 02/02/2024 18:57
Incident Location	: 5 Adams Ct, Apt 3A, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 and Engine 5 responded to the above location for an unconscious party. EMS 1 transported 1 patient to Clara Maass Hospital.
See CAD #24-06401

Incident Information

Incident-Exp#	: 24-000428 - 000	Alarm Date/Time	: 02/02/2024 17:00
Incident Location	: Raymond Ave/Ridge Rd, Nutley, NJ 07110	Incident Type	: 440 - Electrical wiring/equipment problem, other

Incident Remarks

Engine 1 responded to the above intersection for a low hanging wire. Engine 1 arrived on scene and noticed the wire was a guide wire. Engine 1 personnel cut the wire as high as possible to alleviate the hazard. Engine 1 cleared.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000427 - 000	Alarm Date/Time	: 02/02/2024 16:36
Incident Location	: 3 Franklin Ave, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Engine 1 and Engine 5 responded to the above location for an Activated Fire Alarm. Engine 1 arrived on scene and was met by the Super stating that his helper was vacuuming the hallway and the dust set off the alarm. We located the point of activation and then reset the alarm.

Incident Information

Incident-Exp#	: 24-000426 - 000	Alarm Date/Time	: 02/02/2024 13:54
Incident Location	: 155 Washington Ave, Nutley, NJ 07110	Incident Type	: 745 - Alarm system sounded, no fire - unintentional

Incident Remarks

Engine 1 responded to the above location for an Activated pull station. En route we were told by PD that it was accidental. Upon arrival we were met by custodian stating that a child walked into pull station causing activation. The alarm was reset and fire personnel cleared.

Incident Information

Incident-Exp#	: 24-000425 - 000	Alarm Date/Time	: 02/02/2024 13:36
Incident Location	: 17 Edgewood Ave, Nutley, NJ 07110	Incident Type	: 736 - CO detector activation due to malfunction

Incident Remarks

Engine 1 and Engine 5 responded to the above location for an Activated CO alarm. Fire Units were met by the homeowner stating that he was changing the battery in the detector when it activated. He then was contacted by ADT and he tried to cancel FD. No issue with alarm.

Incident Information

Incident-Exp#	: 24-000424 - 000	Alarm Date/Time	: 02/02/2024 11:05
Incident Location	: 550 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 5 and EMS 1 responded to the above location for a party with weakness. EMS 1 transported 1 patient to Mountainside Hospital. See CAD # 24-06333

Incident Information

Incident-Exp#	: 24-000423 - 000	Alarm Date/Time	: 02/02/2024 10:09
Incident Location	: 519 Prospect St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a party with general weakness. EMS 1 transported 1 patient to Clara Maass. See CAD # 24-06324

Incident Information

Incident-Exp#	: 24-000422 - 000	Alarm Date/Time	: 02/02/2024 08:00
Incident Location	: 5 Briar Ln, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 5 responded to the above location for a fall victim. See CAD # 24-06305

Incident Information

Incident-Exp#	: 24-000421 - 000	Alarm Date/Time	: 02/02/2024 07:26
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 1 and Engine 5 responded to the above location for an MVA with injuries. EMS 1 transported 1 patient to University Hospital. See CAD # 24-06297

Incident Information

Incident-Exp#	: 24-000420 - 000	Alarm Date/Time	: 02/02/2024 07:46
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 180 Nutley Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1 responded to the above address for a party with difficulty breathing. Belleville EMS 2 responded and transported 1 patient to Mountainside Hospital.
See CAD #24-06301

Incident Information

Incident-Exp# : 24-000419 - 000

Alarm Date/Time : 02/02/2024 03:55

Incident Location : 3 White Ter, Nutley, NJ 07110

Incident Type : 531 - Smoke or odor removal

Incident Remarks

Upon arrival we had ZERO readings on our meters. The odor around the perimeter of the home was an animal odor(skunk) so much so that the odor was making its way into the home.

Incident Information

Incident-Exp# : 24-000418 - 000

Alarm Date/Time : 02/02/2024 02:49

Incident Location : 59 Briar Ln, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp# : 24-000417 - 000

Alarm Date/Time : 02/01/2024 21:53

Incident Location : 674 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to 674 Franklin Ave 1st Floor on the report of a patient with RSV.

EMS 1 transported the patient to the CMMC.

SEE CAD #24-06252

Incident Information

Incident-Exp# : 24-000416 - 000

Alarm Date/Time : 02/01/2024 20:34

Incident Location : 46 Hampton Pl, Nutley, NJ 07110

Incident Type : 381 - Rescue or EMS standby

Incident Remarks

10, Engine 5, EMS 1 were dispatched to 46 Hampton Place on the report of a welfare check/ standby.

No Patient Contact Made.

Nutley PD made contact the homeowner.

All Fire units were clear at 2041 Hours.

SEE CAD #24-06244

Incident Information

Incident-Exp# : 24-000415 - 000

Alarm Date/Time : 02/01/2024 20:43

Incident Location : 181 River Rd, Nutley, NJ 07110

Incident Type : 381 - Rescue or EMS standby

Incident Remarks

EMS 1 were dispatched to 181 River Road on standby for PD

Contact was made by Nutley PD.

Fire Units Cleared the scene.

As per Nutley PD use of the same CAD as 46 Hampton Place



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

SEE CAD #24-06244

Incident Information

Incident-Exp#	: 24-000414 - 000	Alarm Date/Time	: 02/01/2024 19:02
Incident Location	: 24 Clover St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to 24 Clover Street for a Fall/ Lift Assist.

EMS 1 transported patient to CMMC.

SEE CAD #24-06225

Incident Information

Incident-Exp#	: 24-000413 - 000	Alarm Date/Time	: 02/01/2024 19:48
Incident Location	: 184 Franklin Ave, Apt 310, Nutley, NJ 07110	Incident Type	: 113 - Cooking fire, confined to container

Incident Remarks

Upon arrival we determined that there was unattended cooking inside the apartment. The Tenant had opened the windows prior to our arrival to remove the smoke. The building system was not activated just the interconnected inside the apartment.

Incident Information

Incident-Exp#	: 24-000412 - 000	Alarm Date/Time	: 02/01/2024 17:03
Incident Location	: 1 Route 3, Clifton, NJ 7015	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was dispatched the Route 3 West Ramp in the City of Clifton on the report of an unconscious person.

EMS 1 was cancelled en route by Clifton PD.

SEE CAD #24-06198

Incident Information

Incident-Exp#	: 24-000411 - 000	Alarm Date/Time	: 02/01/2024 14:29
Incident Location	: 24 Clover St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp#	: 24-000410 - 000	Alarm Date/Time	: 02/01/2024 12:47
Incident Location	: Washington Ave/Division Ave, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was dispatched the intersection of Division Ave and Washington Ave in the Township of Belleville for a fall victim.

EMS 1 was cancelled en route by Belleville PD.

SEE CAD #24-06139

Incident Information

Incident-Exp#	: 24-000409 - 000	Alarm Date/Time	: 02/01/2024 11:59
Incident Location	: 58 Milton Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 5 was dispatched to 58 Milton Ave on the report of an unresponsive patient.

Engine 5 arrived on scene did a patient assessment and took vitals.

Belleville EMS1 arrived on scene and transported the patient to the CMMC.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

SEE CAD #24-06123

Incident Information

Incident-Exp#	: 24-000408 - 000	Alarm Date/Time	: 02/01/2024 11:51
Incident Location	: 299 Whitford Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to 299 Whitford Ave on the report of a person who fell and was bleeding.

EMS 1 received a signed RMA

SEE CAD #24-06120

Incident Information

Incident-Exp#	: 24-000407 - 000	Alarm Date/Time	: 02/01/2024 10:49
Incident Location	: 755 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Upon arrival it was determined to be a slight odor from the street area. There is ongoing gas leak in the street, PSE&G was notified and will be responding to check further.

Incident Information

Incident-Exp#	: 24-000406 - 000	Alarm Date/Time	: 02/01/2024 08:39
Incident Location	: 187 Washington Ave, Ste 1B, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 187 Washington Ave. STE 1B on the report of difficulty breathing.

- CAD # 24-06084

- RMA signed

- ALS # 3246

Incident Information

Incident-Exp#	: 24-000405 - 000	Alarm Date/Time	: 01/31/2024 22:57
Incident Location	: 5 Briar Ln, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 performed lift assist with Eng. 5 see cad#24-06039

Incident Information

Incident-Exp#	: 24-000404 - 000	Alarm Date/Time	: 01/31/2024 20:17
Incident Location	: 10 Hilton St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-06017

Incident Information

Incident-Exp#	: 24-000403 - 000	Alarm Date/Time	: 01/31/2024 19:27
Incident Location	: 220 Prospect St, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was dispatched by Essex County Fire for Triage incident in East Orange. East Orange FD cancelled EMS 1 on scene see cad#24-06013



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000402 - 000	Alarm Date/Time	: 01/31/2024 17:52
Incident Location	: 46 Washington Ave, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

Eng. 5 was dispatched to 46 Washington Ave Belleville on report of working fire. Belleville cancelled Eng. 5 en route.

Incident Information

Incident-Exp#	: 24-000401 - 000	Alarm Date/Time	: 01/31/2024 15:11
Incident Location	: 344 Clifton Ave, Clifton, NJ 07011	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to St. Joe's see cad#24-05978

Incident Information

Incident-Exp#	: 24-000400 - 000	Alarm Date/Time	: 01/31/2024 13:51
Incident Location	: 154 Coeyman Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Hackensack Hospital see cad#24-05970

Incident Information

Incident-Exp#	: 24-000399 - 000	Alarm Date/Time	: 01/31/2024 12:57
Incident Location	: 70 Oakley Ter, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-05963

Incident Information

Incident-Exp#	: 24-000398 - 000	Alarm Date/Time	: 01/31/2024 12:54
Incident Location	: 286 Prospect St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Eng. 5 received a signed RMA see cad#24-05964. Eng. 1 and 101 assisted

Incident Information

Incident-Exp#	: 24-000397 - 000	Alarm Date/Time	: 01/31/2024 11:33
Incident Location	: 71 Harrison St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-05962

71 Harrison Street A26

Incident Information

Incident-Exp#	: 24-000396 - 000	Alarm Date/Time	: 01/31/2024 10:27
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-05928

Incident Information

Incident-Exp#	: 24-000395 - 000	Alarm Date/Time	: 01/31/2024 09:03
Incident Location	: 1 Route 3, Clifton, NJ 7015	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

EMS 1 received a signed RMA see cad#24-05926

Incident Information

Incident-Exp#	: 24-000394 - 000	Alarm Date/Time	: 01/31/2024 07:57
Incident Location	: 1 Washington Ave, Nutley, NJ 07110	Incident Type	: 652 - Steam, vapor, fog or dust thought to be smoke

Incident Remarks

Eng. 1 Eng. 5 EMS 1 and 101 responded to 1 Washington Ave on a caller stating they smell gas and see smoke. Upon arrival Eng. 1 confirmed no fire nor emergency. EMS 1 confirmed negative findings as well. 101 responded to 25 St. Mary's pl where the caller stated they were from. 101 did not make contact with caller but saw the exhaust from the boiler which looked like smoke. No odor of gas was present. Employees from 1 Washington Ave were interviewed and no issues were reported. All units were clear and available at 0809hrs.

Incident Information

Incident-Exp#	: 24-000393 - 000	Alarm Date/Time	: 01/31/2024 18:30
Incident Location	: 125 Alexander Ave, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

E1, E5, EMS1 responded to above location for an activated alarm with a medical alert. Investigation upon arrival determined that unattended cooking had set the smoke detector off and in an attempt to reset the alarm Mr. sessa hit the medical alert button. No medical incident or hazard at that location.

See CAD # 24-06004

Incident Information

Incident-Exp#	: 24-000392 - 000	Alarm Date/Time	: 01/31/2024 14:50
Incident Location	: 114 King St, Nutley, NJ 07110	Incident Type	: 744 - Detector activation, no fire - unintentional

Incident Remarks

E1 and E5 responded to above address for an activated alarm. Investigation upon arrival determined it to be accidental.

Incident Information

Incident-Exp#	: 24-000391 - 000	Alarm Date/Time	: 01/31/2024 03:41
Incident Location	: 67 Milton Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above address for a fall. EMS 1 transported the patient to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 24-000390 - 000	Alarm Date/Time	: 01/30/2024 23:23
Incident Location	: 86 Union Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above address for a person with abdominal pain. EMS 1 transported the patient to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 24-000389 - 000	Alarm Date/Time	: 01/30/2024 19:25
Incident Location	: 1 Garden State Parkway, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the gas station on the Garden State Parkway near the Watchung entrance. EMS 1 transported the Patient to Clara Mass Hospital.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp# : 24-000388 - 000

Alarm Date/Time : 01/30/2024 18:27

Incident Location : 52 Passaic Ave, Nutley, NJ 07110

Incident Type : 381 - Rescue or EMS standby

Incident Remarks

Engine 5 responded in the area of 52 Passaic Avenue for a possible medical. Engine 5 was released by pd prior to making patient contact.

Incident Information

Incident-Exp# : 24-000387 - 000

Alarm Date/Time : 01/30/2024 18:19

Incident Location : 155 Hazel St, Clifton, NJ 07011

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Saint Marys Hospital with medics on board.

Incident Information

Incident-Exp# : 24-000386 - 000

Alarm Date/Time : 01/30/2024 18:55

Incident Location : 165 Grant Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 5 responded to the above address for a medical.

Incident Information

Incident-Exp# : 24-000385 - 000

Alarm Date/Time : 01/30/2024 12:47

Incident Location : 19 Park Dr, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-000384 - 000

Alarm Date/Time : 01/30/2024 05:01

Incident Location : 16 Webster St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside.

Incident Information

Incident-Exp# : 24-000383 - 000

Alarm Date/Time : 01/30/2024 05:59

Incident Location : 45 Plymouth Rd, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 and Engine 5 responded to the above location for a person in pain. EMS 1 transported 1 to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-000382 - 000

Alarm Date/Time : 01/30/2024 17:16

Incident Location : 2 Cook Rd, Nutley, NJ 07110

Incident Type : 746 - Carbon monoxide detector activation, no CO

Incident Remarks

Engine 1 and Engine 5 responded to the above address for a activated CO detector. Crews arrived on scene and was advised by the homeowner that the alarms were sounding when she returned from work. Crews metered the entire house and had zero readings. Homeowner was advised to replace old detectors.

Hazmat 3 was in the area at the time of alarm and responded as well.

Incident Information

Incident-Exp# : 24-000381 - 000

Alarm Date/Time : 01/30/2024 16:11



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 399 Mountain Ave, NorthCaldwell, NJ 07006 **Incident Type** : 413 - Oil or other combustible liquid spill

Incident Remarks

Hazmat 3 responded to the above location for a vehicle into a waterway. See report 24-11.

Incident Information

Incident-Exp# : 24-000380 - 000 **Alarm Date/Time** : 01/30/2024 10:00
Incident Location : 228 Chestnut St, Nutley, NJ 07110 **Incident Type** : 553 - Public service

Incident Remarks

The parks department utilized Truck 2 for general maintenance. Nothing further at this time.

Incident Information

Incident-Exp# : 24-000379 - 000 **Alarm Date/Time** : 01/29/2024 22:22
Incident Location : 116 Conover Ave, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a party with weakness. EMS 1 transported 1 patient to Mountainside.
See CAD #24-05642.

Incident Information

Incident-Exp# : 24-000378 - 000 **Alarm Date/Time** : 01/29/2024 21:44
Incident Location : 96 Conover Ave, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 and Engine 5 responded to the above location for a fall victim. EMS 1 and ALS 3246 transported 1 patient to St. Joes.
See CAD# 24-05626

Incident Information

Incident-Exp# : 24-000377 - 000 **Alarm Date/Time** : 01/29/2024 18:49
Incident Location : 7 William St, Apt 115, Nutley, NJ 07110 **Incident Type** : 600 - Good intent call, other

Incident Remarks

EMS 1, Engine 1, and Engine 5 responded to the above location for a Welfare check. Entry was gained by a front desk key holder. Engine 1 and Engine 5 cleared and EMS 1 transported 1 patient to Mountainside Hospital.
See CAD #24-05608

Incident Information

Incident-Exp# : 24-000376 - 000 **Alarm Date/Time** : 01/29/2024 16:24
Incident Location : 7 William St, Nutley, NJ 07110 **Incident Type** : 700 - False alarm or false call, other

Incident Remarks

EMS 1 responded to the above location for a Medical Alert. Alert was transmitted on accident. No emergency. RMA signed
See CAD #24-05574

Incident Information

Incident-Exp# : 24-000375 - 000 **Alarm Date/Time** : 01/29/2024 16:06
Incident Location : 175 Franklin Ave, Nutley, NJ 07110 **Incident Type** : 531 - Smoke or odor removal

Incident Remarks

Engine 1, Engine 5, and EMS 1 responded to the above location for an odor. Upon investigation, no odor was present. Fire units cleared.

Incident Information

Incident-Exp# : 24-000374 - 000 **Alarm Date/Time** : 01/29/2024 14:39
Incident Location : 4 Hampton Pl, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above address for a party with Altered Mental Status. EMS 1 transported the patient to Mountainside Hospital.
See CAD #24-05567



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000373 - 000	Alarm Date/Time	: 01/29/2024 12:31
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 5 responded to The Nutley Court Room for a party having a panic attack. Engine 5 has a signed RMA
See CAD# 24-05559

Incident Information

Incident-Exp#	: 24-000372 - 000	Alarm Date/Time	: 01/29/2024 12:25
Incident Location	: 18 Homer Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a party having an allergic reaction. EMS 1 has a signed RMA.
See CAD# 24-05557

Incident Information

Incident-Exp#	: 24-000371 - 000	Alarm Date/Time	: 01/29/2024 09:35
Incident Location	: Franklin Ave/Chase St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 and Engine 5 responded to the above location for a party hunched over with general weakness.
See CAD 24-05524. EMS 1 has a signed RMA

Incident Information

Incident-Exp#	: 24-000370 - 000	Alarm Date/Time	: 01/29/2024 08:40
Incident Location	: 87 Centre St, Nutley, NJ 07110	Incident Type	: 424 - Carbon monoxide incident

Incident Remarks

Engine 1 and Engine 5 responded to the above location for a CO incident. Engine 1 arrived on scene and was met by the neighbor stating that the homeowner notified him of an alarm going off in his home. the neighbor opened the door and we entered finding readings of 14 PPM of Carbon Monoxide in the basement area. We went up to the main living area and found readings of 12-16 PPM of Carbon Monoxide. I asked the Police desk to notify PSEG Gas to respond. The home was vented and the heating system was turned off. Readings came down to "0" PPM. The neighbor was waiting the arrival of PSEG. Fire personnel cleared.

Incident Information

Incident-Exp#	: 24-000369 - 000	Alarm Date/Time	: 01/29/2024 08:26
Incident Location	: 119 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 and Engine 5 responded to the above location for an unresponsive party. RMA signed
See CAD 24-05499

Incident Information

Incident-Exp#	: 24-000368 - 000	Alarm Date/Time	: 01/29/2024 02:02
Incident Location	: 74 Cedar St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 24-000367 - 000	Alarm Date/Time	: 01/28/2024 21:32
Incident Location	: 206 Prospect St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 5 was dispatched to 206 Prospect Street on the report of a person who passed out/ diabetic.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Engine 5 arrived on scene took patient vitals and did a patient assessment.

Bloomfield EMS arrived on scene and transported the patient to CMMC.

SEE CAD #24-05428

Incident Information

Incident-Exp#	: 24-000366 - 000	Alarm Date/Time	: 01/28/2024 21:27
Incident Location	: 34 Oak St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to 34 Oak Street on the report of a person with a head laceration.

EMS 1 received a signed RMA

SEE CAD #24-05424

Incident Information

Incident-Exp#	: 24-000365 - 000	Alarm Date/Time	: 01/28/2024 20:38
Incident Location	: 226 Franklin Ave, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Upon arrival the smoke from birthday candles activated the smoke detectors. We were able to restore the system to ready

Incident Information

Incident-Exp#	: 24-000364 - 000	Alarm Date/Time	: 01/28/2024 19:22
Incident Location	: Chestnut St/Warren St, Nutley, NJ 07110	Incident Type	: 323 - Motor vehicle/pedestrian accident (MV Ped)

Incident Remarks

- EMS 1, Ladder 1, Engine 1 & 101 responded to the intersection of Chestnut & Warren on the report of an MVA with a pedestrian struck.

- CAD # 24-05409

- Transport to St. Joes (Fracture to the lower right leg)

Incident Information

Incident-Exp#	: 24-000363 - 000	Alarm Date/Time	: 01/28/2024 13:50
Incident Location	: 181 River Rd, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

Nutley Police called to report vehicles parked in the fire lane near Building 3.

Ticket# 0101 issued to Blue Honda Civic NJ # B29SVJ

Ticket# 0102 issued to Black Mercedes NJ# V97SAN

Incident Information

Incident-Exp#	: 24-000362 - 000	Alarm Date/Time	: 01/28/2024 12:00
Incident Location	: 18 Sargent St, Nutley, NJ 07110	Incident Type	: 381 - Rescue or EMS standby

Incident Remarks

EMS 1 performed a standby for Police to make notification.

Incident Information

Incident-Exp#	: 24-000361 - 000	Alarm Date/Time	: 01/28/2024 09:30
Incident Location	: 161 Franklin St, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 canceled en route to Belleville.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000360 - 000	Alarm Date/Time	: 01/28/2024 03:51
Incident Location	: 14 Newark Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-05331. Eng. 5 assisted.

Incident Information

Incident-Exp#	: 24-000359 - 000	Alarm Date/Time	: 01/27/2024 18:45
Incident Location	: William St/Lot 2, Nutley, NJ 07110	Incident Type	: 554 - Assist invalid

Incident Remarks

Eng. 5 responded to Municipal Lot 2 for a handicapped individual who's wheelchair was tangled in a seat belt. Eng. 5 arrived on scene and assisted with untangling the individual from the seatbelt.

Incident Information

Incident-Exp#	: 24-000358 - 000	Alarm Date/Time	: 01/27/2024 17:50
Incident Location	: 121 Grove St, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-05246

Incident Information

Incident-Exp#	: 24-000357 - 000	Alarm Date/Time	: 01/27/2024 16:19
Incident Location	: 1572 Broad St, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-05234

Incident Information

Incident-Exp#	: 24-000356 - 000	Alarm Date/Time	: 01/27/2024 16:27
Incident Location	: 396 Prospect St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Eng. 5 transferred pt care to Belleville EMS whom transported 1 to Mountainside Hospital see cad#24-05233

Incident Information

Incident-Exp#	: 24-000355 - 000	Alarm Date/Time	: 01/27/2024 15:59
Incident Location	: 127 King St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-05226

Incident Information

Incident-Exp#	: 24-000354 - 000	Alarm Date/Time	: 01/27/2024 14:40
Incident Location	: 7 William St, Apt 317, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-05211

Incident Information

Incident-Exp#	: 24-000353 - 000	Alarm Date/Time	: 01/27/2024 02:49
Incident Location	: 407 Passaic Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000352 - 000	Alarm Date/Time	: 01/26/2024 21:16
Incident Location	: 27 Rocco St, Belleville, NJ 07109	Incident Type	: 651 - Smoke scare, odor of smoke

Incident Remarks

Engine 5 was cancelled upon arrival for automatic aid.

Incident Information

Incident-Exp#	: 24-000351 - 000	Alarm Date/Time	: 01/26/2024 18:02
Incident Location	: 237 Franklin Ave, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

I received a phone call from a business owner stating he forgot his combination to a lock at his gym and asked for assistance cutting it. Engine 1 responded. Once on location we were brought to the rear locker room and shown the lock that needed to be removed. We cut the lock using bolt cutters then returned to service.

Incident Information

Incident-Exp#	: 24-000350 - 000	Alarm Date/Time	: 01/26/2024 15:20
Incident Location	: Passaic Ave/Vreeland Ave, Nutley, NJ 07110	Incident Type	: 324 - Motor vehicle accident with no injuries.

Incident Remarks

101 and Engine 1 responded to the above intersection for a two car accident. No injuries were reported. We performed a general cleanup and removed the debris from the roadway and sidewalk. Once police arrived on scene we cleared.

Incident Information

Incident-Exp#	: 24-000349 - 000	Alarm Date/Time	: 01/26/2024 15:08
Incident Location	: 26 Wilmington Dr, Nutley, NJ 07110	Incident Type	: 736 - CO detector activation due to malfunction

Incident Remarks

Engine 5 and 101 responded to the above address for an activated CO detector. Upon arrival, i was informed by the homeowner they were installing a new ring security system and set it off by accident doing a test. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000348 - 000	Alarm Date/Time	: 01/26/2024 13:24
Incident Location	: 210 Highland Ave, Montclair, NJ 07043	Incident Type	: 413 - Oil or other combustible liquid spill

Incident Remarks

Hazmat 2 responded to the above address for a fuel spill. See HM 24-10

Incident Information

Incident-Exp#	: 24-000347 - 000	Alarm Date/Time	: 01/26/2024 20:14
Incident Location	: 1 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 24-000346 - 000	Alarm Date/Time	: 01/26/2024 18:45
Incident Location	: 439 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 5 and EMS 1 responded to the above location for a 16year olds throat closing up. EMS 1 received a signed RMA by the patients mother.

Incident Information

Incident-Exp#	: 24-000345 - 000	Alarm Date/Time	: 01/26/2024 17:43
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 591 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital.

Incident Information

Incident-Exp# : 24-000344 - 000

Alarm Date/Time : 01/26/2024 13:33

Incident Location : 508 Coventry Dr, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS responded to the above address for a medical.

Incident Information

Incident-Exp# : 24-000343 - 000

Alarm Date/Time : 01/26/2024 12:36

Incident Location : 4 Hampton Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS responded to the above address for a medical. patient was assessed and a RMA was signed

Incident Information

Incident-Exp# : 24-000342 - 000

Alarm Date/Time : 01/26/2024 12:15

Incident Location : 19 Saint Marys Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS responded to the above address for a medical. patient was assessed and RMA was signed

Incident Information

Incident-Exp# : 24-000341 - 000

Alarm Date/Time : 01/26/2024 11:15

Incident Location : 115 E Centre St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS responded to the above address for a medical

Incident Information

Incident-Exp# : 24-000340 - 000

Alarm Date/Time : 01/26/2024 09:40

Incident Location : 326 Harrison St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS responded to the above address for a medical.

Incident Information

Incident-Exp# : 24-000339 - 000

Alarm Date/Time : 01/26/2024 09:39

Incident Location : 128 Mountainview Ave, Nutley, NJ 07110

Incident Type : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Fire units responded to 128 Mountainview for an activated fire alarm. En-route the alarm company attempted to cancel. On arrival the homeowner was in a towel and said his alarm went off when he opened the shower door. The alarm was reset. Fire units cleared.

Incident Information

Incident-Exp# : 24-000338 - 000

Alarm Date/Time : 01/26/2024 08:44

Incident Location : 228 Chestnut St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS responded to address above for a medical

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp# : 24-000337 - 000

Incident Location : 57 Glendale St, Nutley, NJ 07110

Alarm Date/Time : 01/25/2024 20:07

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 & Engine 5 responded to the above location. No paramedics were available. FF Contreras drove EMS 1 to Clara Mass.

Incident Information

Incident-Exp# : 24-000336 - 000

Incident Location : 232 Stuyvesant Ave, Lyndhurst, NJ 07071

Alarm Date/Time : 01/25/2024 18:56

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transported to Hackensack Hospital .

Incident Information

Incident-Exp# : 24-000335 - 000

Incident Location : 150 Ridge Rd, Nutley, NJ 07110

Alarm Date/Time : 01/25/2024 16:50

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp# : 24-000334 - 000

Incident Location : 228 Franklin Ave, Nutley, NJ 07110

Alarm Date/Time : 01/25/2024 16:10

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 5 checked vitals and Bloomfield EMS transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000333 - 000

Incident Location : 1 Route 21, Nutley, NJ 07110

Alarm Date/Time : 01/25/2024 14:49

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital Engine 1 assisted with packaging the patient.

Incident Information

Incident-Exp# : 24-000332 - 000

Incident Location : 16 Linden Pl, Nutley, NJ 07110

Alarm Date/Time : 01/25/2024 15:23

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital. Engine 5 assisted EMS

Incident Information

Incident-Exp# : 24-000331 - 000

Incident Location : 437 Franklin Ave, Nutley, NJ 07110

Alarm Date/Time : 01/25/2024 15:53

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital Engine 1 assisted with packaging the patient.

Incident Information

Incident-Exp# : 24-000330 - 000

Incident Location : 370 Bloomfield Ave, Nutley, NJ 07110

Alarm Date/Time : 01/25/2024 14:38

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA Engine 5 released on scene



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000329 - 000	Alarm Date/Time	: 01/25/2024 13:54
Incident Location	: 124 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000328 - 000	Alarm Date/Time	: 01/25/2024 14:24
Incident Location	: 19 Hunt Pl, Nutley, NJ 07110	Incident Type	: 736 - CO detector activation due to malfunction

Incident Remarks

Upon arrival we had ZERO readings and determined it was a malfunctioning combination detector. We advised to have tenant inform the landlord to get system serviced.

Incident Information

Incident-Exp#	: 24-000327 - 000	Alarm Date/Time	: 01/25/2024 13:48
Incident Location	: 442 River Rd, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Upon arrival system had restored itself. The building had a power failure all day and the power was just restored.

Incident Information

Incident-Exp#	: 24-000326 - 000	Alarm Date/Time	: 01/25/2024 13:08
Incident Location	: 226 Newark Ave, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp#	: 24-000325 - 000	Alarm Date/Time	: 01/25/2024 12:39
Incident Location	: 1 Route 21, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp#	: 24-000324 - 000	Alarm Date/Time	: 01/25/2024 12:49
Incident Location	: 57 E Centre St, Nutley, NJ 07110	Incident Type	: 745 - Alarm system sounded, no fire - unintentional

Incident Remarks

Upon arrival we were met by the super Mike Coscia who stated someone hit the alarm in the elevator. The super will be restoring the fire alarm system

Incident Information

Incident-Exp#	: 24-000323 - 000	Alarm Date/Time	: 01/25/2024 10:52
Incident Location	: 176 Prospect St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital. Engine 5 released on scene

Incident Information

Incident-Exp#	: 24-000322 - 000	Alarm Date/Time	: 01/25/2024 10:34
Incident Location	: 18 Alexander Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp#	: 24-000321 - 000	Alarm Date/Time	: 01/25/2024 09:36
Incident Location	: 149 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000320 - 000	Alarm Date/Time	: 01/25/2024 06:20
Incident Location	: 41 Newman Ave, Nutley, NJ 07110	Incident Type	: 746 - Carbon monoxide detector activation, no CO

Incident Remarks

- Engine 1 responded to 41 Newman Ave. on the report of an activated CO alarm. Engine 1 arrived and were met by the homeowner at the front door. The homeowner stated that the CO alarm in the basement was sounding. Fire personnel proceeded to the basement & kitchen area to conduct air monitoring. Air monitoring results for the presence of CO were negative. The homeowner was advised to purchase a new CO detector and Engine 1 cleared the scene.

Incident Information

Incident-Exp#	: 24-000319 - 000	Alarm Date/Time	: 01/25/2024 05:30
Incident Location	: Park Ave/River Rd, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

Nutley Police called requesting assistance with providing a light tower at the intersection Park Ave & River Road. The power is out in the area.

Incident Information

Incident-Exp#	: 24-000318 - 000	Alarm Date/Time	: 01/25/2024 02:55
Incident Location	: 16 Jackson St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA Lift assist

Incident Information

Incident-Exp#	: 24-000317 - 000	Alarm Date/Time	: 01/24/2024 22:22
Incident Location	: 32 Carmer Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to 32 Carmer Ave in the Township of Belleville on the report of a person not feeling well.

EMS 1 transported to CMMC.

SEE CAD #24-04647

Incident Information

Incident-Exp#	: 24-000316 - 000	Alarm Date/Time	: 01/24/2024 18:54
Incident Location	: 18 Wallace St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to 18 Wallace Street Apt B Township of Belleville for a person not feeling well.

EMS 1 received a Signed RMA.

SEE CAD #24-04603

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000315 - 000	Alarm Date/Time	: 01/24/2024 13:33
Incident Location	: 124 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000314 - 000	Alarm Date/Time	: 01/24/2024 12:57
Incident Location	: 564 Franklin Ave, Nutley, NJ 07110	Incident Type	: 735 - Alarm system sounded due to malfunction

Incident Remarks

Upon arrival it was determined to be an alarm malfunction. Advised to call for service on the system

Incident Information

Incident-Exp#	: 24-000313 - 000	Alarm Date/Time	: 01/24/2024 11:00
Incident Location	: 47 Vincent Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to 47 Vincent Place Apt 209 on the report of a person fell with leg pain.

EMS 1 transported the patient to CMMC

SEE CAD #24-04538

Incident Information

Incident-Exp#	: 24-000312 - 000	Alarm Date/Time	: 01/24/2024 09:52
Incident Location	: 153 Oak Ridge Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1 assessed the patient and Clifton EMS 3 transported 1 patient to Hackensack Hospital. Tones were activated for outside companies to stand by.

Incident Information

Incident-Exp#	: 24-000311 - 000	Alarm Date/Time	: 01/24/2024 09:51
Incident Location	: 5 Passaic Ave, Apt 2, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 5 assess patient and Glen Ridge EMS transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 24-000310 - 000	Alarm Date/Time	: 01/24/2024 09:29
Incident Location	: 42 Orchard St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital Engine was released on scene

Incident Information

Incident-Exp#	: 24-000309 - 000	Alarm Date/Time	: 01/24/2024 09:23
Incident Location	: 15 Essex St, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 canceled on scene by Belleville Fire

Incident Information

Incident-Exp#	: 24-000307 - 000	Alarm Date/Time	: 01/24/2024 07:56
Incident Location	: 115 Hillside Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital Engine 5 was released on scene.

Incident Information

Incident-Exp#	: 24-000306 - 000	Alarm Date/Time	: 01/24/2024 02:51
Incident Location	: 73 Lakeside Dr, Nutley, NJ 07110	Incident Type	: 424 - Carbon monoxide incident

Incident Remarks

Eng. 1 Eng. 5 responded to 73 Lakeside Dr. for a CO alarm activation. Upon arrival Eng. 1 and Eng. 5 received readings of 8PPM which rose to 20PPM when the thermostat was set to 75 from 71. The thermostat was set to 65 and the house was zeroed out. PSEG was contacted to confirm readings and explain issue with furnace. PSEG shut down the furnace and advised homeowner to contact plumber to service/clean the boiler. The technician also filled the boiler with water and advised homeowner if there is water on the floor in a few hours you will have to replace the furnace. All units were clear and available at 0345hrs.

Incident Information

Incident-Exp#	: 24-000305 - 000	Alarm Date/Time	: 01/23/2024 22:57
Incident Location	: 54 Clement St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-04437

Incident Information

Incident-Exp#	: 24-000304 - 000	Alarm Date/Time	: 01/23/2024 22:24
Incident Location	: 65 River Rd, Apt 202, Nutley, NJ 07110	Incident Type	: 113 - Cooking fire, confined to container

Incident Remarks

Eng. 1 Eng. 5 responded to 65 River Rd on activated fire alarm with multiple calls for smoke in the hallway. Upon arrival Eng. 1 confirmed unattended cooking and confirmed no extension. Eng. 5 ventilated the dwelling and the hallway. The alarm was reset and all units were clear and available at 2242hrs.

Incident Information

Incident-Exp#	: 24-000303 - 000	Alarm Date/Time	: 01/23/2024 19:55
Incident Location	: Hazel St/Broad St, Clifton, NJ 07011	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to St. Joseph's see cad#24-04409

Incident Information

Incident-Exp#	: 24-000302 - 000	Alarm Date/Time	: 01/23/2024 19:43
Incident Location	: Passaic Ave/Ward St, Clifton, NJ 07014	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was cancelled by Clifton FD see cad#24-04408

Incident Information

Incident-Exp#	: 24-000301 - 000	Alarm Date/Time	: 01/23/2024 15:18
Incident Location	: 44 Park Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received as signed RMA see cad#24-04343

Incident Information

Incident-Exp#	: 24-000300 - 000	Alarm Date/Time	: 01/23/2024 13:16
Incident Location	: 57 E Centre St, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Eng. 1 Eng. 5 responded to 57 East Centre St Bldg 2 on activated fire alarm. Upon arrival superintendent, Mike Coscia, explained there were contractors in the back utility garage and they set it off performing work. The activated detector was located. The alarm was reset. All



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

units were clear and available at 1329hrs.

Incident Information

Incident-Exp#	: 24-000299 - 000	Alarm Date/Time	: 01/23/2024 03:18
Incident Location	: 7 William St, Apt 218, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above address for a medical. EMS 1 received a signed RMA.

Incident Information

Incident-Exp#	: 24-000298 - 000	Alarm Date/Time	: 01/22/2024 10:03
Incident Location	: 9 Ray Pl, Fairfield, NJ 07004	Incident Type	: 413 - Oil or other combustible liquid spill

Incident Remarks

See Hazmat report 24-07.

Incident Information

Incident-Exp#	: 24-000297 - 000	Alarm Date/Time	: 01/22/2024 22:32
Incident Location	: 168 Hillside Ave, Nutley, NJ 07110	Incident Type	: 311 - Medical assist, assist EMS crew

Incident Remarks

Engine 5 was requested for manpower by EMS 1. Engine 5 assisted with lifting the patient and loading them into the ambulance. Engine 5 cleared.

Incident Information

Incident-Exp#	: 24-000296 - 000	Alarm Date/Time	: 01/22/2024 22:22
Incident Location	: 168 Hillside Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000295 - 000	Alarm Date/Time	: 01/22/2024 22:00
Incident Location	: 300 Franklin Ave, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

We removed the two light towers that were located in the street in front of the High School and returned them to the DPW garage. We also placed the Parks & Recreation cones in the back of the F150.

Incident Information

Incident-Exp#	: 24-000294 - 000	Alarm Date/Time	: 01/22/2024 20:55
Incident Location	: 245 Centre St, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Fire units responded to the above location for an activated fire alarm. Fire alarm was reset prior to our arrival. After investigating, we found a painter doing work in a first-floor business that set off the alarm. The worker stated he was done for the night. I informed the tenants to leave the alarm activated until we arrive in the future. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000293 - 000	Alarm Date/Time	: 01/22/2024 12:40
Incident Location	: 33 Roosevelt Ave, Belleville, NJ 07109	Incident Type	: 411 - Gasoline or other flammable liquid spill

Incident Remarks

Hazmat 3 responded to the above location for a diesel spill. See report 24-09.

Incident Information

Incident-Exp#	: 24-000292 - 000	Alarm Date/Time	: 01/22/2024 13:16
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 74 Brookline Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA.

Incident Information

Incident-Exp# : 24-000291 - 000

Alarm Date/Time : 01/22/2024 17:17

Incident Location : 303 Nutley Ave, Nutley, NJ 07110

Incident Type : 412 - Gas leak (natural gas or LPG)

Incident Remarks

Engine 1 and Engine 5 responded to 303 Nutley ave for a report of a smell of gas. After a investigation we found a leaking water pipe that was causing a odor. Homeowner was advised to call and plumber and all units cleared.

Incident Information

Incident-Exp# : 24-000290 - 000

Alarm Date/Time : 01/22/2024 16:15

Incident Location : 141 River Rd, Nutley, NJ 07110

Incident Type : 322 - Vehicle accident with injuries

Incident Remarks

101, EMS 1 responded in front of the above location for an MVA with a parent requesting an assesment on his child. EMS assessed the patient and received an RMA. No debris or fluid spilled. We cleared the scene.

Incident Information

Incident-Exp# : 24-000289 - 000

Alarm Date/Time : 01/22/2024 13:52

Incident Location : 19 Allan Dr, NorthArlington, NJ 07031

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Hackensack Hospital.

Incident Information

Incident-Exp# : 24-000288 - 000

Alarm Date/Time : 01/22/2024 12:16

Incident Location : 688 Passaic Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was cancelled by NPD

Incident Information

Incident-Exp# : 24-000287 - 000

Alarm Date/Time : 01/22/2024 14:00

Incident Location : 300 Franklin Ave, Nutley, NJ 07110

Incident Type : 553 - Public service

Incident Remarks

Insp G Morgan and Insp K Evans delivered two light towers to the Nutley High School.

Incident Information

Incident-Exp# : 24-000286 - 000

Alarm Date/Time : 01/22/2024 08:01

Incident Location : Franklin Ave/Harrison St, Nutley, NJ 07110

Incident Type : 322 - Vehicle accident with injuries

Incident Remarks

Fire units responded to the above location for a two vehicle MVA with injuries. The driver of 1 vehicle was assessed and signed an RMA. Fire units cleared.

Incident Information

Incident-Exp# : 24-000285 - 000

Alarm Date/Time : 01/21/2024 21:16

Incident Location : 32 Stanley Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to above address for a medical with transport.

See CAD # 24-03975

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000284 - 000	Alarm Date/Time	: 01/21/2024 19:40
Incident Location	: 16 Henry St, Bloomfield, NJ 07003	Incident Type	: 571 - Cover assignment, standby, moveup

Incident Remarks

E5 was dispatched to 16 Henry St Bloomfield for automatic aid. Upon arrival E5 was redirected to BFD HQ for house coverage.

Incident Information

Incident-Exp#	: 24-000283 - 000	Alarm Date/Time	: 01/21/2024 14:00
Incident Location	: 357 Cortlandt St, Belleville, NJ 07109	Incident Type	: 421 - Chemical hazard (no spill or leak)

Incident Remarks

Belleville Fire and requested that Nutley Hazmat respond. The ATF agency was there and stated Hazmat should be there. Upon our arrival AFT was already off of the scene. We checked the area the flammable chemicals in the adjacent room were not affected by the explosion from the night before. The explosion is probably caused by the overheating of the lead producing an explosive vapor. All of the lead products are contained to the tenant space located on the fourth floor.

NJDEP case # 24-01-21-1521-35

Nutley Hazmat # HM 24-06

Reimbursement Disclosure Form & Field Record of Incident/Violation were issued on scene to Jivette Salazar

Belleville Battalion Chief Frank Alfano was on scene 973-487-8631

Incident Information

Incident-Exp#	: 24-000282 - 000	Alarm Date/Time	: 01/21/2024 16:28
Incident Location	: 482 Joralemon St, Belleville, NJ 07109	Incident Type	: 111 - Building fire

Incident Remarks

Engine 5 performed a standby on scene in case of fire extension

Incident Information

Incident-Exp#	: 24-000281 - 000	Alarm Date/Time	: 01/21/2024 15:29
Incident Location	: 221 Harrison St, Apt B3, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 awaited the Medics to respond for a pronouncement. Engine 5 was released on scene.

Incident Information

Incident-Exp#	: 24-000280 - 000	Alarm Date/Time	: 01/21/2024 15:13
Incident Location	: 49 Sycamore Dr, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was canceled on scene by Belleville Fire

Incident Information

Incident-Exp#	: 24-000279 - 000	Alarm Date/Time	: 01/21/2024 14:30
Incident Location	: Milton Ave/Linn Rd, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 2 and Engine 5 were dispatched to the above location on the report of a medical emergency. Upon arrival NPD Communications updated units that the incident was not in our jurisdiction. Units cleared with no issues.

Incident Information

Incident-Exp#	: 24-000278 - 000	Alarm Date/Time	: 01/21/2024 12:49
Incident Location	: 357 Cortlandt St, Belleville, NJ 07109	Incident Type	: 553 - Public service

Incident Remarks

Belleville Fire Department called requesting advisement on an explosion that happened in a structure that is currently deemed unsafe. Battalion Chief F. Alfano called and spoke with Captain Santangelo. Belleville said that the fourth-floor business was making lead slugs. The



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

lead was contained to that business at this time. When the building can be made safe to enter the tenant can reclaim the lead products for their business. NO NJDEP number needed at this time. Nutley Hazmat # HM 24-05. NO Nutley Hazmat response at this time.

Battalion Chief Frank Alfano 973-487-8631

Incident Information

Incident-Exp#	: 24-000277 - 000	Alarm Date/Time	: 01/21/2024 12:20
Incident Location	: 550 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA Engine 5 released on scene

Incident Information

Incident-Exp#	: 24-000276 - 000	Alarm Date/Time	: 01/21/2024 10:44
Incident Location	: 1 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000275 - 000	Alarm Date/Time	: 01/21/2024 10:29
Incident Location	: 37 Warren St, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Nutley Police received a call of a gas odor in the hallway of the building. Upon arrival we had ZERO readings on all of our meters. PSE&G was notified and is responding. The gas regulator outside was humming and possibly could have released pressure. We checked the apartments on the fires level as well ZERO readings. The building had NO heat and tenants were using the stoves to keep warm. The boiler has been restarted and heat should be back up shortly.

Incident Information

Incident-Exp#	: 24-000274 - 000	Alarm Date/Time	: 01/21/2024 10:15
Incident Location	: 355 River Rd, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Nutley Police received a called stating a vehicle was parked in the fire lane. Captain Santangelo responded and reported the designated fire lanes are clear of any violations.

Incident Information

Incident-Exp#	: 24-000273 - 000	Alarm Date/Time	: 01/21/2024 10:00
Incident Location	: 29 Warren St, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Upon arrival Captain Santangelo met with the supervisor for the complex Emil Avella who stated the boiler was now running and heat to the complex should be restored shortly. Nutley Police had received only 1 call from Mary Rose Molinaro 862-208-9051.

Incident Information

Incident-Exp#	: 24-000272 - 000	Alarm Date/Time	: 01/21/2024 09:05
Incident Location	: 30 Daka Ct, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 24-000271 - 000	Alarm Date/Time	: 01/21/2024 09:20
Incident Location	: 7 William St, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

Upon our arrival we were canceled by Nutley Police.

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp# : 24-000270 - 000 **Alarm Date/Time** : 01/21/2024 08:15
Incident Location : Grant Ave/Hamilton Pl, Nutley, NJ 07110 **Incident Type** : 444 - Power line down

Incident Remarks

Upon arrival we had a low hanging cable line. We were able to tie off some caution tape and safely raise the wire. Captain Santangelo had Nutley Police call the cable company to inform them.

Incident Information

Incident-Exp# : 24-000269 - 000 **Alarm Date/Time** : 01/21/2024 06:14
Incident Location : 386 Franklin Ave, Nutley, NJ 07110 **Incident Type** : 735 - Alarm system sounded due to malfunction

Incident Remarks

Upon arrival the alarm system had restored itself. Captain Santangelo spoke with Curtis Brack from the gym who stated he turned on the heating system and alarm sounded minutes later. The smoke detector nearest the heating unit is flashing red Captain Santangelo advised them to have alarm technician check further due to flashing red signal. NO smoke and or fire.

Incident Information

Incident-Exp# : 24-000268 - 000 **Alarm Date/Time** : 01/21/2024 05:15
Incident Location : 9 Ray Pl, Fairfield, NJ 07004 **Incident Type** : 413 - Oil or other combustible liquid spill

Incident Remarks

Fairfield called for Nutley Hazmat to respond to 9 Ray Place. The building is currently still on fire and has collapsed in areas. Captain Santangelo advised when the fire is out to call us back for a plan of action to stop any run off of product that may occur. NO NJDEP number at this time Nutley HM 24-04

Fairfield Representative Joe P. 973-445-1274

Incident Information

Incident-Exp# : 24-000267 - 000 **Alarm Date/Time** : 01/21/2024 03:15
Incident Location : 47 Vincent Pl, Apt 609, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000266 - 000 **Alarm Date/Time** : 01/21/2024 05:05
Incident Location : 90 N Spring Garden Ave, Nutley, NJ 07110 **Incident Type** : 551 - Assist police or other governmental agency

Incident Remarks

Nutley Police called requesting assistance with shutting down a gas fireplace. Upon our arrival they had already shut down the gas supply to the unit we made sure everything was secure in the off position.
Vacant home NO contacts.

Incident Information

Incident-Exp# : 24-000265 - 000 **Alarm Date/Time** : 01/21/2024 00:16
Incident Location : 357 Cortlandt St, Belleville, NJ 07109 **Incident Type** : 111 - Building fire

Incident Remarks

Engine 5 assisted in shutdown utilities.

Incident Information

Incident-Exp# : 24-000264 - 000 **Alarm Date/Time** : 01/21/2024 00:06
Incident Location : 357 Cortlandt St, Belleville, NJ 07109 **Incident Type** : 611 - Dispatched & canceled en route

Incident Remarks

Engine 5 responded and was canceled while en route to the scene.

Incident Information

Incident-Exp# : 24-000263 - 000 **Alarm Date/Time** : 01/20/2024 17:42



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 267 Centre St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp# : 24-000262 - 000

Alarm Date/Time : 01/20/2024 16:32

Incident Location : 121 Harrison St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000261 - 000

Alarm Date/Time : 01/20/2024 13:55

Incident Location : 285 High St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 and Engine 5 responded to a person down on the sidewalk. EMS 1 transported 1 patient to Clara Mass Hospital with 1 member from Engine 5 aboard.

Incident Information

Incident-Exp# : 24-000260 - 000

Alarm Date/Time : 01/20/2024 13:35

Incident Location : 16 Monroe St, Nutley, NJ 07110

Incident Type : 522 - Water or steam leak

Incident Remarks

Upon arrival we determined to be a sewer back up between the home and the street. Nutley Police were going to call to see if the township DPW would be able to assist. Captain Santangelo advised the homeowner they may need to call a licensed professional to assist with the cleaning of the drain. NO threat to utilities at this time.

Incident Information

Incident-Exp# : 24-000259 - 000

Alarm Date/Time : 01/20/2024 13:15

Incident Location : 134 Rutgers Pl, Nutley, NJ 07110

Incident Type : 444 - Power line down

Incident Remarks

Upon arrival it was determined to be a low hanging cable line. We were able to resecure to the home.

Incident Information

Incident-Exp# : 24-000258 - 000

Alarm Date/Time : 01/20/2024 12:39

Incident Location : 39 Burnett Pl, Nutley, NJ 07110

Incident Type : 412 - Gas leak (natural gas or LPG)

Incident Remarks

Upon arrival homeowner had called stating an odor in the basement area. We used our meters and had ZERO readings throughout. We requested PSE&G to respond to check out the natural gas supply valve to the boiler.

Incident Information

Incident-Exp# : 24-000257 - 000

Alarm Date/Time : 01/20/2024 10:55

Incident Location : 154 Lakeside Dr, Nutley, NJ 07110

Incident Type : 736 - CO detector activation due to malfunction

Incident Remarks

Engine 1 checked the entire home with our meters and had ZERO readings throughout. We advised the homeowner to get a replacement.

Incident Information

Incident-Exp# : 24-000256 - 000

Alarm Date/Time : 01/20/2024 10:01

Incident Location : 53 Newman Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp# : 24-000255 - 000

Incident Location : 58 Milton Ave, Nutley, NJ 07110

Alarm Date/Time : 01/20/2024 07:30

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000254 - 000

Incident Location : 473 Hartford Dr, Nutley, NJ 07110

Alarm Date/Time : 01/20/2024 01:47

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-03617

Incident Information

Incident-Exp# : 24-000253 - 000

Incident Location : 38 Beech St, Nutley, NJ 07110

Alarm Date/Time : 01/19/2024 21:00

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-03589

Incident Information

Incident-Exp# : 24-000252 - 000

Incident Location : 26 Ernst Ave, Bloomfield, NJ 07003

Alarm Date/Time : 01/19/2024 19:09

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Hackensack Hospital see cad#24-03559

Incident Information

Incident-Exp# : 24-000251 - 000

Incident Location : 304 Hillside Ave, Nutley, NJ 07110

Alarm Date/Time : 01/19/2024 17:00

Incident Type : 652 - Steam, vapor, fog or dust thought to be smoke

Incident Remarks

Eng. 1 Eng 5 responded to activated fire alarm in laundry room at 304 Hillside Ave. Upon arrival Eng. 1 confirmed the fire alarm was activated in the laundry room caused by a missing window pane near the exhaust of dryer. The steam from the exhaust activated the detector in the laundry room. The maintenance man was advised to fix the issue. The alarm was reset and all units were clear and available at 1709hrs.

Incident Information

Incident-Exp# : 24-000250 - 000

Incident Location : 152 Milton Ave, Nutley, NJ 07110

Alarm Date/Time : 01/19/2024 13:31

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-03482

Incident Information

Incident-Exp# : 24-000249 - 000

Incident Location : 10 St. Paul's Pl, Nutley, NJ 07110

Alarm Date/Time : 01/19/2024 13:13

Incident Type : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Eng. 1 Eng. 5 responded to St. Paul's Church on activated fire alarm. Upon arrival Eng. 1 confirmed contractors on scene. Eng. 5 confirmed no emergency. All units clear and available at 1315hrs.

Incident Information

Incident-Exp# : 24-000248 - 000

Incident Location : 400 Weart Ave, Lyndhurst, NJ 07071

Alarm Date/Time : 01/19/2024 11:27

Incident Type : 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 1 received a signed RMA see cad#24-03450

Incident Information

Incident-Exp#	: 24-000247 - 000	Alarm Date/Time	: 01/19/2024 09:54
Incident Location	: 621 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-03432

Incident Information

Incident-Exp#	: 24-000246 - 000	Alarm Date/Time	: 01/19/2024 08:47
Incident Location	: 107 River Rd, Apt B2, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-03417

Incident Information

Incident-Exp#	: 24-000245 - 000	Alarm Date/Time	: 01/19/2024 08:43
Incident Location	: 35 Clement St, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

Unit 40 responded to 35 Clement St on welfare check. NPD cancelled Unit 40 as per NPD was advised the party was placed in an assisted living facility.

Incident Information

Incident-Exp#	: 24-000244 - 000	Alarm Date/Time	: 01/19/2024 08:40
Incident Location	: Washington Ave/Park Ave, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

Eng. 1 Eng. 5 responded to Park Ave and Washington Ave on a power line down. Upon arrival Eng. 1 confirmed, Washington School was out of power, with the principal. Eng. 1 confirmed a secondary wire was down, advised NPD of pole number and to contact PSEG. PSEG arrived and began working on power line. All units were clear and available at 0926hrs.

Incident Information

Incident-Exp#	: 24-000243 - 000	Alarm Date/Time	: 01/19/2024 06:19
Incident Location	: 108 Passaic Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass See cad#24-03404

Incident Information

Incident-Exp#	: 24-000242 - 000	Alarm Date/Time	: 01/19/2024 06:27
Incident Location	: 108 Passaic Ave, Apt C21, Nutley, NJ 07110	Incident Type	: 311 - Medical assist, assist EMS crew

Incident Remarks

Engine 5 was requested by EMS to respond for additional manpower. Engine 5 crew assisted EMS then returned to service.

Incident Information

Incident-Exp#	: 24-000241 - 000	Alarm Date/Time	: 01/19/2024 00:08
Incident Location	: 603 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 24-000240 - 000	Alarm Date/Time	: 01/18/2024 12:37
Incident Location	: 750 Valley Brook Ave, Lyndhurst, NJ 07071	Incident Type	: 611 - Dispatched & canceled en route



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 1 was cancelled en-route to the above address.

Incident Information

Incident-Exp#	: 24-000238 - 000	Alarm Date/Time	: 01/18/2024 15:08
Incident Location	: 100 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 5 responded to a medical at the above. Belleville EMS transported the patient with the mother on board.

Incident Information

Incident-Exp#	: 24-000237 - 000	Alarm Date/Time	: 01/18/2024 15:25
Incident Location	: 213 Harrison St, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Replaced a key in the knox box for Citizens Bank.

Incident Information

Incident-Exp#	: 24-000236 - 000	Alarm Date/Time	: 01/18/2024 20:04
Incident Location	: 24 Entwistle Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000235 - 000	Alarm Date/Time	: 01/18/2024 08:14
Incident Location	: 57 Lloyd Pl, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above address for a medical. EMS 1 assessed the patient then transported them to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 24-000234 - 000	Alarm Date/Time	: 01/18/2024 09:22
Incident Location	: 152 High St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a medical. EMS 1 crew assessed the patient then transported them to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000233 - 000	Alarm Date/Time	: 01/18/2024 12:07
Incident Location	: 1416 Hamilton St, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 responded to the above address and was canceled enroute to the location

Incident Information

Incident-Exp#	: 24-000232 - 000	Alarm Date/Time	: 01/18/2024 12:41
Incident Location	: 204 Nutley Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above address for a medical

Incident Information

Incident-Exp#	: 24-000231 - 000	Alarm Date/Time	: 01/18/2024 15:32
Incident Location	: 401 Passaic Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

EMS 1 responded to address above for a medical

Incident Information

Incident-Exp#	: 24-000230 - 000	Alarm Date/Time	: 01/18/2024 14:28
Incident Location	: 601 Riverside Ave, Unit 222, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above address for a medical

Incident Information

Incident-Exp#	: 24-000229 - 000	Alarm Date/Time	: 01/18/2024 01:37
Incident Location	: 355 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a medical. EMS 1 transported 1 patient to Clara Maass Hospital.
See CAD 24-03158

Incident Information

Incident-Exp#	: 24-000228 - 000	Alarm Date/Time	: 01/18/2024 00:43
Incident Location	: 78 Passaic Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location for a party having difficulty breathing. EMS 1 transported 1 patient to Mountainside Hospital.
See CAD #24-03153.

Incident Information

Incident-Exp#	: 24-000227 - 000	Alarm Date/Time	: 01/17/2024 19:48
Incident Location	: 26 Grant Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to the above location for a 106 year old not feeling well. EMS 1 has a signed RMA.
See CAD #24-03122

Incident Information

Incident-Exp#	: 24-000226 - 000	Alarm Date/Time	: 01/17/2024 16:09
Incident Location	: 65 River Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location Apt. 107, for a medical. EMS 1 transported 1 patient to Clara Maass
See CAD #24-03092

Incident Information

Incident-Exp#	: 24-000225 - 000	Alarm Date/Time	: 01/17/2024 15:24
Incident Location	: 15 Mapes Ave, Nutley, NJ 07110	Incident Type	: 531 - Smoke or odor removal

Incident Remarks

Engine 1 & 5 were dispatched on an activated fire alarm at the above location. Upon arrival found smoke from cooking had set off the alarm. House was ventilated using the fan.

Incident Information

Incident-Exp#	: 24-000224 - 000	Alarm Date/Time	: 01/17/2024 11:28
Incident Location	: 100 Vincent Pl, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Engine 1 responded to the above location for a fire alarm. Upon arrival system was on test. Workers working in building. Advised to call alarm company back to make sure system remains in test mode.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000223 - 000	Alarm Date/Time	: 01/17/2024 08:53
Incident Location	: 610 Mill St, Belleville, NJ 07109	Incident Type	: 531 - Smoke or odor removal

Incident Remarks

Engine 1 responded to the above location in Belleville for smoke in the hallway. Upon arrival Engine 1 staged at the hydrant until released by Batt. 1.

Incident Information

Incident-Exp#	: 24-000222 - 000	Alarm Date/Time	: 01/17/2024 07:56
Incident Location	: 31 Villa Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. RMA signed.

Incident Information

Incident-Exp#	: 24-000221 - 000	Alarm Date/Time	: 01/17/2024 07:09
Incident Location	: 457 Kingsland St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 was dispatched to the above location. Transported to Mountainside .

Incident Information

Incident-Exp#	: 24-000220 - 000	Alarm Date/Time	: 01/16/2024 23:09
Incident Location	: 32 Hastings Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 24-000219 - 000	Alarm Date/Time	: 01/16/2024 22:30
Incident Location	: 622 Passaic Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 signed RMA

Incident Information

Incident-Exp#	: 24-000218 - 000	Alarm Date/Time	: 01/16/2024 22:18
Incident Location	: 63 McKinley St, Nutley, NJ 07110	Incident Type	: 381 - Rescue or EMS standby

Incident Remarks

EMS 1 stand by for Police to make notification

Incident Information

Incident-Exp#	: 24-000217 - 000	Alarm Date/Time	: 01/16/2024 15:55
Incident Location	: 1 Franklin Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 and Ladder 1 responded to 1 Franklin Ave. on the report of a 57 year old male with back pain.

- CAD # 24-02916

- Transport to Clara Maas.

Incident Information

Incident-Exp#	: 24-000216 - 000	Alarm Date/Time	: 01/16/2024 15:38
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 17 Yantecaw Ave, Bloomfield, NJ 07003

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 17 Yantecaw Ave., Bloomfield on the report of difficulty breathing.
- CAD # 24-02915
- EMS 1 canceled on scene. Bloomfield Engine company obtained RMA.

Incident Information

Incident-Exp# : 24-000215 - 000

Alarm Date/Time : 01/16/2024 15:30

Incident Location : 1 Kennedy Dr, Nutley, NJ 07110

Incident Type : 413 - Oil or other combustible liquid spill

Incident Remarks

A passer by called the firehouse to report a fuel/oil spill in front of town hall. Captain Santangelo responded with 101 car to investigate. It appeared to have been a minor oil/fuel that had leaked out of a vehicle. We used our absorbent pads to clean up all visible product.

Nutley Hazmat # HM 24-03
NO NJDEP number needed

Incident Information

Incident-Exp# : 24-000214 - 000

Alarm Date/Time : 01/16/2024 12:38

Incident Location : 315 Grant Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp# : 24-000213 - 000

Alarm Date/Time : 01/16/2024 11:42

Incident Location : 591 Franklin Ave, Nutley, NJ 07110

Incident Type : 424 - Carbon monoxide incident

Incident Remarks

- Engine 1 responded to 591 Franklin Ave. on the report of a carbon monoxide issue. Fire personnel arrived and met employees of the doctor's office at the front desk. They explained that PSEG had been there earlier due to problems with the heating system. While on site, the PSEG representative detected CO in the basement and had to shut down the heating system due to blockage in the chimney flue. Firefighters conducted air monitoring throughout the building and results were negative for the presence of CO. The building manager was advised to contact PSEG once repairs were made to the chimney flue and Engine 1 cleared the scene.

Incident Information

Incident-Exp# : 24-000212 - 000

Alarm Date/Time : 01/16/2024 09:32

Incident Location : 274 Washington Ave, Nutley, NJ 07110

Incident Type : 111 - Building fire

Incident Remarks

Upon arrival we had burning inside on an electric dryer. We were able to unplug the power supply and remove the unit from the building. We checked for extension with negative results. Captain Santangelo canceled Automatic Aid. The township salt trucks had to respond so the Engines could get out of the parking area.

Incident Information

Incident-Exp# : 24-000211 - 000

Alarm Date/Time : 01/16/2024 06:17

Incident Location : 351 Sylvan Rd, Bloomfield, NJ 07003

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA see cad#24-02826

Incident Information

Incident-Exp# : 24-000210 - 000

Alarm Date/Time : 01/16/2024 04:10

Incident Location : 1 Route 21, Nutley, NJ 07110

Incident Type : 322 - Vehicle accident with injuries

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-02805



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp# : 24-000209 - 000 **Alarm Date/Time** : 01/15/2024 20:18
Incident Location : Passaic Ave/Centre St, Nutley, NJ 07110 **Incident Type** : 444 - Power line down

Incident Remarks

Eng. 1 Ladder 1 responded to a wire down at Passaic Ave and Centre St. Upon arrival Eng. 1 confirmed the wire was not electrical. The hazard was removed. All units were clear and available at 2024hrs.

Incident Information

Incident-Exp# : 24-000208 - 000 **Alarm Date/Time** : 01/15/2024 17:43
Incident Location : 12 Locust St, Nutley, NJ 07110 **Incident Type** : 424 - Carbon monoxide incident

Incident Remarks

Eng. 1 Ladder 1 was dispatched to 12 Locust St on an activated CO alarm. Upon arrival Eng. 1 confirmed it was a malfunctioning alarm. The homeowner was advised to get a new alarm as per end of life of 10 years. All units were clear and available at 1752hrs.

Incident Information

Incident-Exp# : 24-000207 - 000 **Alarm Date/Time** : 01/15/2024 17:06
Incident Location : 313 Winthrop Dr, Nutley, NJ 07110 **Incident Type** : 381 - Rescue or EMS standby

Incident Remarks

EMS 2 was cancelled by NPD see cad#24-02743

Incident Information

Incident-Exp# : 24-000206 - 000 **Alarm Date/Time** : 01/15/2024 15:00
Incident Location : 98 Walnut St, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-02728

Incident Information

Incident-Exp# : 24-000205 - 000 **Alarm Date/Time** : 01/15/2024 16:24
Incident Location : 260 Park Ave, Nutley, NJ 07110 **Incident Type** : 553 - Public service

Incident Remarks

Eng. 1 responded to a sign over a traffic light in an unsafe manner on Park Ave. Eng. 1 fixed the issue. Eng. 1 was clear and available at 1629hrs.

Incident Information

Incident-Exp# : 24-000204 - 000 **Alarm Date/Time** : 01/15/2024 13:52
Incident Location : Washington Ave/Hancox Pl, Nutley, NJ 07110 **Incident Type** : 444 - Power line down

Incident Remarks

Eng. 1 responded to a low hanging wire at Washington Ave and Hancox Pl. Upon arrival Eng. 1 determined that the wire was low, it was not electrical and not a hazard. NPD advised the fiber optic company to mitigate. Eng. 1 was available at 1403hrs.

Incident Information

Incident-Exp# : 24-000203 - 000 **Alarm Date/Time** : 01/15/2024 12:53
Incident Location : 10 Saint Pauls Pl, Nutley, NJ 07110 **Incident Type** : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Eng. 1 Ladder 1 responded to 10 St. Paul's Pl on an activated fire alarm in the basement. Upon arrival Eng. 1 confirmed contractors on scene. Ladder 1 investigated and confirmed dust caused the alarm. No emergency was found. Alarm was reset. All units were clear and available at 1300hrs.

Incident Information

Incident-Exp# : 24-000202 - 000 **Alarm Date/Time** : 01/15/2024 12:43
Incident Location : 155 Belmont Ave, Belleville, NJ 07109 **Incident Type** : 611 - Dispatched & canceled en route

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Belleville requested Ladder 1 for automatic aid then cancelled enroute.

Incident Information

Incident-Exp#	: 24-000201 - 000	Alarm Date/Time	: 01/15/2024 12:10
Incident Location	: 11 Stanley Ave, Nutley, NJ 07110	Incident Type	: 424 - Carbon monoxide incident

Incident Remarks

Eng. 1 Ladder 1 responded to 11 Stanley Ave on a CO alarm at 1210hrs. Upon arrival at 1214hrs. Eng. 1 Ladder 1 metered the dwelling and received readings of 5PPM. PSEG was advised and were responding within the hour. Eng. 1 advised homeowner PSEG was responding and if the alarm sounds again to call back. All units were clear and available at 1233hrs.

Incident Information

Incident-Exp#	: 24-000200 - 000	Alarm Date/Time	: 01/15/2024 12:02
Incident Location	: 485 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-02695 Ladder 1 assisted.

Incident Information

Incident-Exp#	: 24-000199 - 000	Alarm Date/Time	: 01/15/2024 11:34
Incident Location	: 191 Hillside Ave, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

EMS 2 Eng. 1 and Ladder 1 responded to 191 Hillside Ave to standby for a welfare check. NPD made contact with the party. All units were clear and available at 1140hrs.

Incident Information

Incident-Exp#	: 24-000198 - 000	Alarm Date/Time	: 01/15/2024 08:20
Incident Location	: 409 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA see cad#24-02658

Incident Information

Incident-Exp#	: 24-000197 - 000	Alarm Date/Time	: 01/15/2024 06:47
Incident Location	: 20 Forest Ave, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

E1 responded to above address for a report of an MVA with injuries and fluid in roadway. No clean up necessary, windshield washer fluid only.

See CAD # 24-02654

Incident Information

Incident-Exp#	: 24-000196 - 000	Alarm Date/Time	: 01/14/2024 23:55
Incident Location	: 550 Centre St, Apt B15, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above address for a 14 year old with high blood pressure. Ladder 1 arrived on scene and started an assessment. EMS 2 arrived shortly after and assumed patient care. EMS 2 transported the patient to Clara Maass Hospital with a parent on board. Ladder 1 cleared.

Incident Information

Incident-Exp#	: 24-000195 - 000	Alarm Date/Time	: 01/14/2024 23:19
Incident Location	: 580 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a medical. EMS 2 crew assessed the patient then transported them to Mountainside Hospital.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000194 - 000	Alarm Date/Time	: 01/14/2024 21:43
Incident Location	: 181 River Rd, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

Engine 1 responded to the above address near Building 3 for a fire lane parking complaint. There were 3 vehicles in the fire lane upon my arrival and I issued each vehicle a ticket. Engine 1 cleared.

No. 2123
Black Jeep Cherokee NJ plate E98LZP

No. 2124
Blue Toyota Yaris NJ plate J93EWN

No. 2125
Grey Jeep Cherokee NJ plate R/M 30MP

Incident Information

Incident-Exp#	: 24-000193 - 000	Alarm Date/Time	: 01/14/2024 17:51
Incident Location	: 193 Mountainview Ave, Nutley, NJ 07110	Incident Type	: 746 - Carbon monoxide detector activation, no CO

Incident Remarks

Fire units responded to the above address for an activated alarm. Upon arrival we were met by the homeowner. She walked us into the living room and stated she saw a green light on her detector and got nervous. The detector was not sounding and in normal working order. I informed her the green light indicates that the alarm is working properly. We metered the entire house as a precaution and had zero readings. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000192 - 000	Alarm Date/Time	: 01/14/2024 13:51
Incident Location	: 364 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1 and Ladder 1 responded to Blink Fitness for a person actively seizing. Upon arrival we found the patient at the sign in desk actively seizing on the floor. We kept his airway free and cleared the area around him so he would not be injured. The patient stopped seizing and went into a postictal state. The crews sat him in a chair once he became more aware of his surroundings and took his vitals. The patient had a bump on the rear of his head from when he collapsed. The patient did not feel any pain and his eyes were pearl. The patient was an employee of the gym and had a history of seizures. The mother was notified and was responding to the scene. The patient became alert and oriented and refused to go to the hospital to be checked out. The mother arrived on scene and said she would take him home and watch over him. We received a signed RMA and cleared the scene.

I cancelled Belleville EMS on scene.

Incident Information

Incident-Exp#	: 24-000191 - 000	Alarm Date/Time	: 01/14/2024 11:52
Incident Location	: 331 Park Ave, Nutley, NJ 07110	Incident Type	: 311 - Medical assist, assist EMS crew

Incident Remarks

Engine 1 responded back to the above address to assist EMS with call 24-000186. We were clear and available at 1202hrs.

Incident Information

Incident-Exp#	: 24-000190 - 000	Alarm Date/Time	: 01/14/2024 11:27
Incident Location	: 100 Franklin Ave, Nutley, NJ 07110	Incident Type	: 131 - Passenger vehicle fire

Incident Remarks

Engine 1 and Ladder 1 responded to a reported vehicle fire in the dollar tree parking lot. Response was slightly delayed due to all units being at a medical (24-000186). Upon arrival there was a black Honda with an engine compartment fire. Ladder 1 crew cut the hood open with a saw and Engine 1 crew extinguished the fire using the front bumper line. The owner of the vehicle reaching out to AAA for a tow. Fire units cleared.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

The fire was not suspicious in nature.

Incident Information

Incident-Exp#	: 24-000189 - 000	Alarm Date/Time	: 01/14/2024 14:44
Incident Location	: 313 Winthrop Dr, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

EMS 2 staged near the above address for a suicidal party. NPD transported the patient to the hospital and cancelled EMS 2 prior to making patient contact.

Incident Information

Incident-Exp#	: 24-000188 - 000	Alarm Date/Time	: 01/14/2024 13:05
Incident Location	: 301 Grant Ave, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a medical. EMS 2 assessed the patient then transported them to Saint Marys Hospital.

Incident Information

Incident-Exp#	: 24-000187 - 000	Alarm Date/Time	: 01/14/2024 13:12
Incident Location	: 95 Warren St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above location for a sick person. Ladder 1 arrived on scene and started a patient assessment. PD advised Ladder 1 that they contacted every department in the area and no mutual aid ambulances were available to respond. I called in 1 member on overtime to bring an ambulance to the scene and transport the patient with a member from Ladder 1. EMS 1 arrived and transported the patient Mountainside and Ladder 1 cleared.

Incident Information

Incident-Exp#	: 24-000186 - 000	Alarm Date/Time	: 01/14/2024 11:04
Incident Location	: 331 Park Ave, Apt 4, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Fire units responded to the above address for an overdose. Upon arrival the patient was in the living room apneic and pulseless. CPR was initiated, AED attached, and nasal airway was inserted. Patients' pupils were normal and there were no obvious signs of recent narcotic use. Patient was transferred to the Autopulse and CPR continued. Our AED did not advise for a shock multiple times before medics arrived. Medics 3246 arrived on scene and assumed patient care. After several more rounds of CPR the patient was pronounced by medics. Fire units cleared the scene. PD stood on scene for further investigation.

Incident Information

Incident-Exp#	: 24-000185 - 000	Alarm Date/Time	: 01/14/2024 10:51
Incident Location	: Franklin Ave/Sargent St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 was cancelled by npd prior to making patient contact.

Incident Information

Incident-Exp#	: 24-000184 - 000	Alarm Date/Time	: 01/14/2024 09:59
Incident Location	: 53 Alexander Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1 and EMS 2 responded to the above location for a person outside of their home in an electric wheelchair that was not working. We



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

placed the wheelchair in manual mode and pushed it into the house where it was warm. We then looked over the electric wheelchair and found a reset button. We placed the wheelchair back to electric mode and it returned to normal working order. I informed them to call the VA to notify them off the issue. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000183 - 000	Alarm Date/Time	: 01/14/2024 09:02
Incident Location	: 107 Rhoda Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person with an infection. EMS 2 transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000182 - 000	Alarm Date/Time	: 01/14/2024 05:54
Incident Location	: 24 Erie Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a party having chest pain. EMS 2 transported 1 patient to Clara Maass
See CAD #24-02473

Incident Information

Incident-Exp#	: 24-000181 - 000	Alarm Date/Time	: 01/14/2024 00:51
Incident Location	: 29 Wilson St, Nutley, NJ 07110	Incident Type	: 424 - Carbon monoxide incident

Incident Remarks

Engine 1 and Ladder 1 were dispatched to the above location for a odor and detector chirping. Fire personnel entered the home with CO meter and went to the basement. No odor was present but we were getting readings of 42 ppm of CO. We shut down the boiler and readings went down to zero. We notified the police desk to have PSEG come out. They will respond within the hour. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000180 - 000	Alarm Date/Time	: 01/14/2024 00:04
Incident Location	: 1 Garden State Parkway, Bloomfield, NJ 07003	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 2 responded to the Garden State Parkway North in Bloomfield for an MVA. EMS 2 transported 1 patient to Mountainside Hospital. See CAD #24-02429

Incident Information

Incident-Exp#	: 24-000179 - 000	Alarm Date/Time	: 01/13/2024 22:16
Incident Location	: 1212 Hamilton St, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 2 was dispatched to Belleville and cancelled enroute

Incident Information

Incident-Exp#	: 24-000178 - 000	Alarm Date/Time	: 01/13/2024 19:49
Incident Location	: 14 Passaic Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a medical. EMS 2 transported 1 patient to Mountainside Hospital.
See CAD #24-02381

Incident Information

Incident-Exp#	: 24-000177 - 000	Alarm Date/Time	: 01/13/2024 18:12
Incident Location	: 1 Route 21, Belleville, NJ 07109	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 2 was dispatched to Route 21 North in Belleville for an MVA with injuries. EMS 2 transported 1 patient to Clara Maass.
See CAD #24-02349

Incident Information

Incident-Exp#	: 24-000176 - 000	Alarm Date/Time	: 01/13/2024 17:33
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 84 Grant Ave, Nutley, NJ 07110

Incident Type : 440 - Electrical wiring/equipment problem, other

Incident Remarks

Engine 1 responded to the above location for a gutter leaning on electrical service. Engine 1 arrived on scene and advised the owner by telephone that she would have to call an electrician.

Incident Information

Incident-Exp# : 24-000175 - 000

Alarm Date/Time : 01/13/2024 16:18

Incident Location : 4 Cleveland Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a past seizure.
See CAD #24-02317

Incident Information

Incident-Exp# : 24-000174 - 000

Alarm Date/Time : 01/13/2024 11:40

Incident Location : 1 Route 3, Clifton, NJ 7015

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to Clifton, 852 Route 3 W City MD for a sick party. EMS 2 transported 1 patient to Mountainside Hospital. See CAD #24-02294

Incident Information

Incident-Exp# : 24-000173 - 000

Alarm Date/Time : 01/13/2024 11:09

Incident Location : 160 Rutgers Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 and Ladder 1 responded to the above location for a medical. ALS 3246 responded and made a pronouncement.
See CAD #24-02288

Incident Information

Incident-Exp# : 24-000172 - 000

Alarm Date/Time : 01/13/2024 07:05

Incident Location : 105 Church St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a party having pain. EMS 2 transported 1 patient to Mountainside Hospital.
See CAD #24-02259

Incident Information

Incident-Exp# : 24-000171 - 000

Alarm Date/Time : 01/13/2024 06:24

Incident Location : 47 Vincent Pl, Apt 310, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000170 - 000

Alarm Date/Time : 01/12/2024 20:44

Incident Location : 67 Spruce St, Nutley, NJ 07110

Incident Type : 651 - Smoke scare, odor of smoke

Incident Remarks

Tenant called stating she smelled an odor of burning by her electric fire place. We checked the area with our thermal imaging camera and found negative results. The Electric fireplace was unplugged and will not be used until she can get it checked out. We had NO odor upon our arrival. We told her if the odor returns to call us immediately.

Incident Information

Incident-Exp# : 24-000169 - 000

Alarm Date/Time : 01/12/2024 16:28

Incident Location : 572 Prospect St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

101, Engine 1, and Ladder 1 were dispatched to 572 Prospect Street in front of the home for a person in a car having a seizure.

Ladder 1 and 101 arrived on scene and tended to the patient.

Engine 1 staged at Prospect Ave and Vreeland Ave.

Belleville EMS 1 arrived on scene and transported patient to MTSD.

SEE CAD #24-02157

Incident Information

Incident-Exp#	: 24-000168 - 000	Alarm Date/Time	: 01/12/2024 16:24
Incident Location	: 74 Brookline Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 was dispatched to 74 Brookline Ave of a lift assist.

EMS 2 received a signed RMA.

SEE CAD #24-02158

Incident Information

Incident-Exp#	: 24-000167 - 000	Alarm Date/Time	: 01/12/2024 14:59
Incident Location	: 124 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000166 - 000	Alarm Date/Time	: 01/12/2024 15:16
Incident Location	: 475 Franklin Ave, Nutley, NJ 07110	Incident Type	: 324 - Motor vehicle accident with no injuries.

Incident Remarks

Upon arrival we had a 2 car MVA with 1 vehicle hitting the front glass door of 475 Franklin Ave. Twin towing removed 1 vehicle from the scene. We cleaned up all debris in the roadway.

Jeep NJ reg D47UAH Anthony Pinal 862-276-9919

Incident Information

Incident-Exp#	: 24-000165 - 000	Alarm Date/Time	: 01/12/2024 15:02
Incident Location	: 61 Franklin Ave, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

101 rolled up on wires down. Upon arrival it was determined to be phone and cable lines down. I removed the hazard from the roadway.

Incident Information

Incident-Exp#	: 24-000164 - 000	Alarm Date/Time	: 01/12/2024 14:06
Incident Location	: 126 Stratford Dr, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to 126 Stratford Drive on the report of a person with difficulty breathing.

Ladder 1 arrived on scene and did a patient assessment and took vitals.

Bloomfield EMS arrived on scene along with Medic 3246.

Bloomfield EMS transported patient to MTSD

SEE CAD #24-02135



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000163 - 000	Alarm Date/Time	: 01/12/2024 13:33
Incident Location	: 3 Wayne Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 was dispatched to 3 Wayne Place on the report of a person who fell.

EMS 2 transported the patient to MTSD

SEE CAD #23-02132

Incident Information

Incident-Exp#	: 24-000162 - 000	Alarm Date/Time	: 01/12/2024 13:01
Incident Location	: 269 Harrison St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 signed RMA

Incident Information

Incident-Exp#	: 24-000161 - 000	Alarm Date/Time	: 01/12/2024 12:43
Incident Location	: 1 Garden State Parkway, Nutley, NJ 07110	Incident Type	: 131 - Passenger vehicle fire

Incident Remarks

Upon arrival at mile marker 151.1 south NJ GSP we had a partially extinguished car fire. We used our water cans and overhauled the insulation on the hood area for total extinguishment. We turned the vehicle over to the NJ State Police and it will be removed off of the highway.

Incident Information

Incident-Exp#	: 24-000160 - 000	Alarm Date/Time	: 01/12/2024 10:00
Incident Location	: 300 Franklin Ave, Nutley, NJ 07110	Incident Type	: 745 - Alarm system sounded, no fire - unintentional

Incident Remarks

Upon arrival we were greeted by school security who stated they were conducting a fire drill.

Incident Information

Incident-Exp#	: 24-000159 - 000	Alarm Date/Time	: 01/12/2024 08:16
Incident Location	: 188 Lakeside Dr, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Homeowner called requesting assistance in closing his side door to the home. Captain Santangelo responded and advised the homeowner that a repair person would be needed to lift the door however I was able to get the door to close so that it could be secured.

Incident Information

Incident-Exp#	: 24-000158 - 000	Alarm Date/Time	: 01/11/2024 18:57
Incident Location	: 598 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Hackensack Hospital see cad#24-02017

Incident Information

Incident-Exp#	: 24-000157 - 000	Alarm Date/Time	: 01/11/2024 18:08
Incident Location	: 151 Conover Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Mountainside Hospital see cad#24-02012

Incident Information

Incident-Exp#	: 24-000156 - 000	Alarm Date/Time	: 01/11/2024 14:45
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 16 Cedar St, Millburn, NJ 07041

Incident Type : 413 - Oil or other combustible liquid spill

Incident Remarks

Millburn dispatch contacted nutley hazmat to inform of an oily substance coming from the home of 16 Cedar St in Millburn. Upon conversation with Battalion Chief Reyes. He stated the product is not affecting a waterway. He said he deployed speedi dri. After further investigation he was contacted by someone in forestry and stated the oily substance was not oil but a bacteria. No emergency was found. No response needed.

Incident Information

Incident-Exp# : 24-000155 - 000

Alarm Date/Time : 01/11/2024 18:20

Incident Location : 100 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

L1 responded to above location on a reported fall victim in parking lot.

See CAD # 24-01996

Incident Information

Incident-Exp# : 24-000154 - 000

Alarm Date/Time : 01/11/2024 16:27

Incident Location : 232 Hillside Ave, Nutley, NJ 07110

Incident Type : 522 - Water or steam leak

Incident Remarks

Eng. 1 responded to 232 Hillside Ave on a radiator overfill incident. Eng. 1 confirmed no emergency. NPD contacted owner, whom arrived on scene and took water out of boiler and said he needed to fix the radiator valve. Eng. 1 was clear and available at 1648hrs.

Incident Information

Incident-Exp# : 24-000153 - 000

Alarm Date/Time : 01/11/2024 14:38

Incident Location : 175 Hancox Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA see cad#24-01960

Incident Information

Incident-Exp# : 24-000152 - 000

Alarm Date/Time : 01/11/2024 13:57

Incident Location : 44 Park Ave, Nutley, NJ 07110

Incident Type : 444 - Power line down

Incident Remarks

Ladder 1 confirmed low wire no hazardous and removed.

Incident Information

Incident-Exp# : 24-000151 - 000

Alarm Date/Time : 01/11/2024 13:21

Incident Location : 589 Bloomfield ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-01956

Incident Information

Incident-Exp# : 24-000150 - 000

Alarm Date/Time : 01/11/2024 10:30

Incident Location : 70 Kierstead Ave, Nutley, NJ 07110

Incident Type : 522 - Water or steam leak

Incident Remarks

EMS 1 assisted homeowner with water clean up in her basement.

Incident Information

Incident-Exp# : 24-000149 - 000

Alarm Date/Time : 01/11/2024 09:18

Incident Location : 70 Kierstead Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to 70 Kierstead Ave Nutley see cad#24-01904



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000148 - 000	Alarm Date/Time	: 01/11/2024 09:02
Incident Location	: 263 Hillside Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-01907

Incident Information

Incident-Exp#	: 24-000147 - 000	Alarm Date/Time	: 01/11/2024 08:51
Incident Location	: 70 Kierstead Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to 7 Park Ave Montclair see cad#24-01902

Incident Information

Incident-Exp#	: 24-000146 - 000	Alarm Date/Time	: 01/11/2024 16:37
Incident Location	: 249 Belleville Ave, Bloomfield, NJ 07003	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 2 was cancelled by Bloomfield see cad#24-01883

Incident Information

Incident-Exp#	: 24-000145 - 000	Alarm Date/Time	: 01/11/2024 08:00
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Truck 2 was utilized by the Parks Department for general cleanup throughout the township.

Incident Information

Incident-Exp#	: 24-000144 - 000	Alarm Date/Time	: 01/11/2024 05:56
Incident Location	: 14 Coeyman Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. RMA signed.

Incident Information

Incident-Exp#	: 24-000143 - 000	Alarm Date/Time	: 01/10/2024 20:10
Incident Location	: 437 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 & Ladder 1 responded to the above location for a unresponsive male. EMS 2 transported to Clara Mass.

Incident Information

Incident-Exp#	: 24-000142 - 000	Alarm Date/Time	: 01/10/2024 17:45
Incident Location	: 191 Lakeside Dr, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

Engine 1 responded to the above location for a wire down. Upon arrival found the wire to be a cable wire across the roadway. The line was cut and removed.

Incident Information

Incident-Exp#	: 24-000141 - 000	Alarm Date/Time	: 01/10/2024 17:28
Incident Location	: 1 River Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 & Ladder 1 responded to the above location. RMA signed.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000140 - 000	Alarm Date/Time	: 01/10/2024 15:57
Incident Location	: 249 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. Transported to Mountainside.

Incident Information

Incident-Exp#	: 24-000139 - 000	Alarm Date/Time	: 01/10/2024 13:56
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. RMA signed

Incident Information

Incident-Exp#	: 24-000138 - 000	Alarm Date/Time	: 01/10/2024 12:45
Incident Location	: 39 Jefferson St, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

Ladder 1 responded to the above location for a low hanging wire. upon arrival we found it to be a cable wire. wire was secured to the pole.

Incident Information

Incident-Exp#	: 24-000137 - 000	Alarm Date/Time	: 01/10/2024 11:54
Incident Location	: 68 Manhattan Ct, Nutley, NJ 07110	Incident Type	: 400 - Hazardous condition, other

Incident Remarks

Ladder 1 responded to address above and observed a piece of metal flashing hanging from a house. We removed the piece of metal from the house due to it being a safety hazard.

Incident Information

Incident-Exp#	: 24-000136 - 000	Alarm Date/Time	: 01/10/2024 11:45
Incident Location	: 147 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. Transported to clara mass

Incident Information

Incident-Exp#	: 24-000135 - 000	Alarm Date/Time	: 01/10/2024 11:41
Incident Location	: Washington Ave/Pershing Ave, Nutley, NJ 07110	Incident Type	: 440 - Electrical wiring/equipment problem, other

Incident Remarks

Ladder 1 responded to the above location for a report of some sort of metal object hanging from the telephone pole. Upon arrival we found a large metal box hanging from the lower section of the pole by the cable wires. There was also another object hanging that stated it was for fiber optic cables. Area was taped off and P.D. remained on scene.

Incident Information

Incident-Exp#	: 24-000134 - 000	Alarm Date/Time	: 01/10/2024 11:35
Incident Location	: Centre St/Park Dr, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

Engine 1 responded to the above location for a tree down with wires. Engine 1 identified the wire to be electric and PSE&G was notified to respond. County tree department and Nutley tree department responded and assisted in removing the tree from the roadway.

Incident Information

Incident-Exp#	: 24-000133 - 000	Alarm Date/Time	: 01/10/2024 06:19
Incident Location	: 61 Kingsland St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

EMS 1 transported 1 to Mountainside Hospital see cad#24-01693

Incident Information

Incident-Exp#	: 24-000132 - 000	Alarm Date/Time	: 01/10/2024 05:30
Incident Location	: 2 Baltimore St, Nutley, NJ 07110	Incident Type	: 735 - Alarm system sounded due to malfunction

Incident Remarks

Eng. 1 Ladder 1 responded to 2 Baltimore St on business owner heard the alarm sounding. Upon arrival Eng. 1 Ladder 1 confirmed no emergency and the alarm is sounding from the previous call at 11 Robert St. NPD was advised to contact building owner from 11 Robert St and advise alarm is still in trouble and sounding. All units were clear and available at 0546hrs.

Incident Information

Incident-Exp#	: 24-000131 - 000	Alarm Date/Time	: 01/09/2024 22:44
Incident Location	: Kingsland St/Elm Pl, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-01652. Ladder 1 assisted.

Incident Information

Incident-Exp#	: 24-000130 - 000	Alarm Date/Time	: 01/09/2024 19:06
Incident Location	: 18 Cadmus St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-01617

Incident Information

Incident-Exp#	: 24-000129 - 000	Alarm Date/Time	: 01/09/2024 23:46
Incident Location	: Margaret Ave/Frank St, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

Ladder 1 responded to a low hanging wire at Margaret Ave and Frank St. Ladder 1 confirmed the wire cable, no emergency was present. Ladder 1 removed the wire and was available at 2354hrs.

Incident Information

Incident-Exp#	: 24-000128 - 000	Alarm Date/Time	: 01/09/2024 22:51
Incident Location	: 93 New St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-01656. Ladder 1 assisted.

Incident Information

Incident-Exp#	: 24-000127 - 000	Alarm Date/Time	: 01/09/2024 23:00
Incident Location	: 11 Robert St, Nutley, NJ 07110	Incident Type	: 735 - Alarm system sounded due to malfunction

Incident Remarks

Eng. 1 Ladder 1 responded to 11 Robert St. on an activated fire alarm. Upon arrival the alarm was sounding. No emergency was found. Entry was made via Knox box and Eng. 1 tried to reset. The code was not the normal code used by NFD. Owner was advised. All units were clear and available at 2318hrs.

Incident Information

Incident-Exp#	: 24-000126 - 000	Alarm Date/Time	: 01/09/2024 21:56
Incident Location	: 138 High St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-01644

Incident Information

Incident-Exp#	: 24-000125 - 000	Alarm Date/Time	: 01/09/2024 22:11
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 296 E Passaic Ave, Nutley, NJ 07110

Incident Type : 522 - Water or steam leak

Incident Remarks

Eng. 1 Ladder 1 responded to 296 E. Passaic Ave on a water condition. Upon arrival Ladder 1 confirmed small leak coming from foundation. The resident has sump pump which were working properly. No emergency. All units were clear and available at 2223hrs.

Incident Information

Incident-Exp# : 24-000124 - 000

Alarm Date/Time : 01/09/2024 20:34

Incident Location : 1 Route 21, Nutley, NJ 07110

Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was cancelled see cad#24-01636

Incident Information

Incident-Exp# : 24-000123 - 000

Alarm Date/Time : 01/09/2024 20:34

Incident Location : 1 Route 21, Nutley, NJ 07110

Incident Type : 622 - No incident found on arrival at dispatch address

Incident Remarks

Eng. 1 Ladder 1 EMS 1 was dispatched to the above location for an MVA with entrapment. Upon arrival there was no incident found in Nutley. The MVA was in Belleville. Belleville FD and PD were on scene. All units were clear and available at 2043hrs.

Incident Information

Incident-Exp# : 24-000122 - 000

Alarm Date/Time : 01/09/2024 20:09

Incident Location : 40 Mapes Ave, Nutley, NJ 07110

Incident Type : 412 - Gas leak (natural gas or LPG)

Incident Remarks

Eng. 1 Ladder 1 responded to a gas leak at 40 Mapes. Upon arrival Eng. 1 and Ladder 1 metered the dwelling receiving readings of 0%LEL. Ladder 1 shut the gas off and PSEG stated they are sending back the technician whom worked on the property previously. All units were clear and available at 2027hrs.

Incident Information

Incident-Exp# : 24-000121 - 000

Alarm Date/Time : 01/09/2024 19:48

Incident Location : 74 Union Ave, Nutley, NJ 07110

Incident Type : 445 - Arcing, shorted electrical equipment

Incident Remarks

Eng. 1 Ladder 1 was dispatched to an arcing transformer at 74 Union Ave. Upon arrival they checked surrounding area and homes had power. There was a PSEG employee off duty whom advised there is a connection which is off. Thermal imaging camera was used to determine not significant heat signature received. The off duty employee contacted PSEG as well as NPD to advise a team needs to fix pole number 60572NT. All units were clear and available at 2001hrs.

Incident Information

Incident-Exp# : 24-000120 - 000

Alarm Date/Time : 01/09/2024 19:17

Incident Location : 1 Washington Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-01621. Unit 40 and Ladder 1 assisted.

Incident Information

Incident-Exp# : 24-000119 - 000

Alarm Date/Time : 01/09/2024 18:21

Incident Location : 226 Harrison St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-01604

Incident Information

Incident-Exp# : 24-000118 - 000

Alarm Date/Time : 01/09/2024 18:23

Incident Location : 549 Prospect St, Nutley, NJ 07110

Incident Type : 444 - Power line down

Incident Remarks

Eng. 1 and Ladder 1 responded to a tree down into wire at 549 Prospect St. Upon arrival the tree was a small branch no emergency.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Homeowner was advised to have a private company fix the issue. All units were clear and available at 1834hrs.

Incident Information

Incident-Exp#	: 24-000117 - 000	Alarm Date/Time	: 01/09/2024 16:56
Incident Location	: 44 Burnett Pl, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Eng.1 Ladder 1 responded to 44 Burnett Pl on a gas leak. Upon arrival Eng. 1 and Ladder 1 received readings of 0%LEL. Residents were advised no emergency and waited for PSEG. All units were clear and available at 1710hrs.

Incident Information

Incident-Exp#	: 24-000116 - 000	Alarm Date/Time	: 01/09/2024 12:08
Incident Location	: 75 Park Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 24-000115 - 000	Alarm Date/Time	: 01/09/2024 08:00
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Tour 1 and all available personnel moved all vehicles from the DPW Garage to Fire Headquarters and Franklin Station parking area. All vehicles and equipment were moved to higher ground due to the incoming storm
8 Light towers to Franklin Station
1 Generator Truck Franklin Station
Hazmat 4 to Franklin Station
Boat to Headquarters back to EMS HQ
Squad 1 to Headquarters back to EMS HQ
Hazmat 1 to Franklin Station

Incident Information

Incident-Exp#	: 24-000114 - 000	Alarm Date/Time	: 01/09/2024 08:00
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Truck 2 was utilized by the Parks Department for general cleanup throughout the township.

Incident Information

Incident-Exp#	: 24-000113 - 000	Alarm Date/Time	: 01/09/2024 10:16
Incident Location	: 12 Russell Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 24-000112 - 000	Alarm Date/Time	: 01/09/2024 10:00
Incident Location	: 149 Chestnut St, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Engine 1 responded to the Nutley Health Department to check and run the buildings generator.

Incident Information

Incident-Exp#	: 24-000111 - 000	Alarm Date/Time	: 01/09/2024 10:00
Incident Location	: 49 Franklin Ave, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

Upon arrival we had an old phone line across the roadway. We were able to remove and reopen the street

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000110 - 000	Alarm Date/Time	: 01/09/2024 07:18
Incident Location	: 300 Franklin Ave, Nutley, NJ 07110	Incident Type	: 745 - Alarm system sounded, no fire - unintentional

Incident Remarks

Upon arrival it was determined to be there was a test of the system with no notification. Captain Santangelo confirmed testing is completed and system is back online with the Vice Principal Michael Rovetto.

Incident Information

Incident-Exp#	: 24-000109 - 000	Alarm Date/Time	: 01/09/2024 06:47
Incident Location	: 1 Garden State Parkway, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

NJ State Police called requesting EMS for a multi car MVA with injuries at 149.9 mile marker. EMS 1 transported 2 patients to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000108 - 000	Alarm Date/Time	: 01/08/2024 23:52
Incident Location	: 111 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Clara Mass Hospital Ladder 1 released on scene

Incident Information

Incident-Exp#	: 24-000107 - 000	Alarm Date/Time	: 01/08/2024 19:20
Incident Location	: Vreeland Ave/Colonial Ter, Nutley, NJ 07110	Incident Type	: 323 - Motor vehicle/pedestrian accident (MV Ped)

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital Ladder 1 was released on scene.

Incident Information

Incident-Exp#	: 24-000106 - 000	Alarm Date/Time	: 01/08/2024 19:18
Incident Location	: 158 Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 651 - Smoke scare, odor of smoke

Incident Remarks

We received a direct call by a passer by to report smoke coming from the chimney at Contemporary Glass Company. We determined that it was from the wood burning stove in the building. Nutley Police reached out to the owner. Captain Santangelo spoke with the owner via the phone who arrived at the location to assure everything was in order.

Incident Information

Incident-Exp#	: 24-000105 - 000	Alarm Date/Time	: 01/08/2024 17:39
Incident Location	: Franklin Ave/Kingsland St, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

Upon arrival we were canceled on scene by Nutley Police all drivers and passengers did not want medical attention.

Incident Information

Incident-Exp#	: 24-000104 - 000	Alarm Date/Time	: 01/08/2024 16:19
Incident Location	: Washington Ave/Hancox Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 signed RMA and canceled EMS 1 response while en route.

Incident Information

Incident-Exp#	: 24-000103 - 000	Alarm Date/Time	: 01/08/2024 08:00
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Truck 2 was utilized by the Parks Department for general cleanup throughout the township.

Incident Information

Incident-Exp#	: 24-000102 - 000	Alarm Date/Time	: 01/08/2024 12:34
Incident Location	: 79 Spring St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 1 responded to 79 Spring Street on the report of a person feeling lethargic.
- CAD # 24-01381
- Transport to Clara Maas

Incident Information

Incident-Exp#	: 24-000101 - 000	Alarm Date/Time	: 01/08/2024 08:48
Incident Location	: 1129 Broad St, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 24-000100 - 000	Alarm Date/Time	: 01/08/2024 06:46
Incident Location	: 485 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 received a signed RMA see cad#24-01349

Incident Information

Incident-Exp#	: 24-000099 - 000	Alarm Date/Time	: 01/08/2024 05:25
Incident Location	: 12 Whitford Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-01343

Incident Information

Incident-Exp#	: 24-000098 - 000	Alarm Date/Time	: 01/08/2024 00:09
Incident Location	: 86 Mount Vernon St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-01294

Incident Information

Incident-Exp#	: 24-000097 - 000	Alarm Date/Time	: 01/07/2024 22:20
Incident Location	: 9 Edison Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Mountainside Hospital see cad#24-01286

Incident Information

Incident-Exp#	: 24-000096 - 000	Alarm Date/Time	: 01/07/2024 15:27
Incident Location	: 3 Terrace Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Clara Maass see cad#24-01326.

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp# : 24-000095 - 000
Incident Location : 36 Cross St, Nutley, NJ 07110

Alarm Date/Time : 01/07/2024 14:44
Incident Type : 745 - Alarm system sounded, no fire - unintentional

Incident Remarks

Eng. 1 Ladder 1 and 101 responded to 36 Cross St on an activated fire alarm. Upon arrival Eng. 1 confirmed no emergency. All units were clear and available at 1454hrs.

Incident Information

Incident-Exp# : 24-000094 - 000
Incident Location : 131 Passaic Ave, Nutley, NJ 07110

Alarm Date/Time : 01/07/2024 13:43
Incident Type : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Eng. 1 Ladder 1 and 101 responded to 131 Passaic Ave on an activated fire alarm. Upon arrival Eng. 1 confirmed the smoke detector was activated near the basement door near exit. Alarm was reset and all units were clear and available at 1354hrs.

Incident Information

Incident-Exp# : 24-000093 - 000
Incident Location : 13 Wayne Pl, Nutley, NJ 07110

Alarm Date/Time : 01/07/2024 10:57
Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 transported 1 to Hackensack Hospital see cad#24-01190

Incident Information

Incident-Exp# : 24-000092 - 000
Incident Location : 252 Broughton Ave, Bloomfield, NJ 07003

Alarm Date/Time : 01/07/2024 07:15
Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

EMS 1 was cancelled by NPD see cad#24-01175

Incident Information

Incident-Exp# : 24-000091 - 000
Incident Location : 335 Harrison St, Nutley, NJ 07110

Alarm Date/Time : 01/07/2024 14:07
Incident Type : 522 - Water or steam leak

Incident Remarks

E1 and L1 responded to above location for a second floor water leak. Water had been leaking from the bathroom into the kitchen. Water was turned off to bathroom and the breaker to kitchen had been shut due to some water in light fixture. Homeowner was advised to contact plumber and electrician for repairs.

Incident Information

Incident-Exp# : 24-000090 - 000
Incident Location : 81 Howard Pl, Nutley, NJ 07110

Alarm Date/Time : 01/07/2024 09:40
Incident Type : 444 - Power line down

Incident Remarks

E1 responded to above address for a wire down. Upon arrival crew found a low hanging telephone wire hanging across a driveway. E1 cut and removed phone wire.

Incident Information

Incident-Exp# : 24-000089 - 000
Incident Location : 319 Washington Ave, Nutley, NJ 07110

Alarm Date/Time : 01/07/2024 05:48
Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location. Transport to Mountainside.

Incident Information

Incident-Exp# : 24-000088 - 000
Incident Location : 165 Raymond Ave, Nutley, NJ 07110

Alarm Date/Time : 01/06/2024 21:20
Incident Type : 412 - Gas leak (natural gas or LPG)

Incident Remarks

Engine 1 responded to the above location on a smell of gas. Upon arrival we checked the interior of the house with negative results.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000087 - 000	Alarm Date/Time	: 01/06/2024 21:10
Incident Location	: 35 Hastings Ave, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Engine 1 & Ladder 1 responded to the above location on a report of a smell of gas. Upon arrival resident reported the odor was outside and had dissipated prior to our arrival.

Incident Information

Incident-Exp#	: 24-000086 - 000	Alarm Date/Time	: 01/06/2024 21:10
Incident Location	: 226 Van Winkle Ave, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Ladder 1 responded to the above location on a smell of gas. Upon arrival found strong odor in the air but not in the house.

Incident Information

Incident-Exp#	: 24-000085 - 000	Alarm Date/Time	: 01/06/2024 21:10
Incident Location	: 274 E Passaic Ave, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Ladder 1 responded to the above location on a smell of gas. Upon arrival had a strong odor in the air but not in the house.

Incident Information

Incident-Exp#	: 24-000084 - 000	Alarm Date/Time	: 01/06/2024 20:55
Incident Location	: 274 E Passaic Ave, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Engine 1 & Ladder 1 responded to the above location for a smell of gas. Upon arrival found a strong odor in the air but not in the house. PSE&G was notified to respond to the area.

Incident Information

Incident-Exp#	: 24-000084 - 000	Alarm Date/Time	: 01/06/2024 20:41
Incident Location	: 23 Fischer Ave, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Engine 1 & Ladder 1 responded to the above location for a smell of gas. Upon arrival found a strong odor in the air but not in the house. PSE&G was notified to respond to the area.

Incident Information

Incident-Exp#	: 24-000083 - 000	Alarm Date/Time	: 01/06/2024 21:08
Incident Location	: 21 Hillside Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 & Ladder 1 responded to the above location. EMS 1 transported to Hackensack.

Incident Information

Incident-Exp#	: 24-000082 - 000	Alarm Date/Time	: 01/06/2024 20:42
Incident Location	: Milton Ave/Lynn Rd, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Engine 1 & Ladder 1 responded to the above location on an odor of gas. Checked area unable to locate any odors.

Incident Information

Incident-Exp#	: 24-000081 - 000	Alarm Date/Time	: 01/06/2024 20:38
Incident Location	: 119 Church St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 1 responded to the above location . Transported to Clara Maas.

Incident Information

Incident-Exp#	: 24-000080 - 000	Alarm Date/Time	: 01/06/2024 19:50
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 512 - Ring or jewelry removal

Engine 1, Ladder 1, & EMS 1 responded to the Police lobby for a woman with a ring stuck on her finger. Ring removed. No further action taken.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000079 - 000	Alarm Date/Time	: 01/06/2024 17:07
Incident Location	: 350 Passaic Ave, Nutley, NJ 07110	Incident Type	: 733 - Smoke detector activation due to malfunction

Incident Remarks

Engine 1 & Ladder 1 responded to the above location for a fire alarm activation. Upon arrival found an activated head in the basement. System was silenced but unable to re set. Advised to call alarm company for service.

Incident Information

Incident-Exp#	: 24-000078 - 000	Alarm Date/Time	: 01/06/2024 14:38
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. RMA signed.

Incident Information

Incident-Exp#	: 24-000077 - 000	Alarm Date/Time	: 01/06/2024 12:14
Incident Location	: 22 Witherspoon St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 & Ladder 1 dispatched to the above location. EMS 2 transported to Clara Maas.

Incident Information

Incident-Exp#	: 24-000076 - 000	Alarm Date/Time	: 01/06/2024 09:49
Incident Location	: 77 Columbia Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1, Ladder 1, & EMS 2 were dispatched to the above location for a medical call with the possibility of having to make entry. Upon arrival EMS was able to make patient contact. Engine & Ladder cleared the scene. EMS 2 transported the patient to Clara Maas.

Incident Information

Incident-Exp#	: 24-000075 - 000	Alarm Date/Time	: 01/06/2024 09:15
Incident Location	: Glenwood/Llewellyn, Bloomfield, NJ 07003	Incident Type	: 411 - Gasoline or other flammable liquid spill

Incident Remarks

Haz Mat 2 responded to the above location on a substance in the brook. Bloomfield FD on scene.

Haz Mat # 24-1
DEP # 24-01-06-0955-36

Incident Information

Incident-Exp#	: 24-000074 - 000	Alarm Date/Time	: 01/06/2024 08:54
Incident Location	: 357 Broad St, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 was dispatched to the above location on Mutual aid to Bloomfield. Transported Clara Maas.

Incident Information

Incident-Exp#	: 24-000073 - 000	Alarm Date/Time	: 01/06/2024 08:07
Incident Location	: 72 Yantacaw Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. Transported to Mountainside.

Incident Information

Incident-Exp#	: 24-000072 - 000	Alarm Date/Time	: 01/06/2024 03:08
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 69 Florence St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a Diabetic Emergency. Medic 7 arrived. EMS 2 has a signed RMA.
See CAD 24-00990

Incident Information

Incident-Exp# : 24-000071 - 000

Alarm Date/Time : 01/06/2024 01:11

Incident Location : 1 Washington Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to Big Tree Garage for an unknown medical emergency. EMS 2 transported 1 patient to Clara Maass Hospital. ALS 32-46 arrived on scene.
See CAD 24-00952

Incident Information

Incident-Exp# : 24-000070 - 000

Alarm Date/Time : 01/05/2024 22:13

Incident Location : 79 Nutley Ave, Nutley, NJ 07110

Incident Type : 251 - Excessive heat, scorch burns with no ignition

Incident Remarks

Engine 1 and Ladder 1 responded to the above location for a reported runaway boiler. Upon arrival we met the homeowner who stated that the boiler was steaming and water vapor was present. We shut down the gas and the emergency switch and advised the homeowner to call PSEG. Fire units cleared

Incident Information

Incident-Exp# : 24-000069 - 000

Alarm Date/Time : 01/05/2024 18:56

Incident Location : 492 River Rd, Nutley, NJ 07110

Incident Type : 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Engine 1 and Ladder 1 responded to the above location for an activated fire alarm. Upon arrival we were met by security stating that she had burned food in a toaster. The fire alarm was reset and fire units cleared.

Incident Information

Incident-Exp# : 24-000068 - 000

Alarm Date/Time : 01/05/2024 19:47

Incident Location : 30 Rutgers Pl, Bloomfield, NJ 07003

Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

EMS 2 was dispatched to the above location and cancelled enroute.
See CAD #24-00920

Incident Information

Incident-Exp# : 24-000067 - 000

Alarm Date/Time : 01/05/2024 18:07

Incident Location : 44 Park Ave, Nutley, NJ 07110

Incident Type : 151 - Outside rubbish, trash or waste fire

Incident Remarks

Engine 1 and Ladder 1 were dispatched to the above location for a reported paper burning in a ash tray. Engine 1 arrived on scene and nothing was found. Fire Units cleared

Incident Information

Incident-Exp# : 24-000066 - 000

Alarm Date/Time : 01/05/2024 17:28

Incident Location : 26 Briar Ln, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a party who fell. EMS 2 provided basic first aid and checked for injuries
EMS 2 had a signed RMA
See CAD #24-00899

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000065 - 000	Alarm Date/Time	: 01/05/2024 17:16
Incident Location	: Passaic Ave/Vreeland Ave, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

Engine 1 and Ladder 1 were dispatched to the above location for a 2 car MVA. Ladder 1 arrived on scene and located a party sitting on the curb with a laceration to the hand. Ladder 1 provided basic first aid for the laceration and has a signed RMA. Engine 1 cleaned broken glass from the roadway.
See CAD #24-00895

Incident Information

Incident-Exp#	: 24-000064 - 000	Alarm Date/Time	: 01/05/2024 16:17
Incident Location	: 460 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 and Ladder 1 responded to the above location Suite A2 for a Diabetic emergency. EMS 2 and Ladder 1 provided basic life support and EMS 2 transported 1 patient to Clara Maass. ALS unit 3246 responded and was cancelled.
See CAD #24-00882

Incident Information

Incident-Exp#	: 24-000063 - 000	Alarm Date/Time	: 01/05/2024 15:50
Incident Location	: Prospect St/Harrison St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a party who fell. EMS 2 checked for injuries and has a signed RMA
See CAD #24-00876

Incident Information

Incident-Exp#	: 24-000062 - 000	Alarm Date/Time	: 01/05/2024 17:08
Incident Location	: 27 Washington St, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

Ladder 1 was dispatched to Belleville for Automatic Aid house fire. Ladder 1 was cancelled enroute.

Incident Information

Incident-Exp#	: 24-000061 - 000	Alarm Date/Time	: 01/05/2024 09:00
Incident Location	: 107 Fulton St, Elizabeth, NJ 7216	Incident Type	: 381 - Rescue or EMS standby

Incident Remarks

EMS 40 dispatched to Cedar Grove to meet the Essex County MAB Bus 8 with deployment to Elizabeth for 6th alarm fire. While assigned to MAB 8 we were directed to the fire scene to set up with Elizabeth Fire/EMS Mab for rehab and patient care. Essex County worked on scene for till 1500hrs and then released. EMS 40 back in Nutley at 1600.

Incident Information

Incident-Exp#	: 24-000060 - 000	Alarm Date/Time	: 01/05/2024 14:22
Incident Location	: 1 Cambridge Dr, Nutley, NJ 07110	Incident Type	: 331 - Lock-in (if lock out, use 511)

Incident Remarks

Engine 1 and Ladder 1 responded to the above location for a person stuck in an elevator. FD personnel arrived on scene and secured power to the elevator. FD personnel used elevator keys to open elevator door and removed the person unharmed. Manager on scene was advised to call for an elevator tech to come out and service the elevator. FD personnel cleared and returned to HQ.

Incident Information

Incident-Exp#	: 24-000059 - 000	Alarm Date/Time	: 01/04/2024 20:00
Incident Location	: 6 Oak Ridge Ave, Nutley, NJ 07110	Incident Type	: 356 - High angle rescue

Incident Remarks

Upon arrival we had a male in a tree holding a cat. We set up a ground ladder and removed them from harm

Incident Information

Incident-Exp#	: 24-000058 - 000	Alarm Date/Time	: 01/04/2024 18:55
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : Bloomfield Ave/Grove St, Bloomfield, NJ 07003

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000057 - 000

Alarm Date/Time : 01/04/2024 17:39

Incident Location : 8 Smith St, Belleville, NJ 07109

Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

Ladder 1 was canceled En route by Belleville Fire.

Incident Information

Incident-Exp# : 24-000056 - 000

Alarm Date/Time : 01/04/2024 16:25

Incident Location : 125 Jenness Pl, Lyndhurst, NJ 07071

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000055 - 000

Alarm Date/Time : 01/04/2024 15:19

Incident Location : 183 Bremond St, Belleville, NJ 07109

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp# : 24-000054 - 000

Alarm Date/Time : 01/04/2024 12:14

Incident Location : 107 Russell St, Clifton, NJ 07011

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 107 Russell Street, Clifton on the report of chest pain.

- CAD # 24-00655

- Transport to St. Joseph's

Incident Information

Incident-Exp# : 24-000053 - 000

Alarm Date/Time : 01/04/2024 11:05

Incident Location : 51 Gerard Rd, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 51 Gerard Road on the report of difficulty breathing.

- CAD # 24-00634

- Transport to Clara Maas

Incident Information

Incident-Exp# : 24-000052 - 000

Alarm Date/Time : 01/04/2024 10:18

Incident Location : 66 E Clifton Ave, Clifton, NJ 07011

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 66 East Clifton Ave. on the report of an unresponsive party.

- CAD # 24-00625

- Canceled enroute.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000051 - 000	Alarm Date/Time	: 01/04/2024 09:10
Incident Location	: 40 Plymouth Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 40 Plymouth Road on the report of difficulty breathing.
- CAD # 24-00612
- Transport to Mountainside.

Incident Information

Incident-Exp#	: 24-000050 - 000	Alarm Date/Time	: 01/04/2024 06:28
Incident Location	: 108 Passaic Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara mass Hospital with NPD Ladder 1 released from the scene.

Incident Information

Incident-Exp#	: 24-000049 - 000	Alarm Date/Time	: 01/04/2024 03:34
Incident Location	: 63 Brookfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Mountainside see cad#24-00564

Incident Information

Incident-Exp#	: 24-000048 - 000	Alarm Date/Time	: 01/04/2024 03:25
Incident Location	: 146 Rhoda Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA see cad#24-00561

Incident Information

Incident-Exp#	: 24-000047 - 000	Alarm Date/Time	: 01/04/2024 02:29
Incident Location	: 74 E Passaic Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Mountainside see cad#24-00546

Incident Information

Incident-Exp#	: 24-000046 - 000	Alarm Date/Time	: 01/04/2024 00:28
Incident Location	: 36 Yale St, Apt C, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA see cad#24-00518. Ladder 1 assisted.

Incident Information

Incident-Exp#	: 24-000045 - 000	Alarm Date/Time	: 01/03/2024 20:18
Incident Location	: 134 Margaret Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-00483. Ladder 1 assisted.

Incident Information

Incident-Exp#	: 24-000044 - 000	Alarm Date/Time	: 01/03/2024 19:47
----------------------	-------------------	------------------------	--------------------



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 300 Franklin Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-00477

Incident Information

Incident-Exp# : 24-000043 - 000

Alarm Date/Time : 01/03/2024 19:35

Incident Location : 134 Margaret Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA see cad#24-00474

Incident Information

Incident-Exp# : 24-000042 - 000

Alarm Date/Time : 01/03/2024 15:50

Incident Location : 34 Carrie Ct, Nutley, NJ 07110

Incident Type : 553 - Public service

Incident Remarks

Eng. 1 responded to 34 Carrie Ct to assist a homeowner with a situation where a child's bib fell down the heat vent. The bib was not able to be retrieved. Homeowner was advised to contact a duct cleaning service and explained there is no emergency. Eng. 1 was clear and available at 1610hrs.

Incident Information

Incident-Exp# : 24-000041 - 000

Alarm Date/Time : 01/03/2024 17:04

Incident Location : 47 Vincent Pl, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA see cad#24-00448

Incident Information

Incident-Exp# : 24-000040 - 000

Alarm Date/Time : 01/03/2024 15:27

Incident Location : 119 Harrison St, Bloomfield, NJ 07003

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-00440

Incident Information

Incident-Exp# : 24-000039 - 000

Alarm Date/Time : 01/03/2024 13:45

Incident Location : 47 Vincent Pl, Apt 213, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-00421

Incident Information

Incident-Exp# : 24-000038 - 000

Alarm Date/Time : 01/03/2024 14:20

Incident Location : Union Ave/Hancox Ave, Nutley, NJ 07110

Incident Type : 322 - Vehicle accident with injuries

Incident Remarks

Ladder 1 responded to an MVA with injuries. Ladder 1 received a signed RMA see cad#24-00428

Incident Information

Incident-Exp# : 24-000037 - 000

Alarm Date/Time : 01/03/2024 13:12

Incident Location : 281 Bloomfield Ave, Apt 9, Nutley, NJ 07110

Incident Type : 412 - Gas leak (natural gas or LPG)

Incident Remarks

Eng. 1 Ladder 1 was dispatched to 281 Bloomfield Ave on an odor of gas. Upon arrival Eng. 1 and Ladder 1 metered and received readings of 0%LEL. PSEG arrived and released all units at 1324hrs.

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp# : 24-000036 - 000
Incident Location : 112 Stratford Dr, Nutley, NJ 07110

Alarm Date/Time : 01/03/2024 09:30
Incident Type : 551 - Assist police or other governmental agency

Incident Remarks

Assisted NPD in missing person incident.

Incident Information

Incident-Exp# : 24-000035 - 000
Incident Location : 45 Oak St, Nutley, NJ 07110

Alarm Date/Time : 01/03/2024 12:43
Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Mountainside see cad#24-00412

Incident Information

Incident-Exp# : 24-000034 - 000
Incident Location : 67 Davis Ave, Bloomfield, NJ 07003

Alarm Date/Time : 01/03/2024 11:35
Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Mountainside see cad#24-00407

Incident Information

Incident-Exp# : 24-000033 - 000
Incident Location : 110 Kingsland Rd, Clifton, NJ 07014

Alarm Date/Time : 01/03/2024 10:31
Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA see cad#24-00384

Incident Information

Incident-Exp# : 24-000032 - 000
Incident Location : 7 William St, Apt 607, Nutley, NJ 07110

Alarm Date/Time : 01/03/2024 08:50
Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 to Clara Maass see cad#24-00392

Incident Information

Incident-Exp# : 24-000031 - 000
Incident Location : 4 Enclosure St, Nutley, NJ 07110

Alarm Date/Time : 01/03/2024 08:19
Incident Type : 611 - Dispatched & canceled en route

Incident Remarks

EMS 2 was cancelled by NPD see cad#24-00325

Incident Information

Incident-Exp# : 24-000030 - 000
Incident Location : 228 Chestnut St, Nutley, NJ 07110

Alarm Date/Time : 01/03/2024 03:17
Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. RMA signed.

Incident Information

Incident-Exp# : 24-000029 - 000
Incident Location : 637 Bloomfield Ave, Nutley, NJ 07110

Alarm Date/Time : 01/02/2024 23:30
Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. RMA signed.

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 24-000028 - 000	Alarm Date/Time	: 01/02/2024 23:29
Incident Location	: 140 Franklin Ave, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Engine 1 & Ladder 1 responded to the above location on a smell of gas. Upon arrival had a slight odor of gas in the hallway. PSE&G was notified to respond. Upon arrival of PSE&G found a knob on the stove in Apt. 1 D on. Knob was shutdown. Window opened to ventilate the apartment. No further issue.

Incident Information

Incident-Exp#	: 24-000027 - 000	Alarm Date/Time	: 01/02/2024 22:42
Incident Location	: Sadler Rd/Centre St, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 2 dispatched and then canceled to the above location.

Incident Information

Incident-Exp#	: 24-000026 - 000	Alarm Date/Time	: 01/02/2024 19:25
Incident Location	: 144 Stratford Dr, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location . Transported to Clara Maas.

Incident Information

Incident-Exp#	: 24-000025 - 000	Alarm Date/Time	: 01/02/2024 18:42
Incident Location	: 1 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. Transported to Mountainside Hospital.

Incident Information

Incident-Exp#	: 24-000024 - 000	Alarm Date/Time	: 01/02/2024 17:03
Incident Location	: 108 Kenzel Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location. Transported to Clara Maass.

Incident Information

Incident-Exp#	: 24-000023 - 000	Alarm Date/Time	: 01/02/2024 16:28
Incident Location	: Washington Ave/Park Ave, Nutley, NJ 07110	Incident Type	: 441 - Heat from short circuit (wiring), defective/worn

Incident Remarks

Engine 1 & Ladder 1 responded to the above location on a possible transformer fire. Upon arrival found a wire that appeared to have broken away from it harness at the top of the pole. No signs of any smoke or fire. PSE&G notified. Pole # 60215.

Incident Information

Incident-Exp#	: 24-000022 - 000	Alarm Date/Time	: 01/02/2024 11:48
Incident Location	: Franklin Ave/Stager St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 & Ladder 1 responded to the above location on a report of an unresponsive person in a car. Upon arrival found the person to be Ok. RMA signed.

Incident Information

Incident-Exp#	: 24-000021 - 000	Alarm Date/Time	: 01/02/2024 10:23
Incident Location	: 152 Nutley Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

EMS 2 and Ladder 1 responded to the above location. Ladder 1 cancelled on scene. Medics responded for a pronouncement.

Incident Information

Incident-Exp#	: 24-000020 - 000	Alarm Date/Time	: 01/02/2024 09:35
Incident Location	: Park Ave/River Rd, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

Engine 1 responded to the above location for a power line down. Upon arrival found the wire to be a cable wire. The wire was cut and removed.

Incident Information

Incident-Exp#	: 24-000019 - 000	Alarm Date/Time	: 01/02/2024 01:09
Incident Location	: 119 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a party having difficulty breathing. EMS 2 transported 1 patient to Mountainside Hospital. See CAD #24-00154

Incident Information

Incident-Exp#	: 24-000018 - 000	Alarm Date/Time	: 01/01/2024 23:49
Incident Location	: 35 Witherspoon St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person who had fallen. EMS 2 checked for injuries and transported 1 patient to Mountainside Hospital. See CAD #24-00150

Incident Information

Incident-Exp#	: 24-000017 - 000	Alarm Date/Time	: 01/01/2024 22:02
Incident Location	: 51 Shepard Pl, Nutley, NJ 07110	Incident Type	: 251 - Excessive heat, scorch burns with no ignition

Incident Remarks

Engine 1 and Ladder 1 were dispatched to the above location for a Runaway boiler. Upon arrival we were met by the resident stating PSEG will be arriving shortly. The home has 4 zone heat with 1 zone malfunctioning. We didn't want to shut down the boiler because kids were in the home sleeping and PSEG was dispatched and responding. Thermostat was shut down.

Incident Information

Incident-Exp#	: 24-000016 - 000	Alarm Date/Time	: 01/01/2024 21:26
Incident Location	: 446 River Rd, Apt H, Nutley, NJ 07110	Incident Type	: 553 - Public service

Incident Remarks

Engine 1, Ladder 1 and EMS 2 were dispatched to the above location for a Welfare check. PD wanted FD to gain entry so a release form was filled and signed by PD. WE used the rabbit tool to gain entry. The door was damaged in the process of gaining entry. The resident was not home.

Incident Information

Incident-Exp#	: 24-000015 - 000	Alarm Date/Time	: 01/01/2024 21:14
Incident Location	: 132 Franklin Ave, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Engine 1 and Ladder 1 were dispatched to the above location for an Activated Fire Alarm. Upon arrival we were met by the tenant stating that he was smoking and the fire alarm activated and he reset the alarm. Fire personnel checked the apt. and all was in order. Fire Units cleared

Incident Information

Incident-Exp#	: 24-000014 - 000	Alarm Date/Time	: 01/01/2024 16:44
Incident Location	: 47 Vincent Pl, Apt 412, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

EMS 2 responded to the above location for a party with high blood pressure. EMS 2 transported 1 patient to Mountainside Hospital.
See CAD # 24-00110

Incident Information

Incident-Exp#	: 24-000013 - 000	Alarm Date/Time	: 01/01/2024 15:18
Incident Location	: 24 Entwistle Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a leg infection. EMS 2 transported 1 patient to Clara Maass Hospital

Incident Information

Incident-Exp#	: 24-000012 - 000	Alarm Date/Time	: 01/01/2024 13:24
Incident Location	: 274 Washington Ave, Nutley, NJ 07110	Incident Type	: 444 - Power line down

Incident Remarks

Engine 1 and Ladder 1 responded to the above location for a reported wire down. Upon arrival PD notified us that the wire was a cable wire. Fire personnel secured the wire around the telephone pole. Fire units cleared.

Incident Information

Incident-Exp#	: 24-000011 - 000	Alarm Date/Time	: 01/01/2024 10:48
Incident Location	: 28 Brookline Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 and EMS2 were dispatched to the above location for an unresponsive party. Personnel provided basic life support and has a signed RMA.
See CAD #23-00080

Incident Information

Incident-Exp#	: 24-000010 - 000	Alarm Date/Time	: 01/01/2024 10:34
Incident Location	: Washington Ave/Hancox Ave, Nutley, NJ 07110	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

Ladder 1 was dispatched to the intersection of Washington and Hancox for a party needing assistance. PD arrived on scene and cancelled Ladder 1 en route.

Incident Information

Incident-Exp#	: 24-000009 - 000	Alarm Date/Time	: 01/01/2024 10:35
Incident Location	: 7 William St, Apt 218, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a Medical Alert. EMS 2 arrived and checked for injuries and provided first aid. EMS 2 has a signed RMA.
See CAD #23-00074

Incident Information

Incident-Exp#	: 24-000008 - 000	Alarm Date/Time	: 01/01/2024 08:49
Incident Location	: 100 North Rd, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a party who fell. EMS 2 checked for injuries and transported 1 patient to Mountainside Hospital.
See CAD # 23-00070

Incident Information

Incident-Exp#	: 24-000007 - 000	Alarm Date/Time	: 01/01/2024 05:04
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

- Engine 1, Ladder 1 & EMS 2 responded to Route 21 South on the report of an MVA with injuries and fluids in the roadway.

- CAD # 24-00051



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

- Patient transported to University.
- Engine 1 and Ladder 1 placed Speedy-Dri on the roadway to absorb leaking fluids. Speedy-Dri was removed from roadway and given to Twin Towing for disposal along with the car involved in the MVA.
- Nissan Sentra License plate # N89SCK New Jersey

Incident Information

Incident-Exp#	: 24-000006 - 000	Alarm Date/Time	: 01/01/2024 03:13
Incident Location	: 197 Nutley Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 197 Nutley Ave on the report of a heart attack.
- CAD # 24-00037
- Transport to Hackensack

Incident Information

Incident-Exp#	: 24-000005 - 000	Alarm Date/Time	: 01/01/2024 01:10
Incident Location	: 25 River Rd, Apt B3, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 25 River Road, Apt B3 on the report of an assault victim.
- CAD # 24-00020
- Transport to Clara Maas

Incident Information

Incident-Exp#	: 24-000004 - 000	Alarm Date/Time	: 01/01/2024 00:33
Incident Location	: 394 Centre St, Apt 18, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 394 Centre Street, Apt 18 on the report of labored breathing.
- CAD # 24-00012
- Transport to Clara Maas

Incident Information

Incident-Exp#	: 24-000003 - 000	Alarm Date/Time	: 12/31/2023 23:53
Incident Location	: 362 teneyck, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 362 Teneyck Ave, Lyndhurst on the report of shortness of breath.
- CAD # 23-92271
- Transport to Clara Maas



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 24-000002 - 000	Alarm Date/Time	: 01/01/2024 00:59
Incident Location	: Harrison St/Passaic Ave, Nutley, NJ 07110	Incident Type	: 151 - Outside rubbish, trash or waste fire

Incident Remarks

- Engine 1 responded to the intersection of Harrison Street and Passaic Ave on the report of garbage or cardboard burning outside. Engine 1 arrived and observed smoldering ashes on the sidewalk. A water can was obtained for extinguishment. While approaching the smoldering ashes it was determined the ashes were from fireworks that had been set off in the area. The ashes were completely extinguished using the water can and Engine 1 cleared the scene.

Incident Information

Incident-Exp#	: 24-000001 - 000	Alarm Date/Time	: 12/31/2023 23:55
Incident Location	: 350 Passaic Ave, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

- Engine 1 and Ladder 1 responded to 350 Passaic Ave. on an activated fire alarm. Fire personnel arrived and were met at the front door by the owner. The owner stated the alarm was activated from cooking in the kitchen. Firefighters proceeded to the kitchen area and opened the rear door for natural ventilation. The fire alarm system was able to be reset and fire units cleared the scene.

Incident Information

Incident-Exp#	: 23-004713 - 000	Alarm Date/Time	: 12/31/2023 22:08
Incident Location	: 528 Riverside Ave, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 528 Riverside Ave., Lyndhurst on the report of a male having a possible heart attack.

- CAD # 23-92270

- Transport to Hackensack

Incident Information

Incident-Exp#	: 23-004712 - 000	Alarm Date/Time	: 12/31/2023 20:00
Incident Location	: 25 Kingsland St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 25 Kingsland Street on the report of a male with Kidney stones.

- CAD # 23-92255

- Transport to Clara Maas

Incident Information

Incident-Exp#	: 23-004711 - 000	Alarm Date/Time	: 12/31/2023 22:00
Incident Location	: 1 Kingsland St, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Engine 1 and Ladder 1 responded to 1 Kingsland Ave. directly from 109 River Road on the report of an odor of natural gas inside the residence. Fire personnel arrived and Clifton FD was already on scene due to the property having a shared address with both municipalities. Clifton FD had already entered the residence and proceeded to the basement to conduct air monitoring. Nutley firefighters also entered the home and began air monitoring on the first floor. Air monitoring results on the first floor were negative. While in the basement Clifton FD was able to locate a slight leak in the natural gas line near the meter. Clifton FD secured the shut off valve at the gas meter and also shut down remaining utilities in the basement. The homeowner was advised to leave the meter shut off until PSEG could respond to make repairs. Fire units then cleared the scene.

Incident Information

Incident-Exp#	: 23-004710 - 000	Alarm Date/Time	: 12/31/2023 20:55
Incident Location	: 109 River Rd, APT A1, Nutley, NJ, 07110, Nutley, NJ 07110	Incident Type	: 522 - Water or steam leak



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

- Engine 1 and Ladder 1 responded to 109 River Road, Apt A-1 on the report of a water condition called in directly by the owner. Prior to arrival the owner of A-1 stated on the phone water was leaking into his condo from unit A-2 located above him and that resident was not home. Fire personnel arrived and were met by the resident of A-1 at the front door. Firefighters observed water leaking from the ceiling located in the laundry room. Firefighters then proceeded to unit A-2 to locate the owner for access to investigate. The owner of A-2 wasn't home, and PD was requested to the scene in order to make emergency entry to A-2 in order to further investigate where the leak was originating from. Sergeant Mulligan arrived on scene and gave permission for emergency entry to A-2. Entry was gained to A-2 by using the Hydro-Ram due to the dead bolt securing the front door. Firefighters and Sergeant Mulligan entered A-2 and investigated the entire unit. No water leak could be located. The water supply was turned off to A-2 to see if this would prevent the leak in A-1. This was not successful, and it was determined there was a "busted" pipe in the ceiling of unit A-1. Firefighters attempted to shut down the water supply in the laundry room but were unsuccessful due to the shut off valve being "stripped" and unable to close. Firefighters removed the ceiling sheetrock in order to potentially locate another water shut-off valve. No shut-off valve was present, and the leaking pipe was identified at this time. Sheetrock was also removed around the water supply but again, no water shut off valve was present. At this time, it was requested PD attempt to reach out to the Water Department to have a representative respond and have the main water supply shut off to the building.

At approximately 21:30, the owner of A-2 arrived, and it was explained to him why emergency entry needed to be gained to his condo unit. The owner of A-2 was advised the water was shut off and minor damage had been made to the dead bolt on the front door. Although the front door could still be secured using the doorknob lock. The owner of A-2 was understanding of the emergency situation and stated he would be residing at his father's home until the water supply could be restored after repairs were made in unit A-1.

At approximately 21:50, Anthony Scarpelli from the water department arrived on scene and the water shut off issues firefighters encountered were explained. Anthony Scarpelli explained the only course of action at that point would be to shut off the entire building water supply until repairs could be made in condo unit A-1. This information was relayed to the owner of A-1 and that alternate living arrangements should be made until all repairs are completed by a licensed plumber. Anthony Scarpelli then proceeded to the "pit" below ground in order to shut down the building water supply. Fire units then had to clear the scene and respond immediately to 1 Kingsland Street on a reported odor of gas in the basement.

- Apt A-2 Ryan Donnelly 201-840-0123

Incident Information

Incident-Exp#	: 23-004709 - 000	Alarm Date/Time	: 12/31/2023 20:06
Incident Location	: 355 River Rd, Nutley, NJ 07110	Incident Type	: 324 - Motor vehicle accident with no injuries.

Incident Remarks

- Engine 1 and Ladder 1 responded to 355 River Road, Green Knolls Condos on the report of an MVA in the roadway with a possible fire. Fire personnel arrived with PD on scene and observed a single car MVA with no smoke or fire present. No fluids were present on the ground from the single car MVA, and the driver required no medical care. Fire department assistance was no longer needed with the MVA and while leaving Engine 1 crew observed a damaged hydrant from the car involved in the MVA. No water was leaking from the hydrant and PD on scene stated they would contact the water department regarding the damaged hydrant. Fire units then returned to Headquarters.

**** Damaged fire hydrant on River Road was located on the Green Knolls property next to utility pole #60948NT

Incident Information

Incident-Exp#	: 23-004708 - 000	Alarm Date/Time	: 12/31/2023 19:01
Incident Location	: 156 Franklin Ave, Nutley, NJ 07110	Incident Type	: 413 - Oil or other combustible liquid spill

Incident Remarks

- Engine 1 and Ladder 1 responded to 156 Franklin Ave. on the report of an odor of kerosene present in the building. Fire personnel arrived and were met by a resident and building owner at the front door. Firefighters noted a slight odor in the building but not of a petroleum-based product. Firefighters conducted air monitoring throughout the building and investigated the basement for a potential source of the odor. After further investigation it was discovered, the slight odor was coming from the dryer vent from one of the resident's doing laundry. The resident and building owner were made aware the dryer vent was safe and fire units cleared the scene.

Incident Information

Incident-Exp#	: 23-004707 - 000	Alarm Date/Time	: 12/31/2023 17:14
Incident Location	: 64 Brookfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

- EMS 2 responded to 64 Brookfield Ave. on the report of a shoulder injury.
- CAD # 23-92235
- Transport to Mountainside.

Incident Information

Incident-Exp#	: 23-004706 - 000	Alarm Date/Time	: 12/31/2023 16:32
Incident Location	: 25 Elizabeth Ct, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 25 Elizabeth Court, Bloomfield on a stan-by request for a potential suicidal party.
- CAD # 23-92220
- Released by Bloomfield PD on scene.

Incident Information

Incident-Exp#	: 23-004705 - 000	Alarm Date/Time	: 12/31/2023 15:34
Incident Location	: 237 River Rd, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

- EMS 2 and Engine 1 responded to the intersection of Grant/River on the report of an MVA with injuries. (Accident was discovered to be in the driveway of 237 River Rd.)
- CAD # 23-92215
- Transport to Clara Maas

Incident Information

Incident-Exp#	: 23-004704 - 000	Alarm Date/Time	: 12/31/2023 12:24
Incident Location	: 30 Passaic Ave, Apt 7B, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

- Engine 1 responded to 30 Passaic Ave., Apt. 7B on the report of a suspected odor of natural gas called in directly by the resident. Engine 1 personnel arrived and were met by the resident at the front door. Firefighters entered the apartment, and the odor of natural gas was not present. Air monitoring was conducted and no LEL's were present throughout the apartment. The gas stove was tested, and all burners were functioning properly. The apartment was deemed to be safe, and Engine 1 cleared the scene.

Incident Information

Incident-Exp#	: 23-004703 - 000	Alarm Date/Time	: 12/31/2023 11:28
Incident Location	: 58 Milton Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- Ladder 1 responded to 58 Milton Ave. on the report of a 78-year-old male with difficulty breathing.
- CAD # 23-92200
- Transport to Clara Maas by Bloomfield EMS 44.

Incident Information

Incident-Exp#	: 23-004702 - 000	Alarm Date/Time	: 12/31/2023 10:57
Incident Location	: 187 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 187 Franklin Ave., 2nd floor on the report of a possible stroke.
- CAD # 23-92194
- Transport to St. Joseph's

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 23-004701 - 000	Alarm Date/Time	: 12/31/2023 10:45
Incident Location	: Centre St/Bloomfield Ave, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

- Engine 1 and Ladder 1 responded to the intersection of Bloomfield & Centre on the report of an odor of natural gas. The report of natural gas was called in by PSEG to PD dispatch. Fire personnel arrived on scene and observed several vent holes in the roadway along Bloomfield Ave that PSEG had previously installed. A slight odor of natural gas was present. PSEG had already been on scene investigating the area on 12/30/23. Air monitoring results conducted were negative for LEL. PSEG was enroute for follow up investigation and fire units cleared the scene.

Incident Information

Incident-Exp#	: 23-004700 - 000	Alarm Date/Time	: 12/31/2023 08:39
Incident Location	: 22 Ernest St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 & Ladder 1 responded to 22 Ernest Street on the report of a possible DOA.

- CAD # 23-92177

- Pronouncement made on scene by medics 3246.

Incident Information

Incident-Exp#	: 23-004699 - 000	Alarm Date/Time	: 12/31/2023 06:44
Incident Location	: 1 Route 21, Belleville, NJ 07109	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

- EMS 2 responded to Route 21 South, Belleville, on the report of an MVA with injuries.

- CAD # 23-92171

- 2 patients were treated on the scene. Female on scene signed RMA. Male on scene was transported to University Hospital.

Incident Information

Incident-Exp#	: 23-004698 - 000	Alarm Date/Time	: 12/31/2023 02:54
Incident Location	: 121 Brookfield Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 121 Brookfield Ave. on the report of a cancer patient with general weakness.

- CAD # 23-92159

- Transport to Holy Name Hospital

Incident Information

Incident-Exp#	: 23-004697 - 000	Alarm Date/Time	: 12/31/2023 02:15
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- Ladder 1 crew responded to the police holding area on the report of an officer bitten by an inmate.

- CAD # 23-92144

- RMA signed

Incident Information

Incident-Exp#	: 23-004696 - 000	Alarm Date/Time	: 12/31/2023 01:42
Incident Location	: 228 Chestnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 personnel responded to the holding cell on the request of PD to evaluate a prisoner.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

- CAD # 23-92144

- RMA signed

Incident Information

Incident-Exp# : 23-004695 - 000

Alarm Date/Time : 12/31/2023 01:14

Incident Location : 633 4th St, Lyndhurst, NJ 07071

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 633 4th Street, Lyndhurst on the report of a 90-year-old male with an altered mental status.

- CAD # 23-92148

- RMA signed

Incident Information

Incident-Exp# : 23-004694 - 000

Alarm Date/Time : 12/30/2023 19:32

Incident Location : 58 Oak Ridge Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

- EMS 2 responded to 58 Oakridge Ave. on the report of an 82-year-old male that had fallen, hit his head and was bleeding.

- CAD # 23-92129

- RMA signed

Incident Information

Incident-Exp# : 23-004693 - 000

Alarm Date/Time : 12/30/2023 17:21

Incident Location : 95 Warren St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a hand laceration. EMS 2 transported the patient to Clara Maass Hospital.

Incident Information

Incident-Exp# : 23-004692 - 000

Alarm Date/Time : 12/30/2023 17:33

Incident Location : 11 High St, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above location for a possible stroke. Ladder 1 did an assessment and took vitals. North Arlington EMS arrived on scene and transported the patient to Clara Maass Hospital.

Incident Information

Incident-Exp# : 23-004691 - 000

Alarm Date/Time : 12/30/2023 17:06

Incident Location : 168 Hillside Ave, Nutley, NJ 07110

Incident Type : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 and Ladder 1 responded to the above location for a person who fell on their porch. EMS 2 helped the up and received a signed RMA.

Incident Information

Incident-Exp# : 23-004690 - 000

Alarm Date/Time : 12/30/2023 16:32

Incident Location : John F Kennedy Dr S/Beach St, Bloomfield, NJ 07003

Incident Type : 322 - Vehicle accident with injuries

Incident Remarks

EMS 2 responded to the above intersection for an MVA. EMS 2 crew assessed 1 patient and received a signed RMA. EMS 2 cleared.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp# : 23-004689 - 000 **Alarm Date/Time** : 12/30/2023 13:45
Incident Location : 137 Mount Vernon St, Nutley, NJ 07110 **Incident Type** : 553 - Public service

Incident Remarks

Engine 1 crew provided and installed a 10 year smoke detector for a senior resident.

Incident Information

Incident-Exp# : 23-004688 - 000 **Alarm Date/Time** : 12/30/2023 15:05
Incident Location : 274 Prospect St, Nutley, NJ 07110 **Incident Type** : 424 - Carbon monoxide incident

Incident Remarks

Ladder 1 responded to the above address for a co alarm. Crew metered the house and had zero readings. Ladder 1 cleared.

**Engine 1 was on a separate incident during this call.

Incident Information

Incident-Exp# : 23-004687 - 000 **Alarm Date/Time** : 12/30/2023 14:42
Incident Location : 401 Passaic Ave, Nutley, NJ 07110 **Incident Type** : 413 - Oil or other combustible liquid spill

Incident Remarks

Engine 1 responded behind HQ near the waterfall for a reported oil spill. I noticed a light sheen on top of the water. We deployed 1 layer of boom across the stream then cleared. I will request the following Tour to follow up tomorrow.

Incident Information

Incident-Exp# : 23-004686 - 000 **Alarm Date/Time** : 12/30/2023 09:53
Incident Location : 113 E Centre St, Apt 1106, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person who fell. EMS 2 transported the patient to Saint Marys Hospital.

Incident Information

Incident-Exp# : 23-004685 - 000 **Alarm Date/Time** : 12/30/2023 12:48
Incident Location : 212 Cheshire Ct, Nutley, NJ 07110 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 and EMS 2 responded to the above location for a person having a seizure. Fire crews assessed the patient then received a signed RMA.

Incident Information

Incident-Exp# : 23-004684 - 000 **Alarm Date/Time** : 12/30/2023 12:26
Incident Location : 73 Kierstead Ave, Nutley, NJ 07110 **Incident Type** : 412 - Gas leak (natural gas or LPG)

Incident Remarks

Fire units responded to the above location for the smell of gas in the basement. Once on scene the homeowner stated that his heat will not turn on and he smelt gas. We had zero readings on our meters and no odor. I asked him to turn his heat on high and his boiler never turned on. We shut off the unit and I requested PSEG to respond. Fire units cleared.

Incident Information

Incident-Exp# : 23-004683 - 000 **Alarm Date/Time** : 12/30/2023 07:44
Incident Location : 97 Rutherford Pl, NorthArlington, NJ 07031 **Incident Type** : 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person choking. EMS 2 received a signed RMA and cleared.

Incident Information

Incident-Exp# : 23-004682 - 000 **Alarm Date/Time** : 12/29/2023 15:00



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Location : 18 Stockton Pl, Nutley, NJ 07110

Incident Type : 553 - Public service

Incident Remarks

FF Carreras and I went back to the above address in the F150 to replace batteries in the smoke detectors from NFIRS report 23-004674. We replaced several batteries and reattached them to the hardwire system, but the entire system kept alarming. We removed the detectors again and I informed the homeowner the 10-year-old detectors either need to be replaced or there is a fault in the wiring. I informed her that she was going to need to get a licensed electrician to look into the issue. We installed a 10-year sealed detector on the second and third floor in the hallway outside the bedrooms for fire protection until she can get her system fixed. I turned off the power to the hardwired system at the panel. We cleared.

Incident Information

Incident-Exp# : 23-004681 - 000

Alarm Date/Time : 12/29/2023 18:45

Incident Location : 117 Stanley Ave, Nutley, NJ 07110

Incident Type : 553 - Public service

Incident Remarks

Engine 1 responded back to the above location with a gas dewatering pump and a 10-year smoke detector. We set up the gas pump and removed all of the water in the basement. Once all of the water was removed, we went back into the basement and moved her sub pump around and plugged it back in and it started to work. There were no working smoke detectors in the house, so we also installed a 10-year sealed smoke detector on the ceiling near the living room where she sleeps.

Mrs. Nagle was informed she did not have working heat or hot water but refused to stay with anyone. Mrs. Nagle had children that lived in New Jersey but would not call them and notify them of the situation. I told her I was going to notify Peggy from the NFSB to see if they can help her file an insurance claim and notify her that there was not heat or hot water in the house. PSEG arrived on scene and red tagged the water heater and furnace. Engine 1 cleared.

Incident Information

Incident-Exp# : 23-004680 - 000

Alarm Date/Time : 12/29/2023 17:00

Incident Location : 117 Stanley Ave, Nutley, NJ 07110

Incident Type : 522 - Water or steam leak

Incident Remarks

Resident Rita Nagle came to the firehouse and said she had approximately 8 inches of water in her basement for about a week now. She stated she was volunteering at the NFSB and asked if the fire department could stop by tomorrow to help her. I told her that if there is that much water in her basement that we would need to come out immediately because her utilities might be compromised. She agreed to meet us at the house in 15 minutes.

We grabbed a small blue electric pump and a hose and responded to the location. I was able to estimate almost a foot of water in the basement from the top of the staircase. We put rubber boots on and entered the basement. The water heater and furnace were compromised so we shut off the gas and electric to them. There was a french drain and two sub pump pits but neither sub pump was working and there was too much water to see if the float was stuck. We put our electric pump into service and informed her we would be back to check in about an hour. I requested PSEG to respond for the utilities. Engine 1 cleared.

Incident Information

Incident-Exp# : 23-004679 - 000

Alarm Date/Time : 12/29/2023 13:40

Incident Location : 108 Passaic Ave, Nutley, NJ 07110

Incident Type : 551 - Assist police or other governmental agency

Incident Remarks

Ladder 1 responded in the area of the above address to stage for a possible evaluation. Police cancelled Ladder 1 prior to making patient contact and they transported the party to the hospital in a police car.

Incident Information

Incident-Exp# : 23-004678 - 000

Alarm Date/Time : 12/29/2023 12:54

Incident Location : 76 Montague Pl, Montclair, NJ 07042

Incident Type : 422 - Chemical spill or leak

Incident Remarks

Hazmat 2 responded to the above location for a mercury spill. Mercury spill was from an old thermometer. Hazmat crew used the mercury spill kit to clean up the spill.

Incident Information

Incident-Exp# : 23-004677 - 000

Alarm Date/Time : 12/29/2023 12:44

Incident Location : 20 Union Ave, Nutley, NJ 07110

Incident Type : 541 - Animal problem

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

A resident came to the firehouse looking for assistance with a dead cat in her driveway. She stated she called multiple agencies and couldn't reach anyone. I notified the police desk and requested an officer respond with Engine 1. There was a deceased cat in her driveway without a collar. We placed the Cat in a black garbage bag and disposed of it in the garbage. Engine 1 cleared.

Incident Information

Incident-Exp#	: 23-004676 - 000	Alarm Date/Time	: 12/29/2023 12:21
Incident Location	: 28 Clover St, Nutley, NJ 07110	Incident Type	: 331 - Lock-in (if lock out, use 511)

Incident Remarks

Fire units responded to the above location for a 3-year-old locked in a bathroom. Firefighters used a swipe tool to gain entry to the bathroom with no damage. Child was just locked in the bathroom and did not require medical attention. Fire units cleared.

Incident Information

Incident-Exp#	: 23-004675 - 000	Alarm Date/Time	: 12/29/2023 10:36
Incident Location	: 18 Stockton Pl, Nutley, NJ 07110	Incident Type	: 733 - Smoke detector activation due to malfunction

Incident Remarks

Engine 1 responded to the above location to assist a homeowner with an alarm malfunction. Upon arrival I was met by the homeowner who stated the alarms were beeping every minute since 3:00am. The fire alarm was a hardwired system with battery backup. The chirps sounded like a low battery notification. We removed a detector, and the battery was the original kiddie 9 volt from 2013. The homeowner did not have enough batteries to change out all of the detectors. I removed all of the detectors and batteries to stop the beeping in. The house still had a fully monitored smoke alarm system that had detectors on every level of the home for fire protection. I gave the homeowner my number and told her to call us back when the batteries arrived, and I would change them for her. Engine 1 cleared.

Incident Information

Incident-Exp#	: 23-004674 - 000	Alarm Date/Time	: 12/29/2023 10:20
Incident Location	: 111 Conover Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above address for a lift assist. Ladder 1 crew assisted the patient onto his bed and did an assessment. Belleville EMS 2 arrived on scene and assumed patient care. Belleville transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 23-004673 - 000	Alarm Date/Time	: 12/29/2023 10:13
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 131 - Passenger vehicle fire

Incident Remarks

Fire units responded to 21 south for a reported car fire. We went the length of 21 from Clifton to Belleville and it was unfounded. Fire units cleared 21 at the Belleville exit.

Incident Information

Incident-Exp#	: 23-004672 - 000	Alarm Date/Time	: 12/29/2023 07:41
Incident Location	: 1 Route 21, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

Fire units responded to route 21 south near exit 8 for a single vehicle accident with injuries. Ladder 1 made patient contact and started an assessment as Engine 1 put down speedy dry and conducted a general cleanup. The patient did not want to go to the hospital and signed an RMA. I cancelled the Clifton ambulance prior to their arrival. Fire units cleared once the vehicle was removed by Nicolette Towing.

Incident Information

Incident-Exp#	: 23-004671 - 000	Alarm Date/Time	: 12/30/2023 04:30
Incident Location	: 1 River Rd, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Fire units responded to Building 15 in arbor hills for an activated alarm. Upon arrival, alarms were sounding but there was no one evacuated. We checked every level of building 15 and found an activated head on the 1st floor. I reset the alarm panel and it held. Fire units cleared.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 23-004670 - 000	Alarm Date/Time	: 12/29/2023 22:30
Incident Location	: 15 Oak Crest Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person who fell. EMS 2 transported the patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 23-004669 - 000	Alarm Date/Time	: 12/29/2023 17:42
Incident Location	: 517 Stuyvesant Ave, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a sick party. EMS 2 transported the patient to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 23-004668 - 000	Alarm Date/Time	: 12/29/2023 15:51
Incident Location	: 10 Frost Ct, Clifton, NJ 07012	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 2 was cancelled en-route.

Incident Information

Incident-Exp#	: 23-004667 - 000	Alarm Date/Time	: 12/29/2023 14:08
Incident Location	: 187 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person with hip pain. EMS 2 transported the patient to Hackensack Hospital.

Incident Information

Incident-Exp#	: 23-004666 - 000	Alarm Date/Time	: 12/29/2023 12:43
Incident Location	: 1 Route 21, Clifton, NJ 07013	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS 2 responded to 21 North near the Route 46 entrance for a multi vehicle accident with injuries. EMS 2 treated and transported 3 patients to Saint Joe's Hospital.

Incident Information

Incident-Exp#	: 23-004665 - 000	Alarm Date/Time	: 12/29/2023 11:52
Incident Location	: 15 Cedar St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a lift assist. EMS 2 assisted the patient then received a signed RMA.

Incident Information

Incident-Exp#	: 23-004664 - 000	Alarm Date/Time	: 12/29/2023 09:34
Incident Location	: 51 Saint Marys Pl, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person with chest pain. EMS 2 transported the patient to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 23-004663 - 000	Alarm Date/Time	: 12/29/2023 07:32
Incident Location	: 168 Hillside Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person feeling dizzy. EMS 2 transported the patient to Mountainside Hospital.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 23-004662 - 000	Alarm Date/Time	: 12/29/2023 04:09
Incident Location	: 25 Kingsland St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a party with weakness. EMS 2 transported 1 patient Clara Maass.
See CAD #23-91818

Incident Information

Incident-Exp#	: 23-004661 - 000	Alarm Date/Time	: 12/29/2023 00:09
Incident Location	: 124 Adelaide St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for an EDP. EMS 2 was cancelled on scene
See CAD #23-91784

Incident Information

Incident-Exp#	: 23-004660 - 000	Alarm Date/Time	: 12/28/2023 22:27
Incident Location	: 100 Kingsland St, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

Engine 1, Ladder 1 and EMS 2 responded to the above location for an MVA with airbags deployed. EMS 2 provided care and transported the patient to Clara Maass. Ladder 1 provided care to another party which signed an RMA. Engine 1 checked for fluids.
See CAD # 23-91774

Incident Information

Incident-Exp#	: 23-004659 - 000	Alarm Date/Time	: 12/28/2023 21:06
Incident Location	: 428 Harrison St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address for a party with blood in their urine.
EMS 2 transported 1 patient to Mountainside Hospital.

Incident Information

Incident-Exp#	: 23-004658 - 000	Alarm Date/Time	: 12/28/2023 20:10
Incident Location	: 33 Witherspoon St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to a Crisis situation at 33 Witherspoon.
See CAD #23-91744

Incident Information

Incident-Exp#	: 23-004657 - 000	Alarm Date/Time	: 12/28/2023 20:14
Incident Location	: 477 Washington Ave, Nutley, NJ 07110	Incident Type	: 733 - Smoke detector activation due to malfunction

Incident Remarks

Engine 1 and Ladder 1 were dispatched to the above location for an alarm sounding. Upon arrival we checked the house and found an alarm sounding in the basement. We checked around to find no cause for the alarm. Fire personnel installed a new smoke detector for the homeowner.

Incident Information

Incident-Exp#	: 23-004656 - 000	Alarm Date/Time	: 12/28/2023 18:16
Incident Location	: 125 Lakeside Dr, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Engine 1 and Ladder 1 were dispatched to the above location for a reported natural gas leak. Engine 1 arrived on scene and was met by the homeowner who stated that she had opened the door to the basement and smelled natural gas. Fire personnel searched the house with a Draeger meter but didn't find any odors. We also sprayed the gas lines with soap to find a leak but none was found. Public Service Gas was



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

notified and will be responding.

Incident Information

Incident-Exp#	: 23-004655 - 000	Alarm Date/Time	: 12/28/2023 16:20
Incident Location	: 1 Washington Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 and Ladder 1 responded to the above location for a unconscious person EMS 2 transported 1 patient to Clara Maass
See CAD #23-91711

Incident Information

Incident-Exp#	: 23-004654 - 000	Alarm Date/Time	: 12/28/2023 14:24
Incident Location	: 100 Franklin Ave, Nutley, NJ 07110	Incident Type	: 322 - Vehicle accident with injuries

Incident Remarks

EMS2, Ladder 1 and Engine 1 responded to the above location for a MVA with injuries. EMS 2 treated 1 patient and transported to Clara Maass. Ladder 1 treated patient #2 while Engine 1 cleared the roadway of debris and put down 1 bag of speedy dry. Belleville EMS transported patient #2. Road Dept. was notified to come with a sweeper to spread more speedy dry.
See CAD # 23-91693

Incident Information

Incident-Exp#	: 23-004653 - 000	Alarm Date/Time	: 12/28/2023 12:48
Incident Location	: 149 San Antonio Ave, Apt 4, Nutley, NJ 07110	Incident Type	: 251 - Excessive heat, scorch burns with no ignition

Incident Remarks

Engine 1 and Ladder 1 responded to the above location, Apt. 4, for a reported runaway boiler. Upon arrival we were met by the tenant from Apt. 4 stating that the boiler won't shut down. Fire personnel shut the emergency switch and the tenant is awaiting Public Service Gas to arrive. Fire Units cleared.

Incident Information

Incident-Exp#	: 23-004652 - 000	Alarm Date/Time	: 12/28/2023 11:02
Incident Location	: 115 Belmont Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person possibly having a stroke. EMS 2 provided basic life support and transported 1 patient to Clara Maass.
See CAD # 23-91670

Incident Information

Incident-Exp#	: 23-004651 - 000	Alarm Date/Time	: 12/28/2023 09:31
Incident Location	: 350 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a party who had fallen. EMS 2 checked for injuries and provided basic first aid. RMA was signed.
See CAD # 23-91655

Incident Information

Incident-Exp#	: 23-004650 - 000	Alarm Date/Time	: 12/28/2023 08:28
Incident Location	: 88 Gless Ave, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address for a party with ankle pain. EMS 2 checked for injuries and transported 1 patient to Clara Maass.

Incident Information

Incident-Exp#	: 23-004649 - 000	Alarm Date/Time	: 12/28/2023 06:24
Incident Location	: 20 Florence St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 2 was dispatched to 20 Florence Street for a person feeling faint.

EMS 2 transported CMMC.

SEE CAD #23-91631

Incident Information

Incident-Exp#	: 23-004648 - 000	Alarm Date/Time	: 12/28/2023 05:37
Incident Location	: 3 Witherspoon St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 was dispatched to 3 Witherspoon Street for a lift assist.

EMS 2 received a Signed RMA.

SEE CAD #23-91628

Incident Information

Incident-Exp#	: 23-004647 - 000	Alarm Date/Time	: 12/28/2023 02:54
Incident Location	: 147 Passaic Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 23-004646 - 000	Alarm Date/Time	: 12/28/2023 00:38
Incident Location	: 682 Passaic Ave, Nutley, NJ 07110	Incident Type	: 745 - Alarm system sounded, no fire - unintentional

Incident Remarks

Upon arrival we had alarms sounding. We gained entry into the building via the Knox Box. The system would not reset we had an activated smoke detector head second floor top of the stairs no smoke and/or fire. Nutley Police had no emergency contacts in the CAD.

Incident Information

Incident-Exp#	: 23-004645 - 000	Alarm Date/Time	: 12/27/2023 19:29
Incident Location	: 49 Bellevue Ave, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 2 canceled en route

Incident Information

Incident-Exp#	: 23-004644 - 000	Alarm Date/Time	: 12/27/2023 18:51
Incident Location	: 528 Prospect St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 signed RMA ladder 1 released on scene.

Incident Information

Incident-Exp#	: 23-004643 - 000	Alarm Date/Time	: 12/27/2023 17:34
Incident Location	: 5 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 23-004642 - 000	Alarm Date/Time	: 12/27/2023 16:54
Incident Location	: 7 William St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 23-004641 - 000	Alarm Date/Time	: 12/27/2023 18:24
Incident Location	: 88 Satterthwaite Ave, Nutley, NJ 07110	Incident Type	: 736 - CO detector activation due to malfunction

Incident Remarks

Engine 1 responded to investigate. Upon arrival the home owners mother was changing the battery and hit the test button which activated the alarm. We checked all levels of the home with ZERO readings throughout.

Incident Information

Incident-Exp#	: 23-004640 - 000	Alarm Date/Time	: 12/27/2023 17:52
Incident Location	: 360 Passaic Ave, Nutley, NJ 07110	Incident Type	: 113 - Cooking fire, confined to container

Incident Remarks

Upon arrival alarms were sounding. The activation was from the staff cleaning the cooking equipment. We were able to restore the system to ready.

Incident Information

Incident-Exp#	: 23-004639 - 000	Alarm Date/Time	: 12/27/2023 17:42
Incident Location	: 46 Gerard Rd, Nutley, NJ 07110	Incident Type	: 113 - Cooking fire, confined to container

Incident Remarks

Upon arrival it was determined to be unattended cooking. The homeowner reset the system prior to our arrival.

Incident Information

Incident-Exp#	: 23-004638 - 000	Alarm Date/Time	: 12/27/2023 14:08
Incident Location	: 110 New St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to package patient Belleville EMS was canceled Nutley EMS 2 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 23-004637 - 000	Alarm Date/Time	: 12/27/2023 13:23
Incident Location	: 12 Gabriel St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 23-004636 - 000	Alarm Date/Time	: 12/27/2023 14:43
Incident Location	: 88 Satterthwaite Ave, Nutley, NJ 07110	Incident Type	: 736 - CO detector activation due to malfunction

Incident Remarks

Upon arrival the home was secured. The neighbor spoke with a relative 3 hours away and she stated that the owners were on vacation and not available. If the relative does respond with a key we will return to gain entry.

Incident Information

Incident-Exp#	: 23-004635 - 000	Alarm Date/Time	: 12/27/2023 12:43
Incident Location	: 88 Warren St, Apt 2B, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 assisted with the packaging of the patient and Clifton EMS transported 1 patient to Clara Mass Hospital with Nutley Police on board.

Incident Information



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident-Exp#	: 23-004634 - 000	Alarm Date/Time	: 12/27/2023 12:23
Incident Location	: 25 River Rd, Apt A2, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 checked vitals and Belleville EMS transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 23-004633 - 000	Alarm Date/Time	: 12/27/2023 12:52
Incident Location	: 15 Underhill Ct, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1 checked vitals and Lyndhurst EMS transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 23-004632 - 000	Alarm Date/Time	: 12/27/2023 12:27
Incident Location	: 591 Franklin Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Engine 1 checked vitals and Bloomfield EMS transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 23-004631 - 000	Alarm Date/Time	: 12/27/2023 12:38
Incident Location	: 74 Franklin Ave, Nutley, NJ 07110	Incident Type	: 522 - Water or steam leak

Incident Remarks

Ladder 1 shut down the water supply to the toilet valve in apartment 1

Incident Information

Incident-Exp#	: 23-004630 - 000	Alarm Date/Time	: 12/27/2023 12:21
Incident Location	: 36 Warren St, Apt 1B, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 23-004629 - 000	Alarm Date/Time	: 12/27/2023 09:21
Incident Location	: 21 Montclair Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 transported 1 patient to Mountainside Hospital

Incident Information

Incident-Exp#	: 23-004628 - 000	Alarm Date/Time	: 12/27/2023 09:25
Incident Location	: 80 Grant Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 assisted packaging patient and Belleville EMS transported 1 patient to Clara Mass Hospital

Incident Information

Incident-Exp#	: 23-004627 - 000	Alarm Date/Time	: 12/26/2023 18:40
Incident Location	: 47 Vincent Pl, Apt 209, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 was dispatched to 47 Vincent Pl. for a party with Covid symptoms. Clifton EMS arrived and transported 1 patient to Mountainside Hospital.
See CAD#23-91335



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 23-004626 - 000	Alarm Date/Time	: 12/26/2023 18:11
Incident Location	: 402 Centre St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a party with Anxiety. EMS2 transported 1 patient to Clara Maass Hospital.
See CAD #23-91327

Incident Information

Incident-Exp#	: 23-004625 - 000	Alarm Date/Time	: 12/26/2023 17:39
Incident Location	: 100 North Rd, Nutley, NJ 07110	Incident Type	: 746 - Carbon monoxide detector activation, no CO

Incident Remarks

Fire units responded to the above location for an activated CO alarm. Fire crews checked all levels of the home and had zero readings. The detector was 12 years old and beeping intermittently. I removed the battery, and the homeowner disposed of the faulty detector. The homeowner had several other working smoke and CO alarms in the house. Fire units cleared.

Incident Information

Incident-Exp#	: 23-004624 - 000	Alarm Date/Time	: 12/26/2023 16:59
Incident Location	: 49 Conover Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded back to 49 Conover for a requested transport to hospital. EMS 2 transported the patient to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 23-004623 - 000	Alarm Date/Time	: 12/26/2023 16:33
Incident Location	: 130 Bloomfield Ave, Apt 6B, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above location for a 3rd party report of a person with difficulty breathing inside of the unit. Tenant was screaming on arrival that she could not feel her legs and was unable to open the door. Ladder 1 crew was given permission by pd then cut the chain lock to gain entry. Ladder 1 made patient contact and started an assessment. Patient took marijuana edibles and was having adverse reactions. Belleville EMS 2 arrived on scene and assumed patient care. Belleville transported the patient to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 23-004622 - 000	Alarm Date/Time	: 12/26/2023 16:24
Incident Location	: 49 Conover Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address for a person having an anxiety attack. EMS 2 assessed the patient then received a signed RMA. EMS 2 cleared.

Incident Information

Incident-Exp#	: 23-004621 - 000	Alarm Date/Time	: 12/26/2023 12:58
Incident Location	: 245 Highfield Ln, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person with difficulty breathing. EMS 2 crew assessed the patient then transported them to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 23-004620 - 000	Alarm Date/Time	: 12/26/2023 13:55
Incident Location	: 111 Passaic Ave, Apt A46, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address for a transport of a crisis patient. EMS 2 transported the patient to Clara Maass Hospital.



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Information

Incident-Exp#	: 23-004619 - 000	Alarm Date/Time	: 12/26/2023 13:32
Incident Location	: 7 William St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 responded to the above address for a person with a fever. Ladder 1 arrived on scene and started a patient assessment. Bloomfield EMS arrived and assumed patient care. Bloomfield EMS transported them to Mountainside Hospital.

Incident Information

Incident-Exp#	: 23-004618 - 000	Alarm Date/Time	: 12/26/2023 11:26
Incident Location	: 83 Franklin Ave, Nutley, NJ 07110	Incident Type	: 113 - Cooking fire, confined to container

Incident Remarks

Fire units responded to the SYA on an activated fire alarm. After investigation it was determined to be unattended cooking with a toaster. I reset the alarm and we returned to service.

Incident Information

Incident-Exp#	: 23-004617 - 000	Alarm Date/Time	: 12/26/2023 13:54
Incident Location	: 173 Franklin Ave, Nutley, NJ 07110	Incident Type	: 743 - Smoke detector activation, no fire - unintentional

Incident Remarks

Fire units responded to the above location for an activated fire alarm. The business tenant stated he is new to the location and pressed the test button to make sure it was working. I reset the alarm and it held. I informed him that if he is doing work or test the alarm he needs to notify the fire alarm company and put it on test first. Fire units cleared.

Haroon Tora 717-830-8080

Incident Information

Incident-Exp#	: 23-004616 - 000	Alarm Date/Time	: 12/26/2023 11:19
Incident Location	: 352 Passaic Ave, Nutley, NJ 07110	Incident Type	: 118 - Trash or rubbish fire, contained

Incident Remarks

Ladder 1 heard activated fire alarms while conducting driving training near the above location. Ladder 1 informed me of the activation and Engine 1 responded. Plumbers from Garner Bros were on scene in the basement doing work. They were cutting pipe with a torch and caught a rag on fire and placed it outside in the rear. Ladder 1 extinguished the fire with a water can. Engine 1 had to leave to respond to a separate call. Ladder 1 crew took down the information and reset the alarm.

Incident Information

Incident-Exp#	: 23-004615 - 000	Alarm Date/Time	: 12/26/2023 12:07
Incident Location	: 389 Walnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a lift assist. EMS 2 assisted the patient then received a signed RMA.

Incident Information

Incident-Exp#	: 23-004614 - 000	Alarm Date/Time	: 12/26/2023 08:27
Incident Location	: 443 Walnut St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

Ladder 1 and EMS 2 responded to the above location an elderly female that fell down the stairs. Patient was assessed then transported to Saint Josephs University.

Incident Information

Incident-Exp#	: 23-004613 - 000	Alarm Date/Time	: 12/26/2023 10:42
Incident Location	: 65 Nutley Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

Incident Remarks

EMS 2 responded to the above location for a lacerated wrist. EMS 2 arrived on scene and assessed the patient. EMS crew applied bandaging to the wound. Patient was going to be transported to hospital by a family member and signed a RMA.

Incident Information

Incident-Exp#	: 23-004612 - 000	Alarm Date/Time	: 12/25/2023 22:55
Incident Location	: 9 River Rd, Apt H, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a person with difficulty breathing. EMS 2 assessed the patient then transported them to Clara Maass Hospital.

Incident Information

Incident-Exp#	: 23-004611 - 000	Alarm Date/Time	: 12/25/2023 19:57
Incident Location	: 186 Mill St, Belleville, NJ 07109	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a 1 year old having a seizure. EMS arrived on scene with medics and started patient care. Patient was transported to Clara Maass Medical Center with Medics on board.

Incident Information

Incident-Exp#	: 23-004610 - 000	Alarm Date/Time	: 12/25/2023 19:05
Incident Location	: 149 Mountainview Ave, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above address for a diabetic emergency. EMS 2 assessed the patient then transported them to Mountainside Hospital.

Incident Information

Incident-Exp#	: 23-004609 - 000	Alarm Date/Time	: 12/25/2023 17:42
Incident Location	: 960 Bloomfield Ave, GlenRidge, NJ 07028	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 2 was requested to the above location for a lift assist. I denied the request based off response distance and type of incident. I informed our dispatch to notify them that we cannot provide mutual aid at this time.

Incident Information

Incident-Exp#	: 23-004608 - 000	Alarm Date/Time	: 12/25/2023 11:02
Incident Location	: 72 New St, Nutley, NJ 07110	Incident Type	: 522 - Water or steam leak

Incident Remarks

Engine 1 responded to the above address for a past occurred accident where a vehicle hit a fire hydrant. There was no vehicle or anyone in the area upon arrival. The hydrant in front of 72 new street was leaning to the side. We checked all ports and flew water. I informed dispatch that the hydrant was operational but requested the water department to respond. Engine 1 cleared.

Incident Information

Incident-Exp#	: 23-004607 - 000	Alarm Date/Time	: 12/25/2023 15:52
Incident Location	: 34 Glendale St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 responded to the above location for a fall. EMS 2 assessed the patient, then clean and bandaged their hand. Patient refused to go to the hospital and signed a RMA.

Incident Information

Incident-Exp#	: 23-004606 - 000	Alarm Date/Time	: 12/25/2023 10:32
Incident Location	: 122 Church St, Nutley, NJ 07110	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Remarks Report

Printed On: 03/25/24 09:41

EMS 2 responded to the above address for a person with chest pain. EMS 2 assessed the patient then transported them to Mountainside Hospital with medics on board.

Incident Information

Incident-Exp#	: 23-004605 - 000	Alarm Date/Time	: 12/25/2023 11:58
Incident Location	: 536 Lake Ave, Lyndhurst, NJ 07071	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA.

Incident Information

Incident-Exp#	: 23-004604 - 000	Alarm Date/Time	: 12/25/2023 13:24
Incident Location	: 30 Rutgers Pl, Bloomfield, NJ 07003	Incident Type	: 321 - EMS call, excluding vehicle accident with injury

Incident Remarks

EMS 2 received a signed RMA.

Incident Information

Incident-Exp#	: 23-004603 - 000	Alarm Date/Time	: 12/25/2023 14:48
Incident Location	: 58 Roosevelt Ave, Belleville, NJ 07109	Incident Type	: 611 - Dispatched & canceled en route

Incident Remarks

EMS 2 was cancelled en-route.

Incident Information

Incident-Exp#	: 23-004602 - 000	Alarm Date/Time	: 12/25/2023 15:14
Incident Location	: 304 Hillside Ave, Nutley, NJ 07110	Incident Type	: 551 - Assist police or other governmental agency

Incident Remarks

Engine 1 and EMS 2 responded to the above location for a welfare check. PD made contact with the party and cleared us prior to making patient contact.

Incident Information

Incident-Exp#	: 23-004601 - 000	Alarm Date/Time	: 12/25/2023 08:51
Incident Location	: Harrison St/Franklin Ave, Nutley, NJ 07110	Incident Type	: 412 - Gas leak (natural gas or LPG)

Incident Remarks

Fire units responded to the above intersection for a smell of gas near a sewer grate. We checked the area and had no readings or smell. With no hazard currently present, fire units cleared. PSEG was notified and responding.