

Incident Run Log

Ramsey Fire Department

Date Range: From 05/26/2024 to 08/26/2024

Company: All Companies

Sorted by: Not selected

Date	FDID	Incident#	Alarm	###	Address	Suite	Zip	Type	Lgth
05/26/2024	02480	2024-000166	07:52	112	Route 17 North		07446	Smoke detector activation, no fire - unintentional	0.0
05/26/2024	02480	2024-000167	16:43		Route 17 South	815	07446	Motor vehicle accident with injuries	0.0
05/26/2024	02480	2024-000168	18:10	66	East Main Street		07446	Smoke detector activation, no fire - unintentional	0.0
05/27/2024	02480	2024-000169	09:28	112	Route 17 North	307	07446	Smoke detector activation, no fire - unintentional	0.0
05/28/2024	02480	2024-000170	12:42	1300	Route 17 North		07446	Unintentional transmission of alarm, other	0.0
05/29/2024	02480	2024-000171	12:12	51	West Allendale Ave		07401-	Dispatched & canceled en route	0.0
05/29/2024	02480	2024-000172	13:58	247	Momar Drive		07446	Odor of Gas - None present	0.0
05/29/2024	02480	2024-000173	23:01	984	Route 17 North		07446	Smoke detector activation, no fire - unintentional	0.0
05/30/2024	02480	2024-000174	22:39	112	Route 17 North	307	07446	Smoke detector activation, no fire - unintentional	5.0
05/31/2024	02480	2024-000175	11:14	12	Column Court		07401-	Central station, malicious false alarm	0.0
05/31/2024	02480	2024-000176	12:29	1200	Route 17 North		07401-	Gas leak (natural gas or LPG)	0.0
05/31/2024	02480	2024-000177	18:35	235	Interstate S.C.		07446	Mulch Fire	0.0
06/01/2024	02480	2024-000178	22:43	2	Valley View Drive		07446	Gas leak (natural gas or LPG)	5.0
06/02/2024	02480	2024-000179	01:17	12	Spruce Run		07446	Gas leak (natural gas or LPG)	0.0
06/02/2024	02480	2024-000180	11:52	300	Maple Street		07446	Smoke scare, odor of smoke	0.0
06/02/2024	02480	2024-000181	20:31	114	Washington Drive		07446	Smoke scare, odor of smoke	0.0
06/03/2024	02480	2024-000182	13:20	85	Harreton Rd		07401-	Power line down	0.0
06/04/2024	02480	2024-000183	21:37	1	Ackerson Rd.		07401-	Carbon monoxide incident	0.0
06/05/2024	02480	2024-000184	03:21	111	Arch Street		07446	Smoke detector activation due to malfunction	0.0
06/05/2024	02480	2024-000185	14:38	111	Arch Street		07446	Smoke detector activation due to malfunction	0.0
06/06/2024	02480	2024-000186	13:30	69	Sun Valley Road		07446	Smoke detector activation, no fire - unintentional	0.0
06/07/2024	02480	2024-000187	00:21	47	Nottingham Road		07446	Alarm system sounded due to malfunction	0.0
06/07/2024	02480	2024-000188	14:30	81	Orchard Street		07446	Alarm system sounded due to malfunction	0.0
06/10/2024	02480	2024-000189	09:20	926	Route 17 North		07446	Smoke detector activation, no fire - unintentional	0.2
06/10/2024	02480	2024-000190	18:12	35	Deertrail		07446	Gas leak (natural gas or LPG)	0.0
06/11/2024	02480	2024-000191	15:56	245	East Main Street		07446	Alarm system sounded due to malfunction	0.0
06/12/2024	02480	2024-000192	07:13	7	Clearwater Road		07446	Odor of Gas - None present	0.0
06/12/2024	02480	2024-000193	20:47	332	Cambridge Drive		07446	Carbon monoxide incident	0.0
06/13/2024	02480	2024-000194	01:17		EAST OAK STREET		07446	Arcing, shorted electrical equipment	0.0
06/13/2024	02480	2024-000195	08:03	16	Baker Court		07446	Smoke detector activation, no fire - unintentional	0.0
06/13/2024	02480	2024-000196	09:08		Franklin Turnpike		07430-	Gas leak (natural gas or LPG)	0.0
06/13/2024	02480	2024-000197	13:02	133	Williams Drive		07446	Alarm system sounded due to malfunction	0.0
06/13/2024	02480	2024-000198	13:20	101	Williams Drive		07446	Alarm system sounded due to malfunction	0.0
06/14/2024	02480	2024-000200	18:21	22	LINCOLN STREET		07446-	Power line down	0.0
06/14/2024	02480	2024-000199	18:25	86	Elbert Street		07446	Power line down	0.0
06/18/2024	02480	2024-000201	13:00	42	Oakwood Road		07401-	Gas leak (natural gas or LPG)	0.0
06/18/2024	02480	2024-000202	17:58	16	Roandis Court		07446	Gas leak (natural gas or LPG)	0.0
06/19/2024	02480	2024-000203	10:54	2	Monroe Street		07446	Unintentional transmission of alarm, other	0.0
06/19/2024	02480	2024-000204	16:44	207	Airmount Avenue		07446	Smoke detector activation, no fire - unintentional	0.0
06/19/2024	02480	2024-000205	22:14		Spruce Street		07446	Good intent call, other	24.3
06/20/2024	02480	2024-000206	09:02	284	North Franklin Turnpike		07446	Alarm system activation, no fire - unintentional	0.0
06/20/2024	02480	2024-000207	14:55	180	Airmount Avenue		07446	Alarm system sounded due to malfunction	0.0
06/21/2024	02480	2024-000208	04:24	93	Grant Street		07446	Alarm system sounded due to malfunction	0.0
06/21/2024	02480	2024-000209	20:19		Route 17 North		07446	Motor vehicle accident with injuries	0.5
06/23/2024	02480	2024-000210	16:14	107	West Main Street		07446	Smoke detector activation, no fire - unintentional	0.0
06/24/2024	02480	2024-000211	13:13	86	Cedar Drive		07401-	Dispatched & canceled en route	0.0
06/24/2024	02480	2024-000212	13:55	21	West Crescent Avenue		07446	CO detector activation due to malfunction	0.0
06/24/2024	02480	2024-000213	14:43	18	Highwood Road		07446	Power line down	0.0
06/24/2024	02480	2024-000214	15:47	2	Monroe Street		07446	Unintentional transmission of alarm, other	0.0
06/24/2024	02480	2024-000215	16:37	11	Briarcliff Road		07446	Unintentional transmission of alarm, other	0.0

Date	FDID	Incident#	Alarm	###	Address	Suite	Zip	Type	Lgth
06/25/2024	02480	2024-000216	13:11	141	Prince Street		07446	No incident found on arrival at dispatch address	0.0
06/25/2024	02480	2024-000217	14:29	298	Hillside Rd		07401-	Smoke detector activation, no fire - unintentional	0.0
06/25/2024	02480	2024-000218	14:39	24	North Franklin Turnpike		07446	Smoke detector activation, no fire - unintentional	0.0
06/26/2024	02480	2024-000219	13:17	16	Arrow Road		07446	Unintentional transmission of alarm, other	0.2
06/26/2024	02480	2024-000220	17:51	15	Island Park		07446	Arcing, shorted electrical equipment	0.6
06/26/2024	02480	2024-000221	20:32	61	Crest Road		07446-	Wind storm, tornado/hurricane assessment	0.4
06/26/2024	02480	2024-000223	20:43	25	Crest Road		07446	Power line down	0.0
06/26/2024	02480	2024-000222	20:55	31	BIRCH STREET		07446-	Arcing, shorted electrical equipment	1.1
06/27/2024	02480	2024-000224	00:29	3	Anne Avenue		07446	Carbon monoxide incident	0.0
06/27/2024	02480	2024-000225	14:51	3	Anne Avenue		07446	Carbon monoxide detector activation, no CO	0.0
06/28/2024	02480	2024-000226	19:39	23	Maple Street		07446	Odor of Gas - None present	0.0
06/28/2024	02480	2024-000227	21:51		Route 17 north		07446	Passenger vehicle fire	0.0
06/29/2024	02480	2024-000228	03:52	93	Grant Street		07446	False alarm or false call, other	0.0
06/29/2024	02480	2024-000229	10:37	585	North Central Avenue		07446	Smoke detector activation, no fire - unintentional	0.0
07/01/2024	02480	2024-000230	08:35	130	East Main Street		07446	Gas leak (natural gas or LPG)	0.0
07/01/2024	02480	2024-000231	13:33	1100	Route 17 North		07446	Smoke detector activation, no fire - unintentional	0.0
07/02/2024	02480	2024-000232	15:54	15	Lancaster Court		07446	Smoke detector activation, no fire - unintentional	0.0
07/04/2024	02480	2024-000233	12:17	22	Airmount Avenue		07446	Gas leak (natural gas or LPG)	0.0
07/05/2024	02480	2024-000234	07:49	1200	Route 17 North		07446	Unintentional transmission of alarm, other	0.0
07/05/2024	02480	2024-000235	08:18	284	North Franklin Turnpike		07446	Unintentional transmission of alarm, other	0.0
07/05/2024	02480	2024-000236	12:16	284	North Franklin Turnpike		07446	Unintentional transmission of alarm, other	0.0
07/05/2024	02480	2024-000237	15:26	600	Route 17 North		07446	Alarm system activation, no fire - unintentional	0.0
07/05/2024	02480	2024-000238	17:08	246	North Franklin Turnpike		07446	Alarm system sounded due to malfunction	0.0
07/05/2024	02480	2024-000239	18:48	255	Darlington Avenue		07446	Alarm system sounded due to malfunction	0.0
07/05/2024	02480	2024-000240	19:40	105	Lakeside Drive		07446	Overheated motor	0.0
07/06/2024	02480	2024-000241	02:17	9 A	Lakeside Drive		07446	Carbon monoxide incident	0.0
07/06/2024	02480	2024-000242	11:59	255	Darlington Avenue		07446	Alarm system sounded due to malfunction	0.0
07/06/2024	02480	2024-000243	15:56	600	Route 17 North		07446	Alarm system sounded due to malfunction	0.0
07/06/2024	02480	2024-000244	15:59	263	Oakland Court		07446	Smoke detector activation due to malfunction	0.5
07/07/2024	02480	2024-000245	12:56	67	Arch Street		07446	False alarm or false call, other	0.0
07/07/2024	02480	2024-000246	23:15	10	Hubbard Lane		07446	Alarm system sounded due to malfunction	0.0
07/09/2024	02480	2024-000247	08:30	10	Triangle Plaza		07446	Unintentional transmission of alarm, other	0.0
07/09/2024	02480	2024-000248	23:14	112	Route 17 North	397	07446	Fire, other	0.4
07/10/2024	02480	2024-000249	20:11	217	Canterbury Drive		07446	Alarm system sounded due to malfunction	0.0
07/12/2024	02480	2024-000250	07:44	112	Route 17 North		07446	Smoke detector activation, no fire - unintentional	0.0
07/12/2024	02480	2024-000251	17:40	575	Darlington Avenue		07446	Alarm system sounded due to malfunction	0.0
07/12/2024	02480	2024-000252	17:46	238	South Central Avenue		07446	Alarm system sounded due to malfunction	0.0
07/13/2024	02480	2024-000253	09:01	141	Prince Street	327	07446	Smoke or odor removal	0.0
07/13/2024	02480	2024-000254	12:47	238	South Central Avenue		07446	False alarm or false call, other	0.0
07/15/2024	02480	2024-000255	08:36	118	Sherwood Drive		07446	Detector activation, no fire - unintentional	0.4
07/15/2024	02480	2024-000256	13:30	397	North Central Avenue		07446	Service Call, other	0.2
07/16/2024	02480	2024-000257	10:22	85	Route 17 South		07401-	Carbon monoxide incident	0.0
07/16/2024	02480	2024-000258	20:46	15	Balfour Lane		07446	Smoke detector activation, no fire - unintentional	0.3
07/17/2024	02480	2024-000259	02:30	101	Williams Drive		07446	Smoke detector activation due to malfunction	0.0
07/18/2024	02480	2024-000260	22:46	101	Williams Drive		07446	Alarm system sounded due to malfunction	0.0
07/20/2024	02480	2024-000261	07:23	26	Cobblestone Lane		07446	Alarm system sounded due to malfunction	0.0
07/20/2024	02480	2024-000262	10:26	926	Route 17 North		07446	Smoke detector activation, no fire - unintentional	0.0
07/20/2024	02480	2024-000263	19:43	33	North Central Avenue		07446	Smoke detector activation, no fire - unintentional	0.0
07/21/2024	02480	2024-000264	10:29	40	Route 17 North		07446	Smoke or odor removal	0.0
07/21/2024	02480	2024-000265	13:20	20	Spear Road		07446	Sprinkler activation due to malfunction	0.0
07/21/2024	02480	2024-000266	16:00	107	West Main Street		07446	Heat detector activation due to malfunction	0.0
07/22/2024	02480	2024-000267	09:50	1200	Route 17 North		07446	Alarm system sounded due to malfunction	0.0
07/22/2024	02480	2024-000268	15:56	29	Dixon Street		07446	Good intent call, other	0.0
07/23/2024	02480	2024-000269	07:19	85	Route 17 South		07401-	Dispatched & canceled en route	0.0

Date	FDID	Incident#	Alarm	###	Address	Suite	Zip	Type	Lgth
07/23/2024	02480	2024-000270	11:14	79	E Crescent Ave		07401-	Gas leak (natural gas or LPG)	0.0
07/23/2024	02480	2024-000271	15:43	20	Spear Road		07446	Smoke detector activation, no fire - unintentional	0.0
07/23/2024	02480	2024-000272	15:59	33	Church Street		07446	System malfunction, other	0.0
07/24/2024	02480	2024-000273	09:49	85	Route 17 South		07401-	Alarm system sounded due to malfunction	0.0
07/24/2024	02480	2024-000274	11:08	7	Pearl Court		07401-	Odor of Gas - None present	0.0
07/24/2024	02480	2024-000275	12:20	926	Route 17 North		07446	Smoke detector activation, no fire - unintentional	0.0
07/24/2024	02480	2024-000276	17:44	214	Washington Drive		07446	Alarm system sounded due to malfunction	0.0
07/25/2024	02480	2024-000277	12:15	115	Refy Avenue		07446	Odor of Gas - None present	0.0
07/25/2024	02480	2024-000278	17:11	284	North Franklin Turnpike		07446	Alarm system sounded due to malfunction	0.0
07/26/2024	02480	2024-000279	12:05	1	Peachill Court		07446	Smoke detector activation, no fire - unintentional	0.0
07/27/2024	02480	2024-000280	08:58	301	EAST MAIN STREET		07446	Alarm system sounded due to malfunction	0.0
07/28/2024	02480	2024-000281	21:09	842	Route 17 North		07446	Gas leak (natural gas or LPG)	0.0
07/29/2024	02480	2024-000282	09:25	1315	Route 17 South		07446	Smoke detector activation, no fire - unintentional	0.0
08/01/2024	02480	2024-000283	15:22	117	Surrey Court		07446	Carbon monoxide incident	0.0
08/02/2024	02480	2024-000284	17:47	15	Mechanic Street		07446	Carbon monoxide detector activation, no CO	0.3
08/03/2024	02480	2024-000285	11:02	285	Woodland Avenue		07446	Smoke detector activation, no fire - unintentional	0.0
08/03/2024	02480	2024-000286	15:33	5	West Main Street		07446	Good intent call, other	0.0
08/03/2024	02480	2024-000287	16:47	19	Colonial Heights Drive		07446	Unintentional transmission of alarm, other	0.0
08/04/2024	02480	2024-000288	08:15	71	Airmount Avenue		07446	Gas leak (natural gas or LPG)	0.0
08/05/2024	02480	2024-000289	18:37	515	Route 17 South		07446	Electrical wiring/equipment problem, other	0.0
08/06/2024	02480	2024-000290	10:48	240	East Main Street		07446	False alarm or false call, other	0.5
08/06/2024	02480	2024-000291	15:11	321	Elbert Street		07446	Gas leak (natural gas or LPG)	0.0
08/06/2024	02480	2024-000292	15:40	126	FRANKLIN TURNPIKE		07446	Good intent call, other	0.0
08/07/2024	02480	2024-000293	06:03	53	Ramsey Avenue		07446	False alarm or false call, other	0.0
08/07/2024	02480	2024-000294	10:14	162	North Central Avenue		07446	Electrical wiring/equipment problem, other	0.0
08/07/2024	02480	2024-000295	14:27	575	Darlington Avenue		07446	Smoke detector activation, no fire - unintentional	0.0
08/08/2024	02480	2024-000296	14:13	41	Highwood Road		07446	No incident found on arrival at dispatch address	5.0
08/09/2024	02480	2024-000297	08:03	155	Ramview Avenue		07446	Smoke detector activation due to malfunction	0.0
08/10/2024	02480	2024-000298	09:58	426	Airmount Avenue		07446	Unintentional transmission of alarm, other	0.0
08/10/2024	02480	2024-000299	15:59	25	South Central Avenue		07446	Smoke detector activation due to malfunction	0.0
08/10/2024	02480	2024-000300	23:51	19	Beech Street		07446	Smoke detector activation, no fire - unintentional	0.0
08/12/2024	02480	2024-000301	10:09	42	Morton Drive		07446	Smoke detector activation due to malfunction	0.0
08/12/2024	02480	2024-000302	17:01	42	East Oak Street		07446	Carbon monoxide incident	0.0
08/13/2024	02480	2024-000303	17:57	8	Lantern Lane		07446	Fire, other	0.0
08/14/2024	02480	2024-000304	23:59		Route 17 South		07446	Dispatched & canceled en route	0.0
08/15/2024	02480	2024-000305	21:49	37	Arch Street		07446	Smoke scare, odor of smoke	0.0
08/15/2024	02480	2024-000306	22:25	265	N. Central Ave.		07446	Alarm system sounded due to malfunction	0.0
08/18/2024	02480	2024-000307	18:37	74	North Central Avenue	102	07446	Alarm system sounded due to malfunction	0.0
08/18/2024	02480	2024-000308	19:34	145	Sherwood Drive		07446	Carbon monoxide incident	0.0
08/19/2024	02480	2024-000309	17:44	19	Hickory Place		07446	Arcing, shorted electrical equipment	0.0
08/20/2024	02480	2024-000310	03:32	252	West Oak Street		07446	System malfunction, other	0.0
08/22/2024	02480	2024-000311	06:22	54	West Main Street		07446	Motor vehicle accident with injuries	0.0
08/24/2024	02480	2024-000312	20:29	1315	Route 17 South		07446	No incident found on arrival at dispatch address	0.0
08/26/2024	02480	2024-000313	21:04	290	Coventry Court		07446	Alarm system sounded due to malfunction	0.0

Total Number of Incidents: 148
Total Length of Incidents: 44.9 Hours