

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

2300 Dougherty , Bryan Patrol 4203 TW - Town Wide

For Date: 11/25/2024 - Monday

0647	Dougherty , Bryan	Unassigned	4203	TW - Town Wide
0647	Schneider , Donald	Unassigned	4205	TW - Town Wide
0700	Isherwood , Chris	Patrol	4205	TW - Town Wide
0700	Orozco , James	Patrol	4207	TW - Town Wide
0700	Berger , Michael	Patrol	4206	TW - Town Wide
0700	Boyer , Robert	Administrative	4201	TW - Town Wide
0700	Lehner , Stephanie	Investigation	4202	TW - Town Wide
0732	Martire , Nicolette	Unassigned		TW - Town Wide
0735	Isherwood , Chris	Patrol	4208	TW - Town Wide
	Gas/Odometer: --/66428.0			
0736	Berger , Michael	Patrol	4205	TW - Town Wide
	Gas/Odometer: --/94957			
0800	Gerard , Chiricolo	Dispatcher		TW - Town Wide

For Date: 08/25/2024 - Sunday

<u>Call Number</u>	<u>Time</u>	<u>Call Reason</u>	<u>Action</u>	<u>Priority</u>	<u>Duplicate</u>
24-7952	1656	Phone - ALARM, FIRE	False Alarm	1	
	Call Taker:	PJS - Shaffery, Patrick			
	Call Source:	Telephone			
	Location/Address:	17 LINDEN LN			
	Party Entered By:	08/25/2024 1714 PJS - Shaffery, Patrick			
	Involved Party:	WILLIAMS, STEVEN J @ 284 LAFAYETTE ST Apt. #3D - NEW YORK, NY 10012 917-553-8424			
		SSN: DOB: 05/26/1968 Race: W Sex: M			
	ID:	OFC - Z OCEANIC FIRE, COMPANY			
		Disp-16:57:04 Arvd-17:04:18 Clrd-17:07:59			
	ID:	MAT - Traina, Michael			
		Disp-16:58:43 Arvd-16:58:45 Clrd-17:07:57			
	Narrative:	08/25/2024 1659 Shaffery, Patrick			
		ADT SECURITY			
		877-238-7730			
		REPROTING UTILITY ROOM HEAT DETECTOR ACTIVATION AT			
		17 LINDEN LANE			
	Narrative:	08/25/2024 1703 Shaffery, Patrick			
		PO TRAINA ON SCENE SPEAKING WITH THE RESIDENT, ALARM WAS SET			
		OFF IN ERROR. RESPONDING FIRE EQUIPMENT WAS ADVISED.			
	Narrative:	08/25/2024 1703 Shaffery, Patrick			
		FIRE CHIEF 67 ON LOCATION			
	Narrative:	08/25/2024 1703 Shaffery, Patrick			
		ENGINE 2-75 EN ROUTE			
	Narrative:	08/25/2024 1708 Shaffery, Patrick			
		PER FIRE CHIEF 67 CONFIRMED ALARM WAS SET OFF IN ERROR, ALL			
		FIRE EQUIPMENT CAN SECURE			

For Date: 08/27/2024 - Tuesday

24-8030	2348	Phone - FIRE, OTHER	*Investigated	1
	Call Taker:	KCF - Ffrench, Keegan		
	Call Source:	Telephone		
	Location/Address:	1 BELLEVUE AVE		
	Party Entered By:	08/28/2024 0002 KCF - Ffrench, Keegan		
	Modified By:	08/28/2024 0004 KCF - Ffrench, Keegan		
	Calling/Inv. Party:	DEBERNARDIS, LORRE A @ 1 BELLEVUE AVE - RUMSON, NJ 07760 732-832-1714		
		SSN: 156509212 DOB: 07/27/1960 Race: W Sex: F		
	ID:	DCM - Morse, Donald		
		Disp-23:49:35 Arvd-23:49:37 Clrd-23:57:04		

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

ID: JCC - Camilleri, James

Disp-23:51:23

Arvd-23:51:24 Clrd-23:57:05

Narrative: 08/27/2024 2352 Ffrench, Keegan

HQ received a call from the attached party reporting a possible transformer blown by 1 Bellevue Ave, caller reported they saw flames for a second, they also reported lose of power for about a min.

Ptl. Morse and Ptl. Camilleri responded

Narrative: 08/27/2024 2356 Ffrench, Keegan

Ptl. Morse reported that it looks like the west wide of Bellevue lost power and to give JCPL a call. Pole #BT1030RN

Narrative: 08/27/2024 2357 Ffrench, Keegan

Ptls will be back in service

Narrative: 08/28/2024 0001 Ffrench, Keegan

JCPL ticket # 357932753

For Date: 08/28/2024 - Wednesday

24-8045	1950	Phone - ALARM, FIRE	Services Rendered 1
Call Taker:	NMM - Martire, Nicolette		
Call Source:	Telephone		
Location/Address:	[42 1094] PIACENTINI RESIDENCE - 21 OAKES RD		
ID:	TJM - Malone, Troy		
	Disp-19:51:22	Arvd-19:52:36	Clrd-19:54:44
ID:	DJC - Campanella, Daniel		
	Disp-19:54:40	Arvd-19:54:41	Clrd-20:11:13
ID:	TJM - Malone, Troy		
	Disp-19:54:45		Clrd-19:59:42
Narrative:	08/28/2024 1953 Martire, Nicolette		
Modified By:	08/29/2024 0525 Campanella, Daniel		
	HQ received a call from Simplisafe regarding a activation for a possible fire alarm 19:48		
	Lt. Campanella responded 19:50		
	Fire Toned 19:51		
	Lt. Campanella on scene 19:52		
	Lt. Campanella spoke to the homeowner, the alarm was set off due to cooking no need for ventilation 19:55		
	Fire Toned 20:01		
	Fire Cancelled 20:09		

For Date: 08/29/2024 - Thursday

24-8059	1005	Phone - ALARM, FIRE	False Alarm	1
Call Taker:	MJM - Morton, Matthew			
Call Source:	Telephone			
Location/Address:	41 SOUTH WARD AVE			
Party Entered By:	08/29/2024 1016 MJM - Morton, Matthew			
Involved Party:	MARO, TOM @ ***UNKNOWN*** - RUMSON, NJ 07760 732-718-3293			
ID:	MAT - Traina, Michael			
	Disp-10:07:03	Arvd-10:10:04	Clrd-10:18:53	
ID:	CTL - Lovgren, Cody			
	Disp-10:11:31	Arvd-10:11:32	Clrd-10:18:52	
Narrative:	08/29/2024 1006 Morton, Matthew			

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Modified By: 08/29/2024 1015 Morton, Matthew

HQ received a call from Bob Malone at 26 Lincoln St reporting at 41 South Ward a audible alarm was going off. Mr. Malone reports the house is vacant

Ptl. Lovgren and S/O Traina responded

S/O Traina reports spoke to homeowner through ring camera advised the home was secure, homeowner responding from lincroft patrols clear

24-8060 1057 Phone - ALARM, FIRE False Alarm 1
Call Taker: MJM - Morton, Matthew
Call Source: Telephone
Location/Address: 41 SOUTH WARD AVE
ID: MAT - Traina, Michael
Disp-10:59:07 Arvd-11:01:18 Clrd-11:23:32
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-10:59:11 Arvd-11:11:06 Clrd-11:23:29
Narrative: 08/29/2024 1059 Morton, Matthew
Modified By: 08/29/2024 1123 Morton, Matthew

HQ received a call from the homeowner of 41 South Ward Ave stating her fire alarm was going off and does not know why. Patrols were out earlier with a unknown alarm with no access to the home

S/O Traina responded

Fire Toned @ 10:58

42-1-76 in service @ 11:04

42-1-76 on scene @ 11:09

42-2-75 in service @ 11:09

42-66 responding @ 11:10

42-2-90 in service @ 11:11

42-2-75 on scene @ 11:12

42-1-75 responding @ 11:13

42-66 on scene @ 11:13

42-2-90 on scene @ 11:14

42-1-75 on scene @ 11:18

42-66 reports fault detector head 42 is up and ready

24-8068 1929 Phone - ALARM, FIRE False Alarm 1
Call Taker: KCF - Ffrench, Keegan
Call Source: Telephone
Location/Address: 10 BLOSSOM RD
Narrative: 08/29/2024 1931 Ffrench, Keegan
Modified By: 08/29/2024 1936 Ffrench, Keegan

HQ received a call from Central Station reporting a residential fire alarm activation at 10 Blossom Rd.

HQ also received a call from 42-66 regarding this alarm activation, said it was his friends house and it was just them cooking in the kitchen, everything is ok so no need to dispatch anyone.

24-8073 2032 Phone - ALARM, FIRE Building Checked/Secured 1

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Call Taker: KCF - Ffrench, Keegan
Call Source: Telephone
Location/Address: [42 1678] RED HORSE - 26 RIDGE RD
ID: TJM - Malone, Troy
Disp-20:35:03 Arvd-20:35:05 Clrd-20:47:00
ID: JTO - Orozco, James
Disp-20:35:04 Arvd-20:35:06 Clrd-20:47:00
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-20:46:57 Arvd-20:46:59 Clrd-20:57:37

Narrative: 08/29/2024 2057 Ffrench, Keegan

HQ received a call from Complete Security reporting a commercial fire alarm activation at 26 Ridge Rd (Red Horse).

Ptl. Malone and Ptl. Orozco responded @2030

Fire tone @2032

Ptl. Malone and Ptl. Orozco on scene @2033

Ptl. Orozco reported to update fire that it was set off by the burning of rosemary, everything is 10-4

42-2-90 in service @2038

42-2-90 on scene @2040

Ptl. Orozco reported Ptl. will be clear, the alarm has been set off in error. @2043

42-1-75 checked with HQ to see if they were still needed for the call. @2045

42-2-90 reported fire will be clear from Red Horse, it was a culinary mishap and the alarm has been reset. @2045

HQ advised 42-1-75 that they were not needed as for 42-2-90 just cleared from the scene. @2045

For Date: 08/31/2024 - Saturday

24-8120 0637 Phone - ALARM, FIRE Building Checked/Secured 1

Call Taker: KCF - Ffrench, Keegan
Call Source: Telephone
Location/Address: [42 3] RUMSON COUNTRY CLUB - 163 RUMSON RD
ID: JCC - Camilleri, James
Disp-06:38:14 Arvd-06:43:11 Clrd-06:55:21
ID: DCM - Morse, Donald
Disp-06:38:29 Arvd-06:43:10 Clrd-06:55:22
ID: DJC - Campanella, Daniel
Disp-06:41:55 Arvd-06:46:08 Clrd-07:00:50
ID: JPW - Wrightington, James
Disp-06:52:40 Arvd-06:52:41 Clrd-07:00:33
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-07:00:41 Arvd-07:00:43 Clrd-07:13:20

Narrative: 08/31/2024 0639 Ffrench, Keegan

Modified By: 08/31/2024 0713 Ffrench, Keegan

HQ received a call from Complete Security reporting a commercial fire alarm activation at 163 Rumson Rd.

Ptl. Morse and Ptl. Camilleri responded

Fire tone @06:37

Ptl. Morse and Ptl. Camilleri on scene @06:43

Ptl. Camilleri reported they will be out by the shooting range @06:45

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

42-2-90 in service @06:45

42-1-75 in service @06:47

Lt. Campanella on scene @06:50

Ptl. Wrightington on scene @06:50

42-2-90 on scene @06:52

42-1-75 on scene @06:56

42-2-90 reported they found the faulty head and tried to reset it, was set off again on accident but silenced, person in charge was notified and they will have a technician come out to check on it, fire will be back in service.

For Date: 09/01/2024 - Sunday

24-8161 2025 Phone - ALARM, FIRE Building Checked/Secured 1

Call Taker: KCF - Ffrench, Keegan

Call Source: Telephone

Location/Address: [42 1180] SCHORR RESIDENCE - 70 WASHINGTON ST

ID: DCM - Morse, Donald

Disp-20:26:48

Arvd-20:31:19 Clrd-20:32:14

ID: JCC - Camilleri, James

Disp-20:26:49

Arvd-20:31:20 Clrd-20:32:13

ID: RFC - Z

RUMSON FIRE, COMPANY

Disp-20:32:10

Arvd-20:32:12 Clrd-20:39:46

Narrative: 09/01/2024 2039 Ffrench, Keegan

HQ received a call from ADT security reporting a residential fire alarm activation at 70 Washington St, area of activation is zone 1, homeowner has not been contacted yet.

Ptl. Morse and Ptl. Camilleri responded

Fire tone @20:26

HQ received another call from ADT security reporting they made contact with the homeowner and the alarm was set off on accident when cooking, Ptl. were notified.

Ptl. Morse and Ptl. Camilleri on scene @20:29

42-67 in service @20:29

Ptl. Morse reported that it was set off by burnt food, no need for ventilation.

Ptl. Camilleri reported Ptl. will be back in service
@20:31

42-67 reported that HQ can put out cancel tones @20:31

Cancel fire tone @20:31

For Date: 09/03/2024 - Tuesday

24-8223 1717 Phone - ALARM, FIRE Canceled In Route 1

Call Taker: GC - Gerard, Chiricolo

Call Source: Telephone

Location/Address: [42 1742] ST. GEORGE'S BY THE RIVER - 7 LINCOLN AVE

ID: BMC - Costa, Brooke

Disp-17:20:32

Arvd-17:20:34 Clrd-17:26:51

ID: RMT - Torres, Richard

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Arvd-17:25:34 Clrd-17:25:37

Dispatched By: RMT - Torres, Richard
Arrived By: RMT - Torres, Richard
Cleared By: RMT - Torres, Richard
Vehicle Entered By: 09/03/2024 1737 GC - Gerard, Chiricolo
Vehicle: SIL 2021 MERZ MV MET Reg: CO NJ XKTZ36 VIN: W1YV0BEYOM3867351
Narrative: 09/03/2024 1731 Gerard, Chiricolo
Modified By: 09/03/2024 1732 Gerard, Chiricolo

HQ received a call from Complete Security stating a commercial fire alarm is going off at St. Georges by the River. @17:11

Ptl Costa in service @17:12

Fire toned @17:13

Ptl Costa on location @17:14

HQ received another call from Complete Security requesting to cancel the fire alarm. @17:14

Ptl Costa stated that complete security is testing the alarms at the church. @17:15

42-67 Checks in and HQ advised him of what is happening, and he stated he saw the complete the security van outside the church and advised HQ to cancel. @17:23

Cancel Fire Toned @17:24

Ptl Costa clears @17:25

24-8226 1920 911 - FIRE, OTHER *Investigated 1
Call Taker: GC - Gerard, Chiricolo
Call Source: 911
Call Closed By: PJS - Shaffery, Patrick 09/03/2024 2006
Call Modified By: PJS - Shaffery, Patrick
Location/Address: 13 FORREST AVE
Party Entered By: 09/03/2024 1926 GC - Gerard, Chiricolo
Calling/Inv. Party: CAREY, CHARLOTTE @ 13 FORREST AVE - RUMSON, NJ 07760 609-658-5334
ID: JTO - Orozco, James
Disp-19:22:38 Arvd-19:22:39 Clrd-20:02:45
Cleared By: PJS - Shaffery, Patrick
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-19:23:49 Arvd-19:25:08 Clrd-20:06:16
Cleared By: PJS - Shaffery, Patrick
Narrative: 09/03/2024 1935 Gerard, Chiricolo
Modified By: 09/03/2024 1936 Gerard, Chiricolo

HQ received a call from MCRR stating that the attached individual from 13 Forrest Ave stated that her house was smelling like its burning. @19:18

Ptl Orozco in service @19:18

Fire toned @19:19

Ptl Orozco on location @19:20

42-67 on location and stated that it was a two story woodframe, no smoke from the exterior @19:21

4-2-90 in service @19:24

42-67 states that it is a odor smell in the house. @ 19:26

4-2-90 on location @19:27

4-1-75 in service @19:28

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

42-1-75 on location @19:31

42-1-76 in service @19:35

Narrative: 09/03/2024 1939 Shaffery, Patrick
1-76 ENGINE ON LOCATION

Narrative: 09/03/2024 2006 Shaffery, Patrick
PER FIRE CHIEF CREWS HAD CHECK THE HOUSE, ADVISING THE HOME
OWNER TO CONTACT THEIR HVAC FOR SERVICE ON THE AC SYSTEM.
FIRE DEPT CLEARING FROM THE SCENE

For Date: 09/06/2024 - Friday

24-8298 0559 Phone - ALARM, FIRE False Alarm 1

Call Taker: MJM - Morton, Matthew

Call Source: Telephone

Location/Address: 10 CIRCLE DR

ID: RFC - Z RUMSON FIRE, COMPANY

Disp-06:03:15 Arvd-06:08:06 Clrd-06:31:28

Narrative: 09/06/2024 0601 Morton, Matthew

Modified By: 09/06/2024 0630 Morton, Matthew

HQ received a call from MCRR with a transfer from resident
of 10 Circle Dr stating her fire alarm was set off unknown
reason, No smoke or fire seen advised to evacuate

Fire toned @ 06:01

42-66 responding @ 06:02

42-66 on scene 2 story woodframe nothing evident side alpha,
66 has command @ 06:07

42-66 reports will hold with himself on scene, Faulty Alarm
trying to reset @ 06:18

42-66 reports alarm still in trouble and sounding, advised
to contact alarm company

For Date: 09/07/2024 - Saturday

24-8331 0321 Phone - ALARM, CARBON MONOXIDE Unfounded 1

Call Taker: GC - Gerard, Chiricolo

Call Source: Telephone

Location/Address: [42 1753] TINO'S ARTISAN PIZZA - 44 WEST RIVER RD

Party Entered By: 09/07/2024 0328 GC - Gerard, Chiricolo

Calling Party: JOHNSON, KYLIE @ 44 WEST RIVER RD - RUMSON, NJ 07760 973-270-1586

Sex: F

ID: JTO - Orozco, James

Disp-03:23:05 Arvd-03:23:08 Clrd-03:33:46

ID: TJM - Malone, Troy

Disp-03:23:06 Arvd-03:26:00 Clrd-03:33:45

ID: RFC - Z RUMSON FIRE, COMPANY

Disp-03:31:03 Arvd-03:31:05 Clrd-03:34:45

Narrative: 09/07/2024 0327 Gerard, Chiricolo

Modified By: 09/07/2024 0334 Gerard, Chiricolo

HQ received a call from the attached individual stating that
her CO alarm went off. She tried to call fire first but then
contacted HQ, and she advised to get out of her house.
@03:20

Ptl Malone and Orozco in service @3:21

FIRE Toned @3:22

Ptl Orozco on location @3:22

Ptl Malone on location @03:26

42-67 In Service @03:26

42-67 on location @03:27

42-67 reports that there are no signs of CO and that it is a malfunction. 67 Clears @03:34

Ptl Orozco states that Patrol is clear, source of alarm unknown @03:34

For Date: 09/10/2024 - Tuesday

24-8422	0701	Phone - FIRE, OTHER	No Action Required	1
Call Taker:	PJS - Shaffery, Patrick			
Call Source:	Telephone			
Location/Address:	[43] 5 ISLAND VIEW WAY Apt. #22			
ID:	RFC - Z	RUMSON FIRE, COMPANY		
	Disp-07:03:58		Clrd-07:06:26	
ID:	OFC - Z	OCEANIC FIRE, COMPANY		
	Disp-07:04:14		Clrd-07:06:24	
Narrative:	09/10/2024 0703 Shaffery, Patrick			
	SEA BRIGHT REQUESTING AN ENGINE AT 5 ISLAND VIEW WAY UNIT 22			
	FOR AN OVEN FIRE. RUMSON FD TONED OUT			
Narrative:	09/10/2024 0706 Shaffery, Patrick			
Modified By:	09/10/2024 0707 Shaffery, Patrick			
	SEA BRIGHT ADVISING TO CANCEL ENGINE REQUEST. RUMSON FD WAS NOTIFIED			

24-8426	0947	Phone - ALARM, FIRE	False Alarm	1
Call Taker:	MJM - Morton, Matthew			
Call Source:	Telephone			
Location/Address:	[42 659] HOVNANIAN RESIDENCE - 29 WARD AVE			
Narrative:	09/10/2024 0949 Morton, Matthew			
Modified By:	09/10/2024 0952 Morton, Matthew			
	HQ received a call from the alarm company of 29 Ward Ave reporting fire alarm activation on first floor zone 18 no contact made			
	Fire Toned @ 09:49			
	Alarm Company called back stating spoke to a chris who gave proper passcode for false alarm. FD updated			
	42-1-75 responding @ 09:51			
	42-1-70 reports cancel response @ 09:52			

24-8429	1304	Phone - ALARM, FIRE	False Alarm	1
Call Taker:	MJM - Morton, Matthew			

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Call Source: Telephone
Location/Address: [42 1386] RG REALTY - 17 OYSTER BAY DR
ID: DJC - Campanella, Daniel
Disp-13:05:53 Arvd-13:10:34 Clrd-13:37:03
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-13:06:33 Arvd-13:37:23 Clrd-13:37:24
ID: DES - Schneider, Donald
Disp-13:10:08 Enrt-13:10:09 Arvd-13:14:13 Clrd-13:37:02
Dispatched By: DES - Schneider, Donald
Enroute By: DES - Schneider, Donald
Narrative: 09/10/2024 1305 Morton, Matthew
Modified By: 09/10/2024 1337 Morton, Matthew

HQ received a call from the alarm company of 17 Oyster Bay
Dr reporting fire alarm activation from General Zone, No
contact made

Lt. Campanella responded

Fire toned @ 13:05

Ave of two between Rumson and Shrewsbury detour, need to go
down Oyster Bay

Gate Code 1222

42-1-76 in service @ 13:11

42-2-75 in service @ 13:13

42-1-98 in service @ 13:14

42-1-76 on scene @ 13:17

42-1-98 and 2-75 on scene @ 13:19

Lt. Campanella reports mother set off alarm due to burnt
popcorn, Minor Smoke condition no fire

FD ventilated house 42 clear

For Date: 09/15/2024 - Sunday

24-8564 1203 Phone - ALARM, CARBON MONOXIDE Building Checked/Secured 1

Call Taker: KCF - Ffrench, Keegan
Call Source: Telephone
Location/Address: [42 1546] RIDGEWAY - 56 BLACKPOINT RD
ID: DES - Schneider, Donald
Disp-12:04:16 Arvd-12:06:00 Clrd-12:21:43
ID: DJC - Campanella, Daniel
Disp-12:04:17 Arvd-12:05:59 Clrd-12:12:18
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-12:16:21 Arvd-12:16:23 Clrd-12:21:44
Narrative: 09/15/2024 1221 Ffrench, Keegan

HQ received a call from the homeowner at 56 Blackpoint Rd
reporting that their carbon monoxide alarm is going off,
caller is away out of state but his 17yo son is home and the
one reporting the alarm.

Lt. Campanella and Sgt. Schneider responded

Fire tone @12:03

42-67 in service @12:05

Lt. Campanella and Sgt. Schneider on scene @12:05

42-67 on scene @12:07

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

42-2-90 in service @12:08

42-1-98 in service @12:09

42-1-98 on scene @12:12

42-67 advised HQ that it was a leak in the water heater and the son was told to contact their parents, Fire will be back in service. @12:16

For Date: 09/16/2024 - Monday

24-8601 1752 Alarm - ALARM, FIRE False Alarm 1
Call Taker: NMM - Martire, Nicolette
Call Source: Alarm System
Location/Address: [42 1080] MARINO RESIDENCE - 16 NORTH CHERRY LN
ID: JTO - Orozco, James
Disp-17:53:35 Arvd-17:58:05 Clrd-18:03:09
ID: MVB - Berger, Michael
Disp-17:58:04 Arvd-18:03:07 Clrd-18:03:10
Narrative: 09/16/2024 1755 Martire, Nicolette
Modified By: 09/16/2024 1806 Martire, Nicolette
HQ received a call from Shea Communications INC for a fire alarm activation at 16 N Cherry Lane 17:49

ptl. Orozco responding 17:50

FIRE toned 17:52

Ptl. Orozco on scene 17:55

Ptl. Orozco reports the alarm was activated due to cooking, and to update fire on negative on ventilation 17:59

42-1-75 received 17:59

Ptl. Orozco reports clear 18:00

Fire canceled 18:01

For Date: 09/17/2024 - Tuesday

24-8623 1353 911 - FIRE, OTHER Unfounded 1
Call Taker: PJS - Shaffery, Patrick
Call Source: 911
Location/Address: [42 215] KARAGIANAKIS RESIDENCE - 62 BUENA VISTA AVE
Party Entered By: 09/17/2024 1419 PJS - Shaffery, Patrick
Calling/Inv. Party: GOLDBERG, NICOLE M @ 62 BUENA VISTA AVE - RUMSON, NJ 07760-1232
SSN: 101701395 DOB: 03/22/1986 Race: W Sex: F
ID: JTO - Orozco, James
Disp-13:55:03 Arvd-13:56:47 Clrd-14:20:06
ID: MVB - Berger, Michael
Disp-13:55:05 Arvd-13:56:48 Clrd-14:24:41
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-13:57:48 Arvd-14:03:08 Clrd-14:24:37
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-14:01:26 Arvd-14:02:09 Clrd-14:24:39
Narrative: 09/17/2024 1356 Shaffery, Patrick
MONMOUTH COUNTY WITH A 9-1-1 FROM 62 BUENA VISTA AVE FOR AN ODOR OF GAS IN THE HOUSE. RESIDENT WAS INSTRUCTED TO TAKE THEMSELVES AND FAMILY OUTSIDE, AWAIT THE FIRE DEPT.

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Narrative: 09/17/2024 1358 Shaffery, Patrick
1-76 & 1-75 ENGINE EN ROUTE

Narrative: 09/17/2024 1359 Shaffery, Patrick
2-75 ENGINE EN ROUTE

Narrative: 09/17/2024 1404 Shaffery, Patrick
1-75 , 1-76 , 2-75 ENGINES ON SCENE

Narrative: 09/17/2024 1420 Shaffery, Patrick
ODOR OF GAS IS UNFOUNDED, AS WELL READINGS ON THE METER

Narrative: 09/17/2024 1424 Shaffery, Patrick
FIRE OFFICER 1-70 REPORTING INTERIOR & EXTERIOR WAS CHECKED,
AND UNFOUNDED. ALL FIRE EQUIPMENT CLEARING RETURNING TO
QUARTERS

24-8635 1816 Phone - ALARM, CARBON MONOXIDE False Alarm 1
Call Taker: PJS - Shaffery, Patrick
Call Source: Telephone
Location/Address: [42 496] EPSTEIN RESIDENCE - 11 OAK TREE LN
ID: JTO - Orozco, James
Disp-18:16:41 Arvd-18:18:22 Clrd-18:24:24
ID: MVB - Berger, Michael
Disp-18:16:43 Arvd-18:18:23 Clrd-18:20:01
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-18:17:45 Clrd-18:23:09
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-18:18:18 Clrd-18:23:07
ID: MVB - Berger, Michael
Disp-18:24:19 Arvd-18:24:21 Clrd-18:24:25
Narrative: 09/17/2024 1819 Shaffery, Patrick
CUSTOM DESIGN SECURITY
800-245-7821
REPORTING CARBON MONOXIDE ALARM ACTIVATION AT
11 OAKTREE LN STAVOLA RESIDENCE

Narrative: 09/17/2024 1819 Shaffery, Patrick
FIRE CHIEF 67 ON LOCATION

Narrative: 09/17/2024 1820 Shaffery, Patrick
PER FIRE CHIEF 67 ALARM WAS SET OFF IN ERROR

Narrative: 09/17/2024 1823 Shaffery, Patrick
ALARM SET OFF IN ERROR BY THE CARETAKER ATTEMPTING TO RESET
THE ALARM PANEL

For Date: 09/18/2024 - Wednesday

24-8650 1313 Initiated - ALARM, FIRE False Alarm 1
Call Taker: NMM - Martire, Nicolette
Call Source: Initiated
Location/Address: [42 59] FORRESTDALE SCHOOL - 60 FORREST AVE
Initiated By: RAB - Boyer, Robert
ID: RAB - Boyer, Robert
Arvd-13:13:00 Clrd-13:18:06
ID: DCM - Morse, Donald
Disp-13:18:11 Arvd-13:18:13 Clrd-13:24:23
Narrative: 09/18/2024 1320 Martire, Nicolette
Modified By: 09/18/2024 1322 Martire, Nicolette
Ptl. Morse performed a fire drill at Forrestdale School
13:08

24-8651 1322 Initiated - ALARM, FIRE False Alarm 1
Call Taker: NMM - Martire, Nicolette

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Location/Address: [42 60] DEANE PORTER SCHOOL - 50 BLACKPOINT RD

Initiated By: DES - Schneider, Donald

ID: DES - Schneider, Donald

Arvd-13:22:00 Clrd-13:25:10

Narrative: 09/18/2024 1323 Martire, Nicolette

Sgt. Schneider performed a fire drill at Deane Porter School. 13:12

For Date: 09/22/2024 - Sunday

24-8773 1426 Phone - FIRE, OTHER Services Rendered 1
Call Taker: PJS - Shaffery, Patrick
Call Source: Telephone
Primary Id: JTO - Orozco, James
Location/Address: 181 RUMSON RD
Party Entered By: 09/22/2024 1431 PJS - Shaffery, Patrick
Calling/Inv. Party: SIWULEC, CYNTHIA A @ 181 RUMSON RD - RUMSON, NJ 07760-1032 917-270-1153
SSN: 150467072 DOB: 11/26/1952 Race: W Sex: F
Party Entered By: 09/22/2024 1436 JRD - Dianora, Joseph
Involved Party: DERYAGIN, ANDREW @ 100 GREENBROOK RD - N.CALDWELL, NJ 07006-4757
SSN: 135927496 DOB: 05/20/1965 Race: U Sex: M
ID: JTO - Orozco, James
Disp-14:27:10 Arvd-14:30:01 Clrd-14:44:09
Cleared By: JRD - Dianora, Joseph
ID: MVB - Berger, Michael
Disp-14:27:14 Arvd-14:29:06 Clrd-14:44:10
Cleared By: JRD - Dianora, Joseph
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-14:27:38 Arvd-14:42:20 Clrd-14:49:49
Vehicle Entered By: 09/22/2024 1435 PJS - Shaffery, Patrick
Vehicle: BLK 2015 4D TUC Reg: PC NJ YFN96L VIN: KM8JUCAG3FU115128
Operator: DERYAGIN, ANDREW @ 100 GREENBROOK RD - N.CALDWELL, NJ 07006-4757
SSN: 135927496 DOB: 05/20/1965 Race: U Sex: M OLN: NJ D27860420005656
Owner: DERYAGIN, ANDREW @ 100 GREENBROOK RD - N.CALDWELL, NJ 07006-4757
SSN: 135927496 DOB: 05/20/1965 Race: U Sex: M OLN: NJ D27860420005656
Narrative: 09/22/2024 1429 Shaffery, Patrick
Modified By: 09/22/2024 1438 Shaffery, Patrick
RESIDENT REPORTING CAR FIRE IN THE BACK DRIVEWAY
181 RUMSON ROAD
ENGINE 1-75 1-76 EN ROUTE

Narrative: 09/22/2024 1430 Shaffery, Patrick
ENGINE 2-75 EN ROUTE

Narrative: 09/22/2024 1445 Shaffery, Patrick
09/22/2024 1433 Shaffery, Patrick
1-75 & 1-76 CHIEF 67 ON LOCATION

Narrative: 09/22/2024 1447 Shaffery, Patrick
Modified By: 09/22/2024 1448 Shaffery, Patrick
FIRE WAS EXTINGUISHED UPON ARRIVAL , CAUSE WAS A CHARGER
MALFUNCTION THAT WAS ATTACHED TO THE BATTERY

Refer To Incident: 24-8773-OF

For Date: 09/25/2024 - Wednesday

24-8882 1536 Phone - ALARM, FIRE False Alarm 1
Call Taker: PJS - Shaffery, Patrick
Call Source: Telephone
Location/Address: 33 PARK AVE
ID: TJM - Malone, Troy
Disp-15:36:59 Arvd-15:37:53 Clrd-15:54:00
ID: MVB - Berger, Michael
Disp-15:37:01 Arvd-15:38:01 Clrd-15:53:59
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-15:37:12 Clrd-15:43:30
ID: RFC - Z RUMSON FIRE, COMPANY

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Disp-15:37:29 Enrt-15:41:45 Arvd-15:43:27 Clrd-16:12:50

Narrative: 09/25/2024 1538 Shaffery, Patrick

SHEA COMMUNICATIONS

800-434-4000

REFERENCE # 7661403

REPORTING FIRE ALARM ACTIVATION AT

33 PARK AVE

Narrative: 09/25/2024 1542 Shaffery, Patrick

Modified By: 09/25/2024 1545 Shaffery, Patrick

ACTIVATION WAS DUE TO STEAM FROM THE SHOWER IN THE BATHROOM

FIRE DEPT WAS UPDATED

Narrative: 09/25/2024 1543 Shaffery, Patrick

2-90 LADDER ON SCENE

2-68 HAS COMMAND

24-8890 2035 Phone - ALARM, FIRE Building Checked/Secured 1

Call Taker: KCF - Ffrench, Keegan

Call Source: Telephone

Location/Address: 10 BUTTONWOOD EAST LN

ID: MAT - Traina, Michael

Disp-20:37:30

Arvd-20:39:59 Clrd-20:47:38

Narrative: 09/25/2024 2039 Ffrench, Keegan

Modified By: 09/25/2024 2054 Ffrench, Keegan

HQ received a call from ADT security reporting a residential fire alarm activation at 10 Buttonwood Ln East, area of activation is the main hallway.

S/O traina responding

FIRE tone @20:33

The alarm company called back to inform HQ that they made contact with the keyholder and it was just steam from the shower. Ptl's were notified. @20:33

42-67 responding @20:38

42-67 was advised on the situation of the call, said to hold off on cancel tones until a Ptl is on scene. @20:39

S/O Traina on scene @20:39

S/O Traina reported that everything is 10-4 and it was just water coming through the fire alarm. @20:40

42-67 was notified and said to send out cancel tones @20:41

FIRE cancel tone @20:43

For Date: 09/26/2024 - Thursday

24-8915 1203 Phone - ALARM, FIRE False Alarm 1

Call Taker: JRD - Dianora, Joseph

Call Source: Telephone

Call Closed By: PJS - Shaffery, Patrick 09/26/2024 1212

Call Modified By: PJS - Shaffery, Patrick

Location/Address: 3 OAK TREE LN

ID: TJM - Malone, Troy

Disp-12:05:41 Enrt-12:05:48 Arvd-12:08:00 Clrd-12:11:00

Dispatched By: PJS - Shaffery, Patrick

Enroute By: PJS - Shaffery, Patrick

Arrived By: PJS - Shaffery, Patrick

Cleared By: PJS - Shaffery, Patrick

ID: JRS - Strohmenger, Joseph

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Disp-12:05:43 Enrt-12:05:47 Arvd-12:08:09 Clrd-12:10:58
Dispatched By: PJS - Shaffery, Patrick
Enroute By: PJS - Shaffery, Patrick
Arrived By: PJS - Shaffery, Patrick
Cleared By: PJS - Shaffery, Patrick
ID: OFC - Z OCEANIC FIRE, COMPANY

Disp-12:06:24 Arvd-12:09:21 Clrd-12:12:37
Dispatched By: PJS - Shaffery, Patrick
Arrived By: PJS - Shaffery, Patrick
Cleared By: PJS - Shaffery, Patrick
ID: RFC - Z RUMSON FIRE, COMPANY

Disp-12:06:42 Arvd-12:09:20 Clrd-12:12:35
Dispatched By: PJS - Shaffery, Patrick
Arrived By: PJS - Shaffery, Patrick
Cleared By: PJS - Shaffery, Patrick
Narrative: 09/26/2024 1205 Dianora, Joseph
Modified By: 09/26/2024 1207 Dianora, Joseph

HQ recieved an alarm that the CO and Fire alarm are on.
Alarm is alerted to the first floor.

Narrative: 09/26/2024 1205 Dianora, Joseph
Fire toned out - 1205

Narrative: 09/26/2024 1208 Dianora, Joseph
Ptl. Strohmenger and Ptl. Malone enroute to scene 12:04

Narrative: 09/26/2024 1208 Dianora, Joseph
Ptl. Strohmenger and Ptl. Malone on scene 12:08

Narrative: 09/26/2024 1208 Shaffery, Patrick
Modified By: 09/26/2024 1209 Shaffery, Patrick
CHIEF 66 ON LOCATION

Narrative: 09/26/2024 1209 Dianora, Joseph
4266 on scene 12:09

Narrative: 09/26/2024 1211 Dianora, Joseph
HQ was advised to cancel fire, alarm set off by culinary
misshap. 12:10

Narrative: 09/26/2024 1212 Dianora, Joseph
Ptl. Strohmenger and Ptl. Malone clear 12:09

For Date: 09/27/2024 - Friday

24-8939 0750 Walk-In - FIRE, OTHER Services Rendered 1
Call Taker: KCF - Ffrench, Keegan
Call Source: Walk-In
Location/Address: [42 937] RUMSON POLICE DEPARTMENT - 80 EAST RIVER RD
Lat: +040.37591 Lon: -074.00214
Party Entered By: 09/27/2024 0757 KCF - Ffrench, Keegan
Involved Party: CRUMLISH, ANDREW C @ 1610 BARKALOW RD - WALL, NJ 07719-3843
SSN: 146138427 DOB: 10/15/2003 Race: U Sex: M
Party Entered By: 09/27/2024 0758 KCF - Ffrench, Keegan
Involved Party: LECOMTE, MATTHEW J @ 729 BAYVIEW AVE - UNION BEACH, NJ 07735-3140
SSN: 135864327 DOB: 12/06/1988 Race: U Sex: M
ID: DCM - Morse, Donald
Disp-07:55:34 Arvd-07:55:35 Clrd-08:43:03
Narrative: 09/27/2024 0755 Ffrench, Keegan
Modified By: 09/27/2024 0756 Ffrench, Keegan
The two attached parties came into HQ saying they are with
(Birsh?) to test the fire sprinklers and alarms.
Ptl. Morse assisted

24-8949 1409 Phone - ALARM, FIRE Services Rendered 1
Call Taker: KCF - Ffrench, Keegan

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Call Closed By: JRD - Dianora, Joseph 09/27/2024 1427
Call Modified By: JRD - Dianora, Joseph
Location/Address: 9 NORTH WARD AVE
Party Entered By: 09/27/2024 1421 JRD - Dianora, Joseph
Involved Party: MORAN, SEAN P @ 9 NORTH WARD AVE - RUMSON, NJ 07760-1828
SSN: 037443696 DOB: 11/01/1965 Race: W Sex: M

ID: JRS - Strohmenger, Joseph
Disp-14:09:55 Arvd-14:13:27 Clrd-14:22:07
ID: DCM - Morse, Donald
Disp-14:09:56 Arvd-14:16:58 Clrd-14:22:06
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-14:14:25 Arvd-14:17:36 Clrd-14:27:31

Cleared By: JRD - Dianora, Joseph
Narrative: 09/27/2024 1411 Ffrench, Keegan
Modified By: 09/27/2024 1427 Dianora, Joseph

HQ received a call from Central Station reporting a residential fire alarm activation at 9 N Ward Ave, area of activation is the upstairs and downstairs hallways.

Ptl. Morse and Ptl. Strohmenger responded

Fire tone @14:10

Ptl. Strohmenger on scene 14:13

42-2-75 in service 14:14

Ptl. Morse on location 14:16

42-2-75 on location 14:16

42-2-66 on location 14:17

Ptl. Morse and Ptl. Stohmenger clear 14:22

Fire advised HQ that everything was 10-4 / Fire clear and back in service

24-8951 1441 Phone - ALARM, CARBON MONOXIDE Services Rendered 1

Call Taker: JRD - Dianora, Joseph
Call Source: Telephone
Location/Address: [42 1045] LEE RESIDENCE - 187 RUMSON RD
ID: DCM - Morse, Donald
Disp-14:42:56 Arvd-14:48:24 Clrd-14:51:40
Dispatched By: KCF - Ffrench, Keegan
Arrived By: KCF - Ffrench, Keegan
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-14:47:51 Clrd-14:51:44
Dispatched By: KCF - Ffrench, Keegan
Narrative: 09/27/2024 1443 Dianora, Joseph
Modified By: 09/27/2024 1454 Ffrench, Keegan

HQ recieved a call from State Wide Alarm Company advising us that a CO alarm went off at 187 Rumson Rd, area of activation is the basement and first floor.

Ptl. Morse enroute 14:41

Fire tones sent out at 14:42

42-2-75 in service 14:47

Ptl. Morse on location 14:50

Ptl. Morse adivsed HQ to cancel Fire and that the alarm was set off in error by homeowner according to 42-66. Everything is 10-4.42-2-75 was notified of the cancelation

24-8958 1735 Phone - FIRE, OTHER Services Rendered 1

Call Taker: JRD - Dianora, Joseph

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Call Source: Telephone
Vicinity of: 151 RIDGE RD @ 1 FAIR HAVEN RD
Party Entered By: 09/27/2024 1739 JRD - Dianora, Joseph
Calling Party: ESPOSITO, LEE @ ***UNKNOWN*** - RUMSON, NJ 07760 516-782-6433
Sex: F
ID: JRS - Strohmenger, Joseph
Disp-17:37:24 Arvd-17:41:06 Clrd-17:51:34
ID: DCM - Morse, Donald
Disp-17:37:24 Arvd-17:44:49 Clrd-17:51:35
Narrative: 09/27/2024 1737 Dianora, Joseph
Modified By: 09/27/2024 1751 Dianora, Joseph

HQ recieved a call from Mrs. Esposito regaurding a fire on the intersection of Ridge Rd and Fair Haven Rd

Ptl. Morse & Ptl. Strohmenger enroute 17:37

Fire was casued from a bluetooth speaker, Fair Haven Police and Fire are on location

Ptl. Morse and Ptl. Strohmenger clear 17:48

Narrative: 09/27/2024 1741 Dianora, Joseph
Modified By: 09/27/2024 1742 Dianora, Joseph
Ptl. Strohmenger on location 17:39, HQ was advised Fair Haven is already on location. Ptl. Strohmenger is assiting

For Date: 09/28/2024 - Saturday

24-8985 1849 Phone - ALARM, FIRE False Alarm 1
Call Taker: GC - Gerard, Chiricolo
Call Source: Telephone
Location/Address: [42 1493] DIAMOND RESIDENCE - 18 SHERATON LN
Party Entered By: 09/28/2024 1856 JRD - Dianora, Joseph
Involved Party: DIAMOND, FAITH @ 18 SHERATON LN - RUMSON, NJ 07760 301-370-4948
ID: JPW - Wrightington, James
Disp-18:49:39 Arvd-18:53:58 Clrd-19:00:40
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-18:56:16 Arvd-18:58:39 Clrd-19:00:39
ID: DES - Schneider, Donald
Arvd-18:56:55 Clrd-19:00:38
Dispatched By: DES - Schneider, Donald
Arrived By: DES - Schneider, Donald
Cleared By: DES - Schneider, Donald
Narrative: 09/28/2024 1900 Gerard, Chiricolo
Modified By: 09/28/2024 1902 Gerard, Chiricolo

HQ received a call from Monitor Central for a residential fire alarm going off at 18 Sheraton Ln in zone 7. @18:47

Sgt. Schneider and Ptl. Wrightington in serivce @18:48

Fire toned @18:49

42-67 In service @18:50

Ptl. Wrightington on location @18:50

Sgt. Schneider on loation @18:51

42-290 in service @18:54

42-67 On location @18:57

42-67 advised HQ to cancel as alarm was set off due to cooking @18:59

HQ cancelled fire as 42-290 was 10-9 @19:00

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

For Date: 09/29/2024 - Sunday

24-9008 1748 Phone - ALARM, FIRE Services Rendered 1

Call Taker: PJS - Shaffery, Patrick
Call Source: Telephone
Call Closed By: JRD - Dianora, Joseph 09/29/2024 1804
Call Modified By: JRD - Dianora, Joseph
Location/Address: [42 1080] MARINO RESIDENCE - 16 NORTH CHERRY LN
ID: DJC - Campanella, Daniel
Disp-17:55:13 Arvd-17:59:42 Clrd-18:04:11
Dispatched By: JRD - Dianora, Joseph
Arrived By: JRD - Dianora, Joseph
Cleared By: JRD - Dianora, Joseph
Narrative: 09/29/2024 1752 Dianora, Joseph
Modified By: 09/29/2024 1804 Dianora, Joseph

HQ recieved a call from Shay Communications regaurding a
smoke alarm at 16 N. Cherry Ln | No "zone" for alarm

Fire toned 17:47

Lt. Campanella enroute to N. Cherry Ln 17:55

2nd Fire tone 17:55

42-2-75 in service & enroute 17:59

Lt. Campanella arrived on scene 17:59

42-2-75 arrived on scene 18:01

Lt. Campanella clear 18:03

42-2-75 clear, alarm set off to culinary misshap 18:03

Narrative: 09/29/2024 1802 Shaffery, Patrick
75 ENGINE ON SCENE

Narrative: 09/29/2024 1804 Shaffery, Patrick
SET OFF BY CULINARY MISHAP

24-9009 1748 Phone - ALARM, FIRE Services Rendered 1

Call Taker: JRD - Dianora, Joseph
Call Source: Telephone
Call Closed By: PJS - Shaffery, Patrick 09/29/2024 1751
Call Modified By: PJS - Shaffery, Patrick
Location/Address: [42 1080] MARINO RESIDENCE - 16 NORTH CHERRY LN
Narrative: 09/29/2024 1749 Dianora, Joseph
Modified By: 09/29/2024 1853 Dianora, Joseph
Refer to case # 24-9008

For Date: 09/30/2024 - Monday

24-9054 2252 Phone - ALARM, FIRE False Alarm 1

Call Taker: MJM - Morton, Matthew
Call Source: Telephone
Location/Address: [42 1300] MILLER RESIDENCE - 58 BUENA VISTA AVE
ID: RMT - Torres, Richard
Disp-22:53:18 Arvd-22:56:28 Clrd-23:00:24
Arrived By: RMT - Torres, Richard
ID: MAT - Traina, Michael
Disp-22:53:19 Arvd-22:55:47 Clrd-23:00:25
Narrative: 09/30/2024 2254 Morton, Matthew
Modified By: 09/30/2024 2300 Morton, Matthew

HQ received a call from the alarm company of 58 Buena Vista
Ave reporting activation from the 2nd Floor Smoke Detector,
No contact was made.

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Sgt. Torres and S/O Traina responded

Fire toned @ 22:52

Alarm company called back stating they made contact with a Mark on Location who gave proper passcode reporting false alarm, Patrols updated

42-2-90 responding @ 22:58

S/O Traina reports set off due to faulty detector and to update fire

42-2-90 advised of update from patrol and reports they will take a cancel @ 23:00

For Date: 10/01/2024 - Tuesday

24-9087 2114 Phone - ALARM, FIRE Services Rendered 1

Call Taker: GC - Gerard, Chiricolo

Call Source: Telephone

Location/Address: [42 333] UNIDICI'S RESTAURANT - 11 WEST RIVER RD

ID: MAT - Traina, Michael

Disp-21:16:11

Arvd-21:18:39 Clrd-21:32:18

ID: BMC - Costa, Brooke

Disp-21:16:13

Arvd-21:18:40 Clrd-21:32:19

Narrative: 10/01/2024 2124 Gerard, Chiricolo

Modified By: 10/01/2024 2145 Gerard, Chiricolo

HQ received a call from Landmark Security Alarm Company Inc. (Operator ID: 1-9785) with a Commerical Fire alarm going off at Unidici's resturant. General smoke dectector. @21:13

Ptl. Costa and S/O Traina in service @21:14

Fire toned @21:15

42-66 In service @21:16

Ptl. Costa and S/O Traina on location @21:18

42-66 On Location, states two story building, nothing showing from exterior, will investigate inside. @21:20

42-2-90 In Service @21:20

42-2-90 on location @21:23

42-66 reports reset of the alarm, fire will clear and be available. @21:29

Ptl. Costa reports patrol will clear @21:32

For Date: 10/03/2024 - Thursday

24-9133 0748 911 - ALARM, FIRE Services Rendered 1

Call Taker: JRD - Dianora, Joseph

Call Source: 911

Location/Address: 5 LAKESIDE AVE

ID: DJC - Campanella, Daniel

Disp-07:50:17

Arvd-07:52:14 Clrd-08:01:40

ID: JRS - Strohmenger, Joseph

Disp-07:50:18

Arvd-07:52:14 Clrd-08:01:39

Narrative: 10/03/2024 0753 Dianora, Joseph

Modified By: 10/03/2024 0801 Dianora, Joseph

HQ recieved a call from County regaurding a fire alarm at 5 Lakeside Ave, caller said there was no smoke or fire.

Fire clear @ 08:01

24-9155	0221	Phone - ALARM, CARBON MONOXIDE	Services Rendered 1
---------	------	--------------------------------	---------------------

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Call Taker: GC - Gerard, Chiricolo
Call Source: Telephone
Location/Address: [42 1701] 4 POMPANO - 4 POMPANO DR
Party Entered By: 10/04/2024 0223 GC - Gerard, Chiricolo
Modified By: 10/04/2024 1755 NMM - Martire, Nicolette
Calling Party: MEMMOTT, DEBORAH @ 4 POMPANO DR - RUMSON, NJ 07760 917-886-0561
SSN: 256905921 DOB: 02/09/1969 Race: W Sex: F
ID: JPW - Wrightington, James
Disp-02:22:44 Arvd-02:24:56 Clrd-03:49:14
ID: JCC - Camilleri, James
Disp-02:35:46 Arvd-02:38:10 Clrd-03:49:15
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-03:42:03 Arvd-03:42:05 Clrd-04:23:26
Narrative: 10/04/2024 0241 Gerard, Chiricolo
Modified By: 10/04/2024 0423 Gerard, Chiricolo

HQ received a call from the homeowner of 4 Pompano Rd
stating her CO Alarm is going off. HQ advised her to get out
of her house and services will be enroute. @02:18

Ptl Wrightington in service @02:19

Fire toned @02:20

Ptl. Wrightington on location @02:23

Second Fire Tone @02:30

42-2-90 will be in service shortly, one more member is en
route to station @02:33

42-2-90 in service @02:37

Ptl. Camilleri on location @02:37

Ptl. Wrightington states 42-2-90 is on location @02:48

Ptl. Camilleri requested HQ to tone out First Aid for Carbon
Monoxide exposure assessment @02:54

EMS Toned @02:55

42-57 reports they are on the ramp will a full crew coming.
Will be in service shortly. @03:00

42-50 reports heading the station to pick up crew and get a
meter for Carbon Monoxide. @03:02

42-2-69 requesting NJ Natural Gas @03:04

42-56 in service @03:07

NJ Natural Gas was contacted, ETA is 15 minutes to 1 Hour
@03:06 Order #1000431409

42-56 on location @03:10

42-2-69 requesting a additional alert for manpower at the
above address. @03:15

Fire Toned and Nixled for Manpower at @03:16

Ptl. Camilleri requested a 2nd Fire Tone and Nixle for
Manpower per fire @03:24

NJ Natural Gas Eta: 15-20 minutes @03:28

42-2-69 requesting 3rd Fire Tone and nixle @03:31

42-56 reports leaving location, RMA, returning to HQ @03:38

Ptl. Wrightington reports NJ Natural Gas on location @03:40

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

42-56 back at HQ @03:43

Ptl. Wrightington reports patrol will be going clear, Fire will remain on scene. They will perform ventilation's and get all the readings down. @03:48

42-2-69 reports the house has been ventilated, homeowner has been advised to have a technician come out and recify the situation, units will clear and be back in service. @04:18

24-9163	0842	911 - FIRE, OTHER	Services Rendered 1
Call Taker:	NMM - Martire, Nicolette		
Call Source:	911		
Location/Address:	[42 1238] LABRECQUE RESIDENCE - 34 RIDGE RD		
ID:	DJC - Campanella, Daniel		
	Disp-08:42:32	Arvd-08:44:52	Clrd-09:06:55
ID:	JTO - Orozco, James		
	Disp-08:44:05	Arvd-08:44:52	Clrd-09:06:55
Narrative:	10/04/2024 0926 Martire, Nicolette		
	HQ received a call from Monmouth County for a potential fire at 24 Ridge Rd, homeowner stated it smells like something is buRning but no alarms activated, they all evacuated the residence 08:40		
	Lt. Campanella Responding 08:40		
	Fired toned 08:41		
	Ptl. Orozco responding 08:44		
	42-66 responding 08:47		
	42-1-76 in service 08:47		
	42-2-90 responding 08:47		
	42-66 on scene 08:48		
	42-1-76 on scene 08:49		
	42-2-75 in service 08:49		
	42-2-75 on location 08:51		
	42-66 reports the crew investigated the entire house no hotter, no smoke, unfounded, homeowner was advised to call the electrician or to call back if the smell persist. 09:05		
	42-66 reports fire department will be clear and available 09:05		
	Ptl. Orozco reports all Ptls will be clear 09:07		
24-9183	2015	Phone - ALARM, FIRE	False Alarm 1
Call Taker:	MJM - Morton, Matthew		
Call Source:	Telephone		
Location/Address:	[42 1152] DONOVAN RESIDENCE - 9 OAK TREE LN		
ID:	MAT - Traina, Michael		
	Disp-20:17:27	Arvd-20:22:07	Clrd-20:32:40
Narrative:	10/04/2024 2017 Morton, Matthew		

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Modified By: 10/04/2024 2032 Morton, Matthew

HQ received a call from the homeowner of 9 Oak Tree Lane reporting her fire alarm was set off from cooking and wanted to alert HQ

HQ received a call from the alarm company of 9 Oak Tree Lane reporting the same as above

Ptl. Lovgren and S/O Traina responded

Fire Toned @ 20:15

S/O Traina reports set off from cooking

42-2-68 responding

42-2-75 responding @ 20:24

42-2-75 on scene @ 20:26

42-2-68 reports alarm reset 42 up and ready

For Date: 10/06/2024 - Sunday

24-9210 0854 Alarm - ALARM, CARBON MONOXIDE Services Rendered 1

Call Taker: NMM - Martire, Nicolette

Call Source: Alarm System

Location/Address: [42 246] MCCARTY RESIDENCE - 16 WILSON CIR

ID: CJI - Isherwood, Chris

Disp-08:54:46

Arvd-08:59:17 Clrd-09:09:03

ID: MVB - Berger, Michael

Disp-08:59:30

Arvd-09:01:00 Clrd-09:09:04

ID: RFC - Z RUMSON FIRE, COMPANY

Disp-09:05:41

Arvd-09:05:42 Clrd-09:20:36

Narrative: 10/06/2024 0856 Martire, Nicolette

Modified By: 10/06/2024 0921 Martire, Nicolette

HQ received a call for a carbon monoxide on the 2nd and 3rd floor of 16 Wilson Circle.

Lt. Isherwood responding 08:53

Fire toned 08:53

Lt. Isherwood on scene 08:56

Sgt. Berger responding 08:59

Lt. Isherwood advised HQ that it was only the 3rd floor due to low battery, and reported no symptoms of carbon monoxide. 09:01

42-67 in service 09:02

42-2-90 in service 09:02

42-2-90 on scene 09:04

Lt. Isherwood and Sgt. Berger report clear 09:07

HQ received another call regarding this address 09:11

42-67 reports a problem with the alarm system, they have done readings in the residence, no detection of CO. 09:15

42-67 reports all units clear, the alarm company will be responding to the residence to resolve the issue. 09:19

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

24-9219 1451 Alarm - ALARM, CARBON MONOXIDE Services Rendered 1
Call Taker: NMM - Martire, Nicolette
Call Source: Alarm System
Location/Address: [42 666] CHERASIA RESIDENCE - 96 WEST RIVER RD
Party Entered By: 10/06/2024 1515 NMM - Martire, Nicolette
Involved Party: CHERASIA, ALEXANDRA F @ 96 WEST RIVER RD - RUMSON, NJ 07760-1139 908-461-1495
SSN: 145863029 DOB: 02/07/1989 Race: W Sex: F
ID: JTO - Orozco, James
Disp-14:52:15 Arvd-14:57:22 Clrd-15:05:17
ID: MVB - Berger, Michael
Disp-14:57:26 Arvd-14:57:27 Clrd-15:05:18
Narrative: 10/06/2024 1506 Martire, Nicolette
Modified By: 10/06/2024 1515 Martire, Nicolette
HQ received a call from Monitoring Center reporting a carbon
monoxide alarm going off at 96 West River Rd, 2nd floor zone
4. 14:48

Ptl. Orozco responding 14:50

Fire toned 14:50

Sgt. Berger and Ptl. Orozco on scene 14:54

Sgt. Berger advised HQ they are testing the systems,
everything is 10-4 and was set off by error. 14:57

42-2-90 in service 14:57

HQ notified fire of the situation 14:57

42-2-90 on scene 15:02

Ptls report clear the alarm was set off by error 15:05

42-2-90 spoke to the homeowner and confirmed they are
testing the system, and were advised to attempt to contact
the alarm company ahead of time, all are clear 15:07

For Date: 10/09/2024 - Wednesday

24-9330 1309 Phone - ALARM, FIRE No Action Required 1
Call Taker: NMM - Martire, Nicolette
Call Source: Telephone
Location/Address: [42 63] RUMSON COUNTRY DAY SCHOOL - 35 BELLEVUE AVE
Narrative: 10/09/2024 1314 Martire, Nicolette
HQ received a call from Rumson Country Day School to report
that they will be conducting a fire drill. Ptls were advised
13:09

24-9331 1314 Phone - ALARM, FIRE No Action Required 1
Call Taker: NMM - Martire, Nicolette
Call Source: Telephone
Location/Address: [42 62] RUMSON FAIR HAVEN REGIONAL HIGH SCHOOL - 74 RIDGE RD
Narrative: 10/09/2024 1315 Martire, Nicolette
HQ received a call from Rumson Fair Haven High School to
report that they will be conducting a fire drill. Ptls were
advised 13:14

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

24-9343 1753 Alarm - ALARM, FIRE Services Rendered 1
Call Taker: NMM - Martire, Nicolette
Call Source: Alarm System
Location/Address: [42 1054] MULHOLLAND RESIDENCE - 15 KEMP AVE
ID: MVB - Berger, Michael
Disp-17:54:44 Arvd-17:54:45 Clrd-18:04:09
Narrative: 10/09/2024 1758 Martire, Nicolette
Modified By: 10/09/2024 1807 Martire, Nicolette
HQ received a call for a fire alarm activation at 15 Kemp Ave, zone 1 smoke detector 17:52

Sgt. Berger responding 17:53

Fire toned 17:53

42-1-76 reports in service 17:55

42-67 in service 17:56

42-1-75 in service 17:56

Sgt. Berger reports 10 -9 17:57

Sgt. Berger reports fire on location 18:00

42-1-75 reports on location 18:00

42-1-76 reports it was caused due to burnt food and to cancel all responding units 18:01

Sgt. Berger reports clear 18:01

For Date: 10/11/2024 - Friday

24-9381 0951 Phone - ALARM, FIRE Services Rendered 1
Call Taker: AMW - White, Anna
Call Source: Telephone
Location/Address: [42 923] WAIN RESIDENCE - 11 BELLEVUE AVE
ID: JRS - Strohmenger, Joseph
Disp-09:53:24 Arvd-09:56:42 Clrd-10:12:18
Cleared By: PJS - Shaffery, Patrick
ID: DCM - Morse, Donald
Disp-09:53:28 Arvd-09:56:43 Clrd-10:06:26
Cleared By: PJS - Shaffery, Patrick
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-10:09:40 Arvd-10:10:05 Clrd-10:16:20
Dispatched By: PJS - Shaffery, Patrick
Arrived By: PJS - Shaffery, Patrick
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-10:10:02 Arvd-10:10:04 Clrd-10:16:18
Dispatched By: PJS - Shaffery, Patrick
Arrived By: PJS - Shaffery, Patrick
Narrative: 10/11/2024 1000 White, Anna
Modified By: 10/11/2024 1016 White, Anna
HQ received a call from the county for a basement gas detector going off at 11 Bellevue Ave, residents were advised to evacuate by the county, 09:52

Ptl. Morse and Ptl. Strohmenger on location

42-67 on location

42-66 and 42-76 responding

198 in service

42-85 in service 10:00

198 on location 10:02

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

42-85 on location 10:03

42-66 reports crews searched the residence, no carbon
monoxide, alarm cleared. Homeowners were advised to call
back if it activates again ,crews clear and available 10:13

24-9382	1038	Phone - ALARM, FIRE	Services Rendered 1
Call Taker:		AMW - White, Anna	
Call Source:		Telephone	
Location/Address:		[42 1517] ANSELL RESIDENCE - 3 OAK TREE LN	
ID:		JRS - Strohmenger, Joseph	
		Disp-10:41:29	Arvd-10:45:12 Clrd-10:59:12
Arrived By:		PJS - Shaffery, Patrick	
ID:		OFC - Z OCEANIC FIRE, COMPANY	
		Disp-10:46:32	Arvd-10:46:35 Clrd-11:16:15
Dispatched By:		PJS - Shaffery, Patrick	
Arrived By:		PJS - Shaffery, Patrick	
ID:		RFC - Z RUMSON FIRE, COMPANY	
		Disp-10:47:00	Arvd-10:47:02 Clrd-11:16:12
Dispatched By:		PJS - Shaffery, Patrick	
Arrived By:		PJS - Shaffery, Patrick	
Narrative:		10/11/2024 1040 White, Anna	
Modified By:		10/11/2024 1128 White, Anna	

A fire alarm, smoke and carbon monoxide activation was
received for the 3 Oak Ln. 10:36

Fire toned 10:39

Ptl. Strohmenger responding 10:40

42-66 in service

176, 75 98 on location

Ptl Strohmenger reports person house sitting 3 Oak Lane is
not aware of any alarms at that residence. 10:48

Update on location from alarm company to 3 Oak Tree Lane,
Premise contact 516-313-1208

Crews updated with the address. The alarm has activated a
few times at the 3 Oak Tree Ln for the past few weeks.

2-90 assigned to call with 10:52

Ptl. Strohmenger on location at 3 Oak Tree Ln 10:53

2-90 on location 268 assuming command 10:56

Ptl. Stohmenger clear 3 Oak Tree Lane 10:59

42-2-90 reporting culinary mishap, clearing location and
heading to Deane Porter for Fire Prevention 10:59

24-9402	1923	Phone - ALARM, FIRE	False Alarm	1
Call Taker:		PJS - Shaffery, Patrick		
Call Source:		Telephone		
Call Closed By:		GC - Gerard, Chiricolo 10/11/2024 1945		

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Call Modified By: GC - Gerard, Chiricolo
Location/Address: 1 ORCHARD LN
ID: MAT - Traina, Michael
Disp-19:24:21 Arvd-19:25:32 Clrd-19:41:32
Cleared By: GC - Gerard, Chiricolo
ID: DES - Schneider, Donald
Disp-19:24:22 Arvd-19:25:31 Clrd-19:41:33
Cleared By: GC - Gerard, Chiricolo
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-19:25:25 Arvd-19:43:25 Clrd-19:45:06
Arrived By: GC - Gerard, Chiricolo
Cleared By: GC - Gerard, Chiricolo
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-19:25:55 Arvd-19:43:26 Clrd-19:45:05
Arrived By: GC - Gerard, Chiricolo
Cleared By: GC - Gerard, Chiricolo
Narrative: 10/11/2024 1925 Shaffery, Patrick
STATE WIDE ALARMS
718-494-6414
REPORTING FIRE ALARM ACTIVATION AT
1 ORCHARD LN BAVUSO RESIDENCE

Narrative: 10/11/2024 1930 Shaffery, Patrick
2ND REQUEST FOR FIRE DEPT TONED OUT

Narrative: 10/11/2024 1936 Shaffery, Patrick
Modified By: 10/11/2024 1943 Gerard, Chiricolo
TWO FIRE DEPT MEMBERS IN THEI POV'S ON LOCATION CHECKING THE
HOUSE

Narrative: 10/11/2024 1937 Shaffery, Patrick
75 ENGINE EN ROUTE

Narrative: 10/11/2024 1945 Gerard, Chiricolo
42-1-75 on location @19:44

42-1-75 will be clear with a false alarm. @19:45

S/O Traina states Patrol will be clear @19:45

For Date: 10/15/2024 - Tuesday

24-9514	1049	Alarm - ALARM, FIRE	False Alarm	1
---------	------	---------------------	-------------	---

Call Taker: GC - Gerard, Chiricolo
Call Source: Alarm System
Location/Address: [42 756] WILLIAMS RESIDENCE - 17 BLACKPOINT HORSESHOE
ID: MAT - Traina, Michael
Disp-10:54:26 Arvd-10:54:27 Clrd-10:59:10
Narrative: 10/15/2024 1059 Gerard, Chiricolo
Modified By: 10/15/2024 1103 Gerard, Chiricolo
HQ received a call from Central Station reporting a
residential fire alarm activation at the above location. S/O
Traina and the Rumson Fire Department were dispatched.
@10:50

S/O. Traina on location @10:52

S/O. Traina states the alarm was set off in error and it was
reset. HQ will let the fire department know when they check
in. @10:56

42-1-76 toned in, HQ notified of the reset of the alarm and
42-1-76 stated they will stand down, everything is 10-4.
@10:59

For Date: 10/17/2024 - Thursday

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

24-9577 1248 Phone - ALARM, CARBON MONOXIDE Services Rendered 1
Call Taker: JRD - Dianora, Joseph
Call Source: Telephone
Location/Address: 5 MEADOWBROOK AVE
ID: DJC - Campanella, Daniel
Disp-12:50:24 Arvd-12:52:06 Clrd-13:41:18
ID: JRS - Strohmenger, Joseph
Disp-12:50:25 Arvd-12:53:48 Clrd-13:21:14
Narrative: 10/17/2024 1251 Dianora, Joseph
Modified By: 10/17/2024 1341 Dianora, Joseph

HQ recieved a call from county advising the home owner of 5 Meadowbrook heard her CO alarm going ofd. County advised her to exit the house with any pets.

Lt. Campanella and Ptl. Strohmenger enroute 1250

Fire toned @ 1250

Lt. Campanella on location @ 1252

4266 responding @ 1253

Ptl. Strohmenger on location @ 1254

4266 on location @ 1254

42-2-76 in service @ 1255

Lt. Campanella advised HQ to dispatch EMS to location, Fire is finding high levels of CO

EMS toned @ 1258

42-2-85 in service @ 1259

42-2-85 on location @ 1300

4250 is enroute to station to pick up crew and CO meter @ 1302

4256 on ramp @ 1304

4256 enroute to location @ 1308

4256 on location @ 1309

4266 advised HQ to call the gas company to 5 Meadowbrook

HQ called the emergency number for NJ Gas, and advised they'd be at the location with a time-frame of 15-60 mins

4250 clear no patient @ 1316

4256 returning to station @ 1317

Ptl. Strohmenger clear @ 1319

4266 advised HQ that they had put up fans on the property, attempting to blow the CO out the resident. 4266 advised they'll check the residence in a few minutes and wait for the gas company @ 1319

4266 advised gas company is on location @ 1329

Lt. Campanella clear @ 1340 - Advised homeowner refused treatment from EMS

Fire company clear @ 1340 - Advised CO readings at 0; Gas company will remain on scene.

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

For Date: 10/19/2024 - Saturday

24-9645 1306 Phone - ALARM, FIRE False Alarm 1
Call Taker: PJS - Shaffery, Patrick
Call Source: Telephone
Location/Address: [42 528] MANLEY RESIDENCE - 17 OAKES RD
ID: MAT - Traina, Michael
Disp-13:06:49 Enrt-13:06:51 Clrd-13:11:07
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-13:10:15 Clrd-13:30:51
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-13:10:34 Enrt-13:10:46 Arvd-13:16:52 Clrd-13:30:54
ID: MAT - Traina, Michael
Disp-13:11:09 Arvd-13:11:10 Clrd-13:18:31
Narrative: 10/19/2024 1309 Shaffery, Patrick
SHEA COMMUNICATIONS
800-434-400 REFERENCE # 7692171
REPORTING SMOKE DETECTOR ACTIVATION IN THE FAMILY @
17 OAKES RD MANLEY RESIDENCE

Narrative: 10/19/2024 1309 Shaffery, Patrick
76 ENGINE EN ROUTE

Narrative: 10/19/2024 1317 Shaffery, Patrick
ALARM WAS SET OFF DUE TO BURNT FOOD ON THE STOVE. 76 ENGINE
ADVISED, ON LOCATION

24-9656 2040 911 - FIRE, OTHER Extinguished 1
Call Taker: NMM - Martire, Nicolette
Call Source: 911
Location/Address: [42 3] RUMSON COUNTRY CLUB - 163 RUMSON RD
ID: JTO - Orozco, James
Disp-20:41:48 Arvd-20:41:54 Clrd-20:41:56
ID: TJM - Malone, Troy
Disp-20:41:51 Arvd-20:45:37 Clrd-21:02:23
Cleared By: AMW - White, Anna
ID: JTO - Orozco, James
Disp-20:41:58 Arvd-20:45:38 Clrd-21:02:22
Cleared By: AMW - White, Anna
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-20:45:00 Arvd-20:49:17 Clrd-22:24:58
Dispatched By: AMW - White, Anna
Cleared By: AMW - White, Anna
Narrative: 10/19/2024 2044 Martire, Nicolette
Modified By: 10/19/2024 2225 Martire, Nicolette
HQ received a call from Monmouth County for a fire at The
Rumson Country Club, patio heater on fire on the rear porch
20:39

Ptl. Malone and Ptl. Orozco responding 20:41

Fire Toned: 20:41

42-66 in service 20:44

42-67 in service 20:44

Ptl. Malone and Ptl. Orozco on scene 20:46

42-2-90 in service 20:47

42-2-75 in service 20:48

Ptl. Malone advised HQ that the fire was extinguished on the
back porch. 20:48

Ptl. Orozco advised HQ everything is 10-4, there is burn
residue, and reported that they do need to unscrew the light
bulb that caused the Fire 20:50

Ptl. Malone advised fire on scene 20:50

42-2-85 in service 20:51

42-67 on scene 20:52

42-2-90 on scene 20:52

42-2-85 on scene 20:56

42-2-75 on scene 20:58

Ptl. Orozco reports all ptls clear, fire will be remaining on scene 21:03

42-66 request hazmat and fire marshall to report to scene 21:17

HQ contacted county and requested both hazmat and fire marshall 21:18

42-66 spoke to hazmat and was advised ETA is 30 mins 21:37

42-67 reports hazmat on scene 22:20

42-67 reports hazmat packaged up the battery, fire will be clear. 22:25

For Date: 10/20/2024 - Sunday

24-9659	0022	Alarm - ALARM, FIRE	Services Rendered 1
Call Taker:	NMM - Martire, Nicolette		
Call Source:	Alarm System		
Location/Address:	63 ALLEN ST		
Party Entered By:	10/20/2024 0052 NMM - Martire, Nicolette		
Involved Party:	Unknown 732-239-1730		
	ROSS, BONNIE J @ 63 ALLEN ST - RUMSON, NJ 07760-1316 732-212-0952		
	SSN: 137643687 DOB: 11/06/1960 Race: U Sex: F		
ID:	JTO - Orozco, James		
	Disp-00:22:44	Arvd-00:22:50	Clrd-00:32:04
ID:	TJM - Malone, Troy		
	Disp-00:22:56	Arvd-00:22:57	Clrd-00:32:03
Narrative:	10/20/2024 0049 Martire, Nicolette		
Modified By:	10/20/2024 0055 Martire, Nicolette		
	HQ received a call from Shea Communications for a residential fire alarm at 63 Allen St. 00:23		
	Ptl. Malone and Ptl. Orozco responding 00:23		
	Fire toned 00:23		
	Ptl. Malone and Ptl. Orozco on scene 00:24		
	Ptl. Orozco advised the alarm was activated due to steam from the shower 00:26		
	42-67 responding 00:26		
	Ptl. Malone reports clear 00:28		
	42-2-90 responding 00:29		

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

42-67 reports alarm activated due to steam in the shower
00:30

42-2-90 reports heading back to HQ 00:30

Ptl. Orozco reports clear 00:30

24-9683 1710 Phone - ALARM, CARBON MONOXIDE Services Rendered 1
Call Taker: JRD - Dianora, Joseph
Call Source: Telephone
Location/Address: [42 1449] CARRAS RESIDENCE - 30 LAFAYETTE ST
ID: MAT - Traina, Michael
Disp-17:11:27 Arvd-17:15:22 Clrd-17:16:45
ID: DCM - Morse, Donald
Disp-17:11:28 Arvd-17:15:21 Clrd-17:16:45
Narrative: **10/20/2024 1716 Dianora, Joseph**
Hq recieved a call from Ring Alarm and was advised of an
upstairs CO alarm at the attached residence.

Ptl. Morse and S/O Traina enroute @ 1710

Fire tones @ 1711

42-67 in service @ 1713

Ptl. Morse on location @ 1713

S/O Traina on location @ 1714

42-67 on location @ 1714

42-67 advised to send cancelation tones, alarm was set off
in error due to the homeowner installing new alarm system.

42-67 clear @ 1716

Ptl. Morse and S/O Traina clear @ 1716

For Date: 10/21/2024 - Monday

24-9702 0813 Alarm - ALARM, FIRE Services Rendered 1
Call Taker: NMM - Martire, Nicolette
Call Source: Alarm System
Location/Address: [42 1315] SUTSKO RESIDENCE - 151 BINGHAM AVE
ID: DES - Schneider, Donald
Disp-08:13:58 Arvd-08:18:06 Clrd-08:28:03
Narrative: **10/21/2024 0829 Martire, Nicolette**
Modified By: **10/21/2024 0830 Martire, Nicolette**
HQ received a call for a residential fire alarm at 151
Bingham Ave, second floor smoke detector. 08:12

Sgt. Schneider responding 08:13

Fire Toned 08:14

Sgt. Schneider on scene 08:17

Sgt. Schneider reports construction being done on the home
08:21

42-2-90 responding 08:21

42-1-76 responding 08:21

42-2-75 responding 08:22

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

42-66 responding 08:22

42-66 on scene 08:22

42-1-76 on scene 08:24

42-2-90 on scene 08:26

Sgt. Schneider reports clear 08:27

42-66 reports all units clear, multiple activations have been set off due to sanding and sheetrock. The home owner was advised to call her alarm company for assistance resetting it. 08:28

24-9708 1015 911 - ALARM, FIRE Services Rendered 1
Call Taker: NMM - Martire, Nicolette
Call Source: 911
Location/Address: [42 1011] WICKMAN RESIDENCE - 131 AVENUE OF TWO RIVERS
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-10:29:22 Arvd-10:29:24 Clrd-10:29:29
Narrative: 10/21/2024 1018 Martire, Nicolette
Modified By: 10/21/2024 1028 Martire, Nicolette
HQ received a call for a residential fire alarm for 131 Avenue of Two, zone 13 CO detector 10:13
Fire Toned 10:16
42-1-98 in service 10:20
42-2-75 in service 10:21
42-2-75 on location 10:24
42-1-76 on location 10:24
42-2-75 reports clear, car running in the garage no need for ventilation. 10:27
42-1-76 reports clear 10:27

For Date: 10/22/2024 - Tuesday

24-9745 1710 Phone - ALARM, FIRE Services Rendered 1
Call Taker: JRD - Dianora, Joseph
Call Source: Telephone
Location/Address: [42 1137] HERMAN RESIDENCE - 54 WARDELL AVE
ID: JPW - Wrightington, James
Disp-17:13:07 Arvd-17:18:28 Clrd-17:27:31
Dispatched By: AMW - White, Anna
ID: JCC - Camilleri, James
Disp-17:13:24 Arvd-17:19:38 Clrd-17:19:39
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-17:28:13 Arvd-17:28:16 Clrd-17:28:57
Narrative: 10/22/2024 1715 Dianora, Joseph
Modified By: 10/22/2024 1728 Dianora, Joseph
HQ recieved a call from Shay Communications regarding a residential fire alarm - General activation - No zones

Ptl. Wrightington enroute @ 1712

Fire tones sent out @ 1712

Homeowner called HQ advising the alarm went off when cooking, fire will be updated @ 1715

42-2-90 in service @ 1717

Ptl. Wrightington on location @ 1717

42-1-75 on standby @ 1720

42-2-90 on location @ 1725

Ptl. Wrightington clear @ 1727

42-2-90 clear @ 1728

42-1-75 clear from stand-by @ 1728

For Date: 10/25/2024 - Friday

24-9856 1700 Phone - ALARM, FIRE Services Rendered 1

Call Taker: NMM - Martire, Nicolette

Call Source: Telephone

Location/Address: [42 218] BINGHAM HALL - 40 BINGHAM AVE

ID: DES - Schneider, Donald

Disp-17:04:04

Arvd-17:04:06

Clrd-17:14:06

ID: DJC - Campanella, Daniel

Disp-17:14:03

Arvd-17:14:04

Clrd-17:14:05

Narrative: 10/25/2024 1729 Martire, Nicolette

HQ received a automatic call from Bingham Hall for "fire"
16:59

Sgt. Schneider en route 17:00

Fire toned 17:01

Sgt. Schneider reports on location 17:02

42-66 will be responding 17:04

Sgt. Schneider reports a active Halloween party with fog machines and appears that's what set off the fire alarm
17:03

Lt. Campanella reports clear, fire is on location 17:06

42-2-85 on scene 17:06

42-66 reports it was smoke from the fog machine and he will be clear, one unit will remain on scene to clear the alarm
17:08

Sgt. Schneider reports clear and advised HQ that calls may continue and to disregard for now, to let the fog clear.
17:11

42-2-85 reports the alarm was activated due to theatrical machines, the alarm has been reset and disconnected. They have been advised to not plug them back in due to the continuous activation. 17:12

All Ptl. and fire are clear and available. 17:12

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Narrative: 10/25/2024 2117 Gerard, Chiricolo
Modified By: 10/25/2024 2214 Gerard, Chiricolo
42-69 stated that himself and 42-2-75 will be responding to Bingham Hall for the alarm continually going off. @21:13

42-2-75 on location @21:16

Ptl. Strohmenger on location @21:16

42-69 States the alarm was not found and couldn't find what was activated, no way to put the system in test, fire will clear and be available. @21:37

Patrol advised HQ to contact Butch from DPW and HQ made contact, he stated he will send someone out there to check it out. @21:38

Kyle Buckland from DPW contacted HQ, stated the alarm was tested in Bingham and everything will be 10-4. @22:10

24-9861 1907 911 - ALARM, FIRE Services Rendered 1
Call Taker: NMM - Martire, Nicolette
Call Source: 911
Location/Address: 26 LAFAYETTE ST
ID: JRS - Strohmenger, Joseph
Disp-19:08:27 Arvd-19:08:30 Clrd-19:08:31
ID: JRS - Strohmenger, Joseph
Disp-19:08:35 Arvd-19:13:07 Clrd-19:19:23
ID: DCM - Morse, Donald
Disp-19:13:11 Arvd-19:13:12 Clrd-19:19:24
Narrative: 10/25/2024 1919 Martire, Nicolette
HQ received a call from county reporting a residential fire alarm, a neighbor of 26 lafayette St states they hear the alarm and are unsure if anyone is at the residence. 19:06

Ptl. Morse, Ptl. Strohmenger and S/O II Guzman responding 19:06

42-66 responding 19:10

Ptl. Morse, Ptl. Strohmenger and S/O II Guzman on scene

42-66 reports on scene 19:13

42-2-75 reports on scene

42-66 reports gained access to apartment #2, everything is 10-4 the residence the alarm reset itself. All Fire will be clear 19:18

For Date: 10/28/2024 - Monday

24-9940 0838 Phone - ALARM, FIRE Services Rendered 1
Call Taker: AMW - White, Anna
Call Source: Telephone
Location/Address: 122 EAST RIVER RD
Party Entered By: 10/28/2024 0949 AMW - White, Anna
Calling Party: COMPLETE MONITORING CENTER 800-434-4000
ID: MAT - Traina, Michael
Disp-08:41:30 Arvd-08:46:10 Clrd-08:56:47
Narrative: 10/28/2024 0841 White, Anna
Modified By: 10/28/2024 0859 White, Anna
HQ received a call from Comple Monitoring about a Commercial

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Fire Alarm activation at 122 E River Rd, Apt B 08:37

SO II Traina responding 08:40

Fire Toned 08:41

SO II Traina on location 08:43

SO II Traina reports fire alarm activation due to culinary mishap 08:44

Fire updated with SO II Traina findings 08:46

42-67 responding, will be on location shortly, put out a cancelation tone per 42-67 08:46

42-1-76 in service 08:46

Fire Tone cancelled 08:48

42-1-75 safe 08:48

42-67 clear 08:49

SO II Traina clear 08:49

24-9941	0908	Phone - ALARM, FIRE	Services Rendered 1
Call Taker:		AMW - White, Anna	
Call Source:		Telephone	
Location/Address:		[42 494] BUCHANAN RESIDENCE - 21 SAILORS WAY	
Party Entered By:		10/28/2024 0935 AMW - White, Anna	
Modified By:		10/28/2024 0939 AMW - White, Anna	
Calling Party:		MONITORING CENTER NS SECURITY FIRE 800-432-1429	
ID:		MAT - Traina, Michael	
		Disp-09:10:36	Arvd-09:15:15 Cldr-09:35:47
ID:		RFC - Z RUMSON FIRE, COMPANY	
		Disp-09:12:26	Arvd-09:17:55 Cldr-09:35:45
Vehicle Entered By:		10/28/2024 0931 AMW - White, Anna	
Vehicle:		WHI 2022 LINC AP NAV Reg: PC NJ B52PRT VIN: 5LMJJ2LT1NEL01091	
Owner:		KAHN, ADAM @ 21 SAILORS WAY - RUMSON, NJ 07760	
		SSN: 216062932 DOB: 01/01/1983 Race: U Sex: M	
Narrative:		10/28/2024 0924 White, Anna	
Modified By:		10/28/2024 1349 White, Anna	

HQ received a call from Monitoring Center about a Residential Fire Alarm Activation at 21 Sailors Way, 2nd floor and attic 09:08

SO II Traina responding 09:11

Fire Toned 09:11

42-67 in service 09:12

SO II Traina on location 09:14

42-1-76 in service 09:17

42-1-75 in service 09:17

42-67 on location 09:18

SO II appears no one home, no flames or smoke showing 09:19

SO II Traina reports car in the driveway NJ B52PRT , made contact, fire will check it out 09:19

42-2-76 responding 09:21

42-1-76 on scene 09:21

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

42-67 reports residence checked, everything is 10-4, they
are on generator power , fire will be clear 09:36

SO II Traina reports clear 09:36

For Date: 10/29/2024 - Tuesday

24-9981 1724 Phone - ALARM, FIRE False Alarm 1
Call Taker: JRD - Dianora, Joseph
Call Source: Telephone
Location/Address: [42 1445] WOSNITZER RESIDENCE - 15 LINDEN LN
ID: BMC - Costa, Brooke
Disp-17:24:27 Arvd-17:31:01 Clrd-17:31:02
ID: CTL - Lovgren, Cody
Disp-17:25:02 Arvd-17:30:59 Clrd-17:31:00
ID: BMC - Costa, Brooke
Disp-17:31:43 Arvd-17:31:45 Clrd-17:37:45
Narrative: 10/29/2024 1737 Dianora, Joseph
HQ recieved a call from Shore Security advising a
residential fire alarm for 15 Linden Ln - first floor smoke

Ptl. Costa enroute @ 1723

Fire tones @ 1723

Nixle @ 1724

Shore Security called back and advised that the homeowner
gave the correct passkey to cancel units as a false alarm

Ptl. Costa was advised @ 1725

4266 was advised @ 1732

Ptl. Costa on location @ 1732

4266 enroute @ 1632

4266 on location @ 1735

Ptl. Costa had asked HQ to call the homeowner to gain access
into the home

4266 stated everything 10-4, alarm set off in error - clear
@ 1737

Ptl. Costa clear @ 1737

For Date: 10/30/2024 - Wednesday

24-10027 2255 Alarm - ALARM, FIRE Unfounded 1
Call Taker: GC - Gerard, Chiricolo
Call Source: Alarm System
Location/Address: [42 3] RUMSON COUNTRY CLUB - 163 RUMSON RD
ID: JRS - Strohmenger, Joseph
Disp-22:58:14 Arvd-22:59:08 Clrd-23:18:12
ID: BPD - Dougherty, Bryan
Disp-22:58:16 Arvd-22:59:09 Clrd-23:18:31
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-23:18:27 Arvd-23:18:29 Clrd-23:32:30
Narrative: 10/30/2024 2300 Gerard, Chiricolo
Modified By: 10/30/2024 2332 Gerard, Chiricolo
HQ received a call from Complete Security (Operator ID:
LA04) with a Commerical Fire Alarm going off at the location
above. Zone activation is a smoke detector in room 3. @22:54

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Sgt. Dougherty and Ptl. Strohmenger responded. @22:55

Fire toned and nixed @22:57

Sgt. Dougherty and Ptl. Strohmenger on location @22:59

42-2-90 in service @23:07

42-2-90 on location @23:13

Sgt. Dougherty reports Patrol will clear, fire is on location checking the building @23:20

42-2-69 states they checked the building, activation was unfounded, fire will clear and be in service. @23:30

For Date: 10/31/2024 - Thursday

24-10061 2325 Phone - ALARM, FIRE False Alarm 1
Call Taker: JRD - Dianora, Joseph
Call Source: Telephone
Location/Address: [42 1728] BRENNAN'S DELICATESSEN - 38 WEST RIVER RD
Party Entered By: 10/31/2024 2340 JRD - Dianora, Joseph
Involved Party: BROGAN, RYAN B @ 1431 SEMINOLE RD - NORTHBRUNSWICK, NJ 08902-1454 732-857-5424
SSN: 396925651 DOB: 03/20/1980 Race: U Sex: M
Party Entered By: 10/31/2024 2340 JRD - Dianora, Joseph
Involved Party: HURRICH, JOHN @ ***UNKNOWN*** - RUMSON, NJ 07760 732-895-2277
ID: BPD - Dougherty, Bryan
Disp-23:26:50 Arvd-23:26:51 Clrd-23:53:30
ID: JRS - Strohmenger, Joseph
Disp-23:26:54 Arvd-23:29:23 Clrd-23:53:30
Narrative: 10/31/2024 2339 Dianora, Joseph
Modified By: 10/31/2024 2353 Dianora, Joseph

HQ recieved a call from Complete Security advising of a commerical fire alarm at 38 W River Rd - Brennans - Smoke detector, second floor stairs

HQ was able to obtain a keyholder for the establishment - John Hurrich - 732-895-2277

HQ was unable to make contact - 4 seperate attempts to make contact from 2328 - 2330

Sgt. Dougherty and Ptl. Strohmenger enroute @ 2326

Fire tones @ 2328

Nixle @ 2328

Sgt. Dougherty on location @ 2328

Ptl. Strohmenger on location @ 2330

42-2-90 in service @ 2333

Complete Security called back with a false alarm, advising they got in contact with the owner and he gave the correct key phrase. - Ryan Brogan 732-857-5424

HQ was able to make contact with Ryan and make sure that he was sending someone out to turn off the audible alarm. Fire will still be on location to determine proper false alarm.

42-2-90 on location @ 2337

42-2-90 advised nothing evident from exterior on both Alpha

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

/ Delta side

42-2-90 advised nothing was found, everything 10-4, River
Command deemed it to be a false alarm

42-2-90 back in service @ 2352

Sgt. Dougherty and Ptl. Strohmeneger clear @ 2352

For Date: 11/03/2024 - Sunday

24-10136 1731 Phone - ALARM, FIRE Services Rendered 1
Call Taker: PJS - Shaffery, Patrick
Call Source: Telephone
Location/Address: [42 321] SULLIVAN RESIDENCE - 2 ORCHARD LN
Party Entered By: 11/03/2024 1744 PJS - Shaffery, Patrick
Calling/Inv. Party: Unknown 732-995-7860
SULLIVAN, MICHAEL J @ 2 ORCHARD LN - RUMSON, NJ 07760-1116 732-842-8115
SSN: 145362290 DOB: 03/06/1947 Race: W Sex: M
ID: MAT - Traina, Michael
Disp-17:32:23 Enrt-17:32:29 Arvd-17:34:25 Clrd-17:41:42
ID: RMT - Torres, Richard
Disp-17:32:25 Enrt-17:32:27 Arvd-17:35:55 Clrd-17:37:15
Arrived By: RMT - Torres, Richard
Cleared By: RMT - Torres, Richard
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-17:39:57 Enrt-17:40:00 Clrd-17:46:39
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-17:40:12 Enrt-17:40:15 Clrd-17:45:06
Narrative: 11/03/2024 1735 Shaffery, Patrick
RESIDENTS DAUGHTER REPORTING THE FIRE ALARM ACTIVATED AT HER
FATHERS HOME, STATING THEY FORGOT TO OPEN THE FLUE
TO THE FIREPLACE, SMOKE IN THE HOUSE.
THE OWNER, MR SULLIVAN STATED HE JUST WANTED IT CHECKED OUT,
DID NOT NEED THE ENTIRE FIRE DEPT
Narrative: 11/03/2024 1738 Shaffery, Patrick
PO TRAINA STATING THE RESIDENCE IS IN ORDER, ALARM SET OFF
DUE TO LIGHTING A FIRE IN THE FIRE PLACE
Narrative: 11/03/2024 1739 Shaffery, Patrick
FIRE CHIEF 67 EN ROUTE, WAS ADVISED OF THE UPDATE
Narrative: 11/03/2024 1739 Shaffery, Patrick
2-75 ENGINE EN ROUTE
Narrative: 11/03/2024 1740 Shaffery, Patrick
Modified By: 11/03/2024 1741 Shaffery, Patrick
FIRE CHIEF 67 ON LOCATION
Narrative: 11/03/2024 1741 Shaffery, Patrick
PO TRAINA CLEARING TOT FIRE DEPT
Narrative: 11/03/2024 1746 Shaffery, Patrick
FIRE CHIEF 67 ADVISING HOME OWNER HAD LIGHT A FIRE IN THE
FIRE PLACE CAUSING SMOKE TO BACK UP. ALL EQUIPMENT CAN
SECURE.
75 ENGINE ON SCENE, CLEARING, RETURNING BACK TO QUARTERS

24-10139 1900 Phone - ALARM, FIRE False Alarm 1
Call Taker: PJS - Shaffery, Patrick
Call Source: Telephone
Location/Address: [42 1120] PARTON RESIDENCE - 8 HEATHCLIFF RD
ID: JTO - Orozco, James
Disp-19:06:14 Enrt-19:06:16 Arvd-19:09:39 Clrd-19:13:09
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-19:07:33 Arvd-19:07:53 Clrd-19:13:07
ID: OFC - Z OCEANIC FIRE, COMPANY

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Disp-19:07:45 Enrt-19:07:51 Arvd-19:13:04 Clrd-19:13:05
ID: TJM - Malone, Troy
Disp-19:11:03 Arvd-19:11:07 Clrd-19:13:01
Narrative: 11/03/2024 1907 Shaffery, Patrick
USA CENTRAL STATION
800-422-2300
REPORTING SMOKE ALARM ACTIVATION IN THE MASTER HALLWAY.

Narrative: 11/03/2024 1907 Shaffery, Patrick
FIRE CHIEFS 66 & 67 EN ROUTE

Narrative: 11/03/2024 1912 Shaffery, Patrick
PER THE FIRE CHIEF ALARM WAS SET OFF IN ERROR BY THE
HOMEOWNER CHANGING THE BATTERY, ALL FIRE EQUIPMENT TO HOLD
AT QUARTERS

For Date: 11/04/2024 - Monday

24-10171 1058 Phone - ALARM, FIRE Services Rendered 1

Call Taker: AMW - White, Anna
Call Source: Telephone
Location/Address: 3 OAK TREE LN
ID: JPW - Wrightington, James
Disp-10:58:58 Arvd-11:03:16 Clrd-11:06:40
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-11:06:31 Clrd-11:06:37
Narrative: 11/04/2024 1115 White, Anna
Modified By: 11/04/2024 1124 White, Anna

HQ received a call from Shea Communications about a
residential fire alarm/smoke alarm activation at 3 Oak Tree
Lane 11:56
Premis: DiFazio #516-313-1208
will attempt to contact / ref# 7352537

Ptl. Wrightington responding 11:00

Fire toned 11:00

Nixle sent 11:02

42-66 responding 11:02

42-66 on location 11:03

Alarm company called with a n update Carbon monoxide alarm
activation on the first floor.

Ptl. Wrightington on location 11:04

Ptl. Wrightington reports clear 11:05

42-66 informed of alarm update, reports alarm activation due
to burnt food, reports clear and requests cancel tone. 11:05

Fire Tone cancellation 11:06

24-10173 1139 Phone - ALARM, FIRE Services Rendered 1

Call Taker: AMW - White, Anna
Call Source: Telephone
Location/Address: [42 63] RUMSON COUNTRY DAY SCHOOL - 35 BELLEVUE AVE
ID: JPW - Wrightington, James
Disp-11:41:21 Arvd-11:49:29 Clrd-11:54:34
ID: JCC - Camilleri, James
Disp-11:46:27 Arvd-11:46:30 Clrd-11:52:31
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-11:47:02 Arvd-11:54:30 Clrd-11:54:32
ID: RFC - Z RUMSON FIRE, COMPANY

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Disp-11:47:16

Arvd-11:55:35 Clrd-11:55:37

Narrative: 11/04/2024 1141 White, Anna

Modified By: 11/04/2024 1222 White, Anna

HQ received a call from alarm company about a commercial fire alarm activation at 35 Bellevue Ave;
Premis: Rumson Country Day School #732-842-0527
ref# M383056 11:40

Ptl. Wrightington and SO Guzman responding

Ptl. Wrightington and SO Guzman on location,
school evacuated, making contact 11:42

Ptl. Wrightington and SO Guzman report they are inside
investigating 11:44

Ptl. Camilleri on location 11:44

42-66 responding 11:45

42-275 in service

42-66 on location, reporting nothing showing outside 11:47

42-275 on location 11:48

42-175 in service 11:49

42-175 on location 11:51

Ptl. Camilleri reports clear, Ptl. Wrightington and SO
Guzman will remain on scene while fire investigates 11:51

42-66 reports clear, school has been searched, alarm was set
off by construction crew, alarm has been reset, clear and
available 11:55

Ptl. Wrightington and SO Guzman report clear 11:55

24-10181	1615	Phone - FIRE, OTHER	Services Rendered 1
Call Taker:	AMW - White, Anna		
Call Source:	Telephone		
Location/Address:	10 SECOND ST		
Party Entered By:	11/04/2024 1724 AMW - White, Anna		
Calling Party:	NJNG 732-938-1212		
ID:	JPW - Wrightington, James		
	Disp-16:16:55	Arvd-16:28:02	Clrd-17:19:30
ID:	RFC - Z RUMSON FIRE, COMPANY		
	Disp-16:28:34	Arvd-16:28:37	Clrd-17:22:03
ID:	OFC - Z OCEANIC FIRE, COMPANY		
	Disp-16:29:10	Arvd-16:30:22	Clrd-17:22:02
ID:	DES - Schneider, Donald		
	Disp-16:50:39	Arvd-16:50:40	Clrd-17:19:28
ID:	JCC - Camilleri, James		
	Disp-17:04:11	Arvd-17:04:12	Clrd-17:04:13
Narrative:	11/04/2024 1717 White, Anna		
Modified By:	11/04/2024 1718 White, Anna		
	HQ received a call from NJNG, they have a tech on location at 10 Second St to turn on the gas, but he reports heavy odor of smoke and requests fire assistance. 16:16		

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Ptl. Wrightington responding 16:18

FIRE TONED 16:19

Ptl. Wrightington reports on location 16:19

Ptl. Wrightington reports on location, heavy odor of smoke inside the residence, standing by waiting for fire 16:20

Sgt. Schneider on location 16:21

Ptl. Camilleri out 16:20

42-67 in service 16:21

42-67 reports heavy odor of smoke on the first floor, requests second tone

FIRE toned , second request 16:25

42-275 in service 16:26

42-175 in service 16:27

42-175 on location 16:27

42-275 on location 16:30

42-290 repoding 16:42

42-290 on location 16:43

42-67 reports they have it isolated 16:44

Ptl. Camilleri reports 10-8 17:05

42-67 reports odor in the oven, homeowner advised to contact appliance people, power to stove turned off ,all fire units clear 17:15

Ptl .Wrightington reports patrol along with fire clear, burning in the oven, unknown reason 17:15

For Date: 11/05/2024 - Tuesday

24-10191	0011	Phone - ALARM, CARBON MONOXIDE	False Alarm	1
Call Taker:		GC - Gerard, Chiricolo		
Call Source:		Telephone		
Location/Address:		[42 539] FINNEGAN RESIDENCE - 11 SHERATON LN		
ID:		BPD - Dougherty, Bryan		
		Disp-00:11:55	Arvd-00:17:25	Clrd-00:24:29
ID:		JRS - Strohmenger, Joseph		
		Disp-00:11:56	Arvd-00:17:02	Clrd-00:24:28
ID:		RFC - Z RUMSON FIRE, COMPANY		
		Disp-00:18:09	Arvd-00:22:07	Clrd-00:29:22
Narrative:		11/05/2024 0015 Gerard, Chiricolo		
Modified By:		11/05/2024 0029 Gerard, Chiricolo		

HQ received a call from the residence listed above stating there CO Alarm went off about 15 minutes ago, she stated she changed the batteries, plugged the alarm into the wall and the beeping went off again and contacted HQ. 00:10

Sgt. Dougherty and Ptl. Strohmenger in service @00:12

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Fire toned and Nixled @00:13

42-67 in service @00:15

Sgt. Dougherty and Ptl. Strohmenger on location @00:17

42-2-90 in service @00:19

42-67 on location @00:21

42-2-90 on location @00:22

Ptl. Strohmenger states patrol will clear, turned over to Fire. @00:24

42-67 states checked the residence, nothing was showing, faulty battery and fire will clear and be in service. @00:28

For Date: 11/06/2024 - Wednesday

24-10230	0848	Phone - ALARM, CARBON MONOXIDE	Services Rendered 1
Call Taker:		NMM - Martire, Nicolette	
Call Source:		Telephone	
Location/Address:		[42 80] WELLS FARGO BANK - 12 WEST RIVER RD	
ID:		RMT - Torres, Richard	
		Disp-08:51:20	Arvd-08:51:24 Clrd-08:51:24
ID:		CTL - Lovgren, Cody	
		Disp-08:51:21	Arvd-08:51:22 Clrd-09:05:25
Narrative:		11/06/2024 0857 Martire, Nicolette	
Modified By:		11/06/2024 0911 Martire, Nicolette	

HQ received a call from Wells Fargo Bank reporting the smell of gas, all employees will be waiting outside the bank until ptls and fire are on scene 08:47

Ptl. Lovgren responding 08:50

Fire Toned 08:50

Ptl. Lovgren on location 08:50

42-66 responding 08:53

42-66 on location 08:54

42-2-90 in service 08:57

42-1-75 in service 08:57

42-2-75 in service 08:59

42-66 reports they checked the building nothing is showing at this time 08:59

42-2-75 on location 09:02

42-66 reports clear fire checked the building no gas and no CO, fire department will be clear and available. 09:09

For Date: 11/07/2024 - Thursday

24-10262	0932	Phone - ALARM, FIRE	False Alarm	1
Call Taker:		AMW - White, Anna		
Call Source:		Telephone		
Location/Address:		[42 1078] WALSH RESIDENCE - 3 TENNIS COURT LN		
Party Entered By:		11/07/2024 1011 AMW - White, Anna		
Calling Party:		SHEA COMMUNICATIONS 800-434-4000		

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Party Entered By: 11/07/2024 1021 AMW - White, Anna
Involved Party: PEGOSH, ERIC D @ 17 SOUTH RD - MONMOUTH BCH, NJ 07750-1138
SSN: 278564386 DOB: 08/23/1956 Race: U Sex: M
ID: MAT - Traina, Michael
Disp-09:39:51 Arvd-09:45:09 Clrd-09:52:05
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-09:46:30 Arvd-09:52:06 Clrd-09:52:09
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-09:46:42 Arvd-09:52:07 Clrd-09:52:08
Narrative: 11/07/2024 0936 White, Anna
Modified By: 11/07/2024 1010 White, Anna

HQ received a call from Shea Communications (operator: DG07)
about a residential fire alarm / carbon monoxide alarm
activation at 3 Tennis Ct Lane, Zone 2 - no description,
Premis: Walsh #732-842-0767, no contact 09:32

SO II Traina responding 09:34

Fire toned 09:34

Nixle sent 09:37

HQ received a call from Shea Communications tech Eric, he
was performing inspection at the residence, when he took the
alarm from test, homeowner notified him of a call about a
alarm company about an fire alarm activation. 09:37

SO II Traina on location, updated with info from tech 09:40

42-1-98 in service 09:42

HQ updated 42-198 with information provided by Shea
communication tech on location

SO II Traina reports he is out with testing company tech 10
-11 DL P22312326408564 , everything is 10-4 just testing,
Security and Fire Systems 09:48

42-198 advised of an update, asked if any officers checked
in, advised to cancel per ex-Chief Long 09:48

42-1-68 checked in with HQ, arriving at the location
momentarily 09:50

42-1-68 confirmed cancellation request 09:50

SO II Traina reports everything is 10-4, clear 09:51

Cancellation tone 09:51

42-1-68 report spoke to Shea Communications representative,
alarm set off in error, everything 10-4, clear 09:52

24-10263	1059	Phone - ALARM, FIRE	False Alarm	1
Call Taker:		AMW - White, Anna		
Call Source:		Telephone		
Location/Address:		[42 59] FORRESTDALE SCHOOL - 60 FORREST AVE		
Party Entered By:		11/07/2024 1103 AMW - White, Anna		
Calling Party:		EVERON 800-434-4000		
Party Entered By:		11/07/2024 1145 AMW - White, Anna		
Involved Party:		Unknown 732-547-6410		
		UNKNOWN, DAVID @ ***UNKNOWN*** - RUMSON, NJ 07760		
Narrative:		11/07/2024 1102 White, Anna		
Modified By:		11/07/2024 1144 White, Anna		
		HQ received a call from Everon (operator S530) about a Commercial Fire Alarm activation at 60 Forrest Ave; Premis		

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Forrestdale School #732-842-0382, will attempt KH, not aware of testing 10:54

HQ contacted David, who called earlier stating he will be putting systems in test mode and doing fire alarm inspection during the day (24-10260). He confirmed he is still on location doing testing, alarm is showing in testing mode, no response necessary, he will be reaching out to Everon 10:57

HQ received a call from Everon cancelling dispatch ref# M380631, reason : KH said tech on site performing testing 11:01

For Date: 11/08/2024 - Friday

24-10296 1048 Radio - ALARM, FIRE Services Rendered 1

Call Taker: NMM - Martire, Nicolette

Call Source: Radio

Location/Address: [42 715] NEWMAN RESIDENCE - 103 WEST RIVER RD

ID: JPW - Wrightington, James

Disp-10:51:58

Arvd-10:53:56 Clrd-11:23:25

Narrative: 11/08/2024 1056 Martire, Nicolette

Modified By: 11/08/2024 1123 Martire, Nicolette

HQ received a call for a residential fire alarm at 103 West River Rd indicating basement gas 10:46

Ptl. Wrightington en route 10:49

Ptl. Wrightington on location 10:52

Fire Toned 10:52

Ptl. Wrightington reports homeowner is safe everyone will be evaluating 10:56

42-67 reports in service 10:56

42-67 reports on scene 10:58

42-66 reports on location 11:18

42-1-75 reports in service 11:00

42-67 request man power for 103 W River Rd 11:04

42-66 reports entering town and will be responding to scene with a gas detector 11:09

Ptl. Wrightington reports clear, fire will be remaining on scene and should be clearing up momentarily 11:19

42-67 reports no detection of CO and no detection of natural gas all will be clear 11:21

For Date: 11/09/2024 - Saturday

24-10325 1755 Phone - ALARM, CARBON MONOXIDE False Alarm 1

Call Taker: PJS - Shaffery, Patrick

Call Source: Telephone

Location/Address: 72 EAST RIVER RD

Party Entered By: 11/09/2024 1802 PJS - Shaffery, Patrick

Calling/Inv. Party: GALLAGHER, ALLEN F @ 72 EAST RIVER RD - RUMSON, NJ 07760 732-842-8175

SSN: 145364807 DOB: 04/07/1945 Race: W Sex: M

ID: JCC - Camilleri, James

Disp-17:56:03

Arvd-17:56:09 Clrd-18:18:07

ID: DJC - Campanella, Daniel

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

ID: Disp-17:56:10 Arvd-17:56:12 Clrd-18:18:05
RFC - Z RUMSON FIRE, COMPANY
ID: Disp-17:59:08 Arvd-17:59:26 Clrd-18:18:10
OFC - Z OCEANIC FIRE, COMPANY
Disp-17:59:19 Arvd-17:59:23 Clrd-18:18:11
Narrative: 11/09/2024 1758 Shaffery, Patrick
Modified By: 11/09/2024 1802 Shaffery, Patrick

ALLEN GALLAGHER
REPORTING THE CARBON ALARM ACTIVATION IN THE
BASEMENT OF 72 EAST RIVER RD

Narrative: 11/09/2024 1758 Shaffery, Patrick
FIRE CHIEF 66 EN ROUTE & ON LOCATION

Narrative: 11/09/2024 1801 Shaffery, Patrick
2-75 ENGINE EN ROUTE

Narrative: 11/09/2024 1801 Shaffery, Patrick
90 TRUCK ON LOCATION

Narrative: 11/09/2024 1804 Shaffery, Patrick
1-98 EN ROUTE

Narrative: 11/09/2024 1807 Shaffery, Patrick
1-98 ON LOCATION

Narrative: 11/09/2024 1818 Shaffery, Patrick
PER 66 NEGATIVE READINGS WITH THEIR METERS, THE BATTERY TO
THE BASEMENT METER WAS REPLACED. NO FURTHER ACTION

For Date: 11/10/2024 - Sunday

24-10340 0346 911 - ALARM, CARBON MONOXIDE Removed Hazard 1
Call Taker: JRD - Dianora, Joseph
Call Source: 911
Location/Address: 95 WEST RIVER RD
ID: MVB - Berger, Michael
Disp-03:47:08 Arvd-03:55:48 Clrd-03:55:48
ID: JRS - Strohmenger, Joseph
Disp-03:47:09 Arvd-03:52:11 Clrd-04:49:00
ID: MCG - Guzman, Michael
Disp-03:47:10 Arvd-03:52:11 Clrd-04:57:12
ID: MVB - Berger, Michael
Disp-04:11:17 Arvd-04:11:18 Clrd-04:49:01
ID: MVB - Berger, Michael
Disp-04:55:52 Arvd-04:55:54 Clrd-04:55:55
Vehicle Entered By: 11/10/2024 0351 JRD - Dianora, Joseph
Vehicle: BLK 2022 VOLV AP XC9 Reg: PC NJ Z64PZL VIN: YV4102PK3N1863171
Owner: GUSS, MARC @ 16 CHURCH ST - RUMSON, NJ 07760
SSN: 076681062 DOB: 03/04/1969 Race: W Sex: M OLN: NJ G94545170003695
Narrative: 11/10/2024 0413 Dianora, Joseph
Modified By: 11/10/2024 0524 Dianora, Joseph
HQ recieved a county transfer for 95 W/ River Rd with a CO
Alarm, could be due to a space heater upstairs.

Sgt. Berger, Ptl. Strohmenger, and S/O II Guzman enroute @
0347

Fire tones @ 0348

Nixle @ 0348

Sgt. Berger, Ptl. Strohmenger, and S/O II Guzman on location
@ 0350

42-2-67 in service @ 0350

42-2-67 on location @ 0352

42-2-67 advised the dispatch for EMS and dispatch for fire due to high readings of CO in the house. 42-2-67 advised the homeowners have a baby in the home.

Fire and EMS tones sent @ 0358

Nixle for both Fire and EMS @ 0358

42-2-66 enroute @ 0404

42-2-67 advised to tone out Fire again in an attempt to get a truck, if there's no response tone out Sea Bright Fire

x3 Fire tone sent out @ 0406

42-2-67 advised that he will be returning to station to get an engine

42-1-76 advised they're in service @ 0407

X2 EMS sent @ 0408

42-1-76 on location @ 0408

Sea Bright EMS is being toned out @ 0409

Sgt. Berger advised if there's no response from Sea Bright EMS - go for Fair Haven EMS

42-2-67 advised HQ to contact NJ Gas

HQ contacted NJ Gas @ 0414

42-52 in service @ 0418 / Advised they're forming a crew @ 0418

Sea Bright EMS canceled @ 0419

42-52 on location @ 0421

42-57 in service @ 0422

42-1-98 in service @ 0424

42-1-98 on location @ 0425

42-57 on location @ 0426

42-2-67 asked HQ for an ETA for NJ Gas

HQ called NJ Gas, they advised 15 minutes from 0436

42-52 advised HQ that the homeowners will be transporting themselves to Riverview. 42-56 was cleared with an RMA @ 0441

42-57 advised HQ enroute back to station @ 0441

Sgt. Berger, and Ptl. Strohmenger, S/O II Guzman clear and 10-8 @ 0448

42-2-66 advised they've been airing out the CO through the windows and now 10-6 for the gas company @ 0450

42-57 advised 10-3 @ 0451

42-2-66 advised NJ Gas on location @ 0504

42-2-66 advised HQ that NJ Gas had deemed it a 'RED ZONE' and stated that there was a gas leak coming from the stove. The homeowner has been advised to get an outside source to service the home.

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

All Fire units will be clear and 10-8 @ 0524

For Date: 11/13/2024 - Wednesday

24-10437 1222 Phone - ALARM, FIRE False Alarm 1
Call Taker: AMW - White, Anna
Call Source: Telephone
Location/Address: [42 943] HILL RESIDENCE - 4 SOMERSET DR
Party Entered By: 11/13/2024 1332 AMW - White, Anna
Calling Party: SHEA COMMUNICATIONS 800-848-4000
ID: SL - Lehner, Stephanie
Disp-12:26:59 Arvd-12:32:24 Clrd-12:37:51
Arrived By: RAB - Boyer, Robert
Narrative: 11/13/2024 1227 White, Anna
Modified By: 11/13/2024 1332 White, Anna
HQ received a call from Shea Communications about a fire alarm activation at 4 Somerset Drive 12:23
Det. Lehner responding
Fire Toned 12:26
Det. Lehner on location 12:28
Det. Lehner reports due to unattended cooking, everything is 10-4 in the house, advise fire crews when they check in the service. 12:31
42-1-76 checks in service, updated on status, request for cancellation tone.
Cancellation tone 12:36
Det. Lehner reports negative for ventilation at the location, clearing up. 12:36

For Date: 11/16/2024 - Saturday

24-10538 0924 Phone - ALARM, FIRE False Alarm 1
Call Taker: JRD - Dianora, Joseph
Call Source: Telephone
Location/Address: [42 770] ABRAHAMSEN RESIDENCE - 31 WARDELL AVE
ID: MAT - Traina, Michael
Disp-09:27:12 Clrd-09:33:13
ID: TJM - Malone, Troy
Disp-09:27:13 Arvd-09:30:32 Clrd-09:40:37
Narrative: 11/16/2024 0927 Dianora, Joseph
Modified By: 11/16/2024 0940 Dianora, Joseph
HQ received a call from Checkpoint Alarm with a residential fire alarm at 31 Wardell Ave - All smoke detectors activated
Ptl. Malone enroute @ 0924
Fire tones and Nixle @ 0924
42-67 in service @ 0929
Ptl. Malone on location @ 0931
42-67 on location @ 0934
42-67 advised the alarm was set off in error due to the steam from the shower
Ptl. Malone and Ptl. Wrightington clear @ 0940

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

42-67 clear @ 0940

24-10545 1443 Phone - ALARM, FIRE False Alarm 1
Call Taker: JRD - Dianora, Joseph
Call Source: Telephone
Location/Address: [42 1754] RIVER POINTE INN - 132 EAST RIVER RD
ID: JPW - Wrightington, James
Disp-14:44:02 Arvd-14:45:10 Clrd-14:49:48
ID: TJM - Malone, Troy
Disp-14:44:03 Arvd-14:45:17 Clrd-14:49:48
Narrative: 11/16/2024 1449 Dianora, Joseph
HQ recieved a call from Reliable Security advising of a
commerical fire alarm at 132 E River Rd - River Pointe Inn -
fire was stated to be in the private dining area

Ptl. Malone and Ptl. Wrightington enroute @ 1444

Fire tones and Nixle @ 1444

Ptl. Malone and Ptl. Wrightington on location @ 1444

42-67 in service @ 1446

Ptl. Wrightington advised HQ that the alarm was set off due
to a birthday candle

42-67 was advised, he stated to hold units untill further
notice

42-67 on location, stating everything is 10-4 and to send
out cancelation tones

Tones sent @ 1448

Ptl. Malone and Ptl. Wrightington clear @ 1449

24-10549 1731 Phone - ALARM, FIRE False Alarm 1
Call Taker: JRD - Dianora, Joseph
Call Source: Telephone
Location/Address: [42 1376] DIDONATO RESIDENCE - 113 BLACKPOINT RD
ID: JPW - Wrightington, James
Disp-17:32:13 Arvd-17:36:21 Clrd-17:42:13
ID: TJM - Malone, Troy
Disp-17:36:30 Clrd-17:41:04
Narrative: 11/16/2024 1742 Dianora, Joseph
HQ recieved a call from Central State Security with a
residential fire alarm at 113 Blackpoint Rd - General Smoke
Detector alarm

Ptl. Wrightington enroute @ 1732

Fire tones / Nixle @ 1732

Ptl. Wrightington on location @ 1735

Ptl. Malone enroute @ 1734

Central State called HQ again @ 1734 advising of two silent
panic alarms on the property, no further description

Ptl. Wrightington advised HQ to notify any responding fire
personell that the alarm was set off due to culinary
misshap.

42-2-90 in service, and notified of the culinary misshap.

42-2-90 advised HQ the alarm was set off in error.

Ptl. Wrightington clear @ 1740

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

42-2-90 clear @ 1740

For Date: 11/17/2024 - Sunday

24-10567 1415 Phone - ALARM, FIRE Services Rendered 1
Call Taker: AMW - White, Anna
Call Source: Telephone
Location/Address: [42 869] COOPER RESIDENCE - 16 CONOVER LN
Party Entered By: 11/17/2024 1437 AMW - White, Anna
Calling Party: ALARM COMPANY 800-548-4478
ID: TJM - Malone, Troy
Disp-14:17:10 Arvd-14:24:02 Clrd-14:24:03
Narrative: 11/17/2024 1425 White, Anna
Modified By: 11/17/2024 1439 White, Anna
HQ received a call from an alarm company about a residential fire alarm activation at 16 Conover lane, first floor smoke detector 14:15
Ptl. Malone responding 14:18
Fire toned 14:19
Update from alarm company, spoke to homeowner, no fire, smoke from the oven 14:19
Patrol updated 14:22
Ptl. Malone on location 14:22
42-66 responding 12:24
Ptl. Malone reports he spoke to homeowner, activation due to culinary mishap, no ventilation needed, clear 14:25
42-66 on location 14:27
42-1-75 standing by if 42-66 wants them to respond 14:28
42-66 reports clear, no ventilation needed, cancel all units 14:28
Fire units updated 14:30

For Date: 11/18/2024 - Monday

24-10593 1515 Phone - FIRE, OTHER Services Rendered 1
Call Taker: GC - Gerard, Chiricolo
Call Source: Telephone
Location/Address: [42 118] HALL RESIDENCE - 80 WEST RIVER RD
Party Entered By: 11/18/2024 1535 GC - Gerard, Chiricolo
Calling/Inv. Party: HALL, GEORGE E @ 80 WEST RIVER RD - BORO OF RUMSON, NJ 07760 646-752-7505
SSN: 121500391 DOB: 09/10/1960 Race: W Sex: M
ID: JRS - Strohmenger, Joseph
Disp-15:16:47 Arvd-15:19:20 Clrd-15:25:47
ID: DES - Schneider, Donald
Disp-15:16:49 Arvd-15:17:14 Clrd-15:43:17
ID: MCG - Guzman, Michael
Disp-15:16:50 Arvd-15:18:14 Clrd-15:43:17
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-15:23:50 Arvd-15:25:18 Clrd-15:48:03
Narrative: 11/18/2024 1529 Gerard, Chiricolo
Modified By: 11/18/2024 1711 Gerard, Chiricolo
HQ received a call from the homeowner of the location above stating that there is an odor smell of chemical in his

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

residence and is requesting fire. @15:13

Sgt. Schneider, Ptl. Strohmenger, S/O. Guzman in service.
@15:14

Sgt. Schneider on location @15:15

S/O. Guzman on location @15:16

42-66 in service @15:16

Ptl. Strohmenger on location @15:17

42-67 in service @15:17

42-66 & 42-67 on location, states two story wood frame,
nothing show from exterior. @15:19

42-1-75, 42-1-76, 42-2-75 in service @15:21

42-1-75 on location @15:24

42-1-76 & 42-2-75 on location @15:25

Ptl. Strohmenger states he is 10-8. @15:26

42-66 states a electrical smell came from under the fish
tank, it is unplugged, nothing else showing and fire will
clear and be in service. @15:45

Patrol will clear and be in service to the vehicle lockout
@15:47

For Date: 11/19/2024 - Tuesday

24-10644	1958	Phone - ALARM, FIRE	False Alarm	1
Call Taker:		PJS - Shaffery, Patrick		
Call Source:		Telephone		
Location/Address:		4 TUXEDO RD		
ID:		JPW - Wrightington, James		
		Disp-19:59:02 Enrt-19:59:05 Arvd-20:01:25 Clrd-20:10:08		
ID:		BPD - Dougherty, Bryan		
		Disp-19:59:06 Enrt-19:59:08 Arvd-20:01:27 Clrd-20:10:28		
Narrative:		11/19/2024 2003 Shaffery, Patrick		
		ADT SECURITY		
		877-238-7730		
		REPORTING 2ND FLOOR SMOKE DETECTOR ACTIVATION AT		
		4 TUXEDO RD		
Narrative:		11/19/2024 2003 Shaffery, Patrick		
		ADT CALLED BACK REQUESTING TO CANCEL THE ALARM, RESIDENT		
		STATES ALARM WAS SET OFF FROM STEAM FROM THE BATHROOM		
		SHOWER.		
Narrative:		11/19/2024 2005 Shaffery, Patrick		
		CHIEFS 66 & 67 EN ROUTE, ADVISED OF THE UPDATE. ADVISING		
		THEY WILL INVESTIGATE , ALL EQUIPMENT TO HOLD AT QUARTERS		
Narrative:		11/19/2024 2006 Shaffery, Patrick		
		66 & 67 ON LOCATION, TWO STORY SFD NOTHING SHOWING FROM THE		
		EXTERIOR		
Narrative:		11/19/2024 2010 Shaffery, Patrick		
		OFFICERS TAKEN UP, TOT THE FIRE DEPT.		
Narrative:		11/19/2024 2012 Shaffery, Patrick		
		FIRE CHIEFS CONFIRMED ALARM WAS SET OFF FROM STEAM FROM THE		
		SHOWER. CLEARING NFA		

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

For Date: 11/20/2024 - Wednesday

24-10651 0137 Phone - ALARM, FIRE False Alarm 1
Call Taker: PJS - Shaffery, Patrick
Call Source: Telephone
Location/Address: 4 TUXEDO RD
ID: JPW - Wrightington, James
Disp-01:37:41 Enrt-01:37:44 Arvd-01:39:38 Clrd-01:57:13
ID: BPD - Dougherty, Bryan
Disp-01:37:45 Enrt-01:37:47 Arvd-01:41:33 Clrd-01:57:11
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-01:48:14 Enrt-01:48:18 Arvd-01:48:58 Clrd-01:57:20
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-01:48:54 Clrd-01:57:18
Narrative: 11/20/2024 0138 Shaffery, Patrick
ADT SECURITY
888-294-6736
REPORTING 2ND FLOOR SMOKE DETECTOR ACTIVATION AT
4 TUXEDO ROAD

Narrative: 11/20/2024 0146 Shaffery, Patrick
2-75 ENGINE EN ROUTE

Narrative: 11/20/2024 0149 Shaffery, Patrick
2-75 ENGINE ON LOCATION

Narrative: 11/20/2024 0157 Shaffery, Patrick
ADT CALLING REPORTING 2ND FLOOR SMOKE DETECTOR ACTIVATION.
FIRE DEPT REPORTING NEGATIVE WITH THE THERMAL CAMERA,
DETERMINING THE ACTIVATION TO BE A FAULTY HEAD.
RESIDENT WAS ADVISED TO FOLLOW WITH THEIR ALARM SERVICE.
NFA

24-10677 1650 Phone - ALARM, FIRE Services Rendered 1
Call Taker: NMM - Martire, Nicolette
Call Source: Telephone
Location/Address: [42 62] RUMSON FAIR HAVEN REGIONAL HIGH SCHOOL - 74 RIDGE RD
ID: JTO - Orozco, James
Disp-16:53:08 Arvd-16:53:33 Clrd-17:02:27
ID: CJI - Isherwood, Chris
Disp-17:00:59 Arvd-17:01:00 Clrd-17:02:26
Narrative: 11/20/2024 1653 Martire, Nicolette
Modified By: 11/20/2024 1705 Martire, Nicolette
HQ received a call for a commercial fire alarm for 74 ridge
road zone E 110 16:50

Plt. Orozco en route 16:51

FIRE toned 16:54

Plt. Orozco reports 10-9 16:55

42-66 reports en route 16:58

Plt. Orozco reports one of the students hit the alarm by
mistake that caused activation 16:56

Plt. Orozco reports fire on scene 16:59

As per 42-66 all units can stand down and to send
cancelation tone 17:00

Plt. Orozco reports everything is 10-4 the alarm was set off
by error due to on of the students, Ptlis will be clear 17:03

42-66 reports the alarm was cleared from one of the RFH
staff members, he will be clear 17:03

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

24-10687 2108 Phone - ALARM, FIRE False Alarm 1
Call Taker: PJS - Shaffery, Patrick
Call Source: Telephone
Location/Address: 5 ROSALIE AVE
Party Entered By: 11/20/2024 2114 PJS - Shaffery, Patrick
Calling/Inv. Party: Unknown 732-232-0253
GANGI, JOHN A @ 5 ROSALIE AVE - RUMSON, NJ 07760 732-345-1242
SSN: 158707953 DOB: 11/24/1965 Race: W Sex: M
ID: MAT - Traina, Michael
Disp-21:08:50 Enrt-21:09:04 Arvd-21:11:43 Clrd-21:36:22
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-21:15:32 Enrt-21:22:38 Arvd-21:23:55 Clrd-21:36:18
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-21:15:45 Enrt-21:22:36 Arvd-21:23:56 Clrd-21:36:20
Narrative: 11/20/2024 2114 Shaffery, Patrick
JOHN GANGI
5 ROSALIE AVE
732-232-0253
REPORTING THE SMOKE ALARMS THROUGHOUT THE HOUSE ARE
SOUNDING, UNKNOWN THE CAUSE OF THE ACTIVATION

Narrative: 11/20/2024 2118 Shaffery, Patrick
2ND REQUEST FOR FIRE DEPT TONED OUT

Narrative: 11/20/2024 2122 Shaffery, Patrick
FIRE CHIEF 67 EN ROUTE

Narrative: 11/20/2024 2122 Shaffery, Patrick
1-75 ENGINE EN ROUTE

Narrative: 11/20/2024 2124 Shaffery, Patrick
FIRE CHIEF 67 ON LOCATION

Narrative: 11/20/2024 2126 Shaffery, Patrick
1-75 ENGINE ON LOCATION

Narrative: 11/20/2024 2126 Shaffery, Patrick
2-75 ENGINE EN ROUTE

Narrative: 11/20/2024 2127 Shaffery, Patrick
2-75 ENGINE ON LOCATION

Narrative: 11/20/2024 2136 Shaffery, Patrick
FIRE CHIEF 67 REPORTING A CHECK OF THE RESIDENCE FOUND TO BE
IN ORDER. CAUSE OF THE ACTIVATION APPEARS TO BE DUE TO A
FAULTY HEAD,WHICH HOMEOWNER WILL ADDRESS.

For Date: 11/21/2024 - Thursday

24-10698 0805 Phone - ALARM, FIRE Services Rendered 1
Call Taker: AMW - White, Anna
Call Source: Telephone
Location/Address: [42 1268] BRENNAN RESIDENCE - 3 SOUTH ROHALLION DR Apt. #S ROH
Party Entered By: 11/21/2024 0828 AMW - White, Anna
Calling Party: BE SAFE 800-633-2677
ID: JTO - Orozco, James
Disp-08:10:04 Arvd-08:12:57 Clrd-08:23:33
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-08:22:32 Arvd-08:23:30 Clrd-08:23:32
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-08:23:27 Arvd-08:23:29 Clrd-08:23:30
Narrative: 11/21/2024 0807 White, Anna
Modified By: 11/21/2024 0827 White, Anna
HQ RECEIVED A CALL FROM BE SAFE FOR A FIRE ALARM ACTIVATION
AT 3 SOUTH ROHALLION DR; P:BRENNAN RESIDENCE #732-996-2302
GENERAL ACTIVATION, REF#EE-6389 08:08

PTL. OROZCO RESPONDING 08:10

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

FIRE TONED 08:10

UPDATE: BE SAFE ALARM COMPANY CALLED WITH AN UPDATE THEY
SPOKE TO MRS BRENNAN, SHE GAVE CORRECT PASSCODE AND SAID
EVERYTHING WAS FINE, NOTHING GOING ON.

PTL. OROZCO ON LOCATION 08:13

42-1-76 IN SERVICE AT 08:16

42-1-75 IN SERVICE 08:18

42-2-75 IN SERVICE 08:20

42-1-76 ON LOCATION 08:20

42-1-75 ON LOCATION 08:23

42-2-75 ON LOCATION 08:23

42-66 RESPONDING 08:24

42-1-70 HOMEOWNER SET OFF ALARM BY HITTING THE CONTROL BOARD
ALL UNITS WILL BE CLEAR 08:24

PTL. OROZCO REPORTS CLEAR, EVERYTHING APPEARS 10-4, ALARM
SET OFF BY HOMEOWNER ACCIDENTALY HITTING THE PANEL 08:25

24-10707 1502 **Phone - FIRE, STRUCTURE** **Services Rendered 1**
Call Taker: AMW - White, Anna
Call Source: Telephone
Location/Address: 50 FORREST AVE
Party Entered By: 11/21/2024 1534 AMW - White, Anna
Calling Party: GROSS, ALICE D @ 50 FORREST AVE - RUMSON, NJ 07760 732-778-1293
SSN: 107360760 DOB: 09/15/1946 Race: W Sex: M
ID: JTO - Orozco, James
Disp-15:11:29 Arvd-15:11:31 Clrd-15:28:23
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-15:11:42 Arvd-15:11:46 Clrd-15:34:23
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-15:12:03 Arvd-15:12:05 Clrd-15:34:22
Narrative: 11/21/2024 1509 White, Anna
Modified By: 11/22/2024 0809 White, Anna
HQ receive a call from resident of 50 Forrest Ave reporting
a possible electrical fire in a basement bathroom 14:59

Ptl. Orozco reposonding 15:02

Fire Toned 15:04

Ptl. Orozco on location 15:04

42-66 responding 15:05

42-66 reports on location, 2 story residential, wood frame,
nothing showing from the exterior, investigating 15:06

42-1-76 responding 15:11

42-66 reports no smoke or fire showing, heat from the
outlet, crews investigating with heat camera 15:12

42-1-76 on location

42-67 and 42-1-75 in service 15:14

42-67 and 42-1-75 on scene 15:16

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Ptl. Orozco reports clear, Fire on scene, braker was shut off, resident was advised to contact an electrician 15:27

42-66 reports braker was shot off to isolate the bathroom GFI outlet that was overheating, outlet was disconnected, homeowner was advised to contact an electrician. Fire clear and available 15:30

24-10709	1636	Phone - FIRE, OTHER	Services Rendered 1
Call Taker:		AMW - White, Anna	
Call Source:		Telephone	
Vicinity of:		[42 1704] SOKOLOVA RESIDENCE - 16 BROADMOOR DR	
Party Entered By:		11/21/2024 1803 AMW - White, Anna	
Calling Party:		HUSTON, THOMAS @ ***UNKNOWN*** - RUMSON, NJ 07760 732-737-5744	
ID:		JTO - Orozco, James	
		Disp-16:40:15	Arvd-16:40:17 Clrd-17:03:35
ID:		TJM - Malone, Troy	
		Disp-16:41:17	Arvd-16:41:20 Clrd-17:03:34
ID:		RFC - Z RUMSON FIRE, COMPANY	
		Disp-16:53:51	Arvd-16:53:54 Clrd-17:03:32
ID:		OFC - Z OCEANIC FIRE, COMPANY	
		Disp-16:54:09	Arvd-16:54:11 Clrd-17:03:26
ID:		AMW - White, Anna	
		Disp-17:03:27	Arvd-17:03:30 Clrd-17:03:31
Narrative:		11/21/2024 1656 White, Anna	
Modified By:		11/21/2024 1811 White, Anna	

HQ received a call from attached party about a osprey nest on top of a pole that is sparking/catching fire on pole in the area of 18 Broadmoor 16:35

Ptl. Orozco responding 16:38

Fire toned 16:38

Ptl. Orozco on location 16:40

Ptl. Orozco reports location change to 16 Broadmoor

42-66 in service 16:41

42-67 in service 16:42

42-2-75 in service 16:45

42-66, 42-67 on location 16:46

JCP&L contacted ref#358575881 ETA 1-2hrs 16:44

42-2-75 arriving 16:49

Ptl. Orozco 10-11 pole# BT891RN 16:49

Ptl. Orozco reports all units clear, everything appears to be 10-4 with the pole for now, advised the residents of 16 and 14 Broadmoor to stay indoors and not go near the pole, if anything changes 17:02

Units clear 17:03

Ptl. Orozco reports JCP&L on location addressing the pole 18:10

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

For Date: 11/22/2024 - Friday

24-10725 0927 Phone - FIRE, OTHER Services Rendered 1
Call Taker: AMW - White, Anna
Call Source: Telephone
Location/Address: 5 MEADOWBROOK AVE
ID: JRS - Strohmenger, Joseph
 Disp-09:33:22 Arvd-09:33:24 Clrd-09:38:28
ID: MCG - Guzman, Michael
 Disp-09:33:27 Arvd-09:34:21 Clrd-09:38:27
ID: RFC - Z RUMSON FIRE, COMPANY
 Disp-09:33:42 Arvd-09:41:48 Clrd-10:19:44
ID: OFC - Z OCEANIC FIRE, COMPANY
 Disp-09:34:16 Arvd-09:41:49 Clrd-10:19:43
Narrative: 11/22/2024 0928 White, Anna
Modified By: 11/22/2024 1020 White, Anna

HQ received a call from County reporting an odor of natural gas inside the residence at 5 Meadowbrook Ave, occupants are outside / original caller: Jena Ricci 732-371-3674 09:28

Ptl. Strohmenger responding 09:28

Fire toned 09:29

Ptl. Strohmenger on location 09:30

Nixle sent 09:32

42-67 in service 09:32

SO II Guzman on location 09:34

42-90 in service 09:34

42-90 arriving 09:36

42-2-75 in service 09:37

Ptl. Strohmenger reports patrols clear, turned over to fire 09:37

42-1-75 in service 09:45

42-67 requests 42-1-75 to stage on Ave of Two due to Meadowbrook is tight 09:45

42-1-75 on location 09:47

42-67 reports small leak detected from a dryer, Requests NJ Natural Gas respond to the location 09:56

HQ called NJ Natural Gas(1-800-221-0051) ETA 15min-1hr 09:58

42-67 updated 09:58

42-67 NJ Natural Gas on scene, clear 10:19

For Date: 11/23/2024 - Saturday

24-10776 1100 Phone - ALARM, FIRE Services Rendered 1
Call Taker: NMM - Martire, Nicolette
Call Source: Telephone

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Location/Address: [42 1246] WYNN RESIDENCE - 7 BUENA VISTA AVE
ID: MCG - Guzman, Michael
Disp-11:03:05 Arvd-11:03:46 Clrd-11:07:02
Narrative: 11/23/2024 1125 Martire, Nicolette
Modified By: 11/23/2024 1126 Martire, Nicolette
HQ received a call from ADT security reporting a residential fire alarm at 7 Buena Vista, first floor smoke detector 11:00
S/O II Guzman responding 11:01
Fire Toned 11:02
42-67 reports in service 11:05
HQ received a call from the alarm company reporting everything is 10-4 alarm activated due to cooking and the proper code was given.
Ptls and fire were notified 11:06
Fire Cancelation 11:08
Ptls smoke with the homeowner everything is 10-4, activated due to cooking 11:10

24-10793 1952 Phone - ALARM, FIRE False Alarm 1
Call Taker: PJS - Shaffery, Patrick
Call Source: Telephone
Location/Address: [42 72] VAL'S TAVERN - 123 EAST RIVER RD
ID: JCC - Camilleri, James
Disp-19:52:43 Arvd-19:52:45 Clrd-20:00:57
ID: DCM - Morse, Donald
Disp-19:52:50 Arvd-19:52:52 Clrd-20:00:59
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-20:00:51 Arvd-20:00:55 Clrd-20:04:15
Narrative: 11/23/2024 1953 Shaffery, Patrick
SHEA COMMUNICATIONS
800-434-400
REPORTING 2ND FLOOR SMOKE DETECTOR AT VAL'S TAVERN
Narrative: 11/23/2024 1955 Shaffery, Patrick
2-68 EN ROUTE AND ON LOCATION
Narrative: 11/23/2024 2000 Shaffery, Patrick
OFFICERS CLEARING UP TOT FIRE OFFICER. PER 2-68 REQUEST ALL EQUIPMENT TO HOLD AT QUARTERS
Narrative: 11/23/2024 2004 Shaffery, Patrick
FIRE OFFICER 2-68 REPORTING FIRE ALARM WAS RESET UPON ARRIVAL. NO INDICATIONS OF CAUSE OF ALARM ACTIVATION. BUSINESS WAS ADVISED NOT TO RESET THE ALARM PRIOR TO ARRIVAL, ALSO TO FOLLOW UP WITH THEIR ALARM SERVICE

For Date: 11/24/2024 - Sunday

24-10806 0406 911 - FIRE, STRUCTURE Extinguished 1
Call Taker: PJS - Shaffery, Patrick
Call Source: 911
Location/Address: 5 WARDELL AVE
ID: DCM - Morse, Donald
Disp-04:07:47 Enrt-04:07:50 Arvd-04:11:19 Clrd-05:08:08
ID: RFC - Z RUMSON FIRE, COMPANY
Disp-04:21:15 Arvd-04:21:21 Clrd-06:35:29
ID: OFC - Z OCEANIC FIRE, COMPANY
Disp-04:21:45 Arvd-04:21:48 Clrd-06:35:27
ID: EMS - Z RUMSON EMS, REMS
Disp-04:24:56 Enrt-04:30:22 Arvd-04:32:36 Clrd-06:18:02

Selective Search From: 08/25/2024 Thru: 11/25/2024 0000 - 2359 Printed: 11/25/2024

Narrative: 11/24/2024 0408 Shaffery, Patrick
Modified By: 11/25/2024 0633 Martire, Nicolette
MONMOUTH COUNTY WITH A 9-1-1 CALL FROM 5 WARDELL AVE,
RESIDENT HEARD A LOUD BANG, WITH THE BASEMENT FILLING
UP WITH SMOKE

Narrative: 11/24/2024 0409 Shaffery, Patrick
FIRE CHIEF 67 EN ROUTE

Narrative: 11/24/2024 0410 Shaffery, Patrick
FIRE CHIEF 66 EN ROUTE

Narrative: 11/24/2024 0416 Shaffery, Patrick
PO MORSE REPORTING HEAVY SMOKE CONDITION AT THE RESIDENCE,
PER FIRE CHIEF 66 REQUEST TO TRANSMIT A BOX ALARM.
PER MARP ENGINE FROM FAIR HAVEN, SEA BRIGHT & RIT FROM
TINTON FALLS REQUESTED

Narrative: 11/24/2024 0417 Shaffery, Patrick
FIRE CHIEF CONFIRMING STRUCTURE FIRE IN THE BASEMENT.
SEA BRIGHT ENGINE & LADDER EN ROUTE.
RUMSON 1-75 & 90 TRUCK EN ROUTE

Narrative: 11/24/2024 0418 Shaffery, Patrick
EMS TONED OUT

Narrative: 11/24/2024 0419 Shaffery, Patrick
90 TRUCK ON LOCATION

Narrative: 11/24/2024 0420 Shaffery, Patrick
SEA BRIGHT LADDER ON LOCATION
1-75 ENGINE EN ROUTE

Narrative: 11/24/2024 0420 Shaffery, Patrick
1-76 ENGINE ON LOCATION

Narrative: 11/24/2024 0430 Shaffery, Patrick
PER CHIEF 66 REQUESTED COUNTY FIRE MARSHALL TO THIS
LOCATION.
AMBULANCE 56 & 57 EN ROUTE

Narrative: 11/24/2024 0436 Shaffery, Patrick
PER FIRE CHIEF REQUEST COUNTY HAZMAT DUE TO LITHIUM BATTERY
EXPLOSION IN THE BASEMENT

Narrative: 11/24/2024 0442 Shaffery, Patrick
RAPID INTERVENTION TEAM ON LOCATION

Narrative: 11/24/2024 0448 Shaffery, Patrick
COUNTY FIRE MARSHALL ON LOCATION

Narrative: 11/24/2024 0453 Shaffery, Patrick
CHIEF 66 REQUESTING THE BOROUGH FIRE OFFICIAL
MARTIN HAWLEY, EN ROUTE GIVING A 20 MINUTE ETA

Narrative: 11/24/2024 0459 Shaffery, Patrick
HAZMAT ON LOCATION.
FAIR HAVEN, AND TINTON FALLS FD ARE SECURING EN ROUTE BACK
TO THEIR QUARTERS. RUMSON & SEA BRIGHT REMAINING ON SCENE

Narrative: 11/24/2024 0510 Shaffery, Patrick
PO MORSE CLEARING TOT FIRE DEPT. FIRE WAS EXTINGUISHED FROM
THE IGNITION OF AN EBIKE BATTERY. THE HOMEOWNERS WERE
CHECKED OUT BY EMS, DECLINING FURTHER MEDICAL ASSISTANCE.

Narrative: 11/24/2024 0518 Shaffery, Patrick
AMBULANCE 57 TRANSPORTING A MEMBER OF THE FIRE DEPT TO
RIVERVIEW MEDICAL CENTER

Narrative: 11/24/2024 0525 Shaffery, Patrick

AMBULANCE 57 ARRIVING AT RIVERVIEW MEDICAL CENTER

Narrative: 11/24/2024 0530 Shaffery, Patrick
AMBULANCE 57 CLEARING FROM RIVERVIEW EN ROUTE BACK TO THE
BOROUGH

Narrative: 11/24/2024 0605 Shaffery, Patrick
AMERICAN RED CROSS CONTACTED TO ASSIST THE HOMEOWNER FROM
BE DISPLACED DUE TO THE FIRE. INITIAL INFORMATION WAS TAKEN,
RED CROSS CASE WORKER WILL CALL BACK WITHIN 2 HOURS

Narrative: 11/24/2024 0617 Shaffery, Patrick
FIRE CHIEF EN ROUTE TO RIVERVIEW MEDICAL TO CHECK ON STATUS
OF FIRE PERSONNEL, TURNING COMMAND OVER TO 2-68. CREWS STILL
ON SCENE CLEANING UP

Narrative: 11/24/2024 0635 Shaffery, Patrick
FIRE COMMAND TERMINATED ALL EQUIPMENT EN ROUTE BACK TO
QUARTERS