

Incident Run Log

Cedar Grove Fire Department

Date Range: From 05/01/2025 to 07/31/2025

Company: All Companies

Sorted by: Street Name and Number

Date	FDID	Incident#	Alarm	###	Address	Suite	Zip	Type	Lgth
05/04/2025	07040	0202-508668	12:18		315 E lindsley Rd		07009	Removal of victim(s) from stalled elevator	0.2
06/09/2025	07040	2025-11065	15:59	140	Anderson Parkway		07009	Gas leak (natural gas or LPG)	3.3
07/30/2025	07040	2025-14189	09:57	4	Apple Tree Lane		07009	Gas leak (natural gas or LPG)	0.3
05/22/2025	07040	2025-09861	22:08	30	Aspen Drive		07009-	Carbon monoxide detector activation, no CO	0.3
06/13/2025	07040	2025-11294	13:17	48	Bennett Avenue		07009	Good intent call, other	20.8
07/19/2025	07040	2025-13607	23:10	15	Beverly Road		07009		0.4
07/10/2025	07040	2025-13101	23:56	27	Bortic Road		07009-	Carbon monoxide detector activation, no CO	0.4
07/08/2025	07040	2025-12959	19:30	65	Bowden Road		07009	Alarm system sounded due to malfunction	0.3
06/18/2025	07040	2025-11569	15:52	34	Briarhill Road		07009	Alarm system activation, no fire - unintentional	0.1
07/03/2025	07040	2025-12632	11:42	16	Brookdale Avenue		07009	Gas leak (natural gas or LPG)	0.4
05/19/2025	07040	2025-09682	20:22	24	Bruce Court		07009	CO detector activation due to malfunction	0.1
07/14/2025	07040	2025-13297	11:20	30	Canfield Road		07009	Alarm system activation, no fire - unintentional	0.3
07/21/2025	07040	2025-13673	00:12	19	Carlson Parkway		07009	Carbon monoxide detector activation, no CO	0.3
06/02/2025	07040	2025-10581	17:22	76	Cedar Grove Parkway		07009	Gas leak (natural gas or LPG)	0.3
05/11/2025	07040	2025-09176	15:20	129	Cedar Street		07009	Gas leak (natural gas or LPG)	0.3
06/02/2025	07040	2025-10555	08:20	107	Commerce Road		07009	Excessive heat, scorch burns with no ignition	0.3
05/06/2025	07040	2025-08818	07:33	150	Commerce Road		07009-	Alarm system activation, no fire - unintentional	0.8
05/02/2025	07040	2025-08600	15:31	26	Devonshire Road South		07009	Alarm system sounded due to malfunction	0.1
05/07/2025	07040	2025-08937	19:04	26	Devonshire Road South		07009-	Alarm system sounded due to malfunction	0.2
06/11/2025	07040	2025-11170	08:41	180	East Bradford Avenue		07009	System malfunction, other	0.0
07/24/2025	07040	2025-13898	13:59	170	East Lindsley Road		07009	Alarm system sounded due to malfunction	0.1
06/18/2025	07040	2025-11537	07:22	170	East Lindsley Road		07009	Alarm system activation, no fire - unintentional	0.1
05/12/2025	07040	2025-09239	13:56	315	East Lindsley Road		07009	Smoke detector activation, no fire - unintentional	0.3
05/30/2025	07040	2025-10335	09:07	315	East Lindsley Road		07009-	Alarm system sounded due to malfunction	0.4
05/13/2025	07040	2025-09282	02:46	315	East Lindsley Road		07009-	Smoke detector activation due to malfunction	0.3
05/03/2025	07040	2025-08667	20:38	315	East Lindsley Road		07009-	Central station, malicious false alarm	0.4
07/28/2025	07040	2025-14105	18:31	114	Eileen Drive		07009	CO detector activation due to malfunction	0.4
05/06/2025	07040	2025-08844	14:18	176	Eileen Drive		07009-	Alarm system sounded due to malfunction	0.6
06/18/2025	07040	2025-11571	16:02	47	Eileen Drive		07009	Unintentional transmission of alarm, other	0.5
06/11/2025	07040	2025-11197	21:33	5	Emory Court		07009	Smoke detector activation, no fire - unintentional	0.3
07/21/2025	07040	2025-13720	18:29		Fairview Ave		07009	Extrication of victim(s) from vehicle	0.6
07/30/2025	07040	2025-14218	20:09	199	Fairview Avenue		07009	Alarm system sounded due to malfunction	0.1
07/21/2025	07040	2025-13738	21:41	266	Fairview Avenue		07009	Air or gas rupture of pressure or process vessel	0.3
05/10/2025	07040	2025-09132	21:05	277	Fairview Avenue		07009	Carbon monoxide incident	1.0
07/18/2025	07040	2025-13519	13:14	303	Fairview Avenue		07009	Alarm system sounded due to malfunction	0.3
07/01/2025	07040	2025-12548	20:22	23	Forest Hills Way		07009	Smoke detector activation due to malfunction	0.3
07/24/2025	07040	2025-13879	05:45	9	Frederick Court		07009		0.6
05/29/2025	07040	2025-10278	10:44	51	Grissing Court		07009	Gas leak (natural gas or LPG)	1.1
06/14/2025	07040	2025-11340	10:02	2-48	Grove Ave.		07009	Alarm system activation, no fire - unintentional	0.4
05/14/2025	07040	2025-09365	14:17	110	Grove Avenue		07009-	Alarm system sounded due to malfunction	0.8
07/22/2025	07040	2025-13778	13:49	110	Grove Avenue		07009	Central station, malicious false alarm	0.4
07/22/2025	07040	2025-13766	10:04	110	Grove Avenue		07009	Alarm system sounded due to malfunction	0.4
05/19/2025	07040	2025-09684	20:29	20	Harper Terrace		07009	Smoke detector activation, no fire - unintentional	0.2
05/20/2025	07040	2025-09750	18:11	36	Highland Road	A	07009	Smoke detector activation due to malfunction	1.0
05/26/2025	07040	2025-10071	19:17	11	Highview Terrace		07009	Boiler/Furnace Malfunction	0.3
07/22/2025	07040	2025-13800	18:29	4	Highview Terrace		07009	Building fire	0.5
05/22/2025	07040	2025-09828	08:50	100	Holly Lane		07009-	Detector activation, no fire - unintentional	0.1
07/30/2025	07040	2025-14206	15:53	1000	Holly Lane		07009	Alarm system sounded due to malfunction	0.3
07/15/2025	07040	2025-13369	16:22	107	Holly Lane		07009	Smoke detector activation, no fire - unintentional	0.2
07/30/2025	07040	2025-14208	15:54	1100	Holly Lane		07009	Alarm system sounded due to malfunction	0.3
07/07/2025	07040	2025-12856	11:56	1200	Holly Lane		07009	Alarm system sounded due to malfunction	0.4
05/17/2025	07040	2025-09528	04:08	1309	Holly Lane		07009	Alarm system activation, no fire - unintentional	0.5
07/30/2025	07040	2025-14202	15:40	400	Holly Lane		07009	Alarm system sounded due to malfunction	0.6
05/18/2025	07040	2025-09584	05:52	700	Holly Lane		07009	Sprinkler activation due to malfunction	0.5
05/19/2025	07040	2025-09631	06:22	700	Holly Lane		07009-	Alarm system sounded due to malfunction	0.3

Date	FDID	Incident#	Alarm	###	Address	Suite	Zip	Type	Lgth
05/20/2025	07040	2025-09707	06:44	700	Holly Lane			07009- Alarm system sounded due to malfunction	0.3
07/07/2025	07040	2025-12869	17:29	19	Jefferson Street			07009- Alarm system sounded due to malfunction	0.2
06/23/2025	07040	2025-11933	18:47	19	Juniper Court			07009 HazMat release investigation w/no HazMat	0.3
05/01/2025	07040	2025-08506	10:11	216	Little Falls Road			07009 Gas leak (natural gas or LPG)	0.7
07/31/2025	07040	2025-14236	10:16	50	Longview Road			07009- Alarm system sounded due to malfunction	0.4
07/21/2025	07040	2025-13670	00:09	9	Loretta Drive			07009 Alarm system sounded due to malfunction	0.3
06/04/2025	07040	2025-10727	13:43	49	Lynwood Road			07009 Smoke or odor removal	0.5
05/01/2025	07040	2025-08483	06:46		Montclair Avenue			07009 Arcing, shorted electrical equipment	0.6
06/24/2025	07040	2025-12011	13:49	200	Myrtle Avenue			07009- Alarm system sounded due to malfunction	0.5
06/24/2025	07040	2025-12013	14:18	200	Myrtle Avenue			07009- Alarm system sounded due to malfunction	0.2
07/19/2025	07040	2025-13601	20:56	92	Oak Drive			07009	0.2
05/20/2025	07040	2025-09753	19:05	36	Old Orchard Court			07009- Carbon monoxide detector activation, no CO	0.3
06/19/2025	07040	2025-11626	11:23	4	Old Quarry Road			07009- Alarm system sounded due to malfunction	0.4
07/29/2025	07040	2025-14141	12:23		Out of Jurisdiction			07003- Cover assignment, standby, moveup	17.9
06/08/2025	07040	2025-11010	18:18		Out of Jurisdiction			07042- Cover assignment, standby, moveup	0.6
06/02/2025	07040	2025-10580	17:16		Out of Jurisdiction			07009 Cover assignment, standby, moveup	3.0
06/21/2025	07040	2025-11794	18:59		Out of Jurisdiction			07003- Cover assignment, standby, moveup	5.4
06/21/2025	07040	2025-11800	19:52		Out of Jurisdiction			07003- Cover assignment, standby, moveup	4.5
07/10/2025	07040	2025-13062	09:59	1416	Pompton Ave			07009 Alarm system sounded due to malfunction	0.2
06/19/2025	07040	2025-11649	16:52	420	Pompton Ave			07009 HazMat release investigation w/no HazMat	0.7
07/24/2025	07040	0202-513950	17:05	480	Pompton Ave			07009 Gas leak (natural gas or LPG)	0.9
07/07/2025	07040	2025-12844	06:14	145	Ridge Road			07009 Alarm system sounded due to malfunction	0.2
05/20/2025	07040	2025-09742	14:14	145	Ridge Road			07009- Alarm system sounded due to malfunction	0.3
07/20/2025	07040	2025-13645	16:20	161	Ridge Road			07009 Heat detector activation due to malfunction	0.2
07/20/2025	07040	2025-13632	10:25	161	Ridge Road			07009 Alarm system sounded due to malfunction	0.1
07/23/2025	07040	2025-13842	12:18	161	Ridge Road			07009 Alarm system sounded due to malfunction	0.1
07/25/2025	07040	2025-13944	09:06	161	Ridge Road			07009 Alarm system sounded due to malfunction	0.2
07/25/2025	07040	2025-13949	10:13	161	Ridge Road			07009 Alarm system sounded due to malfunction	41.2
05/28/2025	07040	2025-10211	15:25	536	Ridge Road			07009- Alarm system sounded due to malfunction	0.4
06/28/2025	07040	2025-12293	14:57	612	Ridge Road			07009 High-angle rescue	1.2
06/12/2025	07040	2025-11258	16:49	8	Ring Place			07009- Alarm system sounded due to malfunction	0.2
05/09/2025	07040	2025-09046	14:15		Route 23			07009 Extrication of victim(s) from vehicle	0.6
05/13/2025	07040	2025-09308	12:59		Route 23			07009 Oil or other combustible liquid spill	0.4
05/01/2025	07040	2025-08521	11:50		Route 23			07009 Oil or other combustible liquid spill	0.3
07/24/2025	07040	0202-513899	14:15	1356	Route 23			07009- Gas leak (natural gas or LPG)	0.4
06/16/2025	07040	2025-11463	21:09	1371	Route 23			07009- Detector activation, no fire - unintentional	0.1
07/30/2025	07040	2025-14176	06:29	1376	Route 23			07009 Alarm system sounded due to malfunction	0.1
07/30/2025	07040	2025-14178	06:50	1376	Route 23			07009- Alarm system sounded due to malfunction	0.2
07/30/2025	07040	2025-14192	09:57	1376	Route 23			07009 Alarm system sounded due to malfunction	0.6
06/28/2025	07040	2025-12275	06:42	1376	Route 23			07009 Alarm system sounded due to malfunction	0.2
07/27/2025	07040	2025-14031	06:36	387	Route 23			07009 Overheated motor	0.6
07/14/2025	07040	2025-13312	19:46	402	Route 23			07009 Defective elevator, no occupants	18.0
06/27/2025	07040	2025-12226	08:30	25	Rutgers Avenue			07009- Smoke detector activation due to malfunction	0.1
07/31/2025	07040	2025-14253	17:59	3	Sequoia Drive			07009 Smoke detector activation, no fire - unintentional	0.2
05/15/2025	07040	2025-09452	23:56	92	Sequoia Drive			07009 Carbon monoxide incident	0.6
07/31/2025	07040	2025-14256	18:18	149	Sherman Avenue			07009 Cooking fire, confined to container	0.4
07/19/2025	07040	2025-13571	08:15	155	Sunrise Terrace			07009	0.3
07/30/2025	07040	2025-14174	05:52	30	The Glen			07009- Alarm system sounded due to malfunction	0.3
06/09/2025	07040	2025-11076	19:03	7	Tiffany Court			07009 Smoke detector activation, no fire - unintentional	0.4
05/06/2025	07040	2025-08857	16:48	23	Tower Drive			07009 Smoke detector activation, no fire - unintentional	0.1
07/27/2025	07040	2025-14027	03:18	65	Union Street			07009- Carbon monoxide detector activation, no CO	0.3
05/26/2025	07040	2025-10076	22:21	32	Upland Way			07009- Carbon monoxide detector activation, no CO	0.3
05/10/2025	07040	2025-09125	20:07		Vincent Road			07009 Passenger vehicle fire	0.4
07/03/2025	07040	2025-12626	10:40	92	Westland Road			07009 Gas leak (natural gas or LPG)	0.3
07/30/2025	07040	2025-14194	12:14	5	Woodstone Drive			07009 Defective elevator, no occupants	0.1
07/12/2025	07040	2025-13200	09:57	5	Woodstone Drive			07009 Dispatched & canceled en route	24.4
07/13/2025	07040	2025-13250	11:01	5	Woodstone Drive			07009 Dispatched & canceled en route	24.6
05/11/2025	07040	2025-09181	17:23	118	Young Avenue			07009 Arcing, shorted electrical equipment	0.4
06/29/2025	07040	2025-12332	04:13	134	Young Avenue			07009 Smoke detector activation due to malfunction	4.6
06/29/2025	07040	2025-12387	21:36	141	Young Avenue			07009- Carbon monoxide detector activation, no CO	0.2
07/11/2025	07040	2025-13164	21:36	170	Young Avenue			07009- Carbon monoxide detector activation, no CO	0.3

Date	FDID	Incident#	Alarm ###	Address	Suite	Zip	Type	Lgth
------	------	-----------	-----------	---------	-------	-----	------	------

Total Number of Incidents: 116
Total Length of Incidents: 205.8 Hours