

IncidentNum	IncidentDa	IncidentTin	Address	IncidentType
2026-00201	5/3/2026	13:29:18	285 MADISON AVE	745 - Alarm system activation, no fire - unintentional
2026-00200	5/1/2026	15:42:20	230 PARK AVE	353 - Removal of victim(s) from stalled elevator
2026-00199	5/1/2026	14:00:22	160 RIDGEDALE AVE	745 - Alarm system activation, no fire - unintentional
2026-00198	5/1/2026	13:17:04	6 VREELAND RD	745 - Alarm system activation, no fire - unintentional
2026-00197	4/30/2026	10:33:15	161 DRIFTWAY	111 - Building fire
2026-00196	4/29/2026	12:19:59	17 SHERBROOKE DR	745 - Alarm system activation, no fire - unintentional
2026-00195	4/29/2026	10:41:37	190 PARK AVE	745 - Alarm system activation, no fire - unintentional
2026-00194	4/28/2026	22:47:45	2 HANOVER RD	412 - Gas leak (natural gas or LPG)
2026-00193	4/28/2026	13:52:06	2 CONVENT RD # 6	740 - Unintentional transmission of alarm, other
2026-00192	4/28/2026	11:05:44	285 MADISON AVE	745 - Alarm system activation, no fire - unintentional
2026-00191	4/28/2026	10:55:20	180 PARK AVE	745 - Alarm system activation, no fire - unintentional
2026-00190	4/27/2026	22:35:06	2 CONVENT RD # 6 FLR 1	745 - Alarm system activation, no fire - unintentional
2026-00189	4/27/2026	13:47:25	200 PARK AVE	745 - Alarm system activation, no fire - unintentional
2026-00188	4/27/2026	10:06:36	140 PARK AVE	745 - Alarm system activation, no fire - unintentional
2026-00187	4/26/2026	10:07:48	27 BROOKLAKE RD	743 - Smoke detector activation, no fire - unintentional
2026-00186	4/25/2026	14:17:47	8 APPLGATE DR	733 - Smoke detector activation due to malfunction
2026-00185	4/24/2026	17:23:36	2.4 RT 24 E	322 - Motor vehicle accident with injuries
2026-00184	4/24/2026	15:00:10	160 RIDGEDALE AVE	733 - Smoke detector activation due to malfunction
2026-00183	4/23/2026	15:03:52	100 CAMPUS DR	740 - Unintentional transmission of alarm, other
2026-00182	4/23/2026	14:03:22	175 PARK AVENUE CONNECTOR RD	611 - Dispatched & cancelled en route
2026-00181	4/20/2026	20:17:43	285 MADISON AVE	745 - Alarm system activation, no fire - unintentional
2026-00180	4/20/2026	19:40:56	100 PASSAIC AVE	531 - Smoke or odor removal
2026-00179	4/18/2026	12:55:33	PARK AVE	322 - Motor vehicle accident with injuries
2026-00178	4/16/2026	19:21:53	250 RIDGEDALE AVE # 14	745 - Alarm system activation, no fire - unintentional
2026-00177	4/16/2026	17:49:17	24 SHERBROOKE DR	410 - Combustible/flammable gas/liquid condition, other
2026-00176	4/16/2026	11:07:43	220 RIDGEDALE AVE	745 - Alarm system activation, no fire - unintentional
2026-00175	4/16/2026	9:58:54	2 CONVENT RD # 5	745 - Alarm system activation, no fire - unintentional
2026-00174	4/15/2026	17:54:17	5.2 RT 24 W	551 - Assist police or other governmental agency
2026-00173	4/15/2026	12:47:59	210 PARK AVE	353 - Removal of victim(s) from stalled elevator
2026-00172	4/13/2026	9:11:47	3 JOLEN CT	736 - CO detector activation due to malfunction
2026-00171	4/11/2026	17:12:21	17 VILLAGE RD	745 - Alarm system activation, no fire - unintentional
2026-00170	4/10/2026	15:09:53	160 RIDGEDALE AVE	745 - Alarm system activation, no fire - unintentional

2026-00169	4/10/2026	7:25:47	5.8 RT 24 W	551 - Assist police or other governmental agency
2026-00168	4/9/2026	16:58:10	230 PARK AVE	353 - Removal of victim(s) from stalled elevator
2026-00167	4/9/2026	6:04:19	285 MADISON AVE	711 - Municipal alarm system, malicious false alarm
2026-00166	4/7/2026	12:42:46	285 MADISON AVE	743 - Smoke detector activation, no fire - unintentional
2026-00165	4/7/2026	9:20:48	220 PARK AVENUE CONNECTOR RD	353 - Removal of victim(s) from stalled elevator
2026-00164	4/7/2026	9:06:39	26 COLUMBIA TPKE	745 - Alarm system activation, no fire - unintentional
2026-00163	4/6/2026	19:47:01	285 MADISON AVE	745 - Alarm system activation, no fire - unintentional
2026-00162	4/3/2026	18:48:01	5 KEYES ST	531 - Smoke or odor removal
2026-00161	4/3/2026	15:00:18	160 RIDGEDALE AVE	745 - Alarm system activation, no fire - unintentional
2026-00160	4/3/2026	8:28:00	3 ALLERTON CT	743 - Smoke detector activation, no fire - unintentional
2026-00159	4/3/2026	5:41:21	100 PARK AVE	731 - Sprinkler activation due to malfunction
2026-00158	4/2/2026	16:10:40	5.0 RT 24 E	551 - Assist police or other governmental agency
2026-00157	4/2/2026	14:34:39	11 LOVEYS DR	111 - Building fire
2026-00156	3/31/2026	21:40:46	285 MADISON AVE	745 - Alarm system activation, no fire - unintentional
2026-00155	3/31/2026	20:07:00	285 MADISON AVE	743 - Smoke detector activation, no fire - unintentional
2026-00154	3/31/2026	16:41:59	13 PINCHBROOK DR	412 - Gas leak (natural gas or LPG)
2026-00153	3/30/2026	22:17:54	53 BROOKLAKE RD	746 - Carbon monoxide detector activation, no CO
2026-00152	3/29/2026	14:41:36	26 RIVERSIDE DR	142 - Brush or brush-and-grass mixture fire
2026-00151	3/27/2026	17:28:35	285 MADISON AVE	745 - Alarm system activation, no fire - unintentional
2026-00150	3/26/2026	20:29:12	100 CAMPUS DR 104	745 - Alarm system activation, no fire - unintentional
2026-00149	3/26/2026	19:46:58	200 PARK AVE	353 - Removal of victim(s) from stalled elevator
2026-00148	3/26/2026	17:02:30	9 SMITHFIELD LN	746 - Carbon monoxide detector activation, no CO
2026-00147	3/26/2026	9:55:07	6 SARAZEN CT	740 - Unintentional transmission of alarm, other
2026-00146	3/25/2026	20:08:06	38 PARK ST # 16A	746 - Carbon monoxide detector activation, no CO
2026-00145	3/24/2026	15:53:06	220 PARK AVE	353 - Removal of victim(s) from stalled elevator
2026-00144	3/23/2026	20:13:35	90 PARK AVE # 338	651 - Smoke scare, odor of smoke
2026-00143	3/23/2026	10:06:49	500 CAMPUS DR	353 - Removal of victim(s) from stalled elevator
2026-00142	3/21/2026	16:18:11	222 COLUMBIA TPKE	745 - Alarm system activation, no fire - unintentional
2026-00141	3/21/2026	11:49:39	236 RIDGEDALE AVE	745 - Alarm system activation, no fire - unintentional
2026-00140	3/21/2026	11:20:22	236 RIDGEDALE AVE	730 - System malfunction, other
2026-00139	3/20/2026	15:01:07	160 RIDGEDALE AVE	745 - Alarm system activation, no fire - unintentional
2026-00138	3/20/2026	11:24:12	110 EDGEWOOD DR	745 - Alarm system activation, no fire - unintentional
2026-00137	3/20/2026	7:04:49	11 VREELAND RD	745 - Alarm system activation, no fire - unintentional

2026-00136 3/19/2026 17:17:47 20 RIVERSIDE DR
 2026-00135 3/19/2026 15:19:31 RT 24 W
 2026-00134 3/19/2026 0:15:21 25B VREELAND RD
 2026-00133 3/18/2026 14:37:32 6.6 RT 24 E
 2026-00132 3/17/2026 0:26:29 229 RIDGEDALE AVE
 2026-00131 3/17/2026 0:11:36 3 AFTON DR
 2026-00130 3/16/2026 22:06:50 5 HERITAGE RD
 2026-00129 3/16/2026 9:43:23 57 CUNNINGHAM DR
 2026-00128 3/15/2026 19:38:28 2 CONVENT RD # 8B
 2026-00127 3/13/2026 16:41:23 100 CAMPUS DR
 2026-00126 3/12/2026 15:08:07 90 PARK AVE
 2026-00125 3/12/2026 12:06:11 2 CONVENT RD # 8B
 2026-00124 3/12/2026 8:01:11 130 PARK AVE
 2026-00123 3/11/2026 15:13:00 5.2 RT 24 W
 2026-00122 3/11/2026 12:55:38 4.6 RT 24 E
 2026-00121 3/10/2026 16:41:35 11 VREELAND RD
 2026-00120 3/10/2026 8:23:39 90 PARK AVE
 2026-00119 3/9/2026 19:21:55 8 ALLERTON CT
 2026-00118 3/9/2026 18:48:11 22 ROOSEVELT BLVD
 2026-00117 3/9/2026 11:34:55 6 HUGHES CT
 2026-00116 3/8/2026 5:42:19 64 TOWNSEND DR
 2026-00115 3/7/2026 9:48:23 58 BROOKLAKE RD
 2026-00114 3/6/2026 23:35:12 285 MADISON AVE
 2026-00113 3/6/2026 18:10:27 4.8 RT 24 W
 2026-00112 3/6/2026 13:59:55 160 RIDGEDALE AVE
 2026-00111 3/6/2026 13:30:56 285 MADISON AVE
 2026-00110 3/6/2026 12:28:43 58 BROOKLAKE RD
 2026-00109 3/6/2026 5:21:07 21 PARKER CT
 2026-00108 3/5/2026 8:49:37 9 SMITHFIELD LN
 2026-00107 3/4/2026 13:42:37 30 COLUMBIA TPKE
 2026-00106 3/4/2026 13:39:01 30A VREELAND RD
 2026-00105 3/4/2026 12:34:25 102 ROCKWOOD RD
 2026-00104 3/3/2026 10:04:12 400 CAMPUS DR

412 - Gas leak (natural gas or LPG)
 551 - Assist police or other governmental agency
 743 - Smoke detector activation, no fire - unintentional
 700 - False alarm or false call, other
 800 - Severe weather or natural disaster, other
 622 - No incident found on arrival at dispatch address
 745 - Alarm system activation, no fire - unintentional
 745 - Alarm system activation, no fire - unintentional
 745 - Alarm system activation, no fire - unintentional
 353 - Removal of victim(s) from stalled elevator
 745 - Alarm system activation, no fire - unintentional
 735 - Alarm system sounded due to malfunction
 745 - Alarm system activation, no fire - unintentional
 551 - Assist police or other governmental agency
 745 - Alarm system activation, no fire - unintentional
 745 - Alarm system activation, no fire - unintentional
 353 - Removal of victim(s) from stalled elevator
 745 - Alarm system activation, no fire - unintentional
 745 - Alarm system activation, no fire - unintentional
 745 - Alarm system activation, no fire - unintentional
 736 - CO detector activation due to malfunction
 745 - Alarm system activation, no fire - unintentional
 745 - Alarm system activation, no fire - unintentional
 551 - Assist police or other governmental agency
 745 - Alarm system activation, no fire - unintentional
 412 - Gas leak (natural gas or LPG)
 743 - Smoke detector activation, no fire - unintentional
 743 - Smoke detector activation, no fire - unintentional
 745 - Alarm system activation, no fire - unintentional
 522 - Water or steam leak
 522 - Water or steam leak
 745 - Alarm system activation, no fire - unintentional
 353 - Removal of victim(s) from stalled elevator

2026-00103 3/3/2026 7:02:20 32 APPLGATE DR
 2026-00102 3/1/2026 19:31:32 215 RIDGEDALE AVE
 2026-00101 3/1/2026 19:06:00 182 RIDGEDALE AVE
 2026-00100 3/1/2026 17:49:19 26 LAKEVIEW AVE # 334
 2026-00099 2/28/2026 13:59:34 43 PINCHBROOK DR
 2026-00098 2/28/2026 9:13:25 300 BROOKLAKE RD # 334
 2026-00097 2/27/2026 14:15:31 4.6 RT 24 W
 2026-00096 2/27/2026 14:00:13 160 RIDGEDALE AVE
 2026-00095 2/27/2026 13:37:04 5 HERITAGE RD
 2026-00094 2/24/2026 20:16:07 90 PARK AVE # 334
 2026-00093 2/24/2026 20:15:00 21 DEL WEBB BLVD
 2026-00092 2/23/2026 20:05:01 110 PARK AVE
 2026-00091 2/23/2026 11:45:37 8 KEYES ST
 2026-00090 2/23/2026 9:25:52 21 RIDGEDALE AVE
 2026-00089 2/22/2026 14:33:48 2 CONVENT RD F
 2026-00088 2/21/2026 21:38:16 1804 SUN VALLEY WAY
 2026-00087 2/21/2026 16:42:19 6.6 RT 24 W
 2026-00086 2/21/2026 12:17:39 3 ANNABELLE LN
 2026-00085 2/20/2026 14:01:31 160 RIDGEDALE AVE
 2026-00084 2/19/2026 7:31:15 400 CAMPUS DR
 2026-00083 2/18/2026 21:53:28 195 COLUMBIA TPKE
 2026-00082 2/18/2026 15:22:06 8 VREELAND RD
 2026-00081 2/17/2026 22:09:05 38 PARK ST
 2026-00080 2/16/2026 15:03:30 100 CAMPUS DR
 2026-00079 2/16/2026 7:56:36 50 PASSAIC AVE
 2026-00078 2/14/2026 9:25:02 28 1ST ST
 2026-00245 2/13/2026 15:01:32 2.5 RT 24 W # 1212
 2026-00076 2/13/2026 12:46:50 8 HOGAN CT # 1212
 2026-00075 2/13/2026 8:20:26 320 HELM CT
 2026-00074 2/13/2026 7:17:09 100 CAMPUS DR
 2026-00073 2/13/2026 5:53:47 29 HANOVER RD
 2026-00072 2/12/2026 15:45:51 2.4 RT 24 W
 2026-00071 2/11/2026 15:45:42 147 COLUMBIA TPKE # 1212

522 - Water or steam leak
 743 - Smoke detector activation, no fire - unintentional
 622 - No incident found on arrival at dispatch address
 745 - Alarm system activation, no fire - unintentional
 412 - Gas leak (natural gas or LPG)
 622 - No incident found on arrival at dispatch address
 551 - Assist police or other governmental agency
 745 - Alarm system activation, no fire - unintentional
 745 - Alarm system activation, no fire - unintentional
 412 - Gas leak (natural gas or LPG)
 745 - Alarm system activation, no fire - unintentional
 745 - Alarm system activation, no fire - unintentional
 745 - Alarm system activation, no fire - unintentional
 714 - Central station, malicious false alarm
 745 - Alarm system activation, no fire - unintentional
 412 - Gas leak (natural gas or LPG)
 322 - Motor vehicle accident with injuries
 745 - Alarm system activation, no fire - unintentional
 745 - Alarm system activation, no fire - unintentional
 353 - Removal of victim(s) from stalled elevator
 743 - Smoke detector activation, no fire - unintentional
 745 - Alarm system activation, no fire - unintentional
 412 - Gas leak (natural gas or LPG)
 353 - Removal of victim(s) from stalled elevator
 745 - Alarm system activation, no fire - unintentional
 412 - Gas leak (natural gas or LPG)
 551 - Assist police or other governmental agency
 412 - Gas leak (natural gas or LPG)
 412 - Gas leak (natural gas or LPG)
 353 - Removal of victim(s) from stalled elevator
 131 - Passenger vehicle fire
 551 - Assist police or other governmental agency
 741 - Sprinkler activation, no fire - unintentional

2026-00070	2/11/2026	8:46:24	90 BROOKLAKE RD	741 - Sprinkler activation, no fire - unintentional
2026-00069	2/11/2026	0:18:31	147 COLUMBIA TPKE	741 - Sprinkler activation, no fire - unintentional
2026-00068	2/10/2026	11:11:36	11 VREELAND RD	745 - Alarm system activation, no fire - unintentional
2026-00067	2/10/2026	10:07:39	90 PARK AVE # 136	412 - Gas leak (natural gas or LPG)
2026-00066	2/9/2026	22:17:29	910 DARLING DR	731 - Sprinkler activation due to malfunction
2026-00065	2/9/2026	21:20:18	18 COLUMBIA TPKE	522 - Water or steam leak
2026-00064	2/9/2026	20:36:14	910 SUN VALLEY WAY	743 - Smoke detector activation, no fire - unintentional
2026-00063	2/9/2026	20:20:27	KNAPP AVE	412 - Gas leak (natural gas or LPG)
2026-00061	2/9/2026	15:06:40	147 COLUMBIA TPKE # 1	522 - Water or steam leak
2026-00062	2/9/2026	15:03:36	2903 SUN VALLEY WAY	745 - Alarm system activation, no fire - unintentional
2026-00060	2/9/2026	15:01:43	2701 SUN VALLEY WAY	745 - Alarm system activation, no fire - unintentional
2026-00059	2/9/2026	14:58:20	4 HANOVER RD # C	745 - Alarm system activation, no fire - unintentional
2026-00058	2/8/2026	17:10:36	220 SUN VALLEY WAY	531 - Smoke or odor removal
2026-00057	2/7/2026	20:21:02	175 PARK AVE	353 - Removal of victim(s) from stalled elevator
2026-00056	2/7/2026	11:29:17	220 PARK AVE	353 - Removal of victim(s) from stalled elevator
2026-00055	2/7/2026	10:09:28	30B VREELAND RD	745 - Alarm system activation, no fire - unintentional
2026-00054	2/6/2026	13:09:19	25 CATHEDRAL AVE	745 - Alarm system activation, no fire - unintentional
2026-00053	2/6/2026	12:01:34	10 RIDGEDALE AVE	412 - Gas leak (natural gas or LPG)
2026-00052	2/6/2026	2:47:18	2 CONVENT RD # 5	743 - Smoke detector activation, no fire - unintentional
2026-00051	2/5/2026	20:46:22	2 CONVENT RD 6	745 - Alarm system activation, no fire - unintentional
2026-00050	2/5/2026	17:51:24	43 SHERBROOKE DR 5	743 - Smoke detector activation, no fire - unintentional
2026-00049	2/5/2026	10:36:10	6 VREELAND RD	412 - Gas leak (natural gas or LPG)
2026-00048	2/4/2026	23:53:23	10 FLORENCE DR	412 - Gas leak (natural gas or LPG)
2026-00047	2/4/2026	20:52:14	2 CONVENT RD # 5	745 - Alarm system activation, no fire - unintentional
2026-00046	2/4/2026	19:40:28	6 VREELAND RD	251 - Excessive heat, scorch burns with no ignition
2026-00045	2/3/2026	16:24:35	78 LINCOLN AVE	522 - Water or steam leak
2026-00044	2/3/2026	11:34:27	285 MADISON AVE	745 - Alarm system activation, no fire - unintentional
2026-00043	2/2/2026	9:34:07	100 CAMPUS DR # 2ND FLR	353 - Removal of victim(s) from stalled elevator