

BOARD OF HEALTH
Township of Washington
County of Morris

No 01295

PERMIT TO LOCATE AND CONSTRUCT OR ALTER
AN INDIVIDUAL SEWAGE DISPOSAL SYSTEM

*In Accordance with Chapter 199 Public Laws of 1954 as Adopted by
Ordinance of the Board of Health*

Permission is hereby granted Patrick Deo (Kettler)
Name of Owner or Contractor

19 Flintlock Dr., Long Valley, N. J. 07853
Address

☐ Locate and construct or to ☒ Alter

AN INDIVIDUAL SEWAGE DISPOSAL SYSTEM

Map Name if any _____

Location: Section _____ Block No. 42A Lot No. 13 Street 19 Flintlock Dr.


as shown on Application for Permit to Locate and Construct or Alter an Individual
Sewage Disposal System Number _____

IN ACCORDANCE WITH Chapter 199 Public Laws of 1954, the Standards of the
New Jersey State Department of Health, the Ordinances of the Township of Wash-
ington and the Ordinances of the Board of Health of the Township of Washington.

Neither the issuance of this permit nor the issuance of an occupancy permit shall be
construed as a guarantee or representation by the Board of Health that the Sewage
Disposal System will operate properly.

BOARD OF HEALTH OF WASHINGTON TOWNSHIP

Date July 9, 1979


For the Board of Health

Fee: \$15.00 paid

of
after

BOARD OF HEALTH
TOWNSHIP OF WASHINGTON
County of Morris

**APPLICATION FOR PERMIT TO LOCATE AND CONSTRUCT OR ALTER
AN INDIVIDUAL SEWAGE DISPOSAL SYSTEM**


In Accordance with Chapter 199 Public Laws of 1954 as Adopted by Ordinance.

Installation: New _____ Alteration X Date 7-8-79
Location: Address of Building 19 FLINTLOCK DRIVE PARKER ACRES
Map Name if any _____
Section No. _____ Block No. 42A Lot No. 14
Owner's Name (print) DAVID B. DEO
Owner's Address 19 FLINTLOCK DRIVE PARKER ACRES
Name and Address of Contractor if any HANK KETTLER LONG VALLEY
Type of Building to be served: Dwelling X Garage _____ Occupied 12 months per year
Other—Type of Building _____ Gals. per person per day _____
Dwelling Unit—No. of Bed Rooms 4 Expansion Attic—Yes _____ No _____
No. of Persons to occupy premises _____
Check: Type of Facilities: Sink _____ Tub _____ Basin _____ Toilet _____ Shower _____ Other _____
Size of Lot _____ Area sq. ft. _____
Septic Tank NOTE: 4 in. cast iron pipe to be used from building to septic tank.
Liquid Capacity 1000 Gals. Material: Steel _____ or Concrete X
Width _____ ft. Length _____ ft. Diameter _____ ft.
Liquid depth _____ Distance from liquid level to underside of top _____
Check: _____
Liquid Disposal
Disposal Trenches _____ Disposal Bed _____ Seepage Pits _____ Cesspool _____ Vault _____
Disposal Trenches
Width _____ ft.; Depth _____ ft.; Lin. Feet of Pipe _____; Distance between lines _____
Type of pipe: Tile _____ Orangeburg _____ Others _____
Disposal Bed
Width _____ ft.; Length _____ ft.; Area sq. ft. _____; Lin. ft. of pipe _____; Distance between lines _____
Type of pipe: Tile _____ Orangeburg _____ Others _____
Seepage Pits
When a single seepage pit is specified, two or more seepage pits may be used provided the combined volume is at least equal to the volume of the single pit specified herein.
Number _____ Diameter _____ ft.; Depth below inlet 10' ft.; Distance between pits _____ ft.
Shape of Pits X Construction material: Cinder Blocks _____ Others _____
~~Cesspool~~ Depth 13 feet Diameter 10 feet. Vault: Dimensions _____
Material _____
Remarks: _____
Depth of Permeable Material to be Penetrated _____

PERCOLATION TEST RESULTS

Hole No.	Stabilized Rate	No. of Tests to Determine Saturation	Depth	Type of Soil Encountered Depth of Each Type
----------	-----------------	--------------------------------------	-------	--

SKETCH OF PROPOSED LAYOUT



Make an accurate sketch showing the following—lot dimensions, location of house, location of each unit of disposal system, all buildings and large trees in disposal area. Include distances from house, side and rear lot lines, auxiliary buildings, large trees and sewerage units.

When a single seepage pit is specified, two or more seepage pits may be used provided the combined volume is at least equal to the volume of the single pit specified herein.

In the event a well is installed it shall be a drilled well, it shall be cased with a water tight casing and sealed and shall be at least 50 feet from the Sewage System. Show location on sketch. All in accordance with "Water Supply Code of New Jersey, 1959."

If for any reason the sewage system as designed herein cannot be installed request the engineer to make a new design before making any changes.

The undersigned agrees to locate, construct or alter the aforesaid individual sewage disposal system in accordance with the standards of the New Jersey State Department of Health and the ordinances of the Township of Washington and in particular in accordance with the individual Sewage Disposal System Code of New Jersey, 1953, adopted by the Board of Health of Washington and to accurately follow the layout set forth herein.

NOTE:

Sewage system is not to be covered until inspected by the Board of Health.

Building is not to be occupied until Occupancy Permit is issued.