



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 02/04/25 10:46

Incident Type Group	# of Incident	% of Total
111 -Building fire	2	0.45
113 -Cooking fire, confined to container	2	0.45
142 -Brush, or brush and grass mixture fire	1	0.22
212 -Overpressure rupture of steam boiler	1	0.22
251 -Excessive heat, scorch burns with no ignition	4	0.89
321 -EMS call, excluding vehicle accident with injury	233	52.01
322 -Vehicle accident with injuries	16	3.57
323 -Motor vehicle/pedestrian accident (MV Ped)	3	0.67
324 -Motor vehicle accident with no injuries.	2	0.45
341 -Search for person on land	1	0.22
353 -Removal of victim(s) from stalled elevator	2	0.45
381 -Rescue or EMS standby	8	1.79
400 -Hazardous condition, other	2	0.45
411 -Gasoline or other flammable liquid spill	3	0.67
412 -Gas leak (natural gas or LPG)	2	0.45
413 -Oil or other combustible liquid spill	2	0.45
421 -Chemical hazard (no spill or leak)	3	0.67
424 -Carbon monoxide incident	9	2.01
440 -Electrical wiring/equipment problem, other	4	0.89
441 -Heat from short circuit (wiring), defective/worn	1	0.22
444 -Power line down	6	1.34
445 -Arcing, shorted electrical equipment	1	0.22
451 -Biological hazard, confirmed or suspected	1	0.22
463 -Vehicle accident, general cleanup	3	0.67
511 -Lock-out	2	0.45
512 -Ring or jewelry removal	1	0.22
522 -Water or steam leak	4	0.89
531 -Smoke or odor removal	1	0.22
550 -Public service assistance, other	2	0.45
551 -Assist police or other governmental agency	35	7.81
552 -Police matter	2	0.45
553 -Public service	20	4.46
554 -Assist invalid	4	0.89
555 -Defective elevator, no occupants	2	0.45
571 -Cover assignment, standby, moveup	4	0.89
600 -Good intent call, other	1	0.22
611 -Dispatched & canceled en route	13	2.90
622 -No incident found on arrival at dispatch address	1	0.22
651 -Smoke scare, odor of smoke	5	1.12
671 -Hazmat release investigation w/ no hazmat	2	0.45
700 -False alarm or false call, other	6	1.34
730 -System malfunction, other	2	0.45
733 -Smoke detector activation due to malfunction	4	0.89
735 -Alarm system sounded due to malfunction	3	0.67
736 -CO detector activation due to malfunction	4	0.89
740 -Unintentional transmission of alarm, other	1	0.22
743 -Smoke detector activation, no fire - unintentional	10	2.23



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 02/04/25 10:46

Incident Type Group	# of Incident	% of Total
744 -Detector activation, no fire - unintentional	1	0.22
745 -Alarm system sounded, no fire - unintentional	1	0.22
746 -Carbon monoxide detector activation, no CO	5	1.12



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 03/03/25 08:56

Incident Type Group	# of Incident	% of Total
111 -Building fire	3	0.79
113 -Cooking fire, confined to container	7	1.85
116 -Fuel burner/boiler malfunction, fire confined	1	0.26
118 -Trash or rubbish fire, contained	1	0.26
131 -Passenger vehicle fire	1	0.26
251 -Excessive heat, scorch burns with no ignition	3	0.79
311 -Medical assist, assist EMS crew	1	0.26
321 -EMS call, excluding vehicle accident with injury	204	53.97
322 -Vehicle accident with injuries	10	2.65
323 -Motor vehicle/pedestrian accident (MV Ped)	3	0.79
381 -Rescue or EMS standby	5	1.32
412 -Gas leak (natural gas or LPG)	5	1.32
413 -Oil or other combustible liquid spill	1	0.26
424 -Carbon monoxide incident	6	1.59
440 -Electrical wiring/equipment problem, other	1	0.26
441 -Heat from short circuit (wiring), defective/worn	1	0.26
444 -Power line down	2	0.53
445 -Arcing, shorted electrical equipment	2	0.53
461 -Building or structure weakened or collapsed	1	0.26
463 -Vehicle accident, general cleanup	1	0.26
510 -Person in distress, other	1	0.26
511 -Lock-out	3	0.79
522 -Water or steam leak	2	0.53
531 -Smoke or odor removal	1	0.26
542 -Animal rescue	1	0.26
550 -Public service assistance, other	2	0.53
551 -Assist police or other governmental agency	49	12.96
553 -Public service	9	2.38
554 -Assist invalid	1	0.26
571 -Cover assignment, standby, moveup	4	1.06
611 -Dispatched & canceled en route	10	2.65
651 -Smoke scare, odor of smoke	4	1.06
652 -Steam, vapor, fog or dust thought to be smoke	2	0.53
710 -Malicious, mischievous false call, other	1	0.26
715 -Local alarm system, malicious false alarm	1	0.26
733 -Smoke detector activation due to malfunction	7	1.85
735 -Alarm system sounded due to malfunction	1	0.26
736 -CO detector activation due to malfunction	2	0.53
740 -Unintentional transmission of alarm, other	1	0.26
743 -Smoke detector activation, no fire - unintentional	6	1.59
744 -Detector activation, no fire - unintentional	1	0.26
745 -Alarm system sounded, no fire - unintentional	4	1.06
746 -Carbon monoxide detector activation, no CO	3	0.79
911 -Citizen complaint	3	0.79



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 04/01/25 08:51

Incident Type Group	# of Incident	% of Total
111 -Building fire	6	1.17
112 -Fires in structures other than in a building	1	0.19
113 -Cooking fire, confined to container	7	1.36
170 -Cultivated vegetation, crop fire, other	1	0.19
251 -Excessive heat, scorch burns with no ignition	2	0.39
321 -EMS call, excluding vehicle accident with injury	264	51.36
322 -Vehicle accident with injuries	10	1.95
323 -Motor vehicle/pedestrian accident (MV Ped)	2	0.39
324 -Motor vehicle accident with no injuries.	5	0.97
350 -Extrication, rescue, other	1	0.19
351 -Extrication of victim(s) from building/structure	1	0.19
381 -Rescue or EMS standby	4	0.78
400 -Hazardous condition, other	1	0.19
411 -Gasoline or other flammable liquid spill	4	0.78
412 -Gas leak (natural gas or LPG)	7	1.36
424 -Carbon monoxide incident	3	0.58
441 -Heat from short circuit (wiring), defective/worn	1	0.19
442 -Overheated motor	1	0.19
444 -Power line down	3	0.58
445 -Arcing, shorted electrical equipment	2	0.39
451 -Biological hazard, confirmed or suspected	2	0.39
463 -Vehicle accident, general cleanup	1	0.19
511 -Lock-out	3	0.58
522 -Water or steam leak	2	0.39
531 -Smoke or odor removal	2	0.39
550 -Public service assistance, other	5	0.97
551 -Assist police or other governmental agency	85	16.54
553 -Public service	6	1.17
554 -Assist invalid	4	0.78
561 -Unauthorized burning	2	0.39
571 -Cover assignment, standby, moveup	2	0.39
611 -Dispatched & canceled en route	26	5.06
621 -Wrong location	1	0.19
622 -No incident found on arrival at dispatch address	1	0.19
651 -Smoke scare, odor of smoke	4	0.78
700 -False alarm or false call, other	2	0.39
733 -Smoke detector activation due to malfunction	4	0.78
735 -Alarm system sounded due to malfunction	2	0.39
736 -CO detector activation due to malfunction	6	1.17
740 -Unintentional transmission of alarm, other	1	0.19
743 -Smoke detector activation, no fire - unintentional	12	2.33
744 -Detector activation, no fire - unintentional	2	0.39
745 -Alarm system sounded, no fire - unintentional	10	1.95
746 -Carbon monoxide detector activation, no CO	3	0.58



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 05/02/25 10:34

Incident Type Group	# of Incident	% of Total
111 -Building fire	4	0.92
113 -Cooking fire, confined to container	5	1.15
114 -Chimney or flue fire, confined to chimney or flue	1	0.23
131 -Passenger vehicle fire	1	0.23
142 -Brush, or brush and grass mixture fire	1	0.23
142M-Mulch Fire	1	0.23
220 -Overpressure rupture from air or gas, other	1	0.23
251 -Excessive heat, scorch burns with no ignition	1	0.23
321 -EMS call, excluding vehicle accident with injury	225	51.84
322 -Vehicle accident with injuries	12	2.76
323 -Motor vehicle/pedestrian accident (MV Ped)	3	0.69
324 -Motor vehicle accident with no injuries.	1	0.23
331 -Lock-in (if lock out, use 511)	1	0.23
353 -Removal of victim(s) from stalled elevator	1	0.23
381 -Rescue or EMS standby	4	0.92
400 -Hazardous condition, other	3	0.69
410 -Combustible/flammable gas/liquid condition, other	3	0.69
411 -Gasoline or other flammable liquid spill	6	1.38
412 -Gas leak (natural gas or LPG)	12	2.76
421 -Chemical hazard (no spill or leak)	2	0.46
424 -Carbon monoxide incident	1	0.23
440 -Electrical wiring/equipment problem, other	1	0.23
442 -Overheated motor	1	0.23
443 -Light ballast breakdown	2	0.46
444 -Power line down	7	1.61
445 -Arcing, shorted electrical equipment	1	0.23
451 -Biological hazard, confirmed or suspected	1	0.23
463 -Vehicle accident, general cleanup	1	0.23
510 -Person in distress, other	1	0.23
511 -Lock-out	2	0.46
522 -Water or steam leak	1	0.23
531 -Smoke or odor removal	4	0.92
551 -Assist police or other governmental agency	58	13.36
552 -Police matter	1	0.23
553 -Public service	8	1.84
554 -Assist invalid	2	0.46
561 -Unauthorized burning	1	0.23
571 -Cover assignment, standby, moveup	1	0.23
611 -Dispatched & canceled en route	17	3.92
651 -Smoke scare, odor of smoke	3	0.69
652 -Steam, vapor, fog or dust thought to be smoke	1	0.23
733 -Smoke detector activation due to malfunction	5	1.15
734 -Heat detector activation due to malfunction	1	0.23
735 -Alarm system sounded due to malfunction	4	0.92
736 -CO detector activation due to malfunction	4	0.92
740 -Unintentional transmission of alarm, other	1	0.23
743 -Smoke detector activation, no fire - unintentional	8	1.84



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 05/02/25 10:34

Incident Type Group	# of Incident	% of Total
744 -Detector activation, no fire - unintentional	2	0.46
745 -Alarm system sounded, no fire - unintentional	3	0.69
746 -Carbon monoxide detector activation, no CO	2	0.46
911 -Citizen complaint	1	0.23



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 06/03/25 09:46

Incident Type Group	# of Incident	% of Total
111 -Building fire	3	0.67
113 -Cooking fire, confined to container	3	0.67
131 -Passenger vehicle fire	1	0.22
142 -Brush, or brush and grass mixture fire	1	0.22
321 -EMS call, excluding vehicle accident with injury	244	54.10
322 -Vehicle accident with injuries	15	3.33
323 -Motor vehicle/pedestrian accident (MV Ped)	2	0.44
324 -Motor vehicle accident with no injuries.	1	0.22
357 -Extrication of victim(s) from machinery	1	0.22
381 -Rescue or EMS standby	5	1.11
400 -Hazardous condition, other	4	0.89
411 -Gasoline or other flammable liquid spill	3	0.67
412 -Gas leak (natural gas or LPG)	6	1.33
413 -Oil or other combustible liquid spill	1	0.22
421 -Chemical hazard (no spill or leak)	1	0.22
422 -Chemical spill or leak	1	0.22
440 -Electrical wiring/equipment problem, other	3	0.67
444 -Power line down	9	2.00
445 -Arcing, shorted electrical equipment	2	0.44
463 -Vehicle accident, general cleanup	1	0.22
500 -Service Call, other	1	0.22
511 -Lock-out	1	0.22
520 -Water problem, other	1	0.22
522 -Water or steam leak	2	0.44
531 -Smoke or odor removal	2	0.44
541 -Animal problem	1	0.22
542 -Animal rescue	1	0.22
551 -Assist police or other governmental agency	59	13.08
553 -Public service	10	2.22
554 -Assist invalid	1	0.22
600 -Good intent call, other	1	0.22
611 -Dispatched & canceled en route	18	3.99
622 -No incident found on arrival at dispatch address	1	0.22
651 -Smoke scare, odor of smoke	4	0.89
671 -Hazmat release investigation w/ no hazmat	2	0.44
733 -Smoke detector activation due to malfunction	6	1.33
735 -Alarm system sounded due to malfunction	6	1.33
736 -CO detector activation due to malfunction	4	0.89
740 -Unintentional transmission of alarm, other	1	0.22
743 -Smoke detector activation, no fire - unintentional	11	2.44
744 -Detector activation, no fire - unintentional	2	0.44
745 -Alarm system sounded, no fire - unintentional	6	1.33
746 -Carbon monoxide detector activation, no CO	1	0.22
911 -Citizen complaint	2	0.44



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 07/01/25 10:04

Incident Type Group	# of Incident	% of Total
111 -Building fire	4	0.96
113 -Cooking fire, confined to container	3	0.72
131 -Passenger vehicle fire	1	0.24
142 -Brush, or brush and grass mixture fire	1	0.24
251 -Excessive heat, scorch burns with no ignition	1	0.24
321 -EMS call, excluding vehicle accident with injury	205	49.04
322 -Vehicle accident with injuries	15	3.59
323 -Motor vehicle/pedestrian accident (MV Ped)	4	0.96
324 -Motor vehicle accident with no injuries.	1	0.24
381 -Rescue or EMS standby	2	0.48
400 -Hazardous condition, other	2	0.48
411 -Gasoline or other flammable liquid spill	2	0.48
412 -Gas leak (natural gas or LPG)	5	1.20
413 -Oil or other combustible liquid spill	3	0.72
423 -Refrigeration leak	1	0.24
424 -Carbon monoxide incident	5	1.20
440 -Electrical wiring/equipment problem, other	2	0.48
442 -Overheated motor	1	0.24
444 -Power line down	11	2.63
445 -Arcing, shorted electrical equipment	2	0.48
461 -Building or structure weakened or collapsed	1	0.24
463 -Vehicle accident, general cleanup	2	0.48
511 -Lock-out	3	0.72
522 -Water or steam leak	1	0.24
542 -Animal rescue	1	0.24
551 -Assist police or other governmental agency	35	8.37
553 -Public service	16	3.83
554 -Assist invalid	4	0.96
555 -Defective elevator, no occupants	1	0.24
571 -Cover assignment, standby, moveup	2	0.48
600 -Good intent call, other	1	0.24
611 -Dispatched & canceled en route	23	5.50
621 -Wrong location	1	0.24
622 -No incident found on arrival at dispatch address	4	0.96
641 -Vicinity alarm (incident in other location)	1	0.24
651 -Smoke scare, odor of smoke	1	0.24
700 -False alarm or false call, other	3	0.72
733 -Smoke detector activation due to malfunction	7	1.67
734 -Heat detector activation due to malfunction	1	0.24
735 -Alarm system sounded due to malfunction	13	3.11
736 -CO detector activation due to malfunction	2	0.48
743 -Smoke detector activation, no fire - unintentional	12	2.87
744 -Detector activation, no fire - unintentional	3	0.72
745 -Alarm system sounded, no fire - unintentional	3	0.72
746 -Carbon monoxide detector activation, no CO	4	0.96
911 -Citizen complaint	2	0.48



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 08/01/25 11:36

Incident Type Group	# of Incident	% of Total
111 -Building fire	2	0.44
113 -Cooking fire, confined to container	5	1.09
118 -Trash or rubbish fire, contained	1	0.22
131 -Passenger vehicle fire	2	0.44
142 -Brush, or brush and grass mixture fire	2	0.44
142M-Mulch Fire	1	0.22
151 -Outside rubbish, trash or waste fire	2	0.44
321 -EMS call, excluding vehicle accident with injury	245	53.49
322 -Vehicle accident with injuries	12	2.62
323 -Motor vehicle/pedestrian accident (MV Ped)	1	0.22
381 -Rescue or EMS standby	8	1.75
400 -Hazardous condition, other	3	0.66
410 -Combustible/flammable gas/liquid condition, other	1	0.22
411 -Gasoline or other flammable liquid spill	1	0.22
412 -Gas leak (natural gas or LPG)	9	1.97
413 -Oil or other combustible liquid spill	3	0.66
421 -Chemical hazard (no spill or leak)	1	0.22
424 -Carbon monoxide incident	1	0.22
440 -Electrical wiring/equipment problem, other	5	1.09
442 -Overheated motor	1	0.22
444 -Power line down	5	1.09
445 -Arcing, shorted electrical equipment	3	0.66
460 -Accident, potential accident, other	1	0.22
463 -Vehicle accident, general cleanup	1	0.22
511 -Lock-out	6	1.31
520 -Water problem, other	1	0.22
522 -Water or steam leak	6	1.31
531 -Smoke or odor removal	3	0.66
550 -Public service assistance, other	1	0.22
551 -Assist police or other governmental agency	47	10.26
553 -Public service	10	2.18
554 -Assist invalid	7	1.53
571 -Cover assignment, standby, moveup	1	0.22
600 -Good intent call, other	1	0.22
611 -Dispatched & canceled en route	18	3.93
651 -Smoke scare, odor of smoke	2	0.44
671 -Hazmat release investigation w/ no hazmat	1	0.22
672 -Biological hazard investigation, none found	1	0.22
700 -False alarm or false call, other	2	0.44
733 -Smoke detector activation due to malfunction	8	1.75
735 -Alarm system sounded due to malfunction	5	1.09
736 -CO detector activation due to malfunction	1	0.22
740 -Unintentional transmission of alarm, other	1	0.22
743 -Smoke detector activation, no fire - unintentional	10	2.18
744 -Detector activation, no fire - unintentional	2	0.44
745 -Alarm system sounded, no fire - unintentional	5	1.09
746 -Carbon monoxide detector activation, no CO	3	0.66



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 09/01/25 14:10

Incident Type Group	# of Incident	% of Total
111 -Building fire	4	1.01
113 -Cooking fire, confined to container	5	1.27
131 -Passenger vehicle fire	2	0.51
142M-Mulch Fire	1	0.25
321 -EMS call, excluding vehicle accident with injury	238	60.25
322 -Vehicle accident with injuries	15	3.80
324 -Motor vehicle accident with no injuries.	1	0.25
353 -Removal of victim(s) from stalled elevator	2	0.51
381 -Rescue or EMS standby	12	3.04
411 -Gasoline or other flammable liquid spill	1	0.25
412 -Gas leak (natural gas or LPG)	3	0.76
422 -Chemical spill or leak	2	0.51
424 -Carbon monoxide incident	1	0.25
440 -Electrical wiring/equipment problem, other	1	0.25
444 -Power line down	7	1.77
445 -Arcing, shorted electrical equipment	2	0.51
451 -Biological hazard, confirmed or suspected	1	0.25
461 -Building or structure weakened or collapsed	1	0.25
463 -Vehicle accident, general cleanup	1	0.25
511 -Lock-out	3	0.76
522 -Water or steam leak	3	0.76
531 -Smoke or odor removal	1	0.25
551 -Assist police or other governmental agency	19	4.81
553 -Public service	9	2.28
561 -Unauthorized burning	1	0.25
571 -Cover assignment, standby, moveup	2	0.51
611 -Dispatched & canceled en route	23	5.82
651 -Smoke scare, odor of smoke	2	0.51
652 -Steam, vapor, fog or dust thought to be smoke	1	0.25
700 -False alarm or false call, other	3	0.76
733 -Smoke detector activation due to malfunction	7	1.77
736 -CO detector activation due to malfunction	1	0.25
743 -Smoke detector activation, no fire - unintentional	12	3.04
745 -Alarm system sounded, no fire - unintentional	6	1.52
746 -Carbon monoxide detector activation, no CO	2	0.51



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 10/01/25 09:05

Incident Type Group	# of Incident	% of Total
111 -Building fire	1	0.24
113 -Cooking fire, confined to container	6	1.41
251 -Excessive heat, scorch burns with no ignition	1	0.24
321 -EMS call, excluding vehicle accident with injury	234	55.06
322 -Vehicle accident with injuries	15	3.53
323 -Motor vehicle/pedestrian accident (MV Ped)	6	1.41
324 -Motor vehicle accident with no injuries.	2	0.47
331 -Lock-in (if lock out, use 511)	1	0.24
352 -Extrication of victim(s) from vehicle	1	0.24
353 -Removal of victim(s) from stalled elevator	1	0.24
381 -Rescue or EMS standby	7	1.65
400 -Hazardous condition, other	1	0.24
411 -Gasoline or other flammable liquid spill	4	0.94
412 -Gas leak (natural gas or LPG)	13	3.06
413 -Oil or other combustible liquid spill	1	0.24
421 -Chemical hazard (no spill or leak)	1	0.24
422 -Chemical spill or leak	1	0.24
424 -Carbon monoxide incident	2	0.47
440 -Electrical wiring/equipment problem, other	1	0.24
442 -Overheated motor	1	0.24
444 -Power line down	5	1.18
463 -Vehicle accident, general cleanup	2	0.47
510 -Person in distress, other	1	0.24
522 -Water or steam leak	1	0.24
531 -Smoke or odor removal	2	0.47
550 -Public service assistance, other	1	0.24
551 -Assist police or other governmental agency	47	11.06
553 -Public service	11	2.59
554 -Assist invalid	2	0.47
561 -Unauthorized burning	1	0.24
571 -Cover assignment, standby, moveup	1	0.24
600 -Good intent call, other	1	0.24
611 -Dispatched & canceled en route	15	3.53
651 -Smoke scare, odor of smoke	2	0.47
733 -Smoke detector activation due to malfunction	9	2.12
735 -Alarm system sounded due to malfunction	2	0.47
736 -CO detector activation due to malfunction	1	0.24
743 -Smoke detector activation, no fire - unintentional	6	1.41
744 -Detector activation, no fire - unintentional	1	0.24
745 -Alarm system sounded, no fire - unintentional	9	2.12
900 -Special type of incident, other	1	0.24
911 -Citizen complaint	4	0.94



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 11/06/25 08:23

Incident Type Group	# of Incident	% of Total
111 -Building fire	5	1.02
113 -Cooking fire, confined to container	3	0.61
154 -Dumpster or other outside trash receptacle fire	1	0.20
321 -EMS call, excluding vehicle accident with injury	268	54.81
322 -Vehicle accident with injuries	17	3.48
323 -Motor vehicle/pedestrian accident (MV Ped)	4	0.82
324 -Motor vehicle accident with no injuries.	3	0.61
331 -Lock-in (if lock out, use 511)	1	0.20
353 -Removal of victim(s) from stalled elevator	1	0.20
381 -Rescue or EMS standby	3	0.61
411 -Gasoline or other flammable liquid spill	3	0.61
412 -Gas leak (natural gas or LPG)	9	1.84
413 -Oil or other combustible liquid spill	2	0.41
424 -Carbon monoxide incident	6	1.23
440 -Electrical wiring/equipment problem, other	1	0.20
444 -Power line down	7	1.43
445 -Arcing, shorted electrical equipment	1	0.20
451 -Biological hazard, confirmed or suspected	1	0.20
460 -Accident, potential accident, other	1	0.20
463 -Vehicle accident, general cleanup	5	1.02
471 -Explosive, bomb removal (for bomb scare, use 721)	1	0.20
481 -Attempt to burn	1	0.20
522 -Water or steam leak	1	0.20
550 -Public service assistance, other	3	0.61
551 -Assist police or other governmental agency	50	10.22
553 -Public service	24	4.91
554 -Assist invalid	1	0.20
555 -Defective elevator, no occupants	1	0.20
571 -Cover assignment, standby, moveup	3	0.61
611 -Dispatched & canceled en route	25	5.11
651 -Smoke scare, odor of smoke	1	0.20
652 -Steam, vapor, fog or dust thought to be smoke	1	0.20
733 -Smoke detector activation due to malfunction	8	1.64
735 -Alarm system sounded due to malfunction	3	0.61
736 -CO detector activation due to malfunction	2	0.41
740 -Unintentional transmission of alarm, other	1	0.20
743 -Smoke detector activation, no fire - unintentional	11	2.25
744 -Detector activation, no fire - unintentional	1	0.20
745 -Alarm system sounded, no fire - unintentional	6	1.23
746 -Carbon monoxide detector activation, no CO	2	0.41
911 -Citizen complaint	1	0.20



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 11/26/25 08:39

Incident Type Group	# of Incident	% of Total
113 -Cooking fire, confined to container	1	0.27
154 -Dumpster or other outside trash receptacle fire	1	0.27
321 -EMS call, excluding vehicle accident with injury	215	58.74
322 -Vehicle accident with injuries	14	3.83
323 -Motor vehicle/pedestrian accident (MV Ped)	2	0.55
324 -Motor vehicle accident with no injuries.	1	0.27
353 -Removal of victim(s) from stalled elevator	4	1.09
400 -Hazardous condition, other	1	0.27
411 -Gasoline or other flammable liquid spill	1	0.27
412 -Gas leak (natural gas or LPG)	13	3.55
413 -Oil or other combustible liquid spill	1	0.27
424 -Carbon monoxide incident	2	0.55
440 -Electrical wiring/equipment problem, other	2	0.55
444 -Power line down	4	1.09
445 -Arcing, shorted electrical equipment	1	0.27
463 -Vehicle accident, general cleanup	2	0.55
500 -Service Call, other	1	0.27
510 -Person in distress, other	1	0.27
511 -Lock-out	1	0.27
522 -Water or steam leak	3	0.82
541 -Animal problem	1	0.27
550 -Public service assistance, other	2	0.55
551 -Assist police or other governmental agency	44	12.02
553 -Public service	6	1.64
554 -Assist invalid	4	1.09
555 -Defective elevator, no occupants	1	0.27
561 -Unauthorized burning	1	0.27
571 -Cover assignment, standby, moveup	1	0.27
611 -Dispatched & canceled en route	14	3.83
651 -Smoke scare, odor of smoke	2	0.55
652 -Steam, vapor, fog or dust thought to be smoke	1	0.27
700 -False alarm or false call, other	1	0.27
733 -Smoke detector activation due to malfunction	2	0.55
735 -Alarm system sounded due to malfunction	1	0.27
743 -Smoke detector activation, no fire - unintentional	8	2.19
744 -Detector activation, no fire - unintentional	1	0.27
745 -Alarm system sounded, no fire - unintentional	3	0.82
746 -Carbon monoxide detector activation, no CO	1	0.27
911 -Citizen complaint	1	0.27



NJ Nutley Fire Department
228 Chestnut Street
Nutley, NJ, 07110
Attn: Cafone, Paul

NFIRS Incident Type

Printed On: 01/07/26 14:49

Incident Type Group	# of Incident	% of Total
111 -Building fire	2	0.43
113 -Cooking fire, confined to container	3	0.64
131 -Passenger vehicle fire	1	0.21
212 -Overpressure rupture of steam boiler	1	0.21
251 -Excessive heat, scorch burns with no ignition	1	0.21
321 -EMS call, excluding vehicle accident with injury	287	61.06
322 -Vehicle accident with injuries	16	3.40
323 -Motor vehicle/pedestrian accident (MV Ped)	2	0.43
324 -Motor vehicle accident with no injuries.	3	0.64
331 -Lock-in (if lock out, use 511)	1	0.21
352 -Extrication of victim(s) from vehicle	1	0.21
353 -Removal of victim(s) from stalled elevator	1	0.21
381 -Rescue or EMS standby	2	0.43
412 -Gas leak (natural gas or LPG)	11	2.34
413 -Oil or other combustible liquid spill	2	0.43
422 -Chemical spill or leak	1	0.21
424 -Carbon monoxide incident	4	0.85
440 -Electrical wiring/equipment problem, other	6	1.28
441 -Heat from short circuit (wiring), defective/worn	1	0.21
444 -Power line down	13	2.77
445 -Arcing, shorted electrical equipment	2	0.43
463 -Vehicle accident, general cleanup	3	0.64
511 -Lock-out	3	0.64
522 -Water or steam leak	2	0.43
551 -Assist police or other governmental agency	38	8.09
553 -Public service	11	2.34
555 -Defective elevator, no occupants	1	0.21
561 -Unauthorized burning	1	0.21
571 -Cover assignment, standby, moveup	1	0.21
611 -Dispatched & canceled en route	13	2.77
651 -Smoke scare, odor of smoke	5	1.06
652 -Steam, vapor, fog or dust thought to be smoke	1	0.21
700 -False alarm or false call, other	2	0.43
731 -Sprinkler activation due to malfunction	1	0.21
733 -Smoke detector activation due to malfunction	4	0.85
735 -Alarm system sounded due to malfunction	3	0.64
736 -CO detector activation due to malfunction	1	0.21
743 -Smoke detector activation, no fire - unintentional	11	2.34
745 -Alarm system sounded, no fire - unintentional	3	0.64
746 -Carbon monoxide detector activation, no CO	5	1.06