19.07_333

FW: OPRA request - OPRA Request New Brunswick 7.23.2019

From: Leslie Zeledon <deputyclerk@cityofnewbrunswick.org>
To: 'Shalon Bennett' <sbennett@cityofnewbrunswick.org>
Date: 7/23/2019 4:07 PM

From: Ela Londono <opra+request-6519-e37e5975@requests.opramachine.com>
To: OPRA requests at New Brunswick City <cityclerk@cityofnewbrunswick.org>
Sent: 7/23/2019 2:00 PM
Subject: OPRA request - OPRA Request New Brunswick 7.23.2019

Dear New Brunswick City,
Good day! I would like to request for the following:

Residential Properties within the last 12 months that have the following:
- Open Taxes
- Tax Liens
- Code Violations

Kindly provide us with the lists including the first and last name of the owner/s and the complete street address. Please confirm receipt of this email. Thank you so much! =)

Records requested:

Records sent 7.31.19 NG fme

Yours faithfully,
Ela Londono

Please use deliver records electronically via email to the below UNIQUE address for all replies to this request:
opra+request-6519-e37e5975@requests.opramachine.com

Is cityclerk@cityofnewbrunswick.org the wrong address for OPRA requests to New Brunswick City? If so, please contact us using this form:
https://opramachine.com/change_request/new?body=new_brunswick_city

Disclaimer: This message and any reply that you make will be published on the internet. Our privacy and copyright policies:

https://opramachine.com/help/officers

View this OPRA request & responses online:
https://opramachine.com/request/opra_request_new_brunswick_72320

Please note that in some cases publication of requests and responses will be delayed.

If you find this service useful as an OPRA custodian, please ask your web manager to link to us from your organisation's website.

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
361	07/30/2019	MD0037	15 Union Street	15 UNION REALTY, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
481	07/29/2019	MD0127	77 Throop Avenue	KEVIN REALTY MANAGEMENT, LLC	New Brunswick Ordinace 0-091501	entire building this is the 2nd notice	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
561	07/29/2019	MD0016	75 Easton Avenue	75 EASTON AVENUE, LLC	2015 Fire Codes	Building	Provide reports of fire alarm service to this office.
561	07/29/2019	MD0016	75 Easton Avenue	75 EASTON AVENUE, LLC	2015 Fire Codes	Building	Provide report of sprinklersystem test to this office.
561	07/29/2019	MD0016	75 Easton Avenue	75 EASTON AVENUE, LLC	2015 Fire Codes	first floor exit sign	Service exit sign battery back up for front entrance exit sign on first floor.
561	07/29/2019	MD0018	12 Bartlett Street	SHERWOOD DEVELOPMENT, LLC	2015 Fire Codes	electrical room	No storage to be alloed inside electrical room.
561	07/29/2019	MD0018	12 Bartlett Street	SHERWOOD DEVELOPMENT, LLC	New Brunswick Ordinace 0-091501	building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
561	07/29/2019	MD0018	12 Bartlett Street	SHERWOOD DEVELOPMENT, LLC	2015 Fire Codes	sprinkler room	No storage to be allowed in sprinkler room
561	07/29/2019	MD0018	12 Bartlett Street	SHERWOOD DEVELOPMENT, LLC	2015 Fire Codes	building	Provide report for generator service to this office.
511	07/22/2019	MD0221	3 Kempton Avenue	PALMER, LEDOGIE & ALMA	2015 Fire Codes	building	Service multi station smoke detectors within common area and basement of building.
581	07/18/2019	MD0203	48 Sicard Street	D AND D, LLC	2015 Fire Codes	fire alarm system	Service fire alarm system. Provide reports to this office upon completion
581	07/18/2019	MD0203	48 Sicard Street	D AND D, LLC	2015 Fire Codes	sprinkler system	Sprinkler system to be serviced and records to be provided to this office upon completion
581	07/18/2019	MD0203	48 Sicard Street	D AND D, LLC	2015 Fire Codes	recycling room	Close open junction box inside recycling room.
581	07/18/2019	MD0203	48 Sicard Street	D AND D, LLC	2015 Fire Codes	knox box	Knox box keys no longer work. Provide office with new keys that open doors.
581	07/18/2019	MD0203	48 Sicard Street	D AND D, LLC	2015 Fire Codes	rear exit door	Rear exit door handle is damaged and needs to be repaired.
581	07/18/2019	MD0203	48 Sicard Street	D AND D, LLC	New Brunswick Ordinace 0-091501	building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
581	07/18/2019	MD0203	48 Sicard Street	D AND D, LLC	2015 Fire Codes	stairwell, front entrance	Remove illegally constructed storage room under stairs near front entrance.
561	07/16/2019	MD0034	309 Suydam Street	SUYDAM POINTE, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
561 0	07/16/2019	MD0034	309 Suydam Street	SUYDAM POINTE, LLC	2015 Fire Codes	laundry room	Laundry room door must close fully from full open position. Service door to allow door to close completely.
511 30	07/15/2019	MD0222	5 Charles Street	CHARLES STREET NB, LLC	New Brunswick Ordinace 0-091501	building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
511 30	07/15/2019	MD0222	5 Charles Street	CHARLES STREET NB, LLC	2015 Fire Codes	All floor hallway doors. Meter room door	Repair door closure for all hallway doors. No doors shall be left open. Doors shall close from full open position and close on their own. Meter room door shall be self closing.
511 30	07/15/2019	MD0222	5 Charles Street	CHARLES STREET NB, LLC	2015 Fire Codes	fire escape	Supply office with Certification (from architect, engineer or approved company) that fire escape(s) are structurally sound and in good repair.
511 30	07/15/2019	MD0222	5 Charles Street	CHARLES STREET NB, LLC	2015 Fire Codes	Hallway C exit sign near fire escape.	Replace battery back up inside hallway C exit near fire escape.
511 30	07/15/2019	MD0222	5 Charles Street	CHARLES STREET NB, LLC	2015 Fire Codes	boiler room and meter room	No storage shall be allowed within boiler room and meter room
511 30	07/15/2019	MD0222	5 Charles Street	CHARLES STREET NB, LLC	2015 Fire Codes	Halways B & C	No storage shall be allowed inside Hallway B & C. Remove all bikes and other storage from hallways.
511 30	07/15/2019	MD0222	5 Charles Street	CHARLES STREET NB, LLC	2015 Fire Codes	laundry room	Provide carbon monoxide detector inside laundry room.
511 30	07/15/2019	MD0222	5 Charles Street	CHARLES STREET NB, LLC	2015 Fire Codes	laundry room	Install solid core fire rated door for laundry room
569 0	07/11/2019	MD0036	100 Hamilton Street	SUDIA ASSOCIATES, LLC	2015 Fire Codes	Premises	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
569 0	07/11/2019	MD0036	100 Hamilton Street	SUDIA ASSOCIATES, LLC	2015 Fire Codes	1st Floor	Doors and related hardware (i.e. automatic closure.) not maintained
569 0	07/11/2019	MD0036	100 Hamilton Street	SUDIA ASSOCIATES, LLC	2015 Fire Codes	Premises	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted
569 0	07/11/2019	MD0036	100 Hamilton Street	SUDIA ASSOCIATES, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
469 0	07/10/2019	MD0056	175 Livingston Avenue	POONAI, DEVINDRA	2015 Fire Codes	basement	Fire rated walls, floors or ceilings not properly maintained. Replace missing ceiling tiles in basement
469 0	07/10/2019	MD0056	175 Livingston Avenue	POONAI, DEVINDRA	2015 Fire Codes	Fire Escape	Supply this office with Certification (from architect, engineer or approved company) that fire escapes(s) is structurally sound and in good repair

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
469	07/10/2019	MD0056	175 Livingston Avenue	POONAI, DEVINDRA	2015 Fire Codes	2nd floor	Open junction boxes, covers missing, splices prohibited. Replace m,issing plate cover.
471	07/09/2019	MD0088	380 George Street	CT07 George Street LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
459	07/09/2019	MD0055	385A George Street	377 GEORGE STREET REALTY, LLC	2015 Fire Codes	Building	Provide records and testing reports of smoke detection system. Sprinkler system report is due on August 24th, 2019. Forward report to fire official when received.
479	07/09/2019	MD0088	380 George Street	CT07 George Street LLC	2015 Fire Codes	Building	Provide most recent fire alarm & sprinkler system inspection reports
479	07/09/2019	MD0088	380 George Street	CT07 George Street LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
469	07/09/2019	MD0130	173 French Street	MERCADO, GILBERT	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
459	07/09/2019	MD0055	385A George Street	377 GEORGE STREET REALTY, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
469	07/09/2019	MD0130	173 French Street	MERCADO, GILBERT	2015 Fire Codes	entire building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
459	07/09/2019	MD0055	385A George Street	377 GEORGE STREET REALTY, LLC	2015 Fire Codes	Front lobby of apts	Service emergency exit sign/battery back up combo unit in front lobby.
569	07/08/2019	MD0033	55 Morrell Street	55 Morrell LLC	2015 Fire Codes	3rd Floor	Exit sign shall be maintained, visible and illuminated at all times
589	07/08/2019	MD0115	65 Morrell Street	65 Morrell LLC	2015 Fire Codes	Premises	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted
589	07/08/2019	MD0115	65 Morrell Street	65 Morrell LLC	2015 Fire Codes	Premises	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
569	07/08/2019	MD0033	55 Morrell Street	55 Morrell LLC	2015 Fire Codes	Premises	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted
589	07/08/2019	MD0115	65 Morrell Street	65 Morrell LLC	2015 Fire Codes	Premises	Fire extinguishers must be properly charged, mounted, unobstructed, serviced and tagged
569	07/08/2019	MD0033	55 Morrell Street	55 Morrell LLC	2015 Fire Codes	2nd Floor	Emergency lighting shall be maintain in good working order
569	07/08/2019	MD0033	55 Morrell Street	55 Morrell LLC	2015 Fire Codes	Premises	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
469 ♀	07/02/2019	MD0089	26 US Highway 1	BRUNSWICK LODGING, LLC	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
479 ♀	07/02/2019	MD0090	26 US Highway 1	BRUNSWICK LODGING, LLC	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
479 ♀	07/02/2019	MD0090	26 US Highway 1	BRUNSWICK LODGING, LLC	2015 Fire Codes	entire building	Fire extinguishers must be properly charged, mounted, unobstructed, serviced and tagged
479 ♀	07/02/2019	MD0090	26 US Highway 1	BRUNSWICK LODGING, LLC	2015 Fire Codes	Fire alarm system	Forward most recent fire alarm system test report
469 ♀	07/02/2019	MD0089	26 US Highway 1	BRUNSWICK LODGING, LLC	2015 Fire Codes	entire building	Fire extinguishers must be properly charged, mounted, unobstructed, serviced and tagged
579 ♀	07/02/2019	MD0076	100 Hiram Square	MC RIVERWATCH NB, LLC / MACK-CALI	2015 Fire Codes	Premises	Automatic Sprinkler System repairs shall be made as noted on report submitted 7/2/19
469 ♀	07/02/2019	MD0089	26 US Highway 1	BRUNSWICK LODGING, LLC	2015 Fire Codes	Fire alarm system	Forward most recent fire alarm system test report
481 ♂	06/27/2019	MD0127	77 Throop Avenue	KEVIN REALTY MANAGEMENT, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
589 ♂	06/26/2019	MD0149	67 Livingston Avenue	SHAHIDI, AZRA, RUBINA, & NADEEM	2015 Fire Codes	Basement area	Remove all stoage
589 ♂	06/26/2019	MD0149	67 Livingston Avenue	SHAHIDI, AZRA, RUBINA, & NADEEM	Sub Chapter 4	Building	Building shall have an owners meter installed for all common area lights and smoke alarms. Electrical permit required.
589 ♂	06/26/2019	MD0149	67 Livingston Avenue	SHAHIDI, AZRA, RUBINA, & NADEEM	2015 Fire Codes	Building	All AC powered smoke alarms shall be interconnected and alarms shall not be more than 10 years old.
589 ♂	06/26/2019	MD0149	67 Livingston Avenue	SHAHIDI, AZRA, RUBINA, & NADEEM	2015 Fire Codes	Building	Fire extinguishers due for service
589 ♂	06/26/2019	MD0149	67 Livingston Avenue	SHAHIDI, AZRA, RUBINA, & NADEEM	2015 Fire Codes	Buildings fire escape	Supply this office with Certification (from architect, engineer or approved company) that fire escapes(s) is structurally sound and in good repair
589 ♂	06/26/2019	MD0149	67 Livingston Avenue	SHAHIDI, AZRA, RUBINA, & NADEEM	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
589 ♂	06/26/2019	MD0149	67 Livingston Avenue	SHAHIDI, AZRA, RUBINA, & NADEEM	2015 Fire Codes	Front door & top of 2nd floor stairwell.	Service battery backup on exit sign/emergency light combo unit
589 ♂	06/26/2019	MD0149	67 Livingston Avenue	SHAHIDI, AZRA, RUBINA, & NADEEM	2015 Fire Codes	Basement apartment	Remove all extension cords & have a licensed electrician certify electrical system for apartment

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
569 R	06/03/2019	MD0008	295 Lawrence Street	MAGLIES, ROBERT	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
569 R	06/03/2019	MD0009	297 Lawrence Street	CONSOLIDATED APARTMENTS, INC.	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
569 R	06/03/2019	MD0010	299 Lawrence Street	CONSOLIDATED APARTMENTS, INC.	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
569 R	06/03/2019	MD0011	300 Lawrence Street	MAGLIES, ROBERT	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
569 R	06/03/2019	MD0012	301 Lawrence Street	CONSOLIDATED APARTMENTS, INC.	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
569 R	06/03/2019	MD0013	302 Lawrence Street	MAGLIES, ROBERT	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
569 R	06/03/2019	MD0014	304 Lawrence Street	MAGLIES, ROBERT	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
569 R	06/03/2019	MD0015	286 Ward Street	CONSOLIDATED APARTMENTS, INC.	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
589 R	05/29/2019	MD0182	25-27 Huntington Street	HUNTINGTON QUAD, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
589 R	05/29/2019	MD0197	39 Huntington Street	FLOREZ, HUGO	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
579 R	05/29/2019	MD0087	48 Wyckoff Street	48 WYCKOFF STREET, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
589 R	05/29/2019	MD0182	25-27 Huntington Street	HUNTINGTON QUAD, LLC	2015 Fire Codes	Door for aartment 25B	Repair door closure
589 R	05/28/2019	MD0168	212 Hamilton Street	212 HAMILTON, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
589 R	05/28/2019	MD0168	212 Hamilton Street	212 HAMILTON, LLC	2015 Fire Codes	2nd floor rear stairwell	AC powered smoke alarm shall be interconnected
589 R	05/28/2019	MD0168	212 Hamilton Street	212 HAMILTON, LLC	2015 Fire Codes	Attic - towards the front of building	Replace defective AC powered smoke alarm

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
519 25	05/24/2019	MD0220	162 Throop Avenue	GUERIN, T, & COULHOURNE, P	2015 Fire Codes	All floors	All AC powered common area smoke alarms shall be interconnected.
519 25	05/24/2019	MD0220	162 Throop Avenue	GUERIN, T, & COULHOURNE, P	2015 Fire Codes	Building	Supply this office with Certification (from architect, engineer or approved company) that fire escapes(s) is structurally sound and in good repair
519 25	05/24/2019	MD0217	272 Livingston Avenue	HARRIS, C, & BATTAGLIA, J	2015 Fire Codes	Rear stairwell betweel 2nd & 3rd floors	Service inoperable emergency light
519 25	05/24/2019	MD0217	272 Livingston Avenue	HARRIS, C, & BATTAGLIA, J	2015 Fire Codes	Front & rear stairwells	remove all storage in stairwells
519 25	05/24/2019	MD0217	272 Livingston Avenue	HARRIS, C, & BATTAGLIA, J	2015 Fire Codes	basement and exterior of building	Provide approvals for venting of furnace & water heaters to exterior chimneys
579 5	05/23/2019	MD0048	55 Harvey Street	PROVIDENCE SQUARE URBAN RENEWAL	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
579 5	05/23/2019	MD0048	55 Harvey Street	PROVIDENCE SQUARE URBAN RENEWAL	2015 Fire Codes	2nd & 3rd floor trash room doors	Trash room hallway doors shall fully close & latch
579 5	05/23/2019	MD0048	55 Harvey Street	PROVIDENCE SQUARE URBAN RENEWAL	2015 Fire Codes	Building Fire Alarm	Fire alarm showing a trouble signal. Have alarm company repair .
579 5	05/23/2019	MD0048	55 Harvey Street	PROVIDENCE SQUARE URBAN RENEWAL	2015 Fire Codes	4th floor Fitness Room (409), 2nd floor laundry room (220)	Service battery backup on exit sign
589 5	05/14/2019	MD0121	14 Laurel Place	HILL INVESTMENT, INC.	2015 Fire Codes	Front door. Order KNOX Box online at KNOXBOX.com	Install Key Entry Box (KNOX BOX)
589 5	05/14/2019	MD0121	14 Laurel Place	HILL INVESTMENT, INC.	2015 Fire Codes	Boiler room	Remove all storage in front of electrical service panels and boiler.
459 5	05/14/2019	MD0084	72 Jersey Avenue	72 JERSEY AVE, LLC	2015 Fire Codes	basements and 1st floors	Using extension cords to run the sprinkler pipe warming covers shall be removed. The warming covers shall be plugged directly in to electrical receptacle. If one is needed an electrical permit shall be required for installation
589 5	05/14/2019	MD0121	14 Laurel Place	HILL INVESTMENT, INC.	2015 Fire Codes	boiler room, lowere lever ceiling & middle floor ceiling	Install carbon monoxide alarms
589 5	05/14/2019	MD0121	14 Laurel Place	HILL INVESTMENT, INC.	2015 Fire Codes	Throughout building	Service fire extinguishers
459 5	05/14/2019	MD0084	72 Jersey Avenue	72 JERSEY AVE, LLC	2015 Fire Codes	Building	Forward sprinkler & fire alarm test reports

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
459	05/14/2019	MD0084	72 Jersey Avenue	72 JERSEY AVE, LLC	2015 Fire Codes	1st floor (sprinkler system side) & by Apt. 72F & 3rd floor by Apt. 72G	AC powered smoke alarms shall be interconnected
459	05/14/2019	MD0084	72 Jersey Avenue	72 JERSEY AVE, LLC	2015 Fire Codes	Building	Fire extinguishers due for service
589	05/14/2019	MD0121	14 Laurel Place	HILL INVESTMENT, INC.	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice. FAILED TO PAY 2018 INVOICE. BOTH INVOICED ENCLOSED. TOTAL OWED IS $300.00
459	05/14/2019	MD0084	72 Jersey Avenue	72 JERSEY AVE, LLC	2015 Fire Codes	Furnace on sprinkler system side basement	reinstall cover on furnace.
589	05/14/2019	MD0121	14 Laurel Place	HILL INVESTMENT, INC.	2015 Fire Codes	Lower level under steps.	Remove storage in enclosed space under steps.
469	05/02/2019	MD0001	188 Rutgers Street	188 RUTGERS STREET, LLC	2015 Fire Codes	entire building	Fire extinguishers must be properly charged, mounted, unobstructed, serviced and tagged
469	05/02/2019	MD0001	188 Rutgers Street	188 RUTGERS STREET, LLC	2015 Fire Codes	entire building	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted
469	05/02/2019	MD0001	188 Rutgers Street	188 RUTGERS STREET, LLC	2015 Fire Codes	entire building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
469	05/02/2019	MD0001	188 Rutgers Street	188 RUTGERS STREET, LLC	2015 Fire Codes	1st floor /basement	All fire protection systems Hardwired smoke detectors shall be maintained in an operative condition at all times by a licensed electrician
489	04/26/2019	MD0192	29 Remen Avenue	NEW BRUNSWICK HOMES URBAN RENEWAL	2015 Fire Codes	Outside Fire Department Connection	Install caps on Fire Department Connection (FDC)
489	04/26/2019	MD0192	29 Remen Avenue	NEW BRUNSWICK HOMES URBAN RENEWAL	2015 Fire Codes	Building	Sprinkler & fire alarms systems due for annual inspections. forward report to this office
589	04/26/2019	MD0120	212 Talmadge Street	BORAIE, OMAR & MADIHA	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
489	04/26/2019	MD0192	29 Remen Avenue	NEW BRUNSWICK HOMES URBAN RENEWAL	2015 Fire Codes	1st floor front door exit sign	Service battery backup on exit sign
489	04/26/2019	MD0192	29 Remen Avenue	NEW BRUNSWICK HOMES URBAN RENEWAL	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice. FAILED TO PAY 2018 INVOICE. TOTAL OWED IS $100.00

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
589	04/26/2019	MD0120	212 Talmadge Street	BORAIE, OMAR & MADIHA	2015 Fire Codes	Premises	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted
489	04/26/2019	MD0122	214 French Street	YANG, XING & ZHANG, FANG	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
489	04/26/2019	MD0192	29 Remen Avenue	NEW BRUNSWICK HOMES URBAN RENEWAL	2015 Fire Codes	Building front entry. Go to KNOX BOX.com to order on line	Install KNOX BOX by front enrty door
589	04/26/2019	MD0120	212 Talmadge Street	BORAIE, OMAR & MADIHA	2015 Fire Codes	Premises	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
459	04/23/2019	MD0004	274 George Street	NEW BRUNSWICK HOMES URBAN RENEWAL	2015 Fire Codes	Hallway across from Mechanical room apartment 10	Service inoperable emergency light
459	04/23/2019	MD0004	274 George Street	NEW BRUNSWICK HOMES URBAN RENEWAL	2015 Fire Codes	Building	Sprinkler & fire alarm systems coming due for annual inspection. Forward eports to this office.
459	04/23/2019	MD0004	274 George Street	NEW BRUNSWICK HOMES URBAN RENEWAL	2015 Fire Codes	Bottom of stairwell by front door	Service inoperable emergency light
459	04/23/2019	MD0004	274 George Street	NEW BRUNSWICK HOMES URBAN RENEWAL	2015 Fire Codes	Building	KNOX Box shall be installed by main entry door and keys provided for residential & commercial spaces
459	04/23/2019	MD0004	274 George Street	NEW BRUNSWICK HOMES URBAN RENEWAL	2015 Fire Codes	Sprinkler room	Remove all storage from sprinkler room. This is not a storage space and shall remain clear at all times.
579	04/22/2019	MD0076	Riverwatch Commons	MC RIVERWATCH NB, LLC / MACK-CALI	2015 Fire Codes	2nd floor near unit 219	Emergency lighting and exit signs shall be maintain in good working order
579	04/22/2019	MD0076	Riverwatch Commons	MC RIVERWATCH NB, LLC / MACK-CALI	2015 Fire Codes	Premises	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
579	04/22/2019	MD0076	Riverwatch Commons	MC RIVERWATCH NB, LLC / MACK-CALI	2015 Fire Codes	lights numbered 20, 21, 23, 51, 58	Emergency lighting and exit signs shall be maintain in good working order
459	04/22/2019	MD0002	40 Hassart Street	TCB LORD STIRLING URBAN RENEWAL, LP	2015 Fire Codes	Basement sprinkler room	Repaint all fire sprinkler piping that is yellow to black. Yellow piping indicates it is a gas line.
459	04/22/2019	MD0002	40 Hassart Street	TCB LORD STIRLING URBAN RENEWAL, LP	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice. FAILED TO PAY 2018 INVOICE. TOTAL OWED $600.00
579	04/22/2019	MD0076	Riverwatch Commons	MC RIVERWATCH NB, LLC / MACK-CALI	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
459	04/22/2019	MD0002	40 Hassart Street	TCB LORD STIRLING URBAN RENEWAL, LP	2015 Fire Codes	Building	Sprinkler & fire alarm systems due for annual inspection. Forward reports to this office
579	04/22/2019	MD0076	Riverwatch Commons	MC RIVERWATCH NB, LLC / MACK-CALI	2015 Fire Codes	4th floor	Exit sign shall be maintained, visible and illuminated at all times
459	04/22/2019	MD0002	40 Hassart Street	TCB LORD STIRLING URBAN RENEWAL, LP	2015 Fire Codes	Community room electrical closet.	remove all storage blocking electrical panels
459	04/22/2019	MD0002	40 Hassart Street	TCB LORD STIRLING URBAN RENEWAL, LP	2015 Fire Codes	Ground floor hallway door by elevator.	Hallway door shall fully close and latch.
459	04/22/2019	MD0002	40 Hassart Street	TCB LORD STIRLING URBAN RENEWAL, LP	2015 Fire Codes	All emergency lighting in all stairwells	All stairwell emergency lighting shall be tested by an approved company and a report sent to this office
579	04/22/2019	MD0076	Riverwatch Commons	MC RIVERWATCH NB, LLC / MACK-CALI	2015 Fire Codes	Premises	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted
579	04/18/2019	MD0077	395 Livingston Avenue	395 LIVINGSTON, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
579	04/18/2019	MD0077	395 Livingston Avenue	395 LIVINGSTON, LLC	2015 Fire Codes	All floors common area	Carbon Monoxide (CO) alarm must be installed and maintained in accordance with NFPA 720 and manufacturer
579	04/18/2019	MD0077	395 Livingston Avenue	395 LIVINGSTON, LLC	2015 Fire Codes	3rd floor front entry	Emergency lighting and exit signs shall be maintain in good working order
579	04/18/2019	MD0077	395 Livingston Avenue	395 LIVINGSTON, LLC	2015 Fire Codes	entire building	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted
459	04/16/2019	MD0005	256 George Street	NEW BRUNSWICK HOMES URBAN RENEWAL	2015 Fire Codes	Top floor (256 Side)	Serivce inoperable emergency light
459	04/16/2019	MD0005	256 George Street	NEW BRUNSWICK HOMES URBAN RENEWAL	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
459	04/16/2019	MD0005	256 George Street	NEW BRUNSWICK HOMES URBAN RENEWAL	2015 Fire Codes	2nd & 3rd floors (258 side)	Service inoperable emergency lighting
459	04/12/2019	MD0079	17 Hampton Road	SCP HAMPTON, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
479	04/12/2019	MD0082	17 Hampton Road	SCP HAMPTON, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
479	04/12/2019	MD0083	17 Hampton Road	SCP HAMPTON, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
479	04/12/2019	MD0080	17 Hampton Road	SCP HAMPTON, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
459	04/12/2019	MD0079	17 Hampton Road	SCP HAMPTON, LLC	2015 Fire Codes	laundry room	Emergency lighting and exit signs shall be maintain in good working order
479	04/12/2019	MD0080	17 Hampton Road	SCP HAMPTON, LLC	2015 Fire Codes	Building front entrance	Shall install Knox Box contact our office for more information
479	04/12/2019	MD0081	17 Hampton Road	SCP HAMPTON, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
489	03/28/2019	MD0190	75 Jersey Avenue	PNP, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
579	03/14/2019	MD0070	5 Dennis Street	MC RICHMOND NB, LLC / MACK-CALI	2015 Fire Codes	Premises	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
579	03/14/2019	MD0071	10 Dennis Street	MC RICHMOND NB, LLC / MACK-CALI	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
579	03/14/2019	MD0071	10 Dennis Street	MC RICHMOND NB, LLC / MACK-CALI	2015 Fire Codes	Premises	Shall add key to electrical room to Knox box
579	03/14/2019	MD0070	5 Dennis Street	MC RICHMOND NB, LLC / MACK-CALI	2015 Fire Codes	Premises	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted
579	03/14/2019	MD0070	5 Dennis Street	MC RICHMOND NB, LLC / MACK-CALI	2015 Fire Codes	Near Office	Emergency lighting shall be maintain in good working order
579	03/14/2019	MD0070	5 Dennis Street	MC RICHMOND NB, LLC / MACK-CALI	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
579	03/14/2019	MD0071	10 Dennis Street	MC RICHMOND NB, LLC / MACK-CALI	2015 Fire Codes	Premises	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
579	03/14/2019	MD0071	10 Dennis Street	MC RICHMOND NB, LLC / MACK-CALI	2015 Fire Codes	Premises	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted
579	03/14/2019	MD0071	10 Dennis Street	MC RICHMOND NB, LLC / MACK-CALI	2015 Fire Codes	3rd floor	Emergency lighting shall be maintain in good working order
419	03/10/2019	MD0214	168 Hamilton Street	CHEN, QING & SHAO, XIAO	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice. Contact office at 732-745-5086 to schedule inspection
419	03/10/2019	MD0214	168 Hamilton Street	CHEN, QING & SHAO, XIAO	2015 Fire Codes	Buildings	Forward to this office most recent sprinkler system test report

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
449 2	03/07/2019	MD0072	116 Livingston Avenue	LIVINGSTON MANOR / PENNROSE MGMT	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
449 2	03/07/2019	MD0072	116 Livingston Avenue	LIVINGSTON MANOR / PENNROSE MGMT	2015 Fire Codes	right side stairwell 4th & 5th floors	Emergency lighting and exit signs shall be maintain in good working order
589 2	03/05/2019	MD0187	19 Henry Street	HENRY REALTY GROUP, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
589 2	03/05/2019	MD0188	25 Henry Street	OPHELIA REALTY CORPORATION	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
589 2	03/05/2019	MD0188	25 Henry Street	OPHELIA REALTY CORPORATION	2015 Fire Codes	Middles Floor	Service battery backup
589 1	02/26/2019	MD0160	74 South Ward Street	TRESS, SHMUEL & ELKANA	2015 Fire Codes	Both front entry doors	Front entry doors self closing devices shall be tightened so door shut and latch.
589 1	02/26/2019	MD0160	74 South Ward Street	TRESS, SHMUEL & ELKANA	2015 Fire Codes	1st floor stairwell AC powered smoke alarm (by apartment A)	Battery for AC powered smoke alarms battery backup shall be replaced. Battery is chiroing indicatting its need to be replaced.
469 1	02/19/2019	MD0038	152 Easton Avenue	GYO PROPERTIES, LLC / FIRESTAR	2015 Fire Codes	Building	Supply this office with Certification (from architect, engineer or approved company) that fire escapes(s) is structurally sound and in good repair
469 1	02/19/2019	MD0038	152 Easton Avenue	GYO PROPERTIES, LLC / FIRESTAR	2015 Fire Codes	Fire exscape exit from 3rd floor window to fire escape stairs	Provide approvals from building department for roof access path to fire escape ladder from third floor apartment window.
469 1	02/19/2019	MD0038	152 Easton Avenue	GYO PROPERTIES, LLC / FIRESTAR	2015 Fire Codes	2nd floor hallway	Replace acpowered smoke alalrm over ten years old
469 1	02/19/2019	MD0038	152 Easton Avenue	GYO PROPERTIES, LLC / FIRESTAR	2015 Fire Codes	Front enrty door to apartments & 3rd floor landing	Service abttery backup on exit sign/emergency light combo unit
589 2	02/15/2019	MD0187	19 Henry Street	HENRY REALTY GROUP, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
499 3	02/13/2019	MD0213	15 Maple Street	15 MAPLE REALTY, LLC	2015 Fire Codes	Building	Forward fire alarm system report
499 3	02/13/2019	MD0213	15 Maple Street	15 MAPLE REALTY, LLC	2015 Fire Codes	Ist floor exit door by bike rack	All bikes shall be kept in bike rack and clear of exit door. No bike shall at any time block the path to exit door
499 3	02/13/2019	MD0213	15 Maple Street	15 MAPLE REALTY, LLC	2015 Fire Codes	Building	Forward sprinkler system test report

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
499	02/13/2019	MD0213	15 Maple Street	15 MAPLE REALTY, LLC	2015 Fire Codes	Sprinkler room in garage	Storage in sprinkler room shall be removed
499	02/13/2019	MD0213	15 Maple Street	15 MAPLE REALTY, LLC	2015 Fire Codes	Stair B ground level exit door to exterior	Repair door closure device on exit door
499	02/13/2019	MD0213	15 Maple Street	15 MAPLE REALTY, LLC	2015 Fire Codes	1st floor furnace room by bike racks	Remove storage next to furnace.
449	02/11/2019	MD0067	191 Redmond Street	TRIPLE C HOUSING, INC.	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
449	02/11/2019	MD0067	191 Redmond Street	TRIPLE C HOUSING, INC.	2015 Fire Codes	Builsing	Forward fire alram and sprinkler system test reports
489	01/30/2019	MD0111	11 Bayard Street	FIRST REFORMED CHURCH	2015 Fire Codes	Building	Fire extinguihers shall be serviced & tagged by an approved company
489	01/30/2019	MD0111	11 Bayard Street	FIRST REFORMED CHURCH	2015 Fire Codes	Building	Sprinkler system is due for annual test by end of February
489	01/30/2019	MD0111	11 Bayard Street	FIRST REFORMED CHURCH	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
469	01/29/2019	MD0110	132 French Street	132 FRENCH, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
469	01/29/2019	MD0110	132 French Street	132 FRENCH, LLC	2015 Fire Codes	Premises	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted
469	01/29/2019	MD0110	132 French Street	132 FRENCH, LLC	2015 Fire Codes	Premises	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
599	01/28/2019	MD0210	313 Townsend Street	313 TOWNSEND STREET, LLC	2015 Fire Codes	Basement	Move storage blocking gas meters
599	01/28/2019	MD0210	313 Townsend Street	313 TOWNSEND STREET, LLC	2015 Fire Codes	Basement	Replace smoke alarm older then 10 years
448	01/23/2019	MD0065	The Highlands at Plaza Square	HIGHLANDS URBAN RENEWAL / J CROSS	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
458	01/23/2019	MD0047	85 Bayard Street	BAYARD STREET, LLC / FIRESTAR	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
458	01/23/2019	MD0047	85 Bayard Street	BAYARD STREET, LLC / FIRESTAR	2015 Fire Codes	entire building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
458	01/23/2019	MD0047	85 Bayard Street	BAYARD STREET, LLC / FIRESTAR	2015 Fire Codes	entire building	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
598	01/22/2019	MD0211	77 Central Avenue	BRADSHAW, PATRICK & NICOLE	2015 Fire Codes	2nd floor top of steps (rear)	Replace inoperable AC powered smoke alarm.
598	01/22/2019	MD0211	77 Central Avenue	BRADSHAW, PATRICK & NICOLE	2015 Fire Codes	Basement sprinkler system	Provide most recent sprinkler test and monitoring test reports
489	01/18/2019	MD0183	249 Somerset Street	249 SOMERSET STREET, LLC	Sub Chapter 4	basement	Building shall comply with 5:70-4.7(h) windowless basement requirements. See attached highlighted code. Permit required from NB Building Department. Contact UCC Inspector Krug 732-745-5081 for further details
489	01/18/2019	MD0183	249 Somerset Street	249 SOMERSET STREET, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce. you owe 2018 -&- 2019 is due for payment
488	01/17/2019	MD0109	99 Livingston Avenue	VIVEK S. NIJHAWAN, LLC	2015 Fire Codes	common area	Fire extinguishers must be properly charged, mounted, unobstructed, serviced and tagged
458	01/17/2019	MD0212	378 George Street	MILLWOOD AT GEORGE STREET, LLC	2015 Fire Codes	Building	Provide sprinkler & fire alarm test report for building
458	01/17/2019	MD0212	378 George Street	MILLWOOD AT GEORGE STREET, LLC	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
488	01/17/2019	MD0109	99 Livingston Avenue	VIVEK S. NIJHAWAN, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
478	01/14/2019	MD0058	205 Hamilton Street	3 AMIGOS, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
488	01/10/2019	MD0108	282 Delavan Street	MERCADO, MANUEL & SHIRLEY	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
579	01/07/2019	MD0060	93 Senior Street	MC GINNIS, ANDREW & CATHERINE	2015 Fire Codes	Building	All AC powered smoke alarms shall not be more than 10 years old. Replace all outdated smoke alarms
579	01/07/2019	MD0060	93 Senior Street	MC GINNIS, ANDREW & CATHERINE	2015 Fire Codes	Basement	Remove old basement alarm system. Permit required from Building Department
579	01/07/2019	MD0060	93 Senior Street	MC GINNIS, ANDREW & CATHERINE	Sub Chapter 4	Building	AC powered smoke alarm system shall be connected into the building owners electric meter
579	01/07/2019	MD0060	93 Senior Street	MC GINNIS, ANDREW & CATHERINE	2015 Fire Codes	Botha 2nd floor apartments	All carbon monoxide alarms shall not be more then 7 years old. Replace old carbon monoxide alarms
588	12/21/2018	MD0181	24 Roosevelt Street	JACKSON, MARCELLE	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.

Date Printed: 7/30/2019

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
568 7	12/18/2018	MD0021	46 Ray Street	AL-ESTE, INC.	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
568 0	12/14/2018	MD0007	83 Plum Street	LOMBARDO, JR. PETER & ANDREA	2015 Fire Codes	All common area AC powered smoke alarms	All AC powered smoke alarm shall be serviced by licensed electrician or alarm company. All alarms shall not be no older then 10 years.
568 0	12/14/2018	MD0007	83 Plum Street	LOMBARDO, JR. PETER & ANDREA	2015 Fire Codes	Basement - Unit 1	Open electrical boxes & wire splices not permited. Have licensed electrician repair & certify wiring
568 0	12/14/2018	MD0007	83 Plum Street	LOMBARDO, JR. PETER & ANDREA	Sub Chapter 4	Buildings common area smoke alarms & lighting	AC powered common area smoke alarms & lighting shalll be on circuitry that is connected into the building owner's electric meter.
568 0	12/14/2018	MD0007	83 Plum Street	LOMBARDO, JR. PETER & ANDREA	2015 Fire Codes	All apartments	Remove all extension cords
568 0	12/14/2018	MD0007	83 Plum Street	LOMBARDO, JR. PETER & ANDREA	2015 Fire Codes	All apartments	Install carbon monoxide alarms
568 7	12/14/2018	MD0021	46 Ray Street	AL-ESTE, INC.	New Brunswick Ordinace 0-091501	entire unit	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
568 7	12/14/2018	MD0021	46 Ray Street	AL-ESTE, INC.	2015 Fire Codes	all units	All Fire Protection systems must be maintained/ smoke detectors
568 0	12/14/2018	MD0007	83 Plum Street	LOMBARDO, JR. PETER & ANDREA	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
568 0	12/14/2018	MD0007	83 Plum Street	LOMBARDO, JR. PETER & ANDREA	2015 Fire Codes	All apartments	Service, tag and mount fire extinguishers
588 0	12/11/2018	MD0100	119 Livingston Avenue	NEW BRUNSWICK APARTMENT ASSOCIATES	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
588 0	12/11/2018	MD0100	119 Livingston Avenue	NEW BRUNSWICK APARTMENT ASSOCIATES	2015 Fire Codes	Premises	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted
389 2	12/07/2018	MD0104	111 Somerset Street	MARFRAVIN, LLC	2015 Fire Codes	common area	Fire extinguishers must be properly charged, mounted, unobstructed, serviced and tagged
389 2	12/07/2018	MD0104	111 Somerset Street	MARFRAVIN, LLC	2015 Fire Codes	3rd floor common area	Emergency lighting and exit signs shall be maintain in good working order
598 7	12/05/2018	MD0209	143 Remsen Avenue	MORROW HOLDING CORP.	2015 Fire Codes	Apt 1 (Intensive Supervision Program) Apt 2(Transitional Housing Program)	" Bubble" covers shall be installed on all room receptacles to prevent damage to electrical cords.

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
598 7	12/05/2018	MD0209	143 Remsen Avenue	MORROW HOLDING CORP.	2015 Fire Codes	Apt 1 (Intensive Supervision Program) Apt 2(Transitional Housing Program)	Replace inoperative battery operated smoke alarms. Photoelectric alarm shall be installed in living room.
598 7	12/05/2018	MD0209	143 Remsen Avenue	MORROW HOLDING CORP.	2015 Fire Codes	Apt 1(Intensive Supervision Program) Apt 2(Transitional Housing Program)	A licensed electrician shall certify all wiring, repair and/or install any missing recepticals, switches etc. Remove all extension cords and ensure that the proper number of outlets is up to code per room.
598 7	12/05/2018	MD0209	143 Remsen Avenue	MORROW HOLDING CORP.	2015 Fire Codes	Apt 1((Intensive Supervision Program) Apt 2(Transitional Housing Program)	All fire extinguisher shall be new, serviced and tagged by a approved company.
598 7	12/05/2018	MD0209	143 Remsen Avenue	MORROW HOLDING CORP.	2015 Fire Codes	Apt 1 (Intensive Supervision Program) Apt 2(Transitional Housing Program)	All light switches , receptacle and open junction boxes shall have approved covers installed.
598 7	12/05/2018	MD0209	143 Remsen Avenue	MORROW HOLDING CORP.	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
598 7	12/05/2018	MD0209	143 Remsen Avenue	MORROW HOLDING CORP.	2015 Fire Codes	Apt 1(Intensive Supervision Program) Apt 2(Transitional Housing Program)	Electrical receptacle located directly behind and just above stove top shall be relocated.
598 7	12/05/2018	MD0209	143 Remsen Avenue	MORROW HOLDING CORP.	Sub Chapter 2	Apartments	Imminent Hazard Notice issued for unsafe structure and inadequancy of required fire protection systems.
598 7	12/05/2018	MD0209	143 Remsen Avenue	MORROW HOLDING CORP.	2015 Fire Codes	All Common area smoke alarms	Inoperative AC powered common area smoke alarms shall be service by licensed electrician. Alarms shall not be older then 10 years.
598 7	12/05/2018	MD0209	143 Remsen Avenue	MORROW HOLDING CORP.	2015 Fire Codes	Apt 1(Intensive Supervision Program) Apt 2(Transitional Housing Program)	Carbon monoxide alarms shall be installed within 10 feet of bedrooms.
598 7	12/04/2018	MD0208	12 Remsen Avenue	12 REMSEN AVENUE, LLC	2015 Fire Codes	Basement	Replace defective AC powered smoke alarm
488 6	11/29/2018	MD0167	101 Remsen Avenue	CLARK, JOHN & MARY	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
568	11/21/2018	MD0018	12 Bartlett Street	SHERWOOD DEVELOPMENT, LLC	2015 Fire Codes	Building	Forward fire alarm system test report for 2018 year
568	11/21/2018	MD0018	12 Bartlett Street	SHERWOOD DEVELOPMENT, LLC	2015 Fire Codes	Main electrical room by outside generator	Remove all storage from electrical room
568	11/21/2018	MD0018	12 Bartlett Street	SHERWOOD DEVELOPMENT, LLC	2015 Fire Codes	Building sprinkler system for 2018 year	Supply test report for most recent sprinkler system test erport and have system tagged with inspection date
568	11/21/2018	MD0018	12 Bartlett Street	SHERWOOD DEVELOPMENT, LLC	2015 Fire Codes	1st floor hallway by lobby	Repair saddle so door may fully close & latch
488	11/16/2018	MD0159	150 French Street	URBAN DISTRICT, LLC	2015 Fire Codes	3rd floor stairway	Means of egress doors shall close completly
488	11/16/2018	MD0159	150 French Street	URBAN DISTRICT, LLC	2015 Fire Codes	Premises	Emergency lighting and exit signs shall be maintain in good working order
488	11/16/2018	MD0159	150 French Street	URBAN DISTRICT, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
488	11/16/2018	MD0159	150 French Street	URBAN DISTRICT, LLC	2015 Fire Codes	Premises	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
488	11/16/2018	MD0159	150 French Street	URBAN DISTRICT, LLC	2015 Fire Codes	1st florr	Exit sign shall be maintained, visible and illuminated at all times
488	11/16/2018	MD0159	150 French Street	URBAN DISTRICT, LLC	2015 Fire Codes	Premises	Automatic Fire Alarm - must be inspected and tested per NFPA 72 - reports must be submitted
488	11/16/2018	MD0159	150 French Street	URBAN DISTRICT, LLC	2015 Fire Codes	3rd floor stairway	Exit sign shall be maintained, visible and illuminated at all times
388	10/26/2018	MD0155	336 George Street	Kamil Sahin	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
588	10/19/2018	MD0206	20 Prospect Street	LO, ARNOLD	2015 Fire Codes	All AC powered smoke alarms throughout building	All AC powered smoke alarms shall be inspected and replaced if inoperable or older then 10 years. A written report from a licensed electrican shall be forward to this office
588	10/19/2018	MD0206	20 Prospect Street	LO, ARNOLD	2015 Fire Codes	All apartments and boiler room	Install carbon monoxide alarm
588	10/19/2018	MD0206	20 Prospect Street	LO, ARNOLD	2015 Fire Codes	All apartments	Install smoke alarms in apartments
388	10/18/2018	MD0151	309 Somerset Street	HOWLIN, JR. MICHAEL	New Brunswick Ordinace 0-091501	entire unit	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
588	10/11/2018	MD0205	8 Prospect Street	8 PROSPECT STREET, LLC	2015 Fire Codes	Building	Call this office to schedule an inspection od the buildings common area space, ie: stairwell(s) basement and buildings AC powered smoke alarm system

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
588	10/11/2018	MD0205	8 Prospect Street	8 PROSPECT STREET, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
588	10/11/2018	MD0205	8 Prospect Street	8 PROSPECT STREET, LLC	2015 Fire Codes	Buildings fire escape	Supply this office with Certification (from architect, engineer or approved company) that fire escapes(s) is structurally sound and in good repair
588	09/21/2018	MD0119	196 Powers Street	CHAKRABARTY, NILOY & RUMELA	2015 Fire Codes	Rear stairwell	Remove all storage in stairwell
588	09/21/2018	MD0119	196 Powers Street	CHAKRABARTY, NILOY & RUMELA	2015 Fire Codes	2nd floor rear stairwell	Install new battery in AC powered smoke alarm.
588	09/13/2018	MD0204	110 Bayard Street	BAYARD STREET PROPERTIES, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
588	09/13/2018	MD0204	110 Bayard Street	BAYARD STREET PROPERTIES, LLC	2015 Fire Codes	Building	Sprinkler system due for annual test. Forward report to this office
588	09/13/2018	MD0204	110 Bayard Street	BAYARD STREET PROPERTIES, LLC	2015 Fire Codes	Front & rear stairwells	Service inoperable emergency lighting
578	09/11/2018	MD0097	205 Easton Avenue	205 EASTON REALTY, LLC	New Brunswick Ordinace 0-091501	Premises	Non Life Hazard Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
588	09/07/2018	MD0142	189 Lawrence Street	BRONFENBRENER, MARK	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
588	09/07/2018	MD0142	189 Lawrence Street	BRONFENBRENER, MARK	2015 Fire Codes	need to replace all hard wired smoke detectors	All fire protection systems shall be maintained in an operative condition at all times
588	09/06/2018	MD0202	101 Zebra Way	BCUW/MADELINE CHM I, LLC	2015 Fire Codes	Outside maintenance storage room	Label door with NFPA 704 diamond for the hazards located within.
588	09/06/2018	MD0202	101 Zebra Way	BCUW/MADELINE CHM I, LLC	2015 Fire Codes	2nd floor Stair A by room 2G	Service inoperable battery backup onexit sign/emergency light combo unit
588	09/06/2018	MD0202	101 Zebra Way	BCUW/MADELINE CHM I, LLC	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
588	09/06/2018	MD0202	101 Zebra Way	BCUW/MADELINE CHM I, LLC	2015 Fire Codes	Outside storage room. It may be keep in a locked cage and not stored under buildings open air space.	Remove lp-gas (propane) from storage room

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
568 ?	08/22/2018	MD0042	97 Bayard Street	INTRAVAIA MANAGEMENT CORP.	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
568 ?	08/22/2018	MD0042	97 Bayard Street	INTRAVAIA MANAGEMENT CORP.	2015 Fire Codes	ground floor	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
588 ?	08/22/2018	MD0201	33 Prosper Street	MOJALAL, GHOLAM, & NORIMEH, KOBA	2015 Fire Codes	Outside red tagged owners meter	Repair and maintain owners meter . Contact Electrical Inspector Krug 732-745-5081 for further information on what is required.
568 ?	08/22/2018	MD0042	97 Bayard Street	INTRAVAIA MANAGEMENT CORP.	2015 Fire Codes	utility room	Clearance between storage and heaters, furnace, flues and similar applicances shall be maintained
568 ?	08/22/2018	MD0042	97 Bayard Street	INTRAVAIA MANAGEMENT CORP.	2015 Fire Codes	Building	Forward most recent Fire Alarm system test report
458 ?	08/22/2018	MD0043	99 Bayard Street	INTRAVAIA MANAGEMENT CORP.	2015 Fire Codes	entire building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
458 ?	08/22/2018	MD0043	99 Bayard Street	INTRAVAIA MANAGEMENT CORP.	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
588 ?	08/22/2018	MD0201	33 Prosper Street	MOJALAL, GHOLAM, & NORIMEH, KOBA	2015 Fire Codes	1st floor apartment furnace	Install cover on furnace
568 ?	08/22/2018	MD0042	97 Bayard Street	INTRAVAIA MANAGEMENT CORP.	2015 Fire Codes	entire building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
458 ?	08/22/2018	MD0043	99 Bayard Street	INTRAVAIA MANAGEMENT CORP.	2015 Fire Codes	Building	Forward most recent fire alarm system test reprot
588 ?	08/22/2018	MD0201	33 Prosper Street	MOJALAL, GHOLAM, & NORIMEH, KOBA	2015 Fire Codes	Furnace flue, 1st floor apartment	Seal around flue entering into chimney
458 ?	08/22/2018	MD0043	99 Bayard Street	INTRAVAIA MANAGEMENT CORP.	2015 Fire Codes	4th floor	Exit sign shall be maintained, visible and illuminated at all times
458 ?	08/22/2018	MD0043	99 Bayard Street	INTRAVAIA MANAGEMENT CORP.	2015 Fire Codes	1st & 4th floors	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
588 ?	08/22/2018	MD0201	33 Prosper Street	MOJALAL, GHOLAM, & NORIMEH, KOBA	2015 Fire Codes	Basement & 1st floor electrical panels located in basement apartment	Install aspacers in open slots of electrical panels
588 ?	08/22/2018	MD0201	33 Prosper Street	MOJALAL, GHOLAM, & NORIMEH, KOBA	2015 Fire Codes	Front staircase	AC powered common area smoke alarms are not working. Service and repair and forward letter for licensed electrician that alarms are working and are not more than 10 years old.

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
588?	08/22/2018	MD0201	33 Prosper Street	MOJALAL, GHOLAM, & NORIMEH, KOBA	2015 Fire Codes	1st floor apartment	Mount fire extinguisher
588?	08/22/2018	MD0201	33 Prosper Street	MOJALAL, GHOLAM, & NORIMEH, KOBA	2015 Fire Codes	1st floor apartment	Reinstall rated ceiling
588?	08/21/2018	MD0200	113 Howard Street	CASPER, MICHAEL & GEORGINE	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
588?	08/21/2018	MD0147	197 Sandford Street	191-197 SANDFORD ST, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
588?	08/21/2018	MD0144	104 Howard Street	GLB GROUP, LLC	2015 Fire Codes	common area and basement	AC smoke alarms detectors shall be upgraded
588?	08/21/2018	MD0143	195 Sandford Street	191-197 SANDFORD ST, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
588?	08/21/2018	MD0146	193 Sandford Street	191-197 SANDFORD ST, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
588?	08/21/2018	MD0144	104 Howard Street	GLB GROUP, LLC	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
588?	08/21/2018	MD0200	113 Howard Street	CASPER, MICHAEL & GEORGINE	2015 Fire Codes	common areas / stairwell	AC smoke detector shall be upgraded
588?	08/21/2018	MD0145	191 Sandford Street	191-197 SANDFORD ST, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
588?	08/21/2018	MD0144	104 Howard Street	GLB GROUP, LLC	2015 Fire Codes	basement	Carbon monoxide alarms shall be maintained in accordance with NFPA 720
589?	08/20/2018	MD0199	206 Sandford Street	JAK 206 SANDFORD, LLC	2015 Fire Codes	Basement 1st floor electrical panel	Install spacers in open slots in electrical panel
589?	08/20/2018	MD0199	206 Sandford Street	JAK 206 SANDFORD, LLC	2015 Fire Codes	Apartment 1	Remove bedroom from basement
589?	08/20/2018	MD0199	206 Sandford Street	JAK 206 SANDFORD, LLC	2015 Fire Codes	Rear stairwell	Remove all storage in stairwell
589?	08/20/2018	MD0199	206 Sandford Street	JAK 206 SANDFORD, LLC	2015 Fire Codes	Rear yard	Remove tarp from rear yard
589?	08/20/2018	MD0199	206 Sandford Street	JAK 206 SANDFORD, LLC	2015 Fire Codes	Entire building	All AC powered smoke alarms shall be tested & certified by licensed electrician. Electrician reports shall state that all alarms are in working order and not more than 10 years old
589?	08/20/2018	MD0199	206 Sandford Street	JAK 206 SANDFORD, LLC	2015 Fire Codes	Basement owners electrical panel	Breaker in owners panel which runs smoke alarms was tripped. Breaker reset by this inspector. Have electrician service same

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
589 ?	08/20/2018	MD0199	206 Sandford Street	JAK 206 SANDFORD, LLC	2015 Fire Codes	All apartemnts	Replace all fire extinguishers with non-recalled one.
568 ?	08/15/2018	MD0030	710 Joyce Kilmer Avenue	710 JK REALTY & 710 MW EXCHANGE	2015 Fire Codes	entire building	please suply this office with a current fire alarm panal report
568 ?	08/15/2018	MD0030	710 Joyce Kilmer Avenue	710 JK REALTY & 710 MW EXCHANGE	2015 Fire Codes	3rd foor	Smoke detector missing or not properly maintained
568 ?	08/15/2018	MD0031	710 Joyce Kilmer Avenue	710 JK REALTY & 710 MW EXCHANGE	2015 Fire Codes	entire building	please suply this office with a current fire alarm panal report
568 ?	08/15/2018	MD0030	710 Joyce Kilmer Avenue	710 JK REALTY & 710 MW EXCHANGE	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
568 ?	08/15/2018	MD0029	710 Joyce Kilmer Avenue	710 JK REALTY & 710 MW EXCHANGE	2015 Fire Codes	entire building	please suply this office with a current fire alarm panal report
568 ?	08/15/2018	MD0031	710 Joyce Kilmer Avenue	710 JK REALTY & 710 MW EXCHANGE	2015 Fire Codes	basement	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
568 ?	08/15/2018	MD0030	710 Joyce Kilmer Avenue	710 JK REALTY & 710 MW EXCHANGE	2015 Fire Codes	utility room	Carbon Monoxide (CO) alarm must be maintained in accordance with NFPA 720 and manufacturer
568 ?	08/15/2018	MD0029	710 Joyce Kilmer Avenue	710 JK REALTY & 710 MW EXCHANGE	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
568 ?	08/15/2018	MD0031	710 Joyce Kilmer Avenue	710 JK REALTY & 710 MW EXCHANGE	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
568 ?	08/15/2018	MD0030	710 Joyce Kilmer Avenue	710 JK REALTY & 710 MW EXCHANGE	2015 Fire Codes	3rd floor	Exit sign shall be maintained, visible and illuminated at all times
578 ?	08/14/2018	MD0096	192 Delavan Street	KHATRI, JITANDER & SUSHILA	2015 Fire Codes	D side of building	Fire Department Connection must be marked with a sign complying with Township detail
578 ?	08/14/2018	MD0096	192 Delavan Street	KHATRI, JITANDER & SUSHILA	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
568 ?	08/14/2018	MD0040	175 Remsen Avenue	KHATRI ASSOCIATES 175, LLC	2015 Fire Codes	front of unit	Fire Department Connection must be marked with a sign complying with Township detail
568 ?	08/14/2018	MD0040	175 Remsen Avenue	KHATRI ASSOCIATES 175, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
588 ?	08/13/2018	MD0198	38 Lee Avenue	FISHER, ROGER, & BEKUS, DAVID	2015 Fire Codes	Building	Service alarm & central station devices and forward report to this office
588 ?	08/13/2018	MD0198	38 Lee Avenue	FISHER, ROGER, & BEKUS, DAVID	2015 Fire Codes	Buildings AC smoke Alarms	All AC powered smoke alarms shall be in working order and no more than 10 years old.

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
588 ?	08/13/2018	MD0198	38 Lee Avenue	FISHER, ROGER, & BEKUS, DAVID	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
588 ?	08/13/2018	MD0198	38 Lee Avenue	FISHER, ROGER, & BEKUS, DAVID	2015 Fire Codes	Building sprinkler system	Sprinkler system shall be tested by an approved company and report forward to this office
588 ?	08/13/2018	MD0198	38 Lee Avenue	FISHER, ROGER, & BEKUS, DAVID	2015 Fire Codes	both emergency lights on 2nd floor hallway	Service inoperable emergency light
588 ?	08/13/2018	MD0198	38 Lee Avenue	FISHER, ROGER, & BEKUS, DAVID	2015 Fire Codes	Building fire escape	Supply this office with Certification (from architect, engineer or approved company) that fire escapes(s) is structurally sound and in good repair
468 ?	08/08/2018	MD0041	168 Easton Avenue	DICKERSON, WADE & JOAN	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
468 ?	08/08/2018	MD0041	168 Easton Avenue	DICKERSON, WADE & JOAN	2015 Fire Codes	Building	Forward most recent fire alarm system test report. If over 1 year old new test shall be performed.
588 ?	08/06/2018	MD0152	211 French Street	HOWARD, JOE & MATILDA	2015 Fire Codes	Entire building	All AC powered smoke alarms shall be replaced and a letter from licensed electrician forward to this office that alarms are in working condition
588 ?	08/06/2018	MD0141	400 Remsen Avenue	STASIK & STASIK, LLC	2015 Fire Codes	basement	Fire extinguishers must be properly charged, mounted, unobstructed, serviced and tagged
588 ?	08/06/2018	MD0152	211 French Street	HOWARD, JOE & MATILDA	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
588 ?	08/06/2018	MD0152	211 French Street	HOWARD, JOE & MATILDA	2015 Fire Codes	Stairwells	Access to roof shall not be delayed due to storage. Remove storage from stairs. No Storage is allowed in stairwells at any time.
588 ?	08/06/2018	MD0152	211 French Street	HOWARD, JOE & MATILDA	2015 Fire Codes	Building	Fire extinguishers due for servicerequired as per Ordinance O-091501. See attached Ordinance and invoice
588 ?	08/06/2018	MD0152	211 French Street	HOWARD, JOE & MATILDA	2015 Fire Codes	Basement	Provide building department approvals for fuel oil tank removal and material waste
588 ?	08/06/2018	MD0141	400 Remsen Avenue	STASIK & STASIK, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
588 ?	08/06/2018	MD0152	211 French Street	HOWARD, JOE & MATILDA	2015 Fire Codes	Buildings Fire escape	Supply this office with Certification (from architect, engineer or approved company) that fire escapes(s) is structurally sound and in good repair

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
448 ?	08/03/2018	MD0044	260 Remsen Avenue	ST. MARY'S APARTMENTS ASSOCIATES	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
578 ?	08/03/2018	MD0057	40 Baldwin Streert	40 BALDWIN, LLC	2015 Fire Codes	2nd floor hallway.	Service inoperable emergency lighting
448 ?	08/03/2018	MD0044	260 Remsen Avenue	ST. MARY'S APARTMENTS ASSOCIATES	2015 Fire Codes	Storage off Community Room	Provide a clear path and maintain a clear ares to electrical panel
578 ?	08/03/2018	MD0057	40 Baldwin Streert	40 BALDWIN, LLC	2015 Fire Codes	Exterior fire escape	Supply this office with Certification (from architect, engineer or approved company) that fire escapes(s) is structurally sound and in good repair.
488 ?	07/31/2018	MD0140	93-95 Bayard Street	ALANSUH, LLC	2015 Fire Codes	Basement hallway storage room (2nd door from exit door.	Remount hanging light fixture.
568 ?	07/31/2018	MD0033	55 Morrell Street	55 Morrell LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
488 ?	07/31/2018	MD0140	93-95 Bayard Street	ALANSUH, LLC	2015 Fire Codes	Sprinkler room in hair salon	Remove all stoage in sprinkler room
488 ?	07/31/2018	MD0140	93-95 Bayard Street	ALANSUH, LLC	New Brunswick Ordinace 0-091501	Business	Non Life Hazard Registration Fee required per Ordinance 0-091501. See attached ordinance and invioce.
488 ?	07/31/2018	MD0140	93-95 Bayard Street	ALANSUH, LLC	2015 Fire Codes	Building	Fire extinguishers are due for annual service
488 ?	07/31/2018	MD0140	93-95 Bayard Street	ALANSUH, LLC	2015 Fire Codes	Sprinkler room in hair salon	Install cover on open electrical box
488 ?	07/31/2018	MD0140	93-95 Bayard Street	ALANSUH, LLC	2015 Fire Codes	Sprinkler oom in hair salon	remove all extension cords in sprinkler room
488 ?	07/31/2018	MD0140	93-95 Bayard Street	ALANSUH, LLC	2015 Fire Codes	Sprinkler room in hair salon	Install sign on Sprinkler room door, " Sprinkler Control Room"
488 ?	07/31/2018	MD0140	93-95 Bayard Street	ALANSUH, LLC	2015 Fire Codes	Building	Sprinkler system due for annual test. Forward report to this office
488 ?	07/31/2018	MD0140	93-95 Bayard Street	ALANSUH, LLC	2015 Fire Codes	Building	Fire alarm due for annual test. Forward report to this office
488 ?	07/31/2018	MD0140	93-95 Bayard Street	ALANSUH, LLC	2015 Fire Codes	Sprinkler room in hair salon	Remove all electrical cords running under sprinkler room door
368 ?	07/30/2018	MD0037	15 Union Street	15 UNION REALTY, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
568 ?	07/26/2018	MD0034	309 Suydam Street	SUYDAM POINTE, LLC	2015 Fire Codes	Premises	Supply this office with the most recent automatic fire alarm system test report

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
568	07/26/2018	MD0034	309 Suydam Street	SUYDAM POINTE, LLC	2015 Fire Codes	Common hallways	Carbon Monoxide (CO) alarm must be maintained in accordance with NFPA 720 and manufacturer
568	07/26/2018	MD0034	309 Suydam Street	SUYDAM POINTE, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required per Ordinance 0-091501. See attached Ordinance and invioce.
588	07/18/2018	MD0197	39 Huntington Street	FLOREZ, HUGO	2015 Fire Codes	Basement	Fire extinguishers are not supplied in areas where required
588	07/18/2018	MD0197	39 Huntington Street	FLOREZ, HUGO	2015 Fire Codes	entire building	Provide fire alarm test report
588	07/18/2018	MD0197	39 Huntington Street	FLOREZ, HUGO	2015 Fire Codes	basement	Carbon Monoxide (CO) alarm must be maintained in accordance with NFPA 720 and manufacturer
478	07/12/2018	MD0092	109 Somerset Street	OSTERGREN, STEPHEN	2015 Fire Codes	basement	carbon monoxide shall be installed
478	07/12/2018	MD0092	109 Somerset Street	OSTERGREN, STEPHEN	2015 Fire Codes	entire building	Fire extinguishers must be properly charged, mounted, unobstructed, serviced and tagged
478	07/12/2018	MD0092	109 Somerset Street	OSTERGREN, STEPHEN		entire unit	please suply this office with a current fire alarm panal report
478	07/12/2018	MD0092	109 Somerset Street	OSTERGREN, STEPHEN	2015 Fire Codes	entire building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
468	07/11/2018	MD0130	173 French Street	MERCADO, GILBERT	2015 Fire Codes	entire building	please suply a current fire panal test report
468	07/11/2018	MD0130	173 French Street	MERCADO, GILBERT	2015 Fire Codes	entire building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
457	07/06/2018	MD0055	385A George Street	377 GEORGE STREET REALTY, LLC	2006 Fire Codes	2nd floor apartment hallway above exit door by room 2B	Service battery backup on exit sign/emergency light combo unit
458	07/06/2018	MD0055	385A George Street	377 GEORGE STREET REALTY, LLC	2006 Fire Codes	Buildings fire alarm	Fire alarm due for annual test. Forward report to this office
477	07/06/2018	MD0088	380 George Street	CT07 George Street LLC	2006 Fire Codes	Front entry door	Service battery backup on exit sign/emergency light combo unit
477	07/06/2018	MD0088	380 George Street	CT07 George Street LLC	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
457	07/06/2018	MD0055	385A George Street	377 GEORGE STREET REALTY, LLC	2006 Fire Codes	2nd floor stairwell	Service battery back up on exit sign/emergency light combo units
457	07/06/2018	MD0055	385A George Street	377 GEORGE STREET REALTY, LLC	2006 Fire Codes	2nd floor stairwell ceiling	Repair hole in ceiling

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
458	07/06/2018	MD0055	385A George Street	377 GEORGE STREET REALTY, LLC	2006 Fire Codes	Buildings sprinkler system(s)	Sprinkler system due for annual test this month. Forward test reprot to this office
457	07/06/2018	MD0055	385A George Street	377 GEORGE STREET REALTY, LLC	2006 Fire Codes	3rd floor apartment hallway above exit door by room 3B	Service exit sign/emergency light combo unit battery back up
457	07/06/2018	MD0055	385A George Street	377 GEORGE STREET REALTY, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
477	07/03/2018	MD0090	26 US Highway 1	BRUNSWICK LODGING, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
467	07/03/2018	MD0089	26 US Highway 1	BRUNSWICK LODGING, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
487	06/26/2018	MD0127	77 Throop Avenue	KEVIN REALTY MANAGEMENT, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
567	06/25/2018	MD0019	66 Sicard Street	JOVSIM, LLC	2006 Fire Codes	Buildings sprinkler system	Forward most recent sprinkler system test report to this office
567	06/25/2018	MD0020	6 Sicard Street	6 SICARD REALTY, LLC	2006 Fire Codes	Building	Forward most recent sprinkler system test report to this office
567	06/25/2018	MD0020	6 Sicard Street	6 SICARD REALTY, LLC	2006 Fire Codes	entire building	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
567	06/25/2018	MD0020	6 Sicard Street	6 SICARD REALTY, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
567	06/25/2018	MD0019	66 Sicard Street	JOVSIM, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
567	06/25/2018	MD0019	66 Sicard Street	JOVSIM, LLC	2006 Fire Codes	entire building	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
587	06/04/2018	MD0195	77 Louis Street	KHATER, MICHEL	2006 Fire Codes	Apartments	Replace fire extinguisher which may be on recall
587	06/04/2018	MD0195	77 Louis Street	KHATER, MICHEL	2006 Fire Codes	Building stairwells	Remove all storage from stairwells
587	06/04/2018	MD0195	77 Louis Street	KHATER, MICHEL	2006 Fire Codes	Basement & 1st floor	Basement is in conjunction with 1st floor apartment. You shall not pass through common space to get from basement area to 1st floor. Stairwell shall be enclosed to connect both floors

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
579	05/29/2018	MD0086	68 Guilden Street	68 GUILDEN STREET, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
587	05/29/2018	MD0194	84 Guilden Street	PRATIK, INC.	2006 Fire Codes	Building	Supply this office with a certification (from architect, engineer or approved company) that the fire escape(s) is structurally sound and in good repair
587	05/29/2018	MD0194	84 Guilden Street	PRATIK, INC.	2006 Fire Codes	Building	Please call 732-745-5086 to schedule an inspection of the interior common area space.
577	05/29/2018	MD0085	25 Prosper Street	AI, BRUCE	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
587	05/29/2018	MD0194	84 Guilden Street	PRATIK, INC.	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
457	05/23/2018	MD0084	72 Jersey Avenue	72 JERSEY AVE, LLC	2006 Fire Codes	Entire buildings AC Powered smoke alarms	All AC powered smoke alarms shall be interconnected and in proper working order.
457	05/23/2018	MD0084	72 Jersey Avenue	72 JERSEY AVE, LLC	2006 Fire Codes	2nd floor top of stairs by 72E	Service exits sign/emergency light combo unit including battery backup
567	05/23/2018	MD0010	299 Lawrence Street	CONSOLIDATED APARTMENTS, INC.	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
567	05/23/2018	MD0008	295 Lawrence Street	MAGLIES, ROBERT	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
567	05/23/2018	MD0009	297 Lawrence Street	CONSOLIDATED APARTMENTS, INC.	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
457	05/23/2018	MD0084	72 Jersey Avenue	72 JERSEY AVE, LLC	2006 Fire Codes	Buildings sprikler system	Sprinkler system due for annual test. forward report to this office
567	05/23/2018	MD0014	304 Lawrence Street	MAGLIES, ROBERT	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
567	05/23/2018	MD0012	301 Lawrence Street	CONSOLIDATED APARTMENTS, INC.	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
457	05/23/2018	MD0084	72 Jersey Avenue	72 JERSEY AVE, LLC	2006 Fire Codes	2nd floor by apartment 72E	Remove storage in hallway
457	05/23/2018	MD0084	72 Jersey Avenue	72 JERSEY AVE, LLC	2006 Fire Codes	Building	Central station monitoring system shall be tested and report forward to this office

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
567	05/23/2018	MD0015	286 Ward Street	CONSOLIDATED APARTMENTS, INC.	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
567	05/23/2018	MD0013	302 Lawrence Street	MAGLIES, ROBERT	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
567	05/23/2018	MD0011	300 Lawrence Street	MAGLIES, ROBERT	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
567	05/21/2018	MD0016	75 Easton Avenue	75 EASTON AVENUE, LLC	2006 Fire Codes	Elevator room (rear)	Fire extinguisher due for service
567	05/21/2018	MD0016	75 Easton Avenue	75 EASTON AVENUE, LLC	2006 Fire Codes	Building	Sprinkler and fire alarm systems due for annual test. Forward report(s) to this office
567	05/21/2018	MD0016	75 Easton Avenue	75 EASTON AVENUE, LLC	2006 Fire Codes	2nd floor	Remove storage from furnace room
567	05/21/2018	MD0016	75 Easton Avenue	75 EASTON AVENUE, LLC	2006 Fire Codes	Outside (rear) utility storage room	Move storage on floor by electrical panel
567	05/21/2018	MD0016	75 Easton Avenue	75 EASTON AVENUE, LLC	2006 Fire Codes	3rd floor between elevator & room 3D	Service inoperable emergency light
567	05/21/2018	MD0016	75 Easton Avenue	75 EASTON AVENUE, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
567	05/21/2018	MD0016	75 Easton Avenue	75 EASTON AVENUE, LLC	Sub Chapter 4	Hallway furnace room on all floors	Install carbon monoxide alarms
587	05/16/2018	MD0123	22 Remsen Avenue	SHAH, SURUCHI	2006 Fire Codes	Building	Building sprinkler system due for annual test. Forward report to this office
587	05/16/2018	MD0123	22 Remsen Avenue	SHAH, SURUCHI	2006 Fire Codes	Front stairwell to basement apartment.	Remove charcoal grill from stairwell
587	05/16/2018	MD0123	22 Remsen Avenue	SHAH, SURUCHI	2006 Fire Codes	1st floor foyer by apartment 1B, & basement front foyer	Remove all storage from foyer(s)
587	05/16/2018	MD0123	22 Remsen Avenue	SHAH, SURUCHI	2006 Fire Codes	Outside front Fire Department Connection	Replace missing cap on Fire Department Connection
587	05/16/2018	MD0123	22 Remsen Avenue	SHAH, SURUCHI	Sub Chapter 4	Basement boiler room	Install carbon monoxide alarm. (Note - unable to gain entry, however boiler room shall be clean with no storage within 3 feet of electrial panels, furnaces & water heaters
587	05/16/2018	MD0123	22 Remsen Avenue	SHAH, SURUCHI	2006 Fire Codes	Buildings AC powered smoke alarms	AC powered common area smoke alarms shall be tested and report forward to this office. 1st floor alarm not working, 2nd floor alarm not interconnected

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
587	05/16/2018	MD0123	22 Remsen Avenue	SHAH, SURUCHI	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
467	05/15/2018	MD0001	188 Rutgers Street	188 RUTGERS STREET, LLC	2006 Fire Codes	Middle floor hallway by Room A4	Install new battery in emergency light.
467	05/15/2018	MD0001	188 Rutgers Street	188 RUTGERS STREET, LLC	2006 Fire Codes	Lower level by sprinkler room	While testing battery powered smoke alarm, alarm mounting screws can loose and detector was hanging and in danger of falling. I removed detector from ceiling and placed on floor infront of sprinkler control room door. Please remount alarm.
467	05/15/2018	MD0001	188 Rutgers Street	188 RUTGERS STREET, LLC	2006 Fire Codes	Building	Fire extinguishers due for service
467	05/15/2018	MD0001	188 Rutgers Street	188 RUTGERS STREET, LLC	2006 Fire Codes	Knox Box keys	Provide key for sprinkler control room. Keys currently in KNOX BOX does not open this door.
467	05/15/2018	MD0001	188 Rutgers Street	188 RUTGERS STREET, LLC	2006 Fire Codes	Building	Provide to this office sprinkler system test report
467	05/15/2018	MD0001	188 Rutgers Street	188 RUTGERS STREET, LLC	2006 Fire Codes	Rear hallway doors middle & top level by apartments A5 & A6, B5 & B6	Hallway smoke door shall fully close & latch.
587	05/14/2018	MD0121	14 Laurel Place	HILL INVESTMENT, INC.	2006 Fire Codes	Boiler room	Remove all storage fron boiler room. 3 foot clearance around water heater, furnace & electrical meters and panels.
587	05/14/2018	MD0121	14 Laurel Place	HILL INVESTMENT, INC.	2006 Fire Codes	Building fire extinguishers	Fire extinguishers due for service
587	05/14/2018	MD0121	14 Laurel Place	HILL INVESTMENT, INC.	2006 Fire Codes	Lower level interior boiler room door	Door shall be self closing and latch
587	05/14/2018	MD0121	14 Laurel Place	HILL INVESTMENT, INC.	Sub Chapter 4	Lower level boiler room	Install a carbon monoxide alarm
587	05/14/2018	MD0121	14 Laurel Place	HILL INVESTMENT, INC.	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
487	05/02/2018	MD0122	214 French Street	YANG, XING & ZHANG, FANG	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
487	05/02/2018	MD0122	214 French Street	YANG, XING & ZHANG, FANG	2006 Fire Codes	Buildings fire escape(s)	Supply this office with a certification (from architect, engineer or approved company) that the fire escape(s) is structurally sound and in good repair
487	04/24/2018	MD0118	209 French Street	RIVERA, ESTABAN & EULALIA	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice

Date Printed: 7/30/2019

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
487 c	04/24/2018	MD0118	209 French Street	RIVERA, ESTABAN & EULALIA	2006 Fire Codes	common hallways	Smoke detector must be maintained batery back up need to be installed
487 c	04/24/2018	MD0118	209 French Street	RIVERA, ESTABAN & EULALIA	2006 Fire Codes	Rear stairway	Storage in area not permitted
577 c	04/18/2018	MD0076	100 Hiram Square	MC RIVERWATCH NB, LLC / MACK-CALI	Sub Chapter 4	boiler /utility room	Carbon Monoxide Alarms shall comply with NFPA 720 and the Uniform Construction Code
577 c	04/18/2018	MD0076	100 Hiram Square	MC RIVERWATCH NB, LLC / MACK-CALI	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
577 c	04/18/2018	MD0076	100 Hiram Square	MC RIVERWATCH NB, LLC / MACK-CALI	2006 Fire Codes	entire building	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
577 c	04/18/2018	MD0076	100 Hiram Square	MC RIVERWATCH NB, LLC / MACK-CALI	2006 Fire Codes	entire building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted please provide this office with the most reason sprinkler test report
577 c	04/18/2018	MD0076	100 Hiram Square	MC RIVERWATCH NB, LLC / MACK-CALI	2006 Fire Codes	#'s 9,14,28,37,41, 43,46,63,67,71,74	Emergency lights not properly maintained or not working
487 c	04/17/2018	MD0192	29 Remen Avenue	NEW BRUNSWICK HOMES URBAN RENEWAL	2006 Fire Codes	entire building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted please provide this office with the most reason sprinkler test report
487 c	04/17/2018	MD0192	29 Remen Avenue	NEW BRUNSWICK HOMES URBAN RENEWAL	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
487	04/17/2018	MD0192	29 Remen Avenue	NEW BRUNSWICK HOMES URBAN RENEWAL	2006 Fire Codes	entire buiding	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
458	04/16/2018	MD0005	256 George Street	NEW BRUNSWICK HOMES URBAN RENEWAL	2006 Fire Codes	right side of building	Fire department connection access not maintained replace connector's caps
457	04/16/2018	MD0002	40 Hassart Street	TCB LORD STIRLING URBAN RENEWAL, LP	2006 Fire Codes	entire building	Fire extinguishers must be properly charged, mounted, unobstructed, serviced and tagged
457	04/16/2018	MD0002	40 Hassart Street	TCB LORD STIRLING URBAN RENEWAL, LP	2006 Fire Codes	entire building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted please provide this office with the most reason sprinkler test report
457	04/16/2018	MD0004	274 George Street	NEW BRUNSWICK HOMES URBAN RENEWAL	New Brunswick Ordinace 0-091501	entire unit	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
457	04/16/2018	MD0002	40 Hassart Street	TCB LORD STIRLING URBAN RENEWAL, LP	Sub Chapter 4	boiler room/basement	Carbon Monoxide Alarms shall comply with NFPA 720 and the Uniform Construction Code
458	04/16/2018	MD0005	256 George Street	NEW BRUNSWICK HOMES URBAN RENEWAL	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
457	04/16/2018	MD0002	40 Hassart Street	TCB LORD STIRLING URBAN RENEWAL, LP	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
457	04/16/2018	MD0002	40 Hassart Street	TCB LORD STIRLING URBAN RENEWAL, LP	2006 Fire Codes	entire building	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
457	04/12/2018	MD0079	17 Hampton Road	SCP HAMPTON, LLC	2006 Fire Codes	apt 10 building B	Emergency escape window in sleeping room not properly maintained or operational need to remove board from window
477	04/12/2018	MD0082	17 Hampton Road	SCP HAMPTON, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
477	04/12/2018	MD0083	17 Hampton Road	SCP HAMPTON, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
477	04/12/2018	MD0080	17 Hampton Road	SCP HAMPTON, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
477	04/12/2018	MD0081	17 Hampton Road	SCP HAMPTON, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
457	04/12/2018	MD0079	17 Hampton Road	SCP HAMPTON, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
577	04/11/2018	MD0077	395 Livingston Avenue	395 LIVINGSTON, LLC	New Brunswick Ordinace 0-091501	failed to pay last year's fee /entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice. FAILED TO PAY LAST YEARS FEE 2017 & 2018 INVOICES ENCLOSED
577	04/11/2018	MD0077	395 Livingston Avenue	395 LIVINGSTON, LLC	Sub Chapter 4	boiler room	Carbon Monoxide Alarms shall comply with NFPA 720 and the Uniform Construction Code
577	04/11/2018	MD0077	395 Livingston Avenue	395 LIVINGSTON, LLC	2006 Fire Codes	entire buildiing	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
487	03/28/2018	MD0190	75 Jersey Avenue	PNP, LLC	2006 Fire Codes	77 jersey ave side entry	Hard wire A/C Smoke detectors / Smoke detectors needs to be replaced and serviced by a licensed electrition
587	03/23/2018	MD0191	26 Welton Street	MARCUS REALTY, LLC/G & M	2006 Fire Codes	Buildings fire escape	Supply this office with a certification (from architect, engineer or approved company) that the fire escape(s) is structurally sound and in good repair
587	03/23/2018	MD0191	26 Welton Street	MARCUS REALTY, LLC/G & M	2006 Fire Codes	26 side - 3rd floor rooms	Service AC powered smoke alarms to insure that they are intercionnected and have battery backup
587	03/23/2018	MD0191	26 Welton Street	MARCUS REALTY, LLC/G & M	2006 Fire Codes	Entire building	All AC powered smoke alarms shall be no older then 10 years. If older they sahll be replaced and interconnected with rest of system. Carbon monoxide alarms shall be no older than 7 years
587	03/23/2018	MD0191	26 Welton Street	MARCUS REALTY, LLC/G & M	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
587	03/23/2018	MD0191	26 Welton Street	MARCUS REALTY, LLC/G & M	2006 Fire Codes	28 side - both apartments	Service AC powered smoke alarms to insure that they are interconnected and have battery back ups
587	03/23/2018	MD0191	26 Welton Street	MARCUS REALTY, LLC/G & M	2006 Fire Codes	26 Side 1st floor	Replace inoperable AC powered smoke alarms in living room & bed room
587	03/23/2018	MD0191	26 Welton Street	MARCUS REALTY, LLC/G & M	2006 Fire Codes	26 side - 2nd floor by kitchen	Replace defective carbon monoxide alarm
587	03/23/2018	MD0191	26 Welton Street	MARCUS REALTY, LLC/G & M	2006 Fire Codes	28 side - 3rd floor room with door to fire escape	Reinstall missing AC powered smoke alarm. Alarm shall be interconnected with rest of system
577	03/13/2018	MD0071	Riverwatch Commons	MC RICHMOND NB, LLC / MACK-CALI	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
577	03/13/2018	MD0071	Riverwatch Commons	MC RICHMOND NB, LLC / MACK-CALI	2006 Fire Codes	3rd floor	Emergency lights not properly maintained or not working
577	03/13/2018	MD0071	Riverwatch Commons	MC RICHMOND NB, LLC / MACK-CALI	2006 Fire Codes	Premises	Automatic Sprinkler System - Must repair all deficiencies as stated on current sprinkler report
577	03/13/2018	MD0071	Riverwatch Commons	MC RICHMOND NB, LLC / MACK-CALI	2006 Fire Codes	Premises	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
577	03/13/2018	MD0070	Riverwatch Commons	MC RICHMOND NB, LLC / MACK-CALI	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
577	03/13/2018	MD0070	Riverwatch Commons	MC RICHMOND NB, LLC / MACK-CALI	2006 Fire Codes	Premises	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
577	03/13/2018	MD0070	Riverwatch Commons	MC RICHMOND NB, LLC / MACK-CALI	2006 Fire Codes	Premises	Automatic Sprinkler System - Must repair all deficiencies as stated on current sprinkler report
577	03/13/2018	MD0070	Riverwatch Commons	MC RICHMOND NB, LLC / MACK-CALI	2006 Fire Codes	1st and 3rd floor	Emergency lights not properly maintained or not working
447	03/12/2018	MD0072	Livingston Manor Apartments	Livingston Manor Urban Renewal	2006 Fire Codes	Premises	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted please provide this office with the most reason sprinkler test report
447	03/12/2018	MD0072	Livingston Manor Apartments	Livingston Manor Urban Renewal	Sub Chapter 4	Boiler room	Carbon Monoxide Alarms shall comply with NFPA 720 and the Uniform Construction Code
447	03/12/2018	MD0072	Livingston Manor Apartments	Livingston Manor Urban Renewal	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
447	03/12/2018	MD0072	Livingston Manor Apartments	Livingston Manor Urban Renewal	2006 Fire Codes	Premises	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
587	03/01/2018	MD0189	139 Commerical Avenue	DUNCANSON, COLLEEN, ET AL	New Brunswick Ordinace 0-091501	Building - Invoice was handed out during inspection	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
587	03/01/2018	MD0189	139 Commerical Avenue	DUNCANSON, COLLEEN, ET AL	2006 Fire Codes	Buildings fire escape	Supply this office with a certification (from architect, engineer or approved company) that the fire escape(s) is structurally sound and in good repair
587	03/01/2018	MD0189	139 Commerical Avenue	DUNCANSON, COLLEEN, ET AL	2006 Fire Codes	Rear stairwell 1st & 2nd floors	Service inoperable emergency lights
467	02/21/2018	MD0069	268 Livingston Avenue	WOMEN AWARE, INC.	2006 Fire Codes	3rd floor landing	Service inoperable emergency light

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
467	02/21/2018	MD0069	268 Livingston Avenue	WOMEN AWARE, INC.	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
587	02/16/2018	MD0187	19 Henry Street	OPHELIA REALTY CORPORATION	2006 Fire Codes	Boiler room	Remove all storage blocking electrial service panels
587	02/16/2018	MD0188	25 Henry Street	OPHELIA REALTY CORPORATION	2006 Fire Codes	Buildings fire escapes	Supply this office with a certification (from architect, engineer or approved company) that the fire escape(s) is structurally sound and in good repair
587	02/16/2018	MD0187	19 Henry Street	OPHELIA REALTY CORPORATION	2006 Fire Codes	lower level and top floor emergency lights	Service inoperable emergency lights
587	02/16/2018	MD0187	19 Henry Street	OPHELIA REALTY CORPORATION	2006 Fire Codes	Buildings fire escapes	Supply this office with a certification (from architect, engineer or approved company) that the fire escape(s) is structurally sound and in good repair
587	02/16/2018	MD0188	25 Henry Street	OPHELIA REALTY CORPORATION	2006 Fire Codes	In apartments where need	Replace chirping batteries in smoke alarms
587	02/16/2018	MD0187	19 Henry Street	OPHELIA REALTY CORPORATION	2006 Fire Codes	Boiler room	AC smoke alarm not interconnected with rest of building. Alarm is also older then 10 years and shall be replaced
587	02/16/2018	MD0188	25 Henry Street	OPHELIA REALTY CORPORATION	2006 Fire Codes	Boiler room	Remove all storage from boiler room. Storage is blocking electrial panels & room is to small to relocate storage as to not be within 3 feet on heating appliances
587	02/16/2018	MD0188	25 Henry Street	OPHELIA REALTY CORPORATION	Sub Chapter 4	Boiler room, lower & middle levels	Install carbon monoxide alarms
587	02/16/2018	MD0188	25 Henry Street	OPHELIA REALTY CORPORATION	2006 Fire Codes	Boiler room	AC smoke alarm not interconnected with rest of building. Alarm is also older then 10 years and shall be replaced
587	02/16/2018	MD0187	19 Henry Street	OPHELIA REALTY CORPORATION	2006 Fire Codes	Middle level	Service unlit exit sign/emergency light combo unit and its battery backup
587	02/16/2018	MD0188	25 Henry Street	OPHELIA REALTY CORPORATION	2006 Fire Codes	All floors	Service all exit sign/emergency light combo units batter backups
587	02/16/2018	MD0187	19 Henry Street	OPHELIA REALTY CORPORATION	Sub Chapter 4	boiler room, lower & middle levels	Install carbon monoxide alarms
587	02/08/2018	MD0186	9 Sixth Street	CHAVEZ, MARINO	New Brunswick Ordinace 0-091501	entire unit	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
447	02/08/2018	MD0067	191 Redmond Street	TRIPLE C HOUSING, INC.	2006 Fire Codes	Building	Supply fire alarm and sprinkler system test reports. Email to: dquagliata@cityofnewbrunswick.org

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
447 E	02/08/2018	MD0067	191 Redmond Street	TRIPLE C HOUSING, INC.	Sub Chapter 4	Front lobby, 1st & 2nd floor hallways	Install carbon monoxide alarms
587 E	02/08/2018	MD0186	9 Sixth Street	CHAVEZ, MARINO	2006 Fire Codes	left side of dwelling	Supply this office with a certification (from architect, engineer or approved company) that the fire escape(s) is structurally sound and in good repair
447 E	02/08/2018	MD0067	191 Redmond Street	TRIPLE C HOUSING, INC.	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
587 E	02/07/2018	MD0185	Multiple Dwelling	45 QUENTIN AVE, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
587 E	02/07/2018	MD0185	Multiple Dwelling	45 QUENTIN AVE, LLC	2006 Fire Codes	Building rear	Supply this office with a certification (from architect, engineer or approved company) that the fire escape(s) is structurally sound and in good repair
587 E	02/07/2018	MD0185	Multiple Dwelling	45 QUENTIN AVE, LLC	2006 Fire Codes	Common Hallways	Carbon Monoxide (CO) alarm must be maintained in accordance with NFPA 720 and manufacturer
587 E	02/07/2018	MD0185	Multiple Dwelling	45 QUENTIN AVE, LLC	2006 Fire Codes	Building	Provide fire alarm system test report.
487 E	01/31/2018	MD0111	11 Bayard Street	FIRST REFORMED CHURCH	2006 Fire Codes	Exit stairwell	Remove recycling cans and all other flammable & combustible items stored at bottom of stairwell
487 E	01/31/2018	MD0111	11 Bayard Street	FIRST REFORMED CHURCH	2006 Fire Codes	Building	Fire alarm due for annual test. Supply this office with test report.
487 E	01/31/2018	MD0111	11 Bayard Street	FIRST REFORMED CHURCH	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
487 E	01/31/2018	MD0111	11 Bayard Street	FIRST REFORMED CHURCH	2006 Fire Codes	Building	Sprinkler system due for annual Test. Supply this offcie with test report.
467 A	01/29/2018	MD0110	132 French, LLC	Francisco & Arnaldo Garcia	2006 Fire Codes	Premises	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
467 A	01/29/2018	MD0110	132 French, LLC	Francisco & Arnaldo Garcia	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
467 A	01/29/2018	MD0110	132 French, LLC	Francisco & Arnaldo Garcia	Sub Chapter 4	Common Hallways	Carbon Monoxide Alarms shall comply with NFPA 720 and the Uniform Construction Code
467 A	01/29/2018	MD0110	132 French, LLC	Francisco & Arnaldo Garcia	2006 Fire Codes	Premises	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted please provide this office with the most reason sprinkler test report

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
467	01/29/2018	MD0110	132 French, LLC	Francisco & Arnaldo Garcia	2006 Fire Codes	Basement	Extension cords and flexible cords shall not be a substitute for permanent wiring.
467	01/29/2018	MD0110	132 French, LLC	Francisco & Arnaldo Garcia	2006 Fire Codes	1st floor common hall	Emergency lights not properly maintained or not working
587	01/25/2018	MD0184	244 Livingston Avenue	HERNANDEZ, PERSIO & ANA	2006 Fire Codes	Basement - Furnace Room	Repair missing ceiling sections
587	01/25/2018	MD0184	244 Livingston Avenue	HERNANDEZ, PERSIO & ANA	2006 Fire Codes	Rear stairwell, 2nd & top floors	Remove all storage in stairwells
587	01/25/2018	MD0184	244 Livingston Avenue	HERNANDEZ, PERSIO & ANA	Sub Chapter 4	Basement door	Basement door is hollow core and shall be replaced with solid core door.
587	01/25/2018	MD0184	244 Livingston Avenue	HERNANDEZ, PERSIO & ANA	2006 Fire Codes	Building fire alarm	Fire alarm system due for annual test. forward report to this office
587	01/25/2018	MD0184	244 Livingston Avenue	HERNANDEZ, PERSIO & ANA	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
587	01/25/2018	MD0184	244 Livingston Avenue	HERNANDEZ, PERSIO & ANA	2006 Fire Codes	Basement	Provide zoning & Certiifcate of Occupancy for basement apartment
587	01/25/2018	MD0184	244 Livingston Avenue	HERNANDEZ, PERSIO & ANA	2006 Fire Codes	Basement	Unable to gain entry into basemnt furnace room. Could only see through makeup air vents in rear stairwell. Provide entry to room
587	01/25/2018	MD0184	244 Livingston Avenue	HERNANDEZ, PERSIO & ANA	2006 Fire Codes	Building	Close out all open Building Permits. Call 732-745-5078 for details
587	01/25/2018	MD0184	244 Livingston Avenue	HERNANDEZ, PERSIO & ANA	2006 Fire Codes	All exit sign/emergency light combo units in building	Service battery backs on exit sign/emergency light combo units
587	01/25/2018	MD0184	244 Livingston Avenue	HERNANDEZ, PERSIO & ANA	2006 Fire Codes	front foor	Service inoperable emergency light
487	01/25/2018	MD0112	130 French Street	SAMCHRIST PROPERTIES, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
487	01/25/2018	MD0112	130 French Street	SAMCHRIST PROPERTIES, LLC	Sub Chapter 4	Basement	Building shall comply with 5:70-4.7(h) windowless basement requirements. See attached highlighted code. Permit required from NB Building Department. Contact UCC Inspector Krug 732-745-5081 for further details
487	01/25/2018	MD0112	130 French Street	SAMCHRIST PROPERTIES, LLC	2006 Fire Codes	Common Hall	Emergency lights not properly maintained or not working
457	01/23/2018	MD0047	85 Bayard Street	85 Bayard Street LLC	2006 Fire Codes	entire building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted please provide this office with the most reason sprinkler test report

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
457	01/23/2018	MD0047	85 Bayard Street	85 Bayard Street LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
447	01/22/2018	MD0065	The Highlands at Plaza Square	HIGHLANDS URBAN RENEWAL / J CROSS	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
447	01/22/2018	MD0065	The Highlands at Plaza Square	HIGHLANDS URBAN RENEWAL / J CROSS	Sub Chapter 4	Premises	Carbon Monoxide Alarms shall comply with NFPA 720 and the Uniform Construction Code
487	01/19/2018	MD0183	249 Somerset Street	249 SOMERSET STREET, LLC	Sub Chapter 4	basement	Building shall comply with 5:70-4.7(h) windowless basement requirements. See attached highlighted code. Permit required from NB Building Department. Contact UCC Inspector Krug 732-745-5081 for further details
487	01/19/2018	MD0183	249 Somerset Street	249 SOMERSET STREET, LLC	2006 Fire Codes	rear stairway	Emergency lights not properly maintained or not working
487	01/19/2018	MD0183	249 Somerset Street	249 SOMERSET STREET, LLC	Sub Chapter 4	basement	Carbon Monoxide Alarms shall comply with NFPA 720 and the Uniform Construction Code
487	01/19/2018	MD0183	249 Somerset Street	249 SOMERSET STREET, LLC	New Brunswick Ordinace 0-091501	entire unit	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
487	01/17/2018	MD0109	99 Livingston Avenue	VIVEK S. NIJHAWAN, LLC	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
487	01/17/2018	MD0109	99 Livingston Avenue	VIVEK S. NIJHAWAN, LLC	2006 Fire Codes	entire building	Fire extinguishers must be properly charged, mounted, unobstructed, serviced and tagged
477	01/11/2018	MD0058	Multiple Dwelling (205 Hamilton)	3 AMIGOS, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
477	01/11/2018	MD0058	Multiple Dwelling (205 Hamilton)	3 AMIGOS, LLC	2006 Fire Codes	Common hallway	Smoke detectors shall be maintained and tested per NFPA 72 - report shall be submitted
477	01/11/2018	MD0058	Multiple Dwelling (205 Hamilton)	3 AMIGOS, LLC	2006 Fire Codes	Building	Sprinkler system due for annual test. Forward test report to this office
487	01/11/2018	MD0108	282 Delavan Street	MERCADO, MANUEL & SHIRLEY	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
477	01/11/2018	MD0058	Multiple Dwelling (205 Hamilton)	3 AMIGOS, LLC	2006 Fire Codes	Common hallway	Emergency lights not properly maintained or not working
487	01/01/2018	MD0179	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building 11	Fire protection systems shall be maintained in operative condition at all times, repair or replace where defective

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
457	01/01/2018	MD0113	49 Bayard Street	Last Inc, LLC	2006 Fire Codes	Entire Building Repair Broken Sprinkler Pipe	Fire protection systems shall be maintained in operative condition, notify fire official prior to test or work
457	12/28/2017	MD0105	182 Hamilton Street	Chien Shui Chen	2006 Fire Codes	entire building	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
457	12/28/2017	MD0105	182 Hamilton Street	Chien Shui Chen	2006 Fire Codes	exterior above FDC connentors	Fire Department Connection must be marked with a FDC sign. Contact you sprinkler company for appropriate sign
457	12/28/2017	MD0105	182 Hamilton Street	Chien Shui Chen	2006 Fire Codes	entire building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted please provide this office with the most reason sprinkler test report
457	12/28/2017	MD0105	182 Hamilton Street	Chien Shui Chen	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice. Failed to pay 2016 Invoice. 2016 INVOICE INCLUDED
487	12/21/2017	MD0179	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Exit signs shall be maintained visible and illuminated at all times
487	12/21/2017	MD0179	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Fire alarm and fire detection systems shall be maintained and tested in accordance with NFPA 72
487	12/21/2017	MD0180	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Exit signs shall be maintained visible and illuminated at all times
487	12/21/2017	MD0180	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Fire alarm and fire detection systems shall be maintained and tested in accordance with NFPA 72
487	12/21/2017	MD0179	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
487	12/21/2017	MD0179	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Door operation (fire doors shall close and latch)
487	12/21/2017	MD0178	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
487	12/21/2017	MD0180	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
487	12/21/2017	MD0178	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
487	12/21/2017	MD0179	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - approved reports must be submitted

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
487	12/21/2017	MD0179	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
587	12/21/2017	MD0181	24 Roosevelt Street	JACKSON, MARCELLE	2006 Fire Codes	right side of unit	Supply this office with a certification (from architect, engineer or approved company) that the fire escape(s) is structurally sound and in good repair
487	12/21/2017	MD0178	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Door operation (fire doors shall close and latch)
587	12/21/2017	MD0181	24 Roosevelt Street	JACKSON, MARCELLE	Sub Chapter 4	utility room rear	Carbon Monoxide Alarms shall comply with NFPA 720 and the Uniform Construction Code
487	12/21/2017	MD0180	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Door operation (fire doors shall close and latch)
487	12/21/2017	MD0178	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Exit signs shall be installed and maintained in accordance with Section 1011
487	12/21/2017	MD0178	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
587	12/21/2017	MD0181	24 Roosevelt Street	JACKSON, MARCELLE	2006 Fire Codes	entire building	Hard wire A/C Smoke detectors / Smoke detectors needs to be replaced and serviced by a licensed electrition
487	12/21/2017	MD0180	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
587	12/21/2017	MD0181	24 Roosevelt Street	JACKSON, MARCELLE	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
587	12/21/2017	MD0181	24 Roosevelt Street	JACKSON, MARCELLE	2006 Fire Codes	in apt 1	construction permits & approvals require for construction
587	12/21/2017	MD0181	24 Roosevelt Street	JACKSON, MARCELLE	2006 Fire Codes	entire unit	Fire extinguishers must be properly charged, mounted, unobstructed, serviced and tagged
587	12/21/2017	MD0181	24 Roosevelt Street	JACKSON, MARCELLE	2006 Fire Codes	1st -2nd & replace one on 3rd floor	Emergency lights not properly maintained or not working
487	12/20/2017	MD0177	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Door operation (fire doors shall close and latch)
487	12/20/2017	MD0174	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
487	12/20/2017	MD0175	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Door operation (fire doors shall close and latch)
487	12/20/2017	MD0174	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Fire alarm and fire detection systems shall be maintained and tested in accordance with NFPA 72

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
487	12/20/2017	MD0175	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Exit signs shall be maintained visible and illuminated at all times
487	12/20/2017	MD0177	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Fire alarm and fire detection systems shall be maintained and tested in accordance with NFPA 72
487	12/20/2017	MD0175	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Fire alarm and fire detection systems shall be maintained and tested in accordance with NFPA 72
487	12/20/2017	MD0174	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Door operation (fire doors shall close and latch)
487	12/20/2017	MD0174	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Exit signs shall be installed and maintained in accordance with Section 1011
487	12/20/2017	MD0177	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Exit signs shall be maintained visible and illuminated at all times
487	12/20/2017	MD0177	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
487	12/20/2017	MD0174	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
487	12/20/2017	MD0177	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
487	12/20/2017	MD0176	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
487	12/20/2017	MD0176	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Fire alarm and fire detection systems shall be maintained and tested in accordance with NFPA 72
487	12/20/2017	MD0176	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Exit signs shall be maintained visible and illuminated at all times
487	12/20/2017	MD0176	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
487	12/20/2017	MD0176	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Door operation (fire doors shall close and latch)
487	12/20/2017	MD0175	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
487	12/20/2017	MD0175	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
487	12/19/2017	MD0171	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Fire alarm and fire detection systems shall be maintained and tested in accordance with NFPA 72

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
487	12/19/2017	MD0171	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
487	12/19/2017	MD0170	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Door operation (fire doors shall close and latch)
487	12/19/2017	MD0172	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Door operation (fire doors shall close and latch)
487	12/19/2017	MD0171	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
487	12/19/2017	MD0170	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
487	12/19/2017	MD0171	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Exit signs shall be maintained visible and illuminated at all times
487	12/19/2017	MD0170	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Exit signs shall be maintained visible and illuminated at all times
487	12/19/2017	MD0172	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
487	12/19/2017	MD0171	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Door operation (fire doors shall close and latch)
487	12/19/2017	MD0172	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
487	12/19/2017	MD0173	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Exit signs shall be maintained visible and illuminated at all times
487	12/19/2017	MD0172	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Exit signs shall be maintained visible and illuminated at all times
487	12/19/2017	MD0170	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
487	12/19/2017	MD0173	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Door operation (fire doors shall close and latch)
487	12/19/2017	MD0173	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Fire alarm and fire detection systems shall be maintained and tested in accordance with NFPA 72
487	12/19/2017	MD0170	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
487	12/19/2017	MD0172	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Fire alarm and fire detection systems shall be maintained and tested in accordance with NFPA 72

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
487	12/19/2017	MD0173	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
487	12/19/2017	MD0173	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Emergency lighting including exit signs shall b tested 30 seconds monthly and 1 hour annually
467	12/15/2017	MD0051	55 Brookside Avenue	55 BROOKSIDE AVENUE, LLC	New Brunswick Ordinace 0-091501	Premises	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
567	12/14/2017	MD0021	46 Ray Street	AL-ESTE, INC.	2006 Fire Codes	common area 1st-2nd & 3rd floors	Fire extinguishers are not supplied in areas where required need new fire extinguishers with metel handles /nozzles
567	12/14/2017	MD0021	46 Ray Street	AL-ESTE, INC.	2006 Fire Codes	entire building/common area	Emergency lights not properly maintained or not working
487	12/13/2017	MD0169	1 Edpas Rood	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	All exit signs shall be working facing inh te right direction of travel	Exit signs shall be maintained visible and illuminated at all times
487	12/13/2017	MD0169	1 Edpas Rood	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Fire Alarm System in trouble	Fire protection systems shall be maintained as installed
487	12/13/2017	MD0169	1 Edpas Rood	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building One	All emergency lighting shall be repaired and fully opertaional
487	12/13/2017	MD0169	1 Edpas Rood	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	All fire doors shall close and latch and never be propped open	Door operation (fire doors shall close and latch)
487	12/13/2017	MD0169	1 Edpas Road	HAMPTON CLUB CONDOMINIUM ASSOC'N	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
487	12/13/2017	MD0169	1 Edpas Rood	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	Building	Fire alarm and fire detection systems shall be maintained and tested in accordance with NFPA 72
487	12/13/2017	MD0169	1 Edpas Rood	HAMPTON CLUB CONDOMINIUM ASSOC'N	2006 Fire Codes	All Doors	Label all doors leading to pit with no access and fall hazard
587	12/12/2017	MD0100	119 Livingston Avenue	NEW BRUNSWICK APARTMENT ASSOCIATES	Sub Chapter 4	Boiler room, Laundry room & hallway between both rooms	Install carbon monoxide alarms

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
587	12/12/2017	MD0100	119 Livingston Avenue	NEW BRUNSWICK APARTMENT ASSOCIATES	Sub Chapter 4	Stairwell B. Permit required. Call Inspector Krug Outstanding violation from last year	Install approved assembly (smoke doors) for protection of stairwell.
587	12/12/2017	MD0100	119 Livingston Avenue	NEW BRUNSWICK APARTMENT ASSOCIATES	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
587	12/12/2017	MD0100	119 Livingston Avenue	NEW BRUNSWICK APARTMENT ASSOCIATES	2006 Fire Codes	Stairwell A. Outstanding violation from last year	Install emergency lighting in stawell. Permit required.
587	12/12/2017	MD0100	119 Livingston Avenue	NEW BRUNSWICK APARTMENT ASSOCIATES	2006 Fire Codes	By Stairwell B - floors 5, 3 & 2	Service unlit exit signs and there battery backup
387	12/07/2017	MD0104	111 Somerset Street	MARFRAVIN, LLC	2006 Fire Codes	3rd floor hallway	Emergency lights not properly maintained or not working
387	12/07/2017	MD0104	111 Somerset Street	MARFRAVIN, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee for required as per Ordinance O-091501. See attached Ordinance and invoice. FAILED TO PAY 2016 FEE. 2016 INVOIVE ALSO ATTACHED
387	12/07/2017	MD0104	111 Somerset Street	MARFRAVIN, LLC	2006 Fire Codes	entire building	Hard wire A/C Smoke detectors / Smoke detectors needs to be replaced and serviced by a licensed electrition
447	12/04/2017	MD0064	1 Chester Circle	RARITAN BRUNSWICK, LP, ET AL	2006 Fire Codes	Provide a certificate for all fire escapes on all apartmetn buildings	Supply this office with a certification (from architect, engineer or approved company) that the fire escape(s) is structurally sound and in good repair
487	11/29/2017	MD0167	101 Remsen Avenue	CLARK, JOHN & MARY	2006 Fire Codes	entire building	Hard wire A/C Smoke detectors / Smoke detectors needs to be replaced and serviced by a licensed electrition
487	11/29/2017	MD0167	101 Remsen Avenue	CLARK, JOHN & MARY	Sub Chapter 4	basement	Building shall comply with 5:70-4.7(h) windowless basement requirements. See attached highlighted code. Permit required from NB Building Department. Contact UCC Inspector Krug 732-745-5081 for further details
487	11/29/2017	MD0167	101 Remsen Avenue	CLARK, JOHN & MARY	New Brunswick Ordinace 0-091501	entire building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. Se attached Ordinance and invoice
587	11/27/2017	MD0153	213 French Street	BERARDINELLI, A & A, & DI CAMPLI, D	2006 Fire Codes	Front & rear stairwells	Remove all storage in front & rear stairwells

Violation

(All Data, Local ID Like 'md' - 1401 records)

	IssueDate	Local ID	Location Address	Owner	Source Name	Infraction Location	Infraction Description
587 3	11/27/2017	MD0153	213 French Street	BERARDINELLI, A & A, & DI CAMPLI, D	2006 Fire Codes	1st floor apartment with extension cord running freezer on rear porch	Remove extension cord running freezer. If freezer is to be used an electrical outlet shall be installed. Permit required. Call UCC Insp Krug at 732 745-5081 for permit details
587 3	11/27/2017	MD0153	213 French Street	BERARDINELLI, A & A, & DI CAMPLI, D	2006 Fire Codes	2nd floor front	Replace defective smoke alarm. NOTE: Alarms 10 years old or more shall be replaced
587 3	11/27/2017	MD0153	213 French Street	BERARDINELLI, A & A, & DI CAMPLI, D	2006 Fire Codes	Rear yard	There shall ne no open burning allowed. Remove can & all burnd materials
387 4	11/24/2017	MD0155	336 George Street	Kamil Sahin	2006 Fire Codes	Rear	Supply this office with a certification (from architect, engineer or approved company) that the fire escape(s) is structurally sound and in good repair
587 3	11/22/2017	MD0162	200 Hamilton Street	S.A.F. REALTY	2006 Fire Codes	entire buildiing	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
587 3	11/21/2017	MD0161	82 Welton Street	NAGY, PETER & LETICIA	2006 Fire Codes	Building common area smoke alarms	Common area AC smoke alarms shall be intact and interconnected. Detectors shall be no older than 10 years if older shall be replaced
587 3	11/21/2017	MD0161	82 Welton Street	NAGY, PETER & LETICIA	2006 Fire Codes	Buildings common area (if applicable)	Emergency lights an exit signs shall be operable with working battery backup.
587 3	11/21/2017	MD0161	82 Welton Street	NAGY, PETER & LETICIA	New Brunswick Ordinace 0-091501	Business	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice
587 3	11/21/2017	MD0161	82 Welton Street	NAGY, PETER & LETICIA	2006 Fire Codes	Fire escape(s)	Supply this office with a certification (from architect, engineer or approved company) that the fire escape(s) is structurally sound and in good repair
487 5	11/16/2017	MD159	Multiple Dwelling	URBAN DISTRICT, LLC	2006 Fire Codes	Common hallways	Carbon Monoxide (CO) alarm must be maintained in accordance with NFPA 720 and manufacturer
487 5	11/16/2017	MD159	Multiple Dwelling	URBAN DISTRICT, LLC	2006 Fire Codes	Premises	Automatic Sprinkler System - must be inspected and tested per NFPA 25 - reports must be submitted
487 5	11/16/2017	MD159	Multiple Dwelling	URBAN DISTRICT, LLC	2006 Fire Codes	Premises	Automatic Fire Alarms Auto/Manual - must be inspected and tested per NFPA 72 - approved reports must be submitted
487 5	11/16/2017	MD159	Multiple Dwelling	URBAN DISTRICT, LLC	2006 Fire Codes	Premises	Emergency lights not properly maintained or not working
487 2	11/16/2017	MD0159	Multiple Dwelling	URBAN DISTRICT, LLC	New Brunswick Ordinace 0-091501	Building	Multiple Dwelling Registration Fee required as per Ordinance O-091501. See attached Ordinance and invoice

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
34 JULIET ST	34 JULIET ST	30-Jul-19	Smoke Detector		BELLAFRONTE, BRIAN	True
47 WELTON ST - 1E	47 WELTON ST - 1E	30-Jul-19	Compliance Inspection		ARANGO, ALEJANDRO	True
261 LIVINGSTON AVE	261 LIVINGSTON AVE	30-Jul-19	Compliance Inspection		COTTAGE HILL CONSTRUCTION CORP.	True
219 HOWARD ST	219 HOWARD ST	30-Jul-19	Smoke Detector		RAMBLING CREEK STUDIOS, LLC	True
512 EDPAS RD	512 EDPAS RD	30-Jul-19	Smoke Detector		512 EDPAS ROAD, LLC	True
32 BARTLETT ST	32 BARTLETT ST	29-Jul-19	Smoke Detector		DEERING, ERIC	True
259 POWERS ST	259 POWERS ST	29-Jul-19	Smoke Detector		EXUM, MAYNARD	True
0303 BIRCH CT	0303 BIRCH CT	29-Jul-19	Complaint Inspection	1	XIE, FENG & JIAO, LIXIA	True
205 PAUL ROBESON BLVD	205 PAUL ROBESON BLVD	29-Jul-19	Smoke Detector		BROWN, O, & STRICKLAND, T	True
51 HUNTINGTON ST	51 HUNTINGTON ST	29-Jul-19	Smoke Detector		NEWLING, BRUCE	True
202 WARD ST	202 WARD ST	26-Jul-19	Smoke Detector		NRZ REO VI-B, LLC	True
9 DELAVAN CT	9 DELAVAN CT	26-Jul-19	Smoke Detector		HUNTER, LISFAGAYE	True
66 SO WARD ST	66 SO WARD ST	26-Jul-19	Smoke Detector		NEW CENTURY DEVELOPMENT, LP	True
283 HAMILTON ST	283 HAMILTON ST	26-Jul-19	Smoke Detector		GNT PROPERTIES, LLC	True
72 JONES AVE	72 JONES AVE	24-Jul-19	Smoke Detector		MARTIN, JULIANNE	True
819 EDPAS RD	819 EDPAS RD	24-Jul-19	Compliance Inspection		TRYTKO, ULYANA & IHOR	True
109 HOWARD ST	109 HOWARD ST	23-Jul-19	Smoke Detector		109 HOWARD AVE NEW BRUNSWICK, LLC	True
16 PROSPECT ST (REAR BLDG)	16 PROSPECT ST	23-Jul-19	Smoke Detector		16 PROSPECT STREET, LLC	True
142 GEORGE ST	142 GEORGE ST	23-Jul-19	Compliance Inspection		SUN, LICHENG	True
94 SENIOR ST	94 SENIOR ST	23-Jul-19	Smoke Detector		MAIMONE, RUSSELL	True
16 PROSPECT ST (FRONT BLDG)	16 PROSPECT ST	23-Jul-19	Smoke Detector		16 PROSPECT STREET, LLC	True
1037 EDPAS RD	1037 EDPAS RD	23-Jul-19	Smoke Detector		EDPAS ONE, LLC	True
72 JONES AVE	72 JONES AVE	22-Jul-19	Smoke Detector	1	MARTIN, JULIANNE	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
226 TALMADGE ST	226 TALMADGE ST	22-Jul-19	Compliance Inspection		BENFORD, RACQUEL & JACQUELINE	True
70 DUKE ST	70 DUKE ST	22-Jul-19	Smoke Detector		DUKE DEVELOPERS, LLC	True
199 HAMILTON ST	199 HAMILTON ST	22-Jul-19	Smoke Detector		JAPG, LLC	True
68 HUNTINGTON ST	68 HUNTINGTON ST	22-Jul-19	Compliance Inspection		LOUX, WAYNE & NANCY	True
2 PALMETTO CT	2 PALMETTO CT	22-Jul-19	Compliance Inspection		HANNAN, THOMAS	True
9 CONDICT ST	9 CONDICT ST	22-Jul-19	Smoke Detector		9 1/2 CONDICT, LLC	True
379 REMSEN AVE	379 REMSEN AVE	22-Jul-19	Smoke Detector		CRUCIAL LINKAGE TEAM, LLC	True
68 HUNTINGTON ST	68 HUNTINGTON ST	19-Jul-19	Smoke Detector	1	LOUX, WAYNE & NANCY	True
0915 CEDAR CT	0915 CEDAR CT	19-Jul-19	Compliance Inspection		LAAD, BHARTI	True
94 COMMERCIAL AVE	94 COMMERCIAL AVE	18-Jul-19	Smoke Detector		VENTRESCA, FRANK	True
226 TALMADGE ST	226 TALMADGE ST	18-Jul-19	Smoke Detector	1	BENFORD, RACQUEL & JACQUELINE	True
34 CENTRAL AVE	34 CENTRAL AVE	18-Jul-19	Smoke Detector		JL & K, LLC	True
24 NO PENNINGTON RD	24 NO PENNINGTON RD	18-Jul-19	Smoke Detector		EASLEY, ARIKA, & HOUSER, TIERREAM	True
142 GEORGE ST	142 GEORGE ST	17-Jul-19	Smoke Detector	1	SUN, LICHENG	True
287 SUYDAM ST	287 SUYDAM ST	17-Jul-19	Compliance Inspection		WHITE, SENOBIA	True
34 CENTRAL AVE	34 CENTRAL AVE	17-Jul-19	Smoke Detector		JL & K, LLC	True
289 SEAMAN ST	289 SEAMAN ST	16-Jul-19	Smoke Detector Waiver		MIKHAIL, AMAL	True
10I NEILSON ST	10I NEILSON ST	16-Jul-19	Smoke Detector		LIEBLICH, GIL	True
48 RESERVOIR AVE	48 RESERVOIR AVE	16-Jul-19	Smoke Detector		SCHENCK, MOLITA (ESTATE)	True
82 DELAFIELD ST	82 DELAFIELD ST	15-Jul-19	Compliance Inspection		82 DELAFIELD ASSOCIATES, LLC	True
29 HANDY ST	29 HANDY ST	15-Jul-19	Smoke Detector		ABOUHAYLA, BASSAM & NAJAT	True
33 DELAFIELD ST	33 DELAFIELD ST	15-Jul-19	Compliance Inspection		33 DELAFIELD ASSOCIATES, LLC	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
23 HARTWELL ST	23 HARTWELL ST	15-Jul-19	Compliance Inspection		23 HARTWELL, LLC	True
8 PARK BLVD	8 PARK BLVD	15-Jul-19	Compliance Inspection		8 PARK, LLC	True
264 EASTON AVE	264 EASTON AVE	15-Jul-19	Compliance Inspection		GOLDBLATT, M, & BARLEV-LERNER, R	True
312 SOMERSET ST	312 SOMERSET ST	15-Jul-19	Smoke Detector		KUCAK, MARY (ESTATE)	True
92 RAY ST	92 RAY ST	15-Jul-19	Compliance Inspection		HOLZER, MICHAEL & JILL	True
13 DELAVAN CT	13 DELAVAN CT	15-Jul-19	Smoke Detector		WILMINGTON SAVINGS FUND SOCIETY FSB	True
261 LIVINGSTON AVE	261 LIVINGSTON AVE	14-Jul-19	Complaint Inspection	1	COTTAGE HILL CONSTRUCTION CORP.	True
209A NEW YORK AVE	209A NEW YORK AVE	12-Jul-19	Smoke Detector		CALLAHAN, MICHAELENE	True
128 GUILDEN ST	128 GUILDEN ST	12-Jul-19	Smoke Detector		BECKER, FREDERICK	True
106 REDMOND ST	106 REDMOND ST	11-Jul-19	Smoke Detector		LI, CAI & ZHANG, AIHUA	True
63 COMSTOCK ST	63 COMSTOCK ST	11-Jul-19	Smoke Detector		63 COMSTOCK, LLC	True
122 HAMILTON ST	122 HAMILTON ST	10-Jul-19	Smoke Detector		FIORE, JR. VICTOR	True
2 PALMETTO CT	2 PALMETTO CT	10-Jul-19	Smoke Detector		Thomas Hannan	True
15 ROBERTS RD	15 ROBERTS RD	10-Jul-19	Compliance Inspection		NR CONSULTING, LLC	True
2 PALMETTO CT	2 PALMETTO CT	10-Jul-19	Smoke Detector	4	HANNAN, THOMAS	True
56 HANDY ST	56 HANDY ST	09-Jul-19	Smoke Detector		WINCH, III, WILLIAM & JANICE	True
22 JEFFERSON AVE	22 JEFFERSON AVE	09-Jul-19	Smoke Detector		WINCH, III, WILLIAM & JANICE	True
68 TOWNSEND ST	68 TOWNSEND ST	09-Jul-19	Smoke Detector		WINCH, III, WILLIAM & JANICE	True
25 HALE ST	25 HALE ST	09-Jul-19	Smoke Detector		GREENSTEIN, HARVEY, & LUSK, SUSAN	True
224 RUTGERS ST	224 RUTGERS ST	09-Jul-19	Compliance Inspection		LALL, B, & GOMANIE, P(ESTATE)	True
94 GUILDEN ST	94 GUILDEN ST	09-Jul-19	Compliance Inspection		GNB PROPERTY GROUP, LLC	True
66 SUYDAM ST	66 SUYDAM ST	09-Jul-19	Compliance Inspection		PJM SUYDAM STREET, LLC	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
51 JONES AVE	51 JONES AVE	08-Jul-19	Smoke Detector	2	WENNERSTEN, RICHARD, & KEVIN	True
20 HUNTINGTON ST	20 HUNTINGTON ST	08-Jul-19	Compliance Inspection		CHEN, QING, & SHAO, XIAO	True
129 LOUIS ST	129 LOUIS ST	08-Jul-19	Compliance Inspection		CHEN, QING, & SHAO, XIAO	True
33 DIVISION ST	33 DIVISION ST	08-Jul-19	Compliance Inspection		CHEN, QING & SHAO, XIAO	True
172 EASTON AVE	172 EASTON AVE	08-Jul-19	Compliance Inspection		SARATOGA INVESTMENT PARTNERS, LLC	True
1312 FERNWOOD CT	1312 FERNWOOD CT	08-Jul-19	Smoke Detector		ZAN, BIN, & WANG, JUAN	True
97 COMMERCIAL AVE	97 COMMERCIAL AVE	05-Jul-19	Smoke Detector		NEGRON, RAMON	True
15 OAK ST	15 OAK ST	05-Jul-19	Smoke Detector		CATANESE, ROSE (ESTATE)	True
56 HARVEY ST	56 HARVEY ST	05-Jul-19	Smoke Detector Waiver		FEDERAL HOME LOAN MORTGAGE CORP.	True
65 LOUIS ST	65 LOUIS ST	03-Jul-19	Compliance Inspection		RIJHWANI, P & LALA, V, ET AL	True
195 WARD ST	195 WARD ST	03-Jul-19	Compliance Inspection		ABODE, AFIFI	True
287 SUYDAM ST	287 SUYDAM ST	03-Jul-19	Compliance Inspection	4	WHITE, SENOBIA	True
68 CENTRAL AVE	68 CENTRAL AVE	03-Jul-19	Compliance Inspection		CELIK, CEZAHIR & FERIDE	True
122 LOUIS ST	122 LOUIS ST	03-Jul-19	Compliance Inspection		YURCISIN, GLEN & SUSAN	True
47 ROBINSON ST	47 ROBINSON ST	03-Jul-19	Compliance Inspection		YURCISIN, GLEN & SUSAN	True
67 LOUIS ST	67 LOUIS ST	03-Jul-19	Compliance Inspection		RIJHWANI, P & LALA, V, ET AL	True
45 ROBINSON ST	45 ROBINSON ST	03-Jul-19	Compliance Inspection		YURCISIN, GLEN & SUSAN	True
93 GUILDEN ST	93 GUILDEN ST	02-Jul-19	Compliance Inspection		93 GUILDEN, LLC	True
68 WYCKOFF ST	68 WYCKOFF ST	02-Jul-19	Compliance Inspection		68 WYCKOFF, LLC	True
52 WYCKOFF ST	52 WYCKOFF ST	02-Jul-19	Compliance Inspection		52 WYCKOFF, LLC	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
66 SUYDAM ST	66 SUYDAM ST	02-Jul-19	Compliance Inspection		PJM SUYDAM STREET, LLC	True
55 RICHARDSON ST	55 RICHARDSON ST	02-Jul-19	Compliance Inspection		BRODY, CORD	True
61 RICHARDSON ST	61 RICHARDSON ST	02-Jul-19	Compliance Inspection		61 RICHARDSON, LLC	True
21 THROOP AVE	21 THROOP AVE	02-Jul-19	Smoke Detector		HOFF PROPERTY, LLC	True
1 GUILDEN ST	1 GUILDEN ST	02-Jul-19	Compliance Inspection		1 GUILDEN, LLC	True
53 CARMAN ST	53 CARMAN ST	02-Jul-19	Smoke Detector		HOFF, NINA	True
63 RICHARDSON ST	63 RICHARDSON ST	02-Jul-19	Compliance Inspection		63 RICHARDSON, LLC	True
59 RICHARDSON ST	59 RICHARDSON ST	02-Jul-19	Compliance Inspection		59 RICHARDSON, LLC	True
385 LEE AVE	385 LEE AVE	01-Jul-19	Smoke Detector		LUMPKIN, MARVIN	True
1213 EDPAS RD	1213 EDPAS RD	01-Jul-19	Compliance Inspection		XIA, SUMMER RONGHUI	True
201 EASTON AVE	201 EASTON AVE	01-Jul-19	Smoke Detector		HSIEH, CHENG	True
270 SEAMAN ST	270 SEAMAN ST	01-Jul-19	Smoke Detector		RIVERA, EFRAIN	True
224 RUTGERS ST	224 RUTGERS ST	01-Jul-19	Smoke Detector	4	LALL, B, & GOMANIE, P(ESTATE)	True
382 LIVINGSTON AVE	382 LIVINGSTON AVE	28-Jun-19	Smoke Detector		BADER, WILLIAM & LOUISE	True
3 ELLEN ST	3 ELLEN ST	28-Jun-19	Smoke Detector		CRUZ, JUAN & ALMA	True
45 HAZELHURST ST	45 HAZELHURST ST	28-Jun-19	Smoke Detector		GOMEZ, BALDEMIRO, & HECTOR	True
64 BALDWIN ST	64 BALDWIN ST	28-Jun-19	Compliance Inspection		RAMASWAMY, LAKSHMI	True
75 RICHARDSON ST	75 RICHARDSON ST	28-Jun-19	Smoke Detector		OSTERGREN, STEPHEN	True
95 EASTON AVE	95 EASTON AVE	28-Jun-19	Smoke Detector		OSTERGREN, S & SEDELMAIER, E	True
19 STONE ST	19 STONE ST	28-Jun-19	Smoke Detector		SEDELMAIER, E, O, & S	True
43 BARTLETT ST	43 BARTLETT ST	28-Jun-19	Smoke Detector		OSTERGREN, STEPHEN	True
18 CENTRAL AVE	18 CENTRAL AVE	28-Jun-19	Compliance Inspection		CARTON CENTRAL, LLC	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
96 GUILDEN ST	96 GUILDEN ST	28-Jun-19	Smoke Detector		OSTERGREN, S, & SEDELMAIER, E	True
26 HARTWELL ST	26 HARTWELL ST	28-Jun-19	Smoke Detector		ILANGO, R, & BAGAVATHINATHAN, S	True
105 THROOP AVE	105 THROOP AVE	27-Jun-19	Smoke Detector		JAMES PARK	True
68 CENTRAL AVE	68 CENTRAL AVE	27-Jun-19	Smoke Detector	1	CELIK, CEZAHIR & FERIDE	True
10 BETHANY ST	10 BETHANY ST	27-Jun-19	Smoke Detector		YONGHONG JIN	True
8 BETHANY ST	8 BETHANY ST	27-Jun-19	Smoke Detector		YONGHONG JIN	True
66 SUYDAM ST	66 SUYDAM ST	27-Jun-19	Smoke Detector	2	PJM SUYDAM STREET, LLC	True
111 EDPAS RD	111 EDPAS RD	27-Jun-19	Smoke Detector		ONUFRIYEV, BORIS & NATALYA	True
130 JOYCE KILMER AVE	130 JOYCE KILMER AVE	27-Jun-19	Compliance Inspection		ALLOUSH, SADIKA	True
12 PROSPER ST	12 PROSPER ST	26-Jun-19	Smoke Detector		ALEXANDER, AUBREY & SIMONE	True
110 SOMERSET ST UNIT 2108	110 SOMERSET ST UNIT 2108	26-Jun-19	Smoke Detector		TANDON, RAJIV & AARTI	True
37 WYCKOFF ST	37 WYCKOFF ST	26-Jun-19	Smoke Detector		37 WYCKOFF ASSOCIATES, LLC	True
82 DELAFIELD ST	82 DELAFIELD ST	26-Jun-19	Smoke Detector	1	82 DELAFIELD ASSOCIATES, LLC	True
8 PARK BLVD	8 PARK BLVD	26-Jun-19	Smoke Detector	1	8 PARK, LLC	True
33 DELAFIELD ST	33 DELAFIELD ST	26-Jun-19	Smoke Detector	1	33 DELAFIELD ASSOCIATES, LLC	True
40 THROOP AVE	40 THROOP AVE	26-Jun-19	Smoke Detector		BROOKS, ANGELO	True
264 EASTON AVE	264 EASTON AVE	26-Jun-19	Smoke Detector	1	GOLDBLATT, M, & BARLEV-LERNER, R	True
23 HARTWELL ST	23 HARTWELL ST	26-Jun-19	Smoke Detector	1	23 HARTWELL, LLC	True
36 GUILDEN ST	36 GUILDEN ST	25-Jun-19	Smoke Detector		JZ GUILDEN STREET, LLC	True
138 HAMILTON ST	138 HAMILTON ST	25-Jun-19	Smoke Detector		ELIAS, SCOTT & KATY	True
50 DELAVAN ST	50 DELAVAN ST	25-Jun-19	Smoke Detector		TU, GLORIA	True
51 STONE ST	51 STONE ST	25-Jun-19	Compliance Inspection		NOORANI, FIROZ & MAJIDAH	True
94 GUILDEN ST	94 GUILDEN ST	25-Jun-19	Smoke Detector	2	GNB PROPERTY GROUP, LLC	True
231 HAMILTON ST	231 HAMILTON ST	25-Jun-19	Compliance Inspection		PATEL, BINDU & KAMINI	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
1 SPRING ST, UNIT 2206	1 SPRING ST, UNIT 2206	25-Jun-19	Compliance Inspection		MYWAY INVESTMENT, LLC	True
18 WOODBRIDGE ST	18 WOODBRIDGE ST	25-Jun-19	Smoke Detector		WNB PROPERTY GROUP, LLC	True
1213 EDPAS RD	1213 EDPAS RD	25-Jun-19	Smoke Detector	1	XIA, SUMMER RONGHUI	True
23 DIX ST	23 DIX ST	25-Jun-19	Smoke Detector		CHEN, QING & SHAO, XIAO	True
20 HUNTINGTON ST	20 HUNTINGTON ST	25-Jun-19	Smoke Detector	1	CHEN, QING, & SHAO, XIAO	True
33 DIVISION ST	33 DIVISION ST	25-Jun-19	Smoke Detector	2	CHEN, QING & SHAO, XIAO	True
28 DIX ST	28 DIX ST	25-Jun-19	Smoke Detector		CHEN, QING & SHAO, XIAO	True
35 HIGH ST	35 HIGH ST	25-Jun-19	Smoke Detector		CHEN, QING & SHAO, XIAO	True
224 RUTGERS ST	224 RUTGERS ST	25-Jun-19	Complaint Inspection	1	LALL, B, & GOMANIE, P(ESTATE)	True
129 LOUIS ST	129 LOUIS ST	25-Jun-19	Smoke Detector	2	CHEN, QING, & SHAO, XIAO	True
52 HANDY ST	52 HANDY ST	24-Jun-19	Smoke Detector		BEZER, DAGAN	True
35 DUKE ST	35 DUKE ST	24-Jun-19	Smoke Detector		SARATOGA INVESTMENT PARTNERS, LLC	True
819 EDPAS RD	819 EDPAS RD	24-Jun-19	Smoke Detector	1	TRYTKO, ULYANA & IHOR	True
35 DUKE ST	35 DUKE ST	24-Jun-19	Smoke Detector		SARATOGA INVESTMENT PARTNERS, LLC	True
80 GUILDEN ST	80 GUILDEN ST	24-Jun-19	Smoke Detector		SARATOGA INVESTMENT PARTNERS, LLC	True
211 HAMILTON ST	211 HAMILTON ST	24-Jun-19	Smoke Detector		SARATOGA INVESTMENT PARTNERS, LLC	True
260 SOMERSET ST	260 SOMERSET ST	24-Jun-19	Smoke Detector		SARATOGA INVESTMENT PARTNERS, LLC	True
97 SENIOR ST	97 SENIOR ST	24-Jun-19	Smoke Detector		REIFERT, KEVIN	True
0828 CEDAR CT	0828 CEDAR CT	24-Jun-19	Smoke Detector		ATLAS, LAUREN	True
377 LEE AVE	377 LEE AVE	24-Jun-19	Smoke Detector Waiver		DEUTSCHE BANK NATIONAL TRUST CO.	True
55 JEFFERSON AVE	55 JEFFERSON AVE	24-Jun-19	Smoke Detector		LITWINKO, LUCJA	True
205 TOWNSEND ST	205 TOWNSEND ST	24-Jun-19	Smoke Detector		EID, LUCIEN	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
60 PLUM ST	60 PLUM ST	24-Jun-19	Compliance Inspection		CHEDID, PIERRE	True
58 PLUM ST	58 PLUM ST	24-Jun-19	Compliance Inspection		CHEDID, PIERRE	True
172 EASTON AVE	172 EASTON AVE	24-Jun-19	Smoke Detector	1	SARATOGA INVESTMENT PARTNERS, LLC	True
79 WYCKOFF ST	79 WYCKOFF ST	24-Jun-19	Smoke Detector		SVERDLOV, GARY	True
39 DIVISION ST	39 DIVISION ST	21-Jun-19	Compliance Inspection		PALADI, OLIVIA & ATTILA	True
36 HANDY ST	36 HANDY ST	21-Jun-19	Smoke Detector		36 HANDY STREET, LLC	True
66 GUILDEN ST	66 GUILDEN ST	21-Jun-19	Smoke Detector		66 GUILDEN ST, LLC	True
60 DUKE ST	60 DUKE ST	21-Jun-19	Smoke Detector		60 DUKE ST, LLC	True
8 OXFORD ST	8 OXFORD ST	21-Jun-19	Smoke Detector		YEH, VICTOR (ESTATE)	True
1 SPRING ST, UNIT 1005	1 SPRING ST, UNIT 1005	21-Jun-19	Smoke Detector		TSANG, ANDREW, & TAI, ASHLEY	True
16 PROSPECT ST	16 PROSPECT ST	21-Jun-19	Compliance Inspection		16 PROSPECT STREET, LLC	True
62 SENIOR ST	62 SENIOR ST	21-Jun-19	Smoke Detector		PILEGIS, KARL, & GUNTA	True
937 EDPAS RD	937 EDPAS RD	21-Jun-19	Compliance Inspection		JOHNSON, ADRIAN	True
29 HUNTINGTON ST	29 HUNTINGTON ST	21-Jun-19	Compliance Inspection		SHAW, MARY & CORNILLIAT, FRANCOIS	True
39 DELAFIELD ST	39 DELAFIELD ST	21-Jun-19	Compliance Inspection		39 DELAFIELD, LLC	True
53 RICHARDSON ST	53 RICHARDSON ST	20-Jun-19	Smoke Detector		FLYNN, MICHAEL	True
35 HUNTINGTON ST	35 HUNTINGTON ST	20-Jun-19	Smoke Detector		FLYNN, MICHAEL	True
99 SENIOR ST	99 SENIOR ST	20-Jun-19	Smoke Detector		FLYNN, MICHAEL	True
71 WYCKOFF ST	71 WYCKOFF ST	20-Jun-19	Smoke Detector		FLYNN, MICHAEL, & CHRISTOPHER	True
81 RICHARDSON ST	81 RICHARDSON ST	20-Jun-19	Smoke Detector		FLYNN, MICHAEL	True
101 RICHARDSON ST	101 RICHARDSON ST	20-Jun-19	Smoke Detector		GOTTLIEB, STEVEN & ERICA	True
32 CENTRAL AVE	32 CENTRAL AVE	20-Jun-19	Smoke Detector		GOTTLIEB, STEVEN & ERICA	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
99 RICHARDSON ST	99 RICHARDSON ST	20-Jun-19	Smoke Detector		GOTTLIEB, STEVEN & ERICA	True
48 RICHARDSON ST	48 RICHARDSON ST	20-Jun-19	Smoke Detector		FLYNN, MICHAEL	True
72 HUNTINGTON ST	72 HUNTINGTON ST	20-Jun-19	Smoke Detector		72 HUNTINGTON, LLC	True
38 DELAFIELD ST	38 DELAFIELD ST	20-Jun-19	Smoke Detector		38 DELAFIELD, LLC /KAPLAN, M	True
44 WYCKOFF ST	44 WYCKOFF ST	20-Jun-19	Compliance Inspection		44 WYCKOFF, LLC	True
120 HUNTINGTON ST	120 HUNTINGTON ST	20-Jun-19	Smoke Detector		FLYNN, CHRISTOPHER	True
80 SO PENNINGTON RD	80 SO PENNINGTON RD	20-Jun-19	Compliance Inspection		PATEL, RAKESH & GHANSHYAM	True
83 LAWRENCE ST	83 LAWRENCE ST	20-Jun-19	Compliance Inspection		CHAN, JOHN	True
83 LAWRENCE ST	83 LAWRENCE ST	20-Jun-19	Smoke Detector		CHAN, JOHN	True
1 DELAFIELD ST	1 DELAFIELD ST	20-Jun-19	Smoke Detector		1 DELAFIELD, LLC	True
39 DELAFIELD ST	39 DELAFIELD ST	20-Jun-19	Smoke Detector	1	39 DELAFIELD, LLC	True
49 GUILDEN ST	49 GUILDEN ST	20-Jun-19	Smoke Detector		FLYNN, CHRISTOPHER	True
23 COURTLANDT ST	23 COURTLANDT ST	20-Jun-19	Smoke Detector		FLYNN, MICHAEL	True
25 COURTLANDT ST	25 COURTLANDT ST	20-Jun-19	Smoke Detector		FLYNN, CHRISTOPHER	True
72 WYCKOFF ST	72 WYCKOFF ST	19-Jun-19	Smoke Detector		JEN, MAYNARD & LILLY	True
54 SENIOR ST	54 SENIOR ST	19-Jun-19	Smoke Detector		PT COLLEGE PROPERTIES, LLC	True
44 WYCKOFF ST	44 WYCKOFF ST	19-Jun-19	Smoke Detector	1	44 WYCKOFF, LLC	True
41 ROBINSON ST	41 ROBINSON ST	19-Jun-19	Smoke Detector		TRACEY, DIANA	True
146 EASTON AVE	146 EASTON AVE	19-Jun-19	Smoke Detector		TRACEY, DIANA	True
16 PENNINGTON RD	16 PENNINGTON RD	19-Jun-19	Compliance Inspection		HEBRON PROPERTIES, LLC	True
22 PROSPER ST	22 PROSPER ST	19-Jun-19	Smoke Detector		PT COLLEGE PROPERTIES, LLC	True
31 DELAFIELD ST	31 DELAFIELD ST	19-Jun-19	Smoke Detector		JEN, MAYNARD & LILLY	True
118 GUILDEN ST	118 GUILDEN ST	19-Jun-19	Compliance Inspection		SEAVERS, DAVID & SAMANTHA	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
33 HUNTINGTON ST	33 HUNTINGTON ST	19-Jun-19	Smoke Detector		PT COLLEGE PROPERTIES, LLC	True
80 SO PENNINGTON RD	80 SO PENNINGTON RD	19-Jun-19	Smoke Detector	1	PATEL, RAKESH & GHANSHYAM	True
104 GUILDEN ST	104 GUILDEN ST	19-Jun-19	Smoke Detector	1	104 GUILDEN, LLC	True
43 ROBINSON ST	43 ROBINSON ST	19-Jun-19	Smoke Detector		JEN, MAYNARD, & LILLY (TRUSTEES)	True
50 MORRELL ST	50 MORRELL ST	18-Jun-19	Smoke Detector		LUKLIN, LLC	True
46 MORRELL ST	46 MORRELL ST	18-Jun-19	Smoke Detector		LUKLIN, LLC	True
1 SPRING ST, UNIT 0703	1 SPRING ST, UNIT 0703	18-Jun-19	Smoke Detector		GELLER, WILLARD & ELINOR, & GERALD	True
195 TALMADGE ST	195 TALMADGE ST	18-Jun-19	Smoke Detector		JIN501 PROPERTY HOLDING, LLC	True
125 SOMERSET ST	125 SOMERSET ST	18-Jun-19	Compliance Inspection		125 SOMERSET GROUP, LLC	True
127 SOMERSET ST	127 SOMERSET ST	18-Jun-19	Compliance Inspection		127 SOMERSET ST. PARTNERS, LLC	True
46 DIVISION ST	46 DIVISION ST	18-Jun-19	Smoke Detector		JB HOLDINGS, LLC	True
23 HARDENBERGH ST	23 HARDENBERGH ST	18-Jun-19	Smoke Detector		CHEDID, PIERRE	True
1 PALMETTO CT	1 PALMETTO CT	18-Jun-19	Smoke Detector		MATOS, DAVID	True
66 Stone Street	66 Stone Street	18-Jun-19	Smoke Detector		NEMETH, VIOLET	True
107 GUILDEN ST	107 GUILDEN ST	18-Jun-19	Smoke Detector		LU, DONG, & XU, YANPING	True
29 STONE ST	29 STONE ST	18-Jun-19	Smoke Detector		29 STONE STREET, LLC	True
60 PLUM ST	60 PLUM ST	18-Jun-19	Smoke Detector	1	CHEDID, PIERRE	True
58 PLUM ST	58 PLUM ST	18-Jun-19	Smoke Detector	1	CHEDID, PIERRE	True
166 HAMILTON ST	166 HAMILTON ST	18-Jun-19	Smoke Detector		NOORANI, FIROZ, & MAJIDAH	True
54 ELLEN ST	54 ELLEN ST	17-Jun-19	Smoke Detector		AMEN SOLIMAN ENTERPRISES, LLC	True
130 JOYCE KILMER AVE	130 JOYCE KILMER AVE	17-Jun-19	Smoke Detector	1	ALLOUSH, SADIKA	True
39 DIVISION ST	39 DIVISION ST	17-Jun-19	Smoke Detector	1	PALADI, OLIVIA & ATTILA	True
118 GUILDEN ST	118 GUILDEN ST	17-Jun-19	Smoke Detector	2	SEAVERS, DAVID & SAMANTHA	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
64 BALDWIN ST	64 BALDWIN ST	17-Jun-19	Smoke Detector	3	RAMASWAMY, LAKSHMI	True
179 HALE ST	179 HALE ST	17-Jun-19	Smoke Detector		JIN, YONGHONG & DAI, JIQIONG	True
195 WARD ST	195 WARD ST	17-Jun-19	Smoke Detector	1	ABODE, AFIFI	True
268 TOWNSEND ST	268 TOWNSEND ST	17-Jun-19	Smoke Detector		JIN, YONGHONG & DAI, JI QIONG	True
1 SPRING ST, UNIT 2206	1 SPRING ST, UNIT 2206	17-Jun-19	Smoke Detector	1	MYWAY INVESTMENT, LLC	True
51 STONE ST	51 STONE ST	17-Jun-19	Smoke Detector	1	NOORANI, FIROZ & MAJIDAH	True
59 RICHARDSON ST	59 RICHARDSON ST	14-Jun-19	Smoke Detector	1	59 RICHARDSON, LLC	True
9 COMSTOCK ST	9 COMSTOCK ST	14-Jun-19	Smoke Detector		WIECZOREK, DYANA	True
53 BISHOP ST	53 BISHOP ST	14-Jun-19	Smoke Detector		DR OFF CAMPUS, LLC	True
55 RICHARDSON ST	55 RICHARDSON ST	14-Jun-19	Smoke Detector	1	BRODY, CORD	True
26 BALDWIN ST	26 BALDWIN ST	14-Jun-19	Smoke Detector		WIECZOREK, MARK & DYANA	True
61 RICHARDSON ST	61 RICHARDSON ST	14-Jun-19	Smoke Detector	1	61 RICHARDSON, LLC	True
27 LOUIS ST	27 LOUIS ST	14-Jun-19	Smoke Detector		OFF CAMPUS, LLC	True
17 HALE ST	17 HALE ST	14-Jun-19	Smoke Detector		WIECZOREK, MARK & DYANA	True
2 SANDFORD ST	2 SANDFORD ST	14-Jun-19	Smoke Detector		DR OFF CAMPUS, LLC	True
17 DELAVAN ST	17 DELAVAN ST	14-Jun-19	Smoke Detector		OFF CAMPUS, LLC	True
937 EDPAS RD	937 EDPAS RD	14-Jun-19	Smoke Detector	2	JOHNSON, ADRIAN	True
63 RICHARDSON ST	63 RICHARDSON ST	14-Jun-19	Smoke Detector	1	63 RICHARDSON, LLC	True
68 WYCKOFF ST	68 WYCKOFF ST	14-Jun-19	Smoke Detector	1	68 WYCKOFF, LLC	True
52 WYCKOFF ST	52 WYCKOFF ST	14-Jun-19	Smoke Detector	1	52 WYCKOFF, LLC	True
93 GUILDEN ST	93 GUILDEN ST	14-Jun-19	Smoke Detector	1	93 GUILDEN, LLC	True
1 GUILDEN ST	1 GUILDEN ST	14-Jun-19	Smoke Detector	1	1 GUILDEN, LLC	True
11 ELLEN ST	11 ELLEN ST	14-Jun-19	Smoke Detector		FLOREZ, HUGO	True
56 SENIOR ST	56 SENIOR ST	14-Jun-19	Smoke Detector		HEOS, GEORGE	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
57 WYCKOFF ST	57 WYCKOFF ST	13-Jun-19	Smoke Detector		MANANSALA, MARIA PAZ	True
52 PLUM ST	52 PLUM ST	13-Jun-19	Compliance Inspection		WU, MING, & LU, TIANHONG	True
1 SPRING ST, UNIT 1407	1 SPRING ST, UNIT 1407	13-Jun-19	Smoke Detector		SHRADER, DAVID	True
29 HUNTINGTON ST	29 HUNTINGTON ST	13-Jun-19	Smoke Detector	2	SHAW, MARY & CORNILLIAT, FRANCOIS	True
86 GUILDEN ST	86 GUILDEN ST	13-Jun-19	Smoke Detector		SZABO, PAMELA, & VELOCE, JASON	True
28 SUYDAM ST	28 SUYDAM ST	13-Jun-19	Compliance Inspection		WU, MING & LU, TIANHONG	True
19 JONES AVE	19 JONES AVE	13-Jun-19	Compliance Inspection		WU, MING & LU, TIANHONG	True
85 COMMERCIAL AVE	85 COMMERCIAL AVE	13-Jun-19	Smoke Detector		KNOX, JOSEPH	True
47 ROBINSON ST	47 ROBINSON ST	13-Jun-19	Smoke Detector	1	YURCISIN, GLEN & SUSAN	True
115 RICHARDSON ST	115 RICHARDSON ST	13-Jun-19	Compliance Inspection		DONAHUE, THOMAS, & JOHN	True
254 SOMERSET ST	254 SOMERSET ST	13-Jun-19	Smoke Detector		KNOX, JOSEPH	True
45 ROBINSON ST	45 ROBINSON ST	13-Jun-19	Smoke Detector	1	YURCISIN, GLEN & SUSAN	True
348 DELAVAN ST	348 DELAVAN ST	13-Jun-19	Smoke Detector		SUNLIGHT HOLDINGS, LLC	True
22 HARVEY ST	22 HARVEY ST	13-Jun-19	Smoke Detector		GORAGANDHI, RUPA	True
122 LOUIS ST	122 LOUIS ST	13-Jun-19	Smoke Detector	1	YURCISIN, GLEN & SUSAN	True
110 SOMERSET ST UNIT 2209	110 SOMERSET ST UNIT 2209	12-Jun-19	Smoke Detector		BONELLO, JR. JOHN	True
55 DELAFIELD ST	55 DELAFIELD ST	12-Jun-19	Smoke Detector		PATEL, DIPENDRA & BHAVNABEN, ET AL	True
140 GEORGE ST	140 GEORGE ST	12-Jun-19	Smoke Detector		WIECZOREK, JR. LEON	True
17 COMSTOCK ST	17 COMSTOCK ST	12-Jun-19	Smoke Detector		WEICZOREK, JR. LEON	True
297 SUYDAM ST	297 SUYDAM ST	12-Jun-19	Smoke Detector		MARTINEZ, JOSE & ELADIA	True
33 JOYCE KILMER AVE	33 JOYCE KILMER AVE	12-Jun-19	Smoke Detector		MILLER, JACK, & BRILLANTES, JUSTINE	True
60 HANDY ST	60 HANDY ST	12-Jun-19	Smoke Detector		KUCHENBROD, KEITH	True
14 HUNTINGTON ST	14 HUNTINGTON ST	12-Jun-19	Smoke Detector		VAJTAY, STEPHEN & GABRIELLA	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
16 HIGH ST	16 HIGH ST	12-Jun-19	Smoke Detector		WINANT, E & N, & J (TRUSTEES)	True
63 BARTLETT ST	63 BARTLETT ST	12-Jun-19	Smoke Detector		WINANT, E & N, & J (TRUSTEES)	True
15 DIX ST	15 DIX ST	12-Jun-19	Smoke Detector		WIECZOREK, JR. LEON	True
29 JONES AVE	29 JONES AVE	12-Jun-19	Compliance Inspection		LACERDA, I CHRISTINA	True
98 SUYDAM ST	98 SUYDAM ST	12-Jun-19	Smoke Detector		TOLIA, PARIN, PARAG, & HARENDRA	True
27 JONES AVE	27 JONES AVE	12-Jun-19	Smoke Detector		VAJTAY, STEPHEN & GABRIELLA	True
8 NEW YORK AVE	8 NEW YORK AVE	11-Jun-19	Smoke Detector		MAIMONE, ANGELA	True
203 EASTON AVE	203 EASTON AVE	11-Jun-19	Smoke Detector		203 EASTON AVENUE, LLC	True
50 HARVEY ST	50 HARVEY ST	11-Jun-19	Smoke Detector		MAYA REALTY, LLC	True
57 MAY ST	57 MAY ST	11-Jun-19	Compliance Inspection		CALADIE, JOHN (ESTATE)	True
21 JONES AVE	21 JONES AVE	11-Jun-19	Smoke Detector		BRUNSWICK INVESTMENT	True
21 HUNTINGTON ST	21 HUNTINGTON ST	11-Jun-19	Smoke Detector		HUNTINGTON STREET PARTNERS, LLC	True
32 DELAFIELD ST	32 DELAFIELD ST	11-Jun-19	Smoke Detector		32 DELAFIELD STREET, LLC	True
163 HAMILTON ST	163 HAMILTON ST	11-Jun-19	Smoke Detector		STEVENSON, EDWARD & RANDY	True
38 GUILDEN ST	38 GUILDEN ST	11-Jun-19	Smoke Detector		SUSECK, MYRON & SANDRA (TRUSTEES)	True
17 HUNTINGTON ST	17 HUNTINGTON ST	11-Jun-19	Smoke Detector		HUNTINGTON STREET PARTNERS, LLC	True
85 NO TALMADGE ST	85 NO TALMADGE ST	11-Jun-19	Smoke Detector		FLORES, LUISA, & LUISANA (ROJAS-)	True
22 HUNTINGTON ST	22 HUNTINGTON ST	10-Jun-19	Compliance Inspection		KERWIN, R & M, & AVALONE, E & D	True
28 COURTLANDT ST	28 COURTLANDT ST	10-Jun-19	Smoke Detector		LAAD, ANILKUMARR & BHARTI	True
15 ROBERTS RD	15 ROBERTS RD	10-Jun-19	Complaint Inspection	1	NR CONSULTING, LLC	True
0915 CEDAR CT	0915 CEDAR CT	10-Jun-19	Smoke Detector	2	LAAD, BHARTI	True
46 GUILDEN ST	46 GUILDEN ST	10-Jun-19	Smoke Detector		CHEDID BARROOD REALTY, LLC	True
35 SENIOR ST	35 SENIOR ST	10-Jun-19	Smoke Detector		KENNY, JOSEPH	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
62 DELAFIELD ST	62 DELAFIELD ST	10-Jun-19	Smoke Detector		62 DELAFIELD STREET, LLC / BARROOD	True
94 RICHARDSON ST	94 RICHARDSON ST	10-Jun-19	Smoke Detector		121 RODNEY, LLC	True
52 REDMOND ST	52 REDMOND ST	10-Jun-19	Compliance Inspection		TORRES, RODOLFO & IRIS	True
200 TALMADGE ST	200 TALMADGE ST	10-Jun-19	Smoke Detector		HODGE, SHERRY	True
138 JONES AVE	138 JONES AVE	10-Jun-19	Smoke Detector		PRAGER, B, & SKONTRIANOS, K	True
148 NEW ST	148 NEW ST	10-Jun-19	Smoke Detector		BAKSH, ZAHIR	True
15 ROBERTS RD	15 ROBERTS RD	10-Jun-19	Compliance Inspection		NR CONSULTING, LLC	True
22 NEW YORK AVE	22 NEW YORK AVE	10-Jun-19	Smoke Detector		22 NEW YORK AVE, LLC	True
94 CENTRAL AVE	94 CENTRAL AVE	07-Jun-19	Smoke Detector		FENSTERMAKER, RYAN	True
28 SUYDAM ST	28 SUYDAM ST	07-Jun-19	Smoke Detector	1	WU, MING & LU, TIANHONG	True
3 RICHARDSON ST	3 RICHARDSON ST	07-Jun-19	Smoke Detector		R.U. EASY LIVING, LLC	True
103 SENIOR ST	103 SENIOR ST	07-Jun-19	Smoke Detector		R.U. EASY LIVING, LLC	True
22 HUNTINGTON ST	22 HUNTINGTON ST	07-Jun-19	Smoke Detector	1	KERWIN, R & M, & AVALONE, E & D	True
19 JONES AVE	19 JONES AVE	07-Jun-19	Smoke Detector	1	WU, MING & LU, TIANHONG	True
52 PLUM ST	52 PLUM ST	07-Jun-19	Smoke Detector	1	WU, MING, & LU, TIANHONG	True
95 TOWNSEND ST	95 TOWNSEND ST	07-Jun-19	Smoke Detector		YONGHONG JIN	True
15 ROBERTS RD	15 ROBERTS RD	07-Jun-19	Smoke Detector	1	NR CONSULTING, LLC	True
106 LEE AVE	106 LEE AVE	07-Jun-19	Smoke Detector		BROWN, DIANE	True
52 GUILDEN ST	52 GUILDEN ST	07-Jun-19	Smoke Detector		WANG, SHANSHAN	True
234 FRENCH ST	234 FRENCH ST	07-Jun-19	Smoke Detector Waiver		DIGIOVANNI, SOPHIE (ESTATE)	True
20 LIVINGSTON AVE, # 0601	20 LIVINGSTON AVE, # 0601	07-Jun-19	Smoke Detector		SCHURMAN, SUSAN, & CONWAY, ASHLEY	True
60 STONE ST	60 STONE ST	07-Jun-19	Smoke Detector		CENER, JUSTIN	True
52 REDMOND ST	52 REDMOND ST	07-Jun-19	Smoke Detector	1	TORRES, RODOLFO & IRIS	True
16 PENNINGTON RD	16 PENNINGTON RD	07-Jun-19	Smoke Detector	1	HEBRON PROPERTIES, LLC	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
101 SENIOR ST	101 SENIOR ST	07-Jun-19	Smoke Detector		WRGS MANAGEMENT, LLC	True
287 SUYDAM ST	287 SUYDAM ST	07-Jun-19	Smoke Detector	1	WHITE, SENOBIA	True
91 SEAMAN ST	91 SEAMAN ST	07-Jun-19	Smoke Detector		GOLDENSEA PROPERTY, LLC	True
70 SENIOR ST	70 SENIOR ST	07-Jun-19	Smoke Detector		70 SENIOR, LLC	True
10B CONDICT ST	10B CONDICT ST	06-Jun-19	Smoke Detector		JGC DEVELOPERS, INC.	True
33 DIX ST	33 DIX ST	06-Jun-19	Smoke Detector		JL & K, LLC	True
90 CENTRAL AVE	90 CENTRAL AVE	06-Jun-19	Smoke Detector		CHEDID, JOSEPH	True
10C CONDICT ST	10C CONDICT ST	06-Jun-19	Smoke Detector		JGC DEVELOPERS, INC.	True
10D CONDICT ST	10D CONDICT ST	06-Jun-19	Smoke Detector		JGC DEVELOPERS, INC.	True
227 HAMILTON ST	227 HAMILTON ST	06-Jun-19	Smoke Detector		CHEDID, GEORGE & GEORGETTE	True
10A CONDICT ST	10A CONDICT ST	06-Jun-19	Smoke Detector		JGC DEVELOPERS, INC.	True
83 LAWRENCE ST	83 LAWRENCE ST	06-Jun-19	Complaint Inspection	1	CHAN, JOHN	True
20 LIVINGSTON AVE, # 1006	20 LIVINGSTON AVE, # 1006	06-Jun-19	Compliance Inspection		REED, GERALDINE & JEROME	True
57 MAY ST	57 MAY ST	06-Jun-19	Smoke Detector	1	CALADIE, JOHN (ESTATE)	True
59 BISHOP ST	59 BISHOP ST	06-Jun-19	Smoke Detector		BISHOP INVESTORS, LLC	True
65 LOUIS ST	65 LOUIS ST	06-Jun-19	Smoke Detector	1	RIJHWANI, P & LALA, V, ET AL	True
67 LOUIS ST	67 LOUIS ST	06-Jun-19	Smoke Detector	2	RIJHWANI, P & LALA, V, ET AL	True
56 HUNTINGTON ST	56 HUNTINGTON ST	06-Jun-19	Smoke Detector		CHEDID, JOSEPH & LISA	True
40B CENTRAL AVE	40B CENTRAL AVE	06-Jun-19	Smoke Detector		CENTRAL DEVELOPERS, LLC	True
72 TOWNSEND ST	72 TOWNSEND ST	06-Jun-19	Smoke Detector		BISHOP INVESTORS, LLC	True
149 GEORGE ST	149 GEORGE ST	06-Jun-19	Smoke Detector		BISHOP INVESTORS, LLC	True
38A CENTRAL AVE	38A CENTRAL AVE	06-Jun-19	Smoke Detector		CENTRAL DEVELOPERS, LLC	True
40A CENTRAL AVE	40A CENTRAL AVE	06-Jun-19	Smoke Detector		CENTRAL DEVELOPERS, LLC	True
42B CENTRAL AVE	42B CENTRAL AVE	06-Jun-19	Smoke Detector		CENTRAL DEVELOPERS, LLC	True
63 BISHOP ST	63 BISHOP ST	06-Jun-19	Smoke Detector		BISHOP INVESTORS, LLC	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
69 BISHOP ST	69 BISHOP ST	06-Jun-19	Smoke Detector		BISHOP INVESTORS, LLC	True
81 BISHOP ST	81 BISHOP ST	06-Jun-19	Smoke Detector		BISHOP INVESTORS, LLC	True
77 BISHOP ST	77 BISHOP ST	06-Jun-19	Smoke Detector		BISHOP INVESTORS, LLC	True
32 HARDENBERGH ST	32 HARDENBERGH ST	06-Jun-19	Smoke Detector		JGC DEVELOPERS, INC.	True
147 GEORGE ST	147 GEORGE ST	06-Jun-19	Smoke Detector		BISHOP INVESTORS, LLC	True
71 BISHOP ST	71 BISHOP ST	06-Jun-19	Smoke Detector		BISHOP INVESTORS, LLC	True
157 GEORGE ST	157 GEORGE ST	05-Jun-19	Smoke Detector		PLIOPLYS, JOHN	True
44 ROBINSON ST	44 ROBINSON ST	05-Jun-19	Smoke Detector		KAPADIA, BINA & AAMISH	True
61 PLUM ST	61 PLUM ST	05-Jun-19	Smoke Detector		MEISTER III, LLC	True
9 HIGH ST	9 HIGH ST	05-Jun-19	Smoke Detector		9 HIGH STREET, LLC	True
29 ROBINSON ST	29 ROBINSON ST	05-Jun-19	Smoke Detector		CIPOT, FRANK & CERMINARO, DOMINIC	True
42 ROBINSON ST	42 ROBINSON ST	05-Jun-19	Smoke Detector		KAPADIA, BINA & AAMISH	True
35 DELAFIELD ST	35 DELAFIELD ST	05-Jun-19	Smoke Detector		KAPADIA, AAMISH & BINA	True
69 LUFBERRY AVE	69 LUFBERRY AVE	05-Jun-19	Compliance Inspection		GATLING, ALICE	True
44 CENTRAL AVE	44 CENTRAL AVE	05-Jun-19	Smoke Detector		KAPADIA, AAMISH & BINA	True
42A ROOSEVELT ST	42A ROOSEVELT ST	05-Jun-19	Smoke Detector		CHANG, ANTHONY & DIANE	True
41 DELAFIELD ST	41 DELAFIELD ST	05-Jun-19	Smoke Detector		DEIGNAN, JOHN, & CONTE, MICHAEL	True
23 DIVISION ST	23 DIVISION ST	05-Jun-19	Smoke Detector		KAPADIA, AAMISH & BINA	True
77 WYCKOFF ST	77 WYCKOFF ST	04-Jun-19	Smoke Detector		77 WYCOFF, LLC	True
3 COURTLANDT ST	3 COURTLANDT ST	04-Jun-19	Smoke Detector		3 COURTLAND STREET, LLC / DICKE, S	True
28 SICARD ST	28 SICARD ST	04-Jun-19	Smoke Detector		28 SICARD, LLC	True
91 RICHARDSON ST	91 RICHARDSON ST	04-Jun-19	Smoke Detector		91 MANAGEMENT, INC.	True
218 EASTON AVE	218 EASTON AVE	04-Jun-19	Smoke Detector		DICKE, S, MICHELL, K, & WOEBSE, M	True
216 EASTON AVE	216 EASTON AVE	04-Jun-19	Smoke Detector		216 EASTON LLC	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
92 RAY ST	92 RAY ST	04-Jun-19	Smoke Detector	1	HOLZER, MICHAEL & JILL	True
69 SENIOR ST	69 SENIOR ST	04-Jun-19	Smoke Detector		450 MAIN MANAGEMENT, INC.	True
45 SENIOR ST	45 SENIOR ST	04-Jun-19	Smoke Detector		450 MAIN MANAGEMENT, INC.	True
24 DELAFIELD ST	24 DELAFIELD ST	04-Jun-19	Smoke Detector		BERG, ROSMARIE	True
15 DELAFIELD ST	15 DELAFIELD ST	04-Jun-19	Smoke Detector		DICKE, S & MICHELL, K, & DICKE, M	True
100 SICARD ST	100 SICARD ST	04-Jun-19	Compliance Inspection		GHULYANI, AKASH	True
231 HAMILTON ST	231 HAMILTON ST	04-Jun-19	Smoke Detector	1	PATEL, BINDU & KAMINI	True
29 JONES AVE	29 JONES AVE	04-Jun-19	Compliance Inspection	1	LACERDA, I CHRISTINA	True
69 LUFBERRY AVE	69 LUFBERRY AVE	04-Jun-19	Smoke Detector	1	GATLING, ALICE	True
83 RICHARDSON ST	83 RICHARDSON ST	04-Jun-19	Smoke Detector		83 RICHARDSON, INC.	True
66 RICHARDSON ST	66 RICHARDSON ST	04-Jun-19	Smoke Detector		66 BRUNSWICK, INC.	True
23 NO PENNINGTON RD	23 NO PENNINGTON RD	04-Jun-19	Smoke Detector		23 PENNINGTON, LLC	True
67 WYCKOFF ST	67 WYCKOFF ST	04-Jun-19	Smoke Detector		91 MANAGMENT, INC.	True
115 RICHARDSON ST	115 RICHARDSON ST	04-Jun-19	Smoke Detector	1	DONAHUE, THOMAS, & JOHN	True
93 RICHARDSON ST	93 RICHARDSON ST	04-Jun-19	Smoke Detector		91 MANAGEMENT, INC.	True
97 RICHARDSON ST	97 RICHARDSON ST	04-Jun-19	Smoke Detector		97 BRUNSWICK GROUP, INC.	True
27 WOODBRIDGE ST	27 WOODBRIDGE ST	03-Jun-19	Smoke Detector		LIU, VICKE	True
96 EASTON AVE	96 EASTON AVE	03-Jun-19	Smoke Detector		MANIMA INVESTMENTS, LLC	True
60 HUNTINGTON ST	60 HUNTINGTON ST	03-Jun-19	Smoke Detector		MANIMA INVESTMENTS, LLC	True
51 SEAMAN ST	51 SEAMAN ST	03-Jun-19	Smoke Detector		LIU, DANNY & VICKE	True
5 GUILDEN ST	5 GUILDEN ST	03-Jun-19	Smoke Detector		LIU, ALEXANDER	True
77 GUILDEN ST	77 GUILDEN ST	03-Jun-19	Smoke Detector		LIU, ALEXANDER & VICKE	True
48 DELAFIELD ST	48 DELAFIELD ST	03-Jun-19	Smoke Detector		48 DELAFIELD STREET, LLC / LIGNAL	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
71 DELAFIELD ST	71 DELAFIELD ST	03-Jun-19	Smoke Detector		HOLZHEIMER, JAMES, & ROSTEK, DAMIAN	True
12 HUNTINGTON ST	12 HUNTINGTON ST	03-Jun-19	Smoke Detector		MANIMA INVESTMENTS, LLC	True
59 HUNTINGTON ST	59 HUNTINGTON ST	03-Jun-19	Smoke Detector		MANIMA INVESTMENTS, LLC	True
51 RAY ST	51 RAY ST	03-Jun-19	Smoke Detector		MANIMA INVESTMENTS, LLC	True
34 HARTWELL ST	34 HARTWELL ST	03-Jun-19	Smoke Detector		MOONDRA, MANOJ, & SETHI, ANIL	True
39 RICHARDSON ST	39 RICHARDSON ST	03-Jun-19	Smoke Detector		DE LUCA, EMILIANO, & GRACIELA	True
40 HARTWELL ST	40 HARTWELL ST	03-Jun-19	Smoke Detector		DE LUCA, EMILIANO	True
101 EASTON AVE	101 EASTON AVE	03-Jun-19	Smoke Detector		DE LUCA, EMILIANO & GRACIELA	True
86 RAY ST	86 RAY ST	03-Jun-19	Smoke Detector		DE LUCA, EMILIANO	True
51 MORRELL ST	51 MORRELL ST	03-Jun-19	Smoke Detector		DE LUCA, EMILIANO	True
16 HUNTINGTON ST	16 HUNTINGTON ST	03-Jun-19	Smoke Detector		DE LUCA, NORBERTO & GRACIELA	True
100 CENTRAL AVE	100 CENTRAL AVE	03-Jun-19	Smoke Detector		LIU, ALEXANDER	True
46 DIVISION ST	46 DIVISION ST	03-Jun-19	Smoke Detector		JB HOLDINGS, LLC	True
3 GUILDEN ST	3 GUILDEN ST	03-Jun-19	Smoke Detector		LIU, ALEXANDER	True
104 RICHARDSON ST	104 RICHARDSON ST	03-Jun-19	Smoke Detector		DE LUCA, EMILIANO	True
118 HUNTINGTON ST	118 HUNTINGTON ST	03-Jun-19	Smoke Detector		DELUCA, E, &, G & N	True
196 EASTON AVE	196 EASTON AVE	03-Jun-19	Smoke Detector		LIU, ALEXANDER	True
34 BARTLETT ST	34 BARTLETT ST	31-May-19	Smoke Detector		GOLIATH HOLDINGS, LLC	True
51 RICHARDSON ST	51 RICHARDSON ST	31-May-19	Smoke Detector		BCTORU, LLC	True
71 SICARD ST	71 SICARD ST	31-May-19	Smoke Detector		BRAIN, MICHAEL	True
45 WYCKOFF ST	45 WYCKOFF ST	31-May-19	Smoke Detector		BCTORU, LLC	True
96 HUNTINGTON ST	96 HUNTINGTON ST	31-May-19	Smoke Detector		BARBER, JR. ANTHONY	True
89 LOUIS ST	89 LOUIS ST	31-May-19	Smoke Detector		JOSEPH, BENEDICT & ALLY	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
105 SENIOR ST	105 SENIOR ST	31-May-19	Smoke Detector		FAIGENBAUM, MATTHEW	True
105 GUILDEN ST	105 GUILDEN ST	31-May-19	Compliance Inspection		ROK, JR. JOHN	True
26 COURTLANDT ST	26 COURTLANDT ST	31-May-19	Smoke Detector		AI, BRUCE	True
43 SENIOR ST	43 SENIOR ST	31-May-19	Smoke Detector		STEAD, C, & WERCBERGER, O	True
22 LAFAYETTE ST	22 LAFAYETTE ST	31-May-19	Smoke Detector		BRAIN, MICHAEL	True
74 HUNTINGTON ST	74 HUNTINGTON ST	31-May-19	Smoke Detector		FAIGENBAUM, MATTHEW	True
253 HAMILTON ST	253 HAMILTON ST	31-May-19	Smoke Detector		DEANGELIS, MARIO & MARGARET	True
36 COURTLANDT ST	36 COURTLANDT ST	31-May-19	Smoke Detector		AI, BRUCE	True
185 HAMILTON ST	185 HAMILTON ST	31-May-19	Compliance Inspection		LAAD, ANILKUMARR & BHARTI	True
185 HAMILTON ST	185 HAMILTON ST	31-May-19	Smoke Detector		LAAD, ANILKUMARR & BHARTI	True
155 NICHOL AVE	155 NICHOL AVE	31-May-19	Smoke Detector		BP ACQUISITIONS, LLC	True
90 HUNTINGTON ST	90 HUNTINGTON ST	31-May-19	Smoke Detector		RARUKE, LLC	True
100 SICARD ST	100 SICARD ST	31-May-19	Smoke Detector	1	GHULYANI, AKASH	True
93 EASTON AVE	93 EASTON AVE	31-May-19	Smoke Detector		NJGL114, LLC / AI, BRUCE	True
20 LIVINGSTON AVE, # 1006	20 LIVINGSTON AVE, # 1006	31-May-19	Smoke Detector	1	REED, GERALDINE & JEROME	True
32 PROSPER ST	32 PROSPER ST	31-May-19	Smoke Detector		AI, BRUCE	True
114 HUNTINGTON ST	114 HUNTINGTON ST	31-May-19	Smoke Detector		NJGL114, LLC / AI, BRUCE	True
47 RAY ST	47 RAY ST	31-May-19	Smoke Detector		AI, BRUCE	True
200 EASTON AVE	200 EASTON AVE	31-May-19	Smoke Detector		MEHTA, RACHIT, & TURNER, TRISTAN	True
32 DIX ST	32 DIX ST	30-May-19	Smoke Detector		CIPOT, FRANK, & CERMINARO, DOMINIC	True
87 SICARD ST	87 SICARD ST	30-May-19	Smoke Detector		RUTGERS INVESTMENT PROPERTIES, LLC	True
21 COURTLANDT ST	21 COURTLANDT ST	30-May-19	Smoke Detector		HOFFMANN PROPERTY, LLC	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
4 LUFBERRY AVE	4 LUFBERRY AVE	30-May-19	Smoke Detector		FORDHAM, DARREN, & FRANTZ, PAUL	True
58 STONE ST	58 STONE ST	30-May-19	Smoke Detector		ROK, JR. JOHN	True
105 GUILDEN ST	105 GUILDEN ST	30-May-19	Smoke Detector	1	ROK, JR. JOHN	True
45 RICHARDSON ST	45 RICHARDSON ST	30-May-19	Smoke Detector		DAYAN, AMIR, JOSEPH, & ELI	True
98 RICHARDSON ST	98 RICHARDSON ST	30-May-19	Smoke Detector		RICHARDSON 98, LLC	True
31 ROBINSON ST	31 ROBINSON ST	30-May-19	Smoke Detector		CIPOT, FRANK, & CERMINARO, DOMINIC	True
88 DELAFIELD ST	88 DELAFIELD ST	30-May-19	Smoke Detector		RUTGERS 88, LLC	True
83 SICARD ST	83 SICARD ST	30-May-19	Smoke Detector		RUTGERS INVESTMENT PROPERTIES, LLC	True
49 RICHARDSON ST	49 RICHARDSON ST	30-May-19	Smoke Detector		JANI, RONALD & ELEANOR	True
239 HAMILTON ST	239 HAMILTON ST	30-May-19	Smoke Detector		CRAWFORD, JASON & TINA (GAJDA-)	True
18 CENTRAL AVE	18 CENTRAL AVE	29-May-19	Smoke Detector	1	CARTON CENTRAL, LLC	True
69 RICHARDSON ST	69 RICHARDSON ST	29-May-19	Smoke Detector		NELSON, KEITH	True
71 RICHARDSON ST	71 RICHARDSON ST	29-May-19	Smoke Detector		NELSON, KEITH	True
58 SENIOR ST	58 SENIOR ST	29-May-19	Smoke Detector		NELSON, KEITH	True
26 DIVISION ST	26 DIVISION ST	29-May-19	Smoke Detector		NELSON, KEITH	True
27 HARDENBERGH ST	27 HARDENBERGH ST	29-May-19	Smoke Detector		NELSON, KEITH	True
29 HARDENBERGH ST	29 HARDENBERGH ST	29-May-19	Smoke Detector		NELSON, KEITH	True
35 WYCKOFF ST	35 WYCKOFF ST	29-May-19	Smoke Detector		35 WYCKOFF STREET, LLC / MOSKOWITZ	True
45 MINE ST	45 MINE ST	29-May-19	Smoke Detector		45 MINE STREET, LLC	True
98 EASTON AVE	98 EASTON AVE	29-May-19	Smoke Detector		98 EASTON AVE, LLC	True
5 SICARD ST	5 SICARD ST	29-May-19	Smoke Detector		5 SICARD STREET, LLC	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
18 HIGH ST	18 HIGH ST	29-May-19	Smoke Detector		COWLEY, GEORGE	True
28 PROSPER ST	28 PROSPER ST	29-May-19	Smoke Detector		28 PROSPER STREET, LLC	True
18 HUNTINGTON ST	18 HUNTINGTON ST	29-May-19	Smoke Detector		18 HUNTINGTON STREET, LLC	True
95 SENIOR ST	95 SENIOR ST	29-May-19	Smoke Detector		95 SENIOR STREET, LLC	True
28 MINE ST	28 MINE ST	29-May-19	Smoke Detector		28 MINE STREET STREET, LLC	True
76 GUILDEN ST	76 GUILDEN ST	29-May-19	Smoke Detector		COWLEY, GEORGE	True
199 EASTON AVE	199 EASTON AVE	29-May-19	Smoke Detector		199 EASTON AVE, LLC	True
14 MINE ST	14 MINE ST	29-May-19	Smoke Detector		14 MINE STREET, LLC	True
16 MINE ST	16 MINE ST	29-May-19	Smoke Detector		16 MINE STREET, LLC	True
14 DIX ST	14 DIX ST	29-May-19	Smoke Detector		CHEN, LI-LAN	True
57 RAY ST	57 RAY ST	29-May-19	Smoke Detector		57 RAY STREET, LLC	True
31 HARTWELL ST	31 HARTWELL ST	29-May-19	Property Owner		CHEN, CHAOPIN & LILAN	True
11 GUILDEN ST	11 GUILDEN ST	29-May-19	Smoke Detector		MOSKOWITZ, RODNEY	True
35 GUILDEN ST	35 GUILDEN ST	29-May-19	Smoke Detector		35 GUILDEN STREET, LLC	True
116 HAMILTON ST	116 HAMILTON ST	29-May-19	Smoke Detector		116 HAMILTON STREET, LLC	True
38 SICARD ST	38 SICARD ST	29-May-19	Smoke Detector		38 SICARD STREET, LLC	True
44 SICARD ST	44 SICARD ST	29-May-19	Smoke Detector		44 SICARD STREET, LLC / MOSKOWITZ	True
134 GEORGE ST	134 GEORGE ST	28-May-19	Smoke Detector		DUDKA, LAWRENCE & TING, LING-SHENG	True
1 COURTLANDT ST	1 COURTLANDT ST	28-May-19	Smoke Detector		DUDKA, VICTOR	True
88 RICHARDSON ST	88 RICHARDSON ST	28-May-19	Smoke Detector		FRESH SUNRISE, LLC	True
20 PROSPER ST	20 PROSPER ST	28-May-19	Smoke Detector		MARMURCZAK, LEO & LISA	True
68 SENIOR ST	68 SENIOR ST	28-May-19	Smoke Detector		AFINOGENOV, SEMION	True
1 FREEMAN ST	1 FREEMAN ST	28-May-19	Smoke Detector		CIPOT, FRANK & CERMINARO, DOMINIC	True
27 HIGH ST	27 HIGH ST	28-May-19	Smoke Detector		CIPOT, FRANK & CERMINARO, DOMINIC	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
60 RICHARDSON ST	60 RICHARDSON ST	28-May-19	Smoke Detector		DUDKA, VICTOR	True
48 RAY ST	48 RAY ST	28-May-19	Smoke Detector		DUDKA, VICTOR	True
70 WYCKOFF ST	70 WYCKOFF ST	28-May-19	Smoke Detector		DUDKA, VICTOR	True
212 HAMILTON ST	212 HAMILTON ST	28-May-19	Smoke Detector		MSP 212 HAMILTON, LLC	True
106 RICHARDSON ST	106 RICHARDSON ST	28-May-19	Smoke Detector		PATEL, SURYAKANT & NIRU	True
59 RAY ST	59 RAY ST	28-May-19	Smoke Detector		59 RAY ST, LLC	True
15 HALE ST	15 HALE ST	28-May-19	Smoke Detector		AFINOGENOV, SEMION	True
17 GUILDEN ST	17 GUILDEN ST	24-May-19	Smoke Detector		KIM, MIJA (ESTATE)	True
27 COMSTOCK ST	27 COMSTOCK ST	24-May-19	Smoke Detector		TANEJA, KARAN & KAPOOR, KARNIKA	True
47 WELTON ST	47 WELTON ST	24-May-19	Smoke Detector		GREEN BIRD REALTY, LLC	True
48 GUILDEN ST	48 GUILDEN ST	24-May-19	Smoke Detector		HARTWIG, GARRY & DIANE	True
42 MITCHELL AVE	42 MITCHELL AVE	24-May-19	Smoke Detector		TJ PROPERTIES HOLDING, LLC	True
60 SUYDAM ST	60 SUYDAM ST	24-May-19	Smoke Detector		BALAKRISHNAN, S, & KAPOOR, K	True
2 CENTRAL AVE	2 CENTRAL AVE	24-May-19	Smoke Detector		KIM, MIJA (ESTATE)	True
44 DELAFIELD ST	44 DELAFIELD ST	24-May-19	Smoke Detector		CENER, JUSTIN, & KISCH, TRACY	True
124 HAMILTON ST	124 HAMILTON ST	24-May-19	Smoke Detector		GROVE, TIMOTHY & ANA	True
178 HAMILTON ST	178 HAMILTON ST	24-May-19	Smoke Detector		GROVE, TIMOTHY & ANA	True
39 WYCKOFF ST	39 WYCKOFF ST	24-May-19	Smoke Detector		GROVE, ANA & TIMOTHY	True
55 LAWRENCE ST	55 LAWRENCE ST	24-May-19	Compliance Inspection		PINZON, INGRID & ALEX	True
103 HARVEY ST	103 HARVEY ST	24-May-19	Smoke Detector		GROVE, LEO	True
56 PLUM ST	56 PLUM ST	24-May-19	Smoke Detector		GROVE, LEO, & SPANGENBERG, MEGHAN	True
81 RENAISSANCE LN	81 RENAISSANCE LN	24-May-19	Smoke Detector		BARBER, LISA (ESTATE)	True
21 GUILDEN ST	21 GUILDEN ST	24-May-19	Smoke Detector		KIM, MIJA (ESTATE)	True
41 GUILDEN ST	41 GUILDEN ST	24-May-19	Smoke Detector		TVERDOV, PETER & ALISON	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
14 ROBINSON ST	14 ROBINSON ST	24-May-19	Smoke Detector		GROVE, TIMOTHY & ANA MARIE	True
50 ROBINSON ST	50 ROBINSON ST	24-May-19	Smoke Detector		LUO, MING, & YI, XIAOHONG	True
146 COMMERCIAL AVE	146 COMMERCIAL AVE	24-May-19	Smoke Detector		GROVE, TIMOTHY & ANA	True
20 LIVINGSTON AVE, # 1102	20 LIVINGSTON AVE, # 1102	23-May-19	Compliance Inspection		AJX MORTGAGE TRUST I / SUITE 131	True
0204 ALDER CT	0204 ALDER CT	23-May-19	Smoke Detector		SAMUELS, CLYDE & CAROLINE	True
26 ROBERTS RD	26 ROBERTS RD	23-May-19	Smoke Detector		BELLIE HOLDINGS, LLC	True
13 DELAFIELD ST	13 DELAFIELD ST	23-May-19	Smoke Detector		MARSZALOWICZ, MICHAEL & ARLENE	True
110 SOMERSET ST UNIT 2210	110 SOMERSET ST UNIT 2210	22-May-19	Compliance Inspection		LU, XIANGYANG & ZHANG, XIA	True
55 LAWRENCE ST	55 LAWRENCE ST	22-May-19	Smoke Detector	1	PINZON, INGRID & ALEX	True
16 PROSPECT ST	16 PROSPECT ST	22-May-19	Complaint Inspection	1	16 PROSPECT STREET, LLC	True
110 SOMERSET ST UNIT 2103	110 SOMERSET ST UNIT 2103	22-May-19	Compliance Inspection		PUNJABI, JAGDISH & CHITRA	True
0924 CEDAR CT	0924 CEDAR CT	22-May-19	Smoke Detector		SHAH, KUMUD & KALYANI	True
99A LORETTO ST	99A LORETTO ST	22-May-19	Smoke Detector		ZHANG, SU, & DUAN, BIN	True
20 LIVINGSTON AVE, # 1102	20 LIVINGSTON AVE, # 1102	22-May-19	Smoke Detector	1	AJX MORTGAGE TRUST I / SUITE 131	True
292 LEE AVE	292 LEE AVE	22-May-19	Compliance Inspection		VALENTIN, IGNACIO	True
59 HANDY ST	59 HANDY ST	22-May-19	Smoke Detector		KIM, RAYMOND	True
47 WELTON ST - 2A	47 WELTON ST - 2A	21-May-19	Smoke Detector		OLCHA, LEON	True
1113 LIVINGSTON AVE	1113 LIVINGSTON AVE	21-May-19	Smoke Detector		YONGHONG JIN	True
47 WELTON ST - 1B	47 WELTON ST - 1B	21-May-19	Smoke Detector		SILVA, ALFREDO & MIA	True
50 BARTLETT ST	50 BARTLETT ST	20-May-19	Smoke Detector		PAGANO, JAMES	True
47 WELTON ST	47 WELTON ST	20-May-19	Smoke Detector		SEXTON, YASMIN	True
144 COMMERCIAL AVE	144 COMMERCIAL AVE	20-May-19	Smoke Detector		ELLERBE, MILDRED (ESTATE)	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
18 ROBINSON ST	18 ROBINSON ST	20-May-19	Smoke Detector		ZAFIRELIS, ANGELOS & KALIOPE	True
66 DUKE ST	66 DUKE ST	20-May-19	Smoke Detector		SHAIKH, ROBERT	True
110 SOMERSET ST UNIT 2210	110 SOMERSET ST UNIT 2210	20-May-19	Smoke Detector	1	LU, XIANGYANG & ZHANG, XIA	True
47 WELTON ST	47 WELTON ST	20-May-19	Smoke Detector		BAY, MIA	True
185 HAMILTON ST	185 HAMILTON ST	20-May-19	Smoke Detector	3	LAAD, ANILKUMARR & BHARTI	True
719 EDPAS RD	719 EDPAS RD	17-May-19	Smoke Detector		ACP WORLD, LLC	True
144 HAMILTON ST	144 HAMILTON ST	17-May-19	Smoke Detector		77 ALEXANDRIA, LLC	True
213 LAWRENCE ST	213 LAWRENCE ST	15-May-19	Smoke Detector		16888, LLC	True
268 SUYDAM ST	268 SUYDAM ST	15-May-19	Compliance Inspection		WEBSTER E PROPERTIES, LLC	True
47 WELTON ST	47 WELTON ST	15-May-19	Smoke Detector		DA COSTA, DARIO	True
171 HALE STREET	171 HALE STREET	15-May-19	Smoke Detector		MORROW HOLDING CORP.	True
210 SUYDAM ST	210 SUYDAM ST	15-May-19	Compliance Inspection		MUCHA, EUGENE & CHRISTINA	True
185 HAMILTON ST	185 HAMILTON ST	15-May-19	Compliance Inspection		LAAD, ANILKUMARR & BHARTI	True
8 BETHANY ST	8 BETHANY ST	14-May-19	Smoke Detector		EVANOUSKAS, FRANK & MARIANNA	True
608 SOMERSET ST	608 SOMERSET ST	14-May-19	Smoke Detector		BROWN, ELLA	True
1113 LIVINGSTON AVE	1113 LIVINGSTON AVE	14-May-19	Smoke Detector		PARETTI, JOSEPH (ESTATE)	True
312 SUYDAM ST	312 SUYDAM ST	13-May-19	Smoke Detector Waiver		BANKO, ROBERT	True
233 EDPAS RD	233 EDPAS RD	13-May-19	Smoke Detector		BHAKAT, RANABIR & RAMAN, REKHA	True
2 HIRAM SQUARE	2 HIRAM SQUARE	13-May-19	Compliance Inspection		NATALE CHILDREN, LLC	True
47 WELTON ST - 1E	47 WELTON ST - 1E	13-May-19	Smoke Detector	1	ARANGO, ALEJANDRO	True
11 SANDFORD ST	11 SANDFORD ST	13-May-19	Smoke Detector		JOHNSON, RAYMOND	True
306 TOWNSEND ST	306 TOWNSEND ST	12-May-19	Compliance Inspection		HELDRICH STEIN MANAGEMENT, LLC	True
125 SOMERSET ST	125 SOMERSET ST	10-May-19	Smoke Detector	1	125 SOMERSET GROUP, LLC	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
127 SOMERSET ST	127 SOMERSET ST	10-May-19	Smoke Detector	1	127 SOMERSET ST. PARTNERS, LLC	True
185 HANDY ST	185 HANDY ST	10-May-19	Smoke Detector Waiver		GODWIN, AMY	True
7 SEAMAN ST	7 SEAMAN ST	09-May-19	Smoke Detector		THE OTHER FAT BOYS, LLC	True
65 BALDWIN ST	65 BALDWIN ST	09-May-19	Compliance Inspection		SMALL, TERESA	True
1233 DOGWOOD CT	1233 DOGWOOD CT	09-May-19	Smoke Detector		YASA, ERNY	True
20 LIVINGSTON AVE, # 0703	20 LIVINGSTON AVE, # 0703	09-May-19	Smoke Detector		GU, YUNHONG & LIU, SHUANG	True
268 SUYDAM ST	268 SUYDAM ST	08-May-19	Smoke Detector	2	WEBSTER E PROPERTIES, LLC	True
32 PHELPS AVE	32 PHELPS AVE	08-May-19	Smoke Detector		EREN B. SOLU	True
1 SPRING ST, UNIT 1503	1 SPRING ST, UNIT 1503	08-May-19	Compliance Inspection		DELORY, KASHMIRI	True
110 SOMERSET ST UNIT 2103	110 SOMERSET ST UNIT 2103	08-May-19	Compliance Inspection	2	PUNJABI, JAGDISH & CHITRA	True
230 COMMERCIAL AVE	230 COMMERCIAL AVE	07-May-19	Compliance Inspection		HSBC BANK USA, NA (TRUSTEE)	True
374 HALE ST	374 HALE ST	07-May-19	Smoke Detector		WILMINGTON SAVINGS FUND SOCIETY FSB	True
307 COMMERCIAL AVE	307 COMMERCIAL AVE	07-May-19	Smoke Detector		NATH, BHUWAN & MAMTA	True
185 HAMILTON ST	185 HAMILTON ST	07-May-19	Complaint Inspection	1	LAAD, ANILKUMARR & BHARTI	True
89 TOWNSEND ST	89 TOWNSEND ST	06-May-19	Smoke Detector		RATLIFF, GWENDOLYN	True
65 TUNISON RD	65 TUNISON RD	06-May-19	Smoke Detector		MARTINEZ, DANILO & KENIA	True
10 BETHANY ST	10 BETHANY ST	06-May-19	Smoke Detector		EVANOUSKAS, FRANK	True
260 TOWNSEND ST	260 TOWNSEND ST	06-May-19	Smoke Detector		260 TOWNSEND STREET, LLC	True
229 HOWARD ST	229 HOWARD ST	06-May-19	Smoke Detector		VIERA, MARIA	True
230 COMMERCIAL AVE	230 COMMERCIAL AVE	02-May-19	Smoke Detector	2	HSBC BANK USA, NA (TRUSTEE)	True
2 WILCOX RD	2 WILCOX RD	02-May-19	Smoke Detector		TOY PROPERTY GROUP, LLC	True
85 DELAFIELD ST	85 DELAFIELD ST	01-May-19	Compliance Inspection		HOLZER, MICHAEL & JILL	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
210 SUYDAM ST	210 SUYDAM ST	01-May-19	Compliance Inspection		MUCHA, EUGENE & CHRISTINA	True
140 TOWNSEND ST	140 TOWNSEND ST	01-May-19	Smoke Detector		Yonghong Jin	True
16 HENRY AVE	16 HENRY AVE	01-May-19	Compliance Inspection		BELLO, ADABEL & ZOILA	True
78 SO PENNINGTON RD	78 SO PENNINGTON RD	01-May-19	Compliance Inspection		Yonghong Jin	True
66 WELTON ST	66 WELTON ST	30-Apr-19	Smoke Detector		CITIMORTGAGE, INC.	True
9 NO WARD ST	9 NO WARD ST	30-Apr-19	Smoke Detector		KPR HOLDINGS, LLC	True
29 JONES AVE	29 JONES AVE	30-Apr-19	Smoke Detector	2	LACERDA, I CHRISTINA	True
4 ROBERTS RD	4 ROBERTS RD	30-Apr-19	Smoke Detector		SYLVESTER, BEVERLY	True
132 LOUIS ST	132 LOUIS ST	29-Apr-19	Smoke Detector		DEANGELIS, MARIO & MARGARET	True
267 DELAVAN ST	267 DELAVAN ST	29-Apr-19	Smoke Detector		BEKUS, DAVID	True
16 HENRY AVE	16 HENRY AVE	29-Apr-19	Smoke Detector	1	BELLO, ADABEL & ZOILA	True
401 LIVINGSTON AVE	401 LIVINGSTON AVE	29-Apr-19	Compliance Inspection		SANTISI, SILVIO	True
321 TOWNSEND ST	321 TOWNSEND ST	27-Apr-19	Compliance Inspection		O'BRIEN INVESTMENTS, LLC	True
2 HIRAM SQUARE	2 HIRAM SQUARE	26-Apr-19	Smoke Detector	2	NATALE CHILDREN, LLC	True
635 EDPAS RD	635 EDPAS RD	26-Apr-19	Smoke Detector		ISMAIL, MOHAMED & HASSAN, KHOLOUD	True
78 SO PENNINGTON RD	78 SO PENNINGTON RD	26-Apr-19	Smoke Detector	1	Yonghong Jin	True
13 SO WARD ST	13 SO WARD ST	26-Apr-19	Smoke Detector		ANG, FEBRIANA	True
415 EDPAS RD	415 EDPAS RD	26-Apr-19	Smoke Detector		EDPAS ONE, LLC	True
307 HOWARD ST	307 HOWARD ST	25-Apr-19	Smoke Detector		PIPARO, RUSSELL & JANET	True
136 GEORGE ST	136 GEORGE ST	25-Apr-19	Compliance Inspection		MUSTAKAS, ELEONORE, & THOMAS	True
65 BALDWIN ST	65 BALDWIN ST	25-Apr-19	Smoke Detector	1	SMALL, TERESA	True
32 PHELPS AVE	32 PHELPS AVE	25-Apr-19	Smoke Detector		ADDY, JR. THOMAS & GYTHA	True
110 SOMERSET ST UNIT 2103	110 SOMERSET ST UNIT 2103	24-Apr-19	Smoke Detector	1	PUNJABI, JAGDISH & CHITRA	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
0838 CEDAR CT	0838 CEDAR CT	23-Apr-19	Smoke Detector		ABITABILE, T, K, & K	True
11 ALEXANDER ST	11 ALEXANDER ST	23-Apr-19	Compliance Inspection		SUN, VICTOR	True
301 SEAMAN ST	301 SEAMAN ST	23-Apr-19	Compliance Inspection		SUN, VICTOR	True
7 HIRAM SQUARE	7 HIRAM SQUARE	22-Apr-19	Smoke Detector		LATTIMER, PENELOPE	True
401 LIVINGSTON AVE	401 LIVINGSTON AVE	22-Apr-19	Compliance Inspection	1	SANTISI, SILVIO	True
510 EDPAS RD	510 EDPAS RD	22-Apr-19	Compliance Inspection		SMITH, CATHY	True
60 JULIET ST	60 JULIET ST	22-Apr-19	Compliance Inspection		GOMEZ, ENA	True
8 TAYLOR DR	8 TAYLOR DR	21-Apr-19	Compliance Inspection		KUHLTHAU, JAMES KEARNY	True
85 JOYCE KILMER AVE	85 JOYCE KILMER AVE	17-Apr-19	Smoke Detector		218 MARSHALL STREET, LLC	True
401 LIVINGSTON AVE	401 LIVINGSTON AVE	16-Apr-19	Smoke Detector	1	SANTISI, SILVIO	True
121 REMSEN AVE	121 REMSEN AVE	16-Apr-19	Compliance Inspection		GERHARTZ, SCOTT	True
190 REMSEN AVE	190 REMSEN AVE	16-Apr-19	Smoke Detector		MALVO, PATSY	True
210 SUYDAM ST	210 SUYDAM ST	15-Apr-19	Compliance Inspection		MUCHA, EUGENE & CHRISTINA	True
379 DELAVAN ST	379 DELAVAN ST	15-Apr-19	Smoke Detector		JIN, YONGHONG & DAI, JIQIONG	True
1122 EDPAS RD	1122 EDPAS RD	15-Apr-19	Smoke Detector		CRUZ, SONIA	True
85 DELAFIELD ST	85 DELAFIELD ST	15-Apr-19	Compliance Inspection		HOLZER, MICHAEL & JILL	True
110 SOMERSET ST UNIT 2105	110 SOMERSET ST UNIT 2105	15-Apr-19	Compliance Inspection		RAMAMOORTHY, R, & MADABUSHI, A	True
121 REMSEN AVE	121 REMSEN AVE	15-Apr-19	Compliance Inspection		GERHARTZ, SCOTT	True
85 DELAFIELD ST	85 DELAFIELD ST	15-Apr-19	Complaint Inspection	1	HOLZER, MICHAEL & JILL	True
306 TOWNSEND ST	306 TOWNSEND ST	12-Apr-19	Smoke Detector	2	HELDRICH STEIN MANAGEMENT, LLC	True
121 REMSEN AVE	121 REMSEN AVE	12-Apr-19	Smoke Detector	1	GERHARTZ, SCOTT	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
6 HIGH ST	6 HIGH ST	11-Apr-19	Smoke Detector		LOWENHAR, EDWARD	True
136 GEORGE ST	136 GEORGE ST	11-Apr-19	Smoke Detector	5	MUSTAKAS, ELEONORE, & THOMAS	True
85 DELAFIELD ST	85 DELAFIELD ST	10-Apr-19	Smoke Detector	1	HOLZER, MICHAEL & JILL	True
216 EASTON AVE	216 EASTON AVE	10-Apr-19	Compliance Inspection		LEWIS, JILL	True
7 HAY ST	7 HAY ST	10-Apr-19	Smoke Detector		ROJAS, CASILDO	True
91 HOWARD ST	91 HOWARD ST	10-Apr-19	Smoke Detector		MIDWEST EQUITIES, LLC	True
37 HIGH ST	37 HIGH ST	09-Apr-19	Smoke Detector		CUPP-MORENO, K, & ARAJE, ALAN	True
105 THROOP AVE	105 THROOP AVE	09-Apr-19	Smoke Detector		JPMORGAN CHASE BANK, NA	True
11 ALEXANDER ST	11 ALEXANDER ST	09-Apr-19	Smoke Detector	1	SUN, VICTOR	True
301 SEAMAN ST	301 SEAMAN ST	09-Apr-19	Smoke Detector	1	SUN, VICTOR	True
110 SOMERSET ST UNIT 2105	110 SOMERSET ST UNIT 2105	09-Apr-19	Smoke Detector	1	RAMAMOORTHY, R, & MADABUSHI, A	True
347 SEAMAN ST	347 SEAMAN ST	08-Apr-19	Smoke Detector		J&S REALESTATE GROUP, LLC	True
60 JULIET ST	60 JULIET ST	08-Apr-19	Smoke Detector	2	GOMEZ, ENA	True
1223 EDPAS RD	1223 EDPAS RD	08-Apr-19	Compliance Inspection		PULLUM, DWAYNE	True
32 COURTLANDT ST	32 COURTLANDT ST	08-Apr-19	Smoke Detector		NYGL22, LLC	True
510 EDPAS RD	510 EDPAS RD	08-Apr-19	Smoke Detector	1	SMITH, CATHY	True
111 REMSEN AVE	111 REMSEN AVE	08-Apr-19	Smoke Detector		POON-LAM, ANITA	True
289 SEAMAN ST	289 SEAMAN ST	08-Apr-19	Smoke Detector		FUQUA, SHARON, & DEREK	True
180 SEAMAN ST	180 SEAMAN ST	05-Apr-19	Smoke Detector		QUILES, TOMASA	True
14 SUYDAM ST	14 SUYDAM ST	04-Apr-19	Smoke Detector		SUYDAM 1, LLC	True
484 EASTON AVE	484 EASTON AVE	04-Apr-19	Smoke Detector		CUCHILLO-CARREON, PEDRO, ET AL	True
197 FRENCH ST	197 FRENCH ST	04-Apr-19	Smoke Detector		MTGLQ INVESTORS, LP	True
30 PHELPS AVE	30 PHELPS AVE	03-Apr-19	Smoke Detector		SOLU, YILDIRIM & AYLIN	True
151 TUNISON RD	151 TUNISON RD	03-Apr-19	Smoke Detector		ANDRADE, JULIO & ELIZABETH	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
15 GEORGES RD	15 GEORGES RD	03-Apr-19	Compliance Inspection		JULIL PROPERTIES, LLC	True
1223 EDPAS RD	1223 EDPAS RD	02-Apr-19	Smoke Detector	2	PULLUM, DWAYNE	True
140 TOWNSEND ST	140 TOWNSEND ST	02-Apr-19	Smoke Detector		BAYVIEW LOAN SERVICING, LLC	True
37 JULIET ST	37 JULIET ST	01-Apr-19	Smoke Detector		MTGLQ INVESTORS, LP	True
77 PLUM ST	77 PLUM ST	01-Apr-19	Compliance Inspection		DANIEL, ELSIE	True
216 EASTON AVE	216 EASTON AVE	01-Apr-19	Smoke Detector	1	LEWIS, JILL	True
149 REDMOND ST	149 REDMOND ST	01-Apr-19	Smoke Detector		ROMERO, JOSE	True
145 JOYCE KILMER AVE	145 JOYCE KILMER AVE	29-Mar-19	Smoke Detector		KEVIN REALTY MANAGEMENT, LLC	True
36 NO PENNINGTON RD	36 NO PENNINGTON RD	29-Mar-19	Smoke Detector		US BANK, NA (TRUSTEE)	True
77 PLUM ST	77 PLUM ST	29-Mar-19	Smoke Detector	1	DANIEL, ELSIE	True
288 COMSTOCK ST	288 COMSTOCK ST	28-Mar-19	Smoke Detector		NEAL, JR. DONALD, & LANCE	True
210 SUYDAM ST	210 SUYDAM ST	28-Mar-19	Smoke Detector	3	MUCHA, EUGENE & CHRISTINA	True
359 REMSEN AVE	359 REMSEN AVE	28-Mar-19	Smoke Detector		Yonghong Jin	True
324 SUYDAM ST	324 SUYDAM ST	28-Mar-19	Smoke Detector		DEL CID, JOSE	True
156 GEORGE ST	156 GEORGE ST	28-Mar-19	Smoke Detector		PARK, JAMES	True
321 TOWNSEND ST	321 TOWNSEND ST	28-Mar-19	Smoke Detector	2	O'BRIEN INVESTMENTS, LLC	True
214 REDMOND ST	214 REDMOND ST	27-Mar-19	Smoke Detector		MINAYA, A & J / CSG PROPERTIES, LLC	True
216 BALDWIN ST	216 BALDWIN ST	27-Mar-19	Smoke Detector		MINAYA, A & J / CSG PROPERTIES, LLC	True
71 WELTON ST	71 WELTON ST	27-Mar-19	Smoke Detector		MINAYA, A & J / CSG PROPERTIES, LLC	True
226 BALDWIN ST	226 BALDWIN ST	27-Mar-19	Smoke Detector		MINAYA, A & J / CSG PROPERTIES, LLC	True
394 COMSTOCK ST	394 COMSTOCK ST	27-Mar-19	Smoke Detector		MINAYA, A & J / CSG PROPERTIES, LLC	True
1 SPRING ST, UNIT 1805	1 SPRING ST, UNIT 1805	26-Mar-19	Smoke Detector		RICHMAN, MARK	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
259 SEAMAN ST	259 SEAMAN ST	26-Mar-19	Smoke Detector		US BANK, NA (TRUSTEE)	True
14 OAK ST	14 OAK ST	26-Mar-19	Compliance Inspection		BRIDGE, DEANNA	True
20 JAMES ST	20 JAMES ST	26-Mar-19	Smoke Detector		CORDON, WALESKA	True
6 FLORENCE ST	6 FLORENCE ST	26-Mar-19	Smoke Detector		JIN, YONGHONG & DAI, JIQIONG	True
51 JOYCE KILMER AVE	51 JOYCE KILMER AVE	26-Mar-19	Smoke Detector		BRUNSWICK INVESTMENT	True
95 TOWNSEND ST	95 TOWNSEND ST	25-Mar-19	Smoke Detector		BROWN, ICILLA (ESTATE)	True
57 SEAMAN ST	57 SEAMAN ST	23-Mar-19	Compliance Inspection		WIECZOREK, MARK & DYANA	True
8 TAYLOR DR	8 TAYLOR DR	22-Mar-19	Complaint Inspection	1	KUHLTHAU, JAMES KEARNY	True
622 EDPAS RD	622 EDPAS RD	22-Mar-19	Compliance Inspection		CLANCY, MICHAEL	True
149 NEILSON ST	149 NEILSON ST	21-Mar-19	Smoke Detector		KHAN, TARIQ & SOHAILA	True
15 GEORGES RD	15 GEORGES RD	21-Mar-19	Compliance Inspection		JULIL PROPERTIES, LLC	True
14 OAK ST	14 OAK ST	21-Mar-19	Smoke Detector		BRIDGE, DEANNA	True
181 FULTON ST	181 FULTON ST	20-Mar-19	Smoke Detector		O'BYRNE, PATRICIA	True
78 SO PENNINGTON RD	78 SO PENNINGTON RD	20-Mar-19	Smoke Detector		GUZMAN, BERNAL	True
24 HALSTEAD RD	24 HALSTEAD RD	20-Mar-19	Smoke Detector		SMITH, KEITH & KAPP, JENNIFER	True
63 COMSTOCK ST	63 COMSTOCK ST	20-Mar-19	Smoke Detector		GOMEZ, HEBER & KARLA	True
918 EDPAS RD	918 EDPAS RD	20-Mar-19	Compliance Inspection		TAVAREZ, ROSA	True
163 LAWRENCE ST	163 LAWRENCE ST	19-Mar-19	Smoke Detector		PC7REO, LLC	True
81 THROOP AVE	81 THROOP AVE	19-Mar-19	Compliance Inspection		US BANK, NA (TRUSTEE)	True
292 LEE AVE	292 LEE AVE	19-Mar-19	Smoke Detector	3	VALENTIN, IGNACIO	True
622 EDPAS RD	622 EDPAS RD	19-Mar-19	Smoke Detector	1	CLANCY, MICHAEL	True
207 SEAMAN ST	207 SEAMAN ST	18-Mar-19	Smoke Detector		RK ENTERPRISES, LLC	True
6K NEILSON ST	6K NEILSON ST	18-Mar-19	Smoke Detector		RK ENTERPRISES, LLC	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
237 EDPAS RD	237 EDPAS RD	18-Mar-19	Smoke Detector		JACKSON, CHARLES	True
14 OAK ST	14 OAK ST	18-Mar-19	Complaint Inspection	1	BRIDGE, DEANNA	True
918 EDPAS RD	918 EDPAS RD	15-Mar-19	Smoke Detector	1	TAVAREZ, ROSA	True
81 THROOP AVE	81 THROOP AVE	14-Mar-19	Smoke Detector	2	US BANK, NA (TRUSTEE)	True
15 GEORGES RD	15 GEORGES RD	14-Mar-19	Smoke Detector	1	JULIL PROPERTIES, LLC	True
21 HALSTEAD RD	21 HALSTEAD RD	13-Mar-19	Compliance Inspection		KUKLAKIS, MARY (ESTATE)	True
1 SPRING ST, UNIT 1503	1 SPRING ST, UNIT 1503	13-Mar-19	Smoke Detector	1	DELORY, KASHMIRI	True
110 SOMERSET ST UNIT 2111	110 SOMERSET ST UNIT 2111	12-Mar-19	Smoke Detector		TANNA, NARESH & RENUKA	True
831 EDPAS RD	831 EDPAS RD	12-Mar-19	Smoke Detector		WESLEY, RUBY	True
813 EDPAS RD	813 EDPAS RD	12-Mar-19	Smoke Detector		KIDELL, CHESTER	True
324 EDPAS RD	324 EDPAS RD	11-Mar-19	Smoke Detector		GIANNACI, JAMIE LEE & NICHOLAS	True
210 SUYDAM ST	210 SUYDAM ST	11-Mar-19	Complaint Inspection	1	MUCHA, EUGENE & CHRISTINA	True
34 LEE AVE	34 LEE AVE	11-Mar-19	Compliance Inspection		MT HERMON CHURCH OF CHRIST / MILLER	True
179 BALDWIN ST	179 BALDWIN ST	09-Mar-19	Compliance Inspection		SUERO, AMBROSIO	True
109 LORETTO ST	109 LORETTO ST	08-Mar-19	Smoke Detector		ALDA REALTY, LLC	True
21 HALSTEAD RD	21 HALSTEAD RD	08-Mar-19	Smoke Detector	1	KUKLAKIS, MARY (ESTATE)	True
74 WELTON ST	74 WELTON ST	07-Mar-19	Smoke Detector		ULLMAN-SALSA, KATHERINE	True
262 HALE ST	262 HALE ST	07-Mar-19	Smoke Detector		JED Fund LLC	True
66 DUKE ST	66 DUKE ST	06-Mar-19	Compliance Inspection		66 DUKE, LLC	True
1215 DOGWOOD CT	1215 DOGWOOD CT	06-Mar-19	Smoke Detector		SHADEV, TEJINDER & MAHINDER	True
17 HIRAM SQUARE	17 HIRAM SQUARE	05-Mar-19	Smoke Detector		WATANABE, JILL	True
66 DUKE ST	66 DUKE ST	05-Mar-19	Smoke Detector	1	66 DUKE, LLC	True
120 LAWRENCE ST	120 LAWRENCE ST	05-Mar-19	Smoke Detector		GRAND HOME INVESTMENTS V, LLC	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
52 JULIET ST	52 JULIET ST	04-Mar-19	Compliance Inspection		BELL, PAULINE (ESTATE)	True
207 WARD ST	207 WARD ST	04-Mar-19	Smoke Detector		38ROSEST, LLC	True
179 BALDWIN ST	179 BALDWIN ST	04-Mar-19	Compliance Inspection		SUERO, AMBROSIO	True
106 SUYDAM ST	106 SUYDAM ST	01-Mar-19	Smoke Detector		DRAKEFORD, ROBERT & LORENE	True
34 LEE AVE	34 LEE AVE	01-Mar-19	Complaint Inspection	2	MT HERMON CHURCH OF CHRIST / MILLER	True
54 PLUM ST	54 PLUM ST	01-Mar-19	Compliance Inspection		FURRIER, MARK, ET AL	True
38A LORETTO ST	38A LORETTO ST	28-Feb-19	Compliance Inspection		CEVALLOS, MARIA & TERAN, WILLIAN	True
376 COMSTOCK ST	376 COMSTOCK ST	28-Feb-19	Smoke Detector		DAI, JIQIONG & JIN, YONGHONG	True
39 MINE ST	39 MINE ST	28-Feb-19	Compliance Inspection		DAMAR ENTERPRISES, LLC	True
269 TOWNSEND ST	269 TOWNSEND ST	27-Feb-19	Smoke Detector		BYRD, KEITH	True
38A LORETTO ST	38A LORETTO ST	27-Feb-19	Compliance Inspection		CEVALLOS, MARIA & TERAN, WILLIAN	True
38A LORETTO ST	38A LORETTO ST	26-Feb-19	Smoke Detector	3	CEVALLOS, MARIA & TERAN, WILLIAN	True
40 COMSTOCK ST	40 COMSTOCK ST	26-Feb-19	Smoke Detector		LI, TAO	True
0414 BIRCH CT	0414 BIRCH CT	25-Feb-19	Compliance Inspection		JAIR, YEONGMING & PING, CHIHWA	True
94 SUYDAM ST	94 SUYDAM ST	25-Feb-19	Smoke Detector		DAI, JIQIONG & JIN, YONGHONG	True
227 BALDWIN ST	227 BALDWIN ST	25-Feb-19	Smoke Detector		JIN001 PROPERTY HOLDING, LLC	True
174 BALDWIN ST	174 BALDWIN ST	25-Feb-19	Smoke Detector		DAI, JIQIONG & JIN, YONGHONG	True
143 BALDWIN ST	143 BALDWIN ST	25-Feb-19	Smoke Detector		JIN001 PROPERTY HOLDING, LLC	True
180 BALDWIN ST	180 BALDWIN ST	25-Feb-19	Smoke Detector		JIN701 PROPERTY HOLDING, LLC	True
70 JULIET ST	70 JULIET ST	25-Feb-19	Smoke Detector		JIN701 PROPERTY HOLDING, LLC	True
45 JULIET ST	45 JULIET ST	25-Feb-19	Smoke Detector		MOLLICA, ANTHONY (ESTATE) / BURGESS	True
20 LIVINGSTON AVE, # 0905	20 LIVINGSTON AVE, # 0905	25-Feb-19	Smoke Detector		NEW BRUNSWICK STARS, LLC	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
0414 BIRCH CT	0414 BIRCH CT	22-Feb-19	Smoke Detector	1	JAIR, YEONGMING & PING, CHIHWA	True
43 LUFBERRY AVE	43 LUFBERRY AVE	22-Feb-19	Smoke Detector		STAFFORD, WILLIE & BERNICE	True
15 GEORGES RD	15 GEORGES RD	22-Feb-19	Complaint Inspection	1	JULIL PROPERTIES, LLC	True
54 PLUM ST	54 PLUM ST	22-Feb-19	Smoke Detector	2	FURRIER, MARK, ET AL	True
6 EDGEBROOK RD	6 EDGEBROOK RD	20-Feb-19	Smoke Detector		CHORPHAKA, APRIL	True
57 SEAMAN ST	57 SEAMAN ST	20-Feb-19	Smoke Detector	1	WIECZOREK, MARK & DYANA	True
9 HALSTEAD RD	9 HALSTEAD RD	20-Feb-19	Compliance Inspection		NAGPAL, PANKAJ, & NAYAR, VASUDHA	True
16 RENAISSANCE LN	16 RENAISSANCE LN	20-Feb-19	Compliance Inspection		HARISINGHANI, D, & BELANI, K	True
255 POWERS ST	255 POWERS ST	19-Feb-19	Smoke Detector Waiver		WHITE, TERESA	True
37 MITCHELL AVE	37 MITCHELL AVE	19-Feb-19	Smoke Detector		TODARO, ANTONIO	True
9 HALSTEAD RD	9 HALSTEAD RD	19-Feb-19	Smoke Detector	1	NAGPAL, PANKAJ, & NAYAR, VASUDHA	True
125B BALDWIN ST	125B BALDWIN ST	19-Feb-19	Smoke Detector		RIOS, JAHAIRA, & PERALTA, RUDY	True
1133 FERNWOOD CT	1133 FERNWOOD CT	19-Feb-19	Smoke Detector		AHERN, ANDREW	True
634 EDPAS RD	634 EDPAS RD	15-Feb-19	Smoke Detector		XU, CHONG	True
16 RENAISSANCE LN	16 RENAISSANCE LN	15-Feb-19	Smoke Detector	2	HARISINGHANI, D, & BELANI, K	True
616 EDPAS RD	616 EDPAS RD	14-Feb-19	Smoke Detector		CARISBROOK ASSET HOLDING TRUST	True
135A COMMERCIAL AVE	135A COMMERCIAL AVE	14-Feb-19	Smoke Detector		CHEN, NANJUN	True
814 EDPAS RD	814 EDPAS RD	13-Feb-19	Smoke Detector		MOMPEROUSSE, DANA	True
89 RICHARDSON ST	89 RICHARDSON ST	13-Feb-19	Smoke Detector		DALSANIA, AKASH	True
84 CENTRAL AVE	84 CENTRAL AVE	13-Feb-19	Smoke Detector		LIU, DANIEL & ANITA	True
134 GUILDEN ST	134 GUILDEN ST	13-Feb-19	Smoke Detector		SHANKS, RUSSELL	True
179 BALDWIN ST	179 BALDWIN ST	13-Feb-19	Compliance Inspection		SUERO, AMBROSIO	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
72 MAY ST	72 MAY ST	11-Feb-19	Smoke Detector		LALMOHAMED, ZAHEER, & RANIZAN, OMAR	True
185 HALE ST	185 HALE ST	11-Feb-19	Smoke Detector Waiver		SOREN PROPERTIES, LLC	True
145 COMSTOCK ST	145 COMSTOCK ST	11-Feb-19	Smoke Detector		LUIS HOUSES, LLC	True
223 BALDWIN ST	223 BALDWIN ST	11-Feb-19	Smoke Detector		STOLOW, WILLIAM & CAROL, & KIMBERLY	True
89 RICHARDSON ST	89 RICHARDSON ST	11-Feb-19	Compliance Inspection		DALSANIA, AKASH	True
21 COMSTOCK ST	21 COMSTOCK ST	11-Feb-19	Smoke Detector		CLAPP, IV, EDWIN & JILL	True
10 BALDWIN ST	10 BALDWIN ST	11-Feb-19	Smoke Detector		CLAPP, EDWIN & JILL	True
179 BALDWIN ST	179 BALDWIN ST	08-Feb-19	Compliance Inspection		SUERO, AMBROSIO	True
189 COMSTOCK ST	189 COMSTOCK ST	07-Feb-19	Smoke Detector		KAKAR, NEETI	True
179 BALDWIN ST	179 BALDWIN ST	07-Feb-19	Smoke Detector	2	SUERO, AMBROSIO	True
179 BALDWIN ST	179 BALDWIN ST	07-Feb-19	Complaint Inspection	2	SUERO, AMBROSIO	True
13 QUENTIN AVE	13 QUENTIN AVE	06-Feb-19	Smoke Detector		US BANK, NA / ELFELD, CARLA	True
288 COMSTOCK ST	288 COMSTOCK ST	05-Feb-19	Smoke Detector Waiver		NEAL, JR. DONALD, & LANCE	True
179 BALDWIN ST	179 BALDWIN ST	05-Feb-19	Complaint Inspection	1	SUERO, AMBROSIO	True
39 MINE ST	39 MINE ST	04-Feb-19	Smoke Detector		DAMAR ENTERPRISES, LLC	True
1007 JERSEY AVE	1007 JERSEY AVE	04-Feb-19	Compliance Inspection		JERSEY AVENUE STORAGE, LP	True
43 REMSEN AVE	43 REMSEN AVE	04-Feb-19	Compliance Inspection		MTGLQ INVESTORS, LP	True
62 GEORGES RD	62 GEORGES RD	31-Jan-19	Smoke Detector		Y&E HOMES, LLC	True
1112 EDPAS RD	1112 EDPAS RD	31-Jan-19	Smoke Detector		TRAN, THANH	True
13 POWERS ST	13 POWERS ST	30-Jan-19	Smoke Detector Waiver		APARICIO, LILI	True
0724 CEDAR CT	0724 CEDAR CT	30-Jan-19	Smoke Detector		CHIEN, HSU YU & IRENE	True
8 SEVENTH ST	8 SEVENTH ST	30-Jan-19	Smoke Detector		KAWAL, RESHIRAM & LEELA	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
8 SEVENTH ST	8 SEVENTH ST	30-Jan-19	Compliance Inspection		KAWAL, RESHIRAM & LEELA	True
52 JULIET ST	52 JULIET ST	30-Jan-19	Smoke Detector	1	BELL, PAULINE (ESTATE)	True
0816 CEDAR CT	0816 CEDAR CT	29-Jan-19	Smoke Detector		ORTIZ, KEEGAN	True
1131 EDPAS RD	1131 EDPAS RD	29-Jan-19	Smoke Detector		ROBINSON, JACQUELIN	True
204 WARD ST	204 WARD ST	29-Jan-19	Smoke Detector		ROMERO, MAGALI & DE SAULNIERS, PAUL	True
39 MINE ST	39 MINE ST	28-Jan-19	Complaint Inspection	3	DAMAR ENTERPRISES, LLC	True
38 TUNISON RD	38 TUNISON RD	28-Jan-19	Compliance Inspection		SHINE, ROBERT	True
200 SEAMAN ST	200 SEAMAN ST	28-Jan-19	Smoke Detector		Xiuling Pan	True
1007 JERSEY AVE	1007 JERSEY AVE	25-Jan-19	Complaint Inspection	5	JERSEY AVENUE STORAGE, LP	True
299 POWERS ST	299 POWERS ST	25-Jan-19	Compliance Inspection		TORRES, ROBERT	True
89 RICHARDSON ST	89 RICHARDSON ST	25-Jan-19	Complaint Inspection	1	DALSANIA, AKASH	True
386 COMSTOCK ST	386 COMSTOCK ST	25-Jan-19	Smoke Detector		JIN, YONGHONG & DAI, JI QIONG	True
26 JEFFERSON AVE	26 JEFFERSON AVE	24-Jan-19	Smoke Detector		DEINER, DOLORES	True
38 TUNISON RD	38 TUNISON RD	24-Jan-19	Smoke Detector	2	SHINE, ROBERT	True
305 SEAMAN ST	305 SEAMAN ST	24-Jan-19	Compliance Inspection		SUYDAM STREET, LLC	True
11 KEMPTON AVE	11 KEMPTON AVE	23-Jan-19	Smoke Detector		US BANK, NA (TRUSTEE)	True
110 SOMERSET ST UNIT 2111	110 SOMERSET ST UNIT 2111	23-Jan-19	Smoke Detector		TANNA, NARESH & RENUKA	True
23 NEWELL AVE	23 NEWELL AVE	23-Jan-19	Smoke Detector		Anu Upadhyay	True
12 NO WARD ST	12 NO WARD ST	23-Jan-19	Compliance Inspection		HERNANDEZ, JUAN	True
283 SUYDAM ST	283 SUYDAM ST	23-Jan-19	Smoke Detector		ESTRADA, FRANCES	True
47 ELLEN ST	47 ELLEN ST	22-Jan-19	Smoke Detector		Yonghong Jin	True
23 SEAMAN ST	23 SEAMAN ST	22-Jan-19	Smoke Detector		NESSER, JACQUELINE, & RONALD	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
71 SO PENNINGTON RD	71 SO PENNINGTON RD	18-Jan-19	Smoke Detector		ROGERS, WILLIAM & VIRGINIA	True
12 NO WARD ST	12 NO WARD ST	18-Jan-19	Smoke Detector	2	HERNANDEZ, JUAN	True
305 SEAMAN ST	305 SEAMAN ST	17-Jan-19	Compliance Inspection		SUYDAM STREET, LLC	True
140 COMMERCIAL AVE	140 COMMERCIAL AVE	16-Jan-19	Smoke Detector		WESTROL, WILLIAM, & MICHAEL	True
269 COMMERCIAL AVE	269 COMMERCIAL AVE	16-Jan-19	Smoke Detector		MTGLQ INVESTORS, LP	True
5 DIX ST	5 DIX ST	15-Jan-19	Compliance Inspection		AKEY, ANTHONY	True
43 REMSEN AVE	43 REMSEN AVE	14-Jan-19	Smoke Detector	3	MTGLQ INVESTORS, LP	True
83 PLUM ST	83 PLUM ST	13-Jan-19	Compliance Inspection		LOMBARDO, JR. PETER	True
110 HAMILTON ST	110 HAMILTON ST	11-Jan-19	Compliance Inspection		LEUNG, JAMES, & LIU, YIMIN	True
112 HAMILTON ST	112 HAMILTON ST	11-Jan-19	Compliance Inspection		LEUNG, JAMES, & LIU, YIMIN	True
359 REMSEN AVE	359 REMSEN AVE	11-Jan-19	Smoke Detector		ZAMORA, GLORIA	True
261 SOMERSET ST	261 SOMERSET ST	10-Jan-19	Smoke Detector		PAVLICS, MARY	True
91 SEAMAN ST	91 SEAMAN ST	08-Jan-19	Smoke Detector Waiver		MTGLQ INVESTORS, LP	True
138 JOYCE KILMER AVE	138 JOYCE KILMER AVE	08-Jan-19	Smoke Detector		JIN001 PROPERTY HOLDING, LLC	True
5 DIX ST	5 DIX ST	07-Jan-19	Smoke Detector	1	AKEY, ANTHONY	True
112 HAMILTON ST	112 HAMILTON ST	07-Jan-19	Compliance Inspection	1	LEUNG, JAMES, & LIU, YIMIN	True
21 COMSTOCK ST	21 COMSTOCK ST	07-Jan-19	Compliance Inspection		CLAPP, IV, EDWIN & JILL	True
110 HAMILTON ST	110 HAMILTON ST	07-Jan-19	Compliance Inspection	1	LEUNG, JAMES, & LIU, YIMIN	True
112 LOUIS ST	112 LOUIS ST	03-Jan-19	Smoke Detector		AHMED, EVAN	True
77 NICHOL AVE	77 NICHOL AVE	03-Jan-19	Compliance Inspection		SZENTGYORGYI, HELEN	True
138 FULTON ST	138 FULTON ST	03-Jan-19	Smoke Detector		HE, YUXIN	True
124 TUNISON RD	124 TUNISON RD	03-Jan-19	Smoke Detector		JONEAGAN, LLC	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
13 DELAVAN ST	13 DELAVAN ST	02-Jan-19	Smoke Detector		TEHRANI, NEJAT & HEDY	True
43 REMSEN AVE	43 REMSEN AVE	02-Jan-19	Compliance Inspection		MTGLQ INVESTORS, LP	True
13 DELAVAN ST	13 DELAVAN ST	02-Jan-19	Compliance Inspection		TEHRANI, NEJAT & HEDY	True
266 DELAVAN ST	266 DELAVAN ST	31-Dec-18	Smoke Detector		FASANO, PATRICK	True
309 COMMERCIAL AVE	309 COMMERCIAL AVE	31-Dec-18	Smoke Detector		309 COMMERCIAL AVENUE, LLC	True
13 DELAVAN ST	13 DELAVAN ST	28-Dec-18	Compliance Inspection	2	TEHRANI, NEJAT & HEDY	True
110 HAMILTON ST	110 HAMILTON ST	28-Dec-18	Smoke Detector	1	LEUNG, JAMES, & LIU, YIMIN	True
112 HAMILTON ST	112 HAMILTON ST	28-Dec-18	Smoke Detector	1	LEUNG, JAMES, & LIU, YIMIN	True
825 EDPAS RD	825 EDPAS RD	28-Dec-18	Compliance Inspection		ODUSANYA, LILLIAN	True
21 COMSTOCK ST	21 COMSTOCK ST	28-Dec-18	Complaint Inspection	1	CLAPP, IV, EDWIN & JILL	True
24 LUFBERRY AVE	24 LUFBERRY AVE	26-Dec-18	Smoke Detector		HICKMAN, NEWTON	True
302 HOWARD ST	302 HOWARD ST	24-Dec-18	Smoke Detector		ESPINAL, CRECENCIO	True
43 REMSEN AVE	43 REMSEN AVE	24-Dec-18	Complaint Inspection	1	MTGLQ INVESTORS, LP	True
318 SEAMAN ST	318 SEAMAN ST	24-Dec-18	Compliance Inspection		GOMEZ, MARITZA	True
158 FULTON ST	158 FULTON ST	21-Dec-18	Smoke Detector		SATTERFIELD, JR. BENJAMIN (ESTATE)	True
80 SO PENNINGTON RD	80 SO PENNINGTON RD	21-Dec-18	Smoke Detector		AKYOL, KAAN	True
16 VOORHEES RD	16 VOORHEES RD	21-Dec-18	Smoke Detector		POWELL, SHARIF & JASMINE	True
26 ROBERTS RD	26 ROBERTS RD	20-Dec-18	Smoke Detector		US BANK, NA (TRUSTEE)	True
151 HALE ST	151 HALE ST	20-Dec-18	Smoke Detector		KENATRON, LLC	True
25 HARDENBERGH ST	25 HARDENBERGH ST	20-Dec-18	Smoke Detector		EPSTEIN, MICHAEL	True
77 NICHOL AVE	77 NICHOL AVE	18-Dec-18	Smoke Detector	1	SZENTGYORGYI, HELEN	True
1236 EDPAS RD	1236 EDPAS RD	17-Dec-18	Smoke Detector		REYES, ROSANNA	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
1335 FERNWOOD CT	1335 FERNWOOD CT	17-Dec-18	Smoke Detector		XU, BEISHI	True
124 JOYCE KILMER AVE	124 JOYCE KILMER AVE	17-Dec-18	Smoke Detector		MARTINEZ, DIGNA	True
380 LIVINGSTON AVE	380 LIVINGSTON AVE	17-Dec-18	Smoke Detector		SMITH, III, JOHN	True
61 JEFFERSON AVE	61 JEFFERSON AVE	14-Dec-18	Smoke Detector		ST. PETER'S PROPERTIES CORP.	True
156 GEORGE ST	156 GEORGE ST	14-Dec-18	Smoke Detector		BASORA, KEITH	True
318 SEAMAN ST	318 SEAMAN ST	14-Dec-18	Smoke Detector		US BANK, NA (TRUSTEE)	True
373 DELAVAN ST	373 DELAVAN ST	14-Dec-18	Smoke Detector		GREEN, ROBERT & DELIA	True
70 WILCOX RD	70 WILCOX RD	14-Dec-18	Compliance Inspection		HUBERTZ, STACEY	True
83 PLUM ST	83 PLUM ST	14-Dec-18	Multiple Dwelling	8	LOMBARDO, JR. PETER	True
825 EDPAS RD	825 EDPAS RD	14-Dec-18	Smoke Detector	2	ODUSANYA, LILLIAN	True
338 SUYDAM ST	338 SUYDAM ST	13-Dec-18	Smoke Detector		DESAI, RUPALI	True
61 JERSEY AVE	61 JERSEY AVE	13-Dec-18	Compliance Inspection		BAKSH, NAZIR & PERSUAD, KUMARIE	True
61 JERSEY AVE	61 JERSEY AVE	13-Dec-18	Compliance Inspection		BAKSH, NAZIR & PERSUAD, KUMARIE	True
305 SEAMAN ST	305 SEAMAN ST	13-Dec-18	Smoke Detector	2	SUYDAM STREET, LLC	True
129 HANDY ST	129 HANDY ST	12-Dec-18	Smoke Detector		DAI, JIQIONG, & JIN, YONGHONG	True
70 WILCOX RD	70 WILCOX RD	12-Dec-18	Smoke Detector	1	HUBERTZ, STACEY	True
101 RENAISSANCE LN	101 RENAISSANCE LN	11-Dec-18	Smoke Detector		MATTEIS, GREGORY	True
304 HOWARD ST	304 HOWARD ST	11-Dec-18	Smoke Detector		BONILLA, WANDA	True
90 LAWRENCE ST	90 LAWRENCE ST	10-Dec-18	Compliance Inspection		OWUSU-ACHEAMPONG, ADWOA	True
85 JOYCE KILMER AVE	85 JOYCE KILMER AVE	10-Dec-18	Smoke Detector Waiver		US BANK, NA (TRUSTEE)	True
810 EDPAS RD	810 EDPAS RD	10-Dec-18	Smoke Detector		AQEEL, ANIS	True
22 JAMES ST	22 JAMES ST	07-Dec-18	Compliance Inspection		BALRAM, GEORGE	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
38 RENAISSANCE LN	38 RENAISSANCE LN	07-Dec-18	Smoke Detector		WU, GORDON	True
22 JAMES ST	22 JAMES ST	06-Dec-18	Smoke Detector	2	BALRAM, GEORGE	True
259 COMSTOCK ST	259 COMSTOCK ST	06-Dec-18	Smoke Detector		PALAEZ, JULIMAR	True
16 WELTON ST	16 WELTON ST	05-Dec-18	Compliance Inspection		SUN, DING & GE, MING	True
90 LAWRENCE ST	90 LAWRENCE ST	05-Dec-18	Smoke Detector	1	OWUSU-ACHEAMPONG, ADWOA	True
50 COMSTOCK ST	50 COMSTOCK ST	05-Dec-18	Smoke Detector		TEHRANI, HEDY	True
138 SUYDAM ST	138 SUYDAM ST	03-Dec-18	Smoke Detector		188 DELAVAN STREET, LLC	True
64 HUNTINGTON ST	64 HUNTINGTON ST	03-Dec-18	Smoke Detector		64 HUNTINGTON STREET, LLC	True
39 JERSEY AVE	39 JERSEY AVE	03-Dec-18	Compliance Inspection		BEKUS, D, HANDSCHIN, T, & FISHER, R	True
90 SO WARD ST	90 SO WARD ST	01-Dec-18	Compliance Inspection		SMITH, JOHN	True
181 THROOP AVE	181 THROOP AVE	01-Dec-18	Compliance Inspection		GOMEZ, RAFAEL	True
47 ELLEN ST	47 ELLEN ST	29-Nov-18	Smoke Detector		47 ELLEN ST, LLC	True
195 FULTON ST	195 FULTON ST	29-Nov-18	Smoke Detector		passed certificate issuedUS BANK, NA (TRUSTEE)	True
398 REMSEN AVE	398 REMSEN AVE	28-Nov-18	Smoke Detector		KEREKES, MARIE/D REGET POA	True
16 WELTON ST	16 WELTON ST	28-Nov-18	Complaint Inspection	3	SUN, DING & GE, MING	True
54 CARMAN ST	54 CARMAN ST	28-Nov-18	Smoke Detector		HOLVEY-SLIFER, GEOFFREY & SALLY	True
110 SOMERSET ST UNIT 2104	110 SOMERSET ST UNIT 2104	28-Nov-18	Smoke Detector		ENG, PAUL, PAULINE, & CHRISTOPHER	True
8 NO TALMADGE ST	8 NO TALMADGE ST	28-Nov-18	Compliance Inspection		CARROLL, GUISHUANG	True
8 NO TALMADGE ST	8 NO TALMADGE ST	26-Nov-18	Smoke Detector	1	CARROLL, GUISHUANG	True
23 NEWELL AVE	23 NEWELL AVE	26-Nov-18	Smoke Detector		KLINGER, GARY (ESTATE)	True
25 CLIFTON AVE	25 CLIFTON AVE	26-Nov-18	Smoke Detector		SECRETARY OF HUD	True
58 HUNTINGTON ST	58 HUNTINGTON ST	21-Nov-18	Smoke Detector		GHORPADE, ANURADHA	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
255 REMSEN AVE	255 REMSEN AVE	21-Nov-18	Smoke Detector		KIRKWOOD, VERNON & AUDRA	True
96 NO WARD ST	96 NO WARD ST	21-Nov-18	Smoke Detector		PARK, JAMES	True
307 POWERS ST	307 POWERS ST	20-Nov-18	Compliance Inspection		LAKIC, MLADEN	True
262 HALE ST	262 HALE ST	20-Nov-18	Smoke Detector		BANK OF NEW YORK MELLON	True
239 HAMILTON ST	239 HAMILTON ST	19-Nov-18	Smoke Detector		PAPPAS, JASON, & GERA, TINA	True
27 SO WARD ST	27 SO WARD ST	19-Nov-18	Smoke Detector		DAI, JIQIONG & JIN, YONGHONG	True
215 HAMILTON ST	215 HAMILTON ST	19-Nov-18	Smoke Detector		LIU, JIMO	True
145 RUTGERS ST	145 RUTGERS ST	19-Nov-18	Smoke Detector		MUSIAL, CHRISTINE	True
61 JERSEY AVE	61 JERSEY AVE	13-Nov-18	Smoke Detector	4	BAKSH, NAZIR & PERSUAD, KUMARIE	True
307 POWERS ST	307 POWERS ST	13-Nov-18	Smoke Detector	1	LAKIC, MLADEN	True
200 SEAMAN ST	200 SEAMAN ST	13-Nov-18	Smoke Detector Waiver		MORGAN, COURTNIE-LUE	True
63 TUNISON RD	63 TUNISON RD	13-Nov-18	Smoke Detector		NOVAK, ROBERT	True
317 EDPAS RD	317 EDPAS RD	13-Nov-18	Smoke Detector		GURARY, INNA & ALEXANDER	True
14 DEWEY DR	14 DEWEY DR	09-Nov-18	Smoke Detector		DELLA-CROCE, MATTHEW	True
MORGAN, COURTNIE-LUE	200 SEAMAN ST	09-Nov-18	Smoke Detector	3	MORGAN, COURTNIE-LUE	True
0717 CEDAR CT	0717 CEDAR CT	07-Nov-18	Smoke Detector		CHOW, MATTHEW & SHIH-FEN	True
120 LAWRENCE ST	120 LAWRENCE ST	07-Nov-18	Smoke Detector		LONG, DEREK	True
44 GUILDEN ST	44 GUILDEN ST	05-Nov-18	Smoke Detector		COLEMAN, MARK	True
23 HARDENBERGH ST	23 HARDENBERGH ST	02-Nov-18	Smoke Detector		CHEDID, PIERRE	True
60 PLUM ST	60 PLUM ST	02-Nov-18	Smoke Detector		CHEDID, PIERRE	True
58 PLUM ST	58 PLUM ST	02-Nov-18	Smoke Detector		CHEDID, PIERRE	True
165 HAMILTON ST	165 HAMILTON ST	02-Nov-18	Compliance Inspection		DONG, CHARLES & SHAO, WEI	True
62 LEE AVE	62 LEE AVE	02-Nov-18	Smoke Detector		NOVIK, ERIC	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
20 OXFORD ST	20 OXFORD ST	01-Nov-18	Smoke Detector		CARVALHO, ROLAND & BOLSIUS, ALLISON	True
90 SO WARD ST	90 SO WARD ST	01-Nov-18	Smoke Detector	1	SMITH, JOHN	True
D' palace	181 THROOP AVE	01-Nov-18	Life Hazard Inspection	3	GOMEZ, RAFAEL	True
68 JERSEY AVE	68 JERSEY AVE	31-Oct-18	Smoke Detector		JIN, YONGHONG & DAI, JIQIONG	True
100 LAWRENCE ST	100 LAWRENCE ST	31-Oct-18	Smoke Detector		2017-1 REO, LLC	True
52 ELLEN ST	52 ELLEN ST	30-Oct-18	Smoke Detector		52 Ellen Street LLC	True
12 PARKVIEW DR	12 PARKVIEW DR	30-Oct-18	Smoke Detector		WHITE, JEFFREY & MARILYN	True
276 COMSTOCK ST	276 COMSTOCK ST	29-Oct-18	Smoke Detector		St Andrew of New Brunswick LLC	True
106 SO PENNINGTON RD	106 SO PENNINGTON RD	29-Oct-18	Smoke Detector		DEINER, CORINNE	True
306 TOWNSEND ST	306 TOWNSEND ST	29-Oct-18	Smoke Detector		HORMANN, DOROTHY (ESTATE)	True
26 HANDY ST	26 HANDY ST	29-Oct-18	Compliance Inspection		TEHRANI, NEJAT & HEDY	True
3 VOORHEES RD	3 VOORHEES RD	29-Oct-18	Smoke Detector		HINDES, NATHAN	True
1117 FERNWOOD CT	1117 FERNWOOD CT	29-Oct-18	Smoke Detector		VAM K, LLC	True
29 SO TALMADGE ST	29 SO TALMADGE ST	29-Oct-18	Smoke Detector Waiver		FEDERAL NATIONAL MORTGAGE ASSOC'N	True
33 HALE ST	33 HALE ST	26-Oct-18	Smoke Detector		TEHRANI, NEJAT & HEDY	True
60 SO TALMADGE ST	60 SO TALMADGE ST	26-Oct-18	Smoke Detector		LOUIS BARROOD, INC.	True
28 HANDY ST	28 HANDY ST	26-Oct-18	Compliance Inspection		TIAN, JENNY, & LIANG, SAM	True
26 HANDY ST	26 HANDY ST	26-Oct-18	Smoke Detector	2	TEHRANI, NEJAT & HEDY	True
97 HARVEY ST	97 HARVEY ST	26-Oct-18	Compliance Inspection		DIAZ, ELOISA	True
125 LOUIS ST	125 LOUIS ST	26-Oct-18	Smoke Detector		SOPRONI, CSILLA, & ATTILA	True
58 SEAMAN ST	58 SEAMAN ST	26-Oct-18	Smoke Detector		TEHRANI, NEJAT & HEDY	True
5 JULIET ST	5 JULIET ST	25-Oct-18	Smoke Detector		MONROE, KATIE (ESTATE)	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
29 SO TALMADGE ST	29 SO TALMADGE ST	25-Oct-18	Smoke Detector	1	FEDERAL NATIONAL MORTGAGE ASSOC'N	True
97 HARVEY ST	97 HARVEY ST	25-Oct-18	Compliance Inspection		DIAZ, ELOISA	True
39 JERSEY AVE	39 JERSEY AVE	25-Oct-18	Smoke Detector	4	BEKUS, D, HANDSCHIN, T, & FISHER, R	True
85 WELTON ST	85 WELTON ST	25-Oct-18	Smoke Detector		JIN, YONGHONG & DAI, JIQIONG	True
7 MAPLE ST	7 MAPLE ST	24-Oct-18	Smoke Detector		SHEHATA, SAMIR, & CHEN, COCO	True
21 DIX ST	21 DIX ST	23-Oct-18	Smoke Detector		DONG, CHARLES & SHAO, WEI	True
165 HAMILTON ST	165 HAMILTON ST	23-Oct-18	Smoke Detector	2	DONG, CHARLES & SHAO, WEI	True
120 LAWRENCE ST	120 LAWRENCE ST	23-Oct-18	Smoke Detector	2	LONG, DEREK	True
99 HARVEY ST	99 HARVEY ST	22-Oct-18	Smoke Detector		CASTANEDA, VICTOR & LILIA	True
10 MASON AVE	10 MASON AVE	22-Oct-18	Smoke Detector		Leo Tsang	True
60 DUKE ST	60 DUKE ST	22-Oct-18	Smoke Detector		60 DUKE ST, LLC	True
66 GUILDEN ST	66 GUILDEN ST	22-Oct-18	Smoke Detector		66 GUILDEN ST, LLC	True
255 HALE ST	255 HALE ST	22-Oct-18	Smoke Detector		FABIANOWICZ, LUCJA	True
0913 CEDAR CT	0913 CEDAR CT	19-Oct-18	Smoke Detector		21ST MORTGAGE CORPORATION	True
110 SOMERSET ST UNIT 2213	110 SOMERSET ST UNIT 2213	19-Oct-18	Smoke Detector		NALLAPANENI, NETAJI & SESHU	True
28 HANDY ST	28 HANDY ST	19-Oct-18	Smoke Detector	6	TIAN, JENNY, & LIANG, SAM	True
58 SEAMAN ST	58 SEAMAN ST	19-Oct-18	Compliance Inspection		TEHRANI, NEJAT & HEDY	True
15 ALEXANDER ST	15 ALEXANDER ST	19-Oct-18	Smoke Detector Waiver		CHODKIEWICZ, CATHERINE	True
8 NEW YORK AVE	8 NEW YORK AVE	19-Oct-18	Smoke Detector		MAIMONE, ANGELA	True
23 SENIOR ST	23 SENIOR ST	19-Oct-18	Compliance Inspection		GILLOOLY, WILLIAM & ADRIENNE	True
145 HANDY ST	145 HANDY ST	18-Oct-18	Smoke Detector		DALTON, DOUGLAS	True
316 EASTON AVE	316 EASTON AVE	18-Oct-18	Smoke Detector		MTGLQ INVESTORS, LP	True
15 ALEXANDER ST	15 ALEXANDER ST	18-Oct-18	Smoke Detector	1	CHODKIEWICZ, CATHERINE	True
203 EASTON AVE	203 EASTON AVE	17-Oct-18	Smoke Detector		203 EASTON AVENUE, LLC	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
274 WARD ST	274 WARD ST	16-Oct-18	Smoke Detector		274 WARD STREET, LLC	True
1 SPRING ST, UNIT 2405	1 SPRING ST, UNIT 2405	15-Oct-18	Smoke Detector		DAS, KIRON	True
50 HARVEY ST	50 HARVEY ST	15-Oct-18	Smoke Detector		STAGG, K, & VALACHOVIC, P, & D	True
186 DELAVAN ST	186 DELAVAN ST	12-Oct-18	Smoke Detector		HUDGINS, CONALEE	True
36 HANDY ST	36 HANDY ST	12-Oct-18	Smoke Detector		36 HANDY STREET, LLC	True
58 SUYDAM ST	58 SUYDAM ST	12-Oct-18	Smoke Detector		58 SUYDAM ST, LLC	True
269 SOMERSET ST	269 SOMERSET ST	12-Oct-18	Smoke Detector		MIT 269 SOMERSET, LLC	True
25 CLIFTON AVE	25 CLIFTON AVE	12-Oct-18	Smoke Detector Waiver		SECRETARY OF HUD	True
17 JONES AVE	17 JONES AVE	12-Oct-18	Smoke Detector		17 JONES AVE, LLC	True
23 SENIOR ST	23 SENIOR ST	11-Oct-18	Complaint Inspection	1	GILLOOLY, WILLIAM & ADRIENNE	True
8 SEVENTH ST	8 SEVENTH ST	11-Oct-18	Complaint Inspection	1	KAWAL, RESHIRAM & LEELA	True
70 JULIET ST	70 JULIET ST	10-Oct-18	Smoke Detector Waiver		US BANK, NA (TRUSTEE)	True
190 REMSEN AVE	190 REMSEN AVE	10-Oct-18	Smoke Detector		MALVO, PATSY	True
58 SEAMAN ST	58 SEAMAN ST	10-Oct-18	Complaint Inspection	2	TEHRANI, NEJAT & HEDY	True
14 SUYDAM ST	14 SUYDAM ST	10-Oct-18	Smoke Detector		HRYMOC, JERZY & ZOFIA	True
303 JERSEY AVE	303 JERSEY AVE	10-Oct-18	Smoke Detector		MERCADO, HIRAM	True
172 BALDWIN ST	172 BALDWIN ST	09-Oct-18	Smoke Detector		NUNEZ, CARMEN	True
97 HARVEY ST	97 HARVEY ST	09-Oct-18	Smoke Detector	1	DIAZ, ELOISA	True
69 HANDY ST	69 HANDY ST	06-Oct-18	Compliance Inspection		SUBRAMANIAN, BALA	True
38 DELAFIELD ST	38 DELAFIELD ST	05-Oct-18	Smoke Detector		38 DELAFIELD, LLC /KAPLAN, M	True
69 HANDY ST	69 HANDY ST	05-Oct-18	Complaint Inspection	2	SUBRAMANIAN, BALA	True
111 GUILDEN ST	111 GUILDEN ST	04-Oct-18	Smoke Detector		WISHNIC, EUGENE	True
110 LOUIS ST	110 LOUIS ST	04-Oct-18	Smoke Detector		WISHNIC, EUGENE	True
65 BARTLETT ST	65 BARTLETT ST	04-Oct-18	Smoke Detector		65 BARTLETT, LLC	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
31 STONE ST	31 STONE ST	04-Oct-18	Smoke Detector		MURRAY, BRENDAN, & SEAN	True
30 DIVISION ST	30 DIVISION ST	04-Oct-18	Smoke Detector		MURRAY, AFRODITE, & SEAN	True
379 DELAVAN ST	379 DELAVAN ST	04-Oct-18	Smoke Detector		JIN, YONGHONG & DAI, JIQIONG	True
296 EASTON AVE	296 EASTON AVE	04-Oct-18	Smoke Detector		Donglan Cai	True
214 HAMILTON ST	214 HAMILTON ST	04-Oct-18	Compliance Inspection		YURKO, JOSEPH	True
2 HIGH ST	2 HIGH ST	04-Oct-18	Smoke Detector		MURRAY, BRENDAN, & SEAN	True
3 HIGH ST	3 HIGH ST	04-Oct-18	Smoke Detector		MURRAY, BRENDAN, & SEAN	True
19 JEFFERSON AVE	19 JEFFERSON AVE	04-Oct-18	Smoke Detector		CAI, DONGLAN	True
40 HUNTINGTON ST	40 HUNTINGTON ST	03-Oct-18	Smoke Detector		CHEDID, GEORGE & HENRIETTE	True
299 POWERS ST	299 POWERS ST	03-Oct-18	Smoke Detector	1	TORRES, ROBERT	True
38 DELAFIELD ST	38 DELAFIELD ST	02-Oct-18	Compliance Inspection		38 DELAFIELD, LLC /KAPLAN, M	True
19 DELAFIELD ST	19 DELAFIELD ST	02-Oct-18	Smoke Detector		19 DELAFIELD, LLC	True
35 SENIOR ST	35 SENIOR ST	01-Oct-18	Smoke Detector		KENNY, JOSEPH	True
274 WARD ST	274 WARD ST	01-Oct-18	Compliance Inspection		274 WARD STREET, LLC	True
35 SENIOR ST	35 SENIOR ST	01-Oct-18	Compliance Inspection		KENNY, JOSEPH	True
1 SPRING ST, UNIT 2206	1 SPRING ST, UNIT 2206	28-Sep-18	Smoke Detector		SUBRAMANIAN, V & G	True
85 JOYCE KILMER AVE	85 JOYCE KILMER AVE	28-Sep-18	Smoke Detector		US BANK, NA (TRUSTEE)	True
60 JULIET ST	60 JULIET ST	28-Sep-18	Smoke Detector		SCHRUM, JR. BERNARD (ESTATE)	True
38 ROBINSON ST	38 ROBINSON ST	26-Sep-18	Smoke Detector		38 ROBINSON STREET, LLC	True
926 EDPAS RD	926 EDPAS RD	25-Sep-18	Smoke Detector		926 Edpas LLC	True
230 FRENCH ST	230 FRENCH ST	25-Sep-18	Smoke Detector		MILLENNIUM ASSET GROU, LLC	True
160 LAWRENCE ST	160 LAWRENCE ST	25-Sep-18	Smoke Detector		PEARSON, GEORGE & CATHERINE	True
38 DELAFIELD ST	38 DELAFIELD ST	24-Sep-18	Complaint Inspection	1	38 DELAFIELD, LLC /KAPLAN, M	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
0513 EVERGREEN DR	0513 EVERGREEN DR	24-Sep-18	Smoke Detector		CHOW, NORMAN	True
293 COMMERCIAL AVE	293 COMMERCIAL AVE	24-Sep-18	Smoke Detector		RAMIREZ, MIGUEL	True
35 SENIOR ST	35 SENIOR ST	23-Sep-18	Complaint Inspection	1	KENNY, JOSEPH	True
274 WARD ST	274 WARD ST	23-Sep-18	Complaint Inspection	1	274 WARD STREET, LLC	True
47 WELTON ST 2B	47 WELTON ST 2B	21-Sep-18	Smoke Detector		FISHER, SAMUEL	True
269 COMSTOCK ST	269 COMSTOCK ST	20-Sep-18	Smoke Detector		HSBC BANK USA, NA (TRUSTEE)	True
3 DELAVAN CT	3 DELAVAN CT	20-Sep-18	Smoke Detector		US BANK, NA (TRUSTEE)	True
216 EASTON AVE	216 EASTON AVE	20-Sep-18	Compliance Inspection		LEWIS, JILL	True
230 FRENCH ST	230 FRENCH ST	19-Sep-18	Compliance Inspection		MILLENNIUM ASSET GROU, LLC	True
98 LAWRENCE ST	98 LAWRENCE ST	19-Sep-18	Smoke Detector		WOODSON, III, JAMES & MICHELE	True
25 JAMES ST	25 JAMES ST	18-Sep-18	Compliance Inspection		PU, JING, & LO, ELLEN	True
1 SPRING ST, UNIT 1702	1 SPRING ST, UNIT 1702	18-Sep-18	Smoke Detector		Asif Bashir	True
1 SPRING ST, UNIT 0906	1 SPRING ST, UNIT 0906	18-Sep-18	Smoke Detector		ALBUJA, NEIL	True
317 EDPAS RD	317 EDPAS RD	17-Sep-18	Compliance Inspection		BLAKE, KIMBERLEY	True
317 EDPAS RD	317 EDPAS RD	14-Sep-18	Smoke Detector	2	BLAKE, KIMBERLEY	True
51 HUNTINGTON ST	51 HUNTINGTON ST	14-Sep-18	Smoke Detector		NEWLING, BRUCE	True
44 ROBINSON ST	44 ROBINSON ST	14-Sep-18	Smoke Detector		GOLDBLATT, M & BARLEV-LERNER, R	True
42 ROBINSON ST	42 ROBINSON ST	14-Sep-18	Smoke Detector		SOKOLOV, ANDREY & SOKOLOVA, OKSANA	True
75 NICHOL AVE	75 NICHOL AVE	13-Sep-18	Compliance Inspection		SHAO, KUI & XIAO, JIANYING	True
31 LOUIS ST	31 LOUIS ST	12-Sep-18	Smoke Detector		31 LOUIS ST, LLC	True
26 ROBERTS RD	26 ROBERTS RD	12-Sep-18	Smoke Detector		US BANK, NA (TRUSTEE)	True

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
25 BALDWIN ST	25 BALDWIN ST	12-Sep-18	Smoke Detector		25 BALDWIN ST, LLC	True
134 LOUIS ST	134 LOUIS ST	12-Sep-18	Smoke Detector		134 LOUIS ST, LLC	True
1 SPRING ST, UNIT 0804	1 SPRING ST, UNIT 0804	12-Sep-18	Smoke Detector		GOODWIN, ROBERT & RANDALL, KATHLEEN	True
9 HARTWELL ST	9 HARTWELL ST	12-Sep-18	Smoke Detector		VAL CAP, LLC	True
10 MASON AVE	10 MASON AVE	12-Sep-18	Compliance Inspection		JAY IT SERVICES, LLC	True
384 DELAVAN ST	384 DELAVAN ST	11-Sep-18	Compliance Inspection		SALSA, KATHERINE	True
105 HARVEY ST	105 HARVEY ST	11-Sep-18	Smoke Detector		MUNOZ, JOSE, & JUAN	True
117 FULTON CT	117 FULTON CT	11-Sep-18	Smoke Detector		US BANK, NA (TRUSTEE)	True
1 SEVENTH ST	1 SEVENTH ST	11-Sep-18	Compliance Inspection		WONG, CLAUDIA, & GONZALEZ, RAYDY	True
1 LANGLEY PL	1 LANGLEY PL	11-Sep-18	Smoke Detector		GOFF, DELON, BAYRON & ACOSTA, KAREN	True
84 THROOP AVE	84 THROOP AVE	10-Sep-18	Compliance Inspection		338-394 SUYDAM COMSTOCK STREET, LLC	True
236 FRENCH ST	236 FRENCH ST	10-Sep-18	Smoke Detector		VHIANGTHAM, VIENGSAMAY	True
116 LOUIS ST	116 LOUIS ST	10-Sep-18	Smoke Detector		COTE, JOHN & LUCILLE	True
84 THROOP AVE	84 THROOP AVE	07-Sep-18	Complaint Inspection	1	338-394 SUYDAM COMSTOCK STREET, LLC	True
1 GUILDEN ST	1 GUILDEN ST	07-Sep-18	Smoke Detector		1 GUILDEN, LLC	True
276 EASTON AVE	276 EASTON AVE	07-Sep-18	Smoke Detector		GRUND, JOHN & LYN	True
26 WYCKOFF ST	26 WYCKOFF ST	06-Sep-18	Smoke Detector		EASTON CROSSINGS, LLC	True
28 WYCKOFF ST	28 WYCKOFF ST	06-Sep-18	Smoke Detector		GEORGE ST, LLC	True
62 1/2 GUILDEN ST	62 1/2 GUILDEN ST	06-Sep-18	Smoke Detector		ADAMS, DAVID	True
134 JONES AVE	134 JONES AVE	06-Sep-18	Smoke Detector		ROCK CANYON PROPERTIES JONES, LLC	True
183 EASTON AVE	183 EASTON AVE	06-Sep-18	Smoke Detector		EASTON CROSSINGS, LLC	True
62 GUILDEN ST	62 GUILDEN ST	06-Sep-18	Smoke Detector		ADAMS, DAVID	True
3 DELAFIELD ST	3 DELAFIELD ST	06-Sep-18	Smoke Detector		AMBROSIO, PATRICIA	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
16 LAFAYETTE ST	16 LAFAYETTE ST	06-Sep-18	Smoke Detector		ADAMS, DAVID	True
10 PROSPER ST	10 PROSPER ST	06-Sep-18	Smoke Detector		ADAMS, DAVID	True
140 HAMILTON ST	140 HAMILTON ST	06-Sep-18	Smoke Detector		140 HAMILTON, LLC	True
96 CENTRAL AVE	96 CENTRAL AVE	06-Sep-18	Smoke Detector		CHAO, CHI KUANG	True
37 PROSPER ST	37 PROSPER ST	06-Sep-18	Smoke Detector		ADAMS, DAVID	True
57 WYCKOFF ST	57 WYCKOFF ST	06-Sep-18	Smoke Detector		MANANSALA, MARIA PAZ	True
10 MASON AVE	10 MASON AVE	06-Sep-18	Smoke Detector		JAY IT SERVICES, LLC	True
61 GUILDEN ST	61 GUILDEN ST	06-Sep-18	Smoke Detector		ADAMS, DAVID	True
216 EASTON AVE	216 EASTON AVE	05-Sep-18	Smoke Detector		LEWIS, JILL	True
10 MASON AVE	10 MASON AVE	05-Sep-18	Complaint Inspection	2	JAY IT SERVICES, LLC	True
128 LOUIS ST	128 LOUIS ST	05-Sep-18	Compliance Inspection		WADE, GEORGE & SUZANNE	True
13 NO WARD ST	13 NO WARD ST	05-Sep-18	Smoke Detector		ROBINSON, JOEL & IVORY	True
1 SPRING ST, UNIT 0805	1 SPRING ST, UNIT 0805	05-Sep-18	Smoke Detector		ROJO, PHILIP & GENEVIEVE	True
25 JAMES ST	25 JAMES ST	04-Sep-18	Smoke Detector		PU, JING, & LO, ELLEN	True
1 SPRING ST, UNIT 1702	1 SPRING ST, UNIT 1702	04-Sep-18	Smoke Detector		WILMINGTON SAVINGS FUND SOCIETY FSB	True
53 HUNTINGTON ST	53 HUNTINGTON ST	04-Sep-18	Smoke Detector		CHEDID, PETER	True
384 DELAVAN ST	384 DELAVAN ST	04-Sep-18	Smoke Detector	2	SALSA, KATHERINE	True
123 SOMERSET ST	123 SOMERSET ST	04-Sep-18	Smoke Detector		CHEDID, PETER	True
24 HIRAM SQUARE	24 HIRAM SQUARE	04-Sep-18	Smoke Detector		BHATIA, RAHUL, & ROHINI	True
101 GUILDEN ST	101 GUILDEN ST	04-Sep-18	Smoke Detector		CHEDID, PETER	True
198 EASTON AVE	198 EASTON AVE	04-Sep-18	Smoke Detector		CHEDID, AMINE & JOYCE	True
70 MINE ST	70 MINE ST	04-Sep-18	Smoke Detector		NEW 70, LLC	True
73 PLUM ST	73 PLUM ST	04-Sep-18	Smoke Detector		CHEDID, AMINE	True
54 WYCKOFF ST	54 WYCKOFF ST	04-Sep-18	Smoke Detector		CHEDID, AMINE	True
24 ROBINSON ST	24 ROBINSON ST	04-Sep-18	Smoke Detector		CHEDID, PETER	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
75 NICHOL AVE	75 NICHOL AVE	31-Aug-18	Smoke Detector	2	SHAO, KUI & XIAO, JIANYING	True
124 TUNISON RD	124 TUNISON RD	31-Aug-18	Smoke Detector		PERRY, FRANK	True
48 HANDY ST	48 HANDY ST	31-Aug-18	Smoke Detector		BADRAN, AMRO	True
97 HARVEY ST	97 HARVEY ST	30-Aug-18	Complaint Inspection	1	DIAZ, ELOISA	True
401 SANDFORD ST	401 SANDFORD ST	30-Aug-18	Smoke Detector		JIN, YONGHONG & DAI, JIQIONG	True
259 POWERS ST	259 POWERS ST	30-Aug-18	Compliance Inspection		EXUM, MAYNARD	True
36 DELAFIELD ST	36 DELAFIELD ST	30-Aug-18	Smoke Detector		ELNAJJAR, KAMAL & KHAYZORAN, BANA	True
261 SUYDAM ST	261 SUYDAM ST	29-Aug-18	Compliance Inspection		261 SUYDAM STREET, LLC	True
14 SUYDAM ST	14 SUYDAM ST	29-Aug-18	Smoke Detector		HRYMOC, JERZY & ZOFIA	True
52 ELLEN ST	52 ELLEN ST	29-Aug-18	Smoke Detector		BLACHNIK, JR. FRANK (ESTATE)	True
143 SANDFORD ST	143 SANDFORD ST	29-Aug-18	Smoke Detector		XIE TIAN, LLC	True
38 ROBINSON ST	38 ROBINSON ST	29-Aug-18	Compliance Inspection		38 ROBINSON STREET, LLC	True
261 SUYDAM ST	261 SUYDAM ST	28-Aug-18	Smoke Detector		261 SUYDAM STREET, LLC	True
101 EASTON AVE	101 EASTON AVE	28-Aug-18	Complaint Inspection		DE LUCA, EMILIANO & GRACIELA	True
113 LAWRENCE ST	113 LAWRENCE ST	28-Aug-18	Smoke Detector		CRUZ, KENNETH	True
140 SEAMAN ST	140 SEAMAN ST	28-Aug-18	Smoke Detector Waiver		JOHNSON, MARY	True
38 GUILDEN ST	38 GUILDEN ST	28-Aug-18	Smoke Detector		SUSECK, MYRON & SANDRA (TRUSTEES)	True
12 PROSPER ST	12 PROSPER ST	27-Aug-18	Smoke Detector		ALEXANDER, AUBREY & SIMONE	True
28 JOYCE KILMER AVE	28 JOYCE KILMER AVE	27-Aug-18	Smoke Detector		WINANT, JOHN, EDWARD, & NANCY	True
16 HIGH ST	16 HIGH ST	27-Aug-18	Smoke Detector		WINANT, E & N, & J (TRUSTEES)	True
2 HANDY ST	2 HANDY ST	27-Aug-18	Smoke Detector		CORNELL, JR. JOSEPH	True
5 LOUIS ST	5 LOUIS ST	27-Aug-18	Smoke Detector		WINANT, JOHN, EDWARD, & NANCY	True
180 BALDWIN ST	180 BALDWIN ST	27-Aug-18	Smoke Detector Waiver		FEDERAL NATIONAL MORTGAGE ASSOC'N	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
182 LAWRENCE ST	182 LAWRENCE ST	27-Aug-18	Smoke Detector		WINANT, JOHN, EDWARD, & NANCY	True
105 DELAVAN ST	105 DELAVAN ST	27-Aug-18	Smoke Detector		WINANT, J, & E & N (TRUSTEES)	True
2 HANDY ST	2 HANDY ST	27-Aug-18	Compliance Inspection		CORNELL, JR. JOSEPH	True
124 LOUIS ST	124 LOUIS ST	27-Aug-18	Smoke Detector		WINANT, EDWARD & NANCY (TRUSTEES)	True
20 LIVINGSTON AVE, # 1003	20 LIVINGSTON AVE, # 1003	27-Aug-18	Smoke Detector		LEE, YUNSU	True
2 HANDY ST	2 HANDY ST	27-Aug-18	Compliance Inspection		CORNELL, JR. JOSEPH	True
24 LOUIS ST	24 LOUIS ST	27-Aug-18	Smoke Detector		WINANT, J, & E & N (TRUSTEES)	True
2 MAPLE ST	2 MAPLE ST	27-Aug-18	Smoke Detector		WINANT, J, & E & N (TRUSTEES)	True
63 BARTLETT ST	63 BARTLETT ST	27-Aug-18	Smoke Detector		WINANT, E & N, & J (TRUSTEES)	True
10 BROOKSIDE AVE	10 BROOKSIDE AVE	27-Aug-18	Smoke Detector		WINANT, EDWARD & NANCY (TRUSTEES)	True
14 PRENTISS RD	14 PRENTISS RD	24-Aug-18	Compliance Inspection		2018WY-23, LLC	True
341 SEAMAN ST	341 SEAMAN ST	24-Aug-18	Compliance Inspection		GMAT LEGAL TITLE TRUST 2013-1	True
5 WELLINGTON PL	5 WELLINGTON PL	23-Aug-18	Smoke Detector		CONWAY, MATILDA	True
15 RESERVOIR AVE	15 RESERVOIR AVE	23-Aug-18	Smoke Detector		WELLS FARGO BANK, NA	True
105 RENAISSANCE LN	105 RENAISSANCE LN	23-Aug-18	Smoke Detector		GONZALEZ, J, & EUFRACIO, V	True
5 WELLINGTON PL	5 WELLINGTON PL	23-Aug-18	Smoke Detector		CONWAY, MATILDA	True
128 LOUIS ST	128 LOUIS ST	23-Aug-18	Smoke Detector	1	WADE, GEORGE & SUZANNE	True
25 JAMES ST	25 JAMES ST	22-Aug-18	Complaint Inspection	1	PU, JING, & LO, ELLEN	True
5 LORAIN ST	5 LORAIN ST	22-Aug-18	Smoke Detector		J AND J LORAIN STREET, LLC	True
96 NO WARD ST	96 NO WARD ST	22-Aug-18	Compliance Inspection		BAYVIEW LOAN SERVICING, LLC	True
111 TUNISON RD	111 TUNISON RD	22-Aug-18	Smoke Detector		KORMONDY, S, & GRAMMATICO, A	True
108 HUNTINGTON ST	108 HUNTINGTON ST	22-Aug-18	Smoke Detector		CANNON, SHARON, & BRODERICK, JOHN	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
45 SO PENNINGTON RD	45 SO PENNINGTON RD	21-Aug-18	Smoke Detector		HAYES, RONALD	True
11 CARPENDER RD	11 CARPENDER RD	21-Aug-18	Smoke Detector		WINANT, E & N, & J (TRUSTEES)	True
261 SUYDAM ST	261 SUYDAM ST	21-Aug-18	Complaint Inspection	1	261 SUYDAM STREET, LLC	True
38 ROBINSON ST	38 ROBINSON ST	21-Aug-18	Complaint Inspection	1	38 ROBINSON STREET, LLC	True
180 SEAMAN ST	180 SEAMAN ST	20-Aug-18	Smoke Detector		QUILES, TOMASA	True
48 CARMAN ST	48 CARMAN ST	20-Aug-18	Smoke Detector		J & T ENTERPRISES, LLC	True
1 SPRING ST, UNIT 0903	1 SPRING ST, UNIT 0903	20-Aug-18	Smoke Detector		BENCZIK, TERRY (ESTATE)	True
267 DELAVAN ST	267 DELAVAN ST	17-Aug-18	Smoke Detector Waiver		DEUTSCHE BANK NATIONAL TRUST CO.	True
96 NO WARD ST	96 NO WARD ST	17-Aug-18	Smoke Detector	3	BAYVIEW LOAN SERVICING, LLC	True
29 STOCKTON RD	29 STOCKTON RD	17-Aug-18	Smoke Detector		STOCKTON PROPERTIES, LLC	True
385 LIVINGSTON AVE	385 LIVINGSTON AVE	17-Aug-18	Compliance Inspection		MEYER, III, GEORGE FRANZ	True
14 PRENTISS RD	14 PRENTISS RD	17-Aug-18	Smoke Detector	2	2018WY-23, LLC	True
223 BALDWIN ST	223 BALDWIN ST	17-Aug-18	Smoke Detector		STOLOW, WILLIAM & CAROL, & KIMBERLY	True
259 POWERS ST	259 POWERS ST	17-Aug-18	Smoke Detector	2	EXUM, MAYNARD	True
94 HOWARD ST	94 HOWARD ST	17-Aug-18	Smoke Detector		BANK OF AMERICA, NA	True
25 CHARLES ST	25 CHARLES ST	16-Aug-18	Smoke Detector		MARIANO, ANNA (ESTATE)	True
27 HARTWELL ST	27 HARTWELL ST	16-Aug-18	Smoke Detector		DENIS, MARJORIE	True
17 DELAFIELD ST	17 DELAFIELD ST	15-Aug-18	Compliance Inspection		NAGEH, BISHOI	True
228 HAMILTON ST	228 HAMILTON ST	15-Aug-18	Smoke Detector		PATEL, SURYAKANT & NIRU	True
285 NICHOL AVE	285 NICHOL AVE	15-Aug-18	Compliance Inspection		RUSSELL, ALVIN	True
57 ELLEN ST	57 ELLEN ST	14-Aug-18	Smoke Detector		MERCADO, ANASTACIA & HIRAM	True
217 SEAMAN ST	217 SEAMAN ST	14-Aug-18	Smoke Detector		MERCADO, GILBERTO	True
38 LEE AVE	38 LEE AVE	13-Aug-18	Smoke Detector		FISHER, ROGER, & BEKUS, DAVID	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
75 NICHOL AVE	75 NICHOL AVE	13-Aug-18	Compliance Inspection		SHAO, KUI & XIAO, JIANYING	True
2 HANDY ST	2 HANDY ST	13-Aug-18	Smoke Detector	4	CORNELL, JR. JOSEPH	True
17 DELAFIELD ST	17 DELAFIELD ST	13-Aug-18	Smoke Detector	1	NAGEH, BISHOI	True
285 NICHOL AVE	285 NICHOL AVE	13-Aug-18	Smoke Detector	3	RUSSELL, ALVIN	True
11 CARPENDER RD	11 CARPENDER RD	13-Aug-18	Compliance Inspection		WINANT, E & N, & J (TRUSTEES)	True
113 RICHARDSON ST	113 RICHARDSON ST	13-Aug-18	Smoke Detector		ZULLO DEVELOPMENT CORP.	True
140 HALE ST	140 HALE ST	10-Aug-18	Smoke Detector		FEDERAL NATIONAL MORTGAGE ASSOC'N	True
380 LIVINGSTON AVE	380 LIVINGSTON AVE	08-Aug-18	Smoke Detector		RODRIGUEZ, LUCIANO	True
262 EASTON AVE	262 EASTON AVE	08-Aug-18	Smoke Detector		SANSONE, JUAN	True
385 LIVINGSTON AVE	385 LIVINGSTON AVE	08-Aug-18	Complaint Inspection	1	MEYER, III, GEORGE FRANZ	True
68 MORRELL ST	68 MORRELL ST	08-Aug-18	Smoke Detector		FABRICANTE, MICHAEL & LILY	True
309 TOWNSEND ST	309 TOWNSEND ST	07-Aug-18	Smoke Detector		LI, HUA & ZHOU, SHIMIN	True
166 FULTON ST	166 FULTON ST	07-Aug-18	Smoke Detector		MARTIN, DAVID & NETSAI	True
214 HAMILTON ST	214 HAMILTON ST	07-Aug-18	Smoke Detector	5	YURKO, JOSEPH	True
41 DIVISION ST	41 DIVISION ST	07-Aug-18	Smoke Detector		DEES, DONALD	True
9 COBB RD	9 COBB RD	06-Aug-18	Smoke Detector		9COBBROAD, LLC	True
6 EDGEBROOK RD	6 EDGEBROOK RD	06-Aug-18	Smoke Detector		CHORPHAKA, APRIL	True
68 DUKE ST	68 DUKE ST	06-Aug-18	Smoke Detector		DUKE DEVELOPERS, LLC	True
84 DELAFIELD ST	84 DELAFIELD ST	06-Aug-18	Smoke Detector		GCAC PROPERTIES, LLC	True
9 CONDICT ST	9 CONDICT ST	06-Aug-18	Smoke Detector		9 1/2 CONDICT, LLC	True
216 EASTON AVE	216 EASTON AVE	06-Aug-18	Complaint Inspection	1	LEWIS, JILL	True
86 LOUIS ST	86 LOUIS ST	06-Aug-18	Smoke Detector		ANASTASIO, T, M, & T	True
199 HAMILTON ST	199 HAMILTON ST	06-Aug-18	Smoke Detector		JAPG, LLC	True
333 SOMERSET ST	333 SOMERSET ST	06-Aug-18	Smoke Detector		SEMAAN, CLAUDE & KAREN	True

Date Printed: 8/1/2019

Insp Stand Alone

(7/30/2018 - 7/30/2019, 1176 records)

Location Name	Street Address	Inspection Date	Type	Violation Count	Owner Name	Is Stand Alone
90 LOUIS ST	90 LOUIS ST	06-Aug-18	Smoke Detector		MURDOCH, JERE	True
70 DUKE ST	70 DUKE ST	06-Aug-18	Smoke Detector		DUKE DEVELOPERS, LLC	True
11 CARPENDER RD	11 CARPENDER RD	03-Aug-18	Complaint Inspection	1	WINANT, E & N, & J (TRUSTEES)	True
230 FRENCH ST	230 FRENCH ST	03-Aug-18	Complaint Inspection	1	MILLENNIUM ASSET GROU, LLC	True
14 LUFBERRY AVE	14 LUFBERRY AVE	03-Aug-18	Smoke Detector Waiver		SECRETARY OF HUD	True
42 PHELPS AVE	42 PHELPS AVE	03-Aug-18	Smoke Detector		YE, YIHUA & LIANG, BONNIE	True
75 NICHOL AVE	75 NICHOL AVE	03-Aug-18	Complaint Inspection	1	SHAO, KUI & XIAO, JIANYING	True
68 HARVEY ST	68 HARVEY ST	03-Aug-18	Smoke Detector		BRIENZA, ANTONIO	True
73 THROOP AVE	73 THROOP AVE	02-Aug-18	Smoke Detector		MESSIAH CHURCH OF GOD	True
45 WILCOX RD	45 WILCOX RD	01-Aug-18	Smoke Detector		BATTILORO, ANNAMARIE	True
23 JAMES ST	23 JAMES ST	01-Aug-18	Smoke Detector		NWADIOGBU, CHINWE	True
219 HOWARD ST	219 HOWARD ST	01-Aug-18	Smoke Detector		RAMBLING CREEK STUDIOS, LLC	True
283 HAMILTON ST	283 HAMILTON ST	31-Jul-18	Smoke Detector		GNT PROPERTIES, LLC	True
29 BALDWIN ST	29 BALDWIN ST	31-Jul-18	Compliance Inspection		KINDRED REAL ESTATE, LLC	True
48 GUILDEN ST	48 GUILDEN ST	31-Jul-18	Compliance Inspection		CIPOT, FRANK & CERMINARO, DOMINIC	True
48 GUILDEN ST	48 GUILDEN ST	31-Jul-18	Complaint Inspection	1	CIPOT, FRANK & CERMINARO, DOMINIC	True
74 JERSEY AVE	74 JERSEY AVE	30-Jul-18	Smoke Detector		DASNI, SAMEEPA	True
Grand Totals						
				307.		

Date Printed: 8/1/2019