



CONSTRUCTION PERMIT APPLICATION

C-19-002615

Applicant Completes: Sections I, II, III (optional), IV, VI, and VII

I. IDENTIFICATION

1. Proposed Work Site at: 34 Blue Cedar Dr

2. Name of Owner in Fee: Therese Mooney
 Tel. [REDACTED] e-mail _____

Address 34 Blue Cedar Dr BRICK 08723
street municipality zip code

3. Ownership in Fee: Public _____ Private _____

Principal Contractor: Homeowner Tel. ([REDACTED])
 Address 34 Blue Cedar Dr e-mail _____

License No. OR, if new home, Builder Reg. No. _____ Exp. Date _____

Home Improvement Contractor Registration No. or Exemption Reason (if applicable): _____

Federal Emp. ID No. _____ FAX: (_____) _____

5. Architect or Engineer _____ Contact _____
 Address _____ e-mail _____
 Tel. (_____) _____ FAX: (_____) _____

6. As-Begun as-Begun Therese Mooney
 Tel. [REDACTED] FAX: (_____) _____

V. FEE SUMMARY (for office use only)

		Update	Update
1. Building	\$ <u>175</u>	☒	
2. Electrical			
3. Plumbing			
4. Fire Protection			
5. Elevator Devices			
6. Subtotal			
7. Less 20% for State Plan Review	\$ _____		
8. Subtotal	\$ _____		
9. State Permit Surcharge Fee			
10. Subtotal	\$ <u>50</u>		
11. Cert. of Occupancy			
12. Other			
13. TOTAL	\$ <u>225</u>		

VI. BUILDING/SITE CHARACTERISTICS

(office use only)

1. Number of Stories _____

2. Height of Structure _____ ft.

3. Area — Largest Floor _____ sq. ft.

4. New Building Area _____ sq. ft.

5. Volume of New Structure _____ cu. ft.

6. Max. Live Load _____

7. Max. Occupancy Load _____

8. If Industrialized Building: State Approved _____ HUD _____

9. Total Land Area Disturbed _____ sq. ft.

10. Flood Hazard Zone _____

11. Base Flood Elevation _____ ft.

12. Wetlands yes _____ no _____

IIa. PROPOSED WORK

- ☐ Minor Work ☐ New Building ☐ Addition ☐ Demolition
- ☐ Repair ☐ Alteration ☐ Renovation ☐ Reconstruction
- ☐ Asbestos Abat. - Subch. 8 ☐ Lead Hazard Abatement ☐ Radon Remediation ☐ Annual Permit

IIb. SUBCODES

(Check all that apply)

- ☐ Building
- ☒ Electrical
- ☐ Plumbing
- ☐ Fire Protection
- ☐ Elevator

FOR OFFICE USE ONLY (Optional)

Est. Cost	Plans Rec'd by	Date Rec'd	Rejection Date	Approval Date	Re-viewer	Resubmission Dates Approval	Rejection	Re-viewer
	<u>MFF</u>	<u>7/15/19</u>						
				<u>8/1/19</u>	<u>PJ</u>			
	<u>Eng</u>	<u>Exempt</u>		<u>7/24/19</u>	<u>ece</u>			

TOTAL COST

III. PLAN REVIEW (optional)

DO YOU WANT:

1. ☐ Partial Releases
2. ☐ Prototype Processing

IV. DOES OR WILL YOUR BUILDING CONTAIN ANY OF THE FOLLOWING?

1. ☐ Elevators/Escalators/Lifts/
Dumbwaiters/Moving Walks
2. ☐ High Pressure Boilers
3. ☐ Pressure Vessels
4. ☐ Refrigeration Systems
5. ☐ Cross-Connections/Backflow Preventers
6. ☐ Hazardous Uses/Places of Assembly
7. ☐ Sprinklers
8. ☐ Smoke Control Systems in Open Wells
9. ☐ Underground Storage Tanks
10. ☒ Swimming Pools, Spas and Hot Tubs
11. ☐ LPGas Tanks

VII. DESCRIPTION OF BUILDING USE

A. RESIDENTIAL (primary use)

1. State Specific Use: _____
2. Use Group, Proposed: _____
3. Change in Use Group, Indicate Present: _____
4. No. of dwelling units: Total Units Income-restricted
- Gained, Sale _____
- Gained, Rental _____
- Lost, Sale _____
- Lost, Rental _____

B. NON-RESIDENTIAL (primary use)

1. State Specific Use: _____
2. Use Group, Proposed: _____
3. Change in Use Group, Indicate Present: _____

C. MIXED USE -List secondary use(s):

- D. Construct. Classification: Present _____
Proposed _____

CERTIFICATION IN LIEU OF OATH

I. OWNER SECTION (to be completed if the applicant is the owner in fee)

I hereby certify that I am the owner in fee of the property listed on Page 1.

Mark the following applicable boxes:

- A. ☐ I further certify that a new home (private residence) will be constructed on this property for my own use and occupancy. This dwelling is to be occupied by myself and is not to be used for any purpose other than single family residential use. I attest that all construction, plumbing, or electrical work will be done, in whole or in part, by me or by subcontractors under my supervision, in accordance with all applicable laws; and, I further acknowledge that said new home is not covered under the New Home Warranty and Builders Registration Act (N.J.S.A. 46:3B-1 et seq.) and that such fact shall be disclosed to any person purchasing this property within ten years of the date of issuance of a certificate of occupancy.

I UNDERSTAND THAT IN MARKING BOX A, I ACKNOWLEDGE THAT I AM ASSUMING RESPONSIBILITY FOR THE WORK DONE ON SAID PROPERTY, THE CONDITION OF THE PROPERTY PRIOR TO, DURING, AND AFTER ANY WORK PERFORMED, AND FOR THE PERFORMANCE OF THE SUBCONTRACTORS I HIRE, EMPLOY, OR OTHERWISE CONTRACT OR WITH WHOM I MAKE AGREEMENTS TO PERFORM WORK. I AM VOLUNTARILY AND KNOWINGLY ASSUMING THIS RESPONSIBILITY.

- ☒ B. ☐ I further certify the following as required by the New Jersey Uniform Construction Code, N.J.A.C. 5:23-2.15(e)1.ix:
I personally prepared the plans submitted for: 1) the new home referred to in A.; or, 2) an addition, alteration, renovation, or repair to an existing single family residence owned and occupied by myself and located on the property listed on Page 1; or, 3) a new structure that will be physically separate from, but that will be deemed part of, an existing single family residence that is owned and occupied by myself and located on the property listed on Page 1.

- C. ☐ I further certify that I will perform or supervise the following work:
C.1. ☐ Building C.2. ☐ Fire Protection

I further certify that I will perform the following work:

- C.3. ☒ Electrical C.4. ☐ Plumbing

- D. ☐ I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I further certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(a)5: All required State, county, and local prior approvals have been given, including such certification as the construction official may require.

I understand that if any of the above statements are willfully false, I am subject to punishment.

Signature

Theresa M. Brown

Date

9 July 2019

II. AGENT SECTION (to be completed if the applicant is not the owner in fee)

I hereby certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(d): the proposed work is authorized by the owner in fee; and I have been authorized by the owner in fee to make this application as his agent.

I further certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(a)5: All required State, county, and local prior approvals have been given, including such certification as the construction official may require.

I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment:

- ☐ Check if contractor.


Agent Name

Address

Telephone ()

Signature

III. ☐ LEAD HAZARD ABATEMENT: Include Homeowner or Building Owner Affidavit as per N.J.A.C. 5:17.



Brick Township
401 Chambersbridge Rd
Brick, NJ 08723

Date Issued 8/16/2019
Control Number C-19-002615
Permit Number 19-2031
Permit Issue Date 8/2/2019
Certificate Number 19-2031

Certificate

Construction Code Division

(Certificate of Approval)

Identification

Work Site Location: 34 BLUE CEDAR DR Brick Township, NJ Block: 378.07 Lot: 6 Qual: _____
Owner in Fee: MOONEY, THERESE M
Owner Address: 34 BLUE CEDAR DRIVE BRICK NJ 08723
Telephone: [REDACTED]
Contractor MOONEY, THERESE M
Address 34 BLUE CEDAR DRIVE BRICK NJ 08723
Telephone: [REDACTED] Fax: _____
License Number or Builders Registration Number: _____ Federal Emp. Number: _____

Home Warranty Number: _____

Type of Warranty Plan: ☐ State ☐ Private

Use Group: U Construction Classification: _____

Maximum Live Load: 0 Maximum Occupancy Load: 0

Description of Work/Use: HOT TUB

Certificate Comments:

☐ **Certificate of Occupancy**

This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☒ **Certificate of Approval**

This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ **Certificate of Continued Occupancy**

This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ **Temporary Certificate of Compliance**

The following conditions must be met no later than or the owner will be subject to fine or order to vacate:

This certificate has an expiration date of:

Conditions to be met:

☐ **Certificate of Clearance - Lead Abatement 5:17**

This serves notice that based on written certification, lead abatement was performed as per NJAC5:17 to the following extent.

☐ Total removal of lead-based paint hazards in scope of work

☐ Partial or limited time period (_____ years); see file

☐ **Certificate of Clearance - Asbestos Abatement**

This serves notice that based on written certification, asbestos abatement was performed to the following extent.

☐ Total removal of asbestos hazards in scope of work

☐ Partial or limited time period (_____ years); see file

☐ **Certificate of Compliance**

This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until

☐ **Temporary Certificate of Occupancy**

The following conditions must be met no later than: or the owner will be subject to fine or order to vacate:

This certificate has an expiration date of:

Conditions to be met:

Construction Official

Fee: \$0.00

Check Number: _____


Collected By: _____

OFFICE USE ONLY

[illegible]



THE EXERCISE POOL

A black and white photograph of a man smiling while exercising in a TidalFit pool. The pool is partially filled with water, and the man is submerged up to his chest. The background shows a residential setting with a house and a fence.

THE BACKYARD

For the Family

TidalFit Exercise Pools are ideal for families looking for an alternative to a full-sized backyard pool. The more cost-effective TidalFit not only delivers many of the same features as a regular pool, but is also much easier to maintain. Temperature control keeps a TidalFit Exercise Pool in use all year round. An ideal backyard solution for family amusement.

For Fitness

As a tool for fitness, health and well-being, the swimming and water resistance exercises possible in TidalFit Exercise Pools benefit people of all ages. These low impact, high-resistance exercises are ideal for achieving general fitness while avoiding injury. ***Get healthy in the convenience and privacy of your own backyard.***



FAMILY & FITNESS INNOVATION

Swim Jet System

Swim training is one of the most complete and beneficial ways to lose weight, develop strength, and increase endurance. The Swim Jet Systems are at the core of the TidalFit Exercise Pool, allowing you to adjust the amount of current you swim against. Offered in different configurations, your Swim Jet System can help you lose a few pounds or assist in your competitive swim training.

Aquatic Training System

Your TidalFit Exercise Pool can include aquatic training equipment:

ROWING

Rowing Bars

Smooth, low-impact, and non-load bearing, rowing spreads the exercise intensity evenly over the body's three major muscle groups: the torso, legs, and arms. This even distribution of exercise helps tone all muscles, instead of just one group.

STRENGTH TRAINING


Resistant Cords, Clips, and Handles

Resistance cords are used in the TidalFit pool for curls, tricep extensions, chest presses, shoulder pulls, and back pulls. These upper body exercises are specifically designed to build strength and lumbar core stability. The cords vary in size to accommodate beginners to advanced conditioning.

STATIONARY RESISTANT SWIM TETHER

Stationary Resistant Swim Tether

The resistance swimming tether training system adds dimension to the range of the TidalFit exercise options. The buoyancy of water provides a virtually weightless environment, allowing you to walk with minimal stress on joints and bones. Walking against the resistance of water also increases the rate at which you burn calories and strengthen muscles.



THE NEW

DTL-6

Dual Temp

FITSPA

The **DTL-6 Dual Temp FitSpa** features
a **14-foot exercise pool** with built-in
stairs PLUS a **6-foot hot tub** with **39**
jets and separate controls.

Dimensions

168 in. x 163 in. x 54 in.

427 cm x 414 cm x 137 cm

Water Capacity


2055 gal 7779 L

Dry Weight


3100 lbs 1406 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)



PATENT PENDING



SPA SIDE

Dimensions:

72 in. x 91 in. x 54 in. 183 cm x 231 cm x 137 cm

Water Capacity: Dry Weight:

375 gal 1420 L 850 lbs 386 kg

POOL SIDE

Dimensions:

168 in. x 91 in. x 54 in. 427 cm x 231 cm x 137 cm

Water Capacity: Dry Weight:

1680 gal 6360 L 2250 lbs 1021 kg

⊙ Hydrotherapy & Swim Jet Systems

- Hydrotherapy System:

- 35 Stainless Steel Helix Jets
 - (2) 3.0 BHP (1.5 HP continuous) 1-Spd

- Quad Swim Jet System (N/A on Variable Flow System)


- (4) Directional 6 in. Swim Jets
 - (2) 4.0 HP 1-Spd Swim Pumps (with Speed Control)

- Variable Flow Swift Water Trainer (optional)

- (2) 5.0 HP True Variable Speed Swim Pumps with Built-in Speed Control
 - (4) Directional 6 in. Swim Jets

Available in:

- **Semi-Inground**
- **Above Ground**



THE NEW

DTL-8

Dual Temp

FITSPA

The **DTL-8 Dual Temp FitSpa** features a **14-foot exercise pool** with built-in stairs **PLUS** an **8-foot hot tub** with **49 or 65 jets** and separate controls.


Dimensions
182 in. x 168 in. x 54 in.
462 cm x 427 cm x 137 cm

Water Capacity
2130 gal 8063 L


Dry Weight
3197 lbs 1450 kg

Heater
5.5 kW - 60 Hz (3.0 kW - 50 Hz)

(shown with optional Variable Flow Swift Water Trainer)



PATENT PENDING



SPA SIDE

Dimensions:

91 in. x 91 in. x 54 in. 231 cm x 231 cm x 137 cm

Water Capacity: Dry Weight:

450 gal 1703 L 947 lbs 430 kg

POOL SIDE

Dimensions:

168 in. x 91 in. x 54 in. 427 cm x 231 cm x 137 cm

Water Capacity: Dry Weight:

1680 gal 6360 L 2250 lbs 1021 kg

⊙ Hydrotherapy & Swim Jet Systems

- Hydrotherapy System:

45 or 61 Stainless Steel Helix Jets

DT-8 45 (2) 5.0 BHP (2.5 HP continuous) 1-Spd
(1) 3.0 BHP (1.5 HP continuous) 1-Spd

DT-8 61 (1) 6.0 BHP (3.0 HP continuous) 1-Spd
(1) 5.0 BHP (2.5 HP continuous) 1-Spd
(1) 3.0 BHP (1.5 HP continuous) 1-Spd

- Quad Swim Jet System (N/A on Variable Flow System)

(4) Directional 6 in. Swim Jets

(2) 4.0 HP 1-Speed Swim Pumps (with Speed Control)



- Variable Flow Swift Water Trainer (optional)

(2) 5.0 HP True Variable Speed Swim Pumps
with Built-in Speed Control

(4) Directional 6 in. Swim Jets

Available in:

- **Semi-Inground**
- **Above Ground**



THE NEW

DT-19

Dual Temp

FITSPA

The DT-19 Dual Temp FitSpa features a 13-foot exercise pool with built-in stairs PLUS a 6 person hot tub with 35 jets and separate controls.

Dimensions

231 in. x 91 in. x 54 in.

587 cm x 231 cm x 137 cm

Water Capacity


2000 gal 7571 L

Dry Weight

2939 lbs 1333 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)



Stainless Steel Helix Jets

PATENT PENDING

SPA SIDE

Dimensions:

72 in. x 91 in. x 54 in. 183 cm x 231 cm x 137 cm

Water Capacity:



375 gal 1420 L


Dry Weight:

850 lbs 386 kg

Available in:

- Semi-Inground
- Above Ground





POOL SIDE

Dimensions:

159 in. x 91 in. x 54 in. 404 cm x 231 cm x 137 cm

Water Capacity:

1625 gal 6151 L

Dry Weight:

2089 lbs 948 kg

⊙ Hydrotherapy & Swim Jet Systems

- Hydrotherapy System:

- 35 Stainless Steel Helix Jets

- (2) 3.0 BHP (1.5 HP continuous) 1-Spd

- Quad Swim Jet System (N/A on Variable Flow System)

- (4) Directional 6 in. Swim Jets

- (2) 4.0 HP 1-Speed Swim Pumps (with Speed Control)

- Variable Flow Swift Water Trainer (optional)

- (2) 5.0 HP True Variable Speed Swim Pumps with Built-in Speed Control

- (4) Directional 6 in. Swim Jets

The DT-19 Dual Temp FitSpa

TidalFit Swim Spas have all the benefits of a full size pool with less cost, less space and less maintenance. We set the industry standard for low impact water exercise and we have raised the bar once again. Combining our world class exercise pool with the choice of hydrotherapy spa, we have seamlessly integrated both into one amazing unit, the DT-19 Dual Temp FitSpa.

THE NEW

DT-21

Dual Temp

FITSPA

The DT-21 Dual Temp FitSpa features a
13-foot exercise pool with built-in stairs
PLUS an 8-foot luxury hot tub.

Dimensions

250 in. x 91 in. x 54 in.

635 cm x 231 cm x 137 cm

Water Capacity


2075 gal 7855 L

Dry Weight

3036 lbs 1377 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)



PATENT PENDING.

SPA SIDE

Dimensions:

91 in. x 91 in. x 54 in. 231 cm x 231 cm x 137 cm

Water Capacity:


450 gal 1703 L


Dry Weight:

947 lbs 430 kg

Available in:

- Semi-Inground
- Above Ground





(shown with optional Variable Flow Swift Water Trainer)


POOL SIDE

Dimensions:

159 in. x 91 in. x 54 in. 404 cm x 231 cm x 137 cm

Water Capacity: Dry Weight:

1625 gal 6151L **2089 lbs 948 kg**



⊙ Hydrotherapy & Swim Jet Systems

• Hydrotherapy System:

45 or 61 Stainless Steel Helix Jets

DT-8 45 (2) 5.0 BHP (2.5 HP continuous) 1-Spd
(1) 3.0 BHP (1.5 HP continuous) 1-Spd

DT-8 61 (1) 6.0 BHP (3.0 HP continuous) 1-Spd
(1) 5.0 BHP (2.5 HP continuous) 1-Spd
(1) 3.0 BHP (1.5 HP continuous) 1-Spd

• Quad Swim Jet System (N/A on Variable Flow System)

(4) Directional 6 in. Swim Jets

(2) 4.0 HP 1-Speed Swim Pumps (with Speed Control)

• Variable Flow Swift Water Trainer (optional)

(2) 5.0 HP True Variable Speed Swim Pumps
with Built-in Speed Control

(4) Directional 6 in. Swim Jets

DUAL TEMP

STANDARD FEATURES

Dual Temp Standard Features



- Warranty:
 - Lifetime Structure
 - 7-Year Surface
 - 5-Year Parts, Labor, Plumbing and Electrical
 - 2 Year Cabinet
- 6 in. Maximum Tapered ASTM Cover
- Advanced Digital Control System: Color LCD Panel, Multi-language Interface (N/A on Variable Flow System)
- Heater: 5.5 kW for North America (60 Hz), 3.0 kW for Export (50 Hz)
- Maintenance Free Grandwood Cabinet
- Full Foam with ABS Bottom

Charcoal
Black

Taupe


Java

Grey

Antique

Grandwood Cabinets


The warranty printed in the booklet is for the USA only. Please contact your local dealer for relevant warranty document in your region.



POOL Side


- (3) Grab Rails
- 12 V - 5 in. Spa Light
- Hi-Flo Circulation System
- BellagioFall Water Feature
- Quad Swim Jet System (N/A on Variable Flow System)
- (4) Directional 6 in. Swim Jets
- (2) 4.0 HP 1-Speed Swim Pumps (with Speed Control)

POOL Side Acrylics:



Oceanwave Opal*+

UPGRADE



Sierra

STANDARD



Silver Marble

STANDARD

SPA Side

- Helix SS Jet Design
- 12 V - 3.5 in. Spa Light
- Hi-Flo Circulation System with Microfilter
- Dual Footblaster Jets (DT-8)

SPA Side Acrylics:

Solid



White

Granites



Sierra

Marbles




Silver Marble

Gemstone



Summer

Luster Swirls



Oceanwave

DUAL
TEMP

OPTIONAL FEATURES

SPA Side Optional Features

- LED Lighting:
 - 1) DynaBrite (DT-8): (1) 3.5 in., (6) 2 in. LED Light, Tranquility Fall, Air Controls, Clear Footblaster (Optional)
 - 2) DynaBrite (DT-6): (1) 3.5 in., (4) 2 in. LED Light, Tranquility Fall, Air Controls
 - 3) DynaStar LED: (1) 3.5 in., (4) 2 in. LED Light
 - 4) Multicolor 10 LED
- Stereo System:
 - 1) Premium Infinity® Sound System by Harman
(N/A on Variable Flow System):
 - Bluetooth Receiver, AM/FM, USB, Auxiliary Input, (4) 3 in. Speakers,
 - (2) 6.5 in. Exterior Speakers, Power Subwoofer,
 - 2) Bluetooth® Music Experience (N/A on Variable Flow System):
 - Bluetooth Receiver, AM/FM, USB, Auxiliary Input, (4) 3 in. Speakers, Subwoofer
 - 3) bba™² Audio (N/A on Variable Flow System):
 - Fully Integrated Bluetooth Audio Streaming, (4) 3 in. Speakers, Subwoofer
 - Optional (2) 3 in. Patio Speakers
 - (Stereo System 2, 3, and Advanced Integrated Streaming)
- Worldwide WiFi App Module:
 - Download App for Smart Device to Control Spa Wirelessly
- 18 in. Tranquility Fall
- Pump/Heater Valves
- Water Purification:
 - 1) Diamond AOP™
 - 2) Crystal ProPure™ Ozone Mixing Chamber
 - 3) Ozonator
 - 4) FROG® @ease™ with SmartChlor™⁺⁺
 - 5) Nature2® Cartridge


⁺⁺Where Allowed By Law

SPA Side Acrylic Upgrades:



Oyster
Opal


Midnight
Opal



Tuscan Sun




Midnight Canyon



Storm Clouds

Metallix



Winter Solstice



Glacier Mountain

Minerals



Mineral White

Luster




White Pearl

POOL Side Optional Features


- Variable Flow Swift Water Trainer
 - (2) 5.0 HP True Variable Speed Swim Pumps with Built-in Speed Control
 - (4) Directional 6 in. Swim Jets
 - Built-in WiFi, Touch Screen LCD with Multiple Programmable Swim Workout Options
 - Download App for Smart Device to Control Exercise Pool Wirelessly
 - (No Wi-Fi Module needed)
- LED Lighting:
 - 1) DynaBrite: (8) 2 in. Lights, (1) 5 in. Light, Illuminated BellagioFall
 - [Illuminates (4) 6 in. Swim Jets (Available Only on Variable Flow System)]
- Water Purification:
 - 1) Diamond AOP™
 - 2) Crystal ProPure™ Ozone Mixing Chamber
 - 3) Ozonator
 - 4) Nature2® Cartridge
- Heater Valves
- Aquatic Training System:
 - 1) Stationary Resistant Swim
 - 2) Rowing Bars and Resistant Cords
- Stereo System :
 - 1) Advanced Integrated Streaming:
 - Fully Integrated Bluetooth, WiFi, App Streaming and Internet Radio, (6) 3 in. Speakers (4 on spa, 2 on pool); Subwoofer
 - (Available Only on Variable Flow System)

ROCK CABINETS
UPGRADE*

Javastone®




Sandstone®



*On Semi-Inground Models Only.

SEMI- INGROUND Installation



Partially sunk into the ground, this customization option is top rated for energy efficiency. Able to beautifully blend into your existing landscaping, the Semi-Inground Installation option also allows for the Rock Cabinet upgrade.


Turn your Exercise Pool into a *Smart Exercise Pool* with the optional **Variable Flow Swift Water Trainer**

TidalFit®'s new **Variable Flow Swift Water Trainer** features a **SWIM SYSTEM** containing true variable speed pumps. This allows the swimmer a variety of swim options by varying swim resistance, simply by pushing a button on the **TOUCH SCREEN LCD PANEL**. The system allows you to save up to ten different 30-minute swim programs – that's 5 hours of swimming exercises!



NEW Touch Screen LCD Panel

Download the **Waterway Spa Control** app for smart device to control exercise pool wirelessly. (No Wi-Fi Module needed)



Dual Temp FitSpas & Exercise Pools

Ideal backyard solutions for
the whole family



Active EP-12

Dimensions

144 in. x 91 in. x 45 in.

366 cm x 231 cm x 114 cm

Water Capacity

1300 gal 4921 L

Dry Weight

1750 lbs 794 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)


Filters

(1) Microfilter

(1) 50 sq ft Filter

Available in:


- Above Ground



⊙ Optional Hydrotherapy System

- Hydrotherapy System

14 Helix Jets, 2 Whirlpool Jets, 5.0 BHP
(2.5 HP continuous) 1-Spd Pump




○ Optional Hydrotherapy System

The INTRODUCTION

The Active EP-12 is the most basic model of the line, an introduction to TidalFit Exercise Pools.

ActivePlus EP-12



Dimensions

144 in. x 91 in. x 52 in.

366 cm x 231 cm x 132 cm

Water Capacity

1300 gal 4921 L

Dry Weight

2000 lbs 907 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)



Filters

1) Microfilter

1) 50 sq ft Filter

Available in:

- Semi-Inground
- Above Ground




Optional Hydrotherapy & Swim Jet Systems

- Hydrotherapy System

28 Helix Jets, 6.0 BHP (3.0 HP continuous) 1-Spd Pump, BellagioFall Water Feature


Optional Twin Bench (Hydrotherapy Required) - 12 Helix Jets & 3.0 BHP (1.5 HP continuous) 1-Spd Pump



DOUBLE UP

The ActivePlus EP-12 features the optional Dual Swim System and Twin Benches.

Premium EP-14



Available in:

- **Semi-Inground**
- **Above Ground**



Dimensions

168 in. x 91 in. x 52 in.

427 cm x 231 cm x 132 cm

Water Capacity

1680 gal 6360 L

Gross Weight

2250 lbs 1021 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)


Filters

1) Microfilter

1) 50 sq ft Filter

Optional Hydrotherapy & Swim Jet Systems


- Hydrotherapy System
 - 28 Helix Jets, 6.0 BHP (3.0 HP continuous) 1-Spd Pump, BellagioFa Water Feature
- Quad Swim Jet System (EP-14, EP-15)
 - (4) Directional 6.0 in. Swim Jets
 - (2) 4.0 HP 1-Spd Swim Pump (with Speed Control)
- Variable Flow Swift Water Trainer (EP-14, EP-15)
 - (2) 5.0 HP True Variable Speed Swim Pumps with Built-in Speed Control
 - (4) Directional 6 in. Swim Jets



JETS

The Premium EP-14 uses the Quad Swim Jet System or the Variable Flow Swift Water Trainer.

Pro EP-15



Dimensions

180 in. x 91 in. x 60 in.

457 cm x 231 cm x 152 cm

Water Capacity

2000 gal 7571 L

Dry Weight

2400 lbs 1088 kg

Heater

5.5 kW - 60 Hz (3.0 kW - 50 Hz)


Filters


(1) Microfilter

(1) 50 sq ft Filter

Available in:

- Semi-Inground
- Above Ground





Touch Screen LCD Panel
for Optional Variable Flow
Swift Water Trainer

• • ○ Optional Quad Swim Jet System

○ Optional Hydrotherapy & Swim Jet Systems

- Hydrotherapy System

34 Helix Jets, 6.0 BHP (3.0 HP continuous) 1-Spd Pump, BellagioFall Water Feature

- Quad Swim Jet System (EP-14, EP-15)

(4) Directional 6.0 in. Swim Jets

(2) 4.0 HP 1-Spd Swim Pump (with Speed Control)

- Variable Flow Swift Water Trainer (EP-14, EP-15)

(2) 5.0 HP True Variable Speed Swim Pumps with Built-in Speed Control

(4) Directional 6 in. Swim Jets

STANDARD FEATURES

Standard

- Warranty:

- Lifetime Structure

- 7-Year Surface Warranty

- 5-Year Parts, Labor, Electrical and Plumbing

- 2-Year Cabinet

- 6 in. Maximum Tapered ASTM Cover

- Advanced Digital Control System:

- Color LCD Panel, WiFi Ready(Module Required), Multi-language Interface (N/A on Variable Flow System)

- Heater: 5.5 kW for North America (60 Hz), 3.0 kW for Export (50 Hz)

- Maintenance Free Grandwood Cabinet

- Grab Rails: (2) EP-14/EP-15, (1) EP-12


- Full Foam with ABS Bottom

- 12 V - 5 in. Spa Light


- Hi-Flo Circulation System



Acrylics



Grandwood Cabinets



The warranty printed in the booklet is for USA only. Please contact your local dealer for relevant warranty document in your region.


OPTIONAL FEATURES

- Variable Flow Swift Water Trainer (EP-14, EP-15)
 - (2) 5.0 HP True Variable Speed Swim Pumps with Built-in Speed Control
 - (4) Directional 6 in. Swim Jets
 - Built-in WiFi, Touch Screen LCD with Multiple Programmable Swim Workout Options.
 - Download App for Smart Device to Control Exercise Pool Wirelessly
 - (No Wi-Fi Module needed)
- Quad Swim Jet System (EP-14, EP-15)
 - (4) Directional 6.0 in. Swim Jets
 - (2) 4.0 HP 1-Spd Swim Pump (with Speed Control)
- Dual Swim Jet System (ActivePlus EP-12)
 - (2) Directional 6.0 in. Swim Jets
 - (1) 4.0 HP 1-Spd Swim Pump
- Hydrotherapy System:
 - 1) Pro EP-15: 34 Helix Jets, 6.0 BHP (3.0 HP continuous) 1-Spd Pump, BellagioFall Water Feature
 - 2) Premium EP-14:
 - 28 Helix Jets, 6.0 BHP (3.0 HP continuous) 1-Spd Pump, BellagioFall Water Feature
 - 3) ActivePlus EP-12:
 - 28 Helix Jets, 6.0 BHP (3.0 HP continuous) 1-Spd Pump, BellagioFall Water Feature
 - Optional Twin Bench (Hydrotherapy Required) - 12 Helix Jets & 3.0 BHP (1.5 HP continuous) 1-Spd Pump
 - 4) Active EP-12:
 - 14 Helix Jets, 2 Whirlpool Jets, 5.0 BHP (2.5 HP continuous) 1-Spd Pump
- Stereo System :
 - 1) Advanced Integrated Streaming:
 - Fully Integrated Bluetooth, WiFi, App Streaming and Internet Radio, (4) 3 in. Speakers, Subwoofer (Available Only on Variable Flow System)
 - 2) Bluetooth® Music Experience (N/A on Variable Flow System):
 - Bluetooth Receiver, AM/FM, USB, Auxiliary-Input, (4) 3 in. Speakers, Subwoofer
 - 3) bba™2 Audio (N/A on Variable Flow System):
 - Fully Integrated Bluetooth Audio Streaming, (4) 3 in. Speakers, Subwoofer
 - Optional (2) 3 in. Patio Speakers
- LED Lighting:
 - 1) DynaBrite Max LED (EP-14/EP-15)
 - (12) 2 in. Lights, (1) 5 in. Light, Illuminates Water Feature [Illuminates (4) 6 in. Swim Jets (Available Only on Variable Flow System)]
 - 2) DynaBrite LED (EP-12)
 - (8) 2 in. Lights, (1) 5 in. Light, Illuminates BellagioFall (Hydrotherapy Required)
 - 3) Multicolor 10 LED
- Water Purification:
 - 1) Diamond AOP™
 - 2) Crystal ProPure™ Ozone Mixing Chamber
 - 3) Ozonator
 - 4) Nature2® Cartridge
- Heater Valves
- Aquatic Training System:
 - 1) Stationary Resistant Swim
 - 2) Rowing Bars and Resistant Cords
- Worldwide WiFi App Module (N/A on Variable Flow System):
 - Download App for Smart Device to Control Exercise Pool Wirelessly
- VacuSeal® Lifter and Cover


Upgrades

ROCK CABINETS

SANDSTONE



JAVASTONE



*On Semi-Inground Models Only.

• Stereo System :

1) Advanced Integrated Streaming:

Fully Integrated Bluetooth, WiFi, App Streaming and Internet Radio,

(4) 3 in. Speakers, Subwoofer (Available Only on Variable Flow System)

2) Bluetooth® Music Experience (N/A on Variable Flow System):

Bluetooth Receiver, AM/FM, USB, Auxiliary-Input, (4) 3 in. Speakers, Subwoofer

3) bba™² Audio (N/A on Variable Flow System):

Fully Integrated Bluetooth Audio Streaming, (4) 3 in. Speakers, Subwoofer

Optional (2) 3 in. Patio Speakers




Bluetooth

Stream Music

With the TidalFit® Stereo System, you can stream music from your smartphone or tablet to your spa. The system features a built-in Bluetooth receiver and a subwoofer, providing a rich, immersive audio experience. The system is designed to be used in a variety of settings, from a relaxing spa to a home theater.

For more information, visit www.tidalfit.com



STEREO SYSTEMS
OPTIONS



AnytimeAnywhereAnyplace



WiFi App Control

The WORLDWIDE APP MODULE OPTION, allows you to access your hot tub using an App on your smart device (Android™ or iPhone®) via a direct connection anywhere in the local proximity of your tub. Gain access anywhere in your house that you can connect to your local WiFi network, or anywhere in the world you have an internet connection to your smart device via 3G, 4G, or WiFi hot spots.

With the App, you can ensure that your hot tub will be ready whenever you want to take a dip. The App provides full interface control so you can set the temperature, turn pumps on and off and even set filtration cycles - all from your smartphone or tablet.



*The app's cloud access cost is free for the first 12 months and then \$24 per year after. If not renewed after 12 months, the app will continue to operate in local mode only.

SMART SPA CONTROL
OPTION


WATER PURIFICATION

CLEAN & PURE SPA WATER

Our water purification systems virtually eliminates the need for chemicals to oxidize contaminants and organics on contact. It converts oxygen molecules "in the air" into ozone. When organics such as bacteria, viruses, and bather load are burned up in the process, it then reverts back to pure, fresh oxygen.

Proven ozone technology effectively removes water impurities and microorganisms, reduces chemical usage and requires less maintenance. Your skin will feel soft, clean and free of harsh chemicals.

Clean spa water made easy...nature's way.



SAVING TIME AND MAINTENANCE


For residential spas that effectively remove water impurities and microorganisms, reduce chemical usage, require less maintenance and provide the convenience of one unit to clean your spa day after day both domestically and internationally.

Proven, reliable and green technology for a clean spa water.

Diamond **AOP**[™]
ProPure Advanced Oxidation

Diamond AOP[™]


The Diamond AOP[™] process combines the Nature2[®] option, Microfiltration, high efficiency Circulation Pump, and the AquaNova[™] UVC & Ozone Spa Sanitizer, to create a highly advanced oxidation process (AOP) for water purification.




Crystal **ProPure**[™]
Ozone Mixing Chamber

Crystal ProPure[™]

Water Purification combines the Ozonator, Dynamic Injector, and the ProPure Mixing Chamber. All components work together to create an innovative water purification system.



OPTIONS



About TidalFit Exercise Pools

The TidalFit exercise pool is built to the same world class quality standards that you would expect from May Manufacturing, LLC, who is renowned throughout the spa industry. Designed with an ideal combination of innovative engineering and artistry, the TidalFit is as constant in quality as it is in efficiency and design. Some of the most discriminating buyers acquire this exercise pool because it is intuitively user friendly, as well as being aesthetically appealing. Simply put, with its quality workmanship and exceptionally attractive features, the TidalFit is in a class of its own. TidalFit was recently seen on the ABC television show Extreme Makeover, Weight Loss Edition.



1770 Hooper Avenue
Toms River, NJ 08753


732-915-0615

www.hottubcentralnj.com





ELECTRICAL SUBCODE TECHNICAL SECTION



A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 378-01 Lot 378-01-0 Qualification Code _____
Work Site Location 34 Blue Cedar Dr Brick NJ

Owner in Fee: Therese mooney

Tel. _____ e-mail _____

Address 34 Blue Cedar Dr Brick 08723
street municipality zip code

Contractor: _____ Tel. _____

Address _____ e-mail _____

Contractor License No. _____ Exp. Date _____

Home Improvement Contractor Registration No. or Exemption Reason _____

Federal Emp. ID No. _____ FAX: _____

B. ELECTRICAL CHARACTERISTICS

Use Group Present _____ Proposed _____

[] Pole/Pad # _____ [] Temporary [] Other _____

Building Occupied as Residential Utility Co. JCP&L

Est. Cost of Elec. Work \$ \$500.00

JOB SUMMARY (Office Use Only)		INSPECTIONS		Dates (Month/Day)	
PLAN REVIEW		Type:	Failure	Failure	Approval Initial
[] No Plans Required		Rough			
[] Partial Underslab Utilities Approved		Barrier-Free			
Date: _____ Approved by: _____		Trench			
[] Electric Plans Approved		Temp. Serv.			
Date: <u>8/1/19</u> Approved by: <u>AE</u>		Constr. Serv.			
Joint Plan Review Required:		TCO			
[] Bldg. [] Plumb. [] Fire. [] Elev.		Other			
SUBCODE APPROVAL for PERMIT		Service			
Date: <u>8/1/19</u>		Final			
Approved by: <u>PO</u>		Barrier-Free			
SUBCODE APPROVAL for CERTIFICATE		Temp. Cut-in-Card Date Issued			
[] CO [] CCO [] CA		Final Cut-in-Card Date Issued			
Date: <u>8-12-19</u>		Annual Pool Inspection			
Approved by: <u>VW</u>		Date of Grounding and Bonding Certification			

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant sign/Contractor sign and seal here: Therese Mooney

Print name here: Therese mooney

[] Licensed Elec. Contractor [] Certif'd Landscape Irrigation Contr [] Exempt Applicant

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK: Power Source for hot tub on existing concrete pad

QTY.	SIZE	ITEMS	FEE (Office Use Only)
1	20AMP	Lighting Fixtures	
		Receptacles	
		Switches	
		Detectors	
		Light Poles	
		Motors—Fract. HP	
		Emergency & Exit Lights	
		Communications Points	
		Alarm Devices/F.A.C. Panel	
		TOTAL NUMBERS	\$
1	240/60 AMP	Pool Permit/with UW Lights	
		Storable Pool/Spa/Hot Tub	
		KW Elec. Range/Receptacle	
		KW Oven/Surface Unit	
		KW Elec. Water Heater	
		KW Elec. Dryer/Receptacle	
		KW Dishwasher	
		HP Garbage Disposal	
		KW Central A/C Unit	
		HP/KW Space Heater/Air Handler	
		KW Baseboard Heat	
		HP Motors 1/+ HP	
		KW Transformer/Generator	
		AMP Service	
		AMP Subpanels	
		AMP Motor Control Center	
		KW Elec. Sign/Outline Light	

Administrative Surcharge	\$
Minimum Fee	\$
State Permit Surcharge Fee	\$
TOTAL FEE	\$



CONSTRUCTION PERMIT

Date Issued 8/2/19
Control # C-19-002615
Permit # 19-2031

IDENTIFICATION Block: 378.07 Lot: 6 Qualifier _____
Work Site Location: 34 BLUE CEDAR DR Brick Township, NJ Contractor MOONEY, THERESE M
Owner in Fee MOONEY, THERESE M Address 34 BLUE CEDAR DRIVE BRICK NJ 08723
34 BLUE CEDAR DRIVE BRICK NJ 08723 Telephone: _____
Telephone: _____ Lic. No. or _____
Federal Employee No. _____

Is hereby granted permission to perform the following work:

- ☐ BUILDING ☐ PLUMBING ☐ LEAD HAZARD ABATEMENT
☒ ELECTRICAL ☐ FIRE PROTECTION ☐ DEMOLITION
☐ ELEVATOR DEVICES ☐ ASBESTOS ABATEMENT (Subchapter 8 only) ☐ OTHER

DESCRIPTION OF WORK:

HOT TUB

Note: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Estimated Cost of Work \$500

Construction Official

Date 8/1/19

U.C.C. F170
equiv (rev 1/04)

1 WHITE - INSPECTOR

2 CANARY - OFFICE

3 PINK - TAX ASSESSOR 8/1/19 4 GOLD - APPLICANT 8/1/19

PAYMENTS (Office Use Only)

Building	\$0
Electrical	\$175
Plumbing	\$0
Fire Protection	\$0
Elevator Devices	\$0
Other	\$0.00
DCA Training Fee	\$1
CO Fee	
Other	\$0
Total	<u>207</u> \$176
Check No.	
Cash	\$0
Credit	\$0
Collected By	<u>[Signature]</u>

REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

☒ Required inspections for all subcodes for one- and two-family dwellings are as follows:

1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
2. Foundations and all walls up to grade level prior to back filling.
3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
4. Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.

Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, heat producing devices and Barrier Free subcode accessibility, if applicable.

☐ Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:

☒ A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".

☒ A complete copy of released plans must be kept on the job site.

If you do not understand any of this information, please ask.

RECEIVING CLERK _____
DATE REC'D _____

ZONING PERMIT APPLICATION

PERMIT # ZP-14-00853
DATE ISSUED 3/2/19

BLOCK: 6 LOT: 378.07 QUALIFIER: — SITE ADDRESS: 34 Blue Cedar Dr

IDENTIFICATION:

1. NAME OF OWNER IN FEE: Therese Mooney
COMPLETE ADDRESS: 34 Blue Cedar Drive
PHON: [REDACTED] MAIL: [REDACTED]

2. NAME OF APPLICANT: Therese Mooney
APPLICANT ADDRESS: 34 Blue Cedar Dr
Brick NT 08123
PHON: [REDACTED] MAIL: —

3. RESPONSIBLE PERSON FOR WORK: Therese Mooney
PHONE# — FAX# —

4. SIGNATURE OF APPLICANT: Therese Mooney

FOR OFFICE USE ONLY

FEE SUMMARY:

APPLICATION FEE: \$ 50-
OTHER: \$ —
TOTAL: \$ 50-

REQUIRED BY APPLICANT

RESIDENTIAL: ☒
COMMERCIAL: —
EXISTING USE: SFR
PROPOSED USE: SFR

BOARD APPROVAL: — PB — ZB —
RESOLUTION#: —
APPROVAL DATE: —

PROJECT DESCRIPTION: (PLEASE CHECK APPLICABLE WORK & DESCRIBE)

*NEW BUILDING: — *ADDITION — *ALTERATION — *PORCH — *DECK —

POOL: ABOVE GROUND — IN GROUND — FENCE: HEIGHT 6 TYPE — MATERIAL —

HEIGHT: — (*IF APPLICABLE)

OTHER Swim Spa see enclosed brochure

DESCRIPTION: Swim Spa to set on Existing Pad cement w/ rebar per manufacturer's specs

ZONING REVIEW:

DATE REVIEWED: 2-24-19 DATE DENIED: — DATE APPROVED: 2-24-19 INTLS: — (SEE BACK PAGE)

TOWNSHIP OF BRICK ZONING CHECKLIST

1) Four (4) copies of plot plan containing:

- All existing and proposed structures
- All dimensions of the lot and structures
- All setbacks from the structures to the property lines
- All adjacent streets and waterways
- If applicable, include a copy of the Zoning Board of Adjustment Resolution, the date that the map was signed, and/or the date that the subdivision map was filed with the Ocean County Clerk, along with the file map and number.

2) Two copies of the plans with dimensions and heights noted:

- Floor plans and elevations
- Signed site plans
- Property map
- Survey map

Choose which is applicable for submission

3) Plot plans and building plans must match for complete review

NOTE: NO PARTIAL, TAPED, FAXED, REDUCED OR ENLARGED COPIES CAN BE ACCEPTED

01/2010

OFFICE USE ONLY

ZONING REVIEW:

DATE REVIEWED: _____ DATE DENIED: _____ DATE APPROVED: _____ INTLS: _____

[illegible]

LAND USE

245 Attachment 5

Township of Brick

SCHEDULE OF AREA, YARD AND BUILDING REQUIREMENTS

Township of Brick
Ocean County, New Jersey

[Amended 6-26-1979 by Ord. No. 354-2B-79; 4-22-1980 by Ord. No. 354-2H-80; 10-14-1980 by Ord. No. 354-2N-80; 9-23-1980 by Ord. No. 354-1B-80; 8-25-83 by Ord. No. 354-2SS-83; 11-5-1984 by Ord. No. 354-2AAA-84; 11-5-1984 by Ord. No. 354-2CCC-84; 6-24-1986 by Ord. No. 354-2WWW-86; 9-13-1988 by Ord. No. 354-2TTTT-88; 9-27-1988 by Ord. No. 354-2XXX-88; 9-12-2000 by Ord. No. 354-2EE-00; 5-9-2000 by Ord. No. 354-2Z-00; 3-26-2002 by Ord. No. 354-2C-02; 11-26-2002 by Ord. No. 354-2L-02; 3-25-2003 by Ord. No. 354-2D-03; 6-13-2006 by Ord. No. 19-06]

Zone	Minimum Lot Size						Minimum Required Yard Depth						Maximum Lot Coverage by Building	Maximum Building Height				Minimum Floor/ Building Area (square feet) 2 stories/1 story	Maximum Allowable Impervious Coverage	
	Interior Lots			Corner Lots			Principal Building				Accessory Building			Maximum Building Height						
	Area (square feet)	Width (feet)	Depth (feet)	Area (square feet)	Width (feet)	Depth (feet)	Front Yard (feet)	Side Yard, Each (feet)	Both Sides Combined (feet)	Rear Yard (feet)	Side Yard (feet)	Rear Yard ¹ (feet)		Stories	Eaves (feet)	Feet	Ridge (feet)			
R-R	40,000	150	150	40,000	150	150	50	25			50	25	25	25%	—	26			—	
RR-2	See § 245-90.																			
RR-3	See § 245-103.																			
R-20	20,000	100	125	25,000	100	125	40	15	—		40	10	10	25%	—	26	35	38.5	—	
R-15	15,000	100	115	17,250	100	115	35	12	—		35	10	10	25%	—	26	35	38.5	—	
R-10	10,000	90	100	10,500	100	100	30	6	20		20	5	5	30%	—	26	35	38.5	—	
R-7.5	7,500	75	90	9,000	75	90	25	6	15		15	5	5	30%	—	26	35	38.5	—	
R-5	5,000	50	75	6,000	50	75	20	5	12		15	5	5	35%	—	26	35	38.5	—	
O-P	15,000	100	150	15,000	100	150	50	10	—		50	20	50	35% ²	2	—	35	38.5	1,500	70%
B-1	10,000	100	90	12,500	100	125	30	10	—		20	10	20	30% ²	2	—	35	38.5	1,000	60%
B-2	20,000	125	125	20,000	125	125	50	10	—		50	10	50	30% ²	2	26	35	38.5	2,000	65%
B-3	2 acres	200	200	2 acres	200	200	75	30	—		50	20	50	25% ²	—	—	35	38.5	2,000	65%
B-4	5 acres	300	300	—	—	—	100	50(150) ¹	—		100(150) ¹	20	50	25%	3	—	35	38.5	30,000	70%
M-1	5 acres	300	300	5 acres	300	300	100	50	—		150	75	150	30% ²	—	—	35	38.5	5,000	65%
R-M	25 acres	350	200	—	—	—	50	50	—		30	30	30	20%	—	26	35	38.5	—	65%
O-P-T	40,000	150	150	40,000	150	150	50	20	—		50	20	50	25% ²	2	—	35	38.5	2,000	50%
H-S	See § 245-261.																			
															—	—	—	—		70%

NOTES:

- ¹ If adjacent to residential zone or use.
- ² The maximum lot coverage shall refer only to that percentage of an affected lot which is suitable for building.
- ³ For rear yard setback requirements for accessory buildings on waterfront property, see § 245-10B.



Brick Township
401 Chambers Bridge Rd.
Brick, NJ 08723
(732) 262-1041

Date Issued:

8/2/19

Application Number:

ZA-19-00872

Application Date:

7/18/2019

Project Number:

Permit Number:

ZP-19-00853

Fee:

\$50.00

Zoning Permit

Worksite **34 BLUE CEDAR DR**
Location: **Brick Township, NJ 08723**

Owner: **MOONEY, THERESE M**
Address: **34 BLUE CEDAR DRIVE**
BRICK, NJ 08723

Applicant: **MOONEY, THERESE M**
Address: **34 BLUE CEDAR DRIVE**
BRICK, NJ 08723

Block: 378.07 Lot: 6 Qualifier: _____ Zone: R-7.5

This Certifies that an application for the issuance of a Zoning Permit has been examined.

Present Use: Single-Family Residential

☐ Non Conforming Use

☐ Non Conforming Structure

Proposed Use: Single-Family Residential

Work Description:

Hot Tub/Spa - Installation of a 180" X 91" swim spa.

The swim spa must be setback at least 25' from the front property line, 5' from the side and rear property line.

Additional Zoning Permit is required for additional work.

Application Approved Date: 7/24/2019

Upon review it was determined that the Zoning Permit:

☒ Permitted by Ordinance

☐ Permitted by Variance approved on: _____

☐ Approved with Conditions

☐ Valid Nonconforming Use/Structure is established by

☐ Zoning Board of Adjustment

☐ Zoning Officer


Christopher J. Romano, Zoning Officer

7/24/2019

Date



ELECTRICAL SUBCODE TECHNICAL SECTION



A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 318-07 Lot 378-07-0 Qualification Code WT
Work Site Location 34 Blue Cedar Dr Brick NJ

Owner in Fee: Therese mooney

Tel. [REDACTED] e-mail [REDACTED]

Address 34 Blue Cedar Dr Brick 08723
street municipality zip code

Contractor: [REDACTED] Tel. [REDACTED]

Address [REDACTED] e-mail [REDACTED]

Contractor License No. [REDACTED] Exp. Date [REDACTED]

Home Improvement Contractor Registration No. or Exemption Reason [REDACTED]

Federal Emp. ID No. [REDACTED] FAX: [REDACTED]

B. ELECTRICAL CHARACTERISTICS

Use Group Present [REDACTED] Proposed [REDACTED]

☐ Pole/Pad # [REDACTED] ☐ Temporary ☐ Other [REDACTED]

Building Occupied as Residential Utility Co. TCPL

Est. Cost of Elec. Work \$ 2500.00

JOB SUMMARY (Office Use Only)

PLAN REVIEW		INSPECTIONS		Dates (Month/Day)	
☐ No Plans Required		Type	Failure	Failure	Approval Initial
☐ Partial—Underslab Utilities Approved		Rough			
Date <u>8/1/19</u> Approved by: <u>[Signature]</u>		Barrier-Free			
☒ Electric Plans Approved		Trench			
Date <u>8/1/19</u> Approved by: <u>[Signature]</u>		Temp. Serv.			
Joint Plan Review Required:		Constr. Serv.			
☐ Bldg. ☐ Plumb. ☐ Fire. ☐ Elev.		TCO			
SUBCODE APPROVAL for PERMIT		Other			
Date: <u>8/1/19</u>		Service			
Approved by: <u>[Signature]</u>		Final			
SUBCODE APPROVAL for CERTIFICATE		Barrier-Free			
☐ CO ☐ CCO ☐ CA		Temp. Cut-in-Card Date Issued			
Date: <u>8/1/19</u>		Final Cut-in-Card Date Issued			
Approved by: <u>[Signature]</u>		Annual Pool Inspection			
		Date of Grounding and Bonding			
		Certification			

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant sign/Contractor sign and seal here: [Signature]

Print name here: Therese mooney

☐ Licensed Elec. Contractor ☐ Certif'd Landscape Irrigation Contr ☐ Exempt Applicant

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK: Power Source for hot tub on existing concrete pad

QTY.	SIZE	ITEMS	FEE (Office Use Only)
<u>1</u>	<u>20AMP</u>	Lighting Fixtures	
		Receptacles	
		Switches	
		Detectors	
		Light Poles	
		Motors—Fract. HP	
		Emergency & Exit Lights	
		Communications Points	
		Alarm Devices/F.A.C. Panel	
		TOTAL NUMBERS	
<u>1</u>	<u>240V/60AMP</u>	Pool Permit/with UW Lights	
		Storable Pool/Spa/Hot Tub	
		KW Elec. Range/Receptacle	
		KW Oven/Surface Unit	
		KW Elec. Water Heater	
		KW Elec. Dryer/Receptacle	
		KW Dishwasher	
		HP Garbage Disposal	
		KW Central A/C Unit	
		HP/KW Space Heater/Air Handler	
		KW Baseboard Heat	
		HP Motors 1/+ HP	
		KW Transformer/Generator	
		AMP Service	
		AMP Subpanels	
		AMP Motor Control Center	
		KW Elec. Sign/Outline Light	

Administrative Surcharge \$ [REDACTED]
Minimum Fee \$ [REDACTED]
State Permit Surcharge Fee \$ [REDACTED]
TOTAL FEE \$ [REDACTED]

ENGINEERING PERMIT APPLICATION

RECEIVING CLERK _____

PERMIT # _____

BLOCK 6 **LOT** 378.07 **ADDRESS** 34 Blue Cedar Dr

IDENTIFICATION:

1. WORK SITE ADDRESS 34 Blue Cedar Dr

2. APPLICANT Therese Mooney

3. NAME OF OWNER IN FEE Therese Mooney

ADDRESS 34 Blue Cedar Dr

PHONE [REDACTED] EMAIL _____

4. **PRINCIPAL CONTRACTOR** N/A

ADDRESS _____

PHONE _____ EMAIL _____

5. ARCHITECT OR ENGINEER N/A

ADDRESS _____

PHONE _____ EMAIL _____

6. RESPONSIBLE PERSON FOR WORK Therese Mooney

ADDRESS 34 Blue Cedar Drive

PHONE [REDACTED] EMAIL _____

FEE SUMMARY:

APPLICATION FEE \$ _____

REVIEW FEE \$ _____

INSPECTION FEE \$ _____

OTHER \$ _____

BOND(S) \$ _____

TOTAL \$ _____

SPECIAL CONDITIONS:

OCEAN COUNTY SOILS _____

DRAINAGE EASEMENTS _____

UTILITY EASEMENTS _____

CONSERVATION EASEMENTS _____

FEMA REQUIREMENTS _____

D.E.P. PERMITS _____

BOARD APPROVAL: ☐ PB ☐ ZB

APPLICATION NUMBER _____

APPROVED DATE _____

PROJECT DESCRIPTION:

☐ GRADING/CLEARING ☐ ROAD OPENING ☐ SOIL REMOVAL / FILL

☐ RETAINING WALL ☐ POOL ☐ BULKHEAD / DOCK ☐ DWELLING

☐ TREE REMOVAL ☐ COMMERCIAL SITE MAINTENANCE

☒ DESCRIPTION SWIM SPA set on Existing Cement Pad

ENGINEERING REVIEW:

DATE RECEIVED _____

DATE REJECTED _____

DATE APPROVED _____


INITIALS _____

34 Blue Cedar Drive

FILE COPY

TOWNSHIP OF BRICK
RELEASED FOR PERMIT _____ INITIAL _____ DATE _____
Building Subcode _____
Plumbing Subcode _____
Fire Subcode _____
Electrical Subcode RSC 8/1/19
Plan Reviewer _____
Plans Released _____
Construction Official _____

60 Amp Breaker SPA
20 Amp Breaker outlet
GFI C 60 Amp shut off
AWG # 6 4 conductors SPA
AWG # 12 3 conductors outlet



HOMEOWNER'S POOL CERTIFICATION

BARRIER REQUIREMENTS:

Outdoor private swimming pool: An outdoor private swimming pool includes an in-ground, above-ground or on-ground pool, hot tub or spa, and shall comply with the following:

1. The top of the barrier shall be at least 48 inches above finished ground level measured on the side of the barrier which faces away from the swimming pool. The maximum vertical clearance between finished ground level and the barrier shall be 2 inches measured on the side of the barrier which faces away from the swimming pool. Where the top of the pool structure is above finished ground level, such as an above-ground pool, the barrier shall be at finished ground level, such as the pool structure, or shall be mounted on top of the pool structure. Where the barrier is mounted on the pool structure, the opening between the top surface of the pool frame and the bottom of the barrier shall not allow passage of a 4 inch diameter sphere.
2. Openings in the barrier shall not allow passage of a 4 inch diameter sphere.
3. Solid barriers shall not contain indentations or protrusions except for normal construction tolerances and tooled masonry joints.
4. Where the barrier is composed of horizontal and vertical members and the distance between the tops of the horizontal members is less than 45 inches, the horizontal members shall be located on the swimming pool side of the fence. Spacing between vertical members shall not exceed 1 3/4 inches in width. Decorative cutouts shall not exceed 1 3/4 inches in width.
5. The maximum opening formed by a chain link fence shall be no more than 1 3/4 inches. However, larger opening may be used when slats fastened at top and bottom which reduce the openings to no more than 1 3/4 inches.
6. There shall be a clear zone of not less than 36" between the exterior of the barrier and any permanent structures or equipment such as pumps, filters, and heaters that can be used to climb the barrier.
7. Access gates shall comply with the requirements of items 1 through 6, and shall be equipped to accommodate a locking device. Pedestrian access gates shall open outwards away from the pool and shall be self-closing and have a self-latching device. Gates other than pedestrian access gates shall have a self-latching device. Where the release mechanism of the self-latching device is located less than 54 inches from the bottom of the gate: (a) the release mechanism shall be located on the pool side of the gate at least 3 inches below the top of the gate and; (b) the gate and barrier shall not have an opening greater than 1/2 inch within 18 inches of the release mechanism.
8. Where the pool or spa area abuts the edge of a body of water the required barriers shall extend to and beyond the water's edge not less than 18". A barrier is not required between the body of water and the pool or spa.

BLOCK: 378.07 LOT: 6 ADDRESS: 34 Blue Cedar Dr

In accordance with the NJAC 5:23-2.23, NO POOL SHALL BE USED IN WHOLE OR IN PART UNTIL A CERTIFICATE OF APPROVAL HAS BEEN ISSUED BY THE CONSTRUCTION OFFICIAL.

I certify that I am the owner of the above referenced pool being built. I further certify that the pool will not be used in whole or in part until a permanent fence is installed and a Certificate of Approval has been issued by the Construction Official.

I have read the fence requirements listed above and understand them.

Therese Mooney

Owner's Signature


Therese Mooney

Print Name

Sworn and subscribed to before me on this 15th day of JULY 2019

[Signature]

Notary Signature



Barrier Exceptions: Spas or hot tubs with a lockable safety cover which complies with ASTM F 1346, as listed in 2015 ISPC Section 305, shall be exempt from the provisions of this appendix.

Township of Brick

ABOVE GROUND POOL

REVISED 08/29/2018.

Hot Tub

1. Construction jacket signed & completed Front and inside of jacket filled out completely.	Yes ☒	NO ☐
2. Zoning application completely filled out (All Sections)	Yes ☒	NO ☐
3. Engineering form completely filled out (All Sections)	Yes ☒	NO ☐
4. Four true size surveys to scale showing all dimensions & setbacks of existing and proposed structures.	Yes ☒	NO ☐
5. Building and Electric Tech must be completely filled out. Electric must be sealed if contractor is doing the work.	Yes ☒	NO ☐
6. Two (2) Electrical line drawings of field wiring showing conduit, wire sizes, motors, timers, and subpanels.	Yes ☒	NO ☐
7. Mechanical Tech must be completed if installing a pool heater & gas piping. Include two (2) gas sketches for pool heater. Must be a licensed plumber or HVAC contractor. N/A	Yes ☒	NO ☐
8. Brochure for the pool, filter, ladder and pool heater	Yes ☒	NO ☐
9. Copy of a current Home Improvement Contractor Registration (If work is being completed by a contractor) N/A	Yes ☐	NO ☒
10. Pool certification must be completed and notarized.	Yes ☒	NO ☐

***If requesting a variation for sharing pool barriers with neighbors please ask for the variation procedure packet.**