

BLOCK 1062.01 LOT 1 QUALIFICATION CODE _____ ADDRESS (SITE) _____ PERMIT NO. 14-4117



CONSTRUCTION PERMIT APPLICATION

Applicant Completes: Sections I, II, III (optional), IV, VI, and VII

C-14-005428

I. IDENTIFICATION

1. Proposed Work Site at: 110 Poplar Way, Brick, NJ 08724

2. Name of Owner in Fee: Cordes

Tel. [REDACTED] e-mail _____

Address same as above

3. Ownership in Fee: Public _____ Private _____

4. Principal Contractor: AJ Perri Tel. (732) 982-8700

Address 1138 Pine Brook Road e-mail MHedlund@ajperri.com

Tinton Falls, NJ 07724

License No. OR, if new home, Builder Reg. No. 13VH00346300 Exp. Date _____

Home Improvement Contractor Registration No. or Exemption Reason (if applicable): _____

Federal Emp. ID No. 36-427609-7 FAX: (732) 709-2889

5. Architect or Engineer _____ Contact _____

Address _____ e-mail _____

Tel. (_____) _____ FAX: (_____) _____

6. Responsible Person in Charge once Work has Begun Sal Tagliarino

Tel. (732) 720-0728 (Mary) FAX: (732) 709-2889

V. FEE SUMMARY (for office use only)

	Update	Update
1. Building	\$	
2. Electrical	\$	
3. Plumbing	\$ <u>15</u> ✓	
4. Fire Protection	\$	
5. Elevator Devices	\$	
6. Subtotal	\$	
7. Less 20% for State Plan Review	\$	
8. Subtotal	\$	
9. State Permit Surcharge Fee	\$ <u>4</u>	
10. Subtotal	\$	
11. Cert. of Occupancy	\$	
12. Other	\$	
13. TOTAL	\$ <u>79</u>	

VI. BUILDING/SITE CHARACTERISTICS

	(office use only)
1. Number of Stories	
2. Height of Structure	ft.
3. Area — Largest Floor	sq. ft.
4. New Building Area	sq. ft.
5. Volume of New Structure	cu. ft.
6. Max. Live Load	
7. Max. Occupancy Load	
8. If Industrialized Building: State Approved _____ HUD _____	
9. Total Land Area Disturbed	sq. ft.
10. Flood Hazard Zone	
11. Base Flood Elevation	ft.
12. Wetlands yes _____ no _____	

IIa. PROPOSED WORK

- ☐ Minor Work
 ☐ New Building
 ☐ Addition
 ☐ Demolition
- ☐ Repair
 ☐ Alteration
 ☐ Renovation
 ☐ Reconstruction
- ☐ Asbestos Abat. -Subch. 8
 ☐ Lead Hazard Abatement
 ☐ Radon Remediation
 ☐ Annual Permit

IIb. SUBCODES

(Check all that apply)

- ☐ Building
☐ Electrical
☐ Plumbing
☐ Fire Protection
☐ Elevator

FOR OFFICE USE ONLY (Optional)

Est. Cost	Plans Rec'd by	Date Rec'd	Rejection Date	Approval Date	Re-viewer	Resubmission Dates Approval	Rejection	Re-viewer

TOTAL COST

III. PLAN REVIEW (optional)

DO YOU WANT:

- ☐ Partial Releases
☐ Prototype Processing

IV. DOES OR WILL YOUR BUILDING CONTAIN ANY OF THE FOLLOWING?

- ☐ Elevators/Escalators/Lifts/Dumbwaiters/Moving Walks
☐ High Pressure Boilers
☐ Refrigeration Systems
☐ Cross-Connections/Backflow Preventers
☐ Hazardous Uses/Places of Assembly
☐ Smoke Control Systems in Open Wells
☐ Underground Storage Tanks
☐ Swimming Pools, Spas and Hot Tubs

VII. DESCRIPTION OF BUILDING USE

A. RESIDENTIAL (primary use)

1. State Specific Use: _____
2. Use Group, Proposed: _____
3. Change in Use Group, Indicate Present: _____
4. No. of dwelling units: Total Units Income-restricted
- Gained, Sale _____
 Gained, Rental _____
 Lost, Sale _____
 Lost, Rental _____

B. NON-RESIDENTIAL (primary use)

1. State Specific Use: _____
2. Use Group, Proposed: _____
3. Change in Use Group, Indicate Present: _____

C. MIXED USE -List secondary use(s):

- D. Construct. Classification: Present _____ Proposed _____



Brick Township
401 Chambersbridge Rd
Brick, NJ 08723

Date Issued 2/10/2015
Control Number C-14-005428
Permit Number 14-4117
Permit Issue Date 12/22/2014
Certificate Number 14-4117

Certificate

Construction Code Division
(Certificate of Approval)

Identification

Work Site Location: 110 POPLAR WAY Brick Township, NJ 08724 Block: 1062.01 Lot: 1 Qual: _____
Owner In Fee: CORDES, HARVEY A. & CONNIE
Owner Address: 110 POPLAR WAY BRICK NJ 08724
Telephone: [REDACTED]
Contractor AJ PERRI INC
Address 1138 PINE BROOK ROAD TINTON FALLS NJ 07724
Telephone: (732) 982-8700 Fax: (732) 709-2889
License Number or Builders Registration Number: 12566 13VH00346300 Federal Emp. Number: 36-4726097
Home Warranty Number: _____
Type of Warranty Plan: ☐ State ☐ Private
Use Group: R-5 Construction Classification: _____
Maximum Live Load: 0 Maximum Occupancy Load: 0
Description of Work/Use: WATER HEATER

Certificate Comments:

☐ **Certificate of Occupancy**

This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

☒ **Certificate of Approval**

This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved. If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

☐ **Certificate of Continued Occupancy**

This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

☐ **Temporary Certificate of Compliance**

The following conditions must be met no later than _____ or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of: _____
Conditions to be met:

☐ **Certificate of Clearance - Lead Abatement 5:17**

This serves notice that based on written certification, lead abatement was performed as per NJAC5:17 to the following extent.

- ☐ Total removal of lead-based paint hazards in scope of work
☐ Partial or limited time period (_____ years); see file

☐ **Certificate of Clearance - Asbestos Abatement**

This serves notice that based on written certification, asbestos abatement was performed to the following extent.

- ☐ Total removal of asbestos hazards in scope of work
☐ Partial or limited time period (_____ years); see file

☐ **Certificate of Compliance**

This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until _____

☐ **Temporary Certificate of Occupancy**

The following conditions must be met no later than: _____ or the owner will be subject to fine or order to vacate:
This certificate has an expiration date of: _____
Conditions to be met:

Construction Official

Fee: \$0.00

Check Number: _____

Collected By: _____

Date Printed: 2/10/2015

U.C.C. F260 (rev. 08/06)

Page 1

BRADFORD WHITE®
WATER HEATERS

Model # M-I-40T10-FBN

Residential Atmospheric Vent Energy Saver Gas Water Heater




Photo is of
M-I-5036FBN

FEATURING:



ALDI



6 or 10-Year Limited Tank Warranties / 6 or 10-Year Limited Warranty on Component Parts.

For more information on warranty, please visit www.bradfordwhite.com

For products installed in USA, Canada and Puerto Rico. Some states do not allow limitations on warranties. See complete copy of the warranty included with the heater.

The Atmospheric Vent FVIR Defender Safety System® Models Feature:

- **Bradford White ICON System™**—Intelligent gas control with proven millivolt powered technology and built-in piezo igniter. A standard, off the shelf thermopile converts heat energy from the pilot flame into electrical energy to operate the gas valve and microprocessor. No need for external electricity.
- **Enhanced Performance**—Proprietary algorithms provide enhanced First Hour Delivery ratings and tighter temperature differentials.
- **Advanced Temperature Control System**—Microprocessor constantly monitors and controls burner operation to maintain consistent and accurate water temperature levels.
- **Intelligent Diagnostics**—An exclusive green LED light prompts the installer during start-up and provides ten different diagnostic codes to assist in troubleshooting.
- **Pilot On Indication**—Flashing green LED provides positive indication that pilot is on.
- **Separate Immersed Thermowell**—High strength advanced polymer composite thermowell provides isolation between electric temperature sensor and surrounding water. No need to drain the tank when removing gas valve.
- **Advanced ScreenLok® Technology Flame Arrestor Design**—Flame arrestor is designed to prevent ignition of flammable vapor outside of the water heater.
- **Resettable Thermal Switch**—Proven and reliable bimetallic switch prevents burner and pilot operation in case of ongoing flammable vapor burn inside of the combustion chamber or restricted air flow.
- **Maintenance Free**—No regular cleaning of air inlet openings or flame arrestor is required under normal conditions.
- **Sight Window**—Offers a view into the combustion chamber to observe the operation of the pilot and burner.
- **Factory Installed Hydrojet® Total Performance System**—Cold water inlet sediment reducing device helps prevent sediment build up in tank. Increases first hour delivery of hot water while minimizing temperature build up in tank.
- **Vitraglas® Lining**—Bradford White tanks are lined with an exclusively engineered enamel formula that provides superior tank protection from the highly corrosive effects of hot water. This formula (Vitraglas®) is fused to the steel surface by firing at a temperature of over 1600°F (871°C).
- **1" Non-CFC Foam Insulation**—Covers the sides and top of tank, reducing the amount of heat loss. This results in less energy consumption, improved operation efficiencies and jacket rigidity.
- **Pedestal Base.**
- **Water Connections**—3/4" NPT factory installed true dielectric fittings.
- **Factory Installed Heat Traps.**
- **Protective Magnesium Anode Rod.**
- **3x4 "Snap Lock" Draft Diverter**—Allows either 3" or 4" vent connections with inputs of 40,000 BTU/Hr or less. Over 40,000 BTU/Hr. has the 4" "Snap Lock" Draft Diverter.
- **T&P Relief Valve**—Included.
- **Low Restriction Brass Drain Valve**—Durable tamper proof design.

MANUFACTURED UNDER ONE OR MORE OF THE FOLLOWING U.S. PATENTS: 5,954,462; 5,767,374; 5,943,964; 5,081,695; 5,963,117; 6,142,216; 5,159,335; 5,574,822; 5,372,185; 5,485,879; 5,277,171; (B)15,341,770; 5,660,165; 5,596,352; 5,682,686; 4,904,428; 5,023,031; 5,000,893; 4,659,448; 4,829,983; 4,832,355; 5,115,767; 5,492,519; 5,052,345; 4,416,222; 4,628,184; 4,861,953; 4,672,919; Re. 34,534; 7,270,087. 82. OTHER U.S. AND FOREIGN PATENT APPLICATIONS PENDING. CURRENT CANADIAN PATENTS: 1,272,914; 1,280,643; 1,288,832; 2,445,862; 2,112,515; 2,108,105; 2,107,012; 2,052,105; 2,409,271. Defender Safety System®, ScreenLok®, Vitraglas® and Hydrojet® are registered trademarks of Bradford White Corporation.



PLUMBING SUBCODE TECHNICAL SECTION



A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 1062.01 Lot 1 Qualification Code _____
Work Site Location 110 Poplar Way, Brick, NJ 08724

Owner in Fee: Corrles

Te [REDACTED] e-mail _____

Address Same as above

Contractor: MICHAEL J. PERRI T/A AJ PERRI Tel. (732) 689-6363

Address 9 JOHNSON STREET e-mail _____

MONMOUTH BEACH, NJ 07750

Contractor License No. 12566 Exp. Date _____

Home Improvement Contractor Registration No. or Exemption Reason (if applicable): _____

Federal Emp. ID No. _____ FAX: (732) 709-2889

B. PLUMBING CHARACTERISTICS

Use Group Present _____ Proposed _____

Building Sewer Size _____ Public Sewer _____ Private Septic _____

Water Service Size _____ Public Water _____ Private Well _____

Est. Cost of Plumbing Work \$ 2,000.00

JOB SUMMARY (Office Use Only)

PLAN REVIEW

☒ No Plans Required

☐ Partial -Underslab Utilities Approved

Date: _____ Approved by: _____

☐ Plumbing Plans Approved

Date: _____ Approved by: _____

Joint Plan Review Required:

☐ Bldg. ☐ Elec. ☐ Fire. ☐ Elev.

SUBCODE APPROVAL for PERMIT

Date: 12-8-14

Approved by: [Signature]

SUBCODE APPROVAL for CERTIFICATE

☐ CO ☐ CCO ☐ CA

Date: 2-2-15

Approved by: [Signature]

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of _____ and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature _____

☒ Licensed Plumbing Contractor ☐ Exempt Applicant

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

Direct replacement of 40gal HWH

QTY.

FIXTURE/EQUIPMENT

Water Closet

Urinal/Bidet

Bath Tub

Lavatory

Shower

Floor Drain

Sink

Dishwasher

Drinking Fountain

Washing Machine

Hose Bibb

Water Heater

Fuel Oil Piping

Gas Piping

LP Gas Tank

Steam Boiler

Hot Water Boiler

Sewer Pump

Interceptor/Separator

Backflow Preventer

Greasetrap

Sewer Connection

Water Service Connection

Stacks

Other

Other

FEE (Office Use Only)

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

\$ _____

Administrative Surcharge \$ _____

Minimum Fee \$ _____

State Permit Surcharge Fee \$ _____

TOTAL FEE \$ _____

12/22/14
C-14-005428
14-4117

IDENTIFICATION Block: 1062.01 Lot: 1
Work Site Location: 110 POPLAR WAY, BRICK TOWNSHIP, NJ 08724
Owner in Fee
CORDES, HARVEY A. & CONNIE
110 POPLAR WAY, BRICK NJ 08724
Telephone: [REDACTED]
Qualifier: 17-411
Contractor: AJ PERRI INC
Address: 1138 PINE BROOK ROAD, TINTON FALLS, NJ 07724
Telephone: (732) 982-8700
Lic. No. or Bldr's. Reg. No.: 13VH00346300
Federal Employee No.: 36-4726097

☐ A complete copy of released plans must be kept on the job site. If you do not understand any of this information, please ask.



CHIMNEY VERIFICATION FOR REPLACEMENT OF FUEL-FIRED EQUIPMENT

BLOCK D102.01 LOT 1 QUALIFICATION CODE _____ PERMIT # _____
WORK SITE ADDRESS 110 Poplar Way, Brick, NJ 08724
Owner in Fee Cordes
Verifying Individual Sal Tagliarino Company A.J. Perri, Inc.
Address 1138 Pine Brook Road Tinton Falls NJ 07724
Tel: (732) 720-6375 Fax: (732) 709-2889

Check the Appropriate Box(es):

Type of Replacement:
☐ Oil to Gas Conversion
☐ Gas to Oil Conversion
☒ Gas Appliance Replacement
☐ Oil to Oil Replacement
☐ Other _____

Existing Vent/Chimney: Size 7"

☒ "B" Label Vent
☐ "L" Label Vent
☐ Flexible Liner
☐ Power Vent/Exhauster
☐ Chimney-Interior
☐ Chimney-Exterior
☐ Masonry Chimney-Tile Lined
☐ Masonry Chimney-Unlined
☐ Other _____

Fuel Type

Appliance 1: 40 gallon Oil / Gas
Appliance 2: Fireplace Oil / Gas
Appliance 3: _____ Oil / Gas

BTU Rating (input/hour)
40,000
100,000

CHIMNEY LINER

If a chimney liner is being installed, all documentation on the liner must accompany the Permit application.

Manufacturer: _____ Model: _____ UL Listing: _____
Material of Liner: Stainless Steel _____ Aluminum _____
Size of Appliance Vent: _____ Size of Liner: _____ Height of Chimney: _____
Length of Connector: _____ Vent Connector Rise: _____
How does the appliance vent? ☐ Natural Draft ☐ Fan-assisted ☐ Other: _____

PLEASE SIGN ONE OF THE FOLLOWING VERIFICATION STATEMENTS

For Oil or Coal to Gas Conversions:

I have verified that the chimney/vent is in good repair and clear of obstruction and is substantially clean of residue from its previous use serving an oil or coal appliance. I have verified that the chimney/vent is appropriately lined and sized for the appliance(s) being installed.

Oil to Oil or Gas to Gas Replacements or New/Additional Appliances:

I have verified that the existing chimney/vent is in good repair and clear of obstruction. I have verified that the existing chimney/vent is appropriately lined and sized for the appliance(s) being installed and/or remaining.

Direct Vent Appliance:

I hereby verify that the appliance(s) being installed is a direct vent appliance. I further verify that the existing chimney/vent is appropriately lined and sized for any remaining appliances.

Verification Not Submitted:

I choose not to submit verification. I understand that I will be required to be present for the inspection to remove and reinstall the chimney vent connector.

FOR MINOR AND EMERGENCY WORK, THIS FORM MUST BE PROVIDED WITH YOUR PERMIT APPLICATION. FOR ALL OTHER WORK, THIS FORM MUST BE PRESENTED TO THE CODE OFFICIAL PRIOR TO FINAL INSPECTION.

All applicable information requested on this form must be supplied.

This form may not be submitted by a homeowner in lieu of the required inspection.

CERTIFICATION IN LIEU OF OATH

I. OWNER SECTION (to be completed if the applicant is the owner in fee)

I hereby certify that I am the owner in fee of the property listed on Page 1.

Mark the following applicable boxes:

A. ☐ I further certify that a new home (private residence) will be constructed on this property for my own use and occupancy. This dwelling is to be occupied by myself and is not to be used for any purpose other than single family residential use. I attest that all construction, plumbing, or electrical work will be done, in whole or in part, by me or by subcontractors under my supervision, in accordance with all applicable laws; and, I further acknowledge that said new home is not covered under the New Home Warranty and Builders Registration Act (N.J.S.A. 46:3B-1 et seq.) and that such fact shall be disclosed to any person purchasing this property within ten years of the date of issuance of a certificate of occupancy.

I UNDERSTAND THAT IN MARKING BOX A, I ACKNOWLEDGE THAT I AM ASSUMING RESPONSIBILITY FOR THE WORK DONE ON SAID PROPERTY, THE CONDITION OF THE PROPERTY PRIOR TO, DURING, AND AFTER ANY WORK PERFORMED, AND FOR THE PERFORMANCE OF THE SUBCONTRACTORS I HIRE, EMPLOY, OR OTHERWISE CONTRACT OR WITH WHOM I MAKE AGREEMENTS TO PERFORM WORK. I AM VOLUNTARILY AND KNOWINGLY ASSUMING THIS RESPONSIBILITY.

B. ☐ I further certify the following as required by the New Jersey Uniform Construction Code, N.J.A.C. 5:23-2.15(f)1.ix:

I personally prepared the plans submitted for: 1) the new home referred to in A.; or, 2) an addition, alteration, renovation, or repair to an existing single family residence owned and occupied by myself and located on the property listed on Page 1; or, 3) a new structure that will be physically separate from, but that will be deemed part of, an existing single family residence that is owned and occupied by myself and located on the property listed on Page 1.

C. ☐ I further certify that I will perform or supervise the following work:

C.1. ☐ Building C.2. ☐ Fire Protection

I further certify that I will perform the following work:

C.3. ☐ Electrical C.4. ☐ Plumbing

D. ☐ I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I further certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(a)5: All required State, county, and local prior approvals have been given, including such certification as the construction official may require.

I understand that if any of the above statements are willfully false, I am subject to punishment.

Signature _____

Date _____

II. AGENT SECTION (to be completed if the applicant is not the owner in fee)

I hereby certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(d): the proposed work is authorized by the owner in fee; and I have been authorized by the owner in fee to make this application as his agent.

I further certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(a)5: All required State, county, and local prior approvals have been given, including such certification as the construction official may require.

I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

☒ Check if contractor.

Agent Name Sal Tagliarino

Address 1138 Pine Brook Road

Tinton Falls, NJ 07724

Telephone (732) 982-8700 Fax (732) 709-2889

Signature Sal Tagliarino

III. ☐ LEAD HAZARD ABATEMENT: Include Homeowner or Building Owner Affidavit as per N.J.A.C. 5:17.

2-5-15 ~~PD~~
IN Accessible

↖ (P) tech

Residential Atmospheric Vent Gas Water Heater

Energy Saver Models

NATURAL GAS AND LIQUID PROPANE GAS

Meets or exceeds ASHRAE 90.1b (current standard) C.E.C. Listed
79% Recovery Efficiency

Model Number	Capacity U.S. Imp. Gal. / Hr.	Net. Input BTU/Hr.	LP Input BTU/Hr.	Net. U.S. Imp. GPH	Recovery 50°C Rise Net. U.S. Imp. GPH	Recovery 90°F Rise Net. U.S. Imp. GPH	A Floor to Flue Conn. in.	B Jacket Dia. in.	C Vent Size in.	D Floor to T&P Conn. in.	E Floor to Gas Conn. in.	F Floor to Water Conn. in.	Approx. Shipping Weight lbs.
M-I-30T6FBN*	30 25	32,000	31,000	33	28	32	27	50 1/2	13	3/4	49 1/2	57 1/2	104
M-I-30S6FBN	30 25	30,000	29,000	31	26	27	23	48 1/2	13	3/4	48 1/2	46 1/2	100
M-I-30T6FBN*	28 24	40,000	35,000	42	34	37	31	53	16	3/4	49 1/2	56 1/2	109
M-I-40T6FBN*	40 33	40,000	36,000	42	34	38	32	59 1/2	18	3/4	50 1/2	57 1/2	120
M-I-40S6FBN	40 33	40,000	36,000	42	34	40	33	50	20	3/4	41 1/2	48 1/2	128
M-I-40T6FBN*	40 33	50,000	48,000	53	44	50	42	62 1/2	18	4	51 1/2	58 1/2	127
M-I-50S6FBN	50 42	40,000	38,000	42	34	38	32	59 1/2	20	3/4	50 1/2	58 1/2	145
M-I-50L6FBN	48 40	40,000	38,000	42	34	40	33	49 1/2	22	3/4	40 1/2	48 1/2	153
M-I-50S6FBN*	50 42	50,000	48,000	53	44	50	42	65 1/2	20	4	50 1/2	57 1/2	150
M-I-60T6FBN	50 50	40,000	38,000	42	34	40	33	60 1/2	22	3/4	50 1/2	58 1/2	166

Model Number	Capacity Liters	Net. Input kW	LP Input kW	Net. U.S. Imp. GPH	Recovery 50°C Rise Net. U.S. Imp. GPH	A Floor to Flue Conn. mm.	B Jacket Dia. mm.	C Vent Size mm.	D Floor to T&P Conn. mm.	E Floor to Gas Conn. mm.	F Floor to Water Conn. mm.	Approx. Shipping Weight kg.
M-I-30T6FBN*	114	9.4	9.1	125	121	1502	406	76x102	1264/1432	330	1461	47
M-I-30S6FBN	114	8.8	7.7	117	102	1229	457	76x102	9841	330	1187	45
M-I-30T6FBN*	110	11.7	10.3	159	140	1473	406	76x102	1264/1403	330	1435	49
M-I-40T6FBN*	151	11.7	10.6	155	140	1508	457	76x102	1270/1438	330	1467	54
M-I-40S6FBN	151	11.7	11.1	155	148	1270	508	76x102	1041/1200	330	1232	50
M-I-40T6FBN*	151	14.7	14.1	201	189	1543	457	102	1308/1473	330	1486	58
M-I-50S6FBN	189	11.7	10.6	159	144	1514	508	76x102	1270/1445	330	1473	66
M-I-50L6FBN	182	11.7	11.1	159	151	1264	558	76x102	1029	330	1226	69
M-I-50S6FBN*	189	14.7	14.1	201	189	1468	508	102	1270/1416	330	1448	68
M-I-60T6FBN	227	11.7	11.1	183	151	1543	609	76x102	1282	330	1480	75


Propane models feature a Titanium Stainless Steel propane burner. For Propane (LP) models change suffix "BN" to "SX".

For 10 year models, change suffix from "6" to "10".

*Based on manufacturers rated recovery efficiency.

•Models feature optional top T&P location and must be specified when ordering.

Note: M-I-30S, M-I-50L and M-I-60T do not have top T&P option.



Meets NAECA Requirements

General

All gas water heaters are certified at 300 PSI test pressure (2068 kPa) and 150 PSI working pressure (1034 kPa). All water connections are 3/4" NPT (19mm) on B" (203mm) centers. All gas connections are 1/2" (13mm).

All models design certified by CSA International (formerly AGA/CGA), ANSI standard Z-21.10.1 and peak performance rated.

Dimensions and specifications subject to change without notice in accordance with our policy of continuous product improvement.

Suitable for Water (Potable) Heating and Space Heating.

Toxic chemicals, such as those used for boiler treatment, shall NEVER be introduced into this system. This unit may NEVER be connected to any existing heating system or component(s) previously used with a non-potable water heating appliance.



For U.S. and Canada field service, contact your professional installer or local Bradford White sales representative.

Sales 800-523-2931 • Fax 215-641-1670 / Technical Support 800-334-3393 • Fax 269-795-1089 • Warranty 800-531-2111 • Fax 269-795-1089

International: Telephone 215-641-9400 • Telex 215-641-9750 / www.bradfordwhite.com



BRADFORD WHITE CANADA INC. Sales / Technical Support 866-690-0961 / 905-238-0100 • Fax 905-238-0105 / www.bradfordwhite.com

Built to be the Best™

©2013, Bradford White Corporation. All rights reserved.