



Burlington County Central Communications

Call For Service Detail Report - CFS 2368

Address	1800 JACKSONVILLE JOBSTOWN RD, 21				
Common Name	BRIDGETS ANIMAL KINGDOM 21				
Custom Layer	Jacksonville	Census Tract			
Beat	21221-3B	Quadrant	2122	District	2103
Caller Name	Friel, John	Caller Phone		Call Taker	COUNTY2\rday
Create Date	1/11/2023 5:11:35 PM	Clear Date	1/11/2023 5:36:19 PM	Nature Of Call	Caller states smoke coming from the green house on property//possible 3rd or 4th green house

Call Details

Call Type	Status	Priority	Dispatcher	Created Date
STRUCTURE: COMMERCIAL/MFD	In Progress	1 - High	COUNTY2\rday	1/11/2023 5:11:35 PM
ASSIST: FIRE	In Progress	2 - Medium	COUNTY2\rday	1/11/2023 5:11:35 PM
STRUCTURE: COMMERCIAL/MFD	In Progress	1 - High	COUNTY2\gyurcho	1/11/2023 5:11:35 PM

Call Narrative

*** 1/11/2023 ***				
Time	Description	User	Unit #	Machine
5:22:44 PM	F2120 reports no problem recall	Weckenbrock,Mich ael		PS23205
5:20:57 PM	F2120 on loc smoke in area	Weckenbrock,Mich ael		PS23205

EMD Narrative

Time	Description	User
------	-------------	------

Call Persons

Name	Date of Birth	Contact Phone	Machine
Friel,John			PS21926

Call Vehicles

Vehicle Type	Make	Model	Role	Year	License State	License Number
--------------	------	-------	------	------	---------------	----------------

Call Dispositions

Name	Count
OA (Assigned to Other agency)	1
INC (Officers Incident)	1

Unit Dispositions

Name	Count	Unit Number	Disposition Date
------	-------	-------------	------------------

Call Log

*** 1/11/2023 ***

Time	Action	Description	Name	Machine
5:36:19 PM	Call Cleared	Close Call	Michael Weckenbrock	PS23205
5:36:18 PM	Unit Status Action	Unit F2120 AVAILABLE	Michael Weckenbrock	PS23205
5:36:18 PM	Unit Status Action	Unit F2102 AVAILABLE	Michael Weckenbrock	PS23205
5:36:18 PM	Unit Status Action	Unit F2127 AVAILABLE	Michael Weckenbrock	PS23205
5:36:18 PM	Unit Status Action	Unit F2722 AVAILABLE	Michael Weckenbrock	PS23205
5:36:18 PM	Disposition Changed	Added: INC (Officers Incident) Count 1	Michael Weckenbrock	PS23205
5:31:30 PM	Call Type Timer	Timer Manual Stop - 10m 46s (1)	George Yurcho	PS23191
5:30:44 PM	Call Type Timer	Timer Increment - 10m (1) Total: 10m 0s	cad testing	NWPSCADPRD
5:27:24 PM	Unit Location	Unit F2102 Secondary Location: Secondary Location Cleared	Michael Weckenbrock	PS23205
5:27:24 PM	Unit Status Action	Unit F2102 ARRIVED (Status Override)	Michael Weckenbrock	PS23205
5:27:16 PM	Unit Status Action	Unit F2127 ARRIVED	Michael Weckenbrock	PS23205
5:25:00 PM	Unit Status Action	Unit F2127 ENROUTE	Michael Weckenbrock	PS23205
5:24:14 PM	Call Closed By Agency	Police Call Closed	Rebecca Howard	PS23208
5:23:57 PM	Call Closed By Agency	Police Call Closed	Rebecca Howard	PS23208
5:23:57 PM	Unit Status Action	Unit P2109 AVAILABLE	Rebecca Howard	PS23208
5:23:57 PM	Disposition Changed	Added: OA (Assigned to Other agency) Count 1	Rebecca Howard	PS23208
5:23:52 PM	Unit Status Action	Unit P2109 ARRIVED	Rebecca Howard	PS23208
5:23:11 PM	Call Closed By Agency	EMS Call Closed	Michael Weckenbrock	PS23205
5:23:08 PM	Call Closed By Agency	EMS Call Closed	Michael Weckenbrock	PS23205
5:23:08 PM	Unit Status Action	Unit E9096 AVAILABLE	Michael Weckenbrock	PS23205
5:23:08 PM	Unit Status Action	Unit EMS907 AVAILABLE	Michael Weckenbrock	PS23205
5:23:03 PM	Unit Location	Unit F2722 Secondary Location: Secondary Location Cleared	Michael Weckenbrock	PS23205
5:23:03 PM	Unit Status Action	Unit F2722 ARRIVED (Status Override)	Michael Weckenbrock	PS23205
5:23:01 PM	Unit Location	Unit F2127 Secondary Location: Secondary Location Cleared	Michael Weckenbrock	PS23205
5:23:01 PM	Unit Status Action	Unit F2127 DISPATCHED	Michael Weckenbrock	PS23205

5:22:57 PM	Agency Reactivated	Context	Fire Call Reactivated because a new unit was assigned	Agency Call Reactivated	Michael Weckenbrock	PS23205
5:22:57 PM	Unit Location		Unit F2120 Secondary Location Cleared	Location: Secondary	Michael Weckenbrock	PS23205
5:22:57 PM	Unit Status Action		Unit F2120 ARRIVED (Status Override)		Michael Weckenbrock	PS23205
5:22:53 PM	Call Closed By Agency		Fire Call Closed		Michael Weckenbrock	PS23205
5:22:48 PM	Call Closed By Agency		Fire Call Closed		Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Action		Unit F2722 AVAILABLE		Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Action		Unit F213 AVAILABLE		Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Action		Unit F212 AVAILABLE		Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Action		Unit F211 AVAILABLE		Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Action		Unit F3014 AVAILABLE		Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Action		Unit F3000 AVAILABLE		Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Action		Unit F2612 AVAILABLE		Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Action		Unit F2102 AVAILABLE		Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Action		Unit F2120 AVAILABLE		Michael Weckenbrock	PS23205
5:22:44 PM	Narrative Added		F2120 reports no problem recall		Michael Weckenbrock	PS23205
5:21:39 PM	Unit Status Action		Unit F2722 ARRIVED		Michael Weckenbrock	PS23205
5:20:57 PM	Narrative Added		F2120 on loc smoke in area		Michael Weckenbrock	PS23205
5:20:44 PM	Unit Status Action		Unit F2120 ARRIVED		Michael Weckenbrock	PS23205
5:20:44 PM	Call Type Timer		Timer Start - Interval 10m		cad testing	PS23205
5:18:01 PM	Unit Location		Unit F2120 Secondary Location Cleared	Location: Secondary	Michael Weckenbrock	PS23205
5:18:01 PM	Unit Status Action		Unit F2120 DISPATCHED		Michael Weckenbrock	PS23205
5:17:48 PM	Unit Status Action		Unit F3000 ENROUTE		Michael Weckenbrock	PS23205
5:17:47 PM	Unit Location		Unit F3000 Secondary Location Cleared	Location: Secondary	Michael Weckenbrock	PS23205
5:17:47 PM	Unit Status Action		Unit F3000 DISPATCHED		Michael Weckenbrock	PS23205
5:17:05 PM	Unit Status Action		Unit F2102 ENROUTE		Michael Weckenbrock	PS23205
5:17:04 PM	Unit Location		Unit F2102 Secondary Location Cleared	Location: Secondary	Michael Weckenbrock	PS23205
5:17:04 PM	Unit Status Action		Unit F2102 DISPATCHED		Michael Weckenbrock	PS23205
5:16:57 PM	Unit Status Action		Unit F2612 ENROUTE		Michael Weckenbrock	PS23205
5:16:52 PM	Unit Status Action		Unit F3014 ENROUTE		Michael	PS23205

5:16:52 PM	Unit Status Action	Unit F301 AVAILABLE	Weckenbrock Michael	PS23205
5:16:52 PM	Unit Status Action	Unit F3014 DISPATCHED	Weckenbrock Michael	PS23205
5:16:52 PM	Unit Status Action	Unit F301 exchanged with F3014	Weckenbrock Michael	PS23205
5:16:44 PM	Unit Status Action	Unit EMS907 ENROUTE	Weckenbrock Michael	PS23205
5:16:42 PM	Unit Location	Unit EMS907 Secondary Location: Secondary Location Cleared	Weckenbrock Michael	PS23205
5:16:42 PM	Unit Status Action	Unit EMS907 DISPATCHED	Weckenbrock Michael	PS23205
5:16:10 PM	Unit Status Action	Unit E9096 ENROUTE	Weckenbrock Michael	PS23205
5:16:09 PM	Unit Status Action	Unit E9091 AVAILABLE	Weckenbrock Michael	PS23205
5:16:09 PM	Unit Status Action	Unit E9096 DISPATCHED	Weckenbrock Michael	PS23205
5:16:09 PM	Unit Status Action	Unit E9091 exchanged with E9096	Weckenbrock Michael	PS23205
5:15:57 PM	Unit Status Action	Unit F2722 ENROUTE	Weckenbrock Michael	PS23205
5:15:56 PM	Unit Status Action	Unit F2725 AVAILABLE	Weckenbrock Michael	PS23205
5:15:56 PM	Unit Status Action	Unit F2722 DISPATCHED	Weckenbrock Michael	PS23205
5:15:56 PM	Unit Status Action	Unit F2725 exchanged with F2722	Weckenbrock Michael	PS23205
5:14:11 PM	Unit Recommendation	Recommendation viewed, no units in recommendation. using F212 LOCAL - STRUCTURE (WEEKDAY) 06:00 - 18:00 (Fire), E21 - 909 BLS (EMS)	George Yurcho	PS23191
5:14:08 PM	Call Updated	EMS Radio Channel Changed From R-4 To R-4	George Yurcho	PS23191
5:14:02 PM	Unit Recommendation	Recommendation completed for units: F212, F211, F213, F2612, F301, F2725, E9091 using F212 LOCAL - STRUCTURE (WEEKDAY) 06:00 - 18:00 (Fire), E21 - 909 BLS (EMS).	George Yurcho	PS23191
5:14:02 PM	Incident Created	Added Incident Number, ORI: E909 , Number: 2023-00000227	George Yurcho	
5:14:02 PM	Unit Location	Unit E9091 Secondary Location: Secondary Location Cleared	George Yurcho	PS23191
5:14:02 PM	Unit Status Action	Unit E9091 DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Incident Created	Added Incident Number, ORI: 03272 , Number: 2023-00000131	George Yurcho	
5:14:02 PM	Unit Location	Unit F2725 Secondary Location: Secondary Location Cleared	George Yurcho	PS23191
5:14:02 PM	Unit Status Action	Unit F2725 DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Incident Created	Added Incident Number, ORI: 03300 , Number: 2023-00000016	George Yurcho	
5:14:02 PM	Unit Location	Unit F301 Secondary Location: Secondary Location Cleared	George Yurcho	PS23191
5:14:02 PM	Unit Status Action	Unit F301 DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Incident Created	Added Incident Number, ORI: 03261 , Number: 2023-00000012	George Yurcho	
5:14:02 PM	Unit Location	Unit F2612 Secondary Location: Secondary	George Yurcho	PS23191

		Location Cleared		
5:14:02 PM	Unit Status Action	Unit F2612 DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Incident Created	Added Incident Number, ORI: 03213 , Number: 2023-00000005	George Yurcho	
5:14:02 PM	Unit Location	Unit F213 Secondary Location: Secondary Location Cleared	George Yurcho	PS23191
5:14:02 PM	Unit Status Action	Unit F213 DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Incident Created	Added Incident Number, ORI: 03211 , Number: 2023-00000003	George Yurcho	
5:14:02 PM	Unit Location	Unit F211 Secondary Location: Secondary Location Cleared	George Yurcho	PS23191
5:14:02 PM	Unit Status Action	Unit F211 DISPATCHED	George Yurcho	PS23191
5:14:01 PM	Incident Created	Added Incident Number, ORI: 03212 , Number: 2023-00000004	George Yurcho	
5:14:01 PM	Unit Location	Unit F212 Secondary Location: Secondary Location Cleared	George Yurcho	PS23191
5:14:01 PM	Unit Status Action	Unit F212 DISPATCHED	George Yurcho	PS23191
5:14:01 PM	Unit Recommendation	Recommendation accepted for units: F212, F211, F213, F2612, F301, F2725, E9091 using F212 LOCAL - STRUCTURE (WEEKDAY) 06:00 - 18:00 (Fire), E21 - 909 BLS (EMS).	George Yurcho	PS23191
5:13:46 PM	Alerts Accessed	Viewed Alerts Tab	Anthony Adair	PS23206
5:13:28 PM	Unit Recommendation	Recommendation viewed for units : E9091, F212, F211, F213, F2612, F301, F2725 using F212 LOCAL - STRUCTURE (WEEKDAY) 06:00 - 18:00 (Fire), E21 - 909 BLS (EMS)	George Yurcho	PS23191
5:13:26 PM	Unit Recommendation	Recommendation viewed for units : E9091, F212, F211, F213, F2612, F301, F2725 using F212 LOCAL - STRUCTURE (WEEKDAY) 06:00 - 18:00 (Fire), E21 - 909 BLS (EMS)	Michael Weckenbrock	PS23205
5:13:25 PM	Call Updated	Added Fire Radio Channel R-4	George Yurcho	PS23191
5:13:09 PM	Agency Context Added	EMS Call Type Added. Call Type: STRUCTURE: COMMERCIAL/MFD, Status: In Progress, Priority: 1 - High	George Yurcho	PS23191
5:13:09 PM	Call Type	Fire Call Type Changed From FIRE To Call Type: STRUCTURE: COMMERCIAL/MFD, Status: In Progress, Priority: 1 - High	George Yurcho	PS23191
5:12:49 PM	Incident Created	Added Incident Number, ORI: NJ0033500, Number: 2023-00000155	Rebecca Howard	
5:12:49 PM	Unit Location	Unit P2109 Secondary Location: Secondary Location Cleared	Rebecca Howard	PS23208
5:12:49 PM	Unit Status Action	Unit P2109 DISPATCHED	Rebecca Howard	PS23208
5:12:23 PM	Call Ready for Dispatch	Call marked ready for dispatch	Ryan Day	PS21926
5:12:23 PM	Call Assigned	Added Police Area Position P4	cad testing	PS21926
5:12:23 PM	Call Assigned	Added Police Dispatch Position P4	Ryan Day	PS21926
5:12:23 PM	Agency Context Added	Police Call Type Added. Call Type: ASSIST: FIRE, Status: In Progress, Priority: 2 - Medium	Ryan Day	PS21926
5:12:23 PM	Agency Context Added	Fire Call Type Added. Call Type: FIRE, Status: In Progress, Priority: 4 - New Fire Call	Ryan Day	PS21926
5:12:22 PM	Call Updated	Nature Of Call Changed To Caller states smoke coming from the green house on property// possible 3rd or 4th green house	Ryan Day	PS21926
5:11:53 PM	Call Updated	Caller Updated: Name Changed from , VERIZON to Friel, John	Ryan Day	PS21926
5:11:46 PM	Alerts Retrieval	Alerts Were Successfully Gathered For Location At Address 1800 JACKSONVILLE JOBSTOWN RD	cad testing	NWPSCADPRD

5:11:44 PM	Location	Cross streets updated, JACKSONVILLE SMITHVILLE RD / PETTICOAT BRIDGE RD	Ryan Day	PS21926
5:11:43 PM	Address Verified	Call Location Changed from Unverified To Verified	Ryan Day	PS21926
5:11:43 PM	Location	Call Location Changed from BRIDGETS ANIMAL KINGDOM 21 to 1800 JACKSONVILLE JOBSTOWN RD, 21 (BRIDGETS ANIMAL KINGDOM 21)	Ryan Day	PS21926
5:11:43 PM	Location	Call Location Changed from 2885 U S HWY NO 206 HWY - W to BRIDGETS ANIMAL KINGDOM 21	Ryan Day	PS21926
5:11:36 PM	Call Updated	Caller Added: First Name - VERIZON; Role - Contact;	Ryan Day	PS21926
5:11:35 PM	Call Created	New call created. Call Type: <Choose Call Type>, Location: 2885 U S HWY NO 206 HWY - W, Caller Phone: [REDACTED] [REDACTED] Source: E911 (01/11/2023 17:11:27)	Ryan Day	PS21926

Unit Log						
*** 1/11/2023 ***						
Time	Action	Description	Unit	Status	Name	Machine
5:36:18 PM	Unit Status Change	AVAILABLE	F2120	AVAILABLE	Michael Weckenbrock	PS23205
5:36:18 PM	Unit Cleared	Unit Cleared From Call	F2120	AVAILABLE	Michael Weckenbrock	PS23205
5:36:18 PM	Unit Status Change	AVAILABLE	F2102	AVAILABLE	Michael Weckenbrock	PS23205
5:36:18 PM	Unit Cleared	Unit Cleared From Call	F2102	AVAILABLE	Michael Weckenbrock	PS23205
5:36:18 PM	Unit Status Change	AVAILABLE	F2127	AVAILABLE	Michael Weckenbrock	PS23205
5:36:18 PM	Unit Cleared	Unit Cleared From Call	F2127	AVAILABLE	Michael Weckenbrock	PS23205
5:36:18 PM	Unit Status Change	AVAILABLE	F2722	AVAILABLE	Michael Weckenbrock	PS23205
5:36:18 PM	Unit Cleared	Unit Cleared From Call	F2722	AVAILABLE	Michael Weckenbrock	PS23205
5:27:24 PM	Unit Location	Secondary Location Cleared	F2102	ARRIVED	Michael Weckenbrock	PS23205
5:27:24 PM	Unit Status Change	ARRIVED	F2102	ARRIVED	Michael Weckenbrock	PS23205
5:27:24 PM	Unit Status Change	Dispatched (Status Override) Call Number: 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/ MFD	F2102	ARRIVED	Michael Weckenbrock	PS23205
5:27:24 PM	Unit Location	1800 JACKSONVILLE JOBSTOWN RD, 21	F2102	ARRIVED	Michael Weckenbrock	PS23205
5:27:16 PM	Unit Status Change	ARRIVED	F2127	ARRIVED	Michael Weckenbrock	PS23205
5:27:16 PM	Unit Location	1800 JACKSONVILLE JOBSTOWN RD, 21	F2127	ARRIVED	Michael Weckenbrock	PS23205
5:25:00 PM	Unit Status Change	ENROUTE	F2127	ENROUTE	Michael Weckenbrock	PS23205

5:23:57 PM	Unit Status Change	AVAILABLE	P2109	AVAILABLE	Rebecca Howard	PS23208
5:23:57 PM	Unit Cleared	Unit Cleared From Call	P2109	AVAILABLE	Rebecca Howard	PS23208
5:23:52 PM	Unit Status Change	ARRIVED	P2109	ARRIVED	Rebecca Howard	PS23208
5:23:52 PM	Unit Location	1800 JACKSONVILLE JOBSTOWN RD, 21	P2109	ARRIVED	Rebecca Howard	PS23208
5:23:08 PM	Unit Status Change	AVAILABLE	E9096	AVAILABLE	Michael Weckenbrock	PS23205
5:23:08 PM	Unit Cleared	Unit Cleared From Call	E9096	AVAILABLE	Michael Weckenbrock	PS23205
5:23:08 PM	Unit Status Change	AVAILABLE	EMS907	AVAILABLE	Michael Weckenbrock	PS23205
5:23:08 PM	Unit Cleared	Unit Cleared From Call	EMS907	AVAILABLE	Michael Weckenbrock	PS23205
5:23:03 PM	Unit Location	Secondary Location Cleared	F2722	ARRIVED	Michael Weckenbrock	PS23205
5:23:03 PM	Unit Status Change	ARRIVED	F2722	ARRIVED	Michael Weckenbrock	PS23205
5:23:03 PM	Unit Status Change	Dispatched (Status Override) Call Number: 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/ MFD	F2722	ARRIVED	Michael Weckenbrock	PS23205
5:23:03 PM	Unit Location	1800 JACKSONVILLE JOBSTOWN RD, 21	F2722	ARRIVED	Michael Weckenbrock	PS23205
5:23:01 PM	Unit Location	Secondary Location Cleared	F2127	DISPATCHED	Michael Weckenbrock	PS23205
5:23:01 PM	Unit Status Change	DISPATCHED Call Number: 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD	F2127	DISPATCHED	Michael Weckenbrock	PS23205
5:22:57 PM	Unit Location	Secondary Location Cleared	F2120	ARRIVED	Michael Weckenbrock	PS23205
5:22:57 PM	Unit Status Change	ARRIVED	F2120	ARRIVED	Michael Weckenbrock	PS23205
5:22:57 PM	Unit Status Change	Dispatched (Status Override) Call Number: 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/ MFD	F2120	ARRIVED	Michael Weckenbrock	PS23205
5:22:57 PM	Unit Location	1800 JACKSONVILLE JOBSTOWN RD, 21	F2120	ARRIVED	Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Change	AVAILABLE	F2722	AVAILABLE	Michael Weckenbrock	PS23205
5:22:47 PM	Unit Cleared	Unit Cleared From Call	F2722	AVAILABLE	Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Change	AVAILABLE	F213	AVAILABLE	Michael Weckenbrock	PS23205
5:22:47 PM	Unit Cleared	Unit Cleared From Call	F213	AVAILABLE	Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Change	AVAILABLE	F212	AVAILABLE	Michael Weckenbrock	PS23205
5:22:47 PM	Unit Cleared	Unit Cleared From Call	F212	AVAILABLE	Michael Weckenbrock	PS23205
5:22:47 PM	Unit Status Change	AVAILABLE	F211	AVAILABLE	Michael Weckenbrock	PS23205

5:22:47 PM	Unit Cleared	Unit Cleared From Call	F211	AVAILABLE	Weckenbrock Michael	PS23205
5:22:47 PM	Unit Status Change	AVAILABLE	F3014	AVAILABLE	Weckenbrock Michael	PS23205
5:22:47 PM	Unit Cleared	Unit Cleared From Call	F3014	AVAILABLE	Weckenbrock Michael	PS23205
5:22:47 PM	Unit Status Change	AVAILABLE	F3000	AVAILABLE	Weckenbrock Michael	PS23205
5:22:47 PM	Unit Cleared	Unit Cleared From Call	F3000	AVAILABLE	Weckenbrock Michael	PS23205
5:22:47 PM	Unit Status Change	AVAILABLE	F2612	AVAILABLE	Weckenbrock Michael	PS23205
5:22:47 PM	Unit Cleared	Unit Cleared From Call	F2612	AVAILABLE	Weckenbrock Michael	PS23205
5:22:47 PM	Unit Status Change	AVAILABLE	F2102	AVAILABLE	Weckenbrock Michael	PS23205
5:22:47 PM	Unit Cleared	Unit Cleared From Call	F2102	AVAILABLE	Weckenbrock Michael	PS23205
5:22:47 PM	Unit Status Change	AVAILABLE	F2120	AVAILABLE	Weckenbrock Michael	PS23205
5:22:47 PM	Unit Cleared	Unit Cleared From Call	F2120	AVAILABLE	Weckenbrock Michael	PS23205
5:21:39 PM	Unit Status Change	ARRIVED	F2722	ARRIVED	Weckenbrock Michael	PS23205
5:21:39 PM	Unit Location	1800 JACKSONVILLE JOBSTOWN RD, 21	F2722	ARRIVED	Weckenbrock Michael	PS23205
5:20:44 PM	Unit Status Change	ARRIVED	F2120	ARRIVED	Weckenbrock Michael	PS23205
5:20:44 PM	Unit Location	1800 JACKSONVILLE JOBSTOWN RD, 21	F2120	ARRIVED	Weckenbrock Michael	PS23205
5:19:02 PM	Unit Check In		F213	DISPATCHED	George Yurcho	PS23191
5:19:00 PM	Unit Check In		F211	DISPATCHED	George Yurcho	PS23191
5:18:58 PM	Unit Check In		F212	DISPATCHED	George Yurcho	PS23191
5:18:01 PM	Unit Location	Secondary Location Cleared	F2120	DISPATCHED	Weckenbrock Michael	PS23205
5:18:01 PM	Unit Status Change	DISPATCHED Call Number: 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD	F2120	DISPATCHED	Weckenbrock Michael	PS23205
5:17:48 PM	Unit Status Change	ENROUTE	F3000	ENROUTE	Weckenbrock Michael	PS23205
5:17:47 PM	Unit Location	Secondary Location Cleared	F3000	DISPATCHED	Weckenbrock Michael	PS23205
5:17:47 PM	Unit Status Change	DISPATCHED Call Number: 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD	F3000	DISPATCHED	Weckenbrock Michael	PS23205
5:17:05 PM	Unit Status Change	ENROUTE	F2102	ENROUTE	Weckenbrock Michael	PS23205
5:17:04 PM	Unit Location	Secondary Location Cleared	F2102	DISPATCHED	Weckenbrock Michael	PS23205
5:17:04 PM	Unit Status Change	DISPATCHED Call Number: 2368, Assigned Location: 1800	F2102	DISPATCHED	Weckenbrock Michael	PS23205

		JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD				
5:16:57 PM	Unit Status Change	ENROUTE	F2612	ENROUTE	Michael Weckenbrock	PS23205
5:16:52 PM	Unit Status Change	ENROUTE	F3014	ENROUTE	Michael Weckenbrock	PS23205
5:16:52 PM	Unit Status Change	DISPATCHED Call Number: 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD	F3014	DISPATCHED	Michael Weckenbrock	PS23205
5:16:52 PM	Unit Status Change	AVAILABLE	F301	AVAILABLE	Michael Weckenbrock	PS23205
5:16:52 PM	Unit Cleared	Unit Cleared From Call	F301	AVAILABLE	Michael Weckenbrock	PS23205
5:16:52 PM	Exchanged Units	F3014	F301	DISPATCHED	Michael Weckenbrock	PS23205
5:16:44 PM	Unit Status Change	ENROUTE	EMS907	ENROUTE	Michael Weckenbrock	PS23205
5:16:42 PM	Unit Location	Secondary Location Cleared	EMS907	DISPATCHED	Michael Weckenbrock	PS23205
5:16:42 PM	Unit Status Change	DISPATCHED Call Number: 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD	EMS907	DISPATCHED	Michael Weckenbrock	PS23205
5:16:10 PM	Unit Status Change	ENROUTE	E9096	ENROUTE	Michael Weckenbrock	PS23205
5:16:09 PM	Unit Status Change	DISPATCHED Call Number: 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD	E9096	DISPATCHED	Michael Weckenbrock	PS23205
5:16:09 PM	Unit Status Change	AVAILABLE	E9091	AVAILABLE	Michael Weckenbrock	PS23205
5:16:09 PM	Unit Cleared	Unit Cleared From Call	E9091	AVAILABLE	Michael Weckenbrock	PS23205
5:16:09 PM	Exchanged Units	E9096	E9091	DISPATCHED	Michael Weckenbrock	PS23205
5:15:57 PM	Unit Status Change	ENROUTE	F2722	ENROUTE	Michael Weckenbrock	PS23205
5:15:56 PM	Unit Status Change	DISPATCHED Call Number: 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD	F2722	DISPATCHED	Michael Weckenbrock	PS23205
5:15:56 PM	Unit Status Change	AVAILABLE	F2725	AVAILABLE	Michael Weckenbrock	PS23205
5:15:56 PM	Unit Cleared	Unit Cleared From Call	F2725	AVAILABLE	Michael Weckenbrock	PS23205
5:15:56 PM	Exchanged Units	F2722	F2725	DISPATCHED	Michael Weckenbrock	PS23205
5:14:02 PM	Unit Location	Secondary Location Cleared	E9091	DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Unit Status Change	DISPATCHED Call Number: 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN	E9091	DISPATCHED	George Yurcho	PS23191

		RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD				
5:14:02 PM	Unit Location	Secondary Location Cleared	F2725	DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Unit Status Change	DISPATCHED Call Number: F2725 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD		DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Unit Location	Secondary Location Cleared	F301	DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Unit Status Change	DISPATCHED Call Number: F301 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD		DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Unit Location	Secondary Location Cleared	F2612	DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Unit Status Change	DISPATCHED Call Number: F2612 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD		DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Unit Location	Secondary Location Cleared	F213	DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Unit Status Change	DISPATCHED Call Number: F213 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD		DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Unit Location	Secondary Location Cleared	F211	DISPATCHED	George Yurcho	PS23191
5:14:02 PM	Unit Status Change	DISPATCHED Call Number: F211 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD		DISPATCHED	George Yurcho	PS23191
5:14:01 PM	Unit Location	Secondary Location Cleared	F212	DISPATCHED	George Yurcho	PS23191
5:14:01 PM	Unit Status Change	DISPATCHED Call Number: F212 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: STRUCTURE: COMMERCIAL/MFD		DISPATCHED	George Yurcho	PS23191
5:12:49 PM	Unit Location	Secondary Location Cleared	P2109	DISPATCHED	Rebecca Howard	PS23208
5:12:49 PM	Unit Status Change	DISPATCHED Call Number: P2109 2368, Assigned Location: 1800 JACKSONVILLE JOBSTOWN RD, 21, Call Type: ASSIST: FIRE		DISPATCHED	Rebecca Howard	PS23208

Incidents

Incident Number	Jurisdiction	Type
2023-00000155	NJ0033500: Springfield Township Department	Police Assist Fire
2023-00000004	03212: Jacksonville Fire Co	Structure/ Building Fire
2023-00000003	03211: Juliustown Vol Fire Co	Structure/ Building Fire
2023-00000005	03213: Springfield Township Fire Co	Structure/ Building Fire
2023-00000012	03261: Chesterfield Township Department	Fire Structure/ Building Fire
2023-00000016	03300: Burlington Township Fire Department	Structure/ Building Fire
2023-00000131	03272: Westampton Fire Department	Structure/ Building Fire

Units

Unit	Radio Number	Personnel	Jurisdiction
E9091 (Primary)	E9091	02119 MAHAN	E909: Endeavor Emergency Squad
P2109 (Primary)	P2109		NJ0033500: Springfield Township Police Department
E9096	E9096		E909: Endeavor Emergency Squad
EMS907	EMS907		E909: Endeavor Emergency Squad
F2102	F2102		03212: Jacksonville Fire Co
F211	F211		03211: Juliustown Vol Fire Co
F212	F212		03212: Jacksonville Fire Co
F2120	F2120		03212: Jacksonville Fire Co
F2127	F2127		03212: Jacksonville Fire Co
F213	F213		03213: Springfield Township Fire Co
F2612	F2612		03261: Chesterfield Township Fire Department
F2722	F2722		03272: Westampton Fire Department
F2725	F2725		03272: Westampton Fire Department
F3000	F3000		03300: Burlington Township Fire Department
F301	F301		03300: Burlington Township Fire Department
F3014	F3014		03300: Burlington Township Fire Department

E911 Data

*** 1/11/2023 ***

Time	Position	Class of Service	Location	Qualifier	Lat/Lon	Elevation	Uncertainty
5:13:44 PM	55	RapidSOS			40.05001, -74.76152	-72 ft	203 ft, 95%
5:13:20 PM	55	RapidSOS			40.04925, -74.75895	-77 ft	22 ft, 95%
5:13:10 PM	55	RapidSOS			40.04917, -74.75907	-83 ft	22 ft, 95%
5:12:59 PM	55	RapidSOS			40.0492, -74.7591	-102 ft	22 ft, 95%
5:12:49 PM	55	RapidSOS			40.0492, -74.75908	-84 ft	22 ft, 95%
5:12:39 PM	55	RapidSOS			40.04917, -74.75908	-82 ft	26 ft, 95%
5:12:19 PM	55	RapidSOS			40.04917, -74.75908	-60 ft	22 ft, 95%
5:11:59 PM	55	RapidSOS			40.04919, -74.75903	-56 ft	42 ft, 95%
5:11:49 PM	55	RapidSOS			40.04922, -74.75905	-54 ft	42 ft, 95%
5:11:39 PM	55	RapidSOS			40.04917, -74.75885	-48 ft	154 ft, 95%
5:11:27 PM	55	WPH1	2885 U S HWY NO 206 HWY - W		40.050380, -74.729154		
5:11:27 PM	55	RapidSOS			40.0492, -74.75907	-48 ft	160 ft, 95%

Attachments

File Name	File Description	Attached By
-----------	------------------	-------------