



Kenilworth Police Department

567 Boulevard, Kenilworth, NJ 07033

Phone: 908-276-1700 Fax: 908-276-1822 Mun. Code: 2008

CAD Report



CAD #	Case #	Date	Time of Call	Dispatched	Arrived	Cleared	911
18-05064		03/05/18	10:44	10:44	10:44	10:44	

Reg.	St.	Race Code	Citations	Warning

Incident Type	Business / School / Location Name
---------------	-----------------------------------

Alarm - Smoke / Fire	
----------------------	--

Location:	Street #	Street Name	Apt. #	At Intersection of:
-----------	----------	-------------	--------	---------------------

611	Springfield Road			
-----	------------------	--	--	--

Contact (Lastname, Firstname)	Contact Address	Contact Phone
-------------------------------	-----------------	---------------

--	--	--

Notes

Atlantic Control, 201-460-9900 reported an activated fire alarm showing as a general zone at the above location. Dispatched Sgt Lueddeke/ Ptl Balwierczak/ KFD who reported that alarm was set off in error/ work being done on the system/ will be on test.

Officer(s)	Car(s)	Dispatched	Arrived	Cleared	Response Time	Time on Scene
------------	--------	------------	---------	---------	---------------	---------------

Ptl. Joseph Balwierczak 41	53	10:44	10:44	10:44	00:00	00:00
----------------------------	----	-------	-------	-------	-------	-------

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

Average Response Time for this Call:	Dispatched By:
--------------------------------------	----------------

00:00:00	ccastle
----------	---------



Kenilworth Police Department

567 Boulevard, Kenilworth, NJ 07033

Phone: 908-276-1700 Fax: 908-276-1822 Mun. Code: 2008

CAD Report



CAD #	Case #	Date	Time of Call	Dispatched	Arrived	Cleared	911
18-09136		04/28/18	13:47	13:47	13:49	13:52	

Reg.	St.	Race Code	Citations	Warning

Incident Type	Business / School / Location Name
---------------	-----------------------------------

Alarm - Burglar

Location:

Street # Street Name Apt.# At Intersection of:

611 Springfield Road

Contact (Lastname, Firstname) Contact Address Contact Phone

Notes

ADT alarm service reported an active burglar alarm at the above location. Dispatched Ptl. Scuorzo who reported the building is secure.

Officer(s) Car(s) Dispatched Arrived Cleared Response Time Time on Scene

Ptl. Joseph Scuorzo 42 53 13:47 13:49 13:52 00:02 00:02

Average Response Time for this Call:

00:02:09

Dispatched By:

ccastle



Kenilworth Police Department

567 Boulevard, Kenilworth, NJ 07033

Phone: 908-276-1700 Fax: 908-276-1822 Mun. Code: 2008

CAD Report



CAD #	Case #	Date	Time of Call	Dispatched	Arrived	Cleared	911
18-09316		05/01/18	10:05	10:06	10:11	10:35	X

Req.	St.	Race Code	Citations	Warning

Incident Type	Business / School / Location Name
---------------	-----------------------------------

Verbal Dispute	PM Pool Service
----------------	-----------------

Location:	Apt.#	At Intersection of:
Street # Street Name		

611	Springfield Road	
-----	------------------	--

Contact (Lastname, Firstname)	Contact Address	Contact Phone
-------------------------------	-----------------	---------------

Rinaldi, Michael	123 W. Woodbridge Ave, Iselin, NJ	908-241-6000
------------------	-----------------------------------	--------------

Notes

9-1-1 caller Michael 908-241-6000 from PM Pool Service reported a verbal dispute with Michael Izzo, possible suspect involved in fraud case (CAD #18-06358). Same reported individual is becoming aggressive and hostile towards employees. Disp Sgt Giacalone/Ptl Devlin/Sgt Scaniello who reported verbal dispute only over a civil matter involving business. All parties were sent on their way and agreed to keep the peace.

Officer(s)	Car(s)	Dispatched	Arrived	Cleared	Response Time	Time on Scene
Sgt. Anthony Giacalone 32	51	10:06	10:11	10:35	00:04	00:24
Ptl. Mike Devlin 35	52			10:26	00:04	00:15
Sgt. Mike Scaniello 39	51			10:35	00:00	00:24

Average Response Time for this Call:	Dispatched By:
00:03:17	rrueger



Kenilworth Police Department

567 Boulevard, Kenilworth, NJ 07033

Phone: 908-276-1700 Fax: 908-276-1822 Mun. Code: 2008

CAD Report



CAD #	Case #	Date	Time of Call	Dispatched	Arrived	Cleared	911
18-09332	18-09332	05/01/18	15:11	15:11	15:13	15:34	X

Reg.	St.	Race Code	Citations	Warning

Incident Type

Business / School / Location Name

Verbal Dispute

PM Pool Services

Location:

Street # Street Name

Apt.#

At Intersection of:

611 Springfield Road

Contact (Lastname, Firstname)

Contact Address

Contact Phone

Rinaldi, Michael

123 W. Woodbridge Ave, Iselin, NJ

Notes

In reference to CAD #18-06358 and #18-09316, 9-1-1 caller Michael Rinaldi 908-241-6000 reported that Michael Izzo returned to PM Pool Services and demanded his trucks be returned to him immediately. Same reported speaking with his lawyer who advised him not to turn over vehicles until matter was settled in court. Disp Sgt Giacalone/Ptl Devlin who reported Izzo left premises without incident. Both parties were advised of civil matter and agreed to handle proceedings in court.

Officer(s)	Car(s)	Dispatched	Arrived	Cleared	Response Time	Time on Scene
Sgt. Anthony Giacalone 32	51	15:11	15:13	15:34	00:02	00:21
Ptl. Mike Devlin 35	52			15:34	00:01	00:21

Average Response Time for this Call:

00:01:59

Dispatched By:

rrueger



Kenilworth Police Department

567 Boulevard, Kenilworth, NJ 07033

Phone: 908-276-1700 Fax: 908-276-1822 Mun. Code: 2008

CAD Report



CAD #	Case #	Date	Time of Call	Dispatched	Arrived	Cleared	911
18-11162		05/27/18	08:23	08:24	08:28	08:35	

Reg.	St.	Race Code	Citations	Warning

Incident Type	Business / School / Location Name
Alarm - Burglar	PM Pool Service

Location:	Street #	Street Name	Apt.#	At Intersection of:
	611	Springfield Road		

Contact (Lastname, Firstname)	Contact Address	Contact Phone

Notes

Received a call from ADT 800-297-0543 operator id LYOR who reported a burglar alarm is going off at the above location coming from the main door. Dispatched Ptl. Devlin/ Ptl. Torre who reported main door is unsecured and audible alarm is going off Ptl. Devlin/ Ptl. Torre checked the building unsecured door seems to be an oversight. Alarm company reaching out to key holder Michael Rinaldi who will come secure the door and reset the alarm system. Officers cleared the building.

Officer(s)	Car(s)	Dispatched	Arrived	Cleared	Response Time	Time on Scene
Ptl. Mike Devlin 35	52	08:24	08:28	08:35	00:03	00:06

Average Response Time for this Call:	Dispatched By:
00:03:21	kcampos

[illegible]



Kenilworth Police Department

567 Boulevard, Kenilworth, NJ 07033

Phone: 908-276-1700 Fax: 908-276-1822 Mun. Code: 2008

CAD Report



CAD #	Case #	Date	Time of Call	Dispatched	Arrived	Cleared	911
18-21470		11/03/18	14:26	14:26	14:29	14:29	

Reg.	St.	Race Code	Citations	Warning

Incident Type	Business / School / Location Name
Alarm - Burglar	PM Pool Service

Location:	Apt.#	At Intersection of:
Street # Street Name		
611 Springfield Road		

Contact (Lastname, Firstname)	Contact Address	Contact Phone

Notes

Protection Plus "Taq" 800-297-0543 called to report receiving alarm coming from the rear door; Disp Ptl. Tancs but prior to his arrival, the central station called back to cancel alarm.

Officer(s)	Car(s)	Dispatched	Arrived	Cleared	Response Time	Time on Scene
Ptl. Anthony Tancs 50	54	14:26	14:29	14:29	00:03	00:00

Average Response Time for this Call:	Dispatched By:
00:03:49	vsmith

[illegible]



CAD #	Case #	Date	Time of Call	Dispatched	Arrived	Cleared	911
19-07172		04/15/19	06:10	06:10	06:10	06:10	
Reg.	St.	Race Code	Citations	Warning			
Incident Type				Business / School / Location Name			
Alarm - Burglar				PM Pools			
Location:							
Street #		Street Name		Apt.#	At Intersection of:		
611		Springfield Road					
Contact (Lastname, Firstname)		Contact Address			Contact Phone		
					877-305-2984		
Notes							
Protection alarm reported an activated burglar alarm at above location. Disp Off. Kernan and Off. Fuschino who reported all appears secure.							
Officer(s)		Car(s)	Dispatched	Arrived	Cleared	Response Time	Time on Scene
Ptl. Ryan Kernan 44		55	06:10	06:10	06:10	00:00	00:00
Average Response Time for this Call:				Dispatched By:			
00:00:00				jbalwierczak			

CAD #	Case #	Date	Time of Call	Dispatched	Arrived	Cleared	911
19-10910		06/09/19	13:53	13:53	13:54	14:06	
Reg.	St.	Race Code	Citations	Warning			
Z24CYP	NJ						
Incident Type				Business / School / Location Name			
Alarm - Burglar				PM Pool Supplies			
Location:							
Street #	Street Name	Apt.#	At Intersection of:				
611	Springfield Road						
Contact (Lastname, Firstname)		Contact Address	Contact Phone				
Pawlick, Mary		311 Bloomingdale Ave, Cranford, NJ					
Notes							
Caller Rich Pawlick (908) 358-6034 reports that he is at above location and alarm is sounding. Ptl's Sandull and Filipe responded to scene. Report buisness is closed but door was unsecure. Ptl Sandull checked premises, all appears in order. Will check back periodically.							
Officer(s)	Car(s)	Dispatched	Arrived	Cleared	Response Time	Time on Scene	
Ptl. Glen Sandull 27	52	13:53	13:54	14:06	00:01	00:11	
Average Response Time for this Call:				Dispatched By:			
00:01:29				DZimmerman			



Kenilworth Police Department

567 Boulevard, Kenilworth, NJ 07033

Phone: 908-276-1700 Fax: 908-276-1822 Mun. Code: 2008

CAD Report



CAD #	Case #	Date	Time of Call	Dispatched	Arrived	Cleared	911
19-12589		07/05/19	07:07	07:20	07:23	07:25	

Reg.	St.	Race Code	Citations	Warning

Incident Type	Business / School / Location Name
---------------	-----------------------------------

Alarm - Burglar	PM Pool Services
-----------------	------------------

Location:

Street #	Street Name	Apt.#	At Intersection of:
----------	-------------	-------	---------------------

611	Springfield Road		
-----	------------------	--	--

Contact (Lastname, Firstname)	Contact Address	Contact Phone
-------------------------------	-----------------	---------------

--	--	--

Notes

Received a call from 800-297-0543 ADT Security Op # MSZ reporting a commercial burglar alarm at 611 Springfield Rd, rear door. Disp Ptl Fuschino the back lot gate is secured as well as the front door.

Officer(s)	Car(s)	Dispatched	Arrived	Cleared	Response Time	Time on Scene
------------	--------	------------	---------	---------	---------------	---------------

Ptl. Raymond Fuschino 49	55	07:20	07:23	07:25	00:02	00:02
--------------------------	----	-------	-------	-------	-------	-------

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

Average Response Time for this Call:	Dispatched By:
--------------------------------------	----------------

00:02:51	adevigili
----------	-----------

[illegible]



Kenilworth Police Department

567 Boulevard, Kenilworth, NJ 07033

Phone: 908-276-1700 Fax: 908-276-1822 Mun. Code: 2008

CAD Report



CAD #	Case #	Date	Time of Call	Dispatched	Arrived	Cleared	911
19-20371		11/04/19	06:23	06:26	06:29	06:30	

Reg.	St.	Race Code	Citations	Warning

Incident Type	Business / School / Location Name
---------------	-----------------------------------

Alarm - Burglar	PM Pool Service
-----------------	-----------------

Location:

Street #	Street Name	Apt.#	At Intersection of:
----------	-------------	-------	---------------------

611	Springfield Road		
-----	------------------	--	--

Contact (Lastname, Firstname)	Contact Address	Contact Phone
-------------------------------	-----------------	---------------

--	--	--

Notes

Janet from ADT 800-297-0543 reports alarm from above location. Disp Ptlm Torre/Rueger who report the front door is locked and they can not access the gate to check the other doors.

Officer(s)	Car(s)	Dispatched	Arrived	Cleared	Response Time	Time on Scene
------------	--------	------------	---------	---------	---------------	---------------

Ptl. Matthew Torre 47	53	06:26	06:29	06:30	00:02	00:01
-----------------------	----	-------	-------	-------	-------	-------

Ptl. Robert Rueger 52	53			06:30	00:00	00:01
-----------------------	----	--	--	-------	-------	-------

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

--	--	--	--	--	--	--

Average Response Time for this Call:	Dispatched By:
--------------------------------------	----------------

00:01:24	Ilueddeke
----------	-----------



Kenilworth Police Department

567 Boulevard, Kenilworth, NJ 07033

Phone: 908-276-1700 Fax: 908-276-1822 Mun. Code: 2008

CAD Report



CAD #	Case #	Date	Time of Call	Dispatched	Arrived	Cleared	911
19-23450		12/21/19	15:15	15:16	15:19	15:27	

Reg.	St.	Race Code	Citations	Warning

Incident Type	Business / School / Location Name
Alarm - Burglar	PM Pool Service

Location:	Street #	Street Name	Apt.#	At Intersection of:
	611	Springfield Road		

Contact (Lastname, Firstname)	Contact Address	Contact Phone

Notes

Received a call from 877-305-2984 ADT Security OP # CAEF reporting a commercial burglar alarm at 611 Springfield Rd, general. Disp Ptl Fuschino reported a couple of workers on scene working. Same spoke to owner Onelia Martin who confirmed the workers were allowed to be there.

Officer(s)	Car(s)	Dispatched	Arrived	Cleared	Response Time	Time on Scene
Ptl. Raymond Fuschino 49	52	15:16	15:19	15:27	00:02	00:08

Average Response Time for this Call:	Dispatched By:
00:02:40	adevigili