



CONSTRUCTION PERMIT APPLICATION

RECEIVED Page 1

MAY 5 1989

DIV. OF INSPECTION

I. IDENTIFICATION

1. Proposed Work at: 230 Essex Place, Brick NJ
2. Owner Name: Mrs. Kevin McKee
Address: Sans
3. Principal Contractor: South Jersey Pools Tel. 609 693-0409
Address: 421 Rt. Forked River, NJ
- Lic. No. or Builder Reg. No. _____ Federal Emp. No. _____
4. Architect or Engineer: _____ Tel. (____) _____
- Address: _____
5. Responsible Person in Charge of Work: South Jersey Pools Tel. 609 693-0409

II. PROPOSED WORK

A. TYPE OF WORK		B. CATEGORIES OF WORK		D. DOES OR WILL YOUR BUILDING CONTAIN ANY OF THE FOLLOWING?	
1. ☐ Minor Work (Single Trade)	Permit/Category	1. ☐ Building/Structural	Estimated \$	1. ☐ Elevators/Dumbwaiters	2. ☐ High-Pressure Boilers 3. ☐ Refrigeration Systems 4. ☐ Pressure Vessels 5. ☐ Hazardous Uses/Places of Assembly 6. ☐ Cross-connections/Backflow Preventors 7. ☐ Sprinklers 8. ☐ Smoke Control Systems in Open Wells
2. ☐ Small Job (\$5,000 and no Prior Approvals) <i>Complete only II.B., III and IV.A. and Page 2</i>		2. ☐ Plumbing			
3. ☐ New Building	3. ☐ Electrical				
4. ☐ Addition	4. ☐ Fire Protection				
5. ☐ Alteration	5. ☒ Other <u>Pool</u>	<u>124,000.00</u>			
6. ☒ Repair, Replacement	6. ☐ Other	<u>\$124,000.00</u>			
7. ☐ Demolition	TOTAL COST				
8. ☒ Other: <u>Swimming Pool</u>					
C. DO YOU WANT:					
1. ☐ Partial Releases		2. ☐ Prototype Processing			

III. DESCRIPTION OF BUILDING USE (USE GROUPS)

A. RESIDENTIAL		B. NON-RESIDENTIAL	
1. ☐ Hotels (R-1)	If new construction, enter no. of dwelling units _____ If other than new construction, enter no. of dwelling units: _____ Before Construction: _____ After Construction: _____ Net Gain (or loss): _____	5. ☐ Theatres with Stage (A-1-A)	16. ☐ Institutional Detention Center (I-1)
2. ☐ Multi-Family (R-2)		6. ☐ Movie Theatres (A-1-B)	
3. ☐ Two Family (R-3b)		7. ☐ Night Clubs (A-2)	
4. ☐ One-Family (R-3a)		8. ☐ Restaurants, Libraries, Museums (A-3)	
		9. ☐ Religious Assembly (A-4)	17. ☐ Hospitals, Infirmeries (I-2)
		10. ☐ Outdoor Assembly (A-5)	18. ☐ Group Homes (I-3)
		11. ☐ Business (B)	19. ☐ Mercantile (M)
		12. ☐ Educational (E)	20. ☐ Moderate-Hazard Warehouse (S-1)
		13. ☐ Moderate-Hazard Factory (F-1)	21. ☐ Low-Hazard Warehouse (S-2)
		14. ☐ Low-Hazard Factory (F-2)	22. ☐ Temporary, Misc. (U)
		15. ☐ High-Hazard (H)	23. ☐ Other _____

State Specific Use: _____

If Change in Use Group, Indicate Former: _____

IV. BUILDING CHARACTERISTICS

A. OWNERSHIP		B. HEATING FUEL		C. TYPE OF SEWAGE DISPOSAL		D. TYPE OF WATER SUPPLY		E. BUILDING CHARACTERISTICS	
1. ☐ Private (Individual, Corp., Non-profit Inst., Etc.)	2. ☐ Public (State, County or Local Govt.)	Principal	Secondary	Type	10. ☐ Public or Private Company	11. ☐ Private (Septic Tank, Etc.)	12. ☐ Public or Private Company	13. ☐ Private (Well, Etc.)	14. No. of Stories _____
3. ☐		4. ☐	Gas	15. Height of Structure _____ Ft.					
5. ☐	6. ☐	Oil	16. Area—Largest Floor _____ Sq. Ft.						
7. ☐	8. ☐	Electric	17. Bldg. Area—All Fls. _____ Sq. Ft.						
9. ☐	10. ☐	Solid (Wood, Coal, Etc.)	18. Volume of Structure _____ Cu. Ft.						
		Propane	19. Total Land Area Disturbed _____ Sq. Ft.						
		Solar							
		Other _____							

LDS BR 10408158

CERTIFICATION IN LIEU OF OATH

I. OWNER SECTION

I hereby certify that I am the owner of the property listed on Page 1. This dwelling is to be occupied by myself and is not to be used for any purpose, other than single family residential use.

A. ☐ I further certify that I prepared the plans submitted. This statement is made in accordance with the New Jersey Uniform Construction Code, N.J.A.C. 5:23-2.15(e)vii.

B. ☐ I further certify that I will perform the work below.

B1. ☐ Building B2. ☐ Electrical B3. ☐ Plumbing

C. ☐ I further certify that a new home will be constructed on this property, for my use and occupancy. I attest that all design, construction, plumbing, or electrical work will be done by me or by subcontractors under my supervision, in accordance with all applicable laws; and further acknowledge that said new home is not covered under the New Home Warranty and Builders Registration Act (N.J.A.C. 46:3B-1 et. seq.) and that such fact shall be disclosed to any person purchasing this property within ten years of the date of issuance of a certificate of occupancy.

D. ☐ I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

SIGNATURE _____

DATE _____

II. AGENT SECTION

I hereby certify that the work is authorized by the owner of record and I have been authorized by the owner to make this application as his agent.

I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

☒ Check if contractor.

AGENT NAME

South Jersey Pools

TEL. (609) 693-0469

ADDRESS

421 Rt. 9

Forked River, N.J.

SIGNATURE

Richard J. [Signature]

PRIOR APPROVALS CHECKLIST

APPROVALS	LOCAL		COUNTY		REGIONAL		STATE		COMMENTS					
	Prelim. Approval	Final Approval	Prelim. Approval	Final Approval	Prelim. Approval	Final Approval	Prelim. Approval	Final Approval						
	Init.	Date	Init.	Date	Init.	Date	Init.	Date		Init.	Date	Init.	Date	
☐ Planning Board														
☐ Zoning Board														
☐ Sewer Authority														
☐ Water Authority														
☐ Fire Department														
☐ Police Department														
☐ Health Department														
☐ Soil Conservation														
☐ N.J. Dept. of Community Affairs														
☐ N.J. Dept. of Transportation														
☐ N.J. Dept. of Environmental Protection														
☐ Other: _____														
☐ _____														
☐ _____														
☐ _____														
☐ _____														
☐ _____														
☐ _____														
☐ _____														
☐ _____														

SUBCODES AND SPECIAL REGULATIONS APPLICABLE:

EDITION OF CODE ☐ One and Two Family Dwellings _____ ☐ Building _____ ☐ Electrical _____ ☐ Plumbing _____	EDITION OF CODE ☐ Mechanical _____ ☐ Energy _____ ☐ Barrier Free _____ ☐ Other _____	☐ Flood Hazard _____ ☐ As Built Elevation Certification _____ ☐ Other _____
---	--	---

U.C.C. Form F-100[®] (8/83)



SUBCODE TECHNICAL SECTION

REVISION DATE _____
Block 382-32 Lot 2
Subdivision _____

A. IDENTIFICATION

APPLICANT - Complete unshaded areas only

When changing contractors, notify this office

Owner Mr. Kevin McKee
Address 230 Essex Place
Brick, N.J.
Tel. [REDACTED]
Work Site Address SAME

Contractor South Jersey Tools
Address 421 Rt. 9
Toronto, N.J.
Tel. (609) 693-0409
Lic. No. _____
Federal Emp. No. _____

CERTIFICATION IN LIEU OF OATH:

(Complete for Minor Work and Small Job Only)

I hereby certify that the proposed work is authorized by the owner of record and I have been authorized by the owner to make this application as his agent.

[Signature]
AGENT SIGNATURE

B. TECHNICAL SITE DATA

DESCRIPTION OF WORK

Give detail description including materials used, dimensions, etc.

REMOVAL OF OLD
WOOD WITH 16X32
POOL, REPLACED
WITH STEEL WITH
16X32 INGROUND
POOL

☐ See Plans

TYPE OF WORK:

- ☐ New Building
- ☐ Addition
- ☐ Alteration/Renovation
 - ☐ Roofing
 - ☐ Siding
 - ☐ Other _____
- ☐ Demolition
- ☐ Miscellaneous
 - ☐ Fence
 - ☐ Sign
 - ☒ Pool
 - ☐ Elevator
 - ☐ Other _____

Fee Basis

Fee

SUBTOTAL \$ _____
Minimum Building Fee (if applicable) \$ _____
Total Building Fee (Greater of Minimum or Subtotal) \$ _____

C. BUILDING CHARACTERISTICS

USE GROUP: _____ Present _____ Proposed

No. of Stories _____ Total Building Area--All Floors _____ Sq. Ft.

Height of Structure _____ Ft. Volume of Structure _____ Cu. Ft.

D. COMMENTS



CUT-IN-CARD

MUNICIPALITY BT

LOCATION 230 Essex St. UTILITY CO. ---

BLK 382-38T 2

OWNER Myckee OCCUPANT ---

"Installation in the above premises has been inspected and is in accordance with N.E.C. utility and DCA requirements."

☒ FINAL ☐ TEMPORARY

SERVICE --- This approval void after --- days

AIR COND --- RANGE --- WATER HEATER ---


COMMENTS Pool wiring MISC ---

DATE 8/06/12 PERMIT 5539 INSPECTOR J. Dulin

Elec. 104


Insp. Lic. 2483

Super Pump




MODEL	HP	PIPE SIZE	DIM. "A"	MODEL	HP	PIPE SIZE	DIM. "A"
SP-2600	1/3	1"	11-1/4"	SP-2610	1	1 1/2"	12-1/4"
SP-2605	1/2	1 1/2"	11-5/8"	SP-2615	1 1/2	2"	13-1/4"
SP-2607	3/4	1 1/2"	11-7/8"	SP-2621	2	2"	13-3/4"

DEPENDABLE, HIGH FLOW PERFORMANCE



Also available with Dual Speed Power Saver™ Motor.




- ① Heavy-duty high performance motor with air-flow ventilation for cooler operation and maximum dependability. Built-in automatic thermal overload protection. Electrically isolated and insulated from pool water for extra safety.
- ② All components molded of rugged, corrosion-proof fiberglass-filled resin for extra durability and long, long life. This material gives high strength and heat resistance characteristics and is immune to all types of pool chemicals and water. Integral super-size pump-strainer housing has extra air handling capacity to assure rapid priming and continuous operation, even under extreme conditions.
- ③ New, Service-Ease design affords simple access to all internal parts. Motor and entire drive group assembly can be removed, without disturbing pipe or mounting connections, by disengaging just four bolts.
- ④ Heat resistant industrial size ceramic seal. Long wearing and 100% drip-proof.
- ⑤ Totally balanced corrosion-proof Noryl® impeller has smooth, wide openings to prevent fouling or clogging. Engineered for maximum performance-tuned efficiency.
- ⑥ Unique mounting base provides stable, balanced, stress-free support for motor and pump, plus versatility for any installation requirement.
- ⑦ Super-size 110 cubic inch capacity hair and leaf strainer basket gives longer time between cleaning. Rigid construction and load-extender ribbing assures free flowing operation for even the heaviest debris loads.
- ⑧ Exclusive, Swing-Aside hand knobs make strainer cover removal easy. No tools required . . . no loose parts . . . no clamps.
- ⑨ Clear Lexan® Full-View strainer cover lets you see when basket needs cleaning . . . eliminates guesswork. Tab-Lock design and special self-adjusting seal assures positive seating and dependable sealing.



HAYWARD POOL PRODUCTS, INC.

900 FAIRMOUNT AVENUE, ELIZABETH, NEW JERSEY 07207 / Phone: (201) 351-5400

SUPER PERFORMANCE



THE NEW SUPER PUMP

High Performance. Extra efficiency. Safe, quiet operation. Durable and corrosion-proof. Dependable. Proven. This is Hayward's new generation Super Pump — a pump engineered and built for today's demanding, cost-efficient installations. The new Super Pump out-performs all others and has all the quality features you expect from Hayward. From large "see-thru" strainer and Service-Ease design to new higher performance, the Super Pump sets a new standard of excellence and value.

For Carefree Swimming...

HAYWARD®

S-2000

HIGH RATE

SAND FILTERS

A high performance totally corrosion-proof filter series that combine superior filtration and features with ease of operation. Designed with the pool owner in mind, the S-200 and S-240 filters produce clear, sparkling water with only the very least attention and care. From durable access cover and maintenance-free construction to convenient, easy-to-use control valve, the S-200 Filter Series is the ultimate in high rate sand filtration.




S-200 Series



S-200 Series
System II





FEATURES OF THE S-200 SERIES

MANUAL AIR RELIEF for easy, safe manual release of air from system.

FILTER ACCESS COVER. Durable 6" threaded inspection cover provides convenient access to top of filter.

TOP DIFFUSER. Assures even distribution of water over the top of the sand media bed. All internal piping is 2" to give smooth, free-flowing performance.

AUTOMATIC AIR RELIEF. Automatically purges filter of any entrapped air during operation of the filter system.

CORROSION-PROOF, HEAVY-DUTY FILTER TANK. Injection molded of tough, durable ABS for dependable all-weather performance with only minimum care.

BOLTED CENTER FLANGE. Provides extra strength and securely and safely fastens tank top and bottom together. Allows for future service access to all filter components without disturbing piping and connections.

6-POSITION HAYWARD VARI-FLO CONTROL VALVE with easy-to-use lever action handle to let you "dial" any of the 6 valve/filter functions. FILTER, WASTE, BACKWASH, RINSE, CLOSED or RECIRCULATE.

UNION LOCKNUTS make assembly or disassembly of the control valve easy.

EFFICIENT MULTI-LATERAL UNDERDRAIN ASSEMBLY. These precision engineered, corrosion-free, self-cleaning laterals give totally balanced flow, even when backwashing. Laterals individually thread into center collector hub to assure positive sealing, and allow for fast, easy servicing.

SUPPORT SKIRT. Rugged and attractively styled to provide strong, stable support for the filter assembly. Totally corrosion-proof, too.

DRAIN PIPE ASSEMBLY allows for total draining of filter for winter or service. 1/4" garden hose connection thread for easy hose attachment. Drain assembly is replaceable from outside of filter.

ALL FILTER COMPONENTS are serviceable using only a screwdriver and wrench.

The S-200 and S-240 High Rate Sand Filters are available with three base options:

1. Standard pump mounting base.
2. Pump/filter platform base.
3. Deluxe pump/filter platform base.

The System II Series is furnished complete with Hayward UL Super Pump and clear Lexan union. All component factory assembled on deluxe platform base.

System II Series available with 3/4, 1, 1 1/2 and 2 HP pumps. Your dealer will recommend the model with the pump horsepower that will provide optimum performance, at the lowest operating cost.

* System II separate components system also available with choice of Super or Max-Flo pumps, 1/2 thru 2 HP.

SPECIFICATIONS — S-200 and S-240 Basic Filter Units

FILTER TYPE:	High Rate Sand — No. 1/2 silica sand (.45mm-.55mm)
FILTER TANK:	Injection molded ABS
UNDERDRAIN:	Precision slotted laterals
CONTROL VALVE:	6-Position Vari-Flo—lever action handle
SUPPORT BASE:	Injection molded ABS
PUMP RANGE:	1/2 to 2 HP (30-80 GPM)
DIMENSIONS S-200:	23 1/2" wide x 36" high (597 x 914mm)
S-240:	27" wide x 42" high (686 x 1067mm)

SPECIFICATIONS — S-200 System II and S-240 System II

PUMP and MOTOR:	Hayward Super Pump—UL approved (1/2 to 2 HP)
FILTER/PUMP BASE:	Deluxe platform base
PUMP-VALVE CONNECTION:	Quick connect Lexan union
PERFORMANCE RANGE:	30-80 GPM

DIMENSIONS S-200:	31" wide x 33" deep x 37" high (787 x 838 x 940mm)
S-240:	31" wide x 33" deep x 43" high (787 x 838 x 1092mm)

PERFORMANCE DATA

Filter No.	Filter Area	FLOW RATES				TURN OVER	
		@15 gpm per sq. ft.	@20 gpm per sq. ft.	@25 gpm per sq. ft.		8 Hrs.	10 Hrs.
Filter No. S-200	2.2 sq. ft.	33 gpm	—	—	—	15,840	19,800
		—	44 gpm	—	—	21,120	26,400
		—	—	55 gpm	—	26,400	33,000
Filter No. S-240	3.14 sq. ft.	47 gpm	—	—	—	22,560	28,200
		—	63 gpm	—	—	30,240	37,800
		—	—	78 gpm	—	37,440	46,800




HAYWARD POOL PRODUCTS, INC.

Hayward Pool Products, Inc.
12900 Fairmount Avenue
Elizabeth, NJ 07207

Hayward Pool Products, Inc.
2875 Pomona Boulevard
Pomona, CA 91768

Hayward Pool Products Canada
6597 Kilmart Road
Mississauga, Ontario L5N4J4

Hayward S.A.
245, Rue Du Rond Point
B6060 Gilly, Belgium
Printed in U.S.A.



ESSEX PLACE (50' WIDE - FILED MAP)

MAP of SURVEY

TAX LOT 2 TAX-BLOCK 382-32

BRICK (TAX MAP SHEET NO. 32A) TOWNSHIP

COUNTY of OCEAN, NEW JERSEY

CERTIFICATION

TO: KEVIN J. MCKEE AND BELINDA MCKEE, H/W;

OCEAN TITLE SERVICE, INC.

FILED MAP REFERENCE

TITLE: "LAKE RIVIERA, SECTION 9"

FILE NO. B-344 FILE DATE SEPT. 15, 1964

LOT 2 BLOCK 32

RUSH & HENKEL PA

☐ BULKHEAD

☐ DOCK


☒ SWIMMING POOL

☐ DWELLING

INSPECTION NO. 1

DATE 5/11/89

BY RJS



COMMENTS:

Rephue ex3r inside liner only

MUNICIPAL ENGINEER

INSPECTION NO. _____

DATE _____

BY _____

☐ APPROVED

COMMENTS: _____

☐ REJECTED

☐ OTHER

INSPECTION NO. _____

DATE _____

BY _____

☐ APPROVED

COMMENTS: _____

☐ REJECTED

☐ OTHER

INSPECTION NO. _____

DATE _____

BY _____

☐ APPROVED

COMMENTS: _____

☐ REJECTED

☐ OTHER

INSPECTION NO. _____

DATE _____

BY _____

☐ APPROVED

COMMENTS: _____

OFFICE OF
DIVISION OF INSPECTION

BLOCK 382-32
LOT 2

ENGINEERING DEPARTMENT,

I request to be exempted from the plot plan ordinance for the minor addition to be constructed at 230 Essex Ave. Bridge

THANK YOU,

PHONE NUMBER 609-693-0409

Michael
APPLICANT SIGNATURE

1. YES ☒ NO ☐ Are you removing excavated materials from site? Please explain.

All material of old pad to be removed by dumpster

2. YES ☐ NO ☒ Are you constructing a retaining wall? If yes, provide following information

Type:

☐ Railroad ties
☐ Concrete

Height: _____
Length: _____

Attach plan providing details location - Plan must be certified by licensed Engineer or Architect.

OFFICIAL USE ONLY

Preliminary Inspection Construction Inspection Final Inspection

Accepted ☐

Accepted ☐

Accepted ☐

Rejected ☐

Rejected ☐

Rejected ☐

Date _____


Date _____

Date _____

Signature _____

Signature _____

Signature _____



MAP of SURVEY

TAX LOT 2 **TAX-BLOCK 382-32**

BRICK (TAX MAP SHEET NO. 32A) **TOWNSHIP**

COUNTY of OCEAN, NEW JERSEY

CERTIFICATION

0: KEVIN J. MCKEE AND BELINDA MCKEE, M/W;

OCEAN TITLE SERVICE, INC.

FILED MAP REFERENCE

TITLE: "LAKE RIVIERA, SECTION B"

FILE NO. B-344 **FILE DATE SEPT. 15, 1954**

LOT 2 **BLOCK 32**

HEREBY CERTIFY THAT THIS SURVEY WAS.

RUSH & HENKEL, P.A.