

		Clark Fire Department Station: 1	
Location: 259 Hawthorne DR CLARK NJ 07066		Lat/Long: N 40° 39' 56.58" W 74° 20' 17.87"	
Location Type: 1 - Street address			
Incident Type: 162 - Outside equipment fire		FDID: 20002 Incident #: 2022-1 Exposure ID: 63331570 Exposure #: 0 Incident Date: 01/01/2022	

Report Completed by:	Villane, Richard	ID: 291	Date: 01/01/2022
Report Reviewed by:	Nenortas, Adam	ID: 217	Date: 01/20/2022
Report Printed by:	Nenortas, Adam	ID: 217	Date: 2/3/2022 Time: 16:52

Structure Type:		Property Use: 400 - Residential, other	
Automatic Extinguishment System Present: ☐		Detectors Present: ☐	
Cause of Ignition: Cause under investigation			
Aid Given or Received:		None	
Primary action taken:		86 - Investigate	
Additional actions:			
81 - Incident command, -			
Losses		Pre-Incident Values	
Property:	Property:	Civilian Injuries:	0
Contents:	Contents:	Civilian Fatalities:	0
Total:	Total:	Fire Service Injuries:	0
		Fire Service Fatalities:	0
		Total Fire Service Casualties:	0
Total # of apparatus on call:		5	
Total # of personnel on call:		11	

Special Studies	COVID 19 was a factor in this incident.	Unknown.
-----------------	---	----------

Neighboring Agencies	Agency Name: Colonia	Agency ID: 12625	Agency Type: Fire
----------------------	----------------------	------------------	-------------------

NARRATIVE (1)	
Narrative Title: n/a Narrative Author: Ciprian, Alejandro Narrative Date: 01/01/2022 17:22:40 Narrative Apparatus ID: n/a Narrative: Companies dispatched for the reported house fire. Upon arrival companies found an exterior fire on the bravo side of the residence. Main residence was a 2-story wood frame residential structure. Upon arrival L4 established command and guided Engine 1 and ordered an 1 3/4 line stretched. Engine 1 stretched an initial attack line of an 1 3/4 line and established their own water supply. Due to fire proximity to house a second 1 3/4 line was stretched for exposure control. Primary and secondary searches were negative. Main body of fire was knocked down and residence checked negative for fire extension. Fire was placed under control and Union County Arson Task Force was notified. UCAFF responded and investigated the fire cause and origin. See their report for further information. All companies were cleared at this time and command terminated. Scene was turned over to homeowner.	

APPARATUS

Fire Controlled Date / Time:		1/1/2022 2:15:00 AM	
Unit	Eng-4	Unit	Eng-1
Type:	Engine	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	()	Response Mode:	()
# of People	3	# of People	5
Alarm	01 /01/2022 01:45:00	Alarm	01 /01/2022 01:45:00
Dispatched	01 /01/2022 01:45:00	Dispatched	01 /01/2022 01:45:00
Enroute	01 /01/2022 01:49:00	Enroute	01 /01/2022 01:49:00
Arrived	01 /01/2022 01:52:00	Arrived	01 /01/2022 01:52:00
Cancelled	-- / -- / -- : -- : --	Cancelled	-- / -- / -- : -- : --
Cleared Scene	01 /01/2022 03:25:00	Cleared Scene	01 /01/2022 03:25:00
In Quarters	-- / -- / -- : -- : --	In Quarters	-- / -- / -- : -- : --
In Service	-- / -- / -- : -- : --	In Service	-- / -- / -- : -- : --
Unit	CAR10	Unit	CAR-1
Type:	Chief officer car	Type:	Chief officer car
Use:	Other	Use:	Other
Response Mode:	()	Response Mode:	()
# of People	1	# of People	1
Alarm	01 /01/2022 01:45:00	Alarm	01 /01/2022 01:45:00
Dispatched	01 /01/2022 01:45:00	Dispatched	01 /01/2022 01:45:00
Enroute	01 /01/2022 01:49:00	Enroute	01 /01/2022 01:49:00
Arrived	01 /01/2022 01:52:00	Arrived	01 /01/2022 01:52:00
Cancelled	-- / -- / -- : -- : --	Cancelled	-- / -- / -- : -- : --
Cleared Scene	01 /01/2022 03:25:00	Cleared Scene	01 /01/2022 03:25:00
In Quarters	-- / -- / -- : -- : --	In Quarters	-- / -- / -- : -- : --
In Service	-- / -- / -- : -- : --	In Service	-- / -- / -- : -- : --
Unit	CAR11	Unit	
Type:	Chief officer car	Type:	
Use:	Other	Use:	
Response Mode:	()	Response Mode:	
# of People	1	# of People	
Alarm	01 /01/2022 01:45:00	Alarm	
Dispatched	01 /01/2022 01:45:00	Dispatched	
Enroute	01 /01/2022 01:49:00	Enroute	
Arrived	01 /01/2022 01:52:00	Arrived	
Cancelled	-- / -- / -- : -- : --	Cancelled	
Cleared Scene	01 /01/2022 03:25:00	Cleared Scene	
In Quarters	-- / -- / -- : -- : --	In Quarters	
In Service	-- / -- / -- : -- : --	In Service	
Number Of People not on apparatus: 0			

FIRE	
Acres Burned	None or Less Than One
Acres Burn From Wildland	False
Area Of Fire Origin	Open area, outside; included are
Item First Ignited	Undetermined
Type Of Material	Undetermined
Factor Contributing To Ignition	Undetermined
Human Factors Contributing	None
ARSON	

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Cerasa, Frank	Chief	58 - Drive / Operate apparatus or vehicle	CAR-1
Ciprian, Alejandro	Lieutenant		Eng-4
Delmour, Robert	Firefighter		Eng-4
Diaz, Allain	Firefighter		Eng-1
Guskind, Jan	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-1
Minch, Jesse	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-4
Nenortas, Adam	Battalion Chief	58 - Drive / Operate apparatus or vehicle	CAR11
Owsiany, Matthew	Firefighter		Eng-1
Pingor, John	Captain		Eng-1
Villane, Richard	Lieutenant	58 - Drive / Operate apparatus or vehicle, 81 - Incident command	CAR10
Wierzbinski, Timothy	Lieutenant		Eng-1

Member Making Report (Lieutenant Richard Villane):

Incident Reviewer (Battalion Chief Adam Nenortas):

	
Clark Fire Department Station: 1	
Location: 370 Carolina ST CLARK NJ 07066	
Lat/Long: N 40° 38' 14.1" W 74° 18' 45.62"	
Location Type: 1 - Street address	
Incident Type: 111 - Building fire	FDID: 20002 Incident #: 2022-2 Exposure ID: 63339175 Exposure #: 0 Incident Date: 01/01/2022

Report Completed by: Ciprian , Alejandro	ID: 270	Date: 01/01/2022
Report Reviewed by: Nenortas , Adam	ID: 217	Date: 01/12/2022
Report Printed by: Nenortas, Adam	ID: 217	Date: 2/3/2022 Time: 16:53

Structure Type: Enclosed building		Property Use: 419 - 1 or 2 family dwelling	
Automatic Extinguishment System Present: ☐		Detectors Present: ☒	
Cause of Ignition: Cause under investigation		Primary action taken: 81 - Incident command	
Aid Given or Received:		Automatic aid received	
Additional actions: 21 - Search , 11 - Extinguishment by fire service personnel			
Losses		Pre-Incident Values	
Property:	Contents:	Civilian Injuries:	0
Property:	Contents:	Civilian Fatalities:	0
Property:	Contents:	Fire Service Injuries:	0
Property:	Contents:	Fire Service Fatalities:	0
Property:	Contents:	Total Fire Service Casualties:	0
Total # of apparatus on call:		5	
Total # of personnel on call:		17	

Special Studies	COVID 19 was a factor in this incident.	No, COVID 19 was not a factor.
-----------------	---	--------------------------------

Neighboring Agencies	
Agency Name: Colonia	Agency ID: 12625
Agency Type: Fire	
Agency Name: Farwood	Agency ID: 20005
Agency Type: Fire	
Agency Name: Kenilworth	Agency ID: 20008
Agency Type: Fire	
Agency Name: Linden	Agency ID: 20009
Agency Type: Fire	
Agency Name: Rahway	Agency ID: 20013
Agency Type: Fire	
Agency Name: Roselle Park	Agency ID: 20015
Agency Type: Fire	

NARRATIVE (1)	
Narrative Title: n/a Narrative Author: ZL-Nenortas, Michael Narrative Date: 01/01/2022 14:07:21 Narrative Apparatus ID: n/a Narrative: Dispatched to reported smoke in the basement at address. Upon arrival of PD reported heavy smoke in basement.. Engine 4 responded and established a water source. Engine 1 Unit One direct request to Colonia for Truck support and County mutual aid for cover assignment to HQ. Rahway diverted from Cover assignment for backup support. Kenilworth Diverted from Cover assignment for RIC team. 12:48 water established on the fire and primary search completed. 12:59 901 team and PD detectives requested to the scene. Mutual aid released from the scene at 13:33 Cover assignment released from HQ 14:00	

APPARATUS		Fire Controlled Date / Time:		1/1/2022 1:28:00 PM	
Unit	Eng-1	Unit	Eng-4		
Type:	Engine	Type:	Engine		
Use:	Suppression	Use:	Suppression		
Response Mode:	()	Response Mode:	()		
# of People	5	# of People	5		
Alarm	01 /01/2022 12:29:00	Alarm	01 /01/2022 12:29:00		
Dispatched	01 /01/2022 12:29:00	Dispatched	01 /01/2022 12:29:00		
Enroute	-- / -- / -- -- : -- : --	Enroute	-- / -- / -- -- : -- : --		
Arrived	01 /01/2022 12:35:00	Arrived	01 /01/2022 12:35:00		
Cancelled	-- / -- / -- -- : -- : --	Cancelled	-- / -- / -- -- : -- : --		
Cleared Scene	01 /01/2022 15:15:00	Cleared Scene	01 /01/2022 15:15:00		
In Quarters	-- / -- / -- -- : -- : --	In Quarters	-- / -- / -- -- : -- : --		
In Service	-- / -- / -- -- : -- : --	In Service	-- / -- / -- -- : -- : --		
Unit	CAR-1	Unit	CL-5		
Type:	Chief officer car	Type:	Other apparatus/resource		
Use:	Other	Use:	Other		
Response Mode:	()	Response Mode:	()		
# of People	1	# of People	2		
Alarm	01 /01/2022 12:29:00	Alarm	01 /01/2022 12:29:00		
Dispatched	01 /01/2022 12:29:00	Dispatched	01 /01/2022 12:29:00		
Enroute	-- / -- / -- -- : -- : --	Enroute	-- / -- / -- -- : -- : --		
Arrived	01 /01/2022 12:35:00	Arrived	01 /01/2022 12:35:00		
Cancelled	-- / -- / -- -- : -- : --	Cancelled	-- / -- / -- -- : -- : --		
Cleared Scene	01 /01/2022 15:15:00	Cleared Scene	01 /01/2022 15:15:00		
In Quarters	-- / -- / -- -- : -- : --	In Quarters	-- / -- / -- -- : -- : --		
In Service	-- / -- / -- -- : -- : --	In Service	-- / -- / -- -- : -- : --		
Unit	CAR11	Unit			
Type:	Chief officer car	Type:			
Use:	Other	Use:			
Response Mode:	()	Response Mode:			
# of People	1	# of People			
Alarm	01 /01/2022 12:29:00	Alarm			
Dispatched	01 /01/2022 12:29:00	Dispatched			
Enroute	-- / -- / -- -- : -- : --	Enroute			
Arrived	01 /01/2022 12:35:00	Arrived			
Cancelled	-- / -- / -- -- : -- : --	Cancelled			
Cleared Scene	01 /01/2022 15:15:00	Cleared Scene			
In Quarters	-- / -- / -- -- : -- : --	In Quarters			
In Service	-- / -- / -- -- : -- : --	In Service			
Number Of People not on apparatus: 3					

FIRE									
Acres Burned		None or Less Than One		Acres Burn From Wildland Form		False			
Area Of Fire Origin		Laundry area, wash house (laundry)		Heat Source		Heat from powered equipment, other			
Item First Ignited		Undetermined		Fire Is Confined To Object Of Ignition		Cause under investigation			
Type Of Material		Undetermined		Cause Of Ignition					
Factor Contributing To Ignition		Undetermined							
Human Factors		None							
Contributing Factors									
Equipment Involved In Ignition Flag		True		Equipment Involved		Electronic equipment, other			
Equipment Power Source		Electrical, other		Equipment Portability		Portable			

STRUCTURE FIRE		ARSON	
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	2	# Of Stories Below Grade	1
Square Feet	2500	Length	
Width		Floor Of Origin	0 (Below grade)
Fire Spread	Confined to floor of origin	Significant Damage	0
Minor Damage	0	Extreme Damage	1
Heavy Damage		Type Of Detection System	Smoke
Presence Of Detectors	Present	Detector Operation	Detector operated
Detector Power Supply	Battery only	Detector Failure Reason	
Detector Effectiveness	Undetermined		

PERSONNEL ON CALL

Name	Personnel Rank	Role(s)	Apparatus
Biondi, Matthew	Deputy Chief		Eng-1
Birritteri, Nick	Firefighter	58 - Drive / Operate apparatus or vehicle	CL-5
Cerasa, Frank	Chief	58 - Drive / Operate apparatus or vehicle, 81 - Incident command	CAR-1
Ciprian, Alejandro	Lieutenant		Eng-4
Delmour, Robert	Firefighter		Eng-4
Fabijaneczuk, Joseph	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-1
Guskind, Jan	Firefighter		Other
Hamp, Matthew	Firefighter		CL-5
Minch, Jesse	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-4
Nenortas, Adam	Battalion Chief	58 - Drive / Operate apparatus or vehicle	CAR11
Owsiany, Matthew	Firefighter		Other
Pingor, John	Captain		Eng-1
Plech, Joseph	Firefighter		Eng-1
Sweeney, Thomas A	Firefighter		Eng-4
Villane, Richard	Lieutenant		Eng-4
Wierzbinski, Timothy	Lieutenant		Eng-1
ZL-Nenortas, Michael	Z-Life Member		Other

	
Clark Fire Department Station: 1	
Location: 10 Sevell Circle CLARK NJ 07066	Lat/Long: N 40° 37' 1.83" W 74° 19' 23.43"
Location Type: 1 - Street address	
Incident Type: 111 - Building fire	FDID: 20002 Incident #: 2022-39 Exposure ID: 63969895 Exposure #: 0 Incident Date: 01/30/2022

Report Completed by: Nenortas , Adam ID: 217 Date: 02/02/2022	Report Reviewed by: Nenortas , Adam ID: 217 Date: 02/02/2022	Report Printed by: Nenortas, Adam ID: 217 Date: 2/3/2022 Time: 16:53
---	--	--

Structure Type: Enclosed building	Property Use: 429 - Multifamily dwelling
Automatic Extinguishment System Present: ☐ Detectors Present: ☐ Cause of Ignition: Cause under investigation	
Aid Given or Received: Mutual aid received	
Primary action taken: 81 - Incident command	
Additional actions: 55 - Establish safe area , 10 - Fire control or extinguishment, other	

Losses	Pre-Incident Values	Civilian Injuries: 0	Fire Service Injuries: 0	Total: 0
Contents:	Contents:	Civilian Fatalities: 0	Fire Service Fatalities: 0	Total: 0
Total:	Total:	Total Casualties: 0	Total Fire Service Casualties: 0	Total: 0

Special Studies	COVID 19 was a factor in this incident. Unknown.
-----------------	--

Neighboring Agencies
Agency Name: Colonia Agency ID: 12625 Agency Type: Fire
Agency Name: Cranford Agency ID: 20003 Agency Type: Fire
Agency Name: Fanwood Agency ID: 20005 Agency Type: Fire
Agency Name: Garwood Agency ID: 20006 Agency Type: Fire
Agency Name: Kenilworth Agency ID: 20008 Agency Type: Fire
Agency Name: Linden Agency ID: 20009 Agency Type: Fire
Agency Name: Rahway Agency ID: 20013 Agency Type: Fire

Agency Name: Roselle	Agency ID: 20014	Agency Type: Fire
Agency Name: Roselle Park	Agency ID: 20015	Agency Type: Fire
Agency Name: Scotch Plains	Agency ID: 20016	Agency Type: Fire

NARRATIVE (1)
Narrative Title: n/a Narrative Author: Nenortas, Adam Narrative Date: 02/02/2022 13:25:07 Narrative Apparatus ID: n/a Narrative: At 10:05 1/31/22 Clark Police dispatched the Fire Department to 10 Sevell Circle on a report of a structure fire. Police had been dispatched prior to the fire department and confirmed at 10:06 visible flames coming from the structure. Immediately Unit 1 called for the Colonia truck to be dispatched directly to the scene. Unit 1 & Engine 4 arrived at the same time 10:11. Upon arrival engine 4 crew began an exterior attack using a 1-3/4 hand line. As soon as the crew was able to darken the flames enough they proceeded into the structure via the front door. Once entry had been gained engine 4 crew began their way to the second floor where they reported it to be fully involved 10:19. 10:33 Gas company notified to respond. 10:40 DPW notified to respond 10:42 Building 9 (attached to fire building) checked clear 10:50 Primary and Secondary search completed 11:04 Fire is placed under control 11:33 all crews are ordered by Command to clear the building, 11:38 all crews have vacated the building. 12:00 All Mutual Aid companies cleared from the scene. Engine 4 remains on scene while county 901 team and PD investigate the scene. 15:04 Additional manpower is requested to help overhaul and put out hot spots. 17:22 All units clear from the scene.

FIRE			
Acres Burned	None or Less Than One	Acres Burn From Wildland	False
Area Of Fire Origin	Undetermined	Heat Source	Undetermined
Item First Ignited	Undetermined	Fire Is Confined To Object Of Origin	
Type Of Material	Undetermined	Cause Of Ignition	Cause under investigation
Factor Contributing To Ignition	Undetermined		
Human Factors Contributing	None		

STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	2	# Of Stories Below Grade	1
Square Feet	5400	Length	
Width		Floor Of Origin	2
Fire Spread	Beyond building of origin		
Minor Damage	0	Significant Damage	1
Heavy Damage	0	Extreme Damage	1
Item Contributing Most To Spread	Undetermined	Type Of Material Contributing Most To Spread	Undetermined

ARSON			
Entry Method	Extent Of Fire Involvement On Arrival	Container	
Door – forced or broken	Flame and smoke showing		
Property Ownership	Initial Observations	Laboratory Used	
Private			

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Biondi, Matthew	Deputy Chief		Eng 2
Cerasa, Frank	Chief	58 - Drive / Operate apparatus or vehicle, 81 - Incident command	CAR-1
Ciprian, Alejandro	Lieutenant		Eng-4
Fabijaneczuk, Joseph	Firefighter		Eng-1
Hamp, Matthew	Firefighter		Eng-1
Kurek, John	Firefighter		CAR-9
Lane, Scott	Firefighter		CAR10
Miller, Jonathan	Firefighter		CAR-9
Minch, Jesse	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-4
Nenortas, Adam	Battalion Chief		CAR-9
Neshimka, Michael	Captain		Eng 2
Ni Shurkabhain, Fethmat	Firefighter		Eng 2
Plech, Joseph	Firefighter		Eng 2
Schroeck, Justin	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-1
Sweeney, Thomas A	Firefighter		Eng-4
Tome, Nicholas	Firefighter		Eng-4
Tuccio, Chris	Firefighter		Eng 2
Wierzbinski, Timothy	Lieutenant		Eng 2
Young, Warren	Firefighter		Other
Zepeda, Barry	Firefighter		CAR10

Member Making Report (Battalion Chief Adam Nenortas):

Incident Reviewer (Battalion Chief Adam Nenortas):