

Clark Fire Department Station: 1	
	
Report Completed by: Ciprian , Alejandro ID: 270 Date: 01/01/2022	
Report Reviewed by: Nenortas , Adam ID: 217 Date: 01/12/2022	
Report Printed by: Nenortas, Adam ID: 217 Date: 6/29/2022 Time: 14:26	
Location: 370 Carolina ST CLARK NJ 07066	Location Type: 1 - Street address
Incident Type: 111 - Building fire	FDID: 20002 Incident #: 2022-2 Exposure ID: 63339175 Exposure #: 0 Incident Date: 01/01/2022

Structure Type: Enclosed building		Property Use: 419 - 1 or 2 family dwelling
Automatic Extinguishment System Present: ☐		Detectors Present: ☒
Aid Given or Received: Automatic aid received		Primary action taken: 81 - Incident command
Additional actions: 21 - Search , 11 - Extinguishment by fire service personnel		

Losses		Pre-Incident Values		Total # of apparatus on call: 5		Total # of personnel on call: 17	
Property:	Contents:	Property:	Contents:	Civilian Injuries:	Civilian Fatalities:	Fire Service Injuries:	Fire Service Fatalities:
0	0	0	0	0	0	0	0
Total:		Total:		Total Casualties:		Total Fire Service Casualties:	

Special Studies	
COVID 19 was a factor in this incident.	
No, COVID 19 was not a factor.	

Neighboring Agencies	
Agency Name: Colonia	Agency ID: 12625
Agency Type: Fire	Agency Name: Fanwood
Agency ID: 20005	Agency Type: Fire
Agency Name: Kenilworth	Agency ID: 20008
Agency Type: Fire	Agency Name: Linden
Agency ID: 20009	Agency Type: Fire
Agency Name: Rahway	Agency ID: 20013
Agency Type: Fire	Agency Name: Roselle Park
Agency ID: 20015	Agency Type: Fire

NARRATIVE (1)	
Narrative Title: n/a	
Narrative Author: ZL-Nenortas, Michael	
Narrative Date: 01/01/2022 14:07:21	
Narrative Apparatus ID: n/a	
Narrative:	
Dispatched to reported smoke in the basement at address. Upon arrival of PD reported heavy smoke in basement.. Engine 4 responded and established a water source. Engine 1	
Unit One direct request to Colonia for Truck support and County mutual aid for cover assignment to HQ.	
Rahway diverted from Cover assignment for backup support. Kenilworth Diverted from Cover assignment for RIC team.	
12:48 water established on the fire and primary search completed.	
12:59 901 team and PD detectives requested to the scene.	
Mutual aid released from the scene at 13:33	
Cover assignment released from HQ 14:00	

APPARATUS		Fire Controlled Date / Time:		Unit	
	Eng-4	Eng-1	Eng-1	Eng-1	Eng-1
	Engine	Engine	Suppression	Suppression	Suppression
	Use:	Use:	Use:	Use:	Use:
	Response Mode:	Response Mode:	Response Mode:	Response Mode:	Response Mode:
	# of People	# of People	# of People	# of People	# of People
	Alarm	Alarm	Alarm	Alarm	Alarm
	Dispatched	Dispatched	Dispatched	Dispatched	Dispatched
	Enroute	Enroute	Enroute	Enroute	Enroute
	Arrived	Arrived	Arrived	Arrived	Arrived
	Cancelled	Cancelled	Cancelled	Cancelled	Cancelled
	Eng-4	Eng-1	Eng-1	Eng-1	Eng-1
	Engine	Engine	Suppression	Suppression	Suppression
	Use:	Use:	Use:	Use:	Use:
	Response Mode:	Response Mode:	Response Mode:	Response Mode:	Response Mode:
	# of People	# of People	# of People	# of People	# of People
	Alarm	Alarm	Alarm	Alarm	Alarm
	Dispatched	Dispatched	Dispatched	Dispatched	Dispatched
	Enroute	Enroute	Enroute	Enroute	Enroute
	Arrived	Arrived	Arrived	Arrived	Arrived
	Cancelled	Cancelled	Cancelled	Cancelled	Cancelled
	CL-5	CL-1	CL-1	CL-1	CL-1
	Other apparatus/resource	Chief officer car	Chief officer car	Chief officer car	Chief officer car
	Use:	Use:	Use:	Use:	Use:
	Response Mode:	Response Mode:	Response Mode:	Response Mode:	Response Mode:
	# of People	# of People	# of People	# of People	# of People
	Alarm	Alarm	Alarm	Alarm	Alarm
	Dispatched	Dispatched	Dispatched	Dispatched	Dispatched
	Enroute	Enroute	Enroute	Enroute	Enroute
	Arrived	Arrived	Arrived	Arrived	Arrived
	Cancelled	Cancelled	Cancelled	Cancelled	Cancelled
	CL-5	CL-1	CL-1	CL-1	CL-1
	Other apparatus/resource	Chief officer car	Chief officer car	Chief officer car	Chief officer car
	Use:	Use:	Use:	Use:	Use:
	Response Mode:	Response Mode:	Response Mode:	Response Mode:	Response Mode:
	# of People	# of People	# of People	# of People	# of People
	Alarm	Alarm	Alarm	Alarm	Alarm
	Dispatched	Dispatched	Dispatched	Dispatched	Dispatched
	Enroute	Enroute	Enroute	Enroute	Enroute
	Arrived	Arrived	Arrived	Arrived	Arrived
	Cancelled	Cancelled	Cancelled	Cancelled	Cancelled
	CL-5	CL-1	CL-1	CL-1	CL-1
	Other apparatus/resource	Chief officer car	Chief officer car	Chief officer car	Chief officer car
	Use:	Use:	Use:	Use:	Use:
	Response Mode:	Response Mode:	Response Mode:	Response Mode:	Response Mode:
	# of People	# of People	# of People	# of People	# of People
	Alarm	Alarm	Alarm	Alarm	Alarm
	Dispatched	Dispatched	Dispatched	Dispatched	Dispatched
	Enroute	Enroute	Enroute	Enroute	Enroute
	Arrived	Arrived	Arrived	Arrived	Arrived
	Cancelled	Cancelled	Cancelled	Cancelled	Cancelled
Number Of People not on apparatus: 3					

FIRE					
Acres Burned					
None or Less Than One					
Acres Burn From Wildland Form					
False					
Area Of Fire Origin					
Laundry area, wash house (laundry)					
Item First Ignited					
Undetermined					
Fire Is Confined To					
Heat Source					
Heat from powered equipment, other					
Cause Of Ignition					
Cause under investigation					
Factor Contributing To Ignition					
Undetermined					
Human Factors					
Contributing					
None					
Equipment Involved In Ignition Flag					
True					
Equipment Involved					
Electronic equipment, other					
Equipment Portability					
Portable					

STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	2	# Of Stories Below Grade	1
Square Feet	2500	Length	
Width		Floor Of Origin	0 (Below grade)
Fire Spread	Confined to floor of origin	Significant Damage	0
Heavy Damage	0	Extreme Damage	1
Presence Of Detectors	Present	Type Of Detection System	Smoke
Detector Power Supply	Battery only	Detector Operation	Detector operated
Detector Effectiveness	Undetermined	Detector Failure Reason	

ARSON

PERSONNEL ON CALL

Name	Personnel Rank	Role(s)	Apparatus
Biondi, Matthew	Deputy Chief		Eng-1
Birritter, Nick	Firefighter	58 - Drive / Operate apparatus or vehicle	CL-5
Cerasa, Frank	Chief	58 - Drive / Operate apparatus or vehicle, 81 - Incident command	CAR-1
Ciprian, Alejandro	Lieutenant		Eng-4
Delmour, Robert	Firefighter		Eng-4
Fabjanczuk, Joseph	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-1
Guskind, Jan	Firefighter		Other
Hamp, Matthew	Firefighter		CL-5
Minch, Jesse	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-4
Nenortas, Adam	Battalion Chief	58 - Drive / Operate apparatus or vehicle	CAR11
Owsiany, Matthew	Firefighter		Other
Pingor, John	Captain		Eng-1
Plech, Joseph	Firefighter		Eng-1
Sweeney, Thomas A	Firefighter		Eng-4
Villane, Richard	Lieutenant		Eng-4
Wierzbinski, Timothy	Lieutenant		Eng-1
ZL-Nenortas, Michael	Z-Life Member		Other

Member Making Report (Lieutenant Alejandro Ciprian):

Incident Reviewer (Battalion Chief Adam Nenortas):

Clark Fire Department Station: 1	
	
Location: 10 Sevell Circle CLARK NJ 07066	Lat/Long: N 40° 37' 1.83" W 74° 19' 23.43"
Location Type: 1 - Street address	
Incident Type: 111 - Building fire	FDID: 20002 Incident #: 2022-39 Exposure ID: 63969895 Exposure #: 0 Incident Date: 01/30/2022

Report Completed by: Nenortas , Adam	ID: 217	Date: 02/02/2022
Report Reviewed by: Nenortas , Adam	ID: 217	Date: 02/02/2022
Report Printed by: Nenortas, Adam	ID: 217	Date: 6/29/2022 Time: 14:26

Structure Type: Enclosed building		Property Use: 429 - Multifamily dwelling	
Automatic Extinguishment System Present: ☐		Detectors Present: ☐	
Cause of Ignition: Cause under investigation		Primary action taken: 81 - Incident command	
Additional actions: 55 - Establish safe area , 10 - Fire control or extinguishment, other			
Losses		Pre-Incident Values	
Property:	Property:	Civilian Injuries:	Fire Service Injuries:
Contents:	Contents:	Civilian Fatalities:	Fire Service Fatalities:
Total:	Total:	Total Casualties:	Total Fire Service Casualties:
Total # of apparatus on call: 6		Total # of personnel on call: 20	

Special Studies	COVID 19 was a factor in this incident.	Unknown.
-----------------	---	----------

Neighboring Agencies	
Agency Name: Colonia	Agency ID: 12625
Agency Type: Fire	
Agency Name: Cranford	Agency ID: 20003
Agency Type: Fire	
Agency Name: Fanwood	Agency ID: 20005
Agency Type: Fire	
Agency Name: Garwood	Agency ID: 20006
Agency Type: Fire	
Agency Name: Kenilworth	Agency ID: 20008
Agency Type: Fire	
Agency Name: Linden	Agency ID: 20009
Agency Type: Fire	
Agency Name: Rahway	Agency ID: 20013
Agency Type: Fire	

Agency Name: Roselle	Agency ID: 20014	Agency Type: Fire
Agency Name: Roselle Park	Agency ID: 20015	Agency Type: Fire
Agency Name: Scotch Plains	Agency ID: 20016	Agency Type: Fire

NARRATIVE (1)	
Narrative Title: n/a	
Narrative Author: Nenortas, Adam	
Narrative Date: 02/02/2022 13:25:07	
Narrative Apparatus ID: n/a	
Narrative:	
At 10:05 1/31/22 Clark Police dispatched the Fire Department to 10 Sevell Circle on a report of a structure fire. Police had been dispatched prior to the fire department and confirmed at 10:06 visible flames coming from the structure. Immediately upon arrival engine 4 crew began an exterior attack using a 1-3/4 hand line. As soon as the crew was able to darken the flames enough they proceeded into the structure via the front door. Once entry had been gained engine 4 crew began their way to the second floor where they reported it to be fully involved 10:19.	
10:33 Gas company notified to respond.	
10:40 DPW notified to respond	
10:42 Building 9 (attached to fire building) checked clear	
10:50 Primary and Secondary search completed	
11:04 Fire is placed under control	
11:33 all crews are ordered by Command to clear the building, 11:38 all crews have vacated the building.	
12:00 All Mutual Aid companies cleared from the scene.	
Engine 4 remains on scene while county 901 team and PD investigate the scene.	
15:04 Additional manpower is requested to help overhaul and put out hot spots.	
17:22 All units clear from the scene.	

FIRE	
Acres Burned	None or Less Than One
Area Of Fire Origin	Undetermined
Item First Ignited	Undetermined
Type Of Material	Undetermined
Factor Contributing To Ignition	Undetermined
Human Factors Contributing	None

STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	2	# Of Stories Below Grade	1
Square Feet	5400	Length	
Fire Spread	Beyond building of origin	Floor Of Origin	2
Minor Damage	0	Significant Damage	1
Heavy Damage	0	Extreme Damage	1
Item Contributing Most To Spread	Undetermined	Type Of Material Contributing Most To Spread	Undetermined

ARSON			
Entry Method	Door – forced or broken	Extent Of Fire Involvement On Arrival	Container
Property Ownership	Initial Observations	Laboratory Used	Private

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Biondi, Matthew	Deputy Chief		Eng 2
Cerasa, Frank	Chief	58 - Drive / Operate apparatus or vehicle, 81 - Incident command	CAR-1
Ciprian, Alejandro	Lieutenant		Eng-4
Fabijaneczuk, Joseph	Firefighter		Eng-1
Hamp, Matthew	Firefighter		Eng-1
Kurek, John	Firefighter		CAR-9
Lane, Scott	Firefighter		CAR-10
Miller, Jonathan	Firefighter		CAR-9
Minch, Jesse	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-4
Nenortas, Adam	Battalion Chief		CAR-9
Neshimka, Michael	Captain		Eng 2
Ni Shurkabhain, Fethmat	Firefighter		Eng 2
Plech, Joseph	Firefighter		Eng 2
Schroeck, Justin	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-1
Sweeney, Thomas A	Firefighter		Eng-4
Tome, Nicholas	Firefighter		Eng-4
Tuccio, Chris	Firefighter		Eng 2
Wierzbinski, Timothy	Lieutenant		Eng 2
Young, Warren	Firefighter		Other
Zepeda, Barry	Firefighter		CAR10

Member Making Report (Battalion Chief Adam Nenortas):

Incident Reviewer (Battalion Chief Adam Nenortas):

	
Clark Fire Department Station: 1	
Location: CLARK NURSING HOME 1213 Westfield AVE CLARK NJ 07066	
Lat/Long: N 40° 37' 34.21" W 74° 19' 15.41"	
Location Type: 1 - Street address	
Incident Type: 111 - Building fire	FDID: 20002 Incident #: 2022-83 Exposure ID: 64797140 Exposure #: 0 Incident Date: 03/09/2022

Report Completed by: Young, Warren	ID: 077	Date: 03/09/2022
Report Reviewed by: Nenortas, Adam	ID: 217	Date: 03/11/2022
Report Printed by: Nenortas, Adam	ID: 217	Date: 6/29/2022 Time: 14:27

Structure Type: Enclosed building		Property Use: 311 - 24-hour care Nursing homes, 4 or more persons	
Automatic Extinguishment System Present: ☐		Detectors Present: ☐	
Cause of Ignition: Cause under investigation		81 - Incident command	
Aid Given or Received: None		Primary action taken: 10 - Fire control or extinguishment, other, 55 - Establish safe area	
Additional actions:		81 - Incident command	
Losses		Pre-Incident Values	
Property: 0	Contents: 0	Property: 0	Contents: 0
Total: 0	Total: 0	Fire Service Injuries: 0	Fire Service Fatalities: 0
Total # of apparatus on call: 8		Total # of personnel on call: 24	

Special Studies	COVID 19 was a factor in this incident.	Unknown.
-----------------	---	----------

Neighboring Agencies	
Agency Name: Colonia	Agency ID: 12625
Agency Type: Fire	Agency Name: Cranford
Agency ID: 20003	Agency Type: Fire
Agency Name: Garwood	Agency ID: 20006
Agency Type: Fire	Agency Name: Linden
Agency ID: 20009	Agency Type: Fire
Agency Name: Rahway	Agency ID: 20013
Agency Type: Fire	Agency Name: Scotch Plains
Agency ID: 20016	Agency Type: Fire
Agency Name: Westfield	Agency ID: 20020
Agency Type: Fire	Agency Name: Fire

NARRATIVE (1)	
Narrative Title: n/a	
Narrative Author: Young, Warren	
Narrative Date: 03/11/2022 19:40:28	
Narrative Apparatus ID: n/a	
Narrative: CFD was dispatched to a reported fire at the Clark nursing home. Upon arrival room 305 had an active fire. Extinguisher was used by CPD initially followed by CFD using a 1-3/4 hand line to extinguisher the fire. 19:09 fire was placed under control. No patients were transported from the scene.	

APPARATUS		Fire Controlled Date / Time:	
Unit	CAR-1	3/9/2022 7:09:00 PM	CL-8
Type:	Chief officer car		Other apparatus/resource
Use:	Other		Other
Response Mode:	()		()
# of People	1		2
Alarm	03 /09/2022 18:50:00		03 /09/2022 18:50:00
Dispatched	03 /09/2022 18:50:00		03 /09/2022 18:50:00
Enroute	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
Arrived	03 /09/2022 18:54:00		03 /09/2022 18:54:00
Cancelled	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
Cleared Scene	03 /09/2022 20:10:00		03 /09/2022 20:10:00
In Quarters	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
In Service	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
Unit	CAR11		Eng-1
Type:	Chief officer car		Engine
Use:	Other		Suppression
Response Mode:	()		()
# of People	2		3
Alarm	03 /09/2022 18:50:00		03 /09/2022 18:50:00
Dispatched	03 /09/2022 18:50:00		03 /09/2022 18:50:00
Enroute	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
Arrived	03 /09/2022 18:54:00		03 /09/2022 18:54:00
Cancelled	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
Cleared Scene	03 /09/2022 20:10:00		03 /09/2022 20:10:00
In Quarters	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
In Service	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
Unit	Eng 2		Eng-3
Type:	Engine		Engine
Use:	Suppression		Suppression
Response Mode:	()		()
# of People	6		4
Alarm	03 /09/2022 18:50:00		03 /09/2022 18:50:00
Dispatched	03 /09/2022 18:50:00		03 /09/2022 18:50:00
Enroute	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
Arrived	03 /09/2022 18:54:00		03 /09/2022 18:54:00
Cancelled	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
Cleared Scene	03 /09/2022 20:10:00		03 /09/2022 20:10:00
In Quarters	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
In Service	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
Unit	CL-5		CAR-9
Type:	Other apparatus/resource		Chief officer car
Use:	Other		Other
Response Mode:	()		()
# of People	2		1
Alarm	03 /09/2022 18:50:00		03 /09/2022 18:50:00
Dispatched	03 /09/2022 18:50:00		03 /09/2022 18:50:00
Enroute	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
Arrived	03 /09/2022 18:54:00		03 /09/2022 18:54:00
Cancelled	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
Cleared Scene	03 /09/2022 20:10:00		03 /09/2022 20:10:00
In Quarters	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
In Service	-- / -- / -- -- : -- : --		-- / -- / -- -- : -- : --
Number Of People not on apparatus: 3			

FIRE			
Acres Burned	None or Less Than	Acres Burn From Wildland	Form
Area Of Fire Origin	Other area of fire origin	Heat Source	False
Item First Ignited	Undetermined	Fire Is Confined To Object Of Origin	Undetermined
Type Of Material	Undetermined	Cause Of Ignition	Cause under investigation
Factor Contributing To Ignition	Undetermined		
Human Factors Contributing	Unattended or unsupervised person,		
STRUCTURE FIRE			
Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	3	# Of Stories Below Grade	0
Square Feet		Length	100
Width	80	Floor Of Origin	3
Fire Spread	Confined to room of origin		
Minor Damage	1	Significant Damage	0
Heavy Damage	0	Extreme Damage	0
ARSON			

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus

Annunziato, William	Firefighter		CL-5
Baumgartner, John	Firefighter		Eng-1
Biondi, Matthew	Deputy Chief		Eng-1
Cerasa, Frank	Chief	58 - Drive / Operate apparatus or vehicle, 81 - Incident command	CAR-1
Ciprian, Alejandro	Lieutenant		Eng-3
Currea, Kenneth	Firefighter		CL-8
Dacosta, Brett	Firefighter		Eng 2
Delmour, Robert	Firefighter	58 - Drive / Operate apparatus or vehicle	CL-8
Fabijaneczuk, Joseph	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-1
Guskind, Jan	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng 2
Kurek, John	Firefighter		Other
McCabe, Scott	Firefighter		Other
Minch, Jesse	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-3
Nenortas, Adam	Battalion Chief		Eng-3
Ni Shurkabhain, Fethmat	Firefighter		Eng-3
Pingor, John	Captain	58 - Drive / Operate apparatus or vehicle	CAR-9
Plech, Joseph	Firefighter		Eng 2
Rekatsinas, Sean	Firefighter		CAR11
Sevilla, William	Firefighter	58 - Drive / Operate apparatus or vehicle	CAR11
Sweeney, Thomas A	Firefighter		Eng-3
Tome, Nicholas	Firefighter	58 - Drive / Operate apparatus or vehicle	CL-5
Tuccio, Chris	Firefighter		Eng 2
Wierzbinski, Timothy	Lieutenant		Eng 2
Young, Warren	Firefighter		Other

Member Making Report (Firefighter Warren Young):

Incident Reviewer (Battalion Chief Adam Nenortas):

	
Clark Fire Department Station: 1	
Location: 750 Hawthorne Dr	CLARK NJ 07066
Lat/Long: N 40° 39' 56.58" W 74° 20' 17.87"	
Location Type: 1 - Street address	
Incident Type: 100 - Outside equipment fire	FDID: 20002
	Incident #: 2022-1
	Exposure ID: 63331570
	Exposure #: 0
	Incident Date: 01/01/2022

Report Completed by: Villane, Richard	ID: 291	Date: 01/01/2022
Report Reviewed by: Nenortas, Adam	ID: 217	Date: 01/20/2022
Report Printed by: Nenortas, Adam	ID: 217	Date: 6/29/2022 Time: 14:27

Structure Type:	Property Use: 400 - Residential, other
Automatic Extinguishment System Present: ☐	
Detectors Present: ☐	
Cause of Ignition: Cause under investigation	
Aid Given or Received:	None
Primary action taken: 86 - Investigate	
Additional actions: 81 - Incident command, -	
Losses	Pre-Incident Values
Property: 0	Property: 0
Contents: 0	Contents: 0
Total: 0	Total: 0
Civilian Injuries: 0	Civilian Fatalities: 0
Civilian Casualties: 0	Total Fire Service Casualties: 0
Total # of apparatus on call: 5	
Total # of personnel on call: 11	

Special Studies	COVID 19 was a factor in this incident.
	Unknown.

Neighboring Agencies	Agency Name: Colonia
	Agency ID: 12625
	Agency Type: Fire

NARRATIVE (1)	
Narrative Title: n/a	
Narrative Author: Ciprian, Alejandro	
Narrative Date: 01/01/2022 17:22:40	
Narrative Apparatus ID: n/a	
Narrative:	
Companies dispatched for the reported house fire. Upon arrival companies found an exterior fire on the bravo side of the residence. Main residence was a 2-story wood frame residential structure. Upon arrival L4 established command and guided Engine 1 and ordered an 1 3/4 line stretched. Engine 1 stretched an initial attack line of an 1 3/4 line and established their own water supply. Due to fire proximity to house a second 1 3/4 line was stretched for exposure control. Primary and secondary searches were negative. Main body of fire was knocked down and residence checked negative for fire extension. Fire was placed under control and Union County Arson Task Force was notified. UCATF responded and investigated the fire cause and origin. See their report for further information. All companies were cleared at this time and command terminated. Scene was turned over to homeowner.	

FIRE	
Acres Burned	None or Less Than One
Area Of Fire Origin	Open area, outside; included are farmland, field
Item First Ignited	Undetermined
Type Of Material	Undetermined
Factor Contributing To Ignition	Undetermined
Human Factors Contributing	None
ARSON	

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Cerasa, Frank	Chief	58 - Drive / Operate apparatus or vehicle	CAR-1
Ciprian, Alejandro	Lieutenant		Eng-4
Delmour, Robert	Firefighter		Eng-4
Diaz, Allain	Firefighter		Eng-1
Guskind, Jan	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-1
Minch, Jesse	Firefighter	58 - Drive / Operate apparatus or vehicle	Eng-4
Nenortas, Adam	Battalion Chief	58 - Drive / Operate apparatus or vehicle	CAR11
Owsiany, Matthew	Firefighter		Eng-1
Pingor, John	Captain		Eng-1
Villane, Richard	Lieutenant	58 - Drive / Operate apparatus or vehicle, 81 - Incident command	CAR10
Wierzbinski, Timothy	Lieutenant		Eng-1

Member Making Report (Lieutenant Richard Villane):

Incident Reviewer (Battalion Chief Adam Nenortas):