

Brick

Permit Without a Jacket

Permit Number A-5784

Construction Permit # A-5784

July 10, 1980

Owner Stanley Sandrowitz

Location 235 Oklahoma Drive

Lake Riviera

Block 382-28 Lot 2

Contractor New Vision Builders

Fee \$ 383.06 Use Dwelling

C/O 1803A

11-18-80

Reg 10-20-80
for 10/31/80

c/c

VIOLATIONS

BUILDING SUB-CODE INSPECTIONS

Footing Trench 7-17-80 R.M.

Slab

Foundation

Sheathing

Framing 8-11-80 R.M.

Insulation 8-11-80 R.M.

Sheet Rock 8-11-80 R.M.

Final 11-18-80 R.M.

Final 11-18-80 R.M.

Final 11-18-80 R.M.

Final 11-18-80 R.M.

Final 11-18-80 R.M.

PLUMBING SUB-CODE INSPECTIONS

Slab

Rough 9-18-80 R.M.

Septic/Sewer 9-18-80 R.M.

Water 9-18-80 R.M.

Final 10-12-80 R.M.

C.O. Issued 10-12-80 R.M.

ump holes ready
plumbing not complete
line work
no disconnection
R. 3.1/80

Use reverse side for additional remarks

Certificate of Occupancy

Name Stanley Sandrowsitz

THIS IS TO CERTIFY that the building erected at 235 Oklahoma Drive
Lot No. 2 Block No. 382-28 in Brick Township, under Permit No. A-5784
issued July 10, 1978, has been inspected and approved in
accordance with the Zoning and Building Ordinances of the Township of Brick.

Use Group R-3

Maximum Live Load

Fire Grading 1 Hour

Occupancy Load

By the issuance of this certificate, neither the Township nor any of its officers or employees assumes any liability, either express or implied, in connection therewith.

No 1802 A

Arthur C. Cize
CONSTRUCTION OFFICIAL

Date November 18, 1980

Actual
7-9-80

neg. # 200515

CONSTRUCTION PERMIT APPLICATION

JUN 9 1980

BRICK TOWNSHIP, NEW JERSEY

IMPORTANT - Complete ALL items. Mark boxes where applicable

BUILDING

1. LOCATION OF BUILDING	Number and street	Section	Lot	Block
	235 OKlahoma Dr N5	64th Street	2	382-28
	E W side of OKlahoma Dr 115 feet E W from intersection of Essex Rd (Other local geographic, political, or legal subdivision identification)			

II. TYPE AND COST OF BUILDING — All applicants complete Parts A - D

A. TYPE OF IMPROVEMENT 1 ☒ New buildings 2 ☐ Addition (if residential, enter number of new housing units added, if any, in Part D, 13) 3 ☐ Alteration (See 2 above) 4 ☐ Repair, replacement 5 ☐ Demolition 6 ☐ Moving (relocation) 7 ☐ Garage ☐ Swim Pool ☐ In ☐ out ☐ Fence		D. PROPOSED USE — For "Wrecking" most recent use <table border="1"> <tr> <th>Residential</th> <th>Nonresidential</th> </tr> <tr> <td>12 ☒ One family</td> <td>18 ☐ Amusement, recreational</td> </tr> <tr> <td>13 ☐ Two or more family — Enter number of units</td> <td>19 ☐ Church, other religious</td> </tr> <tr> <td>14 ☐ Transient hotel, motel, or dormitory — Enter number of units</td> <td>20 ☐ Industrial</td> </tr> <tr> <td>15 ☐ Garage</td> <td>21 ☐ Parking garage</td> </tr> <tr> <td>16 ☐ Carport</td> <td>22 ☐ Service station, repair garage</td> </tr> <tr> <td>17 ☐ Other — Specify <i>Cyaul</i></td> <td>23 ☐ Hospital, institutional</td> </tr> <tr> <td></td> <td>24 ☐ Office, bank, professional</td> </tr> <tr> <td></td> <td>25 ☐ Public utility</td> </tr> <tr> <td></td> <td>26 ☐ School, library, other educational</td> </tr> <tr> <td></td> <td>27 ☐ Stores, mercantile</td> </tr> <tr> <td></td> <td>28 ☐ Tanks, towers</td> </tr> <tr> <td></td> <td>29 ☐ Other - Specify</td> </tr> </table>		Residential	Nonresidential	12 ☒ One family	18 ☐ Amusement, recreational	13 ☐ Two or more family — Enter number of units	19 ☐ Church, other religious	14 ☐ Transient hotel, motel, or dormitory — Enter number of units	20 ☐ Industrial	15 ☐ Garage	21 ☐ Parking garage	16 ☐ Carport	22 ☐ Service station, repair garage	17 ☐ Other — Specify <i>Cyaul</i>	23 ☐ Hospital, institutional		24 ☐ Office, bank, professional		25 ☐ Public utility		26 ☐ School, library, other educational		27 ☐ Stores, mercantile		28 ☐ Tanks, towers		29 ☐ Other - Specify
Residential	Nonresidential																												
12 ☒ One family	18 ☐ Amusement, recreational																												
13 ☐ Two or more family — Enter number of units	19 ☐ Church, other religious																												
14 ☐ Transient hotel, motel, or dormitory — Enter number of units	20 ☐ Industrial																												
15 ☐ Garage	21 ☐ Parking garage																												
16 ☐ Carport	22 ☐ Service station, repair garage																												
17 ☐ Other — Specify <i>Cyaul</i>	23 ☐ Hospital, institutional																												
	24 ☐ Office, bank, professional																												
	25 ☐ Public utility																												
	26 ☐ School, library, other educational																												
	27 ☐ Stores, mercantile																												
	28 ☐ Tanks, towers																												
	29 ☐ Other - Specify																												
B. OWNERSHIP 8 ☒ Private (individual, corporation, nonprofit institution, etc.) 9 ☐ Public (Federal, State, or local government)		C. COST 10. Cost of improvement \$ <i>90,125</i> To be installed but not included in the above cost a. Electrical (# Fixtures, Outlets) b. Plumbing (# of Fixtures) c. Heating, air conditioning d. Other (elevator, etc.) 11. TOTAL COST OF IMPROVEMENT \$ <i>55,000</i>																											

Nonresidential — Describe in detail proposed use of buildings, e.g., food processing plant, machine shop, laundry building at hospital, elementary school, secondary school, college, parochial school, parking garage for department store, rental office building, office building at industrial plant. If use of existing building is being changed, enter proposed use.	
(Omit cents) \$ <i>55,000</i>	

III. SELECTED CHARACTERISTICS OF BUILDING —

For new buildings and additions, complete Parts E - I; for wrecking, complete only Part H, for all others skip to IV.

E. PRINCIPAL TYPE OF FRAME ☐ Masonry (wall bearing) ☒ Wood frame ☐ Structural steel ☐ Reinforced concrete ☐ Other - Specify		H. DIMENSIONS Number of stories <i>2</i> Total square feet of floor area, all floors, based on exterior dimensions <i>2,540</i> Total land area, sq. ft. <i>14,256</i>		FEE COMPUTATIONS VOLUME OF BUILDING <i>29472</i> BUILDING SUB CODE <i>206.30</i> ELECTRICAL CODE <i>15.30</i> PLUMBING CODE <i>21.30</i> PLAN REVIEW <i>27.63</i> CERTIFICATE OF OCCUPANCY <i>41.45</i> STATE TRAINING FUND <i>17.68</i> CONSTRUCTION <i>15.00</i> PERMIT FEE <i>378.06</i>	
F. TYPE OF HEATING SYSTEM Specify <i>2. Zone GAS Fx. 461</i> Air Cond. Yes ☒ No ☐		I. RESIDENTIAL BUILDING ONLY Number of bedrooms <i>4</i> Number of bathrooms <i>Full 2 Partial 1</i>		CONSTRUCTION <i>free</i> PERMIT FEE <i>5.00</i>	
G. TYPE OF SEWERAGE DISPOSAL ☒ Public ☐ Individual					

7/10/80

SEE REVERSE

A57874

383.06

SUB CONTRACTORS

NAME	TRADE	ADDRESS	ZIP CODE	PHONE #
1. Robert Surbas	Plumbing	Yous River, N.Y.	07853	270-3777
2. Vire Jansen	Electric	60 Gray St Sewald, N.Y.		634-4462
3. F.A. Polack	Insulation	Felton, N.Y.		738-0200
4. Al Krost	Roofing & Siding	Yous River, N.Y.		244-7504
5. B.C. Benscay	Drywall	Backtown, N.Y.	07853	477-6921
6.			07823	
7.				
8.				

PERSON TO BE IN CHARGE OF CONSTRUCTION

NAME Stanley B. Sandkowitz

ADDRESS 25-5 Fountain Dr, Lakewood, N.Y. 08701

IV. IDENTIFICATION — To be completed by all applicants

Name	Mailing address — Number, street, city, and State	ZIP code	Tel. No.
1. Stanley B. Sandkowitz Stanley B. Sandkowitz	25-5 Fountain Dr Lakewood, N.Y. 08701	08701	369-0654
2. New Vision Builders	1614 Highway 88 W. Brecktown, N.Y.	08723	387-0654
3. Gallucci & Tidmore	236 Highway 9 Howell, N.Y.		431-3998

The owner of this building and the undersigned agree to conform to all applicable laws of Township of Brick and that all required state, county and local prior approvals have been given.

Signature of applicant

Stanley B. Sandkowitz

Address

25-5 Fountain Dr, Lakewood, N.Y.

Application date

June 9, 80

DO NOT WRITE IN THIS SPACE — FOR OFFICE USE ONLY

Approved by

Joseph W. Kelen

Date permit issued

7/10/80

Permit Number

A5784

I agree to construct said building in conformity with the plans and specifications filed with the Construction Official and in compliance with the provisions of the Building Code whether shown on plans or not.

Post Office Box 495


CHURCH STREET STATION
NEW YORK, N. Y. 10015, U.S.A.

235 *Phaholmal*

DEPARTMENT OF INSPECTION
BRICKTOWNSHIP
NEW JERSEY

American-Standard Water-Saver toilets and urinals


A regular toilet uses about 5 gallons of water to flush. Our water-saver toilets use only 3.5 gallons. The result is a substantial 30% savings on fresh water as well as waste that requires costly processing.




Water-Saver Lexington




Water-Saver Carlyle toilet




Water-Saver Tilche toilet



Elongated Water-Saver
Cadet toilet




Water-Saver Cadet toilet




Water-Saver Plebe toilet

OKLAHOMA DE.
BRICKTOWN


Commercial Water-Saver Products



Water-Saver Madera toilet



Water-Saver Ahwall toilet




Water-Saver Trimbrook Urinal

All Products to be Made by
Flowmaster Mfg. Co.

★★★
Rasmith

Permaglas III

AUTOMATIC GAS ENERGY SAVING
GLASS-LINED WATER HEATER




CONSERVATIONIST

DESIGNED AND PRODUCED TO
MAXIMIZE FUEL EFFICIENCIES

SAVES YOU MONEY by
reducing operating costs

PAYS FOR ITSELF
in fuel cost savings

THERMOGARD™ DIP TUBE
for more usable hot water



CONSERVATIONIST™ gas water heater

**MEETS OR EXCEEDS THE REQUIREMENTS OF
ASHRAE 90-75 STANDARD FOR ENERGY EFFICIENCIES
(EXCEPT 75 and 100 GALLON MODELS)**

IMPROVED THERMAL EFFICIENCY. A. O. SMITH engineers designed the CONSERVATIONIST to obtain optimum heat transfer.

A. Inputs, burner, flue size, baffle and combustion chamber are custom designed to produce the maximum heat from the fuel burned.
B. Flame pattern spreads evenly over the bottom head to give optimum heating characteristics.

IMPROVED STANDBY EFFICIENCY. Standby loss is the heat lost from the water after it has been heated.

A. New, double efficiency insulation surrounds the tank to keep in more heat.
B. Jacket cavity expanded to permit thicker layer of double efficiency insulation (30 and 40 gallon models).
C. Improved flue baffle design helps retain flue gases and conserve energy.
D. Pilot burner inputs reduced to improve standby efficiencies (30, 40 and 50 gallon models).

THERMOGARD™ DIP TUBE. A. O. SMITH's unique inlet tube senses water temperatures and mixes cold inlet water with stored hot water to give more uniform water temperature (except 75 and 100 gallon models).

THERMOGARD BENEFITS:

• More usable hot water at energy saving lower inputs • Less stacking and relief valve spillage • Longer tank life • Lower operating costs.

STANDARD FEATURES

1. Finest glass-lined tank with patented Hydrotel® precoat.
2. Total regulation . . . built-in preset gas pressure regulator automatically maintains most efficient heating rate. Pilot gas regulator also factory preset.
3. Efficient cast iron burner.
4. Double efficiency insulation.
5. Glass-coated flue.

6. Flue baffle for maximum thermal efficiency.

7. High density magnesium anode.

8. Dichromate nipples.


9. Radiant floor shield permits installation on combustible floors.

10. Two-tone baked enamel finish.

11. Safety shut-off, automatic thermostat.


Relief valve opening for ease of installation.

Design certified by A. G. A. Maximum working pressure 150 psi.



10 YEAR LIMITED WARRANTY OUTLINE

If the tank should leak any time during the first ten years, under the terms of the warranty, A. O. Smith will furnish a replacement heater; installation, labor, handling and local delivery extra. When used commercially, warranty is for three years. For complete information, consult the written warranty or A. O. Smith Consumer Products division.



Models	PGC-30		PGCL-30		PGC-40		PGCL-40		PGC-50		PGC-45		PGC-75		PGC-100	
	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	NAT. & PROP.	
Gases																
Cap. in gal.	50	30	30	40	40	40	40	50	50	50	65	75	75	100	100	
Input BTU/Hr.	30,000	30,000	30,000	32,500	32,500	32,500	32,500	44,000	40,000	40,000	50,000	80,000	75,500	90,000	80,000	
Actual Efficiency	79%	76%	76%	78%	78%	78%	78%	77%	77%	77%	75%	70%	70%	70%	70%	
Actual Recovery GPH @ 100° Rise	28.4	27.3	27.3	29.6	29.6	29.6	29.6	40.6	36.9	36.9	45.0	67.2	63.4	75.6	67.2	
A.G.A. Recovery GPH @ 100° Rise 70% Efficiency	25.2	25.2	25.2	27.3	27.3	27.3	27.3	36.9	33.6	33.6	42.0	67.2	63.4	75.6	67.2	
Approx. shipping wt. lbs.	122	117	137	140	140	140	140	165	269	269	296	296	296	367	367	
DIMENSIONS IN INCHES	A	59-1/2	50-1/2	57-1/2	54-1/2	54-1/2	54-1/2	63-1/2	63-1/2	63-1/2	56-1/2	62-1/2	62-1/2	70-1/2	70-1/2	
	B	55-1/2	43-1/2	53-1/2	47-1/2	47-1/2	47-1/2	56-1/2	56-1/2	56-1/2	53-1/2	59-1/2	59-1/2	67	67	
	C	18-1/2	20-1/2	20-1/2	20-1/2	20-1/2	20-1/2	20-1/2	20-1/2	20-1/2	25-1/2	25-1/2	25-1/2	28-1/2	28-1/2	
	D	21-1/2	23-1/2	23-1/2	23-1/2	23-1/2	23-1/2	23-1/2	23-1/2	23-1/2	28-1/2	28-1/2	28-1/2	29-1/2	29-1/2	
	E	13-1/2	13-1/2	13-1/2	13-1/2	13-1/2	13-1/2	13-1/2	13-1/2	13-1/2	17-1/2	17-1/2	17-1/2	17-1/2	17-1/2	
F	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	
G	8	8	8	8	8	8	8	8	8	8	10	10	10	10	10	
H	10-1/2	11-1/2	11-1/2	11-1/2	11-1/2	11-1/2	11-1/2	11-1/2	11-1/2	11-1/2	14	14	14	14	14	
J	9-1/2	9-1/2	9-1/2	9-1/2	9-1/2	9-1/2	9-1/2	9-1/2	9-1/2	9-1/2	13-1/2	13-1/2	13-1/2	13-1/2	13-1/2	
K	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1-1/2	1-1/2	

A. O. Smith Corporation reserves the right to make product changes or improvements at any time without notice.

*NOTE: To compensate for the effects of high altitude areas above 2,000 feet, recovery capacity should be reduced approximately 4% for each 1,000 feet above sea level.

A. O. Smith

A. O. Smith Corporation
Consumer Products Division
Kankakee, Illinois • Stratford, Ontario, Canada

Brick Township Construction Permit Application for Plumbing

1. LOCATION

NUMBER and STREET	SECTION	LOT	BLOCK
235 Oklahoma Dr	4th Range	2	382-20

PROPOSED USE

1 Family Dwelling

2. TYPE of IMPROVEMENT ☒ NEW BUILDING ☐ ALTERATION ☐ ADDITIONAL FIXTURES

☐ WELL ☐ SEPTIC ☒ SEWER (B.T.M.U.A.) ☒ WATER (B.T.M.U.A.)

3. PLUMBING FIXTURES

1. WATER CLOSET
2. LAVATORIES
3. BATH TUB
4. SHOWER STALL or DRAIN
5. KITCHEN SINK
6. SLOP SINK
7. LAUNDRY TRAY
8. DISHWASHER
9. WASHING MACHINE
10. URINALS
11. FLOOR DRAIN
12. DRINKING FOUNTAIN
13. FOOD WASTE GRINDER
14. SEWER PUMP or EJECTOR
15. GREASE TRAP
16. OIL SAND SEPARATOR
17. AIR CONDITIONER
REFRIGERATOR WATER COOLED
18. HOT WATER HEATER ☒ GAS ☐ ELECTRIC
19. DENTAL UNIT
20. LAWN SPRINKLERS
- NO. OF HEADS
21. WELL (PRIVATE)
22. WELL PUMP
23. SEPTIC
24. PLUMBING STACKS

NUMBER OF

FEE

- | | |
|---|------|
| 3 | 15.- |
| 3 | 15.- |
| 2 | 10.- |
| 1 | 5.- |
| 1 | 5.- |
| 1 | 5.- |

4. MATERIAL SPECIFICATIONS

- BUILDING SEWER ABS Plastic
 WATER SERVICE 1/2" 160 psi
 BUILDING DRAIN ABS Plastic
 WASTE ABS Plastic
 VENTS ABS Plastic
 WATER PIPE 1/2" copper

5. INSPECTIONS

	DATE	INSPECTOR
SLAB		
ROUGH		
WATER		
SEWER		
FINAL		

6. COMMENTS

1

PLUMBER

Robert L. L. L.

LICENSE


W 3595

PLUMBING FEE \$ 70.-

PERMIT #

A 5784

6/24/80



**THE BRICK TOWNSHIP
MUNICIPAL UTILITIES AUTHORITY**

1551 HIGHWAY 88 WEST
BRICK TOWN, NEW JERSEY 08723

CERTIFICATE OF AVAILABILITY OF UTILITY SERVICES

To: Township of Brick
Date: JUNE 12, 1980

The following is the status of the availability of utilities for the property listed hereon.

Block: 382-28 Lot: 2

Location: OKLAHOMA DRIVE

Name: NEW VISION BUILDERS

Address: 1614 HWY 88 WEST, BRICK TOWN, NJ. 08723

1. Utility is available for use.
2. Utility is not available, and will not be constructed in the foreseeable future. Individual system may be used.
3. Utility is in design or under construction and is projected to be available by _____. Individual system may be used in interim.

Water	Sewer
X	X

NOTE: This form is only a statement of availability of utilities and should not be construed as an application for such utilities. Application should be submitted to the BTMUA as soon as possible after issuance of a building permit, but in no case less than 4 weeks before anticipation of a Certificate of Occupancy.

For the BTMUA Colleen Bradley

BLOCK 382-28

2A

LOT - 2
(0.384 AC.)
16,756 Sq Ft

ESSEX DR. (50)

POOR QUALITY
DOCUMENT

GRAVE (50)

Finish floor to be minimum 24"
above crown of road.

Notes: Section to water
and sewer, (Okla. Gas Co.)

Flory's, U.S. Coast & Geodetic
Geological map.

Lot Elev = 20' +

PLAT PLAN

JMS Inc.

LOT 2, BLOCK 382-28

Brick Township Construction Permit Application for Plumbing

1. LOCATION

NUMBER and STREET	SECTION	LOT	BLOCK
235 O'Leary Dr	Callie Kiser	2	382-25

PROPOSED USE

1 Family dwelling

2. TYPE of IMPROVEMENT ☒ NEW BUILDING ☐ ALTERATION ☐ ADDITIONAL FIXTURES

WELL _____ SEPTIC ☒ SEWER (B.T.M.U.A.) ☒ WATER (B.T.M.U.A.)

3. PLUMBING FIXTURES	NUMBER OF	FEE
1. WATER CLOSET	3	15.-
2. LAVATORIES	3	15.-
3. BATH TUB	2	10.-
4. SHOWER STALL or DRAIN		
5. KITCHEN SINK	1	5.-
6. SLOP SINK		
7. LAUNDRY TRAY		
8. DISHWASHER	1	5.-
9. WASHING MACHINE	1	5.-
10. URINALS		
11. FLOOR DRAIN		
12. DRINKING FOUNTAIN		
13. FOOD WASTE GRINDER		
14. SEWER PUMP or EJECTOR		
15. GREASE TRAP		
16. OIL SAND SEPARATOR		
17. AIR CONDITIONER REFRIGERATOR WATER COOLED		
18. HOT WATER HEATER ___ OIL / GAS ___ ELECTRIC	1	5.-
19. DENTAL UNIT		
20. LAWN SPRINKLERS		
NO. OF HEADS _____		
21. WELL (PRIVATE)		
22. WELL PUMP		
23. SEPTIC		
24. PLUMBING STACKS		10.00

4. MATERIAL SPECIFICATIONS

BUILDING SEWER	ABS Plastic
WATER SERVICE	4" 60 poly
BUILDING DRAIN	ABS Plastic
WASTE	ABS Plastic
VENTS	ABS Plastic
WATER PIPE	1/2 copper

5. INSPECTIONS

	DATE	INSPECTOR
SLAB		
ROUGH	9/10/80	JM
WATER		
SEWER		
FINAL	10/29/80	JM

6. COMMENTS

PLUMBER

Robert Langley


LICENSE

NI 3595

PLUMBING FEE \$ 70.-

PERMIT # AS 784

6/24/80



235 Oklahoma Drive
Bucktown W. 9.08723
Nov-18. 1966

Dept of Inspection
Township of Bucktown

To whom it may Concern.

We as owners of said property
were on premises when stereo case
was changed and meets to our
satisfaction.

Very truly yours
Marie A. Marca
Telyta Marca

24 ARLENE STREET
STATEN ISLAND 10314
NEW YORK, N.Y.
NOVEMBER 7, 1980

DEPARTMENT OF INSPECTION
BRICKTOWNSHIP
NEW JERSEY

TO WHOM IT MAY CONCERN:

WE ABSOLVE AND HOLD YOU HARMLESS
FROM AND AGAINST ANY AND ALL CLAIMS AND DEMANDS OF EVERY
KIND AND NATURE, WHETHER GROUNDLESS OR OTHERWISE, WHICH
MAY AT ANY TIME BE MADE AGAINST YOU BY REASON OF ANYTHING
GROWING OUT OF YOUR COMPLIANCE WITH OUR REQUEST.

VERY TRULY YOURS,

Marie LaMarche

**THE BRICK TOWNSHIP
MUNICIPAL UTILITIES AUTHORITY**

660 MANTOLOKING ROAD
BRICK TOWNSHIP, NEW JERSEY 08723

CERTIFICATE OF COMPLIANCE

Date..... NOVEMBER 18, 1980.....

NAME..... FELIX LAMARCA.....

ADDRESS..... 235 OKLAHOMA DRIVE, BRICK TOWN, NJ.....

PROPERTY LOCATION..... SAME.....

Account No..... G918406 02-033..... Block 382-28..... Lot 2.....

I hereby certify that the above applicant has complied with all Rules
and Regulations of this Authority and has paid all required fees and charges.

For the Authority..... *Karen Serdes*.....

Breck Town, N.J. 08123

Property is Block 2 Lot(s) 382-24
Residential ☒ Commercial ☐
Address if different from applicant _____

235 Oaklawn Dr.

Location of trees on property: on Eastside lot.

Number of trees presently on property: _____

Additional information to enable the application to be properly evaluated: _____

Shirley A. Tschirch Plot Plain

Fee: \$5.00 for trees located on individual building lot.

\$15.00 per acre for all other lands.

Recommendation from Shade Tree Commission: on tree

Removal permit needed

6-15-80


Date

Stanley Shuler
Forster
Signature of Chairman

Action by Council: Approved ☒ Denied ☐

Date

Township Clerk



Note: to be connected to water and sanitary sewer, (Oklahoma Dr.)

Note: Finish floor to be minimum 24" above crown of road.

Elev's, U.S. Coast & Geodetic Geological map.

Lot Elev = 20' +

Prepared for:	PLOT PLAN	
New Vision Builders Inc.	LOT 2,	BLOCK 382-28
1614 Hwy Rte. 88 West	(Lake Riviera)	
Brick Town, New Jersey	Brick Town, Ocean County, N.J.	
	Scale: 1" = 30'	Oct. 2, 1979
Gordon L. Hart, Land Surveyor		

