

CERTIFICATION IN LIEU OF OATH

I. OWNER SECTION (to be completed if the applicant is the owner in fee)

I hereby certify that I am the owner in fee of the property listed on Page 1.

Mark the following applicable boxes:

A. ☐ I further certify that a new home (private residence) will be constructed on this property for my own use and occupancy. This dwelling is to be occupied by myself and is not to be used for any purpose other than single family residential use. I attest that all construction, plumbing, or electrical work will be done, in whole or in part, by me or by subcontractors under my supervision, in accordance with all applicable laws; and, I further acknowledge that said new home is not covered under the New Home Warranty and Builders Registration Act (N.J.S.A. 46:3B-1 et seq.) and that such fact shall be disclosed to any person purchasing this property within ten years of the date of issuance of a certificate of occupancy.

I UNDERSTAND THAT IN MARKING BOX A, I ACKNOWLEDGE THAT I AM ASSUMING RESPONSIBILITY FOR THE WORK DONE ON SAID PROPERTY, THE CONDITION OF THE PROPERTY PRIOR TO, DURING, AND AFTER ANY WORK PERFORMED, AND FOR THE PERFORMANCE OF THE SUBCONTRACTORS I HIRE, EMPLOY, OR OTHERWISE CONTRACT OR WITH WHOM I MAKE AGREEMENTS TO PERFORM WORK. I AM VOLUNTARILY AND KNOWINGLY ASSUMING THIS RESPONSIBILITY.

B. ☐ I further certify the following as required by the New Jersey Uniform Construction Code, N.J.A.C. 5:23-2.15(e)1.vii:

I personally prepared the plans submitted for: 1) the new home referred to in A.; or, 2) an addition, alteration, renovation, or repair to an existing single family residence owned and occupied by myself and located on the property listed on Page 1; or, 3) a new structure that will be physically separate from, but that will be deemed part of, an existing single family residence that is owned and occupied by myself and located on the property listed on Page 1.

C. ☐ I further certify that I will perform or supervise the following work:

C.1. ☐ Building C.2. ☐ Fire Protection

I further certify that I will perform the following work:

C.3. ☐ Electrical C.4. ☐ Plumbing

D. ☐ I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I further certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(a)5: All required State, county, and local prior approvals have been given, including such certification as the construction official may require.

I understand that if any of the above statements are willfully false, I am subject to punishment.

Signature _____ Date _____

II. AGENT SECTION

(to be completed if the applicant is not the owner in fee)

I hereby certify the following as required by the New Jersey Uniform Construction Code, N.J.A.C. 5:32-2.15(d): the proposed work is authorized by the owner in fee; and I have been authorized by the owner in fee to make this application as his agent.

I further certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(a)5: All required State, county, and local prior approvals have been given, including such certification as the construction official may require.

I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

☒ Check if contractor.

Agent Name L. D. Whittis & Sons Docking Inc

Address 919 State St. Perth Amboy NJ.
08861

Telephone (908) 826-2001

Signature [Signature] Date 12/8/83

OFFICE DATE RECEIVED: _____

VIII. PRIOR APPROVALS CHECKLIST (office use only)	LOCAL APPROVAL		COUNTY APPROVAL		REGIONAL APPROVAL		STATE APPROVAL		COMMENTS
	Prelimin. Initial	Final Date	Prelimin. Initial	Final Date	Prelimin. Initial	Final Date	Prelimin. Initial	Final Date	
☐ Planning Board									
☐ Zoning Board									
☐ Sewer Authority									
☐ Water Authority									
☐ Fire Department									
☐ Police Department									
☐ Health Department									
☐ Soil Conservation									
☐ N.J. Dept. of Community Affairs									
☐ N.J. Department of Transportation									
☐ N.J. Dept. of Environmental Protection									
☐ Utility Dig No.									
☐ Other									
☐									
☐									

IX. SUBCODES AND SPECIAL REGULATIONS APPLICABLE (office use only—optional)

Name of Code & Edition	Name of Code & Edition
Building _____	Energy _____
Electrical _____	Barrier Free _____
Plumbing _____	Flood Hazard _____
Fire Protection _____	As Built Elevation Cert. _____
Mechanical _____	Other _____

X. CERTIFICATES ISSUED (office use only)	DATE EXPIRED
☐ Temporary Certificate of Occupancy	No. _____
☐ Temporary Certificate of Occupancy	No. _____
☐ Continued Certificate of Occupancy	No. _____
☐ Certificate of Occupancy	No. _____
☐ Certificate of Approval	No. _____
☐ Other	No. _____



CONSTRUCTION PERMIT

Date Issued

Control #

Permit # 2868-93

IDENTIFICATION Block

701

Lot

9.03

Work Site Location

Hopate/Buck Turn Pth

Contractor

LR Watts & Son Roofing

Owner in Fee

Vernado

Address

Address

Tele. ()

Lic. No. or Bldrs. Reg. No.

Exp. Date

Tele. ()

Federal Emp. No.

or Social Security No.

Is hereby granted permission to perform the following work:

☒ BUILDING ☐ PLUMBING ☐ OTHER
☒ ELECTRICAL ☐ FIRE PROTECTION

DESCRIPTION OF WORK:

Hot Tar Roof

NOTE: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Estimated Cost of Work \$

60000

U.C.C. Form F-170A

CONSTRUCTION OFFICIAL

PAYMENTS (Office Use Only)			2868-93
Building	USD	701 #	0.00
Plumbing	LOT		0.00
Electrical	9 #		
Fire Protection	BUILDING		450.00
Other	B.C.A.		18.00
Other	C / O		20.00
DCA Training Fee	CAPITAL		5.80
Cert. of Occ	BACK		5.80
Other	FINANCE		0.00
Total	518		
Check No. 03	NOV 15 2002	44885	3:16
Cash			
Collected By:	Li		



Date Received
Date Issued
Control #
Permit #

12/8/93
2568-93
2568-93

A. IDENTIFICATION-APPLICANT: COMPLETE ALL APPLICABLE INFORMATION, WHEN CHANGING CONTRACTORS. NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 701 Lot 9.03
Work Site Location Shoof-Cite Chambers Bridge Rd.
1470 Brillatium N.J. 087123
Owner in Fee Yonahda 11665
Address Newark N.J. 07101
Tele. (908) 608-2001
Contractor L.D. Curtis & Sons Defining Inc.
Address 919 State St. N.J. 08861
Tele. (908) 826-2001
Lic. No. or Bids. Reg. No. _____
Federal Emp. No. _____ or Social Security No. _____

JOB SUMMARY (Office Use Only)	
PLAN REVIEW	INSPECTIONS
Date	Initial
☐ No. Plans Req.	Type: ☐ Footing ☐ Foundation ☐ Slab ☐ Frame ☐ Insulation ☐ Finishes ☐ Energy ☐ Mechanical ☐ TCO ☐ Other
☐ All	
☐ Footing	
☐ Foundation	
☐ Slab	
☐ Frame	
☐ Insulation	
☐ Finishes	
☐ Energy	
☐ Mechanical	
☐ TCO	
☐ Other	
☐ Approved By: _____	☐ Final

B. BUILDING CHARACTERISTICS

Use Group Present Proposed
Constr. Class Present Proposed
No. of Stories 25
Height of Structure 25 Ft.
Area-Largest Floor Sq. Ft.
Total Bldg. Area/All Floors Sq. Ft.
Volume of Structure Cu. Ft.
Total Land Area Disturbed Sq. Ft.

Est. Cost of Bldg. Work:
1. New Bldg. \$ 60,000
2. Alteration \$ 0
3. Total (1+2) \$ 60,000

C. CERTIFICATION IN LIEU OF OATH


I hereby certify that I am the (agent of) owner of record and am authorized to make this application.

D. TECHNICAL SITE DATA
DESCRIPTION OF WORK

Repairs as per GAF Spec I.O.Y.C

TYPE OF WORK:	
☐ New Building	
☐ Addition	
☐ Alteration	
☐ Roofing	
☐ Siding	
☐ Other	
☐ Demolition	
☐ Miscellaneous	
☐ Fence	Height _____ Sq. Ft. _____
☐ Sign	
☐ Pool	
☐ Elevator	
☐ Asbestos Abatement	
☐ Other	

Administrative Surcharge	
Paid ☐ Check # _____	Minimum Fee \$ _____
Collected by: _____	TOTAL FEE \$ _____



North, South & West Zones

Non-nailable decks or insulated decks up to 6 inches per foot slope: Poured concrete, precast concrete, acceptable roof insulation.

Materials	Approximate Weight Per Square
GAF Asphalt/Concrete Primer (when applicable)	10 lbs
GAFGLAS Ply (4 plies)	44 lbs
GAF Roofing Asphalt	100 lbs
Interplies	100 lbs
Surface Coating	20 lbs
GAF Special Roofing Bitumen	12 lbs
GAF Fibered Aluminum Coating	12 lbs
GAF WEATHER COAT Emulsion	21 lbs
Total 205 lbs	

Specifications

General

Application recommendations detailed on pages 17-20 shall apply in addition to the following recommendations and specifications.

Application of Roofing Membrane

Starting at the low point of the roof, mop four plies of GAFGLAS Ply shingle fashion; lapping each sheet 27 1/2 inches over the preceding sheet; solidly mopping to the underlying substrate to provide four plies over the entire roof area.

Asphalt Requirements

Interply moppings of GAF Roofing Asphalt must be applied in a continuous film and shall consist of approximately 25 pounds per 100 square feet of roof area with a tolerance not to exceed 20% plus or minus. The appropriate asphalt for the slopes involved must be used.

Slope per foot	Asphalt Type
Up to 3"	Steep ASTM Type III
3"-6"	HT-Steep ASTM Type IV

On slopes up to 1/2 inch per foot, Flat ASTM Type II may be used except in Florida, Texas, New Mexico, Arizona, and California.

Surfacing

Over the entire surface, apply a uniform coating. GAF Fibered Aluminum Coating, GAF WEATHER COAT Emulsion, or GAF Special Roofing Bitumen may be used for surfacing. See "Coatings for Smooth Surfaced Roof Systems," page 20.

Special Instructions

- For roof slopes of 1 inch per foot or more, all plies must be back-nailed 4 inches in from the back edge of the felt into wood nailers. See "Installation on Steep Roofs," page 9.
- For insulated decks, there are some restrictions. See "Roof Insulation," pages 9, 11.

UL Classification

UL Class	Surfacing	Substrate	Slope	Insulation
A	GWCE	NC	1"	4A
A	GFAC	NC	2"	4B
B	GWCE	C	1/2"	4A
C	GSRB	C	1/2"	4A

UL Chart Key

1. Surfacing

GWCE = GAF Weather Coat Emulsion

GFAC = Grundy Fibered Aluminum Coating or aMB Aluminum Roof Coating

GSRB = GAF Special Roofing Bitumen

2. Substrate

C = Combustible and Noncombustible

Combustible = Wood planks, boards, etc., plywood (min. 1/2 inch thickness), oriented strand board (min. 1/2 inch thickness).

NC = Noncombustible only

Noncombustible = Steel, poured or precast structural concrete, lightweight insulating concrete, gypsum, structural wood fiberboard, etc.

3. Slope

Maximum slope allowed, in inches per foot.

4. Insulation

4A = Optional, GAFTEMP® Perlite, Fiberboard, High Density Fiberboard, Isotherm R and composite Insulations.

4B = GAFTEMP Perlite, Fiberboard, High Density Fiberboard and Isotherm R. Isotherm R requires an overlay of GAFTEMP Perlite, Fiberboard or High Density Fiberboard.

Specification	Guarantees Available
I-O-4-C/P6	20, 15 yr
I-O-4-C and NN-O-4-C	2, 10, 10+5+5, 5 yr