

BLOCK 547-01 LOT 15 QUALIFICATION CODE ADDRESS (SITE) 335-399 Brick Blvd. PERMIT NO. 12-0651



CONSTRUCTION PERMIT APPLICATION

Applicant Completes: Sections I, II, III (optional), IV, VI, and VII

I. IDENTIFICATION

1. Proposed Work Site at: 375 Brick Blvd. - Drum Point Plaza

2. Name of Owner in Fee: DRUM POINT PLAZA, LLC.
Tel. (732) 477-6363 e-mail
Address 249 Brick Blvd. Brick, NJ 08723
street municipality zip code

3. Ownership in Fee: Public Private

4. Principal Contractor: FASTSIGNS Tel. (732) 836-3278
Address 1743 ROUTE 88 W. e-mail lincoln.ohare@FASTSIGNS.com
Brick, NJ 08724

License No. OR, if new home, Builder Reg. No. N/A Exp. Date

Home Improvement Contractor Registration No. or Exemption Reason (if applicable):

Federal Emp. ID No. 204041865 FAX: ()

5. Architect or Engineer MURDOCH ENGINEERING Contact JEFF MURDOCH
Address 8308 AVALON CT WEST LAKENHIA e-mail jeff@murdachengineering.com
Tel. (913) 570-8215 FAX: ()

6. Responsible Person in Charge once Work has Begun LINCOLN O'HARE
Tel. (732) 836-3278 FAX: (732) 836-3279

V. FEE SUMMARY (for office use only)

		Update	Update
1. Building	\$ <u>75</u>		
2. Electrical	\$ <u>40</u>		
3. Plumbing			
4. Fire Protection			
5. Elevator Devices			
6. Subtotal			
7. Less 20% for State Plan Review	\$		
8. Subtotal	\$ <u>5</u>		
9. State Permit Surcharge Fee	\$		
10. Subtotal	\$		
11. Cert. of Occupancy			
12. Other			
13. TOTAL	\$ <u>120</u>		

VI. BUILDING/SITE CHARACTERISTICS

	(office use only)
1. Number of Stories	
2. Height of Structure	ft.
3. Area - Largest Floor	sq. ft.
4. New Building Area	sq. ft.
5. Volume of New Structure	cu. ft.
6. Max. Live Load	
7. Max. Occupancy Load	
8. If Industrialized Building: State Approved	HUD
9. Total Land Area Disturbed	sq. ft.
10. Flood Hazard Zone	
11. Base Flood Elevation	ft.
12. Wetlands	yes <u> </u> no <u> </u>

IIa. PROPOSED WORK

☐ Minor Work ☐ New Building ☐ Addition ☐ Demolition

☐ Repair ☐ Alteration ☐ Renovation ☐ Reconstruction

☐ Asbestos Abat. -Subch. 8 ☐ Lead Hazard Abatement ☐ Radon Remediation ☐ Annual Permit

IIb. SUBCODES
(Check all that apply)

	Est. Cost	Plans Rec'd by	Date Rec'd	Rejection Date	Approval Date	Re-viewer	Resubmission Dates	Re-viewer
☐ Building		<u>2/21/12</u>	<u>12</u>		<u>3/13/12</u>	<u>W</u>		
☐ Electrical					<u>3-8-12</u>	<u>M</u>		
☐ Plumbing								
☐ Fire Protection								
☐ Elevator								
TOTAL COST								

VII. DESCRIPTION OF BUILDING USE

A. RESIDENTIAL (primary use)

1. State Specific Use:

2. Use Group, Proposed:

3. Change in Use Group, Indicate Present:

4. No. of dwelling units: Total Units income-restricted

Gained, Sale

Gained, Rental

Lost, Sale

Lost, Rental

B. NON-RESIDENTIAL (primary use)

1. State Specific Use:

2. Use Group, Proposed:

3. Change in Use Group, Indicate Present:

C. MIXED USE -List secondary use(s):

D. Construct. Classification: Present Proposed

III. PLAN REVIEW (optional)

DO YOU WANT:

1. ☐ Partial Releases

2. ☐ Prototype Processing

IV. DOES OR WILL YOUR BUILDING CONTAIN ANY OF THE FOLLOWING?

1. ☐ Elevators/Escalators/Lifts/ Dumbwaiters/Moving Walks	4. ☐ Refrigeration Systems	8. ☐ Smoke Control Systems in Open Wells	12. ☐ Fire Alarm
2. ☐ High Pressure Boilers	5. ☐ Cross-Connections/Backflow Preventers	9. ☐ Underground Storage Tanks	
3. ☐ Pressure Vessels	6. ☐ Hazardous Uses/Places of Assembly	10. ☐ Swimming Pools, Spas and Hot Tubs	
	7. ☐ Sprinklers/Standpipes	11. ☐ LPGas Tanks	

TOWNSHIP OF BRICK

OCEAN COUNTY, NEW JERSEY
401 CHAMBERS BRIDGE ROAD, BRICK, N.J. 08723

John G. Ducey, Mayor

Township Council:

Susan Lydecker - President
Jim Fozman - Vice President
Heather deJong
Bob Moore
Paul Mupimolo
Marianna Pontoriero



Department of Community Development & Land Use

732-262-1027

Fax: 732-262-2941
www.twp.brick.nj.us

May 21, 2014

The following permits for Drum Point plaza are in need of the following inspections:

12-0651

375 Brick Blvd (Soccer Post)

Sign Installation needs: Final Elect

13-0827

391 Brick Blvd (Copy Fax)

Sign Installation needs: Building & Elect Finals

12-2016

335 Brick Blvd (7-11)

Sign Installation needs: Building Final

13-5291

335-399 Brick Blvd (Nature's Nutrition)

Sign Installation needs: Building & Elect

13-1232

387 Brick Blvd (Chiropractor)

Sign Installation needs: Building & Elect

13-4118

351 Brick Blvd (Laundry Matt)

Plumbing Alterations (new washing machines w/platform) needs: Building & Plumbing

14-0179

335 Brick Blvd (7-11)

Nonstructural repairs needs: Building

12-1955

335 Brick Blvd (7-11)

Sign Installation needs: Building & Electric



CERTIFICATION IN LIEU OF OATH

I. OWNER SECTION (to be completed if the applicant is the owner in fee)

I hereby certify that I am the owner in fee of the property listed on Page 1.

Mark the following applicable boxes:

- A. ☐ I further certify that a new home (private residence) will be constructed on this property for my own use and occupancy. This dwelling is to be occupied by myself and is not to be used for any purpose other than single family residential use. I attest that all construction, plumbing, or electrical work will be done, in whole or in part, by me or by subcontractors under my supervision, in accordance with all applicable laws; and, I further acknowledge that said new home is not covered under the New Home Warranty and Builders Registration Act (N.J.S.A. 46:3B-1 et seq.) and that such fact shall be disclosed to any person purchasing this property within ten years of the date of issuance of a certificate of occupancy.

I UNDERSTAND THAT IN MARKING BOX A, I ACKNOWLEDGE THAT I AM ASSUMING RESPONSIBILITY FOR THE WORK DONE ON SAID PROPERTY, THE CONDITION OF THE PROPERTY PRIOR TO, DURING, AND AFTER ANY WORK PERFORMED, AND FOR THE PERFORMANCE OF THE SUBCONTRACTORS I HIRE, EMPLOY, OR OTHERWISE CONTRACT OR WITH WHOM I MAKE AGREEMENTS TO PERFORM WORK. I AM VOLUNTARILY AND KNOWINGLY ASSUMING THIS RESPONSIBILITY.

- B. ☐ I further certify the following as required by the New Jersey Uniform Construction Code, N.J.A.C. 5:23-2.15(f)1.ix:

I personally prepared the plans submitted for: 1) the new home referred to in A.; or, 2) an addition, alteration, renovation, or repair to an existing single family residence owned and occupied by myself and located on the property listed on Page 1; or, 3) a new structure that will be physically separate from, but that will be deemed part of, an existing single family residence that is owned and occupied by myself and located on the property listed on Page 1.

- C. ☐ I further certify that I will perform or supervise the following work:

C.1. ☐ Building C.2. ☐ Fire Protection

I further certify that I will perform the following work:

C.3. ☐ Electrical C.4. ☐ Plumbing

- D. ☐ I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I further certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(a)5: All required State, county, and local prior approvals have been given, including such certification as the construction official may require.

I understand that if any of the above statements are willfully false, I am subject to punishment.

Signature _____ Date _____

II. AGENT SECTION (to be completed if the applicant is not the owner in fee)

I hereby certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(d): the proposed work is authorized by the owner in fee; and I have been authorized by the owner in fee to make this application as his agent.

I further certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(a)5: All required State, county, and local prior approvals have been given, including such certification as the construction official may require.

I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

☒ Check if contractor.

Agent Name LINCOLN O'NEAL - FASTSIGNS

Address 1743 ROUTE 88 W. BRICK, NJ 08724

Telephone (732) 836-3278

Signature [Signature]

III. ☐ LEAD HAZARD ABATEMENT: Include Homeowner or Building Owner Affidavit as per N.J.A.C. 5:17.

335-399 Back Blvd.



**BUILDING SUBCODE
TECHNICAL SECTION**



A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 547.01 Lot 15 Qualification Code _____

Work Site Location 375 Back Blvd. Dawn Point Plaza

Owner In Fee: Dawn Point Plaza, LLC Unit 347

Tel. (732) 477-6363 e-mail _____

Address 249 Back Blvd. Back NJ 08723

Contractor: EASTSIGNS Tel. (732) 836-3278

Address 1743 Route 88 W. e-mail linc@lincolnchase.com

Back NJ 08724

Contractor License No. or Builder Registration No. N/A Exp. Date _____

Home Improvement Contractor Registration No. or Exemption Reason (if applicable): _____

Federal Emp. ID No. 204041865 FAX: () _____

JOB SUMMARY (Office Use Only)

PLAN REVIEW Date Initial INSPECTIONS

☒ No Plans Required _____ Type: _____

☒ All 3/13/12 W Footing _____

☐ Footings/Foundations _____ Footing Bonding _____

☐ Structural/Framework _____ Foundation _____

☐ Exterior _____ Slab _____

☐ Interior _____ Frame _____

Joint Plan Review Required: _____ Truss Sys./Bracing _____

☐ Elec. ☐ Plumb. ☐ Fire ☐ Elevator _____ Barrier-Free _____

INSULATION _____

FINISHES - BASE LAYER _____

FINISHES - FINAL _____

MECHANICAL _____

TCO _____

Other _____

Barrier-Free _____

B. BUILDING CHARACTERISTICS

Use Group Present _____ Proposed _____

No. of Stories _____

Height of Structure _____ ft.

Area — Largest Floor _____ sq. ft.

New Bldg. Area/All Floors _____ sq. ft.

Volume of New Structure _____ cu. ft.

Max. Live Load _____

Max. Occupancy Load _____

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the agent of owner of record and am authorized to make this application.

Sign here: [Signature]

Print name here: LINCOLN CHASE

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK

INSTALL PLACEMAN MOUNTED
LED CHANNEL LETTERS.

Soccer Post

TYPE OF WORK:

☐ New Building

☐ Addition

☐ Rehabilitation

☐ Roofing

☐ Siding

☐ Fence

☒ Sign

☐ Retaining Wall

☐ Pool

☐ Asbestos Abatement Subchapter 8

☐ Lead Haz. Abatement NJAC 5:17

☐ Radon Remediation

☐ Other

FEE (Office Use Only)

\$ _____

Height (exceeds 6')
Sq. Ft. _____

Administrative Surcharge \$ _____
Minimum Fee \$ _____
State Permit Surcharge Fee \$ _____
TOTAL FEE \$ _____

COMMERCIAL

Date Received 3/20/12
Control # _____
Date Issued 12-0651
Permit # _____

Community Development and Land Use

401 Chambers Bridge Rd.

Brick NJ 08723

(732) 262-1027



Receipt

Payment Date

03/20/2012

Transaction #

PMT-12-01525

Receipt #

Issued To tlo enterprises

Description

Date Printed 03/20/2012

Check Number 1315

Cash \$0.00

Check \$50.00

Charge \$0.00

Total Paid \$50.00

03/20/12 12:05PM 001558#3047

*AD2 SERV.002

#00170

ZPA

CHECK

\$50.00

\$50.00

RECEIVING CLERK
DATE REC'D 2/21/12

ZONING PERMIT APPLICATION

PERMIT # 28-12-00170
DATE ISSUED 3/20/12

BLOCK: 547.01 LOT: 15 QUALIFIER: --- SITE ADDRESS: 375 Brick Blvd.

IDENTIFICATION:

1. NAME OF OWNER IN FEE: Dawn Point Plaza, LLC.
COMPLETE ADDRESS: 249 Brick Blvd. Brick, NJ 08723

PHONE # 732-477-6363 EMAIL: ---

2. NAME OF APPLICANT: FASTSIGNS

APPLICANT ADDRESS: 1743 Route 88 W. Brick, NJ 08724

PHONE # 732-836-3278 EMAIL: lincoln.shore@fastsigns.com

3. RESPONSIBLE PERSON FOR WORK: Lincoln O'Hare
PHONE # 732-836-3278 FAX # 732-836-3279

4. SIGNATURE OF APPLICANT: [Signature]

FOR OFFICE USE ONLY

FEE SUMMARY:

APPLICATION FEE: \$ 20.00
OTHER: \$ ---
TOTAL: \$ ---

REQUIRED BY APPLICANT

RESIDENTIAL: ---
COMMERCIAL: ---
EXISTING USE: 2000000000
PROPOSED USE: 2000000000

BOARD APPROVAL: --- PB --- ZB ---
RESOLUTION #: ---
APPROVAL DATE: ---

PROJECT DESCRIPTION: (PLEASE CHECK APPLICABLE WORK & DESCRIBE)

*NEW BUILDING: --- *ADDITION --- *ALTERATION X *PORCH --- *DECK ---

POOL: ABOVE GROUND --- IN GROUND --- FENCE: HEIGHT --- TYPE ---

HEIGHT: --- (*APPLICABLE)

OTHER Sign

DESCRIPTION: Install Newway Mounted LED Channel Letters

ZONING REVIEW:

DATE REVIEWED: 3-2-12 DATE DENIED: --- DATE APPROVED: 3-2-12 INTLS: NY28 (SEE BACK PAGE)

Community Development and Land Use

401 Chambers Bridge Rd.

Brick NJ 08723

(732) 262-1027



Receipt

Payment Date 03/20/2012

Transaction # PMT-12-01525

Receipt #

Issued To tlo enterprises

Description

Date Printed 03/20/2012

Check Number 1315

Cash \$0.00

Check \$50.00

Charge \$0.00

Total Paid \$50.00

03/20/12 12:00PM 001558#3047

XX02 SERV.002

#00170

ZPA

CHECK

\$50.00

\$50.00



Brick Township
401 Chambers Bridge Rd.

Brick, NJ 08723
(732) 262-1027

Date Issued:
Application Number:
Application Date:
Project Number:
Permit Number:
Fee:

3/20/12
ZA-12-00149
03/02/2012

2 P-12-00170
\$50

Zoning Permit

Worksite **375 BRICK BLVD.**
Location: **Drum Point Plaza**
Brick Township, NJ 08723

Block: **547.01**
Lot: **15**
Qualifier:
Zone: **B-2**

Owner: **DRUM POINT PLAZA LLC**
Address: **249 BRICK BLVD**
BRICK, NJ 08723

Applicant: **Lincoln O'Hare; Fast Signs**
Address: **1743 Route 88**
Brick, NJ 08724

Application Approved Date: 03/02/2012

This Certifies that an application for the issuance of a Zoning Permit has been examined.

Use is: Single-Family Residential

Nonconforming Use is: _____

Work Description:

Sign - Front-lit, raceway-mounted LED channel letter wall sign, 15" x 11'3", "Soccerpost".

The total sign area shall not exceed 15% of the total facade area.

The unit number must be displayed on the front and rear doors.

Upon review it was determined that:

- ☒ Use is permitted by Ordinance
- ☐ Use is permitted by Variance approved on: _____
- ☐ Valid Nonconforming Use is established by
 - ☐ Zoning Board of Adjustment
 - ☐ Zoning Officer

Sean Kinney
Sean Kinney, Zoning Officer

Michael P. Fowler
Michael P. Fowler, Township Planner

03/02/2012

Date

3/5/12
Date

SITE MAP

Chinese Rest.	Pasquales Pizza		Drum Pt. Deli	Vacuum World	Nature's Nutrition	Pharmacy
---------------	-----------------	--	---------------	--------------	--------------------	----------


— DRUM PT. ROAD —

Parking Lot

DRUM POINT PLAZA

Parking Lot

CARREL
Terrone Jewelers
RE/max Realtors
Eyes First Vision
SAUN MILAN
Laundromat
347 BRICK BLVD
K+J NAILS
PARADISE POOLS



APPROVED FOR ZONING ONLY
SEAN KINNEVY, ZONING OFFICER

MAR 02 2012

Soccerport sign

— BRICK BLVD —



CONSTRUCTION PERMIT

Date Issued
Control #
Permit #

3/20/12
C-12-000561
U-0651

IDENTIFICATION Block: 547.01 Lot: 15 Qualifier
Work Site Location: 335-399 BRICK BLVD. Unit 347 Soccer Post Brick Township, NJ Contractor: FAST SIGNS
Owner in Fee: DRUM POINT PLAZA LLC Address: 1743 ROUTE 88 West Suite 202, BRICK NJ 08723
249 BRICK BLVD. BRICK NJ 08723 Telephone: (732) 836-3728
Telephone: (732) 477-6363 Lic. No. or Bldrs. Reg. No.
Federal Employee No. 204041865

Is hereby granted permission to perform the following work:

- ☒ BUILDING ☐ PLUMBING ☐ LEAD HAZARD ABATEMENT
☒ ELECTRICAL ☐ FIRE PROTECTION ☐ DEMOLITION
☐ ELEVATOR DEVICES ☐ ASBESTOS ABATEMENT (Subchapter 8 only) ☐ OTHER

DESCRIPTION OF WORK:

SIGN INSTALLATION Soccer Post

Note: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.

Estimated Cost of Work \$2,985

PAYMENTS (Office Use Only)

Building	\$75
Electrical	\$40
Plumbing	\$0
Fire Protection	\$0
Elevator Devices	\$0
Other	\$0.00
DCA Training Fee	\$5
CO Fee	
Other	\$0
Total	\$120
Check No.	1315
Cash	\$0
Credit	\$0
Collected By	

150
170

U.C.C. F170
equiv (rev 8/03)

1 WHITE - INSPECTOR

2 CANARY - OFFICE

3 PINK - TAX ASSESSOR

4 GOLD - APPLICANT

REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

☐ Required inspections for all subcodes for one- and two-family dwellings are as follows:

- The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
- Foundations and all walls up to grade level prior to back filling.
- All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and/or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
- Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures, mechanical systems equipment.

Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, heat producing devices and Barrier Free subcode accessibility, if applicable.

☐ Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:

☒ A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".

☒ A complete copy of released plans must be kept on the job site.

If you do not understand any of this information, please ask.



BUILDING SUBCODE TECHNICAL SECTION



335 399 BAKER BLVD.

A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO.: 1-800-272-1000.

Block 547.01 Lot 15 Qualification Code 347

Work Site Location 335 BAKER BLVD. DUMMERS BLVD. UNIT 347

Owner in Fee: Diana Power PLANT LLC

Tel. (732) 477-6363 e-mail _____

Address 249 BAKER BLVD. Bank NJ 08723

Contractor: EA575685 Tel. (732) 536-3278 Zip code 08723

Address 1743 ACUTE ST. W. e-mail lucelachef@att575685.com

Contractor License No. or Builder Registration No. N/A Exp. Date _____

Home Improvement Contractor Registration No. or Exemption Reason (if applicable): _____

Federal Emp. ID No. 200041825 FAX: () _____

JOB SUMMARY (Office Use Only)

PLAN REVIEW	Date	Initial	INSPECTIONS	Type:	Failure	Failure	Approval	Initial
☒ All Plans Required				Footings				
☐ Footings/Foundations				Footings Bonding				
☐ Structural/Framework				Foundation				
☐ Exterior				Slab				
☐ Interior				Frame				
Joint Plan Review Required:				Truss Sys./Bracing				
☐ Elec. ☐ Plumb. ☐ Fire ☐ Elevator				Barrier-Free				
SUBCODE APPROVAL for PERMIT				Insulation				
Date: <u>11/12</u>				Finishes -Base Layer				
Approved by: <u>JA</u>				Finishes -Final				
SUBCODE APPROVAL for CERTIFICATE				Energy				
☐ CO ☐ CCO ☐ CA				Mechanical				
Date: _____				TCO				
Approved by: _____				Other				
				Final				
				Barrier-Free				

B. BUILDING CHARACTERISTICS

Use Group Present	Proposed	Constr. Class Present	Proposed
No. of Stories _____		If Industrialized Building:	
Height of Structure _____ ft.		State Approved _____	HUD _____
Area — Largest Floor _____ sq. ft.		Est. Cost of Bldg. Work:	
New Bldg. Area/All Floors _____ sq. ft.		1. New Bldg. \$ <u>2785</u>	
Volume of New Structure _____ cu. ft.		2. Rehabilitation \$ _____	
Max. Live Load _____		3. Total (1+2) \$ <u>2785</u>	
Max. Occupancy Load _____			

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application.

Sign here: _____

Print name here: LUCIA CILIAE

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK	FEE (Office Use Only)
INSTALL MECHANICAL LED CHANNEL LETTERS.	
Soccer Post	

TYPE OF WORK:

- ☐ New Building
- ☐ Addition
- ☐ Rehabilitation
- ☐ Roofing
- ☐ Siding
- ☒ Fence
- ☐ Sign
- ☐ Pool
- ☐ Retaining Wall
- ☐ Asbestos Abatement Subchapter 8
- ☐ Lead Haz. Abatement NJAC 5:17
- ☐ Radon Remediation
- ☐ Other _____
- ☐ Demolition

Height (exceeds 6')
Sq. Ft. _____

Administrative Surcharge \$ _____
Minimum Fee \$ _____
State Permit Surcharge Fee \$ _____
TOTAL FEE \$ _____

1 White = Inspector Copy
2 Canary = Office Copy
3 Pink = Office Copy
4 Gold = Applicant Copy

335-349 Birch Blvd.



ELECTRICAL SUBCODE TECHNICAL SECTION



A. IDENTIFICATION—APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000.

Block 547.01 Lot 15 Qualification Code 1441 349

Work Site Location 375 Birch Blvd. - Brown Point Plaza

Owner in Fee: Brown Point Plaza LLC Decker Post

Tel. (732) 477-6363 e-mail _____

Address 249 Birch Blvd. Prick NI 08723

Contractor: SAHLEMAN ELECTRICAL INC Zip code 08723

Address 375 Birch Blvd Tel. (732) 5420543

Contractor License No. 15611 Exp. Date 3/31/12

Home Improvement Contractor Registration No. or Exemption Reason (if applicable): _____

Federal Emp. ID No. 20 5866121 FAX: (732) 2951113

B. ELECTRICAL CHARACTERISTICS

Use Group Present _____ Proposed _____

☐ Pole/Pad # _____ ☐ Temporary ☐ Other _____

Building Occupied as _____ Utility Co. _____

Est. Cost of Elec. Work \$ 200.00

JOB SUMMARY (Office Use Only)	
PLAN REVIEW	
INSPECTIONS	Dates (Month/Day)
☐ No Plans Required	
☐ Partial - Underslab Utilities Approved	Type: _____ Failure _____ Approval _____ Initial _____
Date: _____	Rough _____
☐ Electric Plans Approved	Barrier-Free _____
Date: _____	Trench _____
☐ Joint Plan Review Required:	Temp. Serv. _____
☐ Bldg. ☐ Plumb. ☐ Fire. ☐ Elev.	Const. Serv. _____
SUBCODE APPROVAL for PERMIT	TCO _____
Date: <u>3-8-12</u>	Other _____
Approved by: <u>2002 (A.7)</u>	Service _____
SUBCODE APPROVAL for CERTIFICATE	Final _____
☐ CO ☐ CCO ☐ CA	Barrier-Free _____
Date: _____	Temp. Cut-in-Card Date Issued _____
Approved by: _____	Final Cut-in-Card Date Issued _____
	Annual Pool Inspection _____
	Date of Grounding and Bonding _____
	Certification _____

C. CERTIFICATION IN LIEU OF OATH
I hereby certify that I am the (agent/owner) owner of record and am authorized to make this application and perform the work listed on this application.
Applicant sign/Contractor sign and seal here: SAHLEMAN

Print name here: SAHLEMAN

☐ Licensed Elec. Contractor ☐ Certifd Landscape Irrigation Contr ☐ Exempt Applicant

D. TECHNICAL SITE DATA

DESCRIPTION OF WORK: REPLACE SIGN

QTY. SIZE ITEMS

Lighting Fixtures

Receptacles

Switches

Detectors

Light Poles

Motors—Fract. HP

Emergency & Exit Lights

Communications Points

Alarm Devices/F.A.C. Panel

TOTAL NUMBERS

Pool Permit/with UW Lights

Storable Pool/Spa/Hot Tub

KW Elec. Range/Receptacle

KW Oven/Surface Unit

KW Elec. Water Heater

KW Elec. Dryer/Receptacle

KW Dishwasher

HP Garbage Disposal

KW Central A/C Unit

HP/KW Space Heater/Air Handler

KW Baseboard Heat

HP Motors 1/4- HP

AMP Transformer/Generator	
AMP Service	
AMP Subpanels	
AMP Motor Control Center	
KW Elec. Sign/Outline Light	

Administrative Surcharge \$	
Minimum Fee \$	
State Permit Surcharge Fee \$	
TOTAL FEE \$	

OFFICE DATE RECEIVED:

5-2-12 VC, 28

VII. PRIOR APPROVALS CHECKLIST (office use only)	LOCAL APPROVAL		COUNTY APPROVAL		REGIONAL APPROVAL		STATE APPROVAL		COMMENTS
	Prelimin. Initial	Final Date	Prelimin. Initial	Final Date	Prelimin. Initial	Final Date	Prelimin. Initial	Final Date	
☒ Zoning Officer	VC	3/2/12							24-12-00049
☐ Planning Board									
☐ Zoning Board									
☐ Sewer Authority									
☐ Water Authority									
☐ Police Department									
☐ Health Department									
☐ Soil Conservation									
☐ N.J. Department of Community Affairs									
☐ N.J. Department of Transportation									
☐ N.J. Department of Environmental Protection									
☐ Utility Dig No.									
☐									
☐									

IX. SUBCODES AND SPECIAL REGULATIONS APPLICABLE (office use only—optional)

Name of Code & Edition		Name of Code & Edition		Other	
Building		Energy			
Electrical		Barrier Free			
Plumbing		Flood Hazard			
Fire Protection		As Built Elevation Cert.			
Mechanical		Other			

X. CERTIFICATES ISSUED (office use only)

	DATE ISSUED	DATE EXPIRED	DATE REISSUED	DATE EXPIRED
☐ Temporary Certificate of Occupancy	No.			
☐ Temporary Certificate of Compliance	No.			
☐ Continued Certificate of Occupancy	No.			
☐ Certificate of Compliance	No.			
☐ Certificate of Occupancy	No.			
☐ Certificate of Approval	No.			
☐ Lead Abatement Clearance Certificate	No.			


PROJECT DESCRIPTION: FRONT-LIT RACEWAY MOUNTED LED CHANNEL LETTERS

APPROVED FOR ZONING ONLY
SEAN KINNEVY, ZONING OFFICER
MAR 02 2012


SoccerPOST

11' - 3"

SIGN AREA IS 14.063 SQ. FT.



NOTE: SIGNABLE AREA IS ~46 SQ. FT.



U.L. NOTE
THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

FASTERER APPLICATION GUIDE

		WALL CONSTRUCTION				
HARDWARE	DIAM.	ROW SPACING	MASONRY (CMU, BRICK)	EIFS/DRYVIT OVER MIN. 1/2" PLYWOOD	EIFS/DRYVIT OVER GYPSUM/DENSGLASS	METAL PANEL OVER METAL STUD
THRU-BOLT	3/8"	48" O.C.	YES	YES	ONLY WITH BACKER	YES
EXPANSION ANCHOR	3/8"	48" O.C.	YES**	NO	NO	NO
LAG BOLT	3/8"	40" O.C.	NO	3" SOLID WOOD PENETRATION REQ'D	NO	NO
TOGGLE BOLT	3/8"	36" O.C.	IF THROUGH BLOCK FACE	YES	ONLY WITH MIN. 3/4" PLYWOOD BACKER	YES

**Each 'Row' shall have two fasteners, top and bottom of raceway
**Expansion anchors require a minimum 3-1/2" embedment

Note: Contact Murdoch Engineering if fastener application guide options do not cover existing wall materials.

Designed per IBC - 2009 NJ Edition
Snow Loads:
Ground Snow Load.....Pg-30 psf
Snow Exposure Factor...Ce=1.0
Snow Load Importance..Is=1.1
Thermal Factor.....Ct=1.0

Wind Loads:
Basic Wind Speed.....115 mph
Wind Importance Factor..I=1.15
Wind Exposure.....C
ASCE Force Coef.....1.8
Gust Factor.....0.85

Exterior Components designed in accordance with applicable provisions of the ASCE 7-10

Murdoch Engineering
8308 Avalon Ct
West Long Branch, NJ 07764
(973) 570-9215

Jeff Murdoch
Jeff Murdoch, P.E.
Professional Engineer
NJ P.E. License #48980

FASTSIGNS.
SOCCER POST - BRICK, NJ

1743 Route 88 West

Brick, NJ 08724

(P) 732.836.3278

(F) 732.836.3279


PROJECT DESCRIPTION: FRONT-LIT RACEWAY MOUNTED LED CHANNEL LETTERS

APPROVED FOR ZONING ONLY
SEAN KINNEVY, ZONING OFFICER


MAR 02 2012

SOCCERPOST

SIGN AREA IS 14.063 SQ. FT.



NOTE: SIGNABLE AREA IS 46 SQ. FT.



UL NOTE

THIS SIGN IS INTENDED TO BE ASSUMED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 1001.1.1 OF THE NATIONAL ELECTRICAL CODE (NEC) AND THE NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) 70B.

FASTENER APPLICATION GUIDE

		WALL CONSTRUCTION			
HARDWARE	DIAM.	ROW	MASONRY (CMU/Block)	EIFS/DRYVIT OVER Gypsum/INSULATION	METAL PANEL OVER METAL STUD
THRU-BOLT	3/8"	48" O.C.	YES	YES	YES
EXPANSION ANCHOR	3/8"	48" O.C.	YES**	NO	NO
LAG BOLT	3/8"	40" O.C.	NO	PENETRATION REQ'D	NO
TOGGLE BOLT	3/8"	36" O.C.	IF THROUGH BLOCK FACE	YES	ONLY WITH MIN. 3/4" PLYWOOD BACKER

*Each 'Row' shall have two fasteners, top and bottom of raceway
**Expansion anchors require a minimum 3-1/2" embedment

Note: Contact Murdoch Engineering if fastener application guide options do not cover existing wall materials.

Designed per IBC - 2009 NJ Edition
Snow Loads:

Ground Snow Load.....Pg 30 psf
Snow Exposure Factor...Ce=1.0
Snow Load Importance...Is=1.1
Thermal Factor.....Ct=1.0

Wind Loads:

Basic Wind Speed.....115 mph
Wind Importance Factor...I=1.15
Wind Exposure.....C
ASCE Force Coef.....1.8
Gust Factor.....0.85

Exterior Components designed in accordance with applicable provisions of the ASCE 7-10

Murdoch Engineering
8308 Avalon Ct.
West Long Branch, NJ 07764
(973)-570-8215

Jeff Murdoch, P.E.
Professional Engineer
NJ P.E. License #48980

FASTSIGNS

1743 Route 88 West

Brick, NJ 08724

SOCCER POST - BRICK, NJ

(P) 732.836.3279 (F) 732.836.3279

Plumbing Subcode

Fire Subcode

Electrical Subcode

Plan Reviewer

Plans Released

Construction Official