



CONSTRUCTION PERMIT APPLICATION

Application Completes: Sections I, II, III (optional), IV, VI, and VII

I. IDENTIFICATION

1. Proposed Work Site at: 250 Old Squam Rd. Bricktown N.J.
 2. Name of Owner in Fee: St. Dominic's R.C. Church Tel. (732) 840-1410
 Address 250 Old Squam Rd. Bricktown N.J. 08723
street municipality zip code
 3. Ownership in Fee: Public ☐ Private ☐
 4. Principal Contractor: M+E Associates Inc. Tel. (732) 929-1991
 Address 685 Princess Ct. Toms River N.J. 08753
 License No. OR, if new home, Builder Reg. No. 22-2671051 Exp. Date 4/23/01
 Federal Employee No. 22-2671051 FAX: (732) 929-8909
 5. Architect or Engineer LAWRENCE F. SLAWSON Tel. (732) 577-0070
 Address 122 Robertsville Rd. Freehold N.J. 07728
 6. Responsible Person in Charge of Work Doug Mutschler
 Tel. (732) 929-1991 FAX (732) 929-8909

V. FEE SUMMARY (for office use only)

		Update	Update
1. Building	738		
2. Electrical	130		
3. Plumbing	100	25	
4. Fire Protection	35	92	
5. Elevator Devices			
6. Subtotal			
7. Less 20% for State Plan Review			
8. Subtotal			
9. PCA Training Fee	41		
10. Subtotal			
11. Cert. of Occupancy	910		
12. Other	30		
13. TOTAL	1136	117	

VI. BUILDING/SITE CHARACTERISTICS

		(office use only)
1. Number of Stories	<u>TWO (2)</u>	
2. Height of Structure	<u>28'</u>	ft.
3. Area — Largest Floor	<u>1800</u>	sq. ft.
4. New Building Area	<u>3682</u>	sq. ft.
5. Volume of New Structure	<u>29,500</u>	cu. ft.
6. Construction Classification	<u>5-B</u>	
7. Total Land Area Disturbed		sq. ft.
8. Flood Hazard Zone	<u>3</u>	
9. Base Flood Elevation		ft.
10. Wetlands	yes ☐ no ☐	
11. Max. Live Load		
12. Max. Occupancy Load		

COMMERCIAL building

II. PROPOSED WORK

- ☐ Minor Work
- ☒ New Building
- ☐ Addition
- ☐ Alteration
- ☒ Fire Protection
- ☒ Plumbing
- ☒ Electrical
- ☐ Elevator Devices
- ☐ Asbestos Abat. Subch. 8
- ☐ Lead Hazard Abatement
- ☐ Demolition

TOTAL COSTS \$ 109,000.

OPTIONAL (for office use only)

Plans Rec'd by	Date Rec'd	Rejection Date	Approval Date	Re-viewer	Resubmission Date	Re-viewer
<u>12</u>	<u>4/17</u>		<u>5-16-01</u>	<u>12</u>	<u>10/22</u>	<u>12</u>
			<u>5/16/01</u>		<u>10/10</u>	
			<u>5/16/01</u>		<u>10/10</u>	
			<u>4/23/01</u>			

IV. DOES OR WILL YOUR BUILDING CONTAIN ANY OF THE FOLLOWING?

- ☐ Elevators/Escalators/Lifts/Dumbwaiters/Moving Walks
- ☐ High Pressure Boilers
- ☐ Pressure Vessels
- ☐ Refrigeration Systems
- ☐ Cross-Connections/Backflow Preventers
- ☐ Hazardous Uses/Places of Assembly
- ☐ Sprinklers
- ☐ Smoke Control Systems in Open Wells
- ☐ Underground Storage Tanks

VII. DESCRIPTION OF BUILDING USE

A. RESIDENTIAL

- ☐ Hotels (R-1)
- ☐ Multi-Family (R-2)
- ☐ Two-Family (R-3) BOCA
- ☐ Two-Family (R-4) CABO
- ☐ One-Family (R-3) BOCA
- ☐ One-Family (R-4) CABO

No. of dwelling units:

Before Construction _____
 After Construction _____
 Net Gain or Loss _____

B. NON-RESIDENTIAL

1. State Specific Use:

2. Use Group: S-2

3. Change in Use Group, Indicate Former:

N/A

III. DO YOU WANT: (optional)

- ☐ Partial Releases
- ☐ Prototype Processing

CERTIFICATION IN LIEU OF OATH

I. OWNER SECTION (to be completed if the applicant is the owner in fee)

I hereby certify that I am the owner in fee of the property listed on Page 1.

Mark the following applicable boxes:

- A. ☐ I further certify that a new home (private residence) will be constructed on this property for my own use and occupancy. This dwelling is to be occupied by myself and is not to be used for any purpose other than single family residential use. I attest that all construction, plumbing, or electrical work will be done, in whole or in part, by me or by subcontractors under my supervision, in accordance with all applicable laws; and, I further acknowledge that said new home is not covered under the New Home Warranty and Builders Registration Act (N.J.S.A. 46:3B-1 et seq.) and that such fact shall be disclosed to any person purchasing this property within ten years of the date of issuance of a certificate of occupancy.

I UNDERSTAND THAT IN MARKING BOX A, I ACKNOWLEDGE THAT I AM ASSUMING RESPONSIBILITY FOR THE WORK DONE ON SAID PROPERTY; THE CONDITION OF THE PROPERTY PRIOR TO, DURING, AND AFTER ANY WORK PERFORMED, AND FOR THE PERFORMANCE OF THE SUBCONTRACTORS I HIRE, EMPLOY, OR OTHERWISE CONTRACT OR WITH WHOM I MAKE AGREEMENTS TO PERFORM WORK. I AM VOLUNTARILY AND KNOWINGLY ASSUMING THIS RESPONSIBILITY.

- B. ☐ I further certify the following as required by the New Jersey Uniform Construction Code, N.J.A.C. 5:23-2.15(e)1.vii:

I personally prepared the plans submitted for: 1) the new home referred to in A.; or, 2) an addition, alteration, renovation, or repair to an existing single family residence owned and occupied by myself and located on the property listed on Page 1; or, 3) a new structure that will be physically separate from, but that will be deemed part of, an existing single family residence that is owned and occupied by myself and located on the property listed on Page 1.

- C. ☐ I further certify that I will perform or supervise the following work:

C.1. ☐ Building C.2. ☐ Fire Protection

I further certify that I will perform the following work:

C.3. ☐ Electrical C.4. ☐ Plumbing

- D. ☐ I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I further certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(a)5: All required State, county, and local prior approvals have been given, including such certification as the construction official may require.

I understand that if any of the above statements are willfully false, I am subject to punishment.

Signature _____ Date _____

II. AGENT SECTION (to be completed if the applicant is not the owner in fee)

I hereby certify the following as required by the Uniform Construction Code, N.J.A.C. 5:32-2.15(d): the proposed work is authorized by the owner in fee; and I have been authorized by the owner in fee to make this application as his agent.

I further certify the following as required by the Uniform Construction Code, N.J.A.C. 5:23-2.15(a)5: All required State, county, and local prior approvals have been given, including such certification as the construction official may require.

I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

☒ Check if contractor.

Agent Name M+E Associates Inc.

Address 685 Princess Ct
Toms River NJ 08753

Telephone (932) 929-1981

Signature [Signature]

- III. ☐ LEAD HAZARD ABATEMENT: Include Homeowner or Building Owner Affidavit as per N.J.A.C. 5:17.

OFFICE DATE RECEIVED: _____

VIII. PRIOR APPROVALS CHECKLIST (office use only)	LOCAL APPROVAL		COUNTY APPROVAL		REGIONAL APPROVAL		STATE APPROVAL		COMMENTS
	Prelimin. Initial	Final Date	Prelimin. Initial	Final Date	Prelimin. Initial	Final Date	Prelimin. Initial	Final Date	
☐ Zoning Officer									
☐ Planning Board									
☐ Zoning Board									
☐ Sewer Authority									
☐ Water Authority									
☐ Police Department									
☐ Health Department									
☐ Soil Conservation									
☐ N.J. Department of Community Affairs									
☐ N.J. Department of Transportation									
☐ N.J. Department of Environmental Protection									
☐ Utility Dig No.									
☐									
☐									

IMPORTANT
A.H.B.T. - EXEMPT

IX. SUBCODES AND SPECIAL REGULATIONS APPLICABLE (office use only—optional)

Name of Code & Edition	Name of Code & Edition	Other
Building _____	Energy _____	Other _____
Electrical _____	Barrier Free _____	
Plumbing _____	Flood Hazard _____	
Fire Protection _____	As Built Elevation Cert. _____	
Mechanical _____	Other _____	

X. CERTIFICATES ISSUED (office use only)

	DATE ISSUED	DATE EXPIRED	DATE REISSUED	DATE EXPIRED
☐ Temporary Certificate of Occupancy	No. _____	_____	_____	_____
☐ Temporary Certificate of Compliance	No. _____	_____	_____	_____
☐ Continued Certificate of Occupancy	No. _____	_____	_____	_____
☐ Certificate of Compliance	No. _____	_____	_____	_____
☐ Certificate of Occupancy	No. _____	_____	_____	_____
☐ Certificate of Approval	No. _____	_____	_____	_____
☐ Lead Abatement Clearance Certificate	No. _____	_____	_____	_____

401 CHAMBERS BRIDGE RD
DIVISION OF INSPECTIONS

Control # 01-1605
Permit #

UCC NEW JERSEY
CERTIFICATE

IDENTIFICATION

Block 1091 Lot 5 Qual
Work Site Location 250 OLD SQUAN RD
STORAGE BUILDING
Owner in Fee/occupant ST DOMINICS R.C. CHURCH
Address SAME
Telephone (732) 840-1410
Contractor M & B ASSOCIATES
Address 685 PRINCESS CT
TOMS RIVER, NJ 08753-
Telephone (732) 929-1991 Fax ()
Lic. No. of Bldgs. Reg. No.
Federal Emp. No. 22-2671051

Home Warranty No.
Type of Warranty Plan: [] State [] Private
Use Group S-2
Maximum Live Load 0
Construction Classification
Maximum Occupancy Load 0
Description of Work/Use:
NEW STORAGE BUILDING

[] CERTIFICATE OF OCCUPANCY

This serves notice that said building or structure has been constructed in accordance with the New Jersey Uniform Construction Code and is approved for occupancy.

[] CERTIFICATE OF CLEARANCE - LEAD ABATEMENT 5:17

This serves notice that based on written certification, lead abatement was performed as per NJAC 5:17, to the following extent:
[] Total removal of lead-based paint hazards in scope of work
[] Partial or limited time period () years; see file

[X] CERTIFICATE OF APPROVAL

This serves notice that the work completed has been constructed or installed in accordance with the New Jersey Uniform Construction Code and is approved.
If the permit was issued for minor work, this certificate was based upon what was visible at the time of inspection.

[] CERTIFICATE OF CONTINUED OCCUPANCY

This serves notice that based on a general inspection of the visible parts of the building there are no imminent hazards and the building is approved for continued occupancy.

[] TEMPORARY CERTIFICATE OF OCCUPANCY/COMPLIANCE

If this is a Temporary Certificate of Occupancy or Compliance, the following conditions must be met no later than , or the owner will be subject to fine or order to vacate:

[] CERTIFICATE OF COMPLIANCE

This serves notice that said potentially hazardous equipment has been installed and/or maintained in accordance with the New Jersey Uniform Construction Code and is approved for use until , .

CONSTRUCTED OFFICIAL
U.C.C. P260 (rev. 3/96)
[Signature]

Fee \$ 96
Paid [X] Check No. 10792
Collected by: MJB

ROBERTS OF BRICK
401 CHATELAIN BRIDGE RD
DIVISION OF INSPECTIONS

NEW JERSEY
CONSTRUCTION
PERMITS

Date Issued 05/18/2001
Control #
Permit # 01-1605

IDENTIFICATION Block 1991 Lot 5 Coal _____
Port Site Location 250 OLD SAND RD
SPORADIC BUILDINGS
Owner in Fee ST DOMINIC'S R.C. CHURCH
Address 38B
BRICK, NJ 08723-
Telephone (732) 640-1410
Contractor H & H ASSOCIATES
Address 605 PRINCESS CT
TOMES RIVER, NJ 08753-
Telephone (732) 929-1991
Lic. No. or Bldg. Reg. No.
Federal Emp. No. 22-3571051

Is hereby granted permission to perform the following work:

☒ BUILDING ☒ PLUMBING ☐ LEAD BASED ABATEMENT
☒ ELECTRICAL ☒ FIRE PROTECTION ☐ DEWATERING
☐ ELEVATOR DEVICES ☐ ASBESTOS ABATEMENT ☐ OTHER _____
(Subchapter 2 only)

DESCRIPTION OF WORK:
NEW STORAGE BUILDING

NOTE: If construction does not commence within one (1) year of date of issuance,
or if construction ceases for a period of six (6) months, this permit is void.

Estimated Cost of Work \$ 102,500

Construction Official

D.C.C. #170 (Rev. 3/96)

PERMITS (Office Use Only)

Building 738
Electrical 130
Plumbing 60
Fire Protection 35
Elevator Devices 0
Other _____
DCB Training Fee 47
Cert. of Occupancy 96
Other ZEP 20
Total 1136
Check No. 10792
Cash _____
Collected By BUR

05/18/01 1:49PM 00000003812
X002 SERV.002

#1605
BUILDING \$738.00
ELECTRIC \$130.00
PLUMBING \$60.00
FIRE \$35.00
DCB \$47.00
C/O \$96.00
ZPA \$15.00
EPA \$15.00
CHECK \$1136.00

Date

TOWNSHIP OF BRICK
401 CHAMBERS BRIDGE RD
DIVISION OF INSPECTIONS

1:28PM 00000046223
XX06 SERV.006
\$25.00
\$92.00
\$117.00

Update Issued 08/17/2001
Control #
Permit # 01-1605+A
Permit Issued 05/18/2001

PERMIT UPDATE

IDENTIFICATION Block 1091 Lot 5 Qual

Work Site Location 250 OLD SQUAN RD
Owner in Fee ST DOMINICS R.C. CHURCH
Address SAME
Telephone (732)840-1410

Contractor W J BRANNAGAN PLG
Address 71 HEIGHTS TERRACE
Telephone (732)747-3840
Lic. No. or Bldrs. Reg. No. 9351
Federal Emp. No. 22-342496

Is hereby granted permission to perform the following work:
☐ BUILDING ☒ PLUMBING ☐ LEAD HAZARD ABATEMENT
☐ ELECTRICAL ☒ FIRE PROTECTION ☐ DEMOLITION
☐ ELEVATOR DEVICES ☐ ASBESTOS ABATEMENT
(Subchapter 8 only)

DESCRIPTION OF WORK:
2 FURNACES

Estimated Cost of Work \$ 7,000

U.C.C. F190 (rev. 3/96)

Construction official *[Signature]* NB

08/17/2001
Date

PAYMENTS (Office Use Only)
Building _____ 0
Electrical _____ 0
Plumbing _____ 25
Fire Protection _____ 22
Elevator Devices _____ 0
Other _____
DCA Training Fee _____ 0
Cert. of Occupancy _____ 0
Other _____
Total 117
Check No. 10831
Cash _____
Collected By NB

TOWNSHIP OF BRICK
401 CHAMBERS BRIDGE RD
DIVISION OF INSPECTIONS

UCC NEW JERSEY
FIRE PROTECTION
SUBCODE
TECHNICAL SECTION

Date Received 08/09/2001
Date Issued 01/01/1954
Control # 8/17/01
Permit # 01-1605+A

A. IDENTIFICATION-APPLICANT: COMPLETE ALL APPLICABLE INFORMATION WHEN CHANGING
CONTRACTORS. NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 1091 Lot 5 Qual

Work Site Location 250 OLD SQUARE RD

2 FURNACES

Owner in fee ST DOMINICUS R.C. CHURCH

Address SAME

BRICK, NJ 08723-

Tele. (332) 929-1991 Fax ()

Contractor M & E ASSOCIATES

Address 685 PRINCCESS CT

TOMS RIVER, NJ 08753-

Tele. (332) 929-1991

Lic. No. or Bldrs. Reg. No.

Federal Emp. No. 22-2671051

B. FIRE PROTECTION CHARACTERISTICS

Use Group Present S-2 Proposed S-2

Const. Class Present New [] Existing []

Heating Systems [] New [] Existing [] HVAC

Type: [] Gas [] Oil [] Elect [] Solar

[] Other

Location:

Total Est Cost of Fire Prot Work \$ 6,000

JOB SUMMARY (Office Use Only)

PLAN REVIEW

Joint Plan Review Required: Type Alarm Sys

[] Bldg [] Elect

[] Plumb [] Elevator

[] Fire Plans Approved

Date: 8-10-01

Approved By: [Signature]

SUBCODE APPROVAL

[] CO [] CCO [] LCA

Date: 10-22-01

Approved By: [Signature]

TCO

Final

Other

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application.

Signature

0. TECHNICAL OFFICE DATA

Description of Work:

Water Supply Source

Method of Alarm/Superv Sys Superv

Storage Tanks

Type: [] Flammable Liquid [] Combust Liquid

[] LPG [] LNG Capacity 0 Fuel

Alarm Systems [] 110v Interconnected NUMBER

[] System

Alarm Devices (smoke, heat, pull, water/flow)

Supervisory Devices (tamper, low/high air)

Signalling Devices (horn/strobes, bells)

Other Devices

TOTAL

Suppression Systems

Fire Pump 0 GPM Type

Dry Pipe/Alarm Valves

Pre-action Valves

Sprinkler Heads (Dry and Wet)

Standpipes

Pre-engineered Systems

Wet Chemical

Dry Chemical

CO2 Suppression

Foam Suppression

Halon Suppression

Other

Kitchen Hood Exhaust System

Smoke Control System

Gas [] or Oil [] Fired Appliances

Other 2 FURNACES

Other

Administrative Surcharge \$

Paid [] Check #

Minimum Fee \$

Collected by: TOTAL FEE \$

DCA Training Fee \$

U.C.C. F140 (rev. 3/96)

FEE (Office Use Only)

from ref. 12

TOWNSHIP OF BRICK
401 CHAMBERS BRIDGE RD
DIVISION OF INSPECTIONS

DEC NEW JERSEY
FIRE PROTECTION
SUBCODE
TECHNICAL SECTION

Date Received 04/17/2001
Date Issued 5/18/01
Control # C18-91
Permit # 01-1605

A. IDENTIFICATION-APPLICANT: COMPLETE ALL APPLICABLE INFORMATION, WHEN CHANGING
CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-271-4000

Block 1091 Lot 5 Quad
Work Site Location 250 OLD SQUAN RD

STORAGE BUILDING

Owner in Fee ST DOMINICKS R.C. CHURCH

Address SAME

BRICK, NJ 08723-

Tele. (732) 929-1991 Fax ()

Contractor M & E ASSOCIATES

Address 685 PRINCCESS CT

TOMAS RIVER, NJ 08753-

Tele. (732) 929-1991

Lic. No. or Bldgs. Reg. No.

Federal Emp. No. 22-2671051

B. FIRE PROTECTION CHARACTERISTICS

Use Group Present S-2 Proposed S-2

Constr Class Present Proposed

Heating Systems [] New [] Existing [] HVAC

Type: [] Gas [] Oil [] Electric [] Solar

[] Other

Location:

Total Est Cost of Fire Prot Work \$ 500

JOB SUMMARY (Office Use Only)

PLAN REVIEW

[] No Plans Required

Joint Plan Review Required:

[] Bldg [] Elect

[] Plumb [] Elevator

[] Fire Plans Approved

Date: 5-5-01

Approved By: [Signature]

SUBCODE APPROVAL

[] CO [] CCO [] PCA

Date: 10-22-01

Approved By: [Signature]

INSPECTIONS

Type Failure Failure Approval Initial

Alarm Sys 10-19-01 [Signature]

Suppr Test

Standpipe

Fire Pump

PreEng Sys

Mechanical

Smoke Ctl

TCO

Final

Other

D. TECHNICAL SITE DATA

Description of Work:

Water Supply Source

Method of Alarm/Suppr Sys Superv

Storage Tanks

Type: [] Flammable Liquid [] Combust Liquid

[] LPG [] LNG Capacity 0 Fuel

Alarm Systems [] 110v Interconnected NUMBER

[] System

Alarm Devices (smoke, heat, pull/s, water/fflow) 5

Supervisory Devices (tamper, low/high air) 0

Signalling Devices (horn/strobes, bells) 0

Other Devices 0

TOTAL 5

Suppression Systems

Fire Pump 0 GPM Type

Dry Pipe/Alarm Valves 0

Pre-action Valves 0

Sprinkler Heads (Dry and Wet) 0

Standpipes 0

Pre-Engineered Systems

Wet Chemical 0

Dry Chemical 0

CO2 Suppression 0

Foam Suppression 0

Halon Suppression 0

Other 0

Kitchen Hood Exhaust System 0

Smoke Control System 0

Gas [] or Oil [] Fired Appliances 0

Other 0

Other 0

FEE (Office Use Only) Per Spd

Local Air
40 outside
1000

Paid [] Check \$ Administrative Surcharge \$ 0
Minimum Fee \$ 0
Collected by: TOTAL FEE \$ 35
DCA Training Fee \$ 0

Signature

TOWNSHIP OF BRICK
401 CHAMBERS BRIDGE RD
DIVISION OF INSPECTIONS

UCC NEW JERSEY
PLUMBING
SUBCODE
TECHNICAL SECTION

Date Received 08/09/2001
Date Issued 08/09/1994
Control # 8/17/01
Permit # 01-1605+A

A. IDENTIFICATION-APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 1091 Lot 5 Gual
Work Site Location 250 OLD SWAN RD
2 FURNACES

Owner in fee ST DOMINIC'S R.C. CHURCH

Address SAME

BRICK, NJ 08723-

Tele. (732) 747-3840 Fax ()

Contractor W J BRANNAGAN PLG

Address 21 HEIGHTS TERRACE

FAIR HAVEN, NJ 07709-

Tele. (732) 747-3840

Lic. No. or Bldgs. Reg. No. 9351

Federal Emp. No. 22-342496

B. PLUMBING CHARACTERISTICS

Use Group Present S-2 Proposed S-2
Building Sewer Size [] Public Sewer [] Private Septic
Water Sewer Size [] Public Water [] Private Well
Estimated Cost of Plumbing Work \$ 1,000

JOB SUMMARY (Office Use Only)

INSPECTIONS

PLAN REVIEW
[] No Plans Required
Type Failure Failure Approval Initial

Joint Plan Review Required:
[] Bldg [] Elect
Slab [] Rough [] Water [] Sewer [] Fixtures [] Gas Equip. [] Gas Piping [] Solar [] TCO

[] Fire [] Elevator
Plumb, Plans Approved

Date: 8-16-01

Approved by: [Signature]

SUBCODE APPROVAL

[] CO [] CCE [] CA

Approved by: [Signature]

Date: 8-16-01

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Signature/Contractor Seal

[] Licensed Plumbing Contractor [] Exempt Applicant

D. ESSENTIAL SITE DATA (List all fixtures.)

NO. FEE (Office Use Only)

Water Closet

Urinal / Bidet

Bath Tub

Lavatory

Shower

Floor Drain

Sink

Dishwasher

Drinking Fountain

Washing Machine

Hose Bib

Water Heater

Fuel Oil Piping

Gas Piping

Steam Boiler

Hot Water Boiler

Sewer Pump

Interceptor / Separator

Backflow Preventer

Greasetrap

Sewer Connection

Water Service Connection

Stacks

Other

Other

Other

Paid [] Check #
Collected by: Administrative Surcharge \$
Minimum Fee \$
TOTAL FEE \$ 25
DCA Training Fee \$ 0

TOWNSHIP OF BRICK
401 CHAMBERS BRIDGE RD
DIVISION OF INSPECTIONS

NJC NEW JERSEY
PLUMBING
SUBCODE
TECHNICAL SECTION

Date Received 04/17/2001
Date Issued 5/18/01
Control # C18-91
Permit # 1520141605-10-01-5

A. IDENTIFICATION-APPLICANT: COMPLETE ALL APPLICABLE INFORMATION, WHEN CHANGING
CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-271-1000

Block 1091 Lot 5
Work Site Location 250 OLD SOLAN RD

STORAGE BUILDING
Owner in Fee ST DOMINIC'S R.C. CHURCH

Address SAME
BRICK, NJ 08723-
Tele. (732) 747-5308 Fax ()

Contractor W.I. BRAUNAGAN
Address 72 RIVERVIEW AVE
LITTLE SILVER, NJ 07739-
Tele. (732) 747-5308

Lic. No. or Bldgs. Reg. No. 9351
Federal Emp. No. 22-3424196

B. PLUMBING CHARACTERISTICS
Use Group Present S-2 Proposed S-2

Building Sewer Size [] Public Sewer [] Private Septic
Water Sewer Size [] Public Water [] Private Well
Estimated Cost of Plumbing Work \$ 4,000

JOB SUMMARY (Office Use Only)
PLAN REVIEW

[] No Plans Required
Joint Plan Review Required:

[] Bldg [] Elect
[] Fire [] Elevator
[] Plumg. Plans Approved

Date: 5/16/01
Approved By: [Signature]

SUBCODE APPROVAL
[] CO [] CC [] CH

Approved By: [Signature]
Date: 10-16-01

C. CERTIFICATION IN LIEU OF OATH
I hereby certify that I am the (agent of) owner of record and am authorized
to make this application and perform the work listed on this application.

Signature/Contractor Seal
[] Licensed Plumbing Contractor [] Exempt Applicant

NO. 2
FUTURE/EQUIPMENT

Water Closet
Urinal / Bidet
Bath Tub
Lavatory
Shower
Floor Drain
Sink
Dishwasher
Drinking Fountain
Washing Machine
Hose Bib
Water Heater
Fuel Oil Piping
Gas Piping
Steam Boiler
Hot Water Boiler
Sewer Pump
Interceptor / Separator
Backflow Preventer
Grease Trap
Sewer Connection
Water Service Connection
Stacks
Other
Other

NO. 2
FEE (Office Use Only)

Administrative Surcharge \$
Minimum Fee \$
TOTAL FEE \$ 60
PCA Training Fee \$

U.C.C. F130 (rev. 3/96)

TOWNSHIP OF BRICK
401 CHAMBERS BRIDGE RD
DIVISION OF INSPECTIONS

USE NEW JERSEY
ELECTRICAL
SUBCODE
TECHNICAL SECTION

Date Received 04/17/2001
Date Issued 5/18/01
Control # C18-91
Permit # 01-1605

A. IDENTIFICATION-APPLICANT: COMPLETE ALL APPLICABLE INFORMATION WHEN CHANGING
CONTRACTORS. NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-0000

Block 1091 Lot 5 Quad
Work Site Location 250 OLD SQUARE RD
STORAGE BUILDING

Owner in Fee ST DOMINICS R.C. CHURCH

Address SAME

BRICK, NJ 08723-

Tele. (732)840-4830 Fax ()

Contractor CROWDECK ELECTRIC

Address 65 FRANK NERI DR

BRICK, NJ 08724-

Tele. (732)840-4830

Lic. No. or Bldgs. Reg. No. 7423

Federal Emp. No. 08-7347790

B. ELECTRICAL CHARACTERISTICS

Use Group - Present S-2 Proposed S-2

☐ Pole/Pad # ☐ Temporary ☐ Other

Building Occupied as Utility Co.

Estimated Cost of Electrical Work \$ 22,000

JOB SUMMARY (Office Use Only)

PLAN REVIEW

☒ No Plans Required

Joint Plan Review Required:

☐ Bldg ☐ Plant

☐ Fire ☐ Elevator

☐ Effect Plans Approved

Date: 5/16/01

Approved By: [Signature]

SUBCODE APPROVAL

☐ CO ☐ CCO ☒ CA

Date: 10/10/01

Approved By: [Signature]

C. CERTIFICATION IN LIEU OF OATH

I hereby certify that I am the (agent of) owner of record and am authorized to make this application and perform the work listed on this application.

Applicant's Signature/Contractor's Seal and Signature

☐ Licensed Electrical Contractor ☐ Exempt Applicant

D. TECHNICAL SITE DATA

ITEM SIZE

ITEM

FEE (Office Use Only)

Lighting Fixtures

Receptacles

Switches

Detectors

Light Poles

Motors-Fract HP

Emergency & Exit Lights

Communications Points

Alarm Devices/F.A.C. Panel

TOTAL NUMBERS

Pool Permit/with UV Lights

Storable Pool/Spa/Hot Tub

KW Elect Range/Receptacle

KW Oven/Surface Unit

KW Elect Water Heater

KW Elect Dryer/Receptacle

KW Dishwasher

HP Garbage Disposal

KW Central A/C Unit

HP/KW Space Heater/Air Handler

Baseboard Heat

HP Motors 1/4 HP

KW Transformer/Generator

AMP Service

AMP Subpanels

AMP Motor Control Center

KW Elect Sign/Outline Light

Other 100AMP TEMP SER

Other

Other

Other

Other

Other

Other

Other

Other

Other

Other

Other

Other

Administrative Surcharge \$

Minimum Fee \$

TOTAL FEE \$

DCA Training Fee \$

TOWNSHIP OF BRICK
401 CHAMBERS BRIDGE RD
DIVISION OF INSPECTIONS

UCC NEW JERSEY
BUILDING
SUBCODE
TECHNICAL SECTION

Date Received 04/17/2001
 Date Issued 5/18/01
 Control # C18-91
 Permit # 01-1605

A. IDENTIFICATION-APPLICANT: COMPLETE ALL APPLICABLE INFORMATION, WHEN CHANGING CONTRACTORS. NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 1091 Lot 5 Qual
 Work Site Location 250 OLD SQUAN RD

STORAGE BUILDING

Owner in Fee ST DOMINICS R.C. CHURCH

Address SAME

BRICK, NJ 08723

Tele. (732) 840-1410

Contractor M & E ASSOCIATES

Address 685 PRINCCESS CT

TOMS RIVER, NJ 08753

Tele. (732) 928-1991 Fax ()

Lic. No. or Bldgs. Reg. No.

Federal Emp. No. 22-2671051

JOB SUMMARY (Office Use Only)

PLAN REVIEW Date Initial
 [] No Plans Req.
 [X] All 5-16-01 FM
 [] Footing
 [] Foundation
 [] Frame
 [] Other
 Joint Plan Review Required:
 [] Elect [] Plumb [] Fire
 SUBCODE APPROVAL [] Elev
 [] CO [] GCO [] CA
 Date: 10-31-01
 Approved By: (FM)

B. BUILDING CHARACTERISTICS

Use Group Present S-2 Proposed S-2
 Constr. Class Present Proposed
 No. of Stories 2
 Height of Structure 28 Ft.
 Area Largest Floor 1,800 Sq. Ft.
 New Bldg. Area/All Floors 3,682 Sq. Ft.
 Volume of New Structure 29,500 Cu. Ft.
 Total Land Area Disturbed 0 Sq. Ft.

INSPECTIONS

Type Failure Approved Initial
 Footing 5/30/2001 (FM)
 Foundation 7-2001 (FM)
 Substantial 6-13-2001 (FM)
 Frame 8/22/2001 (FM)
 Barrier Free Sheetrock 7/2/2001 (FM)
 Insulation 8/2/2001 (FM)
 Finishes 10/19/2001 (FM)
 Energy 10/24/2001 (FM)
 Mechanical 10/24/2001 (FM)
 TCO
 Other H-channels/5 Rock 8/2/01
 Final 10-31-01 FM
 Barrier Free

Dates (Month/Day)

TYPE OF WORK

[X] New Building
 [] Addition
 [] Alteration
 [] Roofing
 [] Siding
 [] Fence
 [] Sign
 [] Pool
 [] Asbestos Abatement Subchapter 8
 [] Lead Haz. Abatement NJAC 5:17
 [] Other
 [] Demolition

FEE (Office Use Only)

Est. Cost of Bldg. Work:
 1. New Bldg. \$ 83,000
 2. Alteration \$ 0
 3. Total (1+2) \$ 83,000
 Paid [] Check #
 Collected by:
 Administrative Surcharge \$
 Minimum Fee \$
 TOTAL FEE \$ 738
 DCA Training Fee \$ 47

Total Storage Both Floors

(FM)

6-8-01 Spoke to Architect Regarding Compaction Test
He will advise Budda (T.M.)

6/13/2001 All Area except below plng. because there is no plat plng approved gks

6-19-B-Room 52AB52

8/22/2001 Check this under other fields and could avoid paper gks

8/2/2001 PIPE NOT 'JUMP' gks
WILL CALL BATES THAT
ATLH is Sheetrocked to check for INTERMISSION
SEWAGE BEHIND PIPE gks

10/19/2001 No Union to Card of Bldg - and question on license to
gummi in attic gks
Could Run Wall Beam where wall sits
and could enter, Room - check around paper gks

10/24/2001 Repair hole in Floor Wall Enter Room gks
Underneath Room 21 For ATTIC UNIT }

5/30/2001 Need Cut on 4000 PSF Compaction otherwise o'k gks
6/7/2001 Need above plus revised plan showing Framed Slab
Not Block and 3 course 12" with 2 courses of 6" Block
gks

TOWNSHIP OF BRICK
401 CHAMBERS BRIDGE RD
DIVISION OF INSPECTIONS

UCC NEW JERSEY
BUILDING
SUBCODE
TECHNICAL SECTION

Date Received 12/02/99
Date Issued 12-11-1999
Control # C2-90
Permit # 94-4635

A. IDENTIFICATION-APPLICANT: COMPLETE ALL APPLICABLE INFORMATION. WHEN CHANGING
CONTRACTORS, NOTIFY THIS OFFICE. CALL UTILITY DIG NO: 1-800-272-1000

Block 1091 Lot 5 Deal
Work Site Location 250 OLD SOHAN RD
SIGN

Owner in Fee ST DOMINICKS R.C. GEORGE
Address SAME
BRICK, NJ 08724-

Tele. (732) 840-1410
Contractor GIFTAIN SIGN CO.

Address 1765 RT 9
TOMS RIVER, NJ 08753-

Tele. () Fax ()
Lic. No. of Bldgs. Reg. No.
Federal Emp. No. 22-3305786

JOB SUMMARY (Office Use Only)

PLAN REVIEW Date Initial
[] No Plans Req. R-1349-15m
[] All
[] Footing
[] Foundation
[] Frame
[] Other

Joint Plan Review Required:
[] Elect [] Plumb [] Fire
SUBCODES APPROVAL [] Riv
[] CO [] CCO [] CA

Date:
Approved By:

INSPECTION Dates (Month/Day)
Type Failure Failure Approval Initial
Footing 1/19/2000 1/19/2000
Foundation
Slab
Frame
BarrierFree
Insulation
Finishes 4/3/2000 (K. Guss)
Energy
Mechanical
TCO
Other
Final
BarrierFree

B. BUILDING CHARACTERISTICS
Use Group Present U Proposed U
Const. Class Present Proposed
No. of Stories 0
Height of Structure 0 Ft.
Area Largest Floor 0 Sq. Ft.
New Bldg. Area/All Floors 0 Sq. Ft.
Volume of New Structure 0 Cu. Ft.
Total Land Area Disturbed 0 Sq. Ft.

C. CERTIFICATION IN LIEU OF OATH
I hereby certify that I am the (agent of) owner
of record and am authorized to make this application.

Signature

D. TECHNICAL SITE DATA
DESCRIPTION OF WORK

REPLACING EXISTING SIGN IN SAME LOCATION 101619.5

COMMERCIAL

REPLACEMENT OF WORK
[] New Building
[] Addition
[] Alteration
[] Roofing
[] Siding
[] Fence 0 Height (exceeds 6')
[] Sign 60 Sq. Ft.
[] Pool
[] Asbestos Abatement Subchapter 8
[] Lead Haz. Abatement NJAC 5:17
[] Other
Other
[] Demolition

Est. Cost of Bldg. Work:
1. New Bldg. \$ 0
2. Alteration \$ 10,000
3. Total (1+2) \$ 10,000

Industrialized Building:
[] State Approved
[] HUD.
Paid [] Check \$ Administrative Surcharge
Collected by: Minimum Fee
TOTAL FEE
DCA Training Fee
FEE (Office Use Only)
U.C.C. \$110 (rev. 3/96)

TOWNSHIP OF BRICK ZONING PERMIT

Approved: April 19, 2001

No. 1.0470

Block: 1091

Lot: 5

Zone: B-3, Highway Development

Property Address: 250 Old Squan Road

Applicant: Doug Mutschler; M & E Associates

Property Owner: St. Dominic's Church

Existing Use: St. Dominic's Church

Proposed Use: Same.

Proposed Construction: Two-story storage building, 30' x 60', 20' high.


Conditions: Minor site plan approved by the Planning Board.

Case No. PB-2342 (1305) MSP-V---8/00.


Resolution No. R-69-00 adopted on September 27, 2000.

Maps signed on April 19, 2001.

**This permit shall be null, void and of no effect if any of the facts contained in the application upon the basis that this permit was granted are false or untrue in any material respect.
This permit shall expire one (1) year after the date of issuance if the use or substantial construction has not been commenced.**


Michael P. Fowler, AICP/PP
Municipal Planner


Sean Kinnevy
Zoning Officer



TOWNSHIP OF BRICK
Zoning Permit Application
(Please Type or Print Neatly)

Block 1091 Lot 5 Qualifier —

PROPERTY ADDRESS 250 Old Squaw Rd

PERSONAL NAME OF APPLICANT Doug Mutschler

BUSINESS NAME OF APPLICANT M+E Associates

PROPERTY OWNER St. Dominic's Church

PRESENT USE OF PROPERTY (check all that apply)

☐ Vacant Lot ☐ Single-family dwelling ☐ Multi-family dwelling
☒ Commercial (please describe) ST DOMINICS CHURCH
VACANT LAND AREA

PROPOSED USE OF PROPERTY (check all that apply)

☐ Vacant Lot ☐ Single-family dwelling ☐ Multi-dwelling
☒ Commercial (please describe) ST DOMINICS CHURCH
STORAGE BLDG

PROPOSED CONSTRUCTION (check all that apply)

☒ New Building (please describe) NEW STORAGE BUILDING
☐ Addition
☐ Alteration
☐ Porch or deck (state heights) _____
☐ Shed (state height) _____
☐ Fence (state type & height) _____
☐ Swimming Pool ☐ in-ground ☐ above-ground
☐ Other (please describe) _____

CHECKLIST

- ☐ All information completed above
- ☐ Two (2) copies of a plot plan containing:
- ☐ All existing and proposed structures
- ☐ All dimensions of the lot and structures
- ☐ All setbacks from the structures to the property lines
- ☐ All adjacent streets and waterways
- ☐ If applicable, include a copy of the zoning Board of Adjustment Resolution, the date that the map was signed, and/or the date that the subdivision map was filed with the Ocean County Clerk, along with the file map and number.

The applicant certifies that all statements and information made and provided as part of this application are true to the best of the applicant's knowledge, information and belief. The applicant further states that the applicant will comply with all other Municipal approvals and ordinances, and all County, State, and Federal Regulations.

Signature of applicant [Signature] Date 4/17/01

Reviewed by Zoning Office JK Date 4-19-1 (X) Approved () Denied

* MAP TO BE SIGNED POSSIBLY 4/18/01
@ PER SKINNEY RE: J. FOX (X)



CONSULTANTS, INC.
4405 South Clinton Avenue
South Plainfield, NJ 07080

Tel. (800) 545-ATUL
(908) 754-8383
Fax (908) 754-8633

NJ DBC Approved Testing Laboratory • MBE/DBE Certified • NJ DEPE Certified

Soil, Concrete, Masonry, Rebar, Asphalt, Structural Steel, Precast, Piles, Caissons, Fire-Proofing, Roofing, Soil Boring, Concrete/Rock Coring, UST Removal, Environmental Testing & Reports

FOOTING BOTTOM INSPECTION

CLIENT : M & E Associates, Inc.
838 Brown Court
Toms River, NJ 08753

Attn : Mr. Jim

PROJECT : 250 Old Squans Rd
Bricktown, NJ

*BLK 1091
LOT 5
PERMIT 01-1605*

DATE : 5/30/01

FILE NO. : ANU-238

REPORT # : 01

ENGINEER : Dipak U.

TIME : 12:30PM -2:0 30PM

RECEIVED
JUN 12 2001
M&E ASSOCIATES

CERTIFICATE OF INSPECTION -----

As per your request visual footing bottom inspection was performed at the above referenced project site on May 31, 2001.

Location of the Work Area :


(1) Footing bottoms for the exterior wall footings & Bathroom wall footing.

- ☒ Area inspected satisfactorily meets the applicable project specification requirements of 4000 PSF Bearing capacity. (See dwg. A1 & A2)

REMARKS :

1. Inplace Soil bearing capacity was measured utilizing a calibrated penetrometer.
2. Soil bearing capacity exceding 4400 PSF was recorded.

Copy To : ME/J-3, File-1



CONSULTANTS, INC.
4405 South Clinton Avenue
South Plainfield, NJ 07080

Tel. (800) 545-ATUL
(908) 754-8383
Fax (908) 754-8633

NJ DBC Approved Testing Laboratory • MBE/DBE Certified • NJ DEPE Certified

Soil, Concrete, Masonry, Rebar, Asphalt, Structural Steel, Precast, Piles, Caissons, Fire-Proofing, Roofing, Soil Boring, Concrete/Rock Coring, UST Removal, Environmental Testing & Reports

FOOTING BOTTOM INSPECTION

CLIENT : M & E Associates, Inc.
838 Brown Court
Toms River, NJ 08753

Attn : Mr. Jim

PROJECT : 250 Old Squans Rd
Bricktown, NJ

BLK 1091

LOT 5

PERMIT 01-1605

DATE : 5/30/01

FILE NO. : ANU-238

REPORT # : 01

ENGINEER : Dipak U.

TIME : 12:30PM -2:0 30PM

RECEIVED
JUN 12 2001
M&E ASSOCIATES

----- **CERTIFICATE OF INSPECTION** -----

As per your request visual footing bottom inspection was performed at the above referenced project site on May 31, 2001.

Location of the Work Area :

- (1) Footing bottoms for the exterior wall footings & Bathroom wall footing.

- ☒ Area inspected satisfactorily meets the applicable project specification requirements of 4000 PSF Bearing capacity. (See dwg. A1 & A2)

REMARKS :

1. Inplace Soil bearing capacity was measured utilizing a calibrated penetrometer.
2. Soil bearing capacity exceding 4400 PSF was recorded.

Copy To : ME/J-3, File-1

Date: 5-16-01

Site Address: 250 Squar Beach

Reviewed By: _____

No.

No plan on serv-n

Party Called and Phone #: _____

Resubmitted on: _____ By: _____

Plumbing Subcode Plan Review Record Township of Brick

Date: 5-10-01
Site Address: 250 Old Squan Rd (St Dominic)
Reviewed By: _____

CORRECTION LIST

<u>Description</u>

No.

1- DWV Sketch needed

Party Called and Phone #: Sharnoyan 747 3040

Resubmitted on: _____ By: _____

CERTIFICATE OF APPROVAL FOR TENNANT FIT UP AND COMMERCIAL

Location 250 Old Swan Block 1091 Lot 5

Final Inspections needed if applicable as follows:

1. Final Building
2. Final Plumbing
3. Final Electric
4. Final Fire
5. Certificate of Compliance BTMUA
6. Final Engineering
7. Ocean County Soil
8. Affordable Housing


Report of Compliance from Ocean County Soils needed when; more than 5000 sq ft are disturbed. NEW COMMERCIAL Building that have been approved by PLANNING BD or BD OF ADJUSTMENT always need soil report.

FINALS	FINALS	FINALS
BUILDING.....	APPROVED.....	<u>10/31/01</u>
PLUMBING.....	APPROVED.....	<u>10/16/01 OK</u>
FIRE.....	APPROVED.....	<u>10/22/01 OK</u>
ELECTRIC.....	APPROVED.....	<u>10/10/01 OK</u>
ENGINEERING.....	APPROVED.....	
O.C.SOIL.....	APPROVED.....	

COMMERCIAL OCCUPANCY CARD.....

* C.C. FROM B.T.M.U.A. (Needs C.C.) 11/5/01
CALL THE WATER CO. BTMUA 458-7000 EXT. 224 OR 225 ASK WHETHER A C.C. IS NEEDED.

AFFORDABLE HOUSING..... OK @ per 11/13/01
ALL COMMERCIAL APPLICATIONS MUST BE REVIEWED BY AFFORDABLE HOUSING BEFORE A C/A OR C/O IS ISSUED. SECOND HALF OF PAYMENT IS DUE AT THIS TIME.



LAWRENCE F. SLAWSON, AIA


ARCHITECT

122 ROBERTSVILLE ROAD
FREEHOLD, NEW JERSEY 07728

PHONE: (732) 577-0070

FAX: (732) 462-5015

E-MAIL: LFSAIA@OPTONLINE.NET



June 27. 2001

Mr. Dan Newman, Plumbing Subcode Official
Township of Brick
401 Chambersbridge Road
Brick Township, New Jersey 08723

Re: Saint Dominic's RC Church Storage Building
Project No. 99-28

Dear Mr. Newman:

This letter will serve to document that we have authorized the Contractor to eliminate floor drains at the two single occupant bathrooms at the above-referenced project.

Please feel free to contact me if you have any questions or require additional information.

Very Truly Yours,

Lawrence F. Slawson, AIA
Lic. No. 09648

CC: Father James Brady - Saint Dominic's (w/encl)
Glen Speidel - Saint Dominic's (w/encl)
Jim Elliott - M&E Associates (w/encl)

Amv 2 909-600-0185

William J. Brannagan Plumbing & Heating, Inc.


P.O. Box 6256, Fair Haven, NJ 07704

Tel No. 732 747 3040 Fax 732-741-9035

State License No. 9351

St. Dominics - Old Squaw Rd.
B/K. 1091
Lot 5

Permit #
01-1605



W. Brannagan

M & E ASSOCIATES

Commercial and Residential Construction and Development
685 Princess Court, Toms River, N.J. 08753
732-929-1991 Telephone
732-929-8909 Facsimile

Fax

BRICK TWP. BLDG. DEPT.

To: FRANK MIZER, SUBCODE OFFICIAL From: JIM ELLIOTT

Fax: 262-8954

Pages: (Including Cover) 2

Phone: 262-1027

Date: 6-12-01

Re: ST. DOMINIC'S CHURCH

CC: LAWRENCE F. SLANSON, AIA - FAX# ✓

☒ URGENT

☐ For Review as per your request

462-5015

☐ Please Comment

☐ Please Reply ASAP

AS PER OUR CONVERSATION, ATTACHED PLEASE FIND A
COPY OF ANS CONSULTANTS, INC. COMPACTION REPORT.

RE: ST. DOMINIC'S CHURCH
250 OLD SQUAN RD.
BRICK, NJ
LOT 5, BLOCK 1091
PERMIT # 01-1605

HARD COPY OF REPORT WILL FOLLOW.

☐ Original to follow via U.S. mail

URSULA ZEPRAKA



CO. JYANTS, INC.
 4405 South Clinton Avenue
 South Plainfield, NJ 07080

Tel. (800) 545-ATUL
 (908) 754-8383
 Fax (908) 754-8633

NJ DEC Approved Testing Laboratory • MBE/DBE Certified • NJ DEPE Certified

Soil, Concrete, Asphalt, Rebar, Asphalt, Structural Steel, Masonry, Floor Slabs, Foundation, Footings, Sealing, Soil Boring, Concrete, Block, Grout, C/S, Retention, Foundation Testing & Repair

FOOTING BOTTOM INSPECTION

CLIENT : M & E Associates, Inc.
 838 Brown Court
 Toms River, NJ 08753

DATE : 5/30/01

FILE NO. : ANU-238

Attn : Mr. Jim

REPORT# : 01

PROJECT : 2nd Old Squares Rd
 Erichtown, NJ

ENGINEER : Dipak U.

TIME : 12:30PM - 2:03PM

CERTIFICATE OF INSPECTION

As per your request your footing bottom inspection was performed at the above referenced project site on May 31, 2001.

Location of the Work Area :


- (1) Footing bottoms for the exterior wall footings & Bathroom wall footing.
- ☒ Area inspected satisfactorily meets the applicable project specification requirements of 4000 PSF Bearing capacity. (See dwg. A1 & A2)

REMARKS :

1. Inplace Soil bearing capacity was measured utilizing a calibrated penetrometer.
2. Soil bearing capacity exceeding 4000 PSF was recorded

Copy To: MEJ-3, File 1

"ANSwers to your construction inspection and testing needs."



LAWRENCE F. SLAWSON, AIA


ARCHITECT

122 ROBERTSVILLE ROAD
FREEHOLD, NEW JERSEY 07728

PHONE: (732) 577-0070

FAX: (732) 462-5015

E-MAIL: LFSIAA@OPTONLINE.NET



June 8, 2001

1091
MS

Mr. Frank Meizner, Building Subcode Official
Township of Brick
401 Chambersbridge Road
Brick Township, New Jersey 08723

Re: Saint Dominic's RC Church Storage Building
Project No. 99-28

Dear Frank:

This letter will serve to document some field changes that we have made to the building. The first change involves omitting the decorative masonry construction at the lower level and substituting standard wood frame construction with a vinyl siding finish in its place. Enclosed with this letter is a signed and sealed revised Cross-Section Sketch (SK-1, dated 6/4/01) outlining the changes to the wall construction.

The other changes involve providing a fire separation between the upper and lower levels of the building. I want to thank you for raising this issue with us now. After we reviewed the cost issues involved, it did seem to make sense to make the separation now to give Father Brady some future flexibility. We will be providing a 2-hour separation between the first and second floors by installing 3 layers of 5/8" fire-rated gypsum board to the underside of the floor joists (see Cross-Section enclosed, UL Design No. L-538).


We will also provide a two-hour wall separation between the first floor rooms and the stairs leading to the second floor (2 layers 5/8" fire-rated gypsum board each side, UL Design No. U301, copy enclosed). To complete the assembly, doors penetrating this wall will have a "B" Label (1 1/2 hour) fire rating.

9

I am submitting this information to you for your record and file. Other than the information contained in this letter and the new Cross-Section Sketch SK-1, no other revisions to the Construction Documents will be made.

Again Frank, thank you for your courtesy and assistance. Please feel free to contact me if you have any questions or require additional information.

Very Truly Yours,

A handwritten signature in dark ink, appearing to read 'Lawrence F. Slawson', written in a cursive style.

Lawrence F. Slawson, AIA
Lic. No. 09648

CC: Father James Brady - Saint Dominic's (w/encl)
Glen Speidel - Saint Dominic's (w/encl)
Jim Elliott - M&E Associates (w/encl)

TOP OF SUBFLOOR

3/4" T&G PLYWOOD

VINYL SIDING, TYVEK AIR
INFIL. BARRIER, 5/8" PLYWOOD
SHEATHING ON 2X6" WOOD
STUDS @ 16" O.C.

2-HOUR FLOOR ASSEMBLY

2 LAYERS 5/8" FIRE-RATED GYP. BR. ON 1/8"
METAL FURRING CHANNELS @ 16" O.C. ON 1
LAYER 5/8" FIRE-RATED GYP. BR. ON 16" T&G/
PROF'D WOOD FLOOR JOISTS (U.L. DESIGN
NUMBER L-538)

1/2" FIBERGLASS BATT
SILL SEALER

SLAB
UNCHANGED

2X6" TREATED WOOD SILL ANCHORED
TO MASONRY W/ 1/2" Ø X 18" LONG HOOKED
ANCHOR BOLTS @ 6'-0" O.C. MAX. - FILL
BLK. SOLID W/ CONC. @ ANCHOR BOLTS

6" CONC. SLAB

2 COURSES 6" CONC. BLK.


3 COURSES 12" CONC. BLK.

FOOTING, FTG. KEY, CEM. COVE
UNCHANGED

CROSS-SECTION

SCALE: 3/4" = 1'-0"

ST. DOMINIC'S STORAGE BLDG.



LAWRENCE F. SLAWSON, AIA
ARCHITECT
122 ROBERTSVILLE ROAD
FREEHOLD, NEW JERSEY 07728
(908) 577-0070 NJ LIC. #09648

Handwritten signature of Lawrence F. Slawson

SK-1


0.4.01

FIRE RESISTANCE RATINGS (BXUV)—Continued

1. Wire Studs—Two truss-type wire studs spot-welded together at truss members. Ind studs consisting of two longitudinal 3 SWG wires of semicircular cross section and continuous wave-shaped 11 SWG wire forming the truss members. Studs secured to floor and ceiling by means of snap-in type runners.
2. Paper-Backed Wire Lath—1/2 in. stucco mesh of No. 17 steel wire gauge, galv. woven wire, reinforced with No. 17 steel wire gauge, wires spaced 8 in. O.C., double layer paper, coated one side, attached to wire mesh with No. 17 steel wire gauge, wires spaced 8 in. O.C. Lath secured to studs with 1/2 in. diameter by 1 in. long, annular ring steel nails with 1/2 in. diameter head and diamond-shaped point, spaced vertically 6 in. O.C. at ribs and located at reinforcing wires. Paper edges overlapped min of 4 in.
3. Perlite Concrete—3.2 cu ft of perlite aggregate (blest to 1 cu ft of portland cement. Applied with spray equipment.
4. Floor and Ceiling Runners—Snap-in type, 4 in. wide by 1 1/2 in. deep, fabricated from No. 24 gauge painted steel. Runners secured to floor and ceiling with concrete fasteners spaced 18 in. O.C.

*Bearing the UL Classification Marking


Design No. U204 Nonbearing Wall Rating—4 HR.



1. Studs—Nominal 2 by 4 in. spaced 16 in. O.C.
2. Wallboard, gypsum—Any Classified for fire resistance 5/8 in. thick wallboard applied horizontally or vertically with beveled, square or tapered edges. Wallboard attached to studs with 1-5/8 in. long type W bugle head drywall screws spaced vertically 24 in. O.C. and approx. 3/4 in. from edge of wallboard.
3. Wood particleboard—1/2 in. thick, 4 ft wide, wood particleboard installed vertically and fastened with 60, 2 in. long cement coated nails, 0.0915 in. diameter shank and 1/4 in. diameter heads spaced vertically 6 in. O.C.
4. Tie rods—Snap tie rods, 0.225 in. diameter spaced horizontally 16 in. O.C. and vertically 24 in. O.C.
5. Perlite concrete—Minimum 5 in. thick of perlite concrete, 4 to 6 cu ft of Perlite Aggregate to 84 lb of portland cement.

*Bearing the UL Classification Marking

Design No. U301 Bearing Wall Rating—2 HR. Finish Rating—66 Min.



1. Nailheads—Exposed or covered with joint finisher.
2. Joints—Exposed or covered with fiber tape and joint finisher. As an alternate, nominal 3/32 in. thick gypsum veneer plaster may be applied to the entire surface of Classified veneer base board joints reinforced.
3. Nails—6d cement-coated nails, 1-7/8 in. long, 0.0915 in. shank diam, 1/4 in. diam heads, and 8d cement-coated nails 2-3/8 in. long, 0.113 in. shank diam, 9/32 in. diam heads.
4. Wallboard, gypsum—5/8 in. thick, two layers applied either horizontally or vertically. Inner layer attached to studs with the 1-7/8 in. long nails spaced 6 in. O.C. Outer layer attached to studs over inner layer with the 2-3/8 in. long nails spaced 8 in. O.C. Vertical joints located over studs. All joints in face layers staggered with joints in base layers. Joints of each base layer offset with joints of base layer on opposite side.


Canadian Gypsum Co., Ltd.—Types C, SCX, SHX, WRX.
Celotex Corp.—Type 1 or FRP.

FIRE RESISTANCE RATINGS (BXUV)—Continued

1. Wallboard, gypsum—5/8 in. thick, two layers applied either horizontally or vertically. Inner layer attached to studs with 6d cement-coated nails 1-7/8 in. long, 0.0915 in. shank diam and 1/4 in. diam heads spaced 8 in. O.C. Outer layer attached to studs over inner layer with 8d cement-coated nails 2-3/8 in. long, 0.113 in. shank diam and 9/32 in. diam heads, spaced 8 in. O.C. Vertical joints located over studs. Vertical and horizontal joints between inner and outer layers staggered. Outer layer joints covered with fiber tape and compound. Nailheads covered with joint compound. As an alternate, nominal 3/32 in. thick gypsum veneer plaster may be applied to the entire surface of Classified veneer baseboard. Joints reinforced. Wallboard other than 48 in. wide must be applied horizontally.
2. Sheathing—1/2 in. thick, exterior gypsum sheathing, 24 in. wide sheets, 16G edges. Min weight of sheets 1800 lb per 1000 sq ft, min thickness 0.480 in. Attached to studs horizontally with 1-3/4 in. long, 11d, 7/16 in. diam flathead galv roofing nails spaced 8 in. O.C. Vertical joints located over studs and staggered between adjacent rows.
3. Corrugated Wall—Type 3/4 in. wide by 8-5/8 in. long, 20 MSG, galv steel. Attached to each stud with 2-3/8 in. long 8d cement-coated nails, every sixth course of bricks.
4. Clay Face Bricks—2-1/4 by 3-3/4 by 8 in. with cored holes, laid in full bed of mortar 3/8 to 1/2 in. thick consisting of three parts of clean sharp sand to one part of portland cement (proportioned by vol) and 15 percent hydrated lime (by cement vol).

*Bearing the UL Classification Marking

Design No. U302 Bearing Wall Rating—2 HR. Finish Rating—59 Min.




Top and Bottom of Wall Effectively Firestopped

1. Wallboard, gypsum—5/8 in. thick, two layers applied either horizontally or vertically. Inner layer attached to studs with 6d cement-coated nails 1-7/8 in. long, 0.0915 in. shank diam and 1/4 in. diam heads spaced 8 in. O.C. Outer layer attached to studs over inner layer with 8d cement-coated nails 2-3/8 in. long, 0.113 in. shank diam and 9/32 in. diam heads, spaced 8 in. O.C. Vertical joints located over studs. Vertical and horizontal joints between inner and outer layers staggered. Outer layer joints covered with fiber tape and compound. Nailheads covered with joint compound. As an alternate, nominal 3/32 in. thick gypsum veneer plaster may be applied to the entire surface of Classified veneer baseboard. Joints reinforced. Wallboard other than 48 in. wide must be applied horizontally.
2. Sheathing—1/2 in. thick, exterior gypsum sheathing, 24 in. wide sheets, 16G edges. Min weight of sheets 1800 lb per 1000 sq ft, min thickness 0.480 in. Attached to studs horizontally with 1-3/4 in. long, 11d, 7/16 in. diam flathead galv roofing nails spaced 8 in. O.C. Vertical joints located over studs and staggered between adjacent rows.
3. Corrugated Wall—Type 3/4 in. wide by 8-5/8 in. long, 20 MSG, galv steel. Attached to each stud with 2-3/8 in. long 8d cement-coated nails, every sixth course of bricks.
4. Clay Face Bricks—2-1/4 by 3-3/4 by 8 in. with cored holes, laid in full bed of mortar 3/8 to 1/2 in. thick consisting of three parts of clean sharp sand to one part of portland cement (proportioned by vol) and 15 percent hydrated lime (by cement vol).

*Bearing the UL Classification Marking

Design No. U304 Bearing Wall Rating—1 HR. Finish Rating—29 Min.



Top and Bottom of Wall Effectively Firestopped

1. Wood Studs—Nom 2 by 4 in., spaced 12 in. O.C.
2. Bearing Plate—Nom 2 by 4 in.
3. Wallboard, gypsum—5/8 in. thick, regular wallboard 4 in. wide to cover studs, 3 1/4 in. wide to cover double bearing plate, and 1 1/2 in. wide to cover single bearing plate. Attached to studs and sides of bearing plates with 6d cement coated (tooled) nails spaced 6 in. from each end and 12 in. O.C. Strips attached to studs on alternate faces to produce staggered joints.

**LAWRENCE F. SLAWSON, AIA**

ARCHITECT

122 ROBERTSVILLE ROAD
FREEHOLD, NEW JERSEY 07728

PHONE: (732) 577-0070

FAX: (732) 462-5015

E-MAIL: LESAIA@OPTONLINE.NET



June 8, 2001

Mr. Frank Meizner, Building Subcode Official
Township of Brick
401 Chambersbridge Road
Brick Township, New Jersey 08723

Re: Saint Dominic's RC Church Storage Building
Project No. 99-28

Dear Frank:

This letter will serve to document some field changes that we have made to the building. The first change involves omitting the decorative masonry construction at the lower level and substituting standard wood frame construction with a vinyl siding finish in its place. Enclosed with this letter is a signed and sealed revised Cross-Section Sketch (SK-1, dated 6/4/01) outlining the changes to the wall construction.


The other changes involve providing a fire separation between the upper and lower levels of the building. I want to thank you for raising this issue with us now. After we reviewed the cost issues involved, it did seem to make sense to make the separation now to give Father Brady some future flexibility. We will be providing a 2-hour separation between the first and second floors by installing 3 layers of 5/8" fire-rated gypsum board to the underside of the floor joists (see Cross-Section enclosed, UL Design No. L-538).

We will also provide a two-hour wall separation between the first floor rooms and the stairs leading to the second floor (2 layers 5/8" fire-rated gypsum board each side, UL Design No. U301, copy enclosed). To complete the assembly, doors penetrating this wall will have a "B" Label (1 1/2 hour) fire rating.

I am submitting this information to you for your record and file. Other than the information contained in this letter and the new Cross-Section Sketch SK-1, no other revisions to the Construction Documents will be made.

Again Frank, thank you for your courtesy and assistance. Please feel free to contact me if you have any questions or require additional information.

Very Truly Yours,

A handwritten signature in black ink, appearing to read 'Lawrence F. Slawson', with a stylized flourish at the end.

Lawrence F. Slawson, AIA
Lic. No. 09648

CC: Father James Brady - Saint Dominic's (w/encl)
Glen Speidel - Saint Dominic's (w/encl)
Jim Elliott - M&E Associates (w/encl)



LAWRENCE F. SLAWSON, AIA
ARCHITECT
122 ROBERTSVILLE ROAD
FREEHOLD, NEW JERSEY 07728
(732) 577-0070 FAX (732) 462-5015

LETTER OF TRANSMITTAL

TO MR. FRANK MEIZNER, BLDG. DATE 6-8-01 JOB NO. 99-28
SUBCODE OFFICIAL RE: ST. DOMINIC'S
BRKL-TWP. CONSTRUCTION DEPT. STDR. BLDG.
202-8954

WE ARE SENDING YOU VIA FAX THE FOLLOWING ITEMS: (5 PAGES)

COPIES	DATE	NO.	DESCRIPTION
<u>1</u>	<u>6-8-2001</u>	<u>SK-1</u>	<u>CROSS-SECTION</u>
<u>1</u>	<u>6-8-2001</u>	<u>-</u>	<u>LETTER</u>
<u>1</u>	<u>-</u>	<u>-</u>	<u>U.L. DESIGN INFO.</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

THESE ARE TRANSMITTED AS FOLLOWS:

 FOR APPROVAL FOR YOUR USE FOR BIDDING/PRICING
 FOR REVIEW & COMMENT AS REQUESTED

REMARKS

TRANSMITTED PER OUR PHONE CONVERSATION. HARD COPIES TO
FOLLOW. THANKS!

SIGNED:

CC: JIM ELLIOT@MEE ASSOC.

06/08/2001

To: Mayor Joseph Scarpelli

From: Frank Mizer building subcode official

Subject: Saint Dominics new building

Recently at a meeting that you hosted to unravel any problems that might have arose concerning the above mentioned project, you wanted to be informed of ANY problems.

Since the issuance of the permit on 5/18/2001 we have had two inspections, and they have both failed.

- (1) the footing inspection failed due to the lack of soil testing as required by the architect on 05/30/2001
- (2) the contractor has started the foundation using blocks that do not match the architects drawing.
- (3) Now have changed construction type.

Today 06/08/2001 I have spoken to the Architect of record concerning this and he has assured me that the above mentioned problems will be addressed.

M & E Associates

Commercial and Residential Construction and Development

685 Princess Court, Toms River, New Jersey 08753

732-929-1991 Telephone

732-929-8909 Facsimile

October 25, 2001

Brick Township Building Dept.
401 Chambers Bridge Road
Brick, NJ 08723

RE: St. Dominic's Church Storage Building
250 Old Squan Road
Block 1091, Lot 5, Permit # 01-1605

Dear Sir/Madam:

Enclosed please find a letter from the Architect, Lawrence F. Slawson, authorizing the relocation of the hot water heater from the Maintenance Storage Area to the Athletic Storage Area.

Very truly yours,
M & E Associates

James G. Elliott

JGE:uz
Enclosure

cc: Lawrence F. Slawson, AIA
Father James G. Brady



LAWRENCE F. SLAWSON, AIA
ARCHITECT
122 ROBERTSVILLE ROAD
FREEHOLD, NEW JERSEY 07728
PHONE: (732) 577-0070
FAX: (732) 462-5015
E-MAIL: LFS@AIA@OPTONLINE.NET



October 25, 2001

Mr. James G. Elliott, Project Manager
M & E Associates
685 Princess Court
Toms River, New Jersey 08753


Re: St. Dominics Storage Building
LES Project No. 99-28

Dear Jim:

This will confirm our previous discussion during which we agreed that the water heater would be placed in the "Athletic Storage Area" rather than the "Maintenance Storage Area" as currently indicated on my Construction Drawings. I have no problem with this minor location change, and this letter will serve as documentation of this revision to my Construction Drawings.

Please feel free to contact me if you have any questions or require additional information.

Very truly Yours,



Lawrence F. Slawson, AIA

**THE BRICK TOWNSHIP
MUNICIPAL UTILITIES AUTHORITY**

1551 HIGHWAY 88 WEST
BRICK, NEW JERSEY 08724
458-7000

CERTIFICATE OF COMPLIANCE

Date 11/5/01

NAME St. Dominics R.C. Church

ADDRESS 250 Old Squan Rd. Brick, NJ 08724

PROPERTY LOCATION 250 Old Squan Rd.

Account No. Q084912 Block 1091 Lot 5

I hereby certify that the above applicant has complied with all Rules
and Regulations of this Authority and has paid all required fees and charges.

For the Authority

Carol Lindel

ST. DOMINIC CHURCH250 OLD SQUAN RD.
BRICK, NJ 08724

2006

DATE Nov 13, 200155-760/0312
814PAY
TO THE
ORDER OFTownship of Brick\$ 4600Four Hundred and sixty

DOLLARS

PNC Bank, N.A. 060
New JerseyMONEY
MARKETFOR Control # C18-91Rev. James J. BradyTo: Scott M. Pezarras, Chief Financial Officer
From: Lisa Rose Tavalaccio, Office of Affordable Housing
Re: Affordable Housing Fees

Business/Development:

St. Dominic Church

Owner/Applicant:

St. Dominic Church

Property Address:

250 Old Squar Rd

Block:

1091

Lot:

5

DEPOSIT RECEIVED

Mandatory Development Fee

Commercial

Residential

Inclusionary Development Fee

DATE:

11/13/01

Check Number

2006

Estimated Fee

Preliminary Fee Deposit

Final Fee

920.00

Less Preliminary Fee

460.00

Final Fee Deposit

460.00

FOR DEPOSIT ONLY - AFFORDABLE HOUSING TRUST ACCOUNT 36 367087

Collection of said fees as authorized by Township Ordinance
354-2C-93, is pursuant to N.J.S.A. 52:27D-301 et seq. And N.J.A.C. 5:92-18 et seq.

Received in Treasurer's Office by:

Signature

Marilyn Shemle

Date

11/13/01

OFFICE OF AFFORDABLE HOUSING

ST. DOMINIC'S R.C. CHURCH
REGULAR ACCOUNT
250 OLD SQUAN ROAD
BRICK, NJ 08724

FIRST UNION NATIONAL BANK
AVONDALE, PA 19311
55-2/212

8108

5/1/2001

PAY TO THE ORDER OF **TOWNSHIP OF BRICK**

\$ **460.00

Four Hundred Sixty and 00/100*****

DOLLARS

TOWNSHIP OF BRICK
OFFICE OF AFFORDABLE HOUSING
ATTN: LISA ROSE
401 CHAMBERS BRIDGE ROAD
BRICK, NJ 08723
CONTROL #C18-91

MEMO

⑈008108⑈ ⑆02120002512006130084480⑈

From: Lisa Rose Tavalaccio, Office of Affordable Housing
Re: Affordable Housing Fees

Business/Development:

Owner/Applicant:

Property Address:

Block:

Lot:

DEPOSIT RECEIVED

Mandatory Development Fee

Commercial
Residential

Inclusionary Development Fee

DATE:

Check Number

Estimated Fee

Preliminary Fee Deposit

Final Fee

Less Preliminary Fee

Final Fee Deposit

FOR DEPOSIT ONLY - AFFORDABLE HOUSING TRUST ACCOUNT 36 367087

Collection of said fees as authorized by Township Ordinance
354-2C-93, is pursuant to N.J.S.A. 52:27D-301 et seq. And N.J.A.C. 5:92-18 et seq.

Received in Treasurer's Office by:

Signature

Date

OFFICE OF AFFORDABLE HOUSING

AMT PRELIMINARY APPROVAL

** TOTAL PAGE 08 **


SYSTEM ON 1ST FLOOR

Arcoaire

Air Conditioning & Heating

H9MPD

Deluxe 90



Photocutaway drawing only, some models may vary in appearance.

WARNING

This furnace is not designed for use inside mobile homes, trailers, or recreational vehicles. Such use could result in property damage, bodily injury, and/or death.

Dealer/Contractor

Flexibility

- Dual certified venting (1 or 2 pipes)
- 40" high with wider cabinets, for noise reduction and ease of installation.
- Factory shipped as natural gas, with LP Gas conversion kits available.
- Four position - upflow/downflow/horizontal installation.
- Vent pipe can be run horizontally or vertically.

Service

- Self diagnostics.
- Entire blower assembly mounted on rails.

Homeowner Quality

- APJ III Stainless steel heat exchanger.
- Stainless steel secondary heat exchanger.
- Lifetime limited warranty on heat exchangers and 5 years on parts.
- High temperature limit control prevents overheating.
- Hot surface pilot ignition device.
- Flame roll-out sensors standard.

Comfort

- Adjustable timed blower Off delay.
- Thermal lined, one piece steel cabinet for noise reduction.
- Humidifier terminal.
- Electronic air cleaner terminal.
- Insulated blower compartment.

Efficiency

- 92% AFUE efficiency range.
- Single stage gas valve operation.
- Single stage fan timer.
- Multispeed, prelubricated PSC blower motors.
- Induced draft blower.
- In-shot burners.
- Solid doors.



FURNACE SPECIFICATIONS

Model Number:	NATURAL GAS	*SMPD090F12	*SMPD075F12	*SMPD100J14	*SMPD160J20	*SMPD120L20
INPUT (Btu/h)		50,000	75,000	100,000	160,000	125,000
HTG CAP. (Btu/h)		42,500	67,500	90,000	140,000	110,125
AFUE % (CS)		92.0	92.0	92.0	92.0	92.0
ALTERNATE INPUT BTUH		40,000	60,000	80,000	120,000	100,000
ALTERNATE OUTPUT BTUH		36,400	54,000	72,000	108,000	90,000
CSF %		84.9	85.1	85.5	85.5	85.9
FLOW (GPM)		<40	<40	<40	<40	<40
TEMP. RISE (deg. F)		40-70	40-70	40-70	40-70	40-70
VOLTS/PH/Hz		115/60/1	115/60/1	115/60/1	115/60/1	115/60/1
MIN./MAX. VOLTAGE		97/132	97/132	97/132	97/132	97/132
F.L.A.		5.9	7.5	9.2	12.0	12.0
TRANSFORMER (V.A.)		40	40	40	40	40
GAS PIPE SIZE (IN.)		1/2	1/2	1/2	1/2	1/2
CATEGORY 1 VENT SIZE		2" OD	2" OD	3" OD	3" OD	3" OD
COOLING CAP.		3.0	3.6	4.0	5.0	5.0
FILTER SIZE (IN.) (if required)		16X25X1	16X25X1	18X25X1	18X25X1 (2)	18X25X1 (2)
DIMENSIONS (in.) HEIGHT		40	40	40	40	40
WIDTH X DEPTH		18 1/2 x 28 1/2	18 1/2 x 28 1/2	22 1/4 x 23 1/2	22 1/4 x 28 1/2	24 1/2 x 28 1/2

* Vent size may vary depending on length, number of elbows, standard vent or draft vent. See installation instructions.

POWER PERFORMANCE

Model Number	NATURAL GAS	*SMPD090F12	*SMPD075F12	*SMPD100J14	*SMPD160J20	*SMPD120L20
BLOWER TYPE AND SIZE		11-8	11-10	11-10	11-10	11-10
MOTOR H.P. (TYPE)		1/2 PSC	1/2 PSC	3/4 PSC	3/4 PSC	3/4 PSC
MOTOR SPEEDS		4	4	4	4	4


AIRFLOW DATA

		AIRFLOW (CFM)				
		LOW	MEDIUM LOW	MEDIUM HIGH	HIGH	VERY HIGH
10 ESP IN. W.C.	LOW	826	798	700	1882	1720
	MEDIUM LOW	1083	917	912	1870	1910
	MEDIUM HIGH	1301	1168	1209	2081	2127
	HIGH	1408	1366	1520	2262	2315
20 ESP IN. W.C.	LOW	804	677	662	1854	1686
	MEDIUM LOW	1060	878	884	1826	1691
	MEDIUM HIGH	1242	1120	1171	2021	2087
	HIGH	1347	1219	1462	2193	2268
30 ESP IN. W.C.	LOW	770	638	616	1897	1644
	MEDIUM LOW	1029	840	843	1775	1633
	MEDIUM HIGH	1195	1078	1139	1965	2024
	HIGH	1295	1288	1494	2165	2201
40 ESP IN. W.C.	LOW	735	606	575	1847	1600
	MEDIUM LOW	985	812	760	1719	1577
	MEDIUM HIGH	1153	1051	1096	1889	1961
	HIGH	1257	1202	1378	2056	2131
50 ESP IN. W.C.	LOW	693	545	520	1408	1333
	MEDIUM LOW	892	766	733	1653	1528
	MEDIUM HIGH	1063	987	1040	1823	1861
	HIGH	1153	1140	1317	1979	2029
60 ESP IN. W.C.	LOW	657	490	472	1428	1384
	MEDIUM LOW	806	702	677	1683	1547
	MEDIUM HIGH	1040	989	979	1737	1804
	HIGH	1118	1077	1247	1854	1940
70 ESP IN. W.C.	LOW	621	450	431	1355	1413
	MEDIUM LOW	768	640	608	1503	1571
	MEDIUM HIGH	925	921	909	1650	1708
	HIGH	1050	989	1161	1757	1820

* Denotes Brand

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

SYSTEM ON 2ND FLOOR

FBF GAS FURNACE**Arcoaire**
Air Conditioning & Heating**40" UPFLOW/HORIZONTAL 80%**

26-21-05

Representative photo only, some models may vary in appearance.

**MANUFACTURED FOR NATURAL GAS
CONVERTIBLE TO (LP) PROPANE GAS**

NOTE: These furnaces are not designed for installation in a corrosive atmosphere, containing Chlorine, Fluorine, or any other damaging chemicals.

WARNING

This furnace is not designed for use inside mobile homes, trailers, or recreational vehicles. Such use could result in property damage, bodily injury, and/or death.

OPERATION

- 80% AFUE efficiency range.
- Electronic ignition device.
- Included draft combustion blower.

HEAT EXCHANGER

- Four pass aluminized steel.
- 20 year limited heat exchanger warranty.

VENTING

- Category I venting.
- Approved for use with optional linerless chimney vent kit.

BURNER ASSEMBLY

- In-shot monoport burners.

BLOWER ASSEMBLY

- Multispeed, pre-lubricated PSC motors, dynamically balanced, resilient mounted to reduce vibration and noise.
- Entire blower assembly mounted on rails for easy service.

WIRING CENTER

- 40VA transformer.
- Terminal board allows easy selection of motor speeds.
- Electronic air cleaner and humidifier connections provided.

CABINET

- Prepainted cabinet & doors.
- Fully insulated cabinet.

SAFETY

- Flame sensor constantly monitors flame. Provides 100% gas shut off if flame is not sensed.
- Redundant gas valve.
- High temperature limit control.
- Flue blockage pressure switch.
- Blower door interlock switch prevents furnace operation if door is removed.

INSTALLATION

- May be installed as an upflow furnace or as a horizontal left or right furnace.
- Compact 40" design.
- Convertible to (LP) Propane Gas.
- 0" clearances on sides and back.
- Twinning kit available to operate two furnaces in tandem.
- External side or bottom filter rack (sold separately).



INTERNATIONAL COMFORT PRODUCTS CORPORATION (USA)
660 HELL-GRANGER AVE.
LEWISBURG, TENNESSEE 37091

RESIDENTIAL AND COMMERCIAL SYSTEMS • SPLIT SYSTEMS • PACKAGED AIR CONDITIONERS •
COMBINATION GAS / ELECTRIC UNITS • HEAT PUMPS • AIR HANDLERS • MANUFACTURED HOME AIR
CONDITIONERS • GAS, OIL AND ELECTRIC FURNACES

JS 31 2601 06
5/2001

FURNACE SPECIFICATIONS UPFLOW HORIZONTAL

Model Number	NATURAL GAS	FBF060P12	FBF075P12	FBF075P16	FBF100P14	FBF100P20	FBF100J22	FBF125J20	FBF125J22
INPUT (Btu/h)		50,000	75,000	75,000	100,000	100,000	100,000	125,000	125,000
HTG. CAP. (Btu/h)		40,000	60,000	60,000	75,000	75,000	75,000	90,000	90,000
A-FUE % (ACS)		80.0%	80.0%	80.0%	80.0%	80.0%	80.0%	80.0%	80.0%
COE		73.0%	73.0%	73.0%	73.0%	73.0%	73.0%	73.0%	73.0%
TEMP. RISE (deg. F)		35 - 65	35 - 65	25 - 55	35 - 65	35 - 65	35 - 65	40 - 70	40 - 70
VOLTS, PH/MZ		115/60/1	115/60/1	115/60/1	115/60/1	115/60/1	115/60/1	115/60/1	115/60/1
F.L.A.		9	9	12	12	12	12	12	12
TRANSFORMER (V.A.)		40	40	40	40	40	40	40	40
GAS PIPE SIZE (IN.)		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
CATEGORY T VENT SIZE		8"	4"	4"	4"	4"	4"	5"	6"
COOLING CAP.		3.0 TON	3.0 TON	4.0 TON	3.8 TON	5.0 TON	5.5 TON	5.0 TON	5.5 TON
SHIPPING WEIGHT (LBS.)		127	129	147	149	161	161	200	209
DIMENSIONS (W x H x D)		48	40	40	40	40	40	40	40
WIDTH X DEPTH		15 1/2 x 28 1/2	15 1/2 x 28 1/2	19 1/2 x 28 1/2	19 1/2 x 28 1/2	19 1/2 x 28 1/2	22 1/4 x 28 1/2	22 1/4 x 28 1/2	22 1/4 x 28 1/2

BLOWER PERFORMANCE

Model Number	NATURAL GAS	FBF060P12	FBF075P12	FBF075P16	FBF100P14	FBF100P20	FBF100J22	FBF125J20	FBF125J22
BLOWER TYPE AND SIZE		10 x 8	10 x 8	10 x 10	10 x 10	11 x 10	11 x 10	11 x 10	11 x 10
MOTOR H.P. (TYPE)		1/3	1/3	1/2	1/3	3/4	3/4	3/4	3/4
MOTOR SPEEDS		4	4	3	4	4	4	4	4


AIRFLOW DATA


		CFM							
		LOW	MEDIUM LOW	MEDIUM	MEDIUM HIGH	HIGH	LOW	MEDIUM LOW	MEDIUM
10 ESP IN. W.C.	LOW	875	875	1505	315	1210	1508	1284	1553
	MEDIUM LOW	869	359	-	1043	1441	1864	1520	1864
	MEDIUM	-	-	1722	-	-	-	-	-
	MEDIUM HIGH	1015	1019	-	1324	1773	2131	1841	2131
	HIGH	1334	1394	1887	1645	2104	2383	2141	2383
20 ESP IN. W.C.	LOW	862	862	1460	799	1201	1688	1251	1596
	MEDIUM LOW	846	348	-	1030	1430	1839	1506	1839
	MEDIUM	-	-	1680	-	-	-	-	-
	MEDIUM HIGH	999	999	-	1302	1740	2088	1803	2088
	HIGH	1342	1342	1810	1618	2072	2340	2122	2340
30 ESP IN. W.C.	LOW	851	851	1420	755	1197	1674	1249	1574
	MEDIUM LOW	819	819	-	1021	1453	1810	1488	1814
	MEDIUM	-	-	1608	-	-	-	-	-
	MEDIUM HIGH	977	977	-	1280	1740	2046	1772	2046
	HIGH	1289	1289	1758	1592	2061	2299	2079	2299
40 ESP IN. W.C.	LOW	836	836	1370	785	1191	1550	1218	1550
	MEDIUM LOW	795	795	-	989	1441	1788	1458	1788
	MEDIUM	-	-	1640	-	-	-	-	-
	MEDIUM HIGH	925	925	-	1255	1718	2018	1736	2018
	HIGH	1227	1227	1670	1340	2020	2259	2042	2259
50 ESP IN. W.C.	LOW	808	808	1318	704	1167	1518	1168	1518
	MEDIUM LOW	764	765	-	908	1488	1752	1427	1752
	MEDIUM	-	-	1484	-	-	-	-	-
	MEDIUM HIGH	914	914	-	1218	1707	1978	1709	1978
	HIGH	1165	1165	1599	1502	2005	2190	1991	2199
60 ESP IN. W.C.	LOW	564	564	1280	662	1160	1481	1178	1481
	MEDIUM LOW	735	735	-	941	1390	1699	1416	1699
	MEDIUM	-	-	1400	-	-	-	-	-
	MEDIUM HIGH	870	870	-	1171	1676	1914	1672	1914
	HIGH	1086	1086	1520	1425	1959	2138	1914	2138
70 ESP IN. W.C.	LOW	514	514	1182	646	1120	1441	1143	1441
	MEDIUM LOW	685	685	-	881	1382	1630	1398	1630
	MEDIUM	-	-	1322	-	-	-	-	-
	MEDIUM HIGH	818	818	-	1130	1684	1885	1614	1885
	HIGH	1042	1042	1425	1353	1917	2072	1832	2072

NOTE: Applications of FBF100P20, FBF100J22, FBF125J20 & FBF125J22 above 1650 CFM requires two side returns, bottom return or use accessory stand-off filter kit for single return.

To achieve 2000 CFM with the stand-off filter kit you will still need a bottom return or 2 side filters.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE





ST. DOMINICKS CHURCH
 250 OLD SQUAN RD
 BRICK, N.J.
 BLOCK 1091
 LOT 5
 PERMIT # 01-1605


[Handwritten signature]


M&E ASSOCIATES
 685 PRINCESS COURT
 TOMS RIVER, N.J. 08753

Electrical

BRICK TOWNSHIP

Plan Review	Class	Date	By
Zoning			
Plumbing		8-16-01	DR
Building			
Fire			
Energy			
Electrical			





LAWRENCE F. SLAWSON, AIA


ARCHITECT

122 ROBERTSVILLE ROAD
FREEHOLD, NEW JERSEY 07728

PHONE: (732) 577-0070

FAX: (732) 462-5015

E-MAIL: LFSAIA@OPTONLINE.NET



2500 Old Savan Rd

1091 / 5
01-1605

June 27, 2001

Mr. Dan Newman, Plumbing Subcode Official
Township of Brick
401 Chambersbridge Road
Brick Township, New Jersey 08723

Re: Saint Dominic's RC Church Storage Building
Project No. 99-28

Dear Mr. Newman:

This letter will serve to document that we have authorized the Contractor to eliminate floor drains at the two single occupant bathrooms at the above-referenced project.

Please feel free to contact me if you have any questions or require additional information.

Very Truly Yours,

Lawrence F. Slawson, AIA
Lic. No. 09648

CC: Father James Brady - Saint Dominic's (w/encl)
Glen Speidel - Saint Dominic's (w/encl)
Jim Elliott - M&E Associates (w/encl)

M & E Associates

Commercial and Residential Construction and Development
685 Princess Court, Toms River, New Jersey
732-929-1991 Telephone 732-929-8900 Facsimile

LETTER OF TRANSMITTAL

To: Mr. Frank Mizer

Date: 6/13/01

Brick Twp. Bldg. Dept.
401 Chambers Bridge Rd.
Brick, NJ 08723

PROJECT NAME: St. Dominic's Church

Block 1091, Lot 5
Permit #01-1605

Remarks: As per your request, enclosed is the hard copy
of the ANS Consultants, Inc. compaction report.

____ Prints/Plans Attached
____ Page(s) _____

Copy to _____

Signed _____

Ursula Zephalo



CONSULTANTS, INC.
4405 South Clinton Avenue
South Plainfield, NJ 07080

Tel. (800) 545-ATUL
(908) 754-8383
Fax (908) 754-8633

NJ DBC Approved Testing Laboratory • MBE/DBE Certified • NJ DEPE Certified

Soil, Concrete, Masonry, Rebar, Asphalt, Structural Steel, Precast, Piles, Caissons, Fire-Proofing, Roofing, Soil Boring, Concrete/Rock Coring, UST Removal, Environmental Testing & Reports

FOOTING BOTTOM INSPECTION

CLIENT : M & E Associates, Inc.
838 Brown Court
Toms River, NJ 08753

Attn : Mr. Jim

PROJECT : 250 Old Squans Rd
Bricktown, NJ

DATE : 5/30/01

FILE NO. : ANU-238

REPORT # : 01

ENGINEER : Dipak U.

TIME : 12:30PM -2:0 30PM

RECEIVED

JUN 12 2001

M&E ASSOCIATES

CERTIFICATE OF INSPECTION

As per your request visual footing bottom inspection was performed at the above referenced project site on May 31, 2001.

Location of the Work Area :

- (1) Footing bottoms for the exterior wall footings & Bathroom wall footing.

- ☒ Area inspected satisfactorily meets the applicable project specification requirements of 4000 PSF Bearing capacity. (See dwg. A1 & A2)

REMARKS :

1. Inplace Soil bearing capacity was measured utilizing a calibrated penetrometer.
2. Soil bearing capacity exceding 4400 PSF was recorded.

Copy To : ME/J-3, File-1

CERTIFICATE OF APPROVAL FOR TENNANT FIT UP AND COMMERCIAL

Location 250 Old Square Rd Block 1091 Lot 5

Final Inspections needed if applicable as follows: St Dominics Church

1. Final Building
2. Final Plumbing
3. Final Electric
4. Final Fire
5. Certificate of Compliance BTMUA
6. Final Engineering
7. Ocean County Soil
8. Affordable Housing

Report of Compliance from Ocean County Soils needed when; more than 5000 sq ft are disturbed. NEW COMMERCIAL Building that have been approved by PLANNING BD or BD OF ADJUSTMENT always need soil report.

FINALS

FINALS

FINALS

BUILDING.....APPROVED.....

PLUMBING.....APPROVED.....

FIRE.....APPROVED.....

ELECTRIC.....APPROVED.....

ENGINEERING.....APPROVED.....

O.C.SOIL.....APPROVED.....

COMMERCIAL OCCUPANCY CARD.....

C.C. FROM B.T.M.U.A.....
CALL THE WATER CO. BTMUA 458-7000 EXT. 224 OR 225 ASK WHETHER A
C.C. IS NEEDED.

AFFORDABLE HOUSING.....
ALL COMMERCIAL APPLICATIONS MUST BE REVIEWED BY AFFORDABLE
HOUSING BEFORE A C/A OR C/O IS ISSUED. SECOND HALF OF PAYMENT IS
DUE AT THIS TIME.

SIZING FOR WATER AND SEWER SERVICES

PROPERTY OWNER St Dominic DATE 5-23-01
 PROPERTY ADDRESS 250 Old Span Rd BLOCK 1091 LOT 5
 ZONING _____ USE GROUP _____

CONTRACTOR _____ LICENSE # _____ REGISTRATION _____

WATER MAIN SIZE _____ WATER PRESSURE _____ SEWER MAIN SIZE _____

PLUMBING FIXTURES NUMBER (sfu) WATER UNITS (dfu) DRAINAGE

1: BATHROOM GROUP	_____ ()	_____ ()	_____
2: KITCHEN GROUP	_____ ()	_____ ()	_____
3: WATER CLOSETS	<u>2</u> ()	<u>5</u> ()	_____
4: LAVATORY	<u>2</u> ()	<u>2</u> ()	_____
5: BATH TUB	_____ ()	_____ ()	_____
6: SHOWER STALL	_____ ()	_____ ()	_____
7: KITCHEN SINK	_____ ()	_____ ()	_____
8: SERVICE SINK	_____ ()	_____ ()	_____
9: LAUNDRY TRAY	_____ ()	_____ ()	_____
10: DISHWASHER	_____ ()	_____ ()	_____
11: WASHING MACHINE	_____ ()	_____ ()	_____
12: URINAL	_____ ()	_____ ()	_____
13: FLOOR DRAIN	_____ ()	_____ ()	_____
14: DRINK FOUNTAIN	_____ ()	_____ ()	_____
15: AIR COND WATER COOLED	_____ ()	_____ ()	_____
16: DENTAL UNIT	_____ ()	_____ ()	_____
17: LAWN SPRINKLE	_____ ()	_____ ()	_____
18: FIRE SPRINKLE	_____ ()	_____ ()	_____
19: HOSE BIBS	_____ ()	_____ ()	_____


TOTAL 7

GALLONS PER MINUTE 8

SIZE OF SERVICE 3/4"


5-23-01

APPROVED: [Signature]



LAWRENCE F. SLAWSON, AIA

ARCHITECT
122 ROBERTSVILLE ROAD
FREEHOLD, NEW JERSEY 07728
PHONE: (732) 577-0070
FAX: (732) 462-5015
E-MAIL: LFSAIA@OPTONLINE.NET



June 8, 2001

1091
MS

Mr. Frank Meizner, Building Subcode Official
Township of Brick
401 Chambersbridge Road
Brick Township, New Jersey 08723

Re: Saint Dominic's RC Church Storage Building
Project No. 99-28

Dear Frank:

This letter will serve to document some field changes that we have made to the building. The first change involves omitting the decorative masonry construction at the lower level and substituting standard wood frame construction with a vinyl siding finish in its place. Enclosed with this letter is a signed and sealed revised Cross-Section Sketch (SK-1, dated 6/4/01) outlining the changes to the wall construction.


The other changes involve providing a fire separation between the upper and lower levels of the building. I want to thank you for raising this issue with us now. After we reviewed the cost issues involved, it did seem to make sense to make the separation now to give Father Brady some future flexibility. We will be providing a 2-hour separation between the first and second floors by installing 3 layers of 5/8" fire-rated gypsum board to the underside of the floor joists (see Cross-Section enclosed, UL Design No. L-538).

We will also provide a two-hour wall separation between the first floor rooms and the stairs leading to the second floor (2 layers 5/8" fire-rated gypsum board each side, UL Design No. U301, copy enclosed). To complete the assembly, doors penetrating this wall will have a "B" Label (1 1/2 hour) fire rating.

I am submitting this information to you for your record and file. Other than the information contained in this letter and the new Cross-Section Sketch SK-1, no other revisions to the Construction Documents will be made.


Again Frank, thank you for your courtesy and assistance. Please feel free to contact me if you have any questions or require additional information.

Very Truly Yours,

A handwritten signature in black ink, appearing to read 'Lawrence F. Slawson', with a stylized flourish at the end.

Lawrence F. Slawson, AIA
Lic. No. 09648

CC: Father James Brady - Saint Dominic's (w/encl)
Glen Speidel - Saint Dominic's (w/encl)
Jim Elliott - M&E Associates (w/encl)



CROSS-SECTION

SCALE: 3/4" = 1'-0"

ST. DOMINIC'S STORAGE BLDG.



LAWRENCE F. SLAWSON, AIA
ARCHITECT
122 ROBERTSVILLE ROAD
FREEHOLD, NEW JERSEY 07728
(908) 577-0070 NJ LIC. #09648

Lawrence F. Slawson

SK-1

6.4.01


FIRE RESISTANCE RATINGS (BXUV)—Continued

1. **Wire Studs**—Two truss-type wire studs spot-welded together at truss members. End studs consisting of two longitudinal 3 SWG wires of semicircular cross section and continuous wave-shaped 11 SWG wire forming the truss members. Studs secured to floor and ceiling by means of snap-in type runners.
2. **Paper-Backed Wire Lath**—1/2 in. stucco mesh of No. 17 steel wire gauge, galv woven wire, one side attached to wire mesh with No. 17 steel wire gauge, double layer paper, coated and secured to studs with 1/4 in. diameter by 1 in. long annular ring steel nails with 1/4 in. diameter head and diamond-shaped point, spaced vertically 6 in. O.C. at ribs and located at reinforcing wires. Paper edges overlapped min of 4 in.
3. **Perlite Concrete**—3.2 cu ft of perlite aggregate* (plaster) to 1 cu ft of portland cement. Applied with spray equipment.
4. **Floor and Ceiling Runners**—Snap-in type, 4 in. wide by 1 1/4 in. deep, fabricated from No. 24 gauge painted steel. Runners secured to floor and ceiling with concrete fasteners spaced 18 in. O.C.

*Bearing the UL Classification Marking

Design No. U204

Nonbearing Wall Rating—4 HR.




1. **Studs**—Nominal 2 by 4 in. spaced 16 in. O.C.
2. **Wallboard, gypsum**—Any Classified for fire resistance 5/8 in. thick wallboard applied horizontally or vertically, with beveled, square or tapered edges. Wallboard attached to studs with 1-5/8 in. long type W bangle head drywall screws spaced vertically 24 in. O.C. and approximately 3/4 in. from edge of wallboard.
3. **Wood particleboard**—1/2 in. thick, 4 ft wide, wood particleboard installed vertically and fastened with 60, 2 in. long cement coated nails, 0.0915 in. diameter shank and 1/4 in. diameter heads spaced vertically 6 in. O.C.
4. **Tie rods**—Snap tie rods, 0.225 in. diameter spaced horizontally 16 in. O.C. and vertically 24 in. O.C.
5. **Perlite concrete**—Minimum 5 in. thick of perlite concrete, 4 to 8 cu ft of Perlite Aggregate* to 94 lb of Portland cement.

See Perlite Aggregate (CFFX) category for names of manufacturers.

*Bearing the UL Classification Marking

Design No. U301

Bearing Wall Rating—2 HR.
Finish Rating—66 Min.



1. **Nailheads**—Exposed or covered with joint finisher.
2. **Joints**—Exposed or covered with fiber tape and joint finisher. As an alternate, nominal 3/32 in. thick gypsum veneer plaster may be applied to the entire surface of Classified veneer baseboard. Joints reinforced.
3. **Nails**—8d cement-coated nails 1-7/8 in. long, 0.0915 in. shank diam, 1/4 in. diam heads, and 1/2 in. thick gypsum veneer plaster.
4. **Wallboard, Gypsum**—5/8 in. thick, two layers applied either horizontally or vertically. Inner layer attached to studs with the 1-7/8 in. nails spaced 6 in. O.C. Outer layer attached to studs with the 2-3/8 in. long nails spaced 8 in. O.C. Vertical joints located over studs. All joints in face layers staggered with joints in base layers. Joints of each base layer offset with joints on composite side.

Canadian Gypsum Co., Ltd.—Types C, SCX, SHX, WRX.
Celotex Corp.—Type 1 or FRP.


FIRE RESISTANCE RATINGS (BXUV)—Continued

- Domtar Gypsum—Type C, 4 or 9.
- Gold Bond Building Products—Types FSK, FSK-G, -4, FSW, FSW-G, or -4.
- James Hardie Gypsum—Type Fire X.
- Pabco Gypsum, A Div. of Pacific Coast Bldg. Products, Inc.—Types PG-2, -3, -3W, -3WS, -4 or -6.
- Standard Gypsum Corp.—Type SGC or SGC-G.
- United States Gypsum Co.—Type C, IP-X1, IP-X2, SCX, SHX, WR-C or WRX.

*Bearing the UL Classification Marking

Design No. U302

Bearing Wall Rating—2 HR.
Finish Rating—59 Min.



Top and Bottom of Wall Effectively Firestopped

1. **Wallboard, Gypsum**—5/8 in. thick, two layers applied either horizontally or vertically. Inner layer attached to studs with 8d cement-coated nails 1-7/8 in. long, 0.0915 in. shank diam and 1/4 in. diam heads spaced 8 in. O.C. Outer layer attached to studs over inner layer with 8d cement-coated nails 2-3/8 in. long, 0.113 in. shank diam and 9/32 in. diam heads, spaced 8 in. O.C. Vertical joints located over studs. Vertical and horizontal joints between inner and outer layers staggered. Outer layer joints covered with fiber tape and compound, nailheads covered with joint compound. As an alternate, nom 3/32 in. thick gypsum veneer plaster may be applied to the entire surface of Classified veneer baseboard. Joints reinforced. Wallboard other than 48 in. wide must be applied horizontally.

Canadian Gypsum Co., Ltd.—Types C, SCX, SHX, WRX.
Celotex Corp.—Type 1, B, C, FRP or SF3.

Domtar Gypsum—Type C, 4, 5 or 9.

Georgia-Pacific Corp., Gypsum Div.—Types GPFS1, GPFS3, GPFS4.

Gold Bond Building Products—Type FSW, FSWG or FSK-G.

James Hardie Gypsum—Types Fire X, III, IV.

Pabco Gypsum—Types PG-3, PG-4.

Republic Gypsum Co.—Type RG-1, RG-3, or RG-4.

Temple-Eastex Inc.—Type T, VPB-Type T.

Standard Gypsum Corp.—Type SGC or SGC-G.

United States Gypsum Co.—Type C, IP-X1, IP-X2, SCX, SHX, WR-C or WRX.

Weverhueser Co., Gypsum Div.—Type DOW1, DOW2, or DOW3.

Weight of sheets 1800 lb per 1000 sq ft, min thickness 0.480 in. Attached to studs horizontally with 1-3/4 in. long, 1 1/4 in. diam flathead galv roofing nails spaced 6 in. O.C. Vertical joints located over studs and staggered between adjacent rows.


3. **Corrugated Wall Tiles**—3/4 in. wide by 6-5/8 in. long, 20 MSG galv steel. Attached to each stud with 2-3/8 in. long 8d cement-coated nails, every sixth course of bricks.

4. **Clay Face Bricks**—2-1/4 by 3-3/4 by 8 in. with cor'd holes, laid in full bed of mortar 3/8 to 1/2 in. thick consisting of three parts of clean sharp sand to one part of portland cement (proportioned by vol) and 15 percent hydrated lime (by cement vol).

*Bearing the UL Classification Marking

Design No. U304

Bearing Wall Rating—1 HR.
Finish Rating—29 Min.



Top and Bottom of Wall Effectively Firestopped

1. **Wood Studs**—Nom 2 by 4 in., spaced 12 in. O.C.
2. **Bearing Plate**—Nom 2 by 4 in.
3. **Wallboard, Gypsum**—1/2 in. thick regular wallboard 4 in. wide to cover studs, 3/4 in. wide to cover double bearing plate, and 1 1/4 in. wide to cover single bearing plate. Attached to studs and sides of bearing plates with 6d cement coated (cooler) nails spaced 6 in. from each end and 12 in. O.C. Strips attached to studs on alternate faces to produce staggered stud pattern.

TOWNSHIP OF BRICK

OCEAN COUNTY, NEW JERSEY
401 CHAMBERS BRIDGE ROAD, BRICK, N.J. 08723



Joseph C. Scarpelli, Mayor

Township Council:

Helen Fayad – President
Martin J. Anton
Victor Cantillo
Gregory S. Kavanagh
Mary Lou Powner
Kathy M. Russell
Frederick J. Underwood, Sr.

Office of Affordable Housing
Carol A. Wolfe
Affordable Housing Administrator
(732) 262-1048

CASE # _____

APPROVAL DATE: _____

(Planning Board/BOA)

DATE: _____

4/23/01

TO: Frederick R. Millman, CTA
Tax Assessor

FROM: Carol A. Wolfe
Affordable Housing Administrator

RE: BLOCK 1091 LOT 5 SITE ADDRESS 250 Old Square Rd.

TYPE OF SITE _____

(Residential Commercial)

TYPE OF BUSINESS _____

Church-storage

APPLICANT M. E. Associates, Inc.

CITY & STATE Long Branch, NJ 08753

☒ Please review the attached application for an **estimated** assessed value for the proposed construction.

The **estimated** assessed value for the construction at the above referenced site is:

\$ 92,000

Frederick R. Millman
Frederick R. Millman, CTA, Tax Assessor

4/27/01

Date

☐ Please review the attached application for a final assessed value for the construction at the above referenced site:

\$ 92,000

Frederick R. Millman
Frederick R. Millman, CTA, Tax Assessor

11/8/01

Date

OFFICE OF AFFORDABLE HOUSING
CERTIFICATE OF COMPLIANCE

BLOCK 14911 LOT 5 SITE ADDRESS 256 E. LA SALLE ST.
TYPE OF SITE Residential (Commercial) TYPE OF BUSINESS WHOLESALE STORAGE
APPLICANT Mr. [unclear] - [unclear] PHONE NUMBER 929-1991
APPLICANT ADDRESS 685 [unclear] ST. CITY & STATE INDIANAPOLIS IN 46205-9
PERMIT # 118 91 NAME OF BUSINESS 11 [unclear] COMPANY

INCLUSIONARY DEVELOPMENT

◇ Affordable Fee Required _____ Date _____
Down Payment _____ Date _____
Balance _____ Date _____
Paid In Full _____ Date _____
◇ Market Rate No Fee Required

MANDATORY DEVELOPER FEES

◇ Residential is .005 %
◇ Commercial is .01 %

Estimated Assessment \$ 92,000.00 Date 4/30/01
Estimated Required Fee \$ 920.10
Required Deposit on Estimate \$ 460.00 Date 5/7/01
Check # 8108 Receipt # 4657
Actual Assessment \$ 92,000.00 Date 11/5/01
Actual Required Fee \$ 920.10
Minus Deposit of Estimate \$ 460.00
Balance Due \$ 460.10 Date 11/13/01
Check # 2006 Receipt # 1355
Amount Paid In Full \$ 920.10


Fees Imposed To Date _____
Fees Reached \$15,000 _____ Date _____

I hereby certify that the above applicant has complied with all rules and regulations of the Office of Affordable Housing and has paid all required fees and charges.

Carol A. Wolfe
Affordable Housing Administrator

TOWNSHIP OF BRICK

OCEAN COUNTY, NEW JERSEY
401 CHAMBERS BRIDGE ROAD, BRICK, N.J. 08723



Joseph C. Scarpelli, Mayor

Township Council:

Helen Fayad – President
Martin J. Anton
Victor Cantillo
Gregory S. Kavanagh
Mary Lou Powner
Kathy M. Russell
Frederick J. Underwood, Sr.

Office of Affordable Housing
Carol A. Wolfe
Affordable Housing Administrator
(732) 262-1048

CASE # _____

APPROVAL DATE: _____
(Planning Board/BOA)

DATE: 4/23/01

TO: Frederick R. Millman, CTA
Tax Assessor

FROM: Carol A. Wolfe
Affordable Housing Administrator

RE: BLOCK 1691 LOT 5 SITE ADDRESS 251 Glenwood Rd.

TYPE OF SITE _____ TYPE OF BUSINESS CAUTION - TRUCK
(Residential/Commercial)

APPLICANT M. F. Cantillo CITY & STATE Jersey City, NJ 07310

☒ Please review the attached application for an **estimated** assessed value for the proposed construction.

The **estimated** assessed value for the construction at the above referenced site is:

\$ 92,000

Frederick R. Millman, CTA, Tax Assessor

4/23/01
Date

☐ Please review the attached application for a final assessed value for the construction at the above referenced site:

\$ _____

Frederick R. Millman, CTA, Tax Assessor

Date

OFFICE OF AFFORDABLE HOUSING
CERTIFICATE OF COMPLIANCE

BLOCK 1811 LOT 5 SITE ADDRESS 1811 10th Ave S
TYPE OF SITE Residential / Commercial TYPE OF BUSINESS Child Care
APPLICANT 1811 Child Care PHONE NUMBER 949-4991
APPLICANT ADDRESS 1811 10th Ave S CITY & STATE San Diego, CA 92108
PERMIT # 1811 NAME OF BUSINESS 1811 Child Care

INCLUSIONARY DEVELOPMENT

☐ Affordable Fee Required _____ Date _____
Down Payment _____ Date _____
Balance _____ Date _____
Paid In Full _____ Date _____
☐ Market Rate No Fee Required

MANDATORY DEVELOPER FEES

☐ Residential is .005 %
☒ Commercial is .01 %

Estimated Assessment \$ 75,000.00 Date 4/30/01
Estimated Required Fee \$ 750.00
Required Deposit on Estimate \$ 4100.00 Date 5/1/01
Check # 7107 Receipt # 4607
Actual Assessment \$ _____ Date _____
Actual Required Fee \$ _____
Minus Deposit of Estimate \$ _____
Balance Due \$ _____ Date _____
Check # _____ Receipt # _____
Amount Paid In Full \$ _____

Fees Imposed To Date _____
Fees Reached \$15,000 _____ Date _____

I hereby certify that the above applicant has complied with all rules and regulations of the Office of Affordable Housing and has paid all required fees and charges.

Carol A. Wolfe
Affordable Housing Administrator

BRICK TOWNSHIP PLANNING BOARD

MINOR SITE PLAN APPROVAL

RESOLUTION R-69-00

PAGE 1

CASE NO. PB-2342 (1305) MSP-V-8/00

September 27, 2000

WHEREAS, ST. DOMINIC'S ROMAN CATHOLIC CHURCH, having a mailing address of 250 Old Squan Road, Brick, NJ 08723, has applied to the Brick Township Planning Board for minor site plan approval pursuant to N.J.S.A. 40:55D-46, 46.01, 51, 60 and 70; and

WHEREAS, proof of service as required by law upon appropriate property owners and governmental bodies has been furnished and determined to be in proper order; and

WHEREAS, a public hearing was held on September 13, 2000 in the Municipal Building, at which time testimony and exhibits were presented on behalf of the applicant, and all interested parties having been heard; and

WHEREAS, the Board makes the following factual findings and findings of law:

1. This property is known and designated as Block 1091, Lot 5, on the Municipal Tax Map.

2. The property is located in the B-3 Business Zone.

3. The applicant proposes to construct a multi-purpose athletic field located at the most easterly portion of Lot 5 as shown on plans entitled "Minor Site Plan of Multi-Purpose of Athletic Field, Church of St. Dominic (Part of) Lot 5, Block 1091, Township of Brick, Ocean County, New Jersey" consisting of four (4) sheets prepared by Lindstrom and Diessner Associates, dated 9/3/99. The area is presently 400 feet by 400 feet and consists of a proposed baseball field, softball field, soccer field and a 30 x 60-foot two-story frame storage building. It will also have a six-foot chain link fence around

File-2
J. Doms
L/O
Dwyer
Lindstrom
Diessner
Eng-2
Zoning
BFS
COAH
Tax Assessor

R-69-00
Maps Signed 4-19-01

RESOLUTION R-69-00

PAGE 2

CASE NO. PB-2342 (1305) MSP-V-8/00

September 27, 2000

the entire perimeter of the proposed multi-purpose athletic field. The existing fields are presently in a deteriorated condition and are in need of an upgrade to support the elementary school population at St. Dominic's. This proposed upgrading will allow for safe competitive play areas that do not presently exist. During the course of the hearing the need for an additional buffer beyond the thirty feet proposed was noted. As a result the applicant has agreed to increase the buffer to 40 feet. In addition the corner of the soccer field closest to the road will be moved ten feet therefrom.

4. Lynch, Giuliano and Associates prepared a report to the Board dated September 8, 2000. The Board hereby adopts the findings in that report and incorporates that document in this resolution by reference.

5. Michael P. Fowler, Municipal Planner, prepared a report to the Board dated September 12, 2000. The Board hereby adopts the findings in that report and incorporates that document in this resolution by reference.

6. The Bureau of Fire Safety prepared a report to the Board dated September 7, 2000. The Board hereby adopts the findings in that report and incorporates that document in this resolution by reference.

7. The Traffic Safety Officer prepared a report to the Board dated September 5, 2000. The Board hereby adopts the findings in that report and incorporates that document in this resolution by reference.

8. The Shade Tree Commission prepared a report to the Board dated September 13, 2000. The Board hereby adopts the findings in that report and incorporates that document in this resolution by reference.

RESOLUTION R-69-00

PAGE 3

CASE NO. PB-2342 (1305) MSP-V-8/00

September 27, 2000

9. The applicant is required by reason of this property being located in a commercial zone to have a 100-foot buffer between the athletic fields and the Kentwood Apartment Complex to the north and west and the residences on the opposite side of Old Squan Road to the east. Typically recreation fields need not provide a buffer. The only reason it is required here is because the church pre-exists the present commercial zone in which it is located. The overall site has been developed for some period of time including a church, school, parking lot and ancillary site facilities. As a result the proposed location for the athletic field is the only suitable site. The applicant with the changes proposed has tried to provide as significant a buffer as possible. The Board finds that given these facts, this site is uniquely situated. Moreover the imposition of the commercial standard would render an undue hardship to the applicant. The 100-foot buffer would be typical were there commercial operations such as truck deliveries, loading and unloading. This is not the case here. Under these circumstances, it is determined that the granting of the variance would not do substantial detriment to the zone plan, zoning ordinance or public good and therefore it may be granted.

10. With the exception of the variance which is granted hereinabove, the applicant has complied with the requirements of the site plan ordinance. The plan is consistent with the intent and purpose of the Master Plan and the Municipal Development Ordinance. Accordingly the Board finds that the benefits of the proposed development outweigh any detriments, and the relief requested can be granted without substantial detriment to the public good and will not substantially impair the intent and purpose of the Township Zoning Ordinance or Master Plan.

RESOLUTION R-69-00

PAGE 4

CASE NO. PB-2342 (1305) MSP-V-8/00

September 27, 2000

NOW, THEREFORE, BE IT RESOLVED by the Township Planning Board on this 27th day of September, 2000, that this application be approved subject to the following conditions:

1. The applicant shall comply with all standard Planning Board conditions for site plan approval as set forth on Attachment "A".
2. The applicant shall comply with all representations and agreements made by the applicant or its attorney during the presentation of this case.
3. The applicant shall comply with the following paragraphs contained in the report of Lynch, Giuliano and Associates dated September 8, 2000: 3, 4, 6, 7 and 8. With respect to paragraph 5, the applicant shall provide a copy of the existing survey which will meet this requirement.
4. The applicant shall comply with the comments contained in the report from Michael P. Fowler, AICP/PP dated September 12, 2000.
5. The applicant shall comply with the comments contained in the report from the Bureau of Fire Safety dated September 7, 2000.
6. The applicant shall comply with the comments contained in the report from the Traffic Safety Commissioner dated September 5, 2000.
7. The applicant shall comply with the comments contained in the report from the Shade Tree Commission dated September 13, 2000.
8. The approval granted herein is given upon the following conditions which will exist for as long as the use exists:
 - (a) There shall be no lighting or illumination of the field.
 - (b) There will be no evening play on the fields.

RESOLUTION : R-69-00

PAGE,5

CASE NO. PB-2342 (1305) MSP-V-8/00

September 27, 2000

(c) There shall be no rental of the fields. Only those competitions authorized by the Pastor of St. Dominic's or his duly appointed representative including such activities in which St. Dominic's School or parishioners are involved may be allowed on the fields.

(d) Any bleachers shall be limited to three seats high and shall be made of a moveable aluminum nature as represented to the Board.

RESOLUTION R-69-00

PAGE 6

CASE NO. PB-2342 (1305) MSP-V-8/00

September 27, 2000

MOVED BY: Mr. Reilly

SECONDED

BY: Mrs. Fox-Nelson

VOTING IN THE

AFFIRMATIVE: Mrs. Fox-Nelson Mrs. LaDuke Mr. Nerlick

Mr. Dockery Mr. Reilly

VOTING IN THE

NEGATIVE:

DISQUALIFIED FROM VOTING: Mr. Kelly Mr. Higgins

INELIGIBLE TO

VOTE:


ABSTAINING:

ABSENT: Councilman Cucci Mr. Vespi Mr. Fredo Mr. Scherer

CERTIFICATION

I, E. JOAN KULL, Clerk of the Planning Board of the Township of Brick, County of Ocean, State of New Jersey, do hereby certify that the foregoing resolution was duly **ADOPTED** by the said Planning Board of the Township of Brick at a regular meeting held on the 27th day of September, 2000.

IN WITNESS WHEREOF, I have set my hand this 2nd day of October, 2000.


E. JOAN KULL
Clerk of the Planning Board

ATTACHMENT "A"

BRICK TOWNSHIP PLANNING BOARD

STANDARD CONDITIONS FOR SITE PLAN APPROVAL

RESOLUTION R-69-00

PAGE 7

CASE NO. PB-2342-MSP-V-8/00

September 27, 2000

1. Applicant shall obtain certification by the Local Soil Conservation District of a plan for soil erosion and sediment control in accordance with N.J.S.A. 4:24-39 et seq., commonly known as the "Soil Erosion and Sediment Control Act."
2. All materials, methods of construction and details shall be in conformance with the current "Engineering Specifications and Construction Details" of the Township of Brick, which are on file in the office of the Township Engineer.
3. Applicant shall obtain all approvals required by any Federal, State, County or Municipal agency having regulatory jurisdiction of this development. Upon receipt of such approval(s), the applicant shall supply a copy of the permit(s) to the Board. In the event that any other agency requires a change in the plans approved by this Board, the applicant must reapply to the Brick Township Planning Board for approval of that change.
4. Applicant shall resubmit this entire proposal for re-approval should there be any deviation from the terms and conditions of this Resolution or the documents submitted as part of this application, all of which are made a part hereof and shall be binding on the applicant.
5. Applicant shall provide a statement from the Brick Township Tax Collector that all taxes are paid in full as of the date of this Resolution and as of the date of the fulfillment of any condition(s) of this Resolution.
6. Prior to the issuance of a construction permit, the applicant shall furnish the Township Clerk with a cash bond and performance guarantee in an amount to be determined by the Township Engineer.
7. Applicant shall post an inspection fund with the Township Clerk in an amount to be determined by the Township Engineer.

RESOLUTION R-69-00

PAGE 8

CASE NO. PB-2342-MSP-V-8/00

September 27, 2000

8. No soil shall be removed from the site without the written approval of the Township Council.

9. The applicant shall comply with all provisions and pay all fees established under Article VB (Mandatory Development Fees) of Chapter 190 of the Code of the Township of Brick.

10. For all residential uses the subdivider or site plan applicant shall provide for a trash receptacle.

11. In order to insure uniformity of trash receptacles and compatibility with the automatic trash collection system, all trash can receptacles required herein shall be obtained from the Township of Brick.

Township of Brick

Counter Form
(PLEASE PRINT)

Site Location: 250 Old Squan Rd.
 Block: 1091 Lot: 5
 Owner's Name: St. Dominic's Church
 Owner's Mailing Address: 250 Old Squan Rd.
BRICKTOWN NJ 08723
 Phone: (732) 840 1410

BUILDING

Contractor: M+E Associates Inc.
 Address: 685 PRINCESS CT
TOMS RIVER NJ 08753
 Phone#: 732-929-1991
 Lis # _____
 Federal Emp # or SSN _____

Technical Data

Description of Work:

New Storage Building

Type of Work

☒ New Building _____ Siding _____
 _____ Addition _____ Fence _____
 _____ Alteration _____ Pool _____
 _____ Roofing _____ Demolition _____
 _____ Asbestos Abatement _____ Sign _____ sq ft

Building Characteristics

Use Group Present: _____ Proposed: S-2 Storage
 No of Stories: 2
 Height of Structure: 28'
 Area of the largest floor: 1882 SF
 Area of New Building: 3682
 Volume of Structure: (2) 29,500 cu. ft.
 Total Land Disturbed: _____
 Cost of Alteration: _____

Cost of New Building: 105,000

Total Cost of Building Work: 109,000

Signature: [Signature]

Please Print Name Douglas Mutschler
for M+E Assoc.

ELECTRICAL (SEE SEPARATE APPLIC.)

Contractor: _____
 Address: _____
 Phone#: _____
 Lis #: _____
 Federal Emp # or SSN _____

Technical Data

Item	Quantity
Lighting Fixtures	_____
Receptacles	_____
Switches	_____
Detectors	_____
Light Poles	_____
Motors w/ Fract. HP	_____
Emergency & Exit Lights	_____
Communication Points	_____
Alarm Devices/FAC Panel	_____
Total	_____

Pool _____
 Spa/Hot Tub/Storable Pool _____
 Electric Range _____ KW
 Oven/Surface Unit _____ KW
 Electric Water Heater _____ KW
 Electric Dryer _____ KW
 Dishwasher _____ KW
 Garbage Disposal _____ HP
 A/C Unit - Central Air _____ KW
 Space Heater/Air Handler _____ KW
 Baseboard Heating _____ KW
 Motors 1+ HP _____
 Transformer/Generator _____ KW
 Light Stander _____ AMP
 Service _____ AMP
 Subpanel _____ AMP
 Motor Control Center _____ AMP
 Sign/Outline Light _____ KW
 Furnace _____
 Steam Boiler _____
 Other: _____

Estimated Cost of Electrical Work: _____

Signature: _____

Please Print Name _____

CONTRACTOR'S SEAL

Counter Form
PLEASE PRINT

PLUMBING

Contractor: William J. Brannagan Plg
Address: P.O. Box 6256
Fair Haven N.J. 07704
Phone #: 732-747-3040
Lis #: 9351
Federal Emp # or SSN 22-3424196

Technical Data


Fixtures	Quantity
Water Closets	<u>2</u>
Urinals/Bidets	
Bath Tub	
Lavatory	<u>2</u>
Shower	
Floor Drain	<u>2</u>
Sink	
Dishwasher	
Drinking Fountain	
Washing Machine	
Hose Bib	
Gas Piping	
Fuel Oil Piping	
Water Heater	
Steam Boiler	
Hot Water Boiler	
Sewer Pump	
Interceptor/Separator	
Backflow Preventer	
Greasetrap	
Water Cooled A/C or Refrig. Unit	
Septic Tank Closure	
Sewer Service Connection	
Water Service Connection	
Active Solar System	
Auxiliary Meter	
Sprinkler Heads	
Sump Pump	
Other:	

Estimated Cost of Plumbing Work 4000.00

Signature: William J. Brannagan

Please Print Name: William J. Brannagan

CONTRACTOR'S SEAL



FIRE

Contractor: M+E Associates
Address: 685 Princess Ct
Toms River N.J. 08753
Phone #: _____
Lis #: _____
Federal Emp # or SSN 22-2671051

Technical Data

Description of Work: N/A
Heating Type: Gas Oil Electric Solar
Heating System is New Existing
Location of Furnace/Boiler: _____

Water Supply Source _____
Method of Valve Supervision _____
Local Alarm Supervision _____
Central Supervision: _____
Proprietary Supervision: _____

Flammable Storage Tanks	capacity	fuel
Combustible Storage Tanks	capacity	fuel
LPG Storage Tanks	capacity	fuel

Item	Quantity
Wet Sprinkler Heads	
Dry Sprinkler Heads	
Total	

Smoke Detectors _____
Heat Detectors _____
Total _____

Stand Pipes _____
Kitchen Hood Exhaust System _____

Pre-Engineered Systems:
CO2 Suppression _____
Halon Suppression _____
Foam Suppression _____
Dry Chemical _____
Wet Chemical _____

Gas/ Oil Fired Appliances:
Number of gas/oil fired appliances _____

Furnace _____
Gas/Wood Fireplace _____
Gas Logs _____
Wood Burning Stove _____
Other: _____

Estimated Cost of Fire Work _____

Signature: _____

Print Name: _____

COUNTER FORM
PLEASE PRINT

TOWNSHIP OF BRICK

101 Chambers Bridge Road
Brick, New Jersey 08723
Tel: 732-262-1027

Site Location: <u>ST DOMINIC CHURCH</u>	Date Rec'd: _____
Block: <u>1091</u> Lot: <u>5</u>	Date Issued: _____
Owner in Fee: <u>ST DOMINIC CHURCH</u>	Control #: _____
Address: <u>250 Old Square Rd</u> <u>BRICK</u>	Permit #: _____
State: <u>NJ</u> Zip: <u>08704</u> Phone: <u>(732) 840-1410</u>	
SS #: _____	Provide only if Applicant is owner

PLUMBING SUBCODE		BUILDING SUBCODE	
CONTRACTOR:		CONTRACTOR:	
ADDRESS:		ADDRESS:	
PHONE:		PHONE:	
LIC #:		LIC #:	
LIC EXPIRATION DATE:		LIC EXPIRATION DATE:	
FEDERAL EMP. # (or S.S. #):		FEDERAL EMP. # (or S.S. #):	
TECHNICAL SITE DATA (LIST ALL FIXTURES)		TECHNICAL SITE DATA	
NO.	FIXTURE/EQUIPMENT	DESCRIPTION OF WORK:	
_____	Water Closet	TYPE OF WORK ☐ New Building ☐ Addition ☐ Alteration ☐ Roofing ☐ Siding ☐ Other: ☐ Other: ☐ Fence: Height (6' or More) ☐ Sign: Sq. Ft. ☐ Pool (In Ground) ☐ Pool (Above Ground) ☐ Asbestos Abatement ☐ Demolition BUILDING CHARACTERISTICS USE GROUP Present: Proposed: CONSTR. CLASS Present: Proposed: No. of Stories: _____ Height of Structure: _____ Area - Largest Floor: _____ New Building Area / All Floors: _____ Volume of Structure: _____ Total Land Disturbed: _____	
_____	Urinal / Bidet		
_____	Bath Tub		
_____	Lavatory		
_____	Shower		
_____	Floor Drain		
_____	Sink		
_____	Dishwasher		
_____	Drinking Fountain		
_____	Washing Machine		
_____	Hose Bibb		
_____	Gas Piping		
_____	Fuel Oil Piping		
_____	Water Heater		
_____	Steam Boiler		
_____	Hot Water Boiler		
_____	Sewer Pump		
_____	Interceptor / Separator		
_____	Backflow Preventer		
_____	Greasetrap		
_____	Water Cooled AC or Refrig. Unit		
_____	Sewer Connection		
_____	Septic (Disposal System) Closure		
_____	Water Service Connection		
_____	Gas Service Connection		
_____	Active Solar System		
_____	Vent Through Roof		
_____	Other		
Estimated Cost of Plumbing Work: \$ _____		Signature: _____	
Signature: _____		Signature: _____	
Owner ☐ Contractor ☐			
SUBCODE APPROVAL:		Estimated Cost of Building Work: _____	
PLANS: Required ☐ Approved ☐		New Building (1): \$ _____	
Approved by: _____		Alteration (2): \$ _____	
Date: _____		TOTAL (1+2): \$ _____	
CONTRACTOR AFFIX SEAL:		SUBCODE APPROVAL:	
		PLANS: Required ☐ Approved ☐	
		Approved by: _____	
		Date: _____	

ELECTRICAL SUBCODE
CONTRACTOR: CROWBECK ELECTRIC
ADDRESS: 65 FRANK NERI DR
BRICK NJ 08724
PHONE: 732-840-4830
LIC. #: 7423 EXP. DATE: 3-31-03
FEDERAL EMPL. # (or S.S. #): 087-34-7790

TECHNICAL DATA (LIST ALL FIXTURES)

DESCRIPTION	QTY	SIZE
ITEMS		WATT
Lighting Fixtures	<u>32</u>	<u>120/200</u>
Receptacles	<u>25</u>	
Switches	<u>20</u>	
Detectors	<u>5</u>	
Light Poles		
Motors - Fract. HP	<u>2</u>	
Emergency & Exit Lights	<u>7</u>	
Communications Points		
Alarm Devices/F.A.C. Panel	<u>1-5TH FLOOR</u>	

TOTAL NUMBERS

Pool Permit w/UW Lights
Storable Pool/Spa/Hot Tub
KW Elec. Range / Receptacle KW
KW Oven / Surface Unit KW
KW Elec. Water Heater KW
KW Elec. Dryer / Receptacle KW
KW Dishwasher KW
HP Garbage Disposal HP
KW Central A/C Unit KW
HP/KW Space Heater/Air Handler HP/KW
KW Baseboard Heat 2 1 KW
HP Motors 1/+ HP HP
KW Transformer/Generator KW
AMP Service 200 10 AMP
AMP Subpanels AMP
AMP Motor Control Center AMP
AMP Elec. Sign/Outline Light KW
Other 100 Amp Temp Service
Other (FEED TO WELL PUMP) BY OTHERS
Other FOR IRRIGATION
Other

Estimated Cost of Electrical Work: \$ 22,000
Signature (print name): JOHN C. HALLENBECK
Estimated Cost of Electrical Work: \$
Signature (print name):

Owner ☐ Contractor ☒
SUBCODE APPROVAL:
PLANS: Required ☐ Approved ☐
Approved by:
Date:

CONTRACTOR AFFIX SEAL:

FIRE SUBCODE
CONTRACTOR: CROWBECK ELECTRIC
ADDRESS: 65 FRANK NERI DR
BRICK NJ 08724
PHONE: 732-840-4830
LIC. #: 7423 EXP. DATE: 3-31-03
FEDERAL EMPL. # (or S.S. #): 087-34-7790

TECHNICAL DATA (DESCRIPTION OF WORK)

Heating Type: ☐ Gas ☐ Oil ☒ Electric ☐ Solar
Heating Sys: ☐ New ☐ Existing
Location of Furnace / Boiler

IN BATHROOMS ONLY

Water Supply Source
Method of Valve Supervision
Local Alarm Supervision
Central Supervision
Proprietary Supervision

Flammable Liquid Storage Tanks Capacity: Fu
Combustible Liquid Storage Tanks Capacity: Fu
L.G.P. Storage Tanks Capacity: Fu

DESCRIPTION	NUMBER
Wet Sprinkler Heads	
Dry Sprinkler Heads	
Total	
Smoke Detectors	<u>5</u>
Heat Detectors	
Total	<u>5</u>

Stand Pipes
Kitchen Hood Exhaust Systems

Pre-Engineered Systems
Co2 Suppression
Halon Suppression
Foam Suppression
Dry Chemical
Wet Chemical

Gas or Oil Fired Appliance
Other

Other
Estimated Cost of Fire Protection Work: \$ 500
Signature John C. Hallenbeck
Owner ☐ Contractor ☒

SUBCODE APPROVAL:
PLANS: Required ☐ Approved ☐
Approved by:
Date:

Township of Brick
Counter Form
(PLEASE PRINT)

Update
01-1605

Site Location: ST. DOMINICS R.C. CHURCH - 250 OLD SQUAN RD
Block: 1091 Lot: 5
Owner's Name: ST. DOMINICS R.C. CHURCH
Owner's Mailing Address: 250 OLD SQUAN RD
BRKX N.J.
Phone: (732) 840-1410

BUILDING

Contractor: _____
Address: _____
Phone#: _____
Lis # _____
Federal Emp # or SSN _____

Technical Data

Description of Work: _____

Type of Work

☐ New Building ☐ Siding
☐ Addition ☐ Fence
☐ Alteration ☐ Pool
☐ Roofing ☐ Demolition
☐ Asbestos Abatement ☐ Sign _____ sq ft

Building Characteristics

Use Group Present: _____ Proposed: _____
No of Stories: _____
Height of Structure: _____
Area of the largest floor: _____
Area of New Building: _____
Volume of Structure: _____
Total Land Disturbed: _____
Cost of Alteration: _____
Cost of New Building: _____
Total Cost of Building Work: _____

Signature: _____
Please Print Name _____

ELECTRICAL

Contractor: _____
Address: _____
Phone#: _____
Lis #: _____
Federal Emp # or SSN _____

Technical Data

Item	Quantity
Lighting Fixtures	_____
Receptacles	_____
Switches	_____
Detectors	_____
Light Poles	_____
Motors w/ Fract. HP	_____
Emergency & Exit Lights	_____
Communication Points	_____
Alarm Devices/FAC Panel	_____
Total	_____

Pool _____
Spa/Hot Tub/Storable Pool _____
Electric Range _____ KW
Oven/Surface Unit _____ KW
Electric Water Heater _____ KW
Electric Dryer _____ KW
Dishwasher _____ KW
Garbage Disposal _____ HP
A/C Unit - Central Air _____ KW
Space Heater/Air Handler _____ KW
Baseboard Heating _____ KW
Motors 1+ HP _____
Transformer/Generator _____ KW
Light Stander _____ AMP
Service _____ AMP
Subpanel _____ AMP
Motor Control Center _____ AMP
Sign/Outline Light _____ KW
Furnace _____
Steam Boiler _____
Other: _____

Estimated Cost of Electrical Work: _____

Signature: _____
Please Print Name _____

CONTRACTOR'S SEAL

Counter Form
PLEASE PRINT

PLUMBING

Contractor: W. J. Bannagan Plg
Address: 71 Heights Terrace
Fair Haven N.J. 07709
Phone #: 732-747-3040
Lis #: 9351
Federal Emp # or SSN 22-342496

Technical Data

Fixtures	Quantity
Water Closets	
Urinals/Bidets	
Bath Tub	
Lavatory	
Shower	
Floor Drain	
Sink	
Dishwasher	
Drinking Fountain	
Washing Machine	
Hose Bib	
Gas Piping - <u>2 Furnaces</u>	
Fuel Oil Piping	
Water Heater	
Steam Boiler	
Hot Water Boiler	
Sewer Pump	
Interceptor/Separator	
Backflow Preventer	
Greasetrap	
Water Cooled A/C or Refrig. Unit	
Septic Tank Closure	
Sewer Service Connection	
Water Service Connection	
Active Solar System	
Auxiliary Meter	
Sprinkler Heads	
Sump Pump	
Other:	


Estimated Cost of Plumbing Work

\$1,000.00

Signature: William J. Bannagan

Please Print Name: William J. Bannagan

CONTRACTOR'S SEAL



FIRE

Contractor: M & E ASSOCIATES
Address: 666 PRINCESS COURT
TOMS RIVER N.J. 08753
Phone #: _____
Lis #: _____
Federal Emp # or SSN _____

Technical Data

Description of Work:

Heating Type: ☒ Gas ☒ Oil ☐ Electric ☐ Solar
Heating System is ☒ New ☐ Existing
Location of Furnace/Boiler: ONE (1) IN ATTIC
ONE (1) GROUND FLOOR

Water Supply Source _____
Method of Valve Supervision _____
Local Alarm Supervision _____
Central Supervision: _____
Proprietary Supervision: _____

Flammable Storage Tanks	_____ capacity _____	fuel
Combustible Storage Tanks	_____ capacity _____	fuel
LPG Storage Tanks	_____ capacity _____	fuel

Item	Quantity
Wet Sprinkler Heads	_____
Dry Sprinkler Heads	_____
Total	_____

Smoke Detectors _____
Heat Detectors _____
Total _____

Stand Pipes _____
Kitchen Hood Exhaust System _____

Pre-Engineered Systems:

CO2 Suppression _____
Haloh Suppression _____
Foam Suppression _____
Dry Chemical _____
Wet Chemical _____

Gas/ Oil Fired Appliances:
Number of gas/oil fired appliances Two (2)

Furnace (2)
Gas/Wood Fireplace _____
Gas Logs _____
Wood Burning Stove _____
Other: _____

Estimated Cost of Fire Work

6,000.-

Signature: James G. Elliott

Print Name: JAMES G. ELLIOTT