

DECIDUOUS

EVERGREEN



GENERAL NOTES:
1. Concrete used to have minimum 28 day compressive strength of 3500 psi.
2. Wall to be pinned to surface with 3-3/4" Dia. Steel Rods, 24" minimum length.
3. All bevels to be 1/2".
4. All angles to be 45°.



SHRUB PLANTING DETAIL

NOT TO SCALE



PRECAST BUMPER CURB



HANDICAPPED PARKING SIGN DETAIL

NTS

NOTES:
1. ALL POSTS SHALL BE OF ADEQUATE LENGTH TO MEET THE REQUIREMENTS FOR ERECTION, AS STATED IN THE CURRENT MANUAL ON "UNIFORM TRAFFIC CONTROL DEVICES" FOR STREETS AND HIGHWAYS.
2. ALL POSTS SHALL BE EMBEDDED 4'-2" MINIMUM.
3. POSTS MAY BE STEEL, ALUMINUM OR 2 PIECE U-POSTS IN CONFORMANCE WITH CURRENT A.S.T.M. SPECIFICATION A123.
4. IN AREAS WITHOUT CURBING, THE OUTER EDGE OF SIGN TO BE 6'-0" MINIMUM TO 12'-0" MAXIMUM FROM EDGE OF SHOULDER, AS DIRECTED.



TYPICAL SIGN MOUNTING DETAIL

NOT TO SCALE

GE LIGHTING SYSTEMS - ISO-ILLUMINATION DIAGRAM
PF-100 250W QTY:1 7481
Scale: 1 in = 30.00 Pole is Located at X=0, Y=0
Lamp Lumens: 27500 Maintenance Factor:0.73 Mounting Height: 30.00
Aim Point Distance from Pole Base: 60.00
Horizontal Start Angle (+Y = 0): 0 There After at 0 Degrees





YARD DRAIN
TYPE Y INLET DETAIL







CURBING & PAVING DETAIL

N.T.S.

STRIPING DETAIL

NOT TO SCALE



METHOD FOR INSTALLING PREFORATED ADS PIPE



TRASH ENCLOSURE



NOTES:
1. PRESERVATIVE STAIN ON ALL WOOD COLOR TO MATCH BLDG
2. USE HOT DIP GALVANIZED NAILS
3. ALL CEDAR TO BE ROUGH FINISH, FREE OF UNSOUND KNOTS
4. (23) FENCE SECTIONS REQUIRED
5. USE SCREWS TO ATTACH 2"x 4" SUPPORTS.

BOARD FENCE DETAIL





DETAIL:
HANDICAPPED RAMP

NTS



GUARD POST DETAIL

PLANTING LIST

QUANT.	SYMB.	BOT. NAME	COM. NAME	SIZE	ROOT	SPACING	PLANTING SEASON
14		PINUS STROBUS	EASTERN WHITE PINE	[illegible]	B & B	[illegible]	FALL
46		RHODODENDRON NIMRODI	KOREAN AZALEA	[illegible]	B	3ft	[illegible]
28		MYRICA PENSYLVANICA	BAYBERRY	[illegible]	B & B	[illegible]	FALL
10		THUJA OCCIDENTALIS SMARAGD	EASTERN ARBORVITAE	[illegible]	B & B	[illegible]	SPRING
5		PYRUS CALLERIANA	BRADFORD PEAR	6'-8'	B & B	AS SHOWN	SPRING

MUNICIPAL ENGINEER DATE

APPROVED BY THE TOWNSHIP OF BRICK PLANNING BOARD

CHAIRMAN DATE R-51-97 5-14-97

SECRETARY DATE 7-23-97

ENGINEER DATE 7/22/97

OCEAN COUNTY PLANNING BOARD FINAL SITE PLAN APPROVAL

DATE 12/4/96

CHAIRMAN

REVISION 1	5/20/97	RESOLUTION COMPLIANCE

AMENDED SITE PLAN FOR RAINBOW DINER

LOT 2 BLOCK 854 TOWNSHIP OF BRICK OCEAN COUNTY, NEW JERSEY

THE CANNON GROUP, P.C.
ENGINEERING • PLANNING • SURVEYING
317 TINA LEE COURT BRICK NJ 08724 PHONE (908) 458-0003
MICHAEL T. CANNON, P.E., P.L.S. LIC. # 24691

CASE# PB-2211
LDS BR PZ 10400571

SCALE	DRAWN	CHK
DATE	FILE	2 of 3