

JUG 25 1988

DIV. OF INSPECTION

CONSTRUCTION PERMIT
APPLICATION

TOWNSHIP OF BRICK

I. IDENTIFICATION

1. Proposed Work at: H.L. GREEN'S BRICK PLAZA BRICK TOWN NJ
2. Owner Name: ARTHUR EFROS (BRICK PLAZA, INC.) Tel. (201) 877-4100
Address 100 BRICK PLAZA SHOPPING CTR BRICK NJ
3. Principal Contractor: W.A. SCHMIDT INC Tel. (215) 443 7300
Address 406 CALEDON DRIVE HORSHAM, PA. 19044
- Lic. No. or Builder Reg. No. _____ Federal Emp. No. _____
4. Architect or Engineer: _____ Tel. (____) _____
Address HUTCHINS - 477-2927
5. Responsible Person in Charge of Work _____ Tel. (____) _____

II. PROPOSED WORK

A. TYPE OF WORK

1. ☐ Minor Work (Single Trade)
2. ☐ Small Job (\$5,000 and no Prior Approvals)
Complete only II.B., III and IV.A. and Page 2
3. ☐ New Building
4. ☐ Addition
5. ☒ Alteration
6. ☐ Repair, Replacement
7. ☐ Demolition
8. ☐ Other: _____

B. CATEGORIES OF WORK

- | Permit/Category | Estimated |
|---|------------------|
| 1. ☐ Building/Structural | \$ <u>15,000</u> |
| 2. ☐ Plumbing | _____ |
| 3. ☒ Electrical | <u>275</u> |
| 4. ☐ Fire Protection | _____ |
| 5. ☐ Other _____ | _____ |
| 6. ☐ Other _____ | _____ |
| TOTAL COST \$ <u>17,100</u> | |

C. DO YOU WANT:

1. ☐ Partial Releases 2. ☐ Prototype Processing

D. DOES OR WILL YOUR BUILDING CONTAIN ANY OF THE FOLLOWING?

1. ☐ Elevators/Dumbwaiters
2. ☐ High-Pressure Boilers
3. ☐ Refrigeration Systems
4. ☐ Pressure Vessels
5. ☐ Hazardous Uses/Places of Assembly
6. ☐ Cross-connections/Backflow Preventors
7. ☐ Sprinklers
8. ☐ Smoke Control Systems in Open Wells

III. DESCRIPTION OF BUILDING USE (USE GROUPS)

A. RESIDENTIAL

1. ☐ Hotels (R-1)
2. ☐ Multi-Family (R-2)
HMD Reg. No.: _____
3. ☐ Two Family (R-3b)
4. ☐ One-Family (R-3a)

If new construction, enter no. of dwelling units _____

If other than new construction, enter no. of dwelling units: _____

Before Construction: _____
After Construction: _____
Net Gain (or loss): _____

B. NON-RESIDENTIAL

- | | |
|---|---|
| 5. ☐ Theatres with Stages (A-1-A) | 16. ☐ Institutional Detention Center (I-1) |
| 6. ☐ Movie Theatres (A-1-B) | 17. ☐ Hospitals, Infirmeries (I-2) |
| 7. ☐ Night Clubs (A-2) | 18. ☐ Group Homes (I-3) |
| 8. ☐ Restaurants, Libraries, Museums (A-3) | 19. ☐ Mercantile (M) |
| 9. ☐ Religious Assembly (A-4) | 20. ☐ Moderate-Hazard Warehouse (S-1) |
| 10. ☐ Outdoor Assembly (A-5) | 21. ☐ Low-Hazard Warehouse (S-2) |
| 11. ☒ Business (B) | 22. ☐ Temporary, Misc. (U) |
| 12. ☐ Educational (E) | 23. ☐ Other _____ |
| 13. ☐ Moderate-Hazard Factory (F-1) | |
| 14. ☐ Low-Hazard Factory (F-2) | |
| 15. ☐ High-Hazard (H) | |

State Specific Use: RECEIVING + STOCK STORAGE

If Change in Use Group, Indicate Former: _____

IV. BUILDING CHARACTERISTICS

A. OWNERSHIP

1. ☒ Private (Individual, Corp., Non-profit Inst., Etc.)
2. ☐ Public (State, County or Local Govt.)

B. HEATING FUEL

- | Principal | Secondary | Type |
|--|--------------------------|--------------------------|
| 3. ☒ | ☐ | Gas |
| 4. ☐ | ☐ | Oil |
| 5. ☐ | ☐ | Electric |
| 6. ☐ | ☐ | Solid (Wood, Coal, Etc.) |
| 7. ☐ | ☐ | Propane |
| 8. ☐ | ☐ | Solar |
| 9. ☐ | ☐ | Other _____ |

C. TYPE OF SEWAGE DISPOSAL

10. ☒ Public or Private Company
11. ☐ Private (Septic Tank, Etc.)

D. TYPE OF WATER SUPPLY

12. ☒ Public or Private Company
13. ☐ Private (Well, Etc.)

E. BUILDING CHARACTERISTICS

14. No. of Stories _____
15. Height of Structure _____ Ft.
16. Area—Largest Floor _____ Sq. Ft.
17. Bldg. Area—All Fls. _____ Sq. Ft.
18. Volume of Structure _____ Cu. Ft.
19. Total Land Area Disturbed _____ Sq. Ft.

LDS BR 10207038

CERTIFICATION IN LIEU OF OATH

I. OWNER SECTION

I hereby certify that I am the owner of the property listed on Page 1. This dwelling is to be occupied by myself and is not to be used for any purpose, other than single family residential use.

- A. ☐ I further certify that I prepared the plans submitted. This statement is made in accordance with the New Jersey Uniform Construction Code, N.J.A.C. 5:23-2.15(e)vii.
- B. ☐ I further certify that I will perform the work below.
 B1. ☐ Building B2. ☐ Electrical B3. ☐ Plumbing
- C. ☐ I further certify that a new home will be constructed on this property, for my use and occupancy. I attest that all design, construction, plumbing, or electrical work will be done by me or by subcontractors under my supervision, in accordance with all applicable laws; and further acknowledge that said new home is not covered under the New Home Warranty and Builders Registration Act (N.J.A.C. 46:3B-1 et. seq.) and that such fact shall be disclosed to any person purchasing this property within ten years of the date of issuance of a certificate of occupancy.
- D. ☐ I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

SIGNATURE

DATE

II. AGENT SECTION

I hereby certify that the work is authorized by the owner of record and I have been authorized by the owner to make this application as his agent.

I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

☐ Check if contractor.

AGENT NAME _____ TEL. () _____

ADDRESS _____

SIGNATURE _____

5

LOT NO.

8

SUBDIVISION

PERMIT NO.

3745

PRIOR APPROVALS CHECKLIST

[illegible]

SUBCODES AND SPECIAL REGULATIONS APPLICABLE:

EDITION OF CODE

EDITION OF CODE

☐ Flood Hazard

☐ One and Two Family Dwellings

☐ Mechanical

☐ **As Built**

Building

Energy

Certification

 Electric

 **Barrier Free**

☐ Other

 Plumbing

☐ Other

TOWNSHIP OF BRICK



**BUILDING
SUBCODE
TECHNICAL SECTION**



PERMIT NO. 3745
DATE ISSUED 3-13-89
REVISION DATE _____
Block 1071 Lot 8
Subdivision _____

A. IDENTIFICATION

APPLICANT - Complete unshaded areas only When changing contractors, notify this office

Owner A. EPROS (H.L. GREEN) Contractor N. A. ZIMMIDT
Address 100 BEICK PLAZA Address 406 CLAREMONT DR. US
BEICK NJ HORSHAM, PA
Tel. () 477-4100 Tel. (215) 443 7300
Work Site Address BEICK PLAZA Lic. No. _____
BEICK NJ Federal Emp. No. _____

CERTIFICATION IN LIEU OF OATH:
(Complete for Minor Work and Small Job Only)
I hereby certify that the proposed work is authorized by the owner of record and I have been authorized by the owner to make this application as his agent.
AGENT SIGNATURE _____

B. TECHNICAL SHEET DATA

DESCRIPTION OF WORK EXISTING
Give detail description including materials used, dimensions, etc.
SECOND LEVEL IN STOCK
ROOM AREA -
STOCK.
PRESERVE
PRESENT TO CAPACITY -
REQUEST PERMIT.
FOR CONSIDERATION

☒ See Plans

- TYPE OF WORK:**
- ☐ New Building
 - ☐ Addition
 - ☒ Alteration/Renovation
 - ☐ Roofing
 - ☐ Siding
 - ☒ Other STOCK SHELVES
 - ☐ Demolition
 - ☐ Miscellaneous
 - ☐ Fence
 - ☐ Sign
 - ☐ Pool
 - ☐ Elevator
 - ☐ Other _____

Fee Basis	Fee
Minimum Building Fee (if applicable)	\$ _____
Total Building Fee (Greater of Minimum or Subtotal)	\$ _____
SUBTOTAL	\$ _____

C. BUILDING CHARACTERISTICS

USE GROUP: _____ Present _____ Proposed _____

No. of Stories _____ Total Building Area-All Floors _____ Sq. Ft.

Height of Structure _____ Ft. Volume of Structure _____ Cu. Ft.

Area-Largest Floor _____ Sq. Ft. Total Land Area Disturbed _____ Sq. Ft.

Estimated Cost of Building Work: \$ _____

D. COMMENTS

☐ Partial Releases ☐ Prototype Processing

JOB CONDITION/COMMENTS[illegible]

Maximum Occupancy Load:

PLAN REVIEW

Initials

82-111

10

CA

1

1

Type

Footing/Foundation

 Slab

Frame

Architectural

Insulation

Finishes

Energy

☐ Mechanical

TCO

☐ Other _____

Approval Date

DESIGN CRITERIA

LIVE LOAD CAPACITY 150 POUNDS PER SQ. FT. (UNIFORMLY DISTRIBUTED)

DECK HEIGHT : 8'-0 1/2" TOP OF STEEL : 7'-10 1/4"

CLEAR HEIGHT UNDER STEEL : 7'-2 1/8 DEFLECTION L/300

EARTHQUAKE ZONE : 1 TYPE OF USE : OFFICE ☐ WAREHOUSE ☒

COLUMN FLOOR LOAD : MAXIMUM LOAD TBD LBS. RESULTS
IN A BEARING PRESSURE OF TBD PSI
ON AN 8 INCH x 8 INCH BASEPLATE

GENERAL SPECIFICATIONS

DECKING : TYPE OF DECKING : 1 1/2" x 22 GA. GALV. B-DECK &
3/4" THK. A C PLYWOOD

SUPPLIED BY : WAS

STAIRWAY : NO. OF STAIRS : 0 STAIR HEIGHT : —

OSHA ☐ NO. OF TREADS : — TYPE OF TREADS : —
BOCA ☐ N/A

STAIR WIDTH : — HORIZONTAL RUN : —

RISER : — STAIR HANDRAIL : OSHA ☐ BOCA ☐

HANDRAIL : HORIZONTAL RAIL SPACING MEETS OSHA ☒ BOCA ☐ ☐

APPROXIMATE LINEAL FOOTAGE OF HANDRAIL TBD

PAINT FINISH : STRUCTURAL STEEL & COLUMNS GRAY

HANDRAIL : YELLOW DECKING : GALV.

STAIRS : — STAIR HANDRAIL : —

INSTALLATION : INSTALLATION OF STRUCTURAL STEEL : W.A.S. ☒ OTHERS ☐

LIFT EQUIPT. BEAMS AND STRUCTURAL STEEL COLUMNS

REQUIRED ?

YES ☒ NO ☐

INSTALLATION OF DECKING MATERIAL : W.A.S. ☒ OTHERS ☐

INSTALLATION OF HANDRAIL : W.A.S. ☒ OTHERS ☐

SUPPLIED BY ?

W.A.S. ☒ OTHERS ☐

FIELD MEASUREMENTS

FIELD CHECKED BY - W.A.S. ☒ OTHER ☐ B.M.

COMPANY NAME - — DATE : —

Spaceloft MEZZANINE BY -- W.A. SCHMIDT, INC.
406 CAREDEAN DRIVE
HORSHAM, PA. 19044
215-443-7300

QUOTE NO. 2254

DATE 06-14-1998

CUSTOMER - H. L. GREEN #1304
BRICKTOWN, NJ

DISTRIBUTOR - RAPISTAN
(NO. 717000) CARL DAHL

DIMENSIONS 32' 2 1/2" X 38' 0 3/8"
AREA 1140.22 SQ. FT. (DESIGNED WITH 84.7 SQ. FT. CUT OUT
COLUMN SPACING VARIES
DECK HEIGHT 8' 0 1/2"
CLEAR HEIGHT 7' 2 1/4"
MAX. UNIFORM LOAD 150 LBS./SQ.FT.
DECK MATERIAL 1 1/2" X 22 GA. GALV. B DECK WITH 3/4" AC PLYWOOD
HANDRAIL & K. PLATE 68 LIN. FT.
STAIRS W/ H.R. NONE
LANDINGS W/ H.R. NONE
ADDERS NONE
DECK BEAMS 6 INCH STRUCTURAL STEEL
(DEFLECTION LESS THAN 1/300 OF SPAN.)
SUPPORT BEAMS 8 INCH STRUCTURAL STEEL
(DEFLECTION LESS THAN 1/300 OF SPAN.)
COLUMNS 5 X 5 IN. STRUCTURAL TUBES
(MAX. FLOOR LOAD 279 PSI. W/ 8 X 8 IN. BASE PLATE)
PROX. TOTAL WEIGHT 13,110 LBS.

SHIPMENT APPROX. 6 TO 8 WEEKS FROM RECEIPT OF APPROVED DRAWINGS

THIS QUOTATION WAS PREPARED FROM THE DATA PROVIDED, AND IS SUBJECT TO
ACCURATE FIELD MEASUREMENT. STRUCTURAL COMPONENTS HAVE BEEN ENGINEERED PER
AISC STANDARDS. COMPLETE DRAWINGS ARE AVAILABLE UPON RECEIPT OF PURCHASE
PRICES QUOTED ARE FOR ACCEPTANCE WITHIN 60 DAYS OF THE ABOVE DATE.

NOTE: COLUMN SPACING VARIES TO FALL IN LINE W/EXISTING AND TO AVOID INTERFERENCE
W/PARTITIONS, DOORWAYS, ETC. DESIGNED WITH 3' 10" X 11' CUT OUT FOR
EXISTING STAIRWAY & CUT OUT 4' 4 7/8" X 9' 10 1/2" (8 SERVICE COUNCIL)
INCLUDES RE-USE OF EXISTING HANDRAIL WHERE POSSIBLE.

103

EXISTING
HALLWAY
BY SCHUBERT

LOW
DOWN
STAIRS

38'

103

116

115

114

113

112

111

105

107

109

108

106

110

Interior Light Fixtures
UNDERSTUD OF ENCLOSURES

113


113
Toilet
A.

112

112
Toilet
A.

ATTACH BEAMS TO TOP
PLATE w/ 1/2" DIA. x
1-1/2" LG. (A-325)
HEX BOLTS & NUTS

- ATTACH SINGLE CLIP ANGLES TO
WEB w/ 1/2" x 1-1/2" LG. (A-325) BOLTS
- ATTACH DOUBLE CLIP ANGLES TO WEB
w/ 1/2" DIA. x 2" LG. (A-325) HEX BOLTS & NUTS.



COLUMN ASS'Y


TOP PL. : 8" WIDTH x 1/2"
COLUMN : 6" x 6" x 3/8"
BASE PL. : 8" x 8" x 3/4"

ATTACH COLUMN BASEPLATE
TO FLOOR w/ 1/2" DIA. x
5-1/2" LG. HLT. 10/16" BOLTS
(4 PER BASEPLATE)

FLOOR LINE

SECTION "A - A"

ATTACH FISH PLATE TO BEAM w/(4) 1/2"
x 1-1/2" LG. (A-325) HEX BOLTS & NUTS



ATTACH BEAMS TO TOP
PLATE w/(4) 1/2" x 1-1/2"
LG. (A-325) HEX
BOLTS & NUTS.

PL. 8" x 4" x 3/8"

COLUMN ASS'Y

SECTION "B - B"

BEAMS SHALL HAVE A MINIMUM YIELD STRENGTH OF
50 KSI AND MEETS REQUIREMENTS OF A.S.T.M. SPEC. A36.

GRATING (if used) SHALL MEET THE REQUIREMENTS OF THE
SPEC. FOR "STEEL GRATING - TYPE W-19" AS SPECIFIED
IN "STEEL GRATING MANUAL" (1979) PUBLISHED BY NATL.
ARCHITECTURAL METAL MANUFACTURERS, CHICAGO, ILL.
GRATING SIZE SHALL BE 1" x 1/8" UNLESS OTHERWISE
NOTED ON THE DRAWING.

CORRUGATED METAL SUB-FLOOR (if used) SHALL MEET
REQUIREMENTS OF THE LOAD TABLES FOR "WIDE RIB
TYPE WR" ROOF DECK AS SPECIFIED BY THE STEEL
INSTITUTE, ST. LOUIS, MISSOURI (1984 DESIGN MA

Ex. M2.

