

EGG HARBOR TOWNSHIP FIRE INSPECTIONS**INITIAL FIRE INVESTIGATION**

FIRE INSPECTION NUMBER: 793-019-21	BLOCK: 2613 LOT: 22
EHT. POLICE CASE NUMBER:	FIRE DEPT. CASE NO: 21-00456

1. SUBMITTED TO: Record 2. BY: D.L. Stauffer 
3. INVESTIGATION REQUESTED BY: G. Zonge
4. REASON FOR INVESTIGATION: SUSPICIOUS ☐ FATALITY ☐ LARGE LOSS ☐
OTHER: ROUTINE FIRE INVESTIGATION ☒
5. REQUEST RECEIVED BY: PHONE ☐ IN PERSON ☐ RADIO ☒ DATE & TIME: 5-26-21,
2241 hrs.
6. DATE & TIME INVESTIGATION COMMENCED: 5-26-21, 2258 hrs. SECURED: 2342 hrs.
7. DATE & TIME ALARM RECEIVED: 5-26-21, 2140 hrs. BY WHOM RECEIVED: EHT
COMMUNICATIONS
8. HOW ALARM RECEIVED: PHONE ☐ 911 ☒ RADIO ☐ IN PERSON ☐ BOX ☐ CELL PHONE ☐
OTHER:
9. REPORTED BY: Tonya (609) 437-3252
ADDRESS: 121 Wedgewood Dr.
Egg Harbor Twp. NJ 08234
10. LOCATION OF INCIDENT: 121 Wedgewood Drive
Egg Harbor Twp. NJ 08234
11. NATURE OF INCIDENT: Structure fire
12. PROPERTY INVOLVED: 2 story wood frame, single family w/basement, 2 car garage
LHU ☐ NLHU ☐
13. OWNER OF PROPERTY: Nammour, Adeeb & Tariz SOCIAL SECURITY NO.:
SMOKER: YES ☒ NO ☐ In garage
14. ADDRESS OF OWNER: 121 Wedgewood Drive DATE OF BIRTH:
EHT NJ 08234 PHONE: 609-272-8980
15. STRUCTURE: OCCUPIED ☒ -UNOCCUPIED ☐ VACANT ☐ UNDER CONSTRUCTION ☐
OTHER:
16. RESPONDING FIRE COMPANIES: Cardiff and Bargaintown
17. OFFICER IN CHARGE: G. Zonge RANK: Chief Cardiff
18. NUMBER OF INJURIES: 0 FATALITIES: 0 (List by name at end of form)
19. STRUCTURE SECURELY LOCKED PRIOR TO ALARM: YES ☐ NO ☒ UNKNOWN ☐
20. EVIDENCE OF FORCED ENTRY PRIOR TO ALARM: YES ☐ NO ☒ UNKNOWN ☐
21. EXTENT OF FIRE ON ARRIVAL OF FIRE DEPART: FULLY ☐ PARTIALLY ☐ INVOLVED
EXTINGUISHED ☒ NO FIRE ☐
22. EXTENT OF SMOKE CONDITIONS ON ARRIVAL OF FIRE DEPT. HEAVY ☐ LIGHT ☒ NONE ☐
23. WEATHER CONDITIONS AT TIME OF ALARM: 52 degrees rain-lighting-thunder & heavy rain
LIGHTING IN AREA: YES ☒ NO ☐ UNKNOWN ☐ (2) fronts blew through
24. TENANT OCCUPATIONS: YES ☐ NO ☒
SMOKERS: YES ☐ NO ☐

25. FACTORS INFLUENCING SPREAD OF FIRE: Contained to 6' x 6' area in soffit
26. EVIDENCE OF MULTIPLE AREAS OF ORIGIN: None
27. DIRECTION OF FIRE SPREAD: Contained to approx 6" x 6' area in basement soffit
28. CHAR PATTERN: Only char was paper on insulation, lint from dryer showed flash fire
29. GENERAL BURN PATTERN: lint and paper on insulation only material burnt
30. UTILITIES IN SERVICE:
ELECTRIC: YES ☒ NO ☐
FACTOR IN FIRE: YES ☐ NO ☒ UNKNOWN ☐
SOURCE: ACE ☒ SOLAR ☐ BATTERY ☐ GENERATOR ☐
SERVICE: SIZE [200] OVERHEAD ☐ UNDERGROUND ☒ 1Phase ☒ 3Phase ☐
PANEL MANUFACTURER: [SQD] SIZE [150] NUMBER OF CIRCUITS [22]
BREAKERS ☒: TRIPPED YES ☐ NO ☒ UNKNOWN ☐
FUSES ☐: BLOWN YES ☐ NO ☐ UNKNOWN ☐
WIRING: ROMEX ☒ MC ☐ CONDUIT ☐ FLEX ☐ OTHER: _____
SIGNS OF ARCING, FUSING OR BEADING: YES ☐ NO ☒
ELECTRICAL EQUIPMENT INVOLVED: None
HEATING FUEL: Gas TYPE OF SYSTEM: Hot air FACTOR IN FIRE: No
COOKING FUEL: Electric FACTOR IN FIRE: YES ☐ NO ☒ UNKNOWN ☐
SUPPRESSION SYSTEM TYPE: N/A ACTIVATED:
DETECTION SYSTEM TYPE: 110 v smokes CO DETECTOR: ACTIVATED: No
WATER: YES ☒ NO ☐ CITY ☒ PRIVATE ☐ TELEPHONE: YES ☐ NO ☐
31. PHYSICAL EVIDENCE OF ARSON: TIMING DEVICE ☐ IGNITION DEVICE ☐
CONTAINERS ☐ SUSPECTED LIQUID ACCELERANT ☐
OTHER: None detected
32. EVIDENCE REMOVED: YES ☐ NO ☒ BY WHOM:
DATE & TIME OF REMOVAL: PRESENT LOCATION:
33. SCENE PHOTOGRAPHED: YES ☒ NO ☐ BY WHOM: DL Stauffer
DATE & TIME: 5-26-21, approx 2259 - 2341 hrs.
34. SUSPECTED AREA(S) OF ORIGIN: In basement soffit under clothes dryer
35. POSSIBLE: ☐ PROBABLE ☒ SOURCE OF IGNITION: Lighting
36. PROBABLE ACT OR OMISSION CAUSING FIRE: Lighting and disconnected dryer vent
with lint buildup in soffit
- 37 "WITHOUT PREJUDICE" I FEEL THE CAUSE OF THIS FIRE IS:
NATURAL ☐ ACCIDENTAL ☒ UNDETERMINED ☐ INCENDIARY ☐
38. AGENCY OR INDIVIDUAL(S) ASSISTING IN INVESTIGATION: None
DATE AND TIME REQUESTED:
39. CONSENT TO SEARCH FORM SECURED: YES ☐ NO ☒ DATE & TIME SECURED:
40. PERSON INTERVIEWED OR PROVIDING INFORMATION
- | <u>NAME</u> | <u>ADDRESS</u> | <u>PHONE</u> | <u>DATE & TIME</u> |
|---------------|---------------------|--------------|------------------------|
| All Occupants | 121 Wedgewood Drive | | 05-26-21 |

EGG HARBOR TOWNSHIP FIRE INSPECTIONS

INITIAL FIRE INVESTIGATION

FIRE INSPECTION NUMBER: 794-020-21	BLOCK: 2118 LOT: 15-CO437
EHT. POLICE CASE NUMBER:	FIRE DEPT. CASE NO: 21-00486

1. SUBMITTED TO: Record 2. BY: D.L. Stauffer *[Signature]*
3. INVESTIGATION REQUESTED BY: D. Sharpe
4. REASON FOR INVESTIGATION: SUSPICIOUS ☐ FATALITY ☐ LARGE LOSS ☐
OTHER: ROUTINE FIRE INVESTIGATION ☒
5. REQUEST RECEIVED BY: PHONE ☐ IN PERSON ☐ RADIO ☒ DATE & TIME: 6-4-21, 0523
hrs.
6. DATE & TIME INVESTIGATION COMMENCED: 6-4-21, 0540 hrs. SECURED: 0605 hrs.
7. DATE & TIME ALARM RECEIVED: 6-4-21, 0501 hrs. BY WHOM RECEIVED: EHT
COMMUNICATIONS
8. HOW ALARM RECEIVED: PHONE ☐ 911 ☒ RADIO ☐ IN PERSON ☐ BOX ☐ CELL PHONE ☐
OTHER:
9. REPORTED BY: Occupants 437
ADDRESS:
10. LOCATION OF INCIDENT: 437 London Court II
Egg Harbor Twp. NJ 08234
11. NATURE OF INCIDENT: Stove fire GE Model JBS16GOKIAD Serial FA1077650
12. PROPERTY INVOLVED: 2 story condo, first floor condo
LHU ☐ NLHU ☐
13. OWNER OF PROPERTY: Sacdeva Rajeev SOCIAL SECURITY NO.:
SMOKER: YES ☐ NO ☒
14. ADDRESS OF OWNER: 411 E Brinkerhoff Ave 406 DATE OF BIRTH: Property Manger
Palisades Park NJ 07650 PHONE: Pat Bridges 609-335-5913
15. STRUCTURE: OCCUPIED ☒ -UNOCCUPIED ☐ VACANT ☐ UNDER CONSTRUCTION ☐
OTHER:
16. RESPONDING FIRE COMPANIES: Farmington and Cardiff
17. OFFICER IN CHARGE: D. Sharpe RANK: Asst. Farmington
18. NUMBER OF INJURIES: 0 FATALITIES: 0 (List by name at end of form)
19. STRUCTURE SECURELY LOCKED PRIOR TO ALARM: YES ☐ NO ☒ UNKNOWN ☐
20. EVIDENCE OF FORCED ENTRY PRIOR TO ALARM: YES ☐ NO ☒ UNKNOWN ☐
21. EXTENT OF FIRE ON ARRIVAL OF FIRE DEPART: FULLY ☐ PARTIALLY ☐ INVOLVED
EXTINGUISHED ☒ NO FIRE ☐
22. EXTENT OF SMOKE CONDITIONS ON ARRIVAL OF FIRE DEPT. HEAVY ☐ LIGHT ☒ NONE ☐
23. WEATHER CONDITIONS AT TIME OF ALARM: 61 overcast
LIGHTING IN AREA: YES ☐ NO ☒ UNKNOWN ☐ Katie Tran (609)626-2145
her mother and 2 children live with her
24. TENANT OCCUPATIONS: YES ☒ NO ☐
SMOKERS: YES ☐ NO ☐

25. FACTORS INFLUENCING SPREAD OF FIRE: Ordinary combustibles and cooking oil
26. EVIDENCE OF MULTIPLE AREAS OF ORIGIN: None
27. DIRECTION OF FIRE SPREAD: Up from stove top to hood and cabinets
28. CHAR PATTERN: Light
29. GENERAL BURN PATTERN: "V" up from stove top
30. UTILITIES IN SERVICE:
ELECTRIC: YES ☒ NO ☐
FACTOR IN FIRE: YES ☒ NO ☐ UNKNOWN ☐
SOURCE: ACE ☒ SOLAR ☐ BATTERY ☐ GENERATOR ☐
SERVICE: SIZE [100] OVERHEAD ☐ UNDERGROUND ☒ 1Phase ☒ 3Phase ☐
PANEL MANUFACTURER: [CH] SIZE [100] NUMBER OF CIRCUITS ☐ Breaker #7 tripped
BREAKERS ☒: TRIPPED YES ☒ NO ☐ UNKNOWN ☐ Labeled hood/Refrig (1) 20A
FUSES []: BLOWN YES ☐ NO ☐ UNKNOWN ☐
WIRING: ROMEX ☒ MC ☐ CONDUIT ☐ FLEX ☐ OTHER: _____
SIGNS OF ARCING, FUSING OR BEADING: YES ☐ NO ☒
ELECTRICAL EQUIPMENT INVOLVED:
HEATING FUEL: Nat. gas TYPE OF SYSTEM: Hot air FACTOR IN FIRE: No
COOKING FUEL: Electric FACTOR IN FIRE: YES ☒ NO ☐ UNKNOWN ☐
SUPPRESSION SYSTEM TYPE: N/A ACTIVATED:
DETECTION SYSTEM TYPE: Was missing CO DETECTOR: ACTIVATED: was taken down
WATER: YES ☒ NO ☐ CITY ☒ PRIVATE ☐ TELEPHONE: YES ☐ NO ☐
31. PHYSICAL EVIDENCE OF ARSON: TIMING DEVICE ☐ IGNITION DEVICE ☐
CONTAINERS ☐ SUSPECTED LIQUID ACCELERANT ☐
OTHER: None detected
32. EVIDENCE REMOVED: YES ☐ NO ☒ BY WHOM:
DATE & TIME OF REMOVAL: PRESENT LOCATION:
33. SCENE PHOTOGRAPHED: YES ☒ NO ☐ BY WHOM: D. Stauffer
DATE & TIME: 06-04-21, 0540 - 0600 hrs.
34. SUSPECTED AREA(S) OF ORIGIN: pan on stove top
35. POSSIBLE: ☐ PROBABLE ☒ SOURCE OF IGNITION: Electric stove element
36. PROBABLE ACT OR OMISSION CAUSING FIRE: Unattended cooking
37. "WITHOUT PREJUDICE" I FEEL THE CAUSE OF THIS FIRE IS:
NATURAL ☐ ACCIDENTAL ☒ UNDETERMINED ☐ INCENDIARY ☐
38. AGENCY OR INDIVIDUAL(S) ASSISTING IN INVESTIGATION: None
DATE AND TIME REQUESTED:
39. CONSENT TO SEARCH FORM SECURED: YES ☐ NO ☒ DATE & TIME SECURED:
40. PERSON INTERVIEWED OR PROVIDING INFORMATION
- | <u>NAME</u> | <u>ADDRESS</u> | <u>PHONE</u> | <u>DATE & TIME</u> |
|-------------|---------------------|--------------|------------------------|
| Katie- | 437 London Court II | 609-626-2145 | 6-4-21, 0550 hrs. |
- Katie- turned on oil to heat for breakfast and went to bathroom- door was closed and she didn't smell anything until she opened door.