


Incident Reports By Property Use



419 1 or 2 family dwelling

Incident #	Exp #	Date and Time	Incident Type
2200001	0	1/3/2022 09:27	746 - Carbon monoxide detector activation, no CO
2200004	0	1/7/2022 14:00	113 - Cooking fire, confined to container
2200006	0	1/7/2022 21:50	111 - Building fire
2200012	0	1/11/2022 14:28	522 - Water or steam leak
2200013	0	1/12/2022 14:45	522 - Water or steam leak
2200026	0	1/18/2022 20:26	111 - Building fire
2200027	0	1/19/2022 10:14	412 - Gas leak (natural gas or LPG)
2200030	0	1/21/2022 12:46	651 - Smoke scare, odor of smoke
2200031	0	1/21/2022 14:36	745 - Alarm system activation, no fire - unintentional
2200033	0	1/22/2022 02:56	745 - Alarm system activation, no fire - unintentional
2200037	0	1/23/2022 18:09	522 - Water or steam leak
2200038	0	1/24/2022 09:49	743 - Smoke detector activation, no fire - unintentional
2200040	0	1/26/2022 17:13	611 - Dispatched & canceled en route
2200042	0	1/26/2022 18:53	600 - Good intent call, other

2200051	0	1/29/2022 23:37	746 - Carbon monoxide detector activation, no CO
2200052	0	1/30/2022 13:24	522 - Water or steam leak
2200056	0	2/1/2022 14:57	424 - Carbon monoxide incident
2200060	0	2/3/2022 09:48	652 - Steam, vapor, fog or dust thought to be smoke
2200062	0	2/4/2022 02:13	522 - Water or steam leak
2200068	0	2/11/2022 00:26	600 - Good intent call, other
2200070	0	2/14/2022 07:21	600 - Good intent call, other
2200073	0	2/15/2022 09:40	743 - Smoke detector activation, no fire - unintentional
2200081	0	2/18/2022 10:04	440 - Electrical wiring/equipment problem, other
2200083	0	2/19/2022 04:51	600 - Good intent call, other
2200084	0	2/19/2022 15:08	600 - Good intent call, other
2200087	0	2/22/2022 19:40	600 - Good intent call, other
2200090	0	2/27/2022 15:48	600 - Good intent call, other
2200099	0	3/4/2022 13:15	463 - Vehicle accident, general cleanup
2200100	0	3/5/2022 18:10	743 - Smoke detector activation, no fire - unintentional
2200108	0	3/8/2022 06:07	600 - Good intent call, other
2200110	0	3/11/2022 19:46	600 - Good intent call, other
2200124	0	3/17/2022 16:57	746 - Carbon monoxide detector activation, no CO
2200135	0	3/23/2022 17:10	600 - Good intent call, other
2200136	0	3/23/2022 20:24	743 - Smoke detector activation, no fire - unintentional
2200144	0	4/1/2022 13:57	561 - Unauthorized burning
2200146	0	4/4/2022 03:59	111 - Building fire
2200147	0	4/4/2022 07:03	600 - Good intent call, other
2200150	0	4/5/2022 17:52	733 - Smoke detector activation due to malfunction
2200153	0	4/6/2022 20:20	743 - Smoke detector activation, no fire - unintentional
2200156	0	4/10/2022 00:28	733 - Smoke detector activation due to malfunction
2200158	0	4/11/2022 15:10	561 - Unauthorized burning
2200165	0	4/15/2022 08:29	746 - Carbon monoxide detector activation, no CO
2200166	0	4/15/2022 13:16	531 - Smoke or odor removal
2200168	0	4/15/2022 16:36	412 - Gas leak (natural gas or LPG)
2200169	0	4/15/2022 18:56	111 - Building fire
2200171	0	4/16/2022 15:54	600 - Good intent call, other
2200172	0	4/17/2022 11:19	500 - Service Call, other
2200179	0	4/21/2022 15:09	412 - Gas leak (natural gas or LPG)

2200191	0	4/24/2022 17:23	600 - Good intent call, other
2200196	0	4/27/2022 21:47	531 - Smoke or odor removal
2200200	0	4/29/2022 14:27	111 - Building fire
2200208	0	5/2/2022 18:41	743 - Smoke detector activation, no fire - unintentional
2200214	0	5/7/2022 13:16	111 - Building fire
2200222	0	5/11/2022 18:05	531 - Smoke or odor removal
2200226	0	5/12/2022 17:27	412 - Gas leak (natural gas or LPG)
2200227	0	5/13/2022 08:43	600 - Good intent call, other
2200229	0	5/15/2022 15:19	600 - Good intent call, other
2200231	0	5/15/2022 22:57	531 - Smoke or odor removal
2200232	0	5/17/2022 18:26	745 - Alarm system activation, no fire - unintentional
2200233	0	5/18/2022 14:34	561 - Unauthorized burning
2200237	0	5/20/2022 08:39	743 - Smoke detector activation, no fire - unintentional
2200239	0	5/20/2022 20:26	743 - Smoke detector activation, no fire - unintentional
2200249	0	5/29/2022 12:56	745 - Alarm system activation, no fire - unintentional
2200252	0	5/30/2022 12:59	424 - Carbon monoxide incident
2200254	0	5/30/2022 19:09	611 - Dispatched & canceled en route
2200278	0	6/9/2022 21:36	743 - Smoke detector activation, no fire - unintentional
2200285	0	6/15/2022 07:43	745 - Alarm system activation, no fire - unintentional
2200287	0	6/15/2022 13:57	600 - Good intent call, other
2200290	0	6/17/2022 13:24	671 - HazMat release investigation w/no HazMat
2200292	0	6/18/2022 19:22	412 - Gas leak (natural gas or LPG)
2200296	0	6/21/2022 16:02	444 - Power line down
2200297	0	6/23/2022 16:52	600 - Good intent call, other
2200302	0	6/26/2022 17:41	412 - Gas leak (natural gas or LPG)
2200307	0	6/28/2022 20:56	746 - Carbon monoxide detector activation, no CO
2200308	0	6/29/2022 05:52	746 - Carbon monoxide detector activation, no CO
2200310	0	6/30/2022 14:23	412 - Gas leak (natural gas or LPG)
2200314	0	7/1/2022 14:38	746 - Carbon monoxide detector activation, no CO
2200316	0	7/2/2022 09:42	740 - Unintentional transmission of alarm, other
2200322	0	7/4/2022 10:24	412 - Gas leak (natural gas or LPG)
2200323	0	7/4/2022 21:25	154 - Dumpster or other outside trash receptacle fire
2200334	0	7/8/2022 14:06	444 - Power line down
2200336	0	7/10/2022 11:44	733 - Smoke detector activation due to malfunction

2200340	0	7/11/2022 17:52	571 - Cover assignment, standby, moveup
2200344	0	7/12/2022 19:22	561 - Unauthorized burning
2200348	0	7/13/2022 15:03	600 - Good intent call, other
2200351	0	7/14/2022 12:54	745 - Alarm system activation, no fire - unintentional
2200365	0	7/22/2022 15:33	424 - Carbon monoxide incident
2200374	0	7/26/2022 13:02	743 - Smoke detector activation, no fire - unintentional
2200379	0	7/31/2022 13:34	114 - Chimney or flue fire, confined to chimney or flue
2200381	0	8/2/2022 20:30	412 - Gas leak (natural gas or LPG)
2200383	0	8/4/2022 18:07	743 - Smoke detector activation, no fire - unintentional
2200384	0	8/5/2022 23:06	671 - HazMat release investigation w/no HazMat
2200387	0	8/8/2022 09:13	733 - Smoke detector activation due to malfunction
2200388	0	8/8/2022 13:11	551 - Assist police or other governmental agency
2200389	0	8/8/2022 19:56	116 - Fuel burner/boiler malfunction, fire confined
2200392	0	8/10/2022 07:55	600 - Good intent call, other
2200396	0	8/11/2022 18:07	111 - Building fire
2200403	0	8/14/2022 02:20	736 - CO detector activation due to malfunction
2200410	0	8/17/2022 17:38	520 - Water problem, other
2200419	0	8/21/2022 18:24	735 - Alarm system sounded due to malfunction
2200424	0	8/24/2022 10:27	671 - HazMat release investigation w/no HazMat
2200427	0	8/26/2022 10:11	671 - HazMat release investigation w/no HazMat
2200428	0	8/26/2022 15:28	531 - Smoke or odor removal
2200430	0	8/28/2022 13:32	652 - Steam, vapor, fog or dust thought to be smoke
2200444	0	9/1/2022 17:41	743 - Smoke detector activation, no fire - unintentional
2200452	0	9/6/2022 13:02	745 - Alarm system activation, no fire - unintentional
2200454	0	9/6/2022 19:58	600 - Good intent call, other
2200463	0	9/8/2022 23:49	522 - Water or steam leak
2200464	0	9/8/2022 00:00	600 - Good intent call, other
2200468	0	9/10/2022 08:00	444 - Power line down
2200471	0	9/11/2022 10:27	745 - Alarm system activation, no fire - unintentional
2200476	0	9/15/2022 11:45	444 - Power line down
2200478	0	9/15/2022 13:28	600 - Good intent call, other
2200481	0	9/16/2022 10:30	746 - Carbon monoxide detector activation, no CO
2200485	0	9/18/2022 22:44	600 - Good intent call, other
2200486	0	9/19/2022 09:16	542 - Animal rescue

2200491	0	9/22/2022 19:20	600 - Good intent call, other
2200492	0	9/26/2022 11:53	412 - Gas leak (natural gas or LPG)
2200494	0	9/26/2022 19:18	113 - Cooking fire, confined to container
2200500	0	9/28/2022 17:42	531 - Smoke or odor removal
2200502	0	9/29/2022 08:57	412 - Gas leak (natural gas or LPG)
2200505	0	9/30/2022 00:00	745 - Alarm system activation, no fire - unintentional
2200511	0	10/2/2022 20:51	651 - Smoke scare, odor of smoke

Total Incidents: 123

429 Multifamily dwelling

Incident #	Exp #	Date and Time	Incident Type
2200007	0	1/8/2022 02:31	733 - Smoke detector activation due to malfunction
2200018	0	1/17/2022 00:16	800 - Severe weather or natural disaster, other
2200032	0	1/21/2022 14:54	331 - Lock-in (if lock out , use 511)
2200041	0	1/26/2022 18:15	746 - Carbon monoxide detector activation, no CO
2200043	0	1/27/2022 03:37	746 - Carbon monoxide detector activation, no CO
2200044	0	1/27/2022 21:19	741 - Sprinkler activation, no fire - unintentional
2200046	0	1/28/2022 04:04	745 - Alarm system activation, no fire - unintentional
2200050	0	1/29/2022 15:39	522 - Water or steam leak
2200054	0	1/31/2022 09:05	733 - Smoke detector activation due to malfunction
2200061	0	2/3/2022 18:05	520 - Water problem, other
2200065	0	2/8/2022 16:43	522 - Water or steam leak
2200076	0	2/15/2022 22:27	600 - Good intent call, other
2200078	0	2/16/2022 15:54	522 - Water or steam leak
2200082	0	2/19/2022 01:34	424 - Carbon monoxide incident
2200088	0	2/25/2022 08:30	111 - Building fire
2200096	0	2/28/2022 15:46	553 - Public service
2200118	0	3/16/2022 06:04	743 - Smoke detector activation, no fire - unintentional
2200141	0	3/29/2022 19:51	743 - Smoke detector activation, no fire - unintentional
2200151	0	4/5/2022 19:16	531 - Smoke or odor removal
2200155	0	4/9/2022 19:39	522 - Water or steam leak
2200173	0	4/17/2022 18:52	735 - Alarm system sounded due to malfunction
2200175	0	4/18/2022 10:54	740 - Unintentional transmission of alarm, other

2200186	0	4/24/2022 00:00	522 - Water or steam leak
2200194	0	4/27/2022 13:29	745 - Alarm system activation, no fire - unintentional
2200197	0	4/28/2022 15:53	531 - Smoke or odor removal
2200205	0	4/30/2022 15:01	111 - Building fire
2200210	0	5/3/2022 15:23	741 - Sprinkler activation, no fire - unintentional
2200211	0	5/5/2022 12:09	740 - Unintentional transmission of alarm, other
2200213	0	5/6/2022 15:51	743 - Smoke detector activation, no fire - unintentional
2200228	0	5/15/2022 11:08	412 - Gas leak (natural gas or LPG)
2200234	0	5/18/2022 14:57	555 - Defective elevator, no occupants
2200240	0	5/22/2022 14:22	555 - Defective elevator, no occupants
2200242	0	5/22/2022 20:52	113 - Cooking fire, confined to container
2200245	0	5/24/2022 01:39	746 - Carbon monoxide detector activation, no CO
2200257	0	5/31/2022 21:52	424 - Carbon monoxide incident
2200264	0	6/4/2022 15:43	531 - Smoke or odor removal
2200266	0	6/5/2022 06:16	522 - Water or steam leak
2200268	0	6/6/2022 02:43	600 - Good intent call, other
2200269	0	6/6/2022 17:52	671 - HazMat release investigation w/no HazMat
2200270	0	6/7/2022 07:50	531 - Smoke or odor removal
2200277	0	6/9/2022 18:55	555 - Defective elevator, no occupants
2200281	0	6/11/2022 15:32	740 - Unintentional transmission of alarm, other
2200304	0	6/28/2022 02:03	600 - Good intent call, other
2200309	0	6/29/2022 18:47	111 - Building fire
2200312	0	7/1/2022 09:20	412 - Gas leak (natural gas or LPG)
2200315	0	7/1/2022 20:30	746 - Carbon monoxide detector activation, no CO
2200317	0	7/2/2022 15:42	353 - Removal of victim(s) from stalled elevator
2200320	0	7/3/2022 20:29	113 - Cooking fire, confined to container
2200332	0	7/8/2022 03:13	743 - Smoke detector activation, no fire - unintentional
2200333	0	7/8/2022 09:56	745 - Alarm system activation, no fire - unintentional
2200349	0	7/13/2022 23:23	142M - Mulch Fire
2200352	0	7/14/2022 16:27	142M - Mulch Fire
2200354	0	7/14/2022 22:51	531 - Smoke or odor removal
2200356	0	7/20/2022 05:47	622 - No incident found on arrival at dispatch address
2200362	0	7/21/2022 20:50	555 - Defective elevator, no occupants
2200363	0	7/22/2022 10:31	743 - Smoke detector activation, no fire - unintentional

2200369	0	7/24/2022 14:38	745 - Alarm system activation, no fire - unintentional
2200371	0	7/24/2022 22:47	353 - Removal of victim(s) from stalled elevator
2200372	0	7/26/2022 00:55	111 - Building fire
2200375	0	7/27/2022 15:00	671 - HazMat release investigation w/no HazMat
2200378	0	7/30/2022 12:21	746 - Carbon monoxide detector activation, no CO
2200380	0	7/31/2022 20:10	113 - Cooking fire, confined to container
2200399	0	8/12/2022 13:49	744 - Detector activation, no fire - unintentional
2200400	0	8/13/2022 02:01	424 - Carbon monoxide incident
2200402	0	8/13/2022 20:02	111 - Building fire
2200404	0	8/14/2022 10:44	113 - Cooking fire, confined to container
2200409	0	8/17/2022 08:04	743 - Smoke detector activation, no fire - unintentional
2200412	0	8/18/2022 10:02	424 - Carbon monoxide incident
2200414	0	8/19/2022 07:24	746 - Carbon monoxide detector activation, no CO
2200420	0	8/22/2022 10:06	741 - Sprinkler activation, no fire - unintentional
2200429	0	8/27/2022 13:45	733 - Smoke detector activation due to malfunction
2200440	0	8/31/2022 16:43	522 - Water or steam leak
2200445	0	9/1/2022 18:53	113 - Cooking fire, confined to container
2200448	0	9/4/2022 15:06	714 - Central station, malicious false alarm
2200450	0	9/6/2022 07:35	600 - Good intent call, other
2200453	0	9/6/2022 13:39	746 - Carbon monoxide detector activation, no CO
2200457	0	9/7/2022 08:39	746 - Carbon monoxide detector activation, no CO
2200461	0	9/7/2022 14:18	746 - Carbon monoxide detector activation, no CO
2200472	0	9/13/2022 09:58	113 - Cooking fire, confined to container
2200474	0	9/14/2022 12:24	745 - Alarm system activation, no fire - unintentional
2200482	0	9/16/2022 17:23	113 - Cooking fire, confined to container
2200487	0	9/19/2022 11:46	740 - Unintentional transmission of alarm, other
2200488	0	9/19/2022 22:55	711 - Municipal alarm system, malicious false alarm
2200490	0	9/22/2022 09:08	745 - Alarm system activation, no fire - unintentional
2200495	0	9/26/2022 00:00	600 - Good intent call, other
2200496	0	9/27/2022 09:06	745 - Alarm system activation, no fire - unintentional
2200497	0	9/27/2022 17:06	353 - Removal of victim(s) from stalled elevator
2200501	0	9/28/2022 20:14	424 - Carbon monoxide incident
2200507	0	10/1/2022 17:54	745 - Alarm system activation, no fire - unintentional
2200508	0	10/1/2022 21:49	745 - Alarm system activation, no fire - unintentional

Total Incidents: 90

449 Hotel/motel, commercial

Incident # Exp # Date and Time Incident Type

2200091	0	2/27/2022 17:53	743 - Smoke detector activation, no fire - unintentional
2200131	0	3/22/2022 12:54	251 - Excessive heat, scorch burns with no ignition
2200449	0	9/4/2022 23:47	113 - Cooking fire, confined to container

Total Incidents: 3

Report Filter Settings

Report File Name: Incident Reports by Property Use

Filter Name: Property Use Exists

Filter Expression: ([AlarmDateTime] is between '1/1/2022 00:00' and '12/31/2022 23:59') And
([PropertyUseCode] in '400 - Residential, other', '419 - 1 or 2 family dwelling', '429 -
Multifamily dwelling', '449 - Hotel/motel, commercial')