



CONSTRUCTION PERMIT APPLICATION

RECEIVED

Page 1

JUN 7 1989

DIV. OF INSPECTION

I. IDENTIFICATION

1. Proposed Work at: 125 Court St. Dr
2. Owner Name: Mr & Mrs Eberhardt Tel. () [REDACTED]
- Address: same
3. Principal Contractor: Weather proof Alum Tel. () 920-1913
- Address: 60 Kettle Creek Dr Brick
- Lic. No. or Builder Reg. No. 00742 Federal Emp. No. _____
4. Architect or Engineer: _____ Tel. () _____
- Address: _____
5. Responsible Person in Charge of Work: Greg Mastri Tel. () 920-1913

II. PROPOSED WORK

A. TYPE OF WORK

1. ☐ Minor Work (Single Trade)
2. ☒ Small Job (\$5,000 and no Prior Approvals)
Complete only II.B., III and IV.A. and Page 2
3. ☐ New Building
4. ☐ Addition
5. ☐ Alteration
6. ☐ Repair, Replacement
7. ☐ Demolition
8. ☒ Other: Porch extension of 6'

B. CATEGORIES OF WORK

- | Permit/Category | Estimated |
|--|-----------------|
| 1. ☒ Building/Structural | \$ _____ |
| 2. ☐ Plumbing | _____ |
| 3. ☐ Electrical | _____ |
| 4. ☐ Fire Protection | _____ |
| 5. ☐ Other _____ | _____ |
| 6. ☐ Other _____ | _____ |
| TOTAL COST | \$ 2,400 |

C. DO YOU WANT:

1. ☐ Partial Releases 2. ☐ Prototype Processing

D. DOES OR WILL YOUR BUILDING CONTAIN ANY OF THE FOLLOWING?

1. ☐ Elevators/Dumbwaiters
2. ☐ High-Pressure Boilers
3. ☐ Refrigeration Systems
4. ☐ Pressure Vessels
5. ☐ Hazardous Uses/Places of Assembly
6. ☐ Cross-connections/Backflow Preventors
7. ☐ Sprinklers
8. ☐ Smoke Control Systems in Open Wells

III. DESCRIPTION OF BUILDING USE (USE GROUPS)

A. RESIDENTIAL

1. ☐ Hotels (R-1)
2. ☐ Multi-Family (R-2)
HMD Reg. No.: _____
3. ☐ Two Family (R-3b)
4. ☐ One-Family (R-3a)

If new construction, enter no. of dwelling units: _____

If other than new construction, enter no. of dwelling units: _____

Before Construction: _____

After Construction: _____

Net Gain (or loss): _____

B. NON-RESIDENTIAL

- | | |
|---|---|
| 5. ☐ Theatres with Stage (A-1-A) | 16. ☐ Institutional Detention Center (I-1) |
| 6. ☐ Movie Theatres (A-1-B) | 17. ☐ Hospitals, Infirmarys (I-2) |
| 7. ☐ Night Clubs (A-2) | 18. ☐ Group Homes (I-3) |
| 8. ☐ Restaurants, Libraries, Museums (A-3) | 19. ☐ Mercantile (M) |
| 9. ☐ Religious Assembly (A-4) | 20. ☐ Moderate-Hazard Warehouse (S-1) |
| 10. ☐ Outdoor Assembly (A-5) | 21. ☐ Low-Hazard Warehouse (S-2) |
| 11. ☐ Business (B) | 22. ☐ Temporary, Misc. (U) |
| 12. ☐ Educational (E) | 23. ☐ Other _____ |
| 13. ☐ Moderate-Hazard Factory (F-1) | |
| 14. ☐ Low-Hazard Factory (F-2) | |
| 15. ☐ High-Hazard (H) | |

State Specific Use: _____

If Change in Use Group, Indicate Former: _____

IV. BUILDING CHARACTERISTICS

A. OWNERSHIP

1. ☐ Private (Individual, Corp., Non-profit Inst., Etc.)
2. ☐ Public (State, County or Local Govt.)

B. HEATING FUEL

- | Principal | Secondary | Type |
|-----------------------------|--------------------------|--------------------------|
| 3. ☐ | ☐ | Gas |
| 4. ☐ | ☐ | Oil |
| 5. ☐ | ☐ | Electric |
| 6. ☐ | ☐ | Solid (Wood, Coal, Etc.) |
| 7. ☐ | ☐ | Propane |
| 8. ☐ | ☐ | Solar |
| 9. ☐ | ☐ | Other _____ |

C. TYPE OF SEWAGE DISPOSAL

10. ☐ Public or Private Company
11. ☐ Private (Septic Tank, Etc.)

D. TYPE OF WATER SUPPLY

12. ☐ Public or Private Company
13. ☐ Private (Well, Etc.)

E. BUILDING CHARACTERISTICS

14. No. of Stories _____
15. Height of Structure _____ Ft.
16. Area—Largest Floor _____ Sq. Ft.
17. Bldg. Area—All Fls. _____ Sq. Ft.
18. Volume of Structure _____ Cu. Ft.
19. Total Land Area Disturbed _____ Sq. Ft.

LDS BR 10408162

CERTIFICATION IN LIEU OF OATH

I. OWNER SECTION

I hereby certify that I am the owner of the property listed on Page 1. This dwelling is to be occupied by myself and is not to be used for any purpose, other than single family residential use.

A. ☐ I further certify that I prepared the plans submitted. This statement is made in accordance with the New Jersey Uniform Construction Code, N.J.A.C. 5:23-2.15(e)vii.

B. ☐ I further certify that I will perform the work below.

B1. ☐ Building

B2. ☐ Electrical

B3. ☐ Plumbing

C. ☐ I further certify that a new home will be constructed on this property, for my use and occupancy. I attest that all design, construction, plumbing, or electrical work will be done by me or by subcontractors under my supervision, in accordance with all applicable laws; and further acknowledge that said new home is not covered under the New Home Warranty and Builders Registration Act (N.J.A.C. 46:3B-1 et. seq.) and that such fact shall be disclosed to any person purchasing this property within ten years of the date of issuance of a certificate of occupancy.

D. ☐ I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

SIGNATURE _____ DATE _____

II. AGENT SECTION

I hereby certify that the work is authorized by the owner of record and I have been authorized by the owner to make this application as his agent.

I agree to advise all contractors on this project that they are required to be registered with the New Jersey Division of Taxation and to comply with all New Jersey tax laws.

I understand that if any of the above statements are willfully false, I am subject to punishment.

☒ Check if contractor.

AGENT NAME Greg Marzetti TEL. () 920-1913

ADDRESS 60 Little Creek Dr Brick

SIGNATURE Greg Marzetti

PRIOR APPROVALS CHECKLIST

APPROVALS	LOCAL		COUNTY		REGIONAL		STATE		COMMENTS
	Prelim. Approval	Final Approval	Prelim. Approval	Final Approval	Prelim. Approval	Final Approval	Prelim. Approval	Final Approval	
	Init. Date	Init. Date	Init. Date	Init. Date	Init. Date	Init. Date	Init. Date	Init. Date	
☐ Planning Board									
☐ Zoning Board									
☐ Sewer Authority									
☐ Water Authority									
☐ Fire Department									
☐ Police Department									
☐ Health Department									
☐ Soil Conservation									
☐ N.J. Dept. of Community Affairs									
☐ N.J. Dept. of Transportation									
☐ N.J. Dept. of Environmental Protection									
☐ Other: _____									
☐ _____									
☐ _____									
☐ _____									
☐ _____									
☐ _____									
☐ _____									
☐ _____									
☐ _____									

SUBCODES AND SPECIAL REGULATIONS APPLICABLE:

EDITION OF CODE

EDITION OF CODE

☐ Flood Hazard

☐ One and Two Family Dwellings

☐ Mechanical

☐ As Built Elevation Certification

☐ Building

☐ Energy

☐ Other

☐ Electrical

☐ Barrier Free

☐ Plumbing

☐ Other

TOWNSHIP OF BRICK



BUILDING SUBCODE TECHNICAL SECTION



PERMIT NO. 40663
DATE ISSUED 6-16-88
REVISION DATE _____
Block 382-33 Lot 62 North
Subdivision 4001 Hied North

A. IDENTIFICATION

APPLICANT - Complete unshaded areas only	When changing contractors, notify this office
Owner <u>Mr Eberhard</u>	Contractor <u>Greg M. Smith</u>
Address <u>125 Court St Dr</u>	Address <u>60 Keffler Church Dr</u>
Tel. 1 <u>[Redacted]</u>	Tel. 1 <u>1-920-1913</u>
Work Site Address <u>5 am 7</u>	Lic. No. <u>00742</u>
	Federal Emp. No. _____

CERTIFICATION IN LIEU OF OATH:
(Complete for Minor Work and Small Job Only)
I hereby certify that the proposed work is authorized by the owner of record and I have been authorized by the owner to make this application as his agent.
Greg M. Smith
AGENT SIGNATURE

B. TECHNICAL SITE DATA

DESCRIPTION OF WORK
Give detail description including materials used, dimensions, etc.
Pan-1 Craft Porch

TYPE OF WORK:	Fee Basis	Fee
☐ New Building		
☒ Addition		
☐ Alteration/Renovation		
☐ Roofing		
☐ Siding		
☐ Other _____		
☐ Demolition		
☐ Miscellaneous		
☐ Fence		
☐ Sign		
☐ Pool		
☐ Elevator		
☐ Other <u>1644 sq ft</u>		
SUBTOTAL	\$	\$
Minimum Building Fee (if applicable)	\$	\$
Total Building Fee (Greater of Minimum or Subtotal)	\$	\$

☐ See Plans

C. BUILDING CHARACTERISTICS

USE GROUP: _____	Present _____	Proposed <u>X</u>
No. of Stories <u>1</u>	Total Building Area-All Floors _____	Sq. Ft. _____
Height of Structure <u>7</u> Ft.	Volume of Structure <u>420</u>	Cu. Ft. _____
Area-Largest Floor <u>60</u> Sq. Ft.	Total Land Area Disturbed <u>420</u>	Sq. Ft. _____
Estimated Cost of Building Work: \$ <u>1500</u>		

D. COMMENTS

☐ Partial Releases ☐ Prototype Processing



Lions Head

ASSOCIATION NORTH

P.O. BOX 4009, OSBORNVILLE, NJ 08723

ADMINISTRATOR (201) 920-9409
ACTIVITIES COORDINATOR (201) 920-8773

31 May 1989

Mr. & Mrs. Robert Eberhardt
125 Courtshire Drive
Brick, NJ 08723

Dear Mr. & Mrs. Eberhardt:

A quorum of the Board of Trustees individually reviewed your request for approval of a porch extension which was submitted by the Architectural Control Committee with a recommendation for approval. The Board of Trustees concurred with this recommendation. I have enclosed an original and one copy of the resolution which must be submitted to the Brick Township Building Department in order to obtain a building permit.

Please note by the terms of the resolution the conditions under which the approval has been granted. If you have any questions concerning this, please feel free to contact me or one of the Trustees.

Very truly yours,


R. V. Kelly
Administrator

Encl.

RESOLUTION

Be it resolved that on 31 May 1989 the BOARD OF TRUSTEES of the Lions Head Association North met. In attendance were Peggy Bloom, Chairperson, Rose Mary Foley, and Frank Travaglianti. The full Architectural and Control Committee was also in attendance.

In accordance with the By Laws Rules and Regulations of the Lions Head Association, Mr. & Mrs. Eberhardt (applicant) residing at 125 Courtshire Dr. Brick, New Jersey, submitted to the Chairman of the Architectural Committee, plans and specifications for a proposed porch extension. Mr. Ralph Lettman, Chairperson reported that the Architectural Committee had met and recommended approval. Therefore, may it be resolved that the Lions Head Board of Trustees after careful consideration of the facts, does hereby grant approval subject to the following considerations:

(1) All building codes, rules and regulations of the Brick Township Building Department and any other governmental agency having jurisdiction shall be complied with.

(2) Mr. & Mrs. Eberhardt shall hold harmless the BOARD OF TRUSTEES, the Lions Head Association North and the Brick Township Building Department from any liability whatsoever.

(3) The contractor or sub-contractor performing the work may be required to provide a Certificate of Insurance naming Lions Head Association and the BOARD OF Trustees in amounts of insurance satisfactory to the Board.


(4) All maintenance and repairs directly and indirectly shall be at the sole cost of the owner and shall not in any manner whatsoever ever be the responsibility of the Lions Head Association North.

(5) Excavation, shrubbery removal, sprinkling system damage or relocation or any other areas affected or disturbed shall be the sole responsibility of the homeowner.

(6) Approval is limited to the plans and specifications as submitted and any changes must be resubmitted to the Architectural Committee.

(7) This approval shall not be construed nor is it the intent of the BOARD OF TRUSTEES to give license or establish any precedent for any other Homeowner to construct or make any Architectural changes.

DATE: 31 May 1989



Peggy Bloom, Chairperson
Board of Trustees

ATTESTED 
R. V. Kelly, Asst. Secretary

5/26/89
 OK Al. Walling
 OK Ed. Baker
 OK J. M. Menter
 OK R. Lettman
 P. OS e

27
 [Signature]

1
 5 Awning Windows
 enclosure



Mr + Mrs Eberhardt
 125 Courtshire Dr
 6' Porch extension
 10 1/2' wide

10'

10'

CONFORMANCE SPECIFICATION

GENERAL — CONSTRUCTION DETAILS AND CONFORMANCE SPECIFICATIONS THAT RECEIVED APPROVAL #2170 OF THE INTERNATIONAL CONFERENCE OF BUILDING OFFICIALS, 55 SOUTH LOS ROBLES, PASADENA, CALIFORNIA; AND #88-6 OF THE BUILDING OFFICIALS CONFERENCE OF AMERICA, INC., 1313 EAST 80TH STREET, CHICAGO, ILLINOIS.

PHYSICAL PROPERTIES OF HONEYCOMB PANELING AND ATTACHING EXTRUSIONS —

FACING — A.S.T.M. 3003 H 18 ALUMINUM ALLOY TENSILE 38,000 P.S.I., YIELD STRENGTH 24,000 P.S.I., ELONGATION 1 TO 4%
 CORE — 99 LB. KRAFT PAPER, 3/4" CELL SIZE, 11% RESIN IMPREGNATION, DENSITY 1.88 LBS/CU FT
 CRUSHING STRENGTH 86 P.S.I., STRONG PLANE SHEAR 42 P.S.I. WEAK PLANE SHEAR 23 P.S.I.
 FACING AND CORE ADHESIVE — A CONTACT ADHESIVE COMPOSED OF SYNTHETIC RUBBER RESINS AND SOLVENTS
 THAT MEETS THE DURABILITY AND STRENGTH CRITERIA OF A.S.T.M. D-1037.
 ATTACHING EXTRUSIONS — A.S.T.M. 6063 T-5 ALUMINUM ALLOY TENSILE 22,000 P.S.I., YIELD STRENGTH 16,000 P.S.I., ELONGATION 8%.

TRANSVERSE LOAD (ROOF LOADING DATA) TEST TO A.S.T.M. E 72-61 ON 1/2" THICK PANELS, UNIFORMLY DISTRIBUTED LOADING, TEST TO A.S.T.M. C-273 ON 1-3/4" THICK PANELS. SHEAR TEST IN FLATWISE PLANE OF SANDWICH CORE SHOWS:

ROOF SPAN	FEET	9	10	11	12	13	14
ULTIMATE ROOF LOAD (A.S.T.M. E 72-61)	LBS/SQ FT	187.5	181.7	176.0	168.0	160.6	77.3
ROLLING SHEAR AT ULTIMATE ROOF LOAD (CALCULATED VARIATION)	P.S.I.	23.7	21.3	19.3	17.7	16.3	15.2
DEFLECTION AT ALLOWABLE ROOF LOAD	INCHES	1.0	1.2	1.3	1.7	2.0	2.3
ADHESIVE ULTIMATE SHEAR STRESS (A.S.T.M. C-273)	P.S.I.	20.1	20.1	20.1	20.1	20.1	20.1
ALLOWABLE ROOF LOAD*	LBS/SQ FT	68.0	71.5	62.5	62.6	44.8	38.7
I.C.B.O.'S RECOMMENDATION OF ALLOWABLE ROOF LOAD	LBS/SQ FT	67.0	60.4	65.0	48.7	41.8	36.7
B.O.C.A.'S RECOMMENDATION OF ALLOWABLE ROOF LOAD	LBS/SQ FT	74.3	60.4	60.2	42.3	36.2	30.8

*FOUNDED ON THE ULTIMATE ROOF LOAD WITH A FACTOR OF SAFETY OF 2 OR A ROLLING SHEAR STRESS ON THE ADHESIVE WITH A FACTOR OF SAFETY OF 2.5 WHICHEVER IS LESS.

AXIAL COMPRESSIVE LOAD (WALL LOADING DATA) TEST TO A.S.T.M. E 72-61 ON 1-3/4" THICK 3' x 8' PANEL AND A SPECIAL TEST ON AN 8 FOOT FRONT WALL SECTION INCLUDING A DOUBLE WINDOW CONSTRUCTION SHOWS:

ULTIMATE WALL AXIAL LOAD (A.S.T.M. E 72-61)	3998 LBS/LINEAL FEET OF PANEL WIDTH
FRONT WALL SECTION AXIAL LOAD (SPECIAL TEST)	IN EXCESS OF 720 LBS/LINEAL FT. WITHOUT APPARENT DEFECT
I.C.B.O.'S RECOMMENDATION OF ALLOWABLE WALL LOAD	1000 LBS/LINEAL FT. OF WALL AREA INCLUDING WINDOW AREA
B.O.C.A.'S RECOMMENDATION OF ALLOWABLE WALL LOAD	1999 LBS/LINEAL FT. OF SOLID PANEL WALL — DOUBLE WINDOW WALL CONSTRUCTION CAN CARRY ALLOWABLE ROOF LOADINGS ABOVE, EASILY

WIND LOAD (WALL WIND LOADING DATA) — A SPECIAL TEST ON AN 8 FOOT FRONT WALL SECTION INCLUDING A DOUBLE WINDOW CONSTRUCTION SHOWS ULTIMATE WALL WIND LOAD (SPECIAL TEST)

ULTIMATE WALL WIND LOAD (SPECIAL TEST)	46.6 LBS/SQ FT OF FRONT WALL SECTION
ALLOWABLE WALL WIND LOAD*	31.0 LBS/SQ FT OF FRONT WALL SECTION

*FOUNDED ON THE ULTIMATE WALL WIND LOAD WITH A FACTOR OF SAFETY OF 2 AND ALLOWING FOR 33% OVER LOAD FOR SHORT TERM LOADING. THIS ALLOWABLE WIND LOAD IS CONSERVATIVELY ABOVE THE 20 LBS/SQ FT REQUIRED IN BOTH THE I.C.B.O. OR B.O.C.A. BASIC CODE FOR WIND LOADING.

RACKING LOAD (FRONT WALL RACKING LOAD DATA) TEST TO A.S.T.M. E 72-61 ON 1-3/4" PANELS COMPOSED OF 2' x 8' PANEL SECTIONS, AND A SPECIAL TEST OF A 3 FT. WIDE SECTION OF A 14 FT. ROOF, A 7 FT. FRONT WALL JOINED AS IT IS ASSEMBLED AND ATTACHED TO EXISTING WALL AND FLOOR CONSTRUCTION SHOWN ON THIS DRAWING.

ULTIMATE WALL RACKING LOAD (A.S.T.M. E 72-61) —	2285 LBS. (NO CLEAR POINT OF FAILURE; RATHER, PROGRESSIVE DETERIORATION AT PANEL CORNERS DUE TO INDIVIDUAL ROTATION OF PANELS WITH RESPECT TO THEIR CENTERS)
ALLOWABLE WALL RACKING LOAD (A.S.T.M. E 72-61)*	264 LBS/LINEAL FT. OF SOLID ROOF TO FLOOR PANELS
ULTIMATE WALL RACKING LOAD (SPECIAL TEST)	1026 LBS.
ALLOWABLE WALL RACKING LOAD (SPECIAL TEST)*	228 LBS/LINEAL FT. OF SOLID ROOF TO FLOOR PANELS

*FOUNDED ON THE ULTIMATE WALL RACKING LOAD WITH A FACTOR OF SAFETY OF 2, AND ALLOWING 33% OVERLOAD FOR A SHORT TERM LOADING. I.C.B.O. RECOMMENDATION — A RACKING SHEAR LOAD OF 162 LBS/FT. IS PERMISSIBLE FOR EACH FULL HEIGHT OF WALL PANEL HAVING A 3 FOOT MINIMUM WIDTH.

B.O.C.A. RECOMMENDATION — THIS TEST IS REPORTED TO ENHANCE THE OVERALL PICTURE OF THE STRUCTURE AND NOT TO PROVE CONFORMANCE TO REQUIRED STANDARDS.

RIVET LOADS (RIVET LOAD DATA) — SPECIAL TESTS ON STRIPS OF ALUMINUM ALLOYS, .024" THICK A.S.T.M. 3003 H 18 AND .050 THICK A.S.T.M. 6063-T5 USING ONE RIVET PER SPECIMEN OF 3/16" DIA. OPEN END DOMED HEAD POP TYPE

ULTIMATE RIVET SHEAR LOAD	332 LBS.
ALLOWABLE RIVET SHEAR LOAD*	166 LBS.
ULTIMATE RIVET PULL THROUGH LOAD	269 LBS.
ALLOWABLE RIVET PULL THROUGH LOAD*	134 LBS.

*ALLOWABLE VALUES ARE FOUNDED ON THE ULTIMATE VALUE WITH A FACTOR OF SAFETY OF 2.
 I.C.B.O. AND B.O.C.A. BOTH RECOMMEND ALLOWABLE SHEAR LOAD 148 LBS.
 ALLOWABLE PULL THROUGH LOAD 119 LBS.



PANEL - CRAFT INSULATED ROOM ADDITION

Craft-Bilt Manufacturing Company
 PHILADELPHIA, PA.

DATE - 1/5/69	DR. BY S.E.G.	DRAWING #S11032-A
SCALE - SHOWN	CHKD. BY D.S.	
B.O.C.A. RESEARCH #88-6		
S.B.B.C. RESEARCH #73102-73		

OFFICE OF
DIVISION OF INSPECTION

BLOCK 382-33
LOT 62

ENGINEERING DEPARTMENT,

I request to be exempted from the plot plan ordinance for the minor addition to be constructed at 125 Courtship Dr

THANK YOU,

PHONE NUMBER

920-1913

Greg Mury
APPLICANT SIGNATURE

1. YES ☒ NO ☐ Are you removing excavated materials from site?
Please explain.


To put slab in

2. YES ☐ NO ☒ Are you constructing a retaining wall?
If yes, provide following information

Type:

- ☐ Railroad ties
☐ Concrete

Height: _____
Length: _____



Attach plan providing details location - Plan must be certified by licensed Engineer or Architect.

MUNICIPAL ENGINEER _____

OFFICIAL USE ONLY

Preliminary Inspection Construction Inspection Final Inspection

Accepted ☒

Accepted ☐

Accepted ☐

Rejected ☐

Rejected ☐

Rejected ☐

Date 6-9-89

Date _____

Date _____

Signature _____

Signature _____

Signature _____